NASA SP-7039(19)
Section 2
Indexes

(NASA-SP-7039(19)-Sec-2) NASA PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY, SECTION 2, INDEXES. SUPPLEMENT 19 (National Aeronautics and Space Administration) 684 p HC A99/MF A01 00/82 01301

N82-11982

Unclas

NASA PATENT ABSTRACTS BIBLIOGRAPHY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

JULY 1981

NOV 1981
RECEIVED
NASA STI FACILITY
ACCESS DEPT.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

ACCESSION NUMBER RANGES

Bibliography Number	*STAR Accession Numbers*
NASA SP-7039(04)	N69-20701–N73-33931
NASA SP-7039(12)	N74-10001–N77-34042
NASA SP-7039(13)	N78-10001–N78-22018
NASA SP-7039(14)	N78-22019–N78-34034
NASA SP-7039(15)	N79-10001–N79-21993
NASA SP-7039(16)	N79-21994–N79-34158
NASA SP-7039(17)	N80-10001–N80-22254
NASA SP-7039(18)	N80-22255–N80-34339
NASA SP-7039(19)	N81-10001–N81-21997

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by PRC Government Information Systems.

NASA SP-7039(19)
Section 2
Indexes

NASA

PATENT ABSTRACTS BIBLIOGRAPHY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

Indexes for the annotated references to NASA-owned inventions covered by U.S. patents and applications for patent that were announced in *Scientific and Technical Aerospace Reports (STAR)* between May 1969 and July 1981. This issue supersedes all previous Index Sections.

Scientific and Technical Information Branch JULY 1981
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
Washington, D.C.

This supplement is available as NTISUB/111/093 from the National Technical Information Service (NTIS), Springfield, Virginia 22161 at the price of $12.50 domestic; $25.50 foreign for standing orders. Please note: Standing orders are subscriptions which do not terminate at the end of a year, as do regular subscriptions, but continue indefinitely unless specifically terminated by the subscriber.

INTRODUCTION

Several thousand inventions result each year from the aeronautical and space research supported by the National Aeronautics and Space Administration. The inventions having important use in government programs or significant commercial potential are usually patented by NASA. These inventions cover practically all fields of technology and include many that have useful and valuable commercial application.

NASA inventions best serve the interests of the United States when their benefits are available to the public. In many instances, the granting of nonexclusive or exclusive licenses for the practice of these inventions may assist in the accomplishment of this objective. This bibliography is published as a service to companies, firms, and individuals seeking new, licensable products for the commercial market.

The *NASA Patent Abstracts Bibliography (NASA PAB)* is a semiannual NASA publication containing comprehensive abstracts and indexes of NASA-owned inventions covered by U.S. patents and applications for patent. The citations included in *NASA PAB* were originally published in NASA's *Scientific and Technical Aerospace Reports (STAR)* and cover *STAR* announcements made since May 1969.

For the convenience of the user, each issue of *NASA PAB* has a separately bound Abstract Section (Section 1) and Index Section (Section 2). Although each Abstract Section covers only the indicated six-month period, the Index Section is cumulative covering all NASA-owned inventions announced in *STAR* since May 1969. Thus a complete set of *NASA PAB* would consist of the Abstract Sections of Issue 04 (January 1974) and Issue 12 (January 1978) and the Abstract Section for all subsequent issues and the Index Section for the most recent issue.

The 130 citations published in this issue of the Abstract Section cover the period January 1981 through July 1981. The Index Section references approximately 4000 citations covering the period May 1969 through July 1981.

ABSTRACT SECTION (SECTION 1)

This *PAB* issue incorporates the 1975 *STAR* category revisions which include 10 major subdivisions divided into 74 specific categories and one general category/division. (See Table of Contents for the scope note of each category under which are grouped appropriate NASA inventions.) This new scheme was devised in lieu of the 34 category divisions which were utilized in *PAB* supplements (01) through (06) covering *STAR* abstracts from May 1969 through January 1974. Each entry in the Abstract Section consists of a *STAR* citation accompanied by an abstract and a key illustration taken from the patent or application for patent drawing. Entries are arranged in subject category in order of the ascending NASA Accession Number originally assigned in *STAR* to the invention. The range of NASA Accession Numbers within each issue is printed on the inside front cover.

Abstract Citation Data Elements: Each of the abstract citations has several data elements useful for identification and indexing purposes, as follows:

NASA Accession Number
NASA Case Number
Inventor's Name

Title of Invention
U.S. Patent Application Serial Number
U.S. Patent Number (for issued patents only)
U.S. Patent Office Classification Number(s)
(for issued patents only)

These data elements in the citation of the abstract as depicted in the Typical Citation and Abstract reproduced below and are also used in the several indexes.

TYPICAL CITATION AND ABSTRACT

NASA SPONSORED DOCUMENT

AVAILABLE ON MICROFICHE

NASA ACCESSION NUMBER

N81-12283*# National Aeronautics and Space Administration. *Marshall Space Flight Center, Huntsville, Ala.*

SOURCE

TITLE

BEAM CONNECTOR APPARATUS AND ASSEMBLY Patent Application

INVENTOR

Georg vonTiesenhausen, *inventor* (to NASA) *Filed 8 Oct. 1980*
13 p
(NASA-Case-MFS-25134-1; US-Patent-Appl-SN-195226) Avail:
NTIS HC A02/MF A01 CSCL 13B

US PATENT APPLICATIONS SERIAL NUMBER


AVAILABILITY

COSATI CODE

NASA CASE NUMBER

ABSTRACT

A connector apparatus and assembly is described for connecting beams and the like structural members which is particularly advantageous for connecting two members together when moved laterally into place. The connector apparatus requires no relative longitudinal movement between the ends of the beams or members being connected to make a connection joint. The connector apparatus includes a receptacle member and a connector housing carried by opposed ends of the structural member being connected wherein a spring-loaded connector member is carried by the connector housing which may be released for extension and engagement into the receptacle member.
NASA



KEY ILLUSTRATION

INDEX SECTION (SECTION 2)

The Index Section is divided into five indexes which are cross-indexed and are useful in locating a single invention or groups of inventions.

Each of the five indexes utilizes basic data elements: (1) Subject Category Number, (2) NASA Accession Number, and (3) NASA Case Number, in addition to other specific index terms.

Subject Index: Lists all inventions according to appropriate alphabetized technical term and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number.

Inventor Index: Lists all inventions according to alphabetized names of inventors and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number.

Source Index: Lists all inventions according to alphabetized source of invention (i.e., name of contractor or government installation where invention was made) and indicates the related NASA Case Number, the Subject Category Number, and the NASA Accession Number.

Number Index: Lists inventions in order of ascending (1) NASA Case Number, (2) U.S. Patent Application Serial Number, (3) U.S. Patent Classification Number, and (4) U.S. Patent Number and indicates the related Subject Category Number and the NASA Accession Number.

Accession Number Index: Lists all inventions in order of ascending NASA Accession Number and indicates the related Subject Category Number, the NASA Case Number, the U.S. Patent Application Serial Number, the U.S. Patent Classification Number, and the U.S. Patent Number.

HOW TO USE THIS PUBLICATION TO IDENTIFY NASA INVENTIONS

To identify one or more NASA inventions within a specific technical field or subject, several techniques are possible when using the flexibility incorporated into the *NASA PAB*.

(1) *Using Subject Category:* To identify all NASA inventions in any one of the subject categories in this issue of *NASA PAB*, select the desired Subject Category in the Abstract Section (Section 1) and find the inventions abstracted thereunder.

(2) *Using Subject Index:* To identify all NASA inventions listed under a desired technical subject index term, (A) turn to the cumulative Subject Index in the Index Section and find the invention(s) listed under the desired technical subject term. (B) Note the indicated Accession Number and the Subject Category Number. (C) Using the indicated Accession Number, turn to the inside front cover of the Index Section to determine which issue of the Abstract Section includes the Accession Number desired. (D) To find the abstract of the particular invention in the issue of the Abstract Section selected, (i) use the Subject Category Number to locate the Subject Category and (ii) use the Accession Number to locate the desired invention within the Subject Category listing.

(3) *Using Patent Classification Index:* To identify all inventions covered by issued NASA patents (does not include applications for patent) within a desired Patent Classification, (A) turn to the Patent Classification Number in the Number Index of Section 2 and find the associated inventions(s), and (B) follow the instructions outlined in (2)(B), and (D) above.

PUBLIC AVAILABILITY OF COPIES OF PATENTS AND PATENT APPLICATIONS

Copies of U.S. patents may be purchased directly from the U.S. Patent and Trademark Office, Washington, D.C. 20231, for fifty cents a copy. When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, preferably by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the Patent and Trademark Office.

NASA *patent application specifications* are sold in paper copy by the National Technical Information Service at price code A02 ($5.00 domestic; $10.00 foreign). Microfiche are sold at price code A01 ($3.50 domestic; $7.00 foreign). The US-Patent-Appl-SN-number should be used in ordering either paper copy or microfiche from NTIS.

LICENSES FOR COMMERCIAL USE: INQUIRIES AND APPLICATIONS FOR LICENSE

NASA inventions, abstracted in *NASA PAB*, are available for nonexclusive or exclusive licensing in accordance with the NASA Patent Licensing Regulations. It is significant that all licenses for NASA inventions shall be by express written instruments and that no license will be granted or implied in a NASA invention except as provided in the NASA Patent Licensing Regulations.

Inquiries concerning the NASA Patent Licensing Program or the availability of licenses for the commercial use of NASA-owned inventions covered by U.S. patents or pending applications for patent should be forwarded to the NASA Patent Counsel of the NASA installation having cognizance of the specific invention, or the Assistant General Counsel for Patent Matters, Code GP-4, National Aeronautics and Space Administration, Washington, D.C. 20546. Inquiries should refer to the NASA Case Number, the Title of the Invention, and the U.S. Patent Number or the U.S. Application Serial Number assigned to the invention as shown in *NASA PAB*.

The NASA Patent Counsel having cognizance of the invention is determined by the first three letters or prefix of the NASA Case Number assigned to the invention. The addresses of NASA Patent Counsels are listed alongside the NASA Case Number prefix letters in the following table. Formal application of license must be submitted on the NASA Form, Application for NASA Patent License, which is available upon request from any NASA Patent Counsel.

NASA Case Number Prefix Letters	Address of Cognizant NASA Patent Counsel
ARC-xxxxx XAR-xxxxx	Ames Research Center Mail Code: 200-11A Moffett Field, California 94035 Telephone: (415)965-5104
ERC-xxxxx XER-xxxxx HQN-xxxxx XHQ-xxxxx	NASA Headquarters Mail Code: GP-4 Washington, D.C. 20546 Telephone: (202)755-3954
GSC-xxxxx XGS-xxxxx	Goddard Space Flight Center Mail Code: 204 Greenbelt, Maryland 20771 Telephone: (301)344-7351
KSC-xxxxx XKS-xxxxx	John F. Kennedy Space Center Mail Code: AA-PAT Kennedy Space Center, Florida 32899 Telephone: (305)867-2544
LAR-xxxxx XLA-xxxxx	Langley Research Center Mail Code: 456 Hampton, Virginia 23365 Telephone: (804)827-3725
LEW-xxxxx XLE-xxxxx	Lewis Research Center Mail Code: 500-311 21000 Brookpark Road Cleveland, Ohio 44135 Telephone: (216)433-6346
MSC-xxxxx XMS-xxxxx	Lyndon B. Johnson Space Center Mail Code: AM Houston, Texas 77058 Telephone: (713)483-4871
MFS-xxxxx XMF-xxxxx	George C. Marshall Space Flight Center Mail Code: CC01 Huntsville, Alabama 35812 Telephone: (205)453-0020
NPO-xxxxx XNP-xxxxx FRC-xxxxx XFR-xxxxx WOO-xxxxx	NASA Resident Legal Office Mail Code: 180-601 4800 Oak Grove Drive Pasadena, California 91103 Telephone: (213)354-2700

PATENT LICENSING REGULATIONS

Title 14—AERONAUTICS AND SPACE

Chapter V—National Aeronautics and Space Administration

PART 1245—PATENTS

Subpart 2—Patent Licensing Regulations

1. Subpart 2 is revised in its entirety as follows:

Sec.

1245.200 Scope of subpart.
1245.201 Definitions.
1245.202 Basic considerations.
1245.203 Licenses for practical application of inventions.
1245.204 Other licenses.
1245.205 Publication of NASA inventions available for license.
1245.206 Application for nonexclusive license.
1245.207 Application for exclusive license.
1245.208 Processing applications for license.
1245.209 Royalties and fees.
1245.210 Reports.
1245.211 Revocation of licenses.
1245.212 Appeals.
1245.213 Litigation.
1245.214 Address of communications.

AUTHORITY: The provisions of this Subpart 2 issued under 42 U.S.C. 2457, 2473(b)(3).

§ 1245.200 Scope of subpart.

This Subpart 2 prescribes the terms, conditions, and procedures for licensing inventions covered by U.S. patents and patent applications for which the Administrator of the National Aeronautics and Space Administration holds title on behalf of the United States.

§ 1245.201 Definitions.

For the purpose of this subpart, the following definitions apply:

(a) "Invention" means an invention covered by a U.S. patent or patent application for which the Administrator of NASA holds title on behalf of the United States and which is designated by the Administration as appropriate for the grant of license(s) in accordance with this subpart.

(b) "To practice an invention" means to make or have made, use or have used, sell or have sold, or otherwise dispose of according to law any machine, article of manufacture or composition of matter physically embodying the invention, or to use or have used the process or method comprising the invention.

(c) "Practical application" means the manufacture in the case of a composition of matter or product, the use in the case of a process, or the operation in the case of a machine, under such conditions as to establish that the invention is being utilized and that its benefits are reasonably accessible to the public.

(d) "Special invention" means any invention designated by the NASA Assistant General Counsel for Patent Matters to be subject to short-form licensing procedures. An invention may be designated as a special invention when a determination is made that:

(1) Practical application has occurred and is likely to continue for the life of the patent and for which an exclusive license is not in force, or

(2) The public interest would be served by the expeditious granting of a nonexclusive license for practice of the invention by the public.

(e) The "Administrator" means the Administrator of the National Aeronautics and Space Administration, or his designee.

(f) "Government" means the Government of the United States of America.

(g) The "Inventions and Contributions Board" means the NASA Inventions and Contributions Board established by the Administrator of NASA within the Administration in accordance with section 305 of the National Aeronautics and Space Act of 1958 as amended (42 U.S.C. 2457).

§ 1245.202 Basic considerations.

(a) Much of the new technology resulting from NASA sponsored research and development in aeronautical and space activities has application in other fields. NASA has special authority and responsibility under the National Aeronautics and Space Act of 1958, as amended (42 U.S.C. 2451), to provide for the widest practical dissemination and utilization of this new technology. In addition, NASA has been given unique requirements to protect the inventions resulting from NASA activities and to promulgate licensing regulations to encourage commercial use of these inventions.

(b) NASA-owned inventions will best serve the interests of the United States when they are brought to practical application in the shortest time possible. Although NASA encourages the nonexclusive licensing of its inventions to promote competition and achieve their widest possible utilization, the commercial development of certain inventions calls for a substantial capital investment which private manufacturers may be unwilling to risk under a nonexclusive license. It is the policy of NASA to seek exclusive licensees when such licenses will provide the necessary incentive to the licensee to achieve early practical application of the invention.

(c) The Administrator, in determining whether to grant an exclusive license, will evaluate all relevant information submitted by applicants and all other persons and will consider the necessity for further technical and market development of the invention, the capabilities of prospective licensees, their proposed plans to undertake the required investment and development, the impact on competitors, and the benefits of the license to the Government and to the public. Preference for exclusive license shall be given to U.S. citizens or companies who intend to manufacture or use, in the case of a process, the invention in the United States of America, its territories and possessions. Consideration may also be given to assisting small businesses and minority business enterprises, as well as economically depressed, low income and labor surplus areas.

(d) All licenses for inventions shall be by express written instruments. No license shall be granted either expressly or by implication, for a NASA invention except as provided for in §§ 1245.203 and 1245.204 and in any existing or future treaty or agreement between the United States and any foreign government.

(e) Licenses for inventions covered by NASA-owned foreign patents and patent applications shall be granted in accordance with the NASA Foreign Patent Licensing Regulations (§ 1245.4).

§ 1245.203 Licenses for practical application of inventions.

(a) *General.* As an incentive to encourage practical application of inventions, licenses will be granted to responsible applicants according to the circumstances and conditions set forth in this section.

(b) *Nonexclusive licenses.* (1) Each invention will be made available to responsible applicants for nonexclusive, revocable licensing in accordance with § 1245.206, consistent with the provisions of any existing exclusive license.

(2) The duration of the license shall be for a period as specified in the license.

(3) The license shall require the licensee to achieve the practical application of the invention and to then practice the invention for the duration of the license.

(4) The license may be granted for all or less than all fields of use of the invention and throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(5) The license shall extend to the subsidiaries and affiliates of the licensee and shall be nonassignable without approval of the Administrator, NASA, except to the successor of that part of the licensee's business to which the invention pertains.

(c) *Short-form nonexclusive licenses.* A nonexclusive, revocable license for a special invention, as defined in § 1245.201 (d), shall be granted upon written request, to any applicant by the Patent Counsel of the NASA installation having cognizance of the invention.

(d) *Exclusive licenses.* (1) A limited exclusive license may be granted on an invention available for such licensing provided that:

(i) The Administrator has determined that: (*a*) The invention has not been brought to practical application by a nonexclusive licensee in the fields of use or in the geographical locations covered by the application for the exclusive license, (*b*) practical application of the invention in the fields of use or geographical locations covered by the application for the exclusive license is not likely to be achieved expeditiously by the further funding of the invention by the Government or under a nonexclusive license requested by any applicant pursuant to these regulations, and (*c*) the exclusive license will provide the necessary incentive to the licensee to achieve the practical application of the invention; and

(ii) Either a notice pursuant to

§ 1245.205 listing the invention as available for licensing has been published in the FEDERAL REGISTER for at least 9 months; or a patent covering the invention has been issued for at least 6 months. However, a limited exclusive license may be granted prior to the periods specified above if the Administrator determines that the public interest will best be served by the earlier grant of an exclusive license.

(2) The license may be granted for all or less than all fields of use of the invention, and throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(3) The exclusive period of the license shall be negotiated, but shall be for less than the terminal portion of the patent, and shall be related to the period necessary to provide a reasonable incentive to invest the necessary risk capital.

(4) The license shall require the licensee to practice the invention within a period specified in the license and then to achieve practical application of the invention.

(5) The license shall require the licensee to expend a specified minimum sum of money and/or to take other specified actions, within indicated period(s) after the effective date of the license, in an effort to achieve practical application of the invention.

(6) The license shall be subject to at least an irrevocable royalty-free right of the Government of the United States to practice and have practiced the invention throughout the world by or on behalf of the Government of the United States and on behalf of any foreign government pursuant to any existing or future treaty or agreement with the United States.

(7) The license may reserve to the Administrator, NASA, under the following circumstances, the right to require the granting of a sublicense to responsible applicant(s) on terms that are considered reasonable by the Administrator, taking into consideration the current royalty rates under similar patents and other pertinent facts: (i) To the extent that the invention is required for public use by Government regulation, or (ii) as may be necessary to fulfill health or safety needs, or (iii) for other purposes stipulated in the license.

(8) The license shall be nontransferable except to the successor of that part of the licensee's business to which the invention pertains.

(9) Subject to the approval of the Administrator, the licensee may grant sublicenses under the license. Each sublicense granted by an exclusive licensee shall make reference to and shall provide that the sublicense is subject to the terms of the exclusive license including the rights retained by the Government under the exclusive license. A copy of each sublicense shall be furnished to the Administrator.

(10) The license may be subject to such other reservations as may be in the public interest.

§ 1245.204 Other licenses.

(a) *License to contractor.* There is hereby granted to the contractor reporting an invention made in the performance of work under a contract of NASA in the manner specified in section 305(a)(1) or (2) of the National Aeronautics and Space Act of 1958 as amended (42 U.S.C. 2457(a)(1) or (2)), a revocable, nonexclusive, royalty-free license for the practice of such invention, together with the right to grant sublicenses of the same scope to the extent the contractor was legally obligated to do so at the time the contract was awarded. Such license and right is nontransferable except to the successor of that part of the contractor's business to which the invention pertains.

(b) *Miscellaneous licenses.* Subject to any outstanding licenses, nothing in this subpart 2 shall preclude the Administrator from granting other licenses for inventions, when he determines that do so would provide for an equitable distribution of rights. The following exemplify circumstances wherein such licenses may be granted:

(1) In consideration of the settlement of an interference;

(2) In consideration of a release of a claim of infringement; or

(3) In exchange for or as part of the consideration for a license under adversely held patent(s).

§ 1245.205 Publication of NASA inventions available for license.

(a) A notice will be perodically published in the FEDERAL REGISTER listing inventions available for licensing. Abstracts of the inventions will also be published in the NASA Scientific and Technical Aerospace Reports (STAR) and other NASA publications.

(b) Copies of pending patent applications for inventions abstracted in STAR may be purchased from the National Technical Information Service, Springfield, Va. 22151.

§ 1245.206 Application for nonexclusive license.

(a) *Submission of application.* An application for nonexclusive license under § 1245.203(b) or a short-form nonexclusive license for special inventions under § 1245.203(c) shall be addressed to the NASA Patent Counsel of the NASA installation having cognizance over the NASA invention for which a license is desired or to the NASA Assistant General Counsel for Patent Matters.

(b) *Contents of an application for nonexclusive license.* An application for nonexclusive license under § 1245.203(b) shall include:

(1) Identification of invention for which license is desired, including the NASA patent case number, patent application serial number of patent number, title and date, if known;

(2) Name and address of the person, company or organization applying for license and whether the applicant is a U.S. citizen or a U.S. corporation;

(3) Name and address of representative of applicant to whom correspondence should be sent;

(4) Nature and type of applicant's business;

(5) Number of employees;

(6) Purpose for which license is desired;

(7) A statement that contains the applicant's best knowledge of the extent to which the invention is being practiced by private industry and the Government;

(8) A description of applicant's capability and plan to undertake the development and marketing required to achieve the practical application of the invention, including the geographical location where the applicant plans to manufacture or use, in the case of a process, the invention; and

(9) A statement indicating the minimum term of years the applicant desires to be licensed.

(c) *Contents of an application for a short-form nonexclusive license.* An application for a short-form nonexclusive license under § 1245.203(c) for a special invention shall include:

(1) Identification of invention for which license is desired, including the NASA patent case number, patent application serial number or patent number, title and date, if known;

(2) Name and address of company or organization applying for license; and

(3) Name and address of representative of applicant to whom correspondence should be sent.

§ 1245.207 Application for exclusive license.

(a) *Submission of application.* An application for exclusive license under § 1245.203(d) may be submitted to NASA at any time. An application for exclusive license shall be addressed to the NASA Assistant General Counsel for Patent Matters.

(b) *Contents of an application for exclusive license.* In addition to the requirements set forth in § 1245.206(b), the application for an exclusive license shall include:

(1) Applicant's status, if any, in any one or more of the following categories:

(i) Small business firm;

(ii) Minority business enterprise;

(iii) Location in a surplus labor area;

(iv) Location in a low-income urban area; and

(v) Location in an area designed by the Government as economically depressed.

(2) A statement indicating the time, expenditure, and other acts which the applicant considers necessary to achieve practical application of the invention, and the applicant's offer to invest that sum and to perform such acts if the license is granted;

(3) A statement whether the applicant would be willing to accept a license for all or less than all fields of use of the invention throughout the United States of America, its territories and possessions, Puerto Rico, and the District of Columbia, or in any lesser geographic portion thereof.

(4) A statement indicating the amount of royalty fees or other consideration, if any, the applicant would be willing to pay the Government for the exclusive license; and

(5) Any other facts which the applicant believes to show it to be in the interests of the United States of America for the Administrator to grant an exclusive license rather than a nonexclusive li-

cense and that such an exclusive license should be granted to the applicant.

§ 1245.208 Processing applications for license.

(a) *Initial review.* Applications for nonexclusive and exclusive licenses under §§ 1245.206 and 1245.207 will be reviewed by the Patent Counsel of the NASA installation having cognizance for the invention and the NASA Assistant General Counsel for Patent Matters, to determine the conformity and appropriateness of the application for license and the availability of the specific invention for the license requested. The Assistant General Counsel for Patent Matters will forward all applications for license conforming to §§ 1245.206(b) and 1245.207(b) to the NASA Inventions and Contributions Board when the invention is available for consideration of the requested license. Prior to forwarding applications for exclusive licenses to the Inventions and Contributions Board, notice in writing will be given to each nonexclusive licensee for the specific invention advising of the receipt of the application for the exclusive license and providing each nonexclusive licensee with a 30-day period for submitting either evidence that practical application of the invention has occurred or is about to occur or, an application for an exclusive license for the invention.

(b) *Recommendations of Inventions and Contributions Board.* The Inventions and Contributions Board shall, in accordance with the basic considerations set forth in §§ 1245.202 and 1245.203, evaluate all applications for license forwarded by the Assistant General Counsel for Patent Matters. Based upon the facts presented to the Inventions and Contributions Board in the application and any other facts in its possession, the Inventions and Contributions Board shall recommend to the Administrator: (1) Whether a nonexclusive or exclusive license should be granted, (2) the identity of the licensee, and (3) any special terms or conditions of the license.

(c) *Determination of Administrator and grant of nonexclusive licenses.* The Administrator shall review the recommendations of the Inventions and Contributions Board and shall determine whether to grant the nonexclusive license as recommended by the Board. If the Administrator determines to grant the license, the license will be granted upon the negotiation of the appropriate terms and conditions of the Office of General Counsel.

(d) *Determination of Administrator and grant of exclusive licenses*—(1) *Notice.* If the Administrator determines that the best interest of the United States will be served by the granting of an exclusive license in accordance with the basic considerations set forth in §§ 1245.202 and 1245.203, a notice shall be published in the FEDERAL REGISTER announcing the intent to grant the exclusive license, the identification of the invention, special terms or conditions of the proposed license, and a statement that NASA will grant the exclusive license unless within 30 days of the publication of such notice the Inventions and Contributions Board receives in writing any of the following together with supporting documentation:

(i) A statement from any person setting forth reasons why it would not be in the best interest of the United States to grant the proposed exclusive license; or

(ii) An application for a nonexclusive license under such invention, in accordance with § 1245.206(b), in which applicant states that he has already brought or is likely to bring the invention to practical application within a reasonable period.

The Inventions and Contributions Board shall, upon receipt of a written request within the 30 days' notice period, grant an extension of 30 days for the submission of the documents designated above.

(2) *Recommendation of Inventions and Contributions Board.* Upon the expiration of the period required by subparagraph (1) of this paragraph, the Board shall review all written responses to the notice and shall then recommend to the Administrator whether to grant the exclusive license as the Board initially recommended or whether a different form of license, if any, should instead be granted.

(3) *Grant of exclusive licenses.* The Administrator shall review the Board's recommendation and shall determine if the interest of the United States would best be served by the grant of an exclusive license as recommended by the Board. If the Administrator determines to grant the exclusive license, the license will be granted upon the negotiation of the appropriate terms and conditions by the Office of General Counsel.

§ 1245.209 Royalties and fees.

(a) Normally, a nonexclusive license for the practical application of an invention granted to a U.S. citizen or company will not require the payment of royalties; however, NASA may require other consideration.

(b) An exclusive license for an invention may require the payment of royalties, fees or other consideration when the licensing circumstances and the basic considerations in § 1245.202, considered together, indicate that it is in the public interest to do so.

§ 1245.210 Reports.

A license shall require the licensee to submit periodic reports of his efforts to work the invention. The reports shall contain information within his knowledge, or which he may acquire under normal business practice, pertaining to the commercial use that is being made of the invention and such other information which the Administrator may determine pertinent to the licensing program and which is specified in the license.

§ 1245.211 Revocation of licenses.

(a) Any license granted pursuant to § 1245.203 may be revoked, either in part or in its entirety, by the Administrator if in his opinion the licensee at any time shall fail to use adequate efforts to bring to or achieve practical application of the invention in accordance with the terms of the license, or if the licensee at any time shall default in making any report required by the license, or shall make any false report, or shall commit any breach of any covenant or agreement therein contained, and shall fail to remedy any such default, false report, or breach within 30 days after written notice, or if the patent is deemed unenforceable either by the Attorney General or a final decision of a U.S. court.

(b) Any license granted pursuant to § 1245.204(a) may be revoked, either in part or in its entirety, by the Administrator if in his opinion such revocation is necessary to achieve the earliest practical application of the invention pursuant to an application for exclusive license submitted in accordance with § 1245.207, or the licensee at any time shall breach any covenant or agreement contained in the license, and shall fail to remedy any such breach within 30 days after written notice thereof.

(c) Before revoking any license granted pursuant to this Subpart 2 for any cause, there will be furnished to the licensee a written notice of intention to revoke the license, and the licensee will be allowed 30 days after such notice in which to appeal and request a hearing before the Inventions and Contributions Board on the question of revocation. After a hearing, the Inventions and Contributions Board shall transmit to the Administrator the record of proceedings, its findings of fact, and its recommendation whether the license should be revoked either in part or in its entirety. The Administrator shall review the recommendation of the Board and determine whether to revoke the license in part or in its entirety. Revocation of a license shall include revocation of all sublicenses which have been granted.

§ 1245.212 Appeals.

Any person desiring to file an appeal pursuant to § 1245.211(c) shall address the appeal to Chairman, Inventions and Contributions Board. Any person filing an appeal shall be afforded an opportunity to be heard before the Inventions and Contributions Board, and to offer evidence in support of his appeal. The procedures to be followed in any such matter shall be determined by the Administrator. The Board shall make findings of fact and recommendations with respect to disposition of the appeal. The decision on the appeal shall be made by the Administrator, and such decision shall be final and conclusive, except on questions of law, unless determined by a court of competent jurisdiction to have been fraudulent, or capricious, or arbitrary, or so grossly erroneous as necessarily to imply bad faith, or not supported by substantial evidence.

§ 1245.213 Litigation.

An exclusive licensee shall be granted the right to sue at his own expense any party who infringes the rights set forth in his license and covered by the licensed patent. The licensee may join the Government, upon consent of the Attorney General, as a party complainant in such suit, but without expense to the Government and the licensee shall pay costs and any final judgment or decree that may be rendered against the Govern-

ment in such suit. The Government shall also have an absolute right to intervene in any such suit at its own expense. The licensee shall be obligated to promptly furnish to the Government, upon request, copies of all pleadings and other papers filed in any such suit and of evidence adduced in proceedings relating to the licensed patent including, but not limited to, negotiations for settlement and agreements settling claims by a licensee based on the licensed patent, and all other books, documents, papers, and records pertaining to such suit. If, as a result of any such litigation, the patent shall be declared invalid, the licensee shall have the right to surrender his license and be relieved from any further obligation thereunder.

§ 1245.214 *Address of communications.*

(a) Communications to the Assistant General Counsel for Patent Matters in accordance with §§ 1245.206 and 1245.207 and requests for information concerning licenses for NASA inventions should be addressed to the Assistant General Counsel for Patent Matters, Code GP, National Aeronautics and Space Administration, Washington, D.C. 20546.

(b) Communications to the Inventions and Contributions Board in accordance with §§ 1245.208, 1245.211, and 1245.212 should be addressed to Chairman, Inventions and Contributions Board, National Aeronautics and Space Administration, Washington, D.C. 20546.

Effective date. The regulations set forth in this subpart 2 are effective April 1, 1972.

JAMES C. FLETCHER,
Administrator.

FOREIGN PATENT LICENSING REGULATIONS

Selected NASA inventions are also available for licensing in countries other than the United States in accordance with the NASA Foreign Patent Licensing Regulation (14 C.F.R. 1245.4), a copy of which is available from any NASA Patent Counsel. For abstracts of NASA-owned inventions available for licensing in countries other than the United States, see NASA SP-7038, "Significant NASA Inventions available for Licensing in Countries Other Than the United States." A copy of this NASA publication is available from NASA Headquarters, Code GP-4, Washington, D.C., 20546.

Subject Categories

(1969 – 1973)

01 Aerodynamics
Includes aerodynamics of bodies, combinations, internal flow in ducts and turbomachinery; wings, rotors, and control surfaces. For applications see: 02 Aircraft and 32 Space Vehicles. For related information see also: 12 Fluid Mechanics; and 33 Thermodynamics and Combustion.

02 Aircraft
Includes fixed-wing airplanes, helicopters, gliders, balloons, ornithopters, etc.; and specific types of complete aircraft (e.g., ground effect machines, STOL, and VTOL); flight tests; operating problems (e.g., sonic boom); safety and safety devices; economics; and stability and control. For basic research see: 01 Aerodynamics. For related information see also: 31 Space Vehicles; and 32 Structural Mechanics.

03 Auxiliary Systems
Includes fuel cells, energy conversion cells, and solar cells; auxiliary gas turbines; hydraulic, pneumatic and electrical systems; actuators; and inverters. For related information see also: 09 Electronic Equipment; 22 Nuclear Engineering; and 28 Propulsion Systems.

04 Biosciences
Includes aerospace medicine, exobiology, radiation effects on biological systems; physiological and psychological factors. For related information see also: 05 Biotechnology.

05 Biotechnology
Includes life support systems, human engineering; protective clothing and equipment; crew training and evaluation, and piloting. For related information see also: 04 Biosciences

06 Chemistry
Includes chemical analysis and identification (e.g., spectroscopy). For applications see: 17 Materials, Metallic; 18 Materials, Nonmetallic; and 27 Propellants.

07 Communications
Includes communications equipment and techniques; noise; radio and communications blackout; modulation telemetry, tracking radar and optical observation; and wave propagation. For basic research see: 23 Physics, General; and 21 Navigation.

08 Computers
Includes computer operation and programming; and data processing. For applications, see specific categories. For related information see also: 19 Mathematics.

09 Electronic Equipment
Includes electronic test equipment and maintainability; component parts, e.g., electron tubes, tunnel diodes, transistors, integrated circuitry; microminiaturization. For basic research see: 10 Electronics. For related information see also: 07 Communications and 21 Navigation.

10 Electronics
Includes circuit theory; and feedback and control theory. For applications see: 09 Electronic Equipment. For related information see specific Physics categories.

11 Facilities, Research and Support
Includes airports; lunar and planetary bases including associated vehicles; ground support systems; related logistics; simulators; test facilities (e.g., rocket engine test stands, shock tubes, and wind tunnels); test ranges; and tracking stations.

12 Fluid Mechanics
Includes boundary-layer flow; compressible flow; gas dynamics; hydrodynamics; and turbulence. For related information see also: 01 Aerodynamics; and 33 Thermodynamics and Combustion.

13 Geophysics
Includes aeronomy; upper and lower atmosphere studies; oceanography; cartography; and geodesy. For related information see also: 20 Meteorology; 29 Space Radiation; and 30 Space Sciences.

14 Instrumentation and Photography
Includes design, installation, and testing of instrumentation systems; gyroscopes; measuring instruments and gages; recorders, transducers; aerial photography; and telescopes and cameras.

15 Machine Elements and Processes
Includes bearings, seals, pumps, and other mechanical equipment; lubrication, friction, and wear; manufacturing processes and quality control; reliability; drafting; and materials fabrication, handling, and inspection.

16 Masers
Includes applications of masers and lasers. For basic research see: 26 Physics, Solid-State.

17 Materials, Metallic
Includes cermets; corrosion; physical and mechanical properties of materials; metallurgy; and applications as structural materials. For basic research see: 06 Chemistry. For related information see also: 18 Materials, Nonmetallic; and 32 Structural Mechanics.

18 Materials, Nonmetallic
Includes corrosion; physical and mechanical properties of materials (e.g., plastics); and elastomers, hydraulic fluids, etc. For basic research see: 06 Chemistry. For related information see also: 17 Materials, Metallic; 27 Propellants; and 32 Structural Mechanics.

19 Mathematics
Includes calculation methods and theory; and numerical analysis. For applications see specific categories. For related information see also: 08 Computers.

20 Meteorology
Includes climatology; weather forecasting; and visibility studies. For related information see also: 13 Geophysics; and 30 Space Sciences.

21 Navigation
Includes guidance; autopilots; star and planet tracking; inertial platforms; and air traffic control. For related information see also: 07 Communications.

22 Nuclear Engineering
Includes nuclear reactors and nuclear heat sources used for propulsion and auxiliary power. For basic research see: 24 Physics, Atomic, Molecular, and Nuclear. For related information see also: 03 Auxiliary Systems; and 28 Propulsion Systems.

23 Physics, General
Includes acoustics, cryogenics, mechanics, and optics. For astrophysics see: 30 Space Sciences. For geophysics and related information see also: 13 Geophysics, 20 Meteorology, and 29 Space Radiation.

24 Physics, Atomic, Molecular, and Nuclear
Includes atomic, molecular and nuclear physics. For applications see: 22 Nuclear Engineering. For related information see also: 29 Space Radiation.

25 Physics, Plasma
Includes magnetohydrodynamics. For applications see: 28 Propulsion Systems.

26 Physics, Solid-State
Includes semiconductor theory; and superconductivity. For applications see: 16 Masers. For related information see also: 10 Electronics.

27 Propellants
Includes fuels; igniters; and oxidizers. For basic research see: 06 Chemistry; and 33 Thermodynamics and Combustion. For related information see also: 28 Propulsion Systems.

28 Propulsion Systems
Includes air breathing, electric, liquid, solid, and magnetohydrodynamic propulsion. For nuclear propulsion see: 22 Nuclear Engineering. For basic research see: 23 Physics, General; and 33 Thermodynamics and Combustion. For applications see: 31 Space Vehicles. For related information see also: 27 Propellants.

29 Space Radiation
Includes cosmic radiation; solar flares; solar radiation; and Van Allen radiation belts. For related information see also: 13 Geophysics, and 24 Physics, Atomic, Molecular, and Nuclear.

30 Space Sciences
Includes astronomy and astrophysics; cosmology; lunar and planetary flight and exploration; and theoretical analysis of orbits and trajectories. For related information see also: 11 Facilities, Research and Support; and 31 Space Vehicles.

31 Space Vehicles
Includes launch vehicles; manned space capsules; clustered and multistage rockets; satellites; sounding rockets and probes; and operating problems. For basic research see: 30 Space Sciences. For related information see also: 28 Propulsion Systems; and 32 Structural Mechanics.

32 Structural Mechanics
Includes structural element design and weight analysis; fatigue; thermal stress; impact phenomena; vibration; flutter; inflatable structures; and structural tests. For related information see also: 17 Materials, Metallic; and 18 Materials, Nonmetallic.

33 Thermodynamics and Combustion
Includes ablation, cooling, heating, heat transfer, thermal balance, and other thermal effects; and combustion theory. For related information see also: 12 Fluid Mechanics; and 27 Propellants.

34 General
Includes information of a broad nature related to industrial applications and technology, and to basic research; defense aspects; information retrieval; management; law and related legal matters; and legislative hearings and documents.

TABLE OF CONTENTS

Section 1 • Abstracts

Subject Categories (1974 -)

AERONAUTICS

Includes aeronautics (general); aerodynamics; air transportation and safety; aircraft communications and navigation; aircraft design, testing and performance; aircraft instrumentation; aircraft propulsion and power; aircraft stability and control; and research and support facilities (air).

For related information see also *Astronautics.*

01 AERONAUTICS (GENERAL)

02 AERODYNAMICS

Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces; and internal flow in ducts and turbomachinery.

For related information see also *34 Fluid Mechanics and Heat Transfer.*

03 AIR TRANSPORTATION AND SAFETY

Includes passenger and cargo air transport operations; and aircraft accidents.

For related information see also *16 Space Transportation* and *85 Urban Technology and Transportation.*

04 AIRCRAFT COMMUNICATIONS AND NAVIGATION

Includes digital and voice communication with aircraft; air navigation systems (satellite and ground based); and air traffic control.

For related information see also *17 Spacecraft Communications, Command and Tracking* and *32 Communications.*

05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE

Includes aircraft simulation technology.

For related information see also *18 Spacecraft Design, Testing and Performance* and *39 Structural Mechanics.*

06 AIRCRAFT INSTRUMENTATION

Includes cockpit and cabin display devices; and flight instruments.

For related information see also *19 Spacecraft Instrumentation* and *35 Instrumentation and Photography.*

07 AIRCRAFT PROPULSION AND POWER

Includes prime propulsion systems and systems components, e.g., gas turbine engines and compressors; and on-board auxiliary power plants for aircraft.

For related information see also *20 Spacecraft Propulsion and Power, 28 Propellants and Fuels,* and *44 Energy Production and Conversion.*

08 AIRCRAFT STABILITY AND CONTROL

Includes aircraft handling qualities; piloting; flight controls; and autopilots.

09 RESEARCH AND SUPPORT FACILITIES (AIR)

Includes airports, hangars and runways; aircraft repair and overhaul facilities; wind tunnels; shock tube facilities; and engine test blocks.

For related information see also *14 Ground Support Systems and Facilities (Space).*

ASTRONAUTICS

Includes astronautics (general); astrodynamics; ground support systems and facilities (space); launch vehicles and space vehicles; space transportation; spacecraft communications, command and tracking; spacecraft design, testing and performance; spacecraft instrumentation; and spacecraft propulsion and power.

For related information see also *Aeronautics.*

12 ASTRONAUTICS (GENERAL)

For extraterrestrial exploration see *91 Lunar and Planetary Exploration.*

13 ASTRODYNAMICS

Includes powered and free-flight trajectories; and orbit and launching dynamics.

14 GROUND SUPPORT SYSTEMS AND FACILITIES (SPACE)

Includes launch complexes, research and production facilities; ground support equipment, e.g., mobile transporters; and simulators.

For related information see also *09 Research and Support Facilities (Air).*

15 LAUNCH VEHICLES AND SPACE VEHICLES

Includes boosters; manned orbital laboratories; reusable vehicles; and space stations.

16 SPACE TRANSPORTATION

Includes passenger and cargo space transportation, e.g., shuttle operations; and rescue techniques.

For related information see also *03 Air Transportation and Safety* and *85 Urban Technology and Transportation.*

17 SPACECRAFT COMMUNICATIONS, COMMAND AND TRACKING

Includes telemetry; space communications networks; astronavigation; and radio blackout.

For related information see also *04 Aircraft Communications and Navigation* and *32 Communications.*

18 SPACECRAFT DESIGN, TESTING AND PERFORMANCE

Includes spacecraft thermal and environmental control; and attitude control.

For life support systems see *54 Man/System Technology and Life Support.* For related information see also *05 Aircraft Design, Testing and Performance* and *39 Structural Mechanics.*

19 SPACECRAFT INSTRUMENTATION

For related information see also *06 Aircraft Instrumentation* and *35 Instrumentation and Photography*.

20 SPACECRAFT PROPULSION AND POWER

Includes main propulsion systems and components, e.g., rocket engines; and spacecraft auxiliary power sources.

For related information see also *07 Aircraft Propulsion and Power, 28 Propellants and Fuels,* and *44 Energy Production and Conversion.*

CHEMISTRY AND MATERIALS

Includes chemistry and materials (general); composite materials; inorganic and physical chemistry; metallic materials; nonmetallic materials; and propellants and fuels.

23 CHEMISTRY AND MATERIALS (GENERAL)

Includes biochemistry and organic chemistry.

24 COMPOSITE MATERIALS

Includes laminates.

25 INORGANIC AND PHYSICAL CHEMISTRY

Includes chemical analysis, e.g., chromatography; combustion theory; electrochemistry; and photochemistry.

For related information see also *77 Thermodynamics and Statistical Physics.*

26 METALLIC MATERIALS

Includes physical, chemical, and mechanical properties of metals, e.g., corrosion; and metallurgy.

27 NONMETALLIC MATERIALS

Includes physical, chemical, and mechanical properties of plastics, elastomers, lubricants, polymers, textiles, adhesives, and ceramic materials.

28 PROPELLANTS AND FUELS

Includes rocket propellants, igniters, and oxidizers; storage and handling; and aircraft fuels.

For related information see also *07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power,* and *44 Energy Production and Conversion.*

ENGINEERING

Includes engineering (general); communications; electronics and electrical engineering; fluid mechanics and heat transfer; instrumentation and photography; lasers and masers; mechanical engineering; quality assurance and reliability; and structural mechanics.

For related information see also *Physics.*

31 ENGINEERING (GENERAL)

Includes vacuum technology; control engineering; display engineering; and cryogenics.

32 COMMUNICATIONS

Includes land and global communications; communications theory; and optical communications.

For related information see also *04 Aircraft Communications and Navigation* and *17 Spacecraft Communications, Command and Tracking.*

33 ELECTRONICS AND ELECTRICAL ENGINEERING

Includes test equipment and maintainability; components, e.g., tunnel diodes and transistors; microminiaturization; and integrated circuitry.

For related information see also *60 Computer Operations and Hardware* and *76 Solid-State Physics.*

34 FLUID MECHANICS AND HEAT TRANSFER

Includes boundary layers; hydrodynamics; fluidics; mass transfer; and ablation cooling.

For related information see also *02 Aerodynamics* and *77 Thermodynamics and Statistical Physics.*

35 INSTRUMENTATION AND PHOTOGRAPHY

Includes remote sensors; measuring instruments and gages; detectors; cameras and photographic supplies; and holography.

For aerial photography see *43 Earth Resources.* For related information see also *06 Aircraft Instrumentation* and *19 Spacecraft Instrumentation.*

36 LASERS AND MASERS

Includes parametric amplifiers.

37 MECHANICAL ENGINEERING

Includes auxiliary systems (non-power); machine elements and processes; and mechanical equipment.

38 QUALITY ASSURANCE AND RELIABILITY

Includes product sampling procedures and techniques; and quality control.

39 STRUCTURAL MECHANICS

Includes structural element design and weight analysis; fatigue; and thermal stress.

For applications see *05 Aircraft Design, Testing and Performance* and *18 Spacecraft Design, Testing and Performance.*

GEOSCIENCES

Includes geosciences (general); earth resources; energy production and conversion; environment pollution; geophysics; meteorology and climatology; and oceanography.

For related information see also *Space Sciences.*

42 GEOSCIENCES (GENERAL)

43 EARTH RESOURCES
Includes remote sensing of earth resources by aircraft and spacecraft; photogrammetry; and aerial photography.
For instrumentation see *35 Instrumentation and Photography.*

44 ENERGY PRODUCTION AND CONVERSION
Includes specific energy conversion systems, e.g., fuel cells and batteries; global sources of energy; fossil fuels; geophysical conversion; hydroelectric power; and wind power.
For related information see also *07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power, 28 Propellants and Fuels,* and *85 Urban Technology and Transportation.*

45 ENVIRONMENT POLLUTION
Includes air, noise, thermal and water pollution; environment monitoring; and contamination control.

46 GEOPHYSICS
Includes aeronomy; upper and lower atmosphere studies; ionospheric and magnetospheric physics; and geomagnetism.
For space radiation see *93 Space Radiation.*

47 METEOROLOGY AND CLIMATOLOGY
Includes weather forecasting and modification.

48 OCEANOGRAPHY
Includes biological, dynamic and physical oceanography; and marine resources.

LIFE SCIENCES

Includes life sciences (general); aerospace medicine; behavioral sciences; man/system technology and life support; and planetary biology.

51 LIFE SCIENCES (GENERAL)
Includes genetics.

52 AEROSPACE MEDICINE
Includes physiological factors; biological effects of radiation; and weightlessness.

53 BEHAVIORAL SCIENCES
Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

54 MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT
Includes human engineering; biotechnology; and space suits and protective clothing.

55 PLANETARY BIOLOGY
Includes exobiology; and extraterrestrial life.

MATHEMATICAL AND COMPUTER SCIENCES

Includes mathematical and computer sciences (general); computer operations and hardware; computer programming and software; computer systems; cybernetics; numerical analysis; statistics and probability; systems analysis; and theoretical mathematics.

59 MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)

60 COMPUTER OPERATIONS AND HARDWARE
Includes computer graphics and data processing.
For components see *33 Electronics and Electrical Engineering.*

61 COMPUTER PROGRAMMING AND SOFTWARE
Includes computer programs, routines, and algorithms.

62 COMPUTER SYSTEMS
Includes computer networks.

63 CYBERNETICS
Includes feedback and control theory.
For related information see also *54 Man/System Technology and Life Support.*

64 NUMERICAL ANALYSIS
Includes iteration, difference equations, and numerical approximation.

65 STATISTICS AND PROBABILITY
Includes data sampling and smoothing; Monte Carlo method; and stochastic processes.

66 SYSTEMS ANALYSIS
Includes mathematical modeling; network analysis; and operations research.

67 THEORETICAL MATHEMATICS
Includes topology and number theory.

PHYSICS

Includes physics (general); acoustics; atomic and molecular physics; nuclear and high-energy physics; optics; plasma physics; solid-state physics; and thermodynamics and statistical physics.
For related information see also *Engineering.*

70 PHYSICS (GENERAL)
For geophysics see *46 Geophysics.* For astrophysics see *90 Astrophysics.* For solar physics see *92 Solar Physics.*

71 ACOUSTICS
Includes sound generation, transmission, and attenuation.
For noise pollution see *45 Environment Pollution.*

72 ATOMIC AND MOLECULAR PHYSICS
Includes atomic structure and molecular spectra.

73 NUCLEAR AND HIGH-ENERGY PHYSICS
Includes elementary and nuclear particles; and reactor theory.
For space radiation see *93 Space Radiation.*

74 OPTICS
Includes light phenomena.

75 PLASMA PHYSICS
Includes magnetohydrodynamics and plasma fusion.
For ionospheric plasmas see *46 Geophysics.* For space plasmas see *90 Astrophysics.*

76 SOLID-STATE PHYSICS
Includes superconductivity.
For related information see also *33 Electronics and Electrical Engineering* and *36 Lasers and Masers.*

77 THERMODYNAMICS AND STATISTICAL PHYSICS
Includes quantum mechanics; and Bose and Fermi statistics.
For related information see also *25 Inorganic and Physical Chemistry* and *34 Fluid Mechanics and Heat Transfer.*

SOCIAL SCIENCES

Includes social sciences (general); administration and management; documentation and information science; economics and cost analysis; law and political science; and urban technology and transportation.

80 SOCIAL SCIENCES (GENERAL)
Includes educational matters.

81 ADMINISTRATION AND MANAGEMENT
Includes management planning and research.

82 DOCUMENTATION AND INFORMATION SCIENCE
Includes information storage and retrieval technology; micrography; and library science.
For computer documentation see *61 Computer Programming and Software.*

83 ECONOMICS AND COST ANALYSIS
Includes cost effectiveness studies.

84 LAW AND POLITICAL SCIENCE
Includes space law; international law; international cooperation; and patent policy.

85 URBAN TECHNOLOGY AND TRANSPORTATION
Includes applications of space technology to urban problems; technology transfer; technology assessment; and surface and mass transportation.
For related information see *03 Air Transportation and Safety, 16 Space Transportation,* and *44 Energy Production and Conversion.*

SPACE SCIENCES

Includes space sciences (general); astronomy; astrophysics; lunar and planetary exploration; solar physics; and space radiation.
For related information see also *Geosciences.*

88 SPACE SCIENCES (GENERAL)

89 ASTRONOMY
Includes radio and gamma-ray astronomy; celestial mechanics; and astrometry.

90 ASTROPHYSICS
Includes cosmology; and interstellar and interplanetary gases and dust.

91 LUNAR AND PLANETARY EXPLORATION
Includes planetology; and manned and unmanned flights.
For spacecraft design see *18 Spacecraft Design, Testing and Performance.* For space stations see *15 Launch Vehicles and Space Vehicles.*

92 SOLAR PHYSICS
Includes solar activity, solar flares, solar radiation and sunspots.

93 SPACE RADIATION
Includes cosmic radiation; and inner and outer earth's radiation belts.
For biological effects of radiation see *52 Aerospace Medicine.* For theory see *73 Nuclear and High-Energy Physics.*

GENERAL


99 GENERAL

Section 2 • Indexes

SUBJECT INDEX I-1
INVENTOR INDEX I-271
SOURCE INDEX I-379
NUMBER INDEX I-447
ACCESSION NUMBER INDEX I-557

NASA PATENT ABSTRACTS BIBLIOGRAPHY JULY 1981
Section 2

Typical Subject Index Listing



The subject heading is the key to the subject content of the document. A brief description of the document, e.g., title, title plus a title extension, or Notation of Content (NOC), is included for each subject entry to indicate the subject heading context; these descriptions are arranged under each subject heading in ascending accession number order. The NASA Case Number serves as the prime access number to the patent documents. The Subject Category Number indicates the category in Section 1 (Abstracts) in which the patent citation and abstract are located. The NASA accession number denotes the number by which the citation is identified within the subject category.

A

ABILITIES
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699
ABLATION
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure
[NASA-CASE-XLA-05378] c11 N71-21475
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
Ablative system with liquid carrying ablattive material bodies and forming self-replacing ablative surface
[NASA-CASE-LEW-10359] c33 N72-25911
ABLATIVE MATERIALS
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
Design, development, and characteristics of ablation structures
[NASA-CASE-XMS-01816] c33 N71-15623
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Production and application of sprayable fiber reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947
Ablative system with liquid carrying ablattive material bodies and forming self-replacing ablative surface
[NASA-CASE-LEW-10359] c33 N72-25911
Carrier liquid system containing bodies of ablative material
[NASA-CASE-LEW-10359-2] c33 N73-25952
Ablation article and surface for analyzing flow transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c24 N78-27180
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
ABORT APPARATUS
Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
ABRASION RESISTANCE
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c74 N78-32854
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
ABSORBENTS
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Noncontaminating swab with absorbent end covered with netted envelope to prevent egress of absorbent material
[NASA-CASE-MFS-18100] c15 N72-11390
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c54 N78-22720
ABSORBERS (EQUIPMENT)
Absorbent product and articles made therefrom --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c24 N81-16127
ABSORBERS (MATERIALS)
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461

SUBJECT

Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XMF-04208] c33 N71-29051
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c32 N80-14281

ABSORPTION
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c74 N78-17867

ABSORPTION CROSS SECTIONS
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348

ABSORPTION SPECTRA
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538

ABSORPTIVITY
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551

AC GENERATORS
Alternating current signal generator providing plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] c44 N78-25553

ACCELERATION
Single grid accelerator system for electron bombardment type ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699

ACCELERATION (PHYSICS)
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
[NASA-CASE-XMF-00424] c11 N70-38196
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] c06 N74-27872
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
Method of forming frozen spheres in a force-free drop tower --- microballoons for inertial confinement fusion
[NASA-CASE-NPO-14845-1] c31 N81-16328

ACCELERATION PROTECTION
Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819
Conditioning suit for normal function of astronaut cardiovascular system in gravity environment
[NASA-CASE-XLA-02898] c05 N71-20268

ACCELERATION STRESSES (PHYSIOLOGY)
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881

ACCELERATION TOLERANCE
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185

ACCELERATORS
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417

ACCELEROMETERS
Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XMF-01099] c14 N71-15969
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c35 N74-15094
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347

ACCEPTABILITY
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c38 N78-17395

ACCEPTOR MATERIALS
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409

ACCIDENT PREVENTION
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677

ACCUMULATORS
Direct radiation cooling of linear beam collector tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992
Small plasma probe using tungsten wire collector in tubular shield
[NASA-CASE-XLE-02578] c25 N71-20747
Electrostatic charged particle collector containing stacked electrodes for microwave tube
[NASA-CASE-LEW-11192-1] c09 N73-13208
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c44 N79-18444
Multistage depressed collector for dual mode operation --- for travelling wave tubes
[NASA-CASE-LEW-13282-1] c33 N79-32463

ACETALS
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243

ACETATES
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c27 N78-33228

ACETYLENE
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500

ACOUSTIC ATTENUATION
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432

ACOUSTIC DUCTS
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418

ACOUSTIC IMPEDANCE
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
ACOUSTIC LEVITATION
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767
ACOUSTIC MEASUREMENTS
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c71 N78-14867
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c35 N79-10390
ACOUSTIC PROPAGATION
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c71 N79-23753
ACOUSTIC PROPERTIES
Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
Acoustical transducer calibrating system including differential pressure activating device
[NASA-CASE-FRC-10060-1] c14 N73-27379
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c35 N79-10390
ACOUSTIC RETROFITTING
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c07 N80-32393
ACOUSTICAL HOLOGRAPHY
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c38 N78-32447
ACOUSTO-OPTICS
Acoustic vibration test apparatus for wiring harnesses
[NASA-CASE-MSC-15158-1] c14 N72-17325
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c74 N78-17867
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015
ACRYLATES
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
ACRYLIC RESINS
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
ACTIVATION ENERGY
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
ACTIVE CONTROL
Linear magnetic bearings --- active magnetic suspension of armatures
[NASA-CASE-GSC-12582-1] c37 N81-16469
ACTUATOR DISKS
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c35 N74-18323
ACTUATORS
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
Patent data on gas actuated bolt disconnect assembly
[NASA-CASE-XLA-00326] c03 N70-34667
Hermetically sealed explosive release mechanism for actuator device
[NASA-CASE-XGS-00824] c15 N71-16078
Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-MFS-12915] c11 N71-17600
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Electromechanical control actuator system using double differential screws
[NASA-CASE-ERC-10022] c15 N71-26635
System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MFS-20413] c15 N72-21463
Hermetically sealed elbow actuator for use in severe environments
[NASA-CASE-MFS-14710] c09 N72-22195
Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
Rotary actuator for use in environments with no rolling and sliding friction
[NASA-CASE-NPO-10244] c15 N72-26371
Gas-operated actuator with cyclic motion of expansion chamber
[NASA-CASE-NPO-11340] c15 N72-33477
Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-MFS-20944] c15 N73-13466
Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N78-31426
A hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c05 N80-11065
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097
Electrical servo actuator bracket --- for jet engine fuel control valves
[NASA-CASE-FRC-11044-1] c07 N80-21327
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
ADAPTERS
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
ADAPTIVE CONTROL
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Versatile ergometer with work load control
[NASA-CASE-MFS-21109-1] c05 N73-27941
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920

Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154
Apparatus for damping operator induced oscillations of a controlled system --- using adaptive filters to damp oscillations in a flight control system
[NASA-CASE-FRC-11041-1] c33 N80-20488

ADAPTIVE FILTERS
Adaptive notch filter, using modulation techniques for reversed phase noise signal
[NASA-CASE-XMF-01892] c10 N71-22986
Apparatus for damping operator induced oscillations of a controlled system --- using adaptive filters to damp oscillations in a flight control system
[NASA-CASE-FRC-11041-1] c33 N80-20488

ADDING CIRCUITS
Circuit diagram and operation of full binary adder
[NASA-CASE-XGS-00689] c08 N70-34787
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843

ADDITIVES
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090

ADENOSINE TRIPHOSPHATE
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
[NASA-CASE-XGS-05532] c06 N71-17705
Automatic device for assaying urine on bacterial adenosine triphosphate content
[NASA-CASE-GSC-11169-2] c05 N73-32011
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794

ADHESION
Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MFS-20299] c15 N72-11392
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c26 N81-16209

ADHESION TESTS
Apparatus for determining quality of bond between high density material and low density material
[NASA-CASE-MFS-13686] c15 N71-18132

ADHESIVE BONDING
Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XMF-01402] c18 N71-21651
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMF-02303] c17 N71-23828
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c34 N78-18355
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c27 N79-12221
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238

ADHESIVES
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N78-17205
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c27 N80-16158
Aluminum ion-containing polyimide adhesives --- bonding temperature resistant materials
[NASA-CASE-LAR-12640-1] c27 N80-16164

ADJUSTING
Centering device with ultrafine adjustment for use with roundness measuring apparatus
[NASA-CASE-XMF-00480] c14 N70-39898
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392

AERIAL RUDDERS
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c08 N81-19130

AEROACOUSTICS
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c05 N80-14107

AERODYNAMIC BRAKES
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034

AERODYNAMIC CHARACTERISTICS
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999

AERODYNAMIC CONFIGURATIONS
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-XLA-00149] c31 N70-37938
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493
Variable geometry rotor system for direct control over wake vortex

[NASA-CASE-LAR-10557] c02 N72-11018
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c05 N79-12061

AERODYNAMIC DRAG
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c06 N81-17057

AERODYNAMIC HEATING
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles
[NASA-CASE-XLA-00892] c33 N71-17897
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398

AERODYNAMIC LOADS
Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856
Means for controlling aerodynamically induced twist --- equipment to control twisting of slender wings due to aerodynamic loads
[NASA-CASE-LAR-12175-1] c05 N80-16055

AERODYNAMIC NOISE
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c05 N80-14107
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999

AERODYNAMIC STABILITY
Aerodynamically stable meteorological balloon using surface roughness effect
[NASA-CASE-XMF-04163] c02 N71-23007
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959

AERODYNAMIC STALLING
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968

AERONAUTICAL ENGINEERING
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816

AEROSOLS
Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c25 N78-15210

AEROSPACE ENGINEERING
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049

Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
Cell and method for electrolysis of water and anode therefor --- oxygen recovery in connection with space transportation vehicles
[NASA-CASE-MSC-16394-1] c25 N80-26406
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317

AEROSPACE ENVIRONMENTS
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XMF-03988] c15 N71-21403
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
[NASA-CASE-LEW-10155-1] c09 N71-29035
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Wabble gear drive mechanism --- for aerospace environments
[NASA-CASE-WOO-00625] c37 N78-17385
Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c75 N78-27913
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c27 N78-32262
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c12 N79-26075

AEROSPACE MEDICINE
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c14 N80-24342

AEROSPACE VEHICLES
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Landing pad assembly for aerospace vehicles
[NASA-CASE-XMF-02853] c31 N70-36654
Aerospace vehicle with variable planform for hypersonic and subsonic flight
[NASA-CASE-XLA-00805] c31 N70-38010
Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework
[NASA-CASE-XLA-01027] c31 N71-24035
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547

AEROSPACEPLANES
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907

AFTERBODIES
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493
AFTERBURNING
Exhaust nozzle with afterburning for generating thrust
[NASA-CASE-XLA-00154] c28 N70-33374
AGING (MATERIALS)
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
AGRICULTURE
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
AILERONS
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
AIR
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
AIR BREATHING ENGINES
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120
AIR CONDITIONING
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183] c44 N80-29643
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c31 N80-32583
AIR CONDITIONING EQUIPMENT
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XNP-03212] c15 N71-22721
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
AIR COOLING
Modification and improvement of turbine blades for maximum cooling efficiency
[NASA-CASE-XLE-00092] c15 N70-33264
AIR FILTERS
Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-MSC-12297] c14 N72-23457
AIR FLOW
Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
Method for maintaining good performance in gas turbine during air flow distortion
[NASA-CASE-LEW-10286-1] c28 N71-28915
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
AIR INTAKES
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c07 N75-24736
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999
AIR LOCKS
Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
System for removing and repairing spacecraft control thrusters by use of portable air locks
[NASA-CASE-MFS-20325] c28 N71-27095
Airlock for waste transferal from pressurized enclosure aboard space vehicle to waste receiver at negative pressure
[NASA-CASE-MFS-20922] c31 N72-20840
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900
AIR NAVIGATION
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c04 N81-21047
AIR POLLUTION
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
AIR PURIFICATION
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XNP-03212] c15 N71-22721
Cell and method for electrolysis of water and anode therefor --- oxygen recovery in connection with space transportation vehicles
[NASA-CASE-MSC-16394-1] c25 N80-26406
AIR SAMPLING
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
AIR TRAFFIC CONTROL
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
AIRBORNE EQUIPMENT
Inflatable radar reflector unit - lightweight,

highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-LMS-00893] c07 N70-40063
AIRBORNE/SPACEBORNE COMPUTERS
Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
AIRCRAFT
Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c32 N78-24391
AIRCRAFT ACCIDENTS
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24548
AIRCRAFT APPROACH SPACING
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
AIRCRAFT COMPARTMENTS
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c24 N78-27184
AIRCRAFT CONFIGURATIONS
Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
AIRCRAFT CONSTRUCTION MATERIALS
Ceramic fiber insulating material and method of producing same --- aircraft construction materials
[NASA-CASE-MSC-14795-2] c24 N78-25138
AIRCRAFT CONTROL
Development and characteristics of control system for flexible wings
[NASA-CASE-XLA-06958] c02 N71-11038
Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
Aircraft control system for rotary wing aircraft
[NASA-CASE-ERC-10439] c02 N73-19004
Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c08 N79-23097
AIRCRAFT DESIGN
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
Supersonic transport --- using canard surfaces
[NASA-CASE-LAR-11932-1] c05 N78-32086
Helicopter rotor airfoil
[NASA-CASE-LAR-12396-1] c02 N79-24958
AIRCRAFT DETECTION
Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c35 N79-18296
AIRCRAFT ENGINES
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c33 N80-26599
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392
AIRCRAFT EQUIPMENT
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c06 N80-18036
AIRCRAFT FUEL SYSTEMS
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467
AIRCRAFT GUIDANCE
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c04 N74-13420
Improved Sun-sensing guidance system for high-altitude aircraft
[NASA-CASE-FRC-11052-1] c04 N80-20249
AIRCRAFT HAZARDS
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
AIRCRAFT HYDRAULIC SYSTEMS
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
A hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c05 N80-11065
AIRCRAFT INSTRUMENTS
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807

Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Aircraft horizon and vertical indicator
[NASA-CASE-ERC-10392] c21 N73-14692
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140

AIRCRAFT LANDING
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c09 N78-18083

AIRCRAFT LAUNCHING DEVICES
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076

AIRCRAFT MANEUVERS
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381

AIRCRAFT MODELS
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c02 N76-16014

AIRCRAFT NOISE
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232

AIRCRAFT PERFORMANCE
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257

AIRCRAFT PILOTS
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597

AIRCRAFT SAFETY
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807
Development and operating principles of collision warning system for aircraft accident prevention
[NASA-CASE-HQN-10703] c21 N73-13643
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421

AIRCRAFT STABILITY
Mechanical stabilization system for VTOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
A velocity vector control system augmented with direct lift control --- stability augmentation using manual control
[NASA-CASE-LAR-12268-1] c08 N79-20136

AIRCRAFT STRUCTURES
Fatigue testing device applying random discrete load levels to test specimen and applicable to aircraft structures
[NASA-CASE-XLA-02131] c32 N70-42003
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001

AIRCRAFT TIRES
Improved tire/wheel concept --- pneumatic aircraft tire
[NASA-CASE-LAR-11695-2] c37 N80-18402

AIRCRAFT WAKES
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c02 N80-28300

AIRFOILS
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
Wind tunnel
[NASA-CASE-LAR-10135-1] c09 N79-21083
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077

AIRFRAMES
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005
A cooling system for an aircraft having a cruise range from Mach 2 to Mach 8
[NASA-CASE-LAR-12406-1] c05 N79-24980

AIRSPEED
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c35 N79-18296
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c06 N80-18036

ALCOHOLS
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440

ALDEHYDES
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XNP-08655] c06 N71-11239
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XNP-08656] c06 N71-11242
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XNP-03074] c06 N71-24740
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c27 N78-17214

ALIGNMENT
Centering device with ultrafine adjustment for use with roundness measuring apparatus
[NASA-CASE-XNP-00480] c14 N70-39898
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction

[NASA-CASE-XMP-01452] c15 N70-41371
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XMP-02029] c14 N70-41955
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMP-00684] c21 N71-21688
Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-XMS-04178] c15 N71-22798
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379
Apparatus for aligning shadow shields and cryogenic storage tanks in outer space with the sun
[NASA-CASE-KSC-10622-1] c31 N72-21893
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
Rotary target V-block --- aligning wind tunnel apparatus for optical measurement
[NASA-CASE-LAR-12007-2] c74 N79-25876
Rhomboid prism pair for rotating the plane of parallel light beams --- laser velocimeters
[NASA-CASE-ARC-11311-1] c74 N81-16882

ALKALI METALS
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Method for producing alkali metal dispersions of high purity
[NASA-CASE-XNP-08876] c17 N73-28573
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c24 N79-31347

ALKALINE BATTERIES
Method for determining state of charge of alkali batteries by using tritium as tracer
[NASA-CASE-XNP-01464] c03 N71-10728
Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
Electrocatalyst for oxygen reduction in low temperature alkaline fuel cell
[NASA-CASE-HQN-10537-1] c06 N72-10138
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N78-25530
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555

ALKALINE EARTH OXIDES
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229

ALKYL COMPOUNDS
Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101

ALLOYS
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Two-step diffusion welding process of unrecrystallized alloys
[NASA-CASE-LEW-11388-1] c15 N73-32358
Brazing alloy binder
[NASA-CASE-XMP-05868] c26 N75-27125
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127

ALPHA PARTICLES
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334

ALPHANUMERIC CHARACTERS
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517

ALTERNATING CURRENT
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-MFS-10068] c10 N71-25139
Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Improved power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c33 N79-25315
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c33 N81-12331
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c44 N81-12542

ALTIMETERS
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253

ALTITUDE
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft

[NASA-CASE-XLA-01907] c14 N71-23268
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988
ALTITUDE CONTROL
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
ALUMINUM
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMF-02303] c17 N71-23828
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
Aluminum ion-containing polyimide adhesives --- bonding temperature resistant materials
[NASA-CASE-LAR-12640-1] c27 N80-16164
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
ALUMINUM ALLOYS
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XMF-02786] c17 N71-20743
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMF-02303] c17 N71-23828
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N78-24333
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211
ALUMINUM COATINGS
Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
[NASA-CASE-LEW-11267-1] c17 N73-32414
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Method of protecting the surface of a substrate --- by applying aluminide coating
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
A silicon-slurry/aluminide coating --- protects aircraft and land-based gas turbine engines
[NASA-CASE-LEW-13343-1] c24 N80-26389
ALUMINUM OXIDES
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N79-25143
ALUMINUM SILICATES
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
AMIDES
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c27 N79-22300
Preparation of perfluorinated imidoylamidoximes --- for eventual preparation of heat and chemical resistant polymers
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles --- heat and chemical resistant polymers
[NASA-CASE-ARC-11267-2] c25 N80-26407
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c27 N81-14078
AMINES
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XNP-08655] c06 N71-11239
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XNP-08652] c06 N71-11243
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
AMINO ACIDS
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
AMMONIA
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578
AMMONIUM NITRATES
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c28 N79-28342
AMMONIUM PERCHLORATES
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471
AMPLIFICATION
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
Amplifying circuit with constant current source for accumulator load and high gain voltage amplification
[NASA-CASE-NPO-11023] c09 N72-17155
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N78-18410
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179
AMPLIFIER DESIGN
Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c33 N74-21851
AMPLIFIERS
Development of stable electronic amplifier adaptable for monolithic and thin film

construction
[NASA-CASE-IGS-02812] c09 N71-19466
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185
Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c33 N74-14939
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512
Inductorless narrow-band filter/amplifier
[NASA-CASE-GSC-12410-1] c33 N79-24260

AMPLITUDE DISTRIBUTION ANALYSIS
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045

AMPLITUDE MODULATION
Alternating current signal generator providing plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427

AMPLITUDES
Circuits for amplitude limiting of random noise inputs
[NASA-CASE-NPO-10169] c10 N71-24844

ANALGESIA
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c52 N78-11692
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613

ANALOG CIRCUITS
Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XNP-01097] c10 N71-16058
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354

ANALOG COMPUTERS
Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172

ANALOG DATA
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Analog signal to discrete time converter
[NASA-CASE-ERC-10048] c09 N72-25251
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N78-32396

ANALOG SIMULATION
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913

ANALOG TO DIGITAL CONVERTERS
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Analog to digital converter for converting pulses to frequencies
[NASA-CASE-XLA-00670] c08 N71-12501
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
Data acquisition system for converting displayed analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
Apparatus for automatically testing analog to digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
Wide range analog to digital converter with variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
Analog to digital converter using offset voltage to eliminate errors
[NASA-CASE-MSC-13110-1] c08 N72-22163
Analog to digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c25 N79-24073

ANALYZERS
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and

analyzer units
[NASA-CASE-XMF-09451] c06 N71-26754
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N78-13400

ANEMOMETERS
Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XMF-05224] c14 N71-23726
Maxometers for measuring peak wind speeds during severe environmental conditions
[NASA-CASE-MFS-20916] c14 N73-25460

ANGIOGRAPHY
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N79-10724

ANGLE OF ATTACK
Angle detector
[NASA-CASE-ARC-11036-1] c35 N78-32395
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968

ANGLES (GEOMETRY)
Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XMF-04415] c14 N71-24693
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813

ANGULAR ACCELERATION
Strain gage accelerometer for angular acceleration measurement
[NASA-CASE-XMS-05936] c14 N70-41682

ANGULAR CORRELATION
Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490

ANGULAR DISTRIBUTION
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c74 N80-21138

ANGULAR MOMENTUM
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
Rim inertial measuring system --- to measure angular rates and linear accelerations
[NASA-CASE-LAR-12052-1] c04 N80-18019

ANGULAR RESOLUTION
Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XMF-00447] c14 N70-33179

ANGULAR VELOCITY
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c37 N81-15364

ANHYDRIDES
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c25 N80-16116
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515

ANILINE
Synthesis of high purity dianilinosilanes
[NASA-CASE-XMF-06409] c06 N71-23230

ANIMALS
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c51 N78-27733

ANISOTROPIC MEDIA
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188

ANNEALING
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
CDS solid state phase insensitive ultrasonic transducer --- annealing cadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c35 N80-20559

ANNULAR NOZZLES
Large area-ratio nozzles for rocket motor thrust chambers
[NASA-CASE-XLE-00145] c28 N70-36806
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213

ANNULAR PLATES
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939

ANODES
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c33 N80-14330

ANODIC COATINGS
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162

ANTENNA ARRAYS
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
[NASA-CASE-MSC-12205-1] c07 N71-27056
Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233
Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Circularly polarized antenna with linearly polarized pair of elements

[NASA-CASE-ERC-10214] c09 N72-31235
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c32 N78-24391
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N78-28594
Phased array antenna control
[NASA-CASE-MSC-14939-1] c32 N79-11264
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N79-24210
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c32 N80-28578
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c32 N81-14185
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187

ANTENNA COMPONENTS

Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c33 N74-29556
Faraday rotation measurement method and apparatus --- to receive RF signals from spacecraft which exhibits polarization characteristics due to spin stabilization
[NASA-CASE-NPO-14839-1] c35 N80-16313

ANTENNA COUPLERS

Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524

ANTENNA DESIGN

Development and characteristics of low-noise, multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
[NASA-CASE-MSC-12205-1] c07 N71-27056
Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Collapsible high gain antenna which can be automatically expanded to operating state
[NASA-CASE-KSC-10392] c07 N73-26117
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c33 N75-19516
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Furlable antenna --- antenna design
[NASA-CASE-NPO-13553-1] c33 N76-32457
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c32 N80-24511
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N80-29539
Complementary cross-slot phased array antenna
[NASA-CASE-MSC-18532-1] c32 N80-29543
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c32 N80-32604

ANTENNA FEEDS

Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c32 N78-31321
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c32 N80-16261

ANTENNA RADIATION PATTERNS

Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187

ANTENNAS

Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457

ANTIBIOTICS

Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750

ANTIFRICTION BEARINGS

Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997
Development of rolling element bearing for operation in ultrahigh vacuum environment

[NASA-CASE-XLE-09527-2] c15 N71-26189
Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEW-11152-1] c15 N73-32359
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c24 N79-17916
Method of making bearing material
[NASA-CASE-LEW-11930-3] c24 N80-33482

ANTIGRAVITY
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789

ANTIHISTAMINICS
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c52 N78-11692
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613

ANTIREFLECTION COATINGS
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580

ANVILS
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446

APERTURES
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XPR-05302] c15 N71-23254
Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c32 N78-18266

APOLLO PROJECT
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012

APOLLO SPACECRAFT
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450

APPLICATIONS OF MATHEMATICS
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437

APPROACH INDICATORS
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031

AQUEOUS SOLUTIONS
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c23 N75-14834
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c25 N79-23167
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-MFS-23883-1] c51 N80-16715
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516

ARC DISCHARGES
Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XMF-08522] c15 N71-19486
Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c38 N74-15395
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385

ARC HEATING
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071

ARC JET ENGINES
Improving preformance of magnetoplasmadynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760

ARC LAMPS
Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c33 N80-14330

ARC WELDING
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XMF-08522] c15 N71-19486
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XMF-07069] c15 N71-23815
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683

ARCHITECTURE
Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921

ARCHITECTURE (COMPUTERS)
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c60 N79-27864

ARM (ANATOMY)
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c37 N79-28551

ARMATURES
Design and development of electric motor with stationary field and armature windings which operates on direct current
[NASA-CASE-XGS-05290] c09 N71-25999
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476

Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c44 N80-29834
Linear magnetic bearings --- active magnetic suspension of armatures
[NASA-CASE-GSC-12582-1] c37 N81-16469

AROMATIC COMPOUNDS
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155
Polymeric foams from cross-linkable poly-n-arylenebenzinidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c27 N78-32261
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c27 N81-17260

ARRAYS
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c32 N80-18253
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389

ARTERIES
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566

ARTIFICIAL CLOUDS
Chemical system for releasing barium to create ion clouds in upper atmosphere and interplanetary space
[NASA-CASE-LAR-10670-1] c06 N73-30097

ARTIFICIAL GRAVITY
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750

ARTIFICIAL INTELLIGENCE
Tactile sensing system --- manipulator controllers
[NASA-CASE-NPO-15094-1] c33 N81-16386

ARTIFICIAL SATELLITES
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324

ASBESTOS
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c24 N76-14204

ASHES
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c37 N79-14388

ASPECT RATIO
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011

ASPHALT
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c27 N78-33228

ASSAYING
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585

ASSEMBLIES
Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225

Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425

ASTRONAUT LOCOMOTION
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
Walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N78-17675
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c54 N79-24651

ASTRONAUT MANEUVERING EQUIPMENT
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
[NASA-CASE-XMS-05304] c05 N71-12336
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XNP-07488] c11 N71-18773
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585

ASTRONAUT PERFORMANCE
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N78-31735

ASTRONAUT TRAINING
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Low and zero gravity simulator for astronaut training
[NASA-CASE-MFS-10555] c11 N71-19494
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474

ASTRONAUTS
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127

ASTRONAVIGATION
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621

ASTRONOMICAL PHOTOGRAPHY
Cameras for photographing meteors in selected sky area
[NASA-CASE-LAR-10226-1] c14 N73-19419

ASTRONOMICAL TELESCOPES
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Star image motion compensator using telescope for maintaining fixed images

[NASA-CASE-LAR-10523-1] c14 N72-22444
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c89 N79-10969
ATMOSPHERIC COMPOSITION
Design and development of two types of atmosphere sampling chambers
[NASA-CASE-MPO-11373] c13 N72-25323
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Microwave limb sounder --- to measure trace gases in the supper atmosphere
[NASA-CASE-NPO-14544-1] c74 N79-34014
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
ATMOSPHERIC ENTRY
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015
ATMOSPHERIC ENTRY SIMULATION
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
ATMOSPHERIC PHYSICS
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
ATMOSPHERIC PRESSURE
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
ATMOSPHERIC RADIATION
Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
ATMOSPHERIC SCATTERING
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
ATMOSPHERIC TURBULENCE
Passive optical wind and turbulence remote detection system
[NASA-CASE-XMF-14032] c20 N71-16340
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
ATOMIZERS
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
ATS
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
ATTACHMENT
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
ATTENUATORS
Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-PRC-11012-1] c52 N80-23969
ATTITUDE (INCLINATION)
Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N78-18391
ATTITUDE CONTROL
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XFR-00181] c21 N70-33279
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XMF-00185] c21 N70-34539
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132
Development of attitude control system for spacecraft orientation
[NASA-CASE-XGS-04393] c21 N71-14159
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XMF-01598] c21 N71-15583
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-24750
Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position

[NASA-CASE-NPO-13044-1] c35 N74-15094
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
A pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c08 N79-20135
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c08 N81-19130
ATTITUDE GYROS
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
ATTITUDE INDICATORS
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Aircraft horizon and vertical indicator
[NASA-CASE-ERC-10392] c21 N73-14692
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c06 N80-18036
ATTITUDE STABILITY
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873
Method of and apparatus for damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c18 N81-12156
AUDIO EQUIPMENT
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244
AUDIO FREQUENCIES
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
AUDITORY DEFECTS
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N78-10375
AUDITORY PERCEPTION
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
AUDITORY SIGNALS
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244
AUDITORY STIMULI
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
AUSTENITIC STAINLESS STEELS
Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
[NASA-CASE-LEW-11267-1] c17 N73-32414
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
AUTOCATALYSIS
Autocatalytic coal liquefaction process
[NASA-CASE-NPO-14876-1] c28 N80-26460
AUTOCLAVES
A system for sterilizing objects --- such as water systems on the space shuttle using ethylene oxide
[NASA-CASE-KSC-11085-1] c54 N79-33848
AUTOCORRELATION
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194
AUTOMATIC CONTROL
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XNP-03287] c15 N71-15607
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
Welding torch with automatic speed controller using speed sensing wheel and closed servo system
[NASA-CASE-XNP-01730] c15 N71-23050
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XNP-05195] c10 N71-24861
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246
Automatic shunting of ion thrustor magnetic field when thrustor is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071

Speed control system for dc motor equipped with brushless Hall effect device
[NASA-CASE-MFS-20207-1] c09 N73-32107
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19888
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c38 N78-17396
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c35 N78-19466
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N78-25529
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
A hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c05 N80-11065
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
Solar energy control system
[NASA-CASE-MFS-25287-1] c44 N80-17544
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c33 N80-21671
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c76 N80-32245
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116

AUTOMATIC CONTROL VALVES
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-MFO-11177] c15 N72-17453
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784

AUTOMATIC FREQUENCY CONTROL
System for phase locking onto carrier frequency signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231

AUTOMATIC GAIN CONTROL
Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N79-22373

AUTOMATIC TEST EQUIPMENT
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c35 N79-27479
Automated syringe sampler
[NASA-CASE-LAR-12308-1] c45 N80-19664

AUTOMATION
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434

AUTOMOBILE ENGINES
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N78-24545
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c33 N81-20352

AUTOMOBILE FUELS
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700

AUTOMOBILES
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230

AUXILIARY POWER SOURCES
Independent power generator
[NASA-CASE-LAR-11208-1] c44 N78-32539

AXES (REFERENCE LINES)
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951

AXES OF ROTATION
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XFR-00181] c21 N70-33279
Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XNP-00684] c21 N71-21688
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255

AXIAL COMPRESSION LOADS
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411

AXIAL FLOW TURBINES
Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLE-00170] c15 N70-36412
Multistage, multiple reentry, single rotor, axial flow turbine
[NASA-CASE-XLE-00085] c28 N70-39895
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c34 N79-20335

AXIAL LOADS
Ball locking device which releases in response to small forces when subjected to high axial loads
[NASA-CASE-XNP-01371] c15 N70-41829
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511

AXIAL STRESS
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511

AZIMUTH
Tracking mount for laser telescope employed in

tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607

AZINES
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259

AZO COMPOUNDS
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177

AZOLES
Preparation of perfluorinated 1,2,4-oxadiazoles --- heat and chemical resistant polymers
[NASA-CASE-ARC-11267-2] c25 N80-26407

B

BACKGROUND NOISE
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

BACKGROUND RADIATION
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411

BACKSCATTERING
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091

BACKUPS
Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XMF-00722] c15 N70-40204
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935

BACTERIA
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714

BACTERIOLOGY
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677

BAFFLES
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Floating baffle for tank drain
[NASA-CASE-KSC-10639] c15 N73-26472
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c74 N79-11865

BAGS
Fecal waste disposal container
[NASA-CASE-XMS-06761] c05 N69-23192
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749

BAKING
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450

BALANCE
Thermoprotective device for balances
[NASA-CASE-XAC-00648] c14 N70-40400
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945

BALANCING
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Static force balancing system attached to lifting body
[NASA-CASE-LAR-10348-1] c11 N73-12264

BALL BEARINGS
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Low mass rolling element bearing assembly
[NASA-CASE-LEW-11087-1] c15 N73-30458
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
Spherical bearing --- to reduce vibration effects
[NASA-CASE-MFS-23447-1] c37 N79-11404

BALLAST (MASS)
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006

BALLASTS (IMPEDANCES)
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318

BALLISTICS
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310

BALLOON SOUNDING
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039

BALLOONS
Development and characteristics of hot air balloon deceleration and recovery system

[NASA-CASE-XLA-06824-2] c02 N71-11037
Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008

BALLS
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Quartz ball valve
[NASA-CASE-NPO-14473-1] c37 N80-23654

BANDPASS FILTERS
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
Signal to noise ratio determination circuit using bandpass limiter
[NASA-CASE-GSC-11239-1] c10 N73-25241
Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c35 N76-15435
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c60 N80-17723

BANDWIDTH
Improvements in receiver of narrow bandwidth television system
[NASA-CASE-XMS-06740-1] c07 N71-26579
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N78-18410
Inductorless narrow-band filter/amplifier
[NASA-CASE-GSC-12410-1] c33 N79-24260
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524

BARIUM
Chemical system for releasing barium to create ion clouds in upper atmosphere and interplanetary space
[NASA-CASE-LAR-10670-1] c06 N73-30097

BARIUM COMPOUNDS
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889

BARIUM FLUORIDES
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105

BARIUM ION CLOUDS
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360

BARIUM TITANATES
Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
[NASA-CASE-ERC-10307] c08 N72-21198

BARRIERS
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145

BASES (CHEMICAL)
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047

BASKETS
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585

BATTERY CHARGERS
Battery charging system with cell to cell voltage balance
[NASA-CASE-XGS-05432] c03 N71-19438
Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N78-25531

BAYARD-ALPERT IONIZATION GAGES
Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
[NASA-CASE-XLA-07424] c14 N71-18482

BEADS
Rotary bead dropper and selector for testing micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988

BEAM LEADS
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951

BEAM SPLITTERS
Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-MSC-12105-1] c14 N72-21409
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c35 N78-18395
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c73 N78-32848
Direction sensitive laser velocimeter --- determining the direction of particle motion using a helium-neon laser
[NASA-CASE-LAR-12177-1] c36 N79-28532
Interferometer
[NASA-CASE-NPO-14502-1] c74 N81-17888

BEAM SWITCHING
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c33 N75-19516
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472

BEAM WAVEGUIDES
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387

BEAMS (RADIATION)
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
Method and system for transmitting and distributing optical frequency radiation
[NASA-CASE-HQN-10541-3] c23 N72-23695
Method for shaping and aiming narrow beams --- using a linear frequency chirp for sonar reception
[NASA-CASE-NPO-14632-1] c32 N80-12256
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510

Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c32 N80-28578
Collimated beam manifold and method for using the same --- laser beams
[NASA-CASE-MFS-25312-1] c74 N80-34251
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c36 N81-19439

BEAMS (SUPPORTS)
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283

BEARING (DIRECTION)
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
Michelson interferometer with photodetector for optical direction sensing
[NASA-CASE-NPO-10320] c14 N71-17655
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056

BEARINGS
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23610
Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
[NASA-CASE-GSC-10556-1] c31 N71-26537
Measuring device for bearing preload using spring washers
[NASA-CASE-MFS-20434] c11 N72-25288
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c37 N75-18574
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
An improved suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c37 N79-12446
Method of making bearing material
[NASA-CASE-LEW-11930-3] c24 N80-33482
Linear magnetic bearings --- active magnetic suspension of armatures
[NASA-CASE-GSC-12582-1] c37 N81-16469
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457

BEDS (PROCESS ENGINEERING)
Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901

BEER LAW
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090

BEES
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499

BELLOWS
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686

BELTS
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917

BENDING
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XNP-09422] c07 N71-19436
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-XAC-05632] c32 N71-23971
Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
[NASA-CASE-XNP-10475] c15 N71-24679
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408

BENDING DIAGRAMS
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
[NASA-CASE-XAC-05506-1] c24 N71-16095

BENDING FATIGUE
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XNP-02964] c14 N71-17659

BENDING MOMENTS
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XNP-03198] c30 N70-40353

BENDING VIBRATION
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626

BENZENE
Para-benzoquinone dioxime and concentrated. mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572

BERYLLIUM ALLOYS
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
[NASA-CASE-LEW-10327] c17 N71-33408

BERYLLIUM HYDRIDES
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c28 N79-14228

BERYLLIUM OXIDES
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373

BIAS
Electrical self-aligning connector
[NASA-CASE-MFS-25211-1] c33 N80-32651

BIMETALS
Nonmagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
Application of spiral, bimetallic strip to create circular motion on mechanical shaft by changing strip temperature
[NASA-CASE-NPO-11283] c09 N72-25260
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454

BINARY CODES
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
Design and development of encoder/decoder system to generate binary code which is function of

outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N78-17691
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313

BINARY DATA
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-XGS-00174] c08 N70-34743
Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-XGS-04765] c08 N71-18693
Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N78-17691

BINARY DIGITS
Logarithmic converter for compressing 19-digit binary input number to 8-digit output
[NASA-CASE-XLA-00471] c08 N70-34778
Circuit diagram and operation of full binary adder
[NASA-CASE-XGS-00689] c08 N70-34787
Binary number sorter for arranging numbers in order of magnitude
[NASA-CASE-NPO-10112] c08 N71-12502
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Cathode ray tube system for displaying ones and zeros in binary wave train
[NASA-CASE-XGS-04987] c08 N71-20571
Characteristics of comparator circuits for comparison of binary numbers in information processing system
[NASA-CASE-XNP-04819] c08 N71-23295
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176
Family of m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850

BINARY FLUIDS
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503

BINARY TO DECIMAL CONVERTERS
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
Design and operation of high speed binary to decimal conversion system
[NASA-CASE-XGS-01230] c08 N71-19544
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XMS-06167] c08 N71-24890
High speed direct binary to binary coded decimal converter for use in PCM telemetry systems
[NASA-CASE-KSC-10326] c08 N72-21197
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N78-17691

BINDERS (MATERIALS)
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Brazing alloy binder
[NASA-CASE-XNP-05868] c26 N75-27125
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c24 N79-31347

BINOCULARS
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882

BIOASSAY
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714

BIODYNAMICS
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699

BIOELECTRIC POTENTIAL
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs
[NASA-CASE-XMS-02872] c05 N69-21925
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769

BIOELECTRICITY
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid
[NASA-CASE-XMS-04213-1] c09 N71-26002

BIOENGINEERING
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c33 N74-21851
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c52 N79-14756
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c14 N80-24342
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c52 N81-14612

BIOINSTRUMENTATION
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Characteristics of pressed disc electrode for biological measurements
[NASA-CASE-XMS-04212-1] c05 N71-12346
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level

of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid
[NASA-CASE-XMS-04213-1] c09 N71-26002
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c52 N74-20726
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N79-18580
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c52 N80-18691
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c52 N80-23969
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
An implantable electrical device
[NASA-CASE-GSC-12560-1] c52 N80-27073

BIOLUMINESCENCE
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
[NASA-CASE-XGS-05532] c06 N71-17705
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585

BIOMEDICAL DATA
Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c52 N79-26771

BIOMETRICS
Characteristics of pressed disc electrode for biological measurements
[NASA-CASE-XMS-04212-1] c05 N71-12346
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c52 N74-20726
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N79-18580
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c52 N79-26771
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703

BIONICS
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c14 N80-24342

BIOTELEMETRY
Biotelemetry apparatus with dual voltage generators for implanting in animals
[NASA-CASE-XAC-05706] c05 N71-12342
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894

BIPOLAR TRANSISTORS
Voltage regulator for battery power source --- using a bipolar transistor
[NASA-CASE-FRC-10116-1] c33 N79-23345

BIREFRINGENCE
Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials
[NASA-CASE-XNP-08883] c23 N71-16101

BISMUTH
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678

BISMUTH COMPOUNDS
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213

BISTABLE CIRCUITS
Bistable multivibrator circuits operating at high speed and low power dissipation
[NASA-CASE-XGS-00823] c10 N71-15910

BIT SYNCHRONIZATION
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140
Bit synchronization of PCM communications signal, without separate synchronization channel by digital correlation
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c32 N74-10132

BITERNARY CODE
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917

BITS
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
MOD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263

BLACK BODY RADIATION
Development of black-body source calibration furnace
[NASA-CASE-XLE-01399] c33 N71-15625
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323

BLADDER
Prosthetic urinary sphincter

[NASA-CASE-MFS-23717-1] c52 N79-14756
Spine immobilization method and apparatus --- rigid bladder
[NASA-CASE-ARC-11167-1] c52 N79-30921
BLADE TIPS
Modification and improvement of turbine blades for maximum cooling efficiency
[NASA-CASE-XLE-00092] c15 N70-33264
BLADES
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468
BLADES (CUTTERS)
Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XMS-04072] c15 N70-42017
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N78-14773
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468
BLAST LOADS
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
BLOCKS
Rotary target V-block --- aligning wind tunnel apparatus for optical measurement
[NASA-CASE-LAR-12007-2] c74 N79-25876
BLOOD
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c52 N80-14687
BLOOD FLOW
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
BLOOD PRESSURE
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c52 N74-26626
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531
BLUFF BODIES
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939
BLUNT BODIES
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
BODIES OF REVOLUTION
Conforming polisher for aspheric surfaces of revolution with inflatable tube
[NASA-CASE-XGS-02884] c15 N71-22705
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
BODY FLUIDS
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29691
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605
BODY KINEMATICS
Space suit with improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c37 N79-28551
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699
BODY MEASUREMENT (BIOLOGY)
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33635
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N79-18580
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699
BODY TEMPERATURE
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
BODY VOLUME (BIOLOGY)
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c52 N74-10975
BODY-WING CONFIGURATIONS
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c05 N79-12061
BOILERS
Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104
Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPO-10831] c33 N72-20915
BOLOMETERS
High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component
[NASA-CASE-XNP-01193] c10 N71-16057
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c35 N79-33449
BOLTS
Patent data on gas actuated bolt disconnect assembly
[NASA-CASE-XLA-00326] c03 N70-34667
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XNP-04966] c14 N71-17658
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
BONDING
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c37 N74-23064
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N79-25143
Improved attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c16 N81-16110
BONES
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
BOOMS (EQUIPMENT)
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191

Extendable, self-deploying boom apparatus
[NASA-CASE-GSC-10566-1] c15 N72-18477
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
BOOSTER RECOVERY
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
BOOSTER ROCKET ENGINES
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
BOOTS (FOOTWEAR)
Walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N78-17675
BORIDES
Cesium thermionic converters having improved electrodes
[NASA-CASE-LEW-12038-3] c44 N78-25555
BORING MACHINES
Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c46 N80-10709
BORON
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329
BORON CARBIDES
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
BORON FLUORIDES
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c27 N78-31233
BOUNDARY LAYER CONTROL
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968
BOUNDARY LAYER SEPARATION
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
BOUNDARY LAYER TRANSITION
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c02 N80-20224
BOUNDARY LAYERS
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
BOXES (CONTAINERS)
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-MFS-20075] c09 N71-26133
BRACKETS
Electrical servo actuator bracket --- for jet engine fuel control valves
[NASA-CASE-FRC-11044-1] c07 N80-21327
BRAKES (FOR ARRESTING MOTION)
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N78-16369
Moving body velocity arresting line --- elongating steel cable
[NASA-CASE-LAR-12372-1] c37 N80-18399
BRAKING
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XMF-01096] c10 N71-16030
Linear magnetic braking system with nonuniformly wrapped primary coil producing constant braking force on secondary coil
[NASA-CASE-XLE-05079] c15 N71-17652
Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XMF-05224] c14 N71-23726
BRAZING
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471
Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
BREATHING APPARATUS
Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c54 N80-10799
BRICKS
Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921
BRIGHTNESS
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
BRIGHTNESS DISCRIMINATION
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
Illumination control apparatus for compensating solar light
[NASA-CASE-XSC-11010-1] c74 N79-12890
BRITTLENESS
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c46 N74-23068

Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c46 N74-23069

BROADBAND

Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462

Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720

Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583

Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808

Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831

Wideband voltage controlled oscillator with high phase stability
[NASA-CASE-XLA-03893] c10 N71-27271

Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013

Multifrequency broadband horn antenna
[NASA-CASE-NPO-14588-1] c32 N79-17067

BROADBAND AMPLIFIERS

Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331

Broadband distribution amplifier with complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415

BROADCASTING

Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194

BROMINE

Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641

BRUSHES

Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XNP-01016] c26 N71-17818

BRUSHES (ELECTRICAL CONTACTS)

Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323

BUCKLING

Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156

Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323

BUFFER STORAGE

Data handling based on source significance, storage availability, and data received from source
[NASA-CASE-XNP-04162-1] c08 N70-34675

Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255

Digital to analog converter with parallel input/output memory device
[NASA-CASE-KSC-10397] c08 N72-25206

Common data buffer system
[NASA-CASE-KSC-11048-1] c60 N79-23674

BUILDINGS

Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454

BULBS

External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c36 N79-14362

BULKHEADS

Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948

BUOYANCY

Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063

High visibility air sea rescue panel
[NASA-CASE-MSC-12564-2] c03 N78-25070

BURNING RATE

Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819

Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913

Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c28 N78-31255

BURNOUT

Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381

BUS CONDUCTORS

Electrical short locator --- identifying shorts occurring while an electrical system is being wired
[NASA-CASE-ARC-11116-1] c33 N79-31498

BUTT JOINTS

Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860

Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924

Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c37 N75-27376

BUTTERFLY VALVES

Flexible inflatable seal for butterfly valves
[NASA-CASE-XLE-00101] c15 N70-33376

BYPASSES

Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317

Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323

Current regulating voltage divider design with load current shunting
[NASA-CASE-MFS-20935] c09 N71-34212

Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053

Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296

C

CABLE FORCE RECORDERS

Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599

CABLES

Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512

Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540

CABLES (ROPES)

High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-XNP-00738] c09 N70-38201

Force separation rigid tethering device using cables
[NASA-CASE-XLA-02332] c32 N71-17609

Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701

Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064

Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994

Flexible cable that can be made rigid
[NASA-CASE-MSC-13512-1] c15 N72-22485

Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453

Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063

Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844

Moving body velocity arresting line --- elongating steel cable
[NASA-CASE-LAR-12372-1] c37 N80-18399
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c37 N80-32717

CADMIUM SULFIDES
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
CDS solid state phase insensitive ultrasonic transducer --- annealing cadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c35 N80-20559

CALCIUM
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271

CALCIUM FLUORIDES
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-LEW-00259] c18 N70-36400
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105

CALCIUM OXIDES
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162

CALCIUM PHOSPHATES
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072

CALCULATORS
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552

CALIBRATING
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XNP-04134] c14 N71-23755
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-LEW-10804] c05 N71-24606
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c35 N75-15932
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c35 N79-14347
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c35 N79-27479
Calibrating pressure switch
[NASA-CASE-XNP-04494-1] c33 N79-33392
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c32 N80-14281

CALORIMETERS
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XNP-04208] c33 N71-29051
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c34 N74-27859
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c35 N81-19426

CAMERA SHUTTERS
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c33 N74-20861

CAMERAS
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XNP-03844-1] c14 N71-26474
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
Optical scanner with linear housing and rotating camera
[NASA-CASE-NPO-11002] c14 N72-22441
Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152

CANS
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c07 N79-14095

CANARD CONFIGURATIONS
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Supersonic transport --- using canard surfaces
[NASA-CASE-LAR-11932-1] c05 N78-32086

CANCER
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751

CANOPIES
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230

CANS
Design and characteristics of device for closing canisters under high vacuum conditions

[NASA-CASE-XLA-01446] c15 N71-21528
Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
CANTILEVER BEAMS
Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N79-10418
CANTILEVER MEMBERS
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
CAPACITANCE
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XMS-03495] c14 N69-39785
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c33 N79-21265
CAPACITANCE SWITCHES
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XNP-00375] c15 N70-34249
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
CAPACITORS
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XNP-00517] c03 N70-34157
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
Capacitor fabrication by solidifying mixture of ferromagnetic metal particles, nonferromagnetic particles, and dielectric material
[NASA-CASE-LEW-10364-1] c09 N71-13522
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Thermodielectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N75-24716
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c44 N78-24608
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c33 N78-32341
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c33 N79-21265
CAPILLARY FLOW
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
CAPILLARY TUBES
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
CARBAZOLES
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
CARBOHYDRATES
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
CARBON
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c24 N78-27184
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c25 N79-23167
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
CARBON ARCS
Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XMS-03700] c15 N69-24266
CARBON COMPOUNDS
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
CARBON DIOXIDE
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-MSC-13332-1] c14 N72-21408
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c52 N79-21750
CARBON DIOXIDE LASERS
Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-ERC-10178] c16 N71-24832
Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391

Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350

CARBON DIOXIDE REMOVAL
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c54 N80-10799

CARBON FIBER REINFORCED PLASTICS
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N80-28711
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c27 N81-17260

CARBON MONOXIDE
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c35 N75-29380

CARBONATES
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
Synthesis of dawsonites
[NASA-CASE-ARC-11326l-1] c25 N80-31490

CARBONYL COMPOUNDS
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164

CARBORANE
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c27 N80-21533

CARBOXYL GROUP
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929

CARBOXYLIC ACIDS
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098

CARCINOGENS
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676

CARDIAC VENTRICLES
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N79-10724

CARDIOGRAPHY
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760

CARDIOLOGY
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895

CARDIOTACHOMETERS
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778

CARDIOVASCULAR SYSTEM
Conditioning suit for normal function of astronaut cardiovascular system in gravity environment
[NASA-CASE-XLA-02898] c05 N71-20268
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896

CARRIER FREQUENCIES
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XNP-01160] c07 N71-11298
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811

CARRIER WAVES
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981

CARRIERS
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-MFS-20075] c09 N71-26133
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744

CARTESIAN COORDINATES
Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179

CARTRIDGES
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813

CASCADE CONTROL
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245

CASCADE FLOW
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117

CASE BONDED PROPELLANTS
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179

CASES (CONTAINERS)
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
Portable heatable container
[NASA-CASE-NPO-14237-1] c44 N80-20808

CASSEGRAIN ANTENNAS
Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425

Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000

CASTING
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
Texturing polymer surfaces by transfer casting --- carviovascular prosthesis
[NASA-CASE-LEW-13120-1] c31 N81-16327

CASTINGS
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570
Castable high temperature refractory materials
[NASA-CASE-LEW-13080-1] c27 N80-29496
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238

CATALYSIS
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
Diesel engine catalytic combustor system --- turbocharging
[NASA-CASE-LEW-12995-1] c37 N80-26659

CATALYSTS
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Development of device for detecting hydrogen in ambient environments
[NASA-CASE-MFS-11537] c14 N71-20442
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c25 N80-16116

CATHETERIZATION
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896

CATHODE RAY TUBES
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
Cathode ray tube system for displaying ones and zeros in binary wave train
[NASA-CASE-XGS-04987] c08 N71-20571
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Cathode ray tube with coating of phosphor and cobalt oxides
[NASA-CASE-ERC-10468] c09 N72-20206
Digital video system for displaying image and alphanumeric data on cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c33 N75-27250

CATHODES
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693

CATIONS
Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104

CAVITATION FLOW
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615

CAVITIES
Black body radiometer having isothermally surrounded cavity for ultraviolet, visible, and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XNP-05999] c15 N71-29032
Soil burrowing mole apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197

CAVITY RESONATORS
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity.
[NASA-CASE-ARC-10463-1] c09 N73-32111
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
Laser apparatus
[NASA-CASE-GSC-12237-1] c36 N80-14384
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407

CELESTIAL BODIES
Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490

Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250
CELESTIAL NAVIGATION
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
CELL ANODES
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
CELL DIVISION
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
CELLS
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
CELLS (BIOLOGY)
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c51 N79-10694
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-MFS-23883-1] c51 N80-16715
CENTRAL PROCESSING UNITS
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c60 N79-27864
CENTRIFUGAL COMPRESSORS
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-1] c37 N79-23431
CENTRIFUGAL FORCE
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c07 N78-25090
CENTRIFUGES
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c14 N80-24342
CERAMIC BONDING
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
CERAMIC COATINGS
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
Unfired-ceramic, highly reflective composite insulation for large launch vehicles
[NASA-CASE-XNP-01030] c18 N70-41583
Unfired ceramic insulation for protection from radiant heating environments
[NASA-CASE-MFS-14253] c33 N71-24858
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434
CERAMIC NUCLEAR FUELS
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
CERAMICS
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XNP-05999] c15 N71-29032
Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c27 N78-19302
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c27 N79-12221
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c27 N79-14213
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c35 N80-20565
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619
Castable high temperature refractory materials
[NASA-CASE-LEW-13080-1] c27 N80-29496
CERMETS
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c27 N76-15311
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c27 N78-19302
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c27 N79-14213
CESIUM
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383
CESIUM DIODES
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646
Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421
Improved thermionic energy converters
[NASA-CASE-LEW-12443-1] c44 N81-19561
CESIUM ENGINES
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor

[NASA-CASE-XNP-00923] c28 N70-36802
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197
CESIUM VAPOR
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Cesium thermionic converters having improved electrodes
[NASA-CASE-LEW-12038-3] c44 N76-25555
CHANNEL FLOW
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
CHANNELS (DATA TRANSMISSION)
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
Helical recorder for multiple channel recording
[NASA-CASE-GSC-10614-1] c09 N72-11224
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c60 N79-27864
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c32 N80-18252
CHARACTER RECOGNITION
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353
System and method for character recognition
[NASA-CASE-NPO-11337-1] c74 N81-19896
CHARGE COUPLED DEVICES
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c33 N79-17134
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c43 N79-17288
CHARGE DISTRIBUTION
Operation of vidicon tube for scanning spatial charge density pattern
[NASA-CASE-XNP-06028] c09 N71-23189
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137
CHARGE EXCHANGE
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
CHARGE TRANSFER
Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c35 N78-17359
CHARGE TRANSFER DEVICES
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
An image readout device with electrically variable spatial resolution
[NASA-CASE-LAR-12633-1] c35 N80-22661
CHARGED PARTICLES
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
[NASA-CASE-XAC-05506-1] c24 N71-16095
Electrostatic charged particle collector containing stacked electrodes for microwave tube
[NASA-CASE-LEW-11192-1] c09 N73-13208
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429
CHARGING
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
CHARRING
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
CHASSIS
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467
CHECKOUT
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865
CHELATES
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
CHEMICAL ANALYSIS
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c25 N74-26947
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14644
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
CHEMICAL AUXILIARY POWER UNITS
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
CHEMICAL BONDS
Fluorine-containing polyformals
[NASA-CASE-XNP-06900-1] c27 N79-21191
Preparation of perfluorinated 1,2,4-oxadiazoles --- heat and chemical resistant polymers
[NASA-CASE-ARC-11267-2] c25 N80-26407
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
CHEMICAL COMPOSITION
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c28 N78-31255
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296
CHEMICAL COMPOUNDS
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25028
CHEMICAL ELEMENTS
Apparatus for remote handling of materials ---

mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c37 N74-18123
CHEMICAL ENGINEERING
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162
CHEMICAL EXPLOSIONS
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c09 N79-21084
CHEMICAL FUELS
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-2] c37 N80-18397
CHEMICAL MACHINING
Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033
CHEMICAL PROPERTIES
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XNP-02584] c06 N71-20905
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
CHEMICAL REACTIONS
Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235
Synthesis of polymeric schiff bases by schiff-base exchange reactions
[NASA-CASE-XNP-08651] c06 N71-11236
Preparation of ordered poly/arylenesiloxane/ polymers
[NASA-CASE-XNP-10753] c06 N71-11237
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XNP-03988] c15 N71-21403
Synthesis of high purity dianilinosilanes
[NASA-CASE-XNP-06409] c06 N71-23230
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XNP-03074] c06 N71-24740
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-XNP-08674] c06 N71-28807
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XNP-09902] c15 N72-11387
Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229
An improved synthesis of 2, 4, 8, 10-textroxaspiro (5.5)undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
Preparation of perfluorinated imidoylamidoximes --- for eventual preparation of heat and chemical resistant polymers
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles --- heat and chemical resistant polymers
[NASA-CASE-ARC-11267-2] c25 N80-26407
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c27 N81-14078
CHEMICAL REACTORS
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c25 N79-28253
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c37 N80-10494
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c31 N80-18231
Thermal reactor and process --- liquid silicon production from silane
[NASA-CASE-NPO-14369-1] c25 N80-20338
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
CHEMICAL TESTS
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
CHEMILUMINESCENCE
Method and apparatus for eliminating luminol

interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714
CHEMOTHERAPY
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613
CHIPS
An improved head for high speed spinner having a vacuum chuck --- holding silicon chips for etching
[NASA-CASE-NPO-15227-1] c37 N80-26661
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585
CHIPS (ELECTRONICS)
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c33 N79-18224
CHIRP SIGNALS
Method for shaping and aiming narrow beams --- using a linear frequency chirp for sonar reception
[NASA-CASE-NPO-14632-1] c32 N80-12256
CHLORINATION
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
CHLOROPRENE RESINS
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c27 N74-12814
CHOKES
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
CHOKES (RESTRICTIONS)
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
CHOLESTEROL
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
CHROMATOGRAPHY
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c25 N74-26947
CHROMIUM
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c44 N78-19599
Improving the efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c44 N80-32850
CHROMIUM ALLOYS
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211
CHROMIUM COMPOUNDS
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
CHROMOSOMES
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
CINEMATOGRAPHY
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
CIRCUIT BOARDS
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XNP-01483] c14 N69-27431
Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XNP-00369] c09 N70-36494
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit broads
[NASA-CASE-MFS-20408] c18 N73-12604
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c37 N76-27567
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N79-10339
CIRCUIT BREAKERS
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
CIRCUIT DIAGRAMS
Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
[NASA-CASE-GSC-10735-1] c10 N71-26085
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485

Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315

CIRCUIT PROTECTION

Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-IGS-04808] c03 N69-25146
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
Overcurrent protecting circuit for push-pull transistor amplifiers
[NASA-CASE-MSC-12033-1] c09 N71-13531
Solder coating process for printed copper circuit protection
[NASA-CASE-XMF-01599] c09 N71-20705
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Selective plating of etched circuits without removing previous plating
[NASA-CASE-IGS-03120] c15 N71-24047
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Sensing circuit for instantaneous reaction to power overloads
[NASA-CASE-GSC-10667-1] c10 N71-33129
Current protection equipment for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N78-14625
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
Fused switch
[NASA-CASE-XMS-01244-1] c33 N79-33393
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220

CIRCUIT RELIABILITY

Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865

CIRCUITS

Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-IGS-00174] c08 N70-34743
Electronic circuit system for controlling electric motor speed
[NASA-CASE-XMF-01129] c09 N70-38712
Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-IGS-03390] c03 N71-23187
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Device for rapid adjustment and maintenance of temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139
Sensing circuit for instantaneous reaction to power overloads
[NASA-CASE-GSC-10667-1] c10 N71-33129
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Fail-safe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Active tuned circuits for microelectronic construction
[NASA-CASE-GSC-11340-1] c10 N72-33230
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Electrodeless lamp circuit driven by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389

CIRCULAR CONES

Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-XMF-00462] c14 N70-34298

CIRCULAR CYLINDERS

Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479

CIRCULAR POLARIZATION

Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235

CIRCULAR TUBES

Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133

CIRCULATORS (PHASE SHIFT CIRCUITS)

Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits

[NASA-CASE-XNP-02140] c09 N71-23097
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
CLAMPING CIRCUITS
Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
CLAMPS
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XNP-01452] c15 N70-41371
Hydraulic clamping of sheet stock specimens
[NASA-CASE-XLA-05100] c15 N71-17696
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994
CLAYS
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
CLEAN ROOMS
Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
CLEANERS
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
Noncontaminating swab with absorbent end covered with netted envelope to prevent egress of absorbent material
[NASA-CASE-MFS-18100] c15 N72-11390
CLEANING
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
CLEAR AIR TURBULENCE
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677
CLIMBING FLIGHT
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
CLINICAL MEDICINE
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
CLOCKS
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392
CLOSED CIRCUIT TELEVISION
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
CLOSED CYCLES
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
CLOSED ECOLOGICAL SYSTEMS
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
Cell and method for electrolysis of water and anode therefor --- oxygen recovery in connection with space transportation vehicles
[NASA-CASE-MSC-16394-1] c25 N80-26406
CLOSURES
Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736
CLOUD CHAMBERS
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
CLOUD COVER
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c47 N80-26992
CLOUDS (METEOROLOGY)
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c33 N74-27862
CLUTTER
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c32 N78-18266
CMOS
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N79-12321
COAL
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c31 N78-24387
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c37 N79-14388
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
Thickness measurement system
[NASA-CASE-MFS-23721-1] c31 N79-28370
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c43 N80-23711
COAL GASIFICATION
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
COAL LIQUEFACTION
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
Autocatalytic coal liquefaction process
[NASA-CASE-NPO-14876-1] c28 N80-26460
COAL UTILIZATION
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154

COATING
Solder coating process for printed copper circuit protection
[NASA-CASE-XNP-01599] c09 N71-20705
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c44 N78-19599
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c27 N78-31233
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c74 N78-32854

COATINGS
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Cathode ray tube with coating of phosphor and cobalt oxides
[NASA-CASE-ERC-10468] c09 N72-20206
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164
Edge coating of flat wires
[NASA-CASE-XNP-05757-1] c31 N79-21227

COAXIAL CABLES
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Design and development of electric connectors for rigid and semirigid coaxial cables
[NASA-CASE-XNP-04732] c09 N71-20851
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c33 N80-18285

COAXIAL PLASMA ACCELERATORS
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951

COBALT ALLOYS
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415

COBALT OXIDES
Cathode ray tube with coating of phosphor and cobalt oxides
[NASA-CASE-ERC-10468] c09 N72-20206

COCKPIT SIMULATORS
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-IFR-04147] c11 N71-10748

CODERS
Design and development of encoder/decoder system to generate binary code which is function of outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
Biorthogonal encoder with modular design
[NASA-CASE-NPO-10629] c08 N72-18184
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404

CODING
Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
Apparatus and digital technique for coding rate data
[NASA-CASE-LAR-10128-1] c08 N73-20217
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239

COEFFICIENT OF FRICTION
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382

COENZYMES
Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149

COHERENT ELECTROMAGNETIC RADIATION
Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407

COHERENT LIGHT
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22895
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994

COHERENT RADIATION
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602

COINCIDENCE CIRCUITS
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331

COLD CATHODES
Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327

COLD GAS
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071

COLD WELDING
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455
COLD WORKING
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
COLLAPSE
Collapsible piston for hypervelocity gun
[NASA-CASE-MSC-13789-1] c11 N73-32152
COLLECTION
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
Urine collection device
[NASA-CASE-MSC-16433-1] c52 N78-27750
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c52 N79-23657
Absorbent product and articles made therefrom --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c24 N81-16127
COLLIMATION
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c35 N80-28686
Collimated beam manifold and method for using the same --- laser beams
[NASA-CASE-MFS-25312-1] c74 N80-34251
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440
COLLIMATORS
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
Multiplate focusing collimator --- for scanning small near radiation sources
[NASA-CASE-MFS-20932-1] c35 N75-19616
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387
COLLISION AVOIDANCE
Cooperative Doppler radar system for avoiding midair collisions
[NASA-CASE-LAR-10403] c21 N71-11766
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24948
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
Development and operating principles of collision warning system for aircraft accident prevention
[NASA-CASE-HQN-10703] c21 N73-13643
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c03 N75-30132
COLLOIDAL GENERATORS
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
COLLOIDAL PROPELLANTS
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
COLLOIDS
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c74 N78-13874
COLOR
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
COLOR PHOTOGRAPHY
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
Method of and means for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c35 N80-18362
COLOR TELEVISION
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c09 N78-18083
COLOR VISION
Color perception tester for testing color code perceptiveness of individuals
[NASA-CASE-KSC-10278] c05 N72-16015
COLUMNS (PROCESS ENGINEERING)
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
COLUMNS (SUPPORTS)
Lightweight structural columns --- for truss structures
[NASA-CASE-LAR-12095-1] c39 N77-27432
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c37 N78-33446
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283
COMBINATORIAL ANALYSIS
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
COMBUSTION
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
COMBUSTION CHAMBERS
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFB-09479] c14 N69-27503
Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Ignition system for monopropellant combustion devices
[NASA-CASE-XNP-00249] c28 N70-38249
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507
Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
[NASA-CASE-XLE-04857] c28 N71-23968
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of

propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Coaxial injector for mixing liquid propellants within combustion chambers
[NASA-CASE-MPO-11095] c15 N72-25455
Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
Fuel combustor
[NASA-CASE-LEW-12137-1] c25 N78-10224
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357
Combuster --- low nitrogen oxide formation
[NASA-CASE-MPO-13958-1] c25 N79-11151
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c34 N79-13288
Fluidized bed coal combustion reactor
[NASA-CASE-MPO-14273-1] c37 N79-14388
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c12 N79-26075
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c07 N80-26298
Diesel engine catalytic combustor system --- turbocharging
[NASA-CASE-LEW-12995-1] c37 N80-26659
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c25 N81-19245

COMBUSTION CONTROL
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819

COMBUSTION EFFICIENCY
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199

COMBUSTION PHYSICS
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-MPO-11559] c28 N73-24784
Plasma igniter for internal combustion engine
[NASA-CASE-MPO-13828-1] c37 N79-11405

COMBUSTION PRODUCTS
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15522
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
System for minimizing internal combustion engine pollution emission
[NASA-CASE-MPO-13402-1] c37 N76-18457
Coal desulfurization process
[NASA-CASE-MPO-13937-1] c44 N78-31527
Combuster --- low nitrogen oxide formation
[NASA-CASE-MPO-13958-1] c25 N79-11151

COMBUSTION STABILITY
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507

COMMAND AND CONTROL
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-MPO-13753-1] c32 N77-20289

COMMAND MODULES
Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450

COMMUNICATING
Communication between computers using two identical communications links
[NASA-CASE-MPO-11161] c08 N72-25207

COMMUNICATION
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146

COMMUNICATION CABLES
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XNP-03498] c15 N71-15986
Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083
Fiber distributed feedback laser
[NASA-CASE-MPO-13531-1] c36 N76-24553
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
High-speed data link for moderate distances and noisy environments
[NASA-CASE-MPO-14152-1] c32 N80-18252

COMMUNICATION EQUIPMENT
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-MPO-10118] c07 N71-24741
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
[NASA-CASE-MPO-11282] c10 N73-16205
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654

COMMUNICATION SATELLITES
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009
Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24813
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Satellite aided vehicle avoidance system
[NASA-CASE-HEC-10419-1] c03 N75-30132
Ultra stable frequency distribution system
[NASA-CASE-MPO-13836-1] c32 N78-15323

COMMUTATION
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Elimination of current spikes in buck power converters
[NASA-CASE-MPO-14505-1] c33 N81-19393

COMMUTATORS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-MPO-10743] c08 N72-21199

COMPARATOR CIRCUITS
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Development of pulsed differential comparator circuit
[NASA-CASE-XLE-03804] c10 N71-19471
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N78-14625
Window comparator
[NASA-CASE-HEC-10090-1] c33 N78-18308

COMPARATORS
Photometric flow meter with comparator reference means
[NASA-CASE-XGS-01331] c14 N71-22996

Characteristics of comparator circuits for comparison of binary numbers in information processing system
[NASA-CASE-XNP-04819] c08 N71-23295
COMPENSATORS
Star image motion compensator using telescope for maintaining fixed images
[NASA-CASE-LAR-10523-1] c14 N72-22444
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c31 N79-17029
COMPONENT RELIABILITY
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c60 N80-30050
COMPOSITE MATERIALS
High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288
Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198
Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLE-00228] c17 N70-38490
Unfired-ceramic, highly reflective composite insulation for large launch vehicles
[NASA-CASE-XNP-01030] c18 N70-41583
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
Preparation and characteristics of lightweight refractory insulation
[NASA-CASE-XNP-05279] c18 N71-16124
Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants
[NASA-CASE-XNP-08837] c18 N71-16210
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XNP-02964] c14 N71-17659
Description of method for producing metallic composites reinforced with ceramic and refractory hard metals that are fibered in place
[NASA-CASE-XLE-03925] c18 N71-22894
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c24 N76-22309
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N78-15180
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c27 N78-19302
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c20 N78-24275
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N78-24365
Ceramic fiber insulating material and method of producing same --- aircraft construction materials
[NASA-CASE-MSC-14795-2] c24 N78-25138
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c24 N79-17916
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c37 N79-18318
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c27 N80-16158
Tackifier for addition polyimides
[NASA-CASE-LAR-12642-1] c27 N80-18179
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
Method of making bearing material
[NASA-CASE-LEW-11930-3] c24 N80-33482
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-2] c24 N81-16128
COMPOSITE PROPELLANTS
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c28 N80-28536
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
COMPOSITE STRUCTURES
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N78-10214
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N78-17149
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c24 N78-27184
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452
COMPOSITION (PROPERTY)
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
COMPRESSED AIR
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
COMPRESSIBILITY
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c31 N79-11246
COMPRESSIBLE FLUIDS
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
COMPRESSING
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Mechanical bonding of metal
[NASA-CASE-LEW-12941-1] c31 N81-16329
COMPRESSION LOADS
Pressure transducer for systems for measuring forces of compression
[NASA-CASE-NPO-10832] c14 N72-21405

Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429

COMPRESSION TESTS
Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528

COMPRESSOR BLADES
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515

COMPRESSORS
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c35 N78-10428
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658
A cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c31 N81-19344

COMPUTATION
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c04 N78-17031

COMPUTER COMPONENTS
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N78-17691
Common data buffer system
[NASA-CASE-KSC-11048-1] c60 N79-23674
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c37 N80-20589
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-1] c60 N80-21987
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c33 N80-33679

COMPUTER DESIGN
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751

COMPUTER GRAPHICS
System for digitizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164

COMPUTER NETWORKS
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c32 N80-18252

COMPUTER PROGRAMMING
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Priority interrupt system --- comprised of four registers
[NASA-CASE-NPO-13067-1] c60 N76-18800

COMPUTER PROGRAMS
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206

COMPUTER STORAGE DEVICES
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
[NASA-CASE-ERC-10307] c08 N72-21198
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914

COMPUTER SYSTEMS DESIGN
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721

COMPUTER TECHNIQUES
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c35 N79-27479

COMPUTERIZED SIMULATION
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c74 N79-13855

COMPUTERS
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Communication between computers using two identical communications links
[NASA-CASE-NPO-11161] c08 N72-25207

CONCAVITY
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-XGS-01036] c14 N70-40003

CONCENTRATORS
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLR-01716] c09 N70-40234
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N79-11471
Solar cell module
[NASA-CASE-NPO-14467-1] c44 N79-31753
Solar concentrator
[NASA-CASE-MFS-23727-1] c44 N80-14473
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518

CONDENSATES
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
CONDENSERS (LIQUIFIERS)
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
CONDENSING
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c27 N79-22300
CONDUCTING FLUIDS
Multiducted electromagnetic pump for conductive liquids
[NASA-CASE-NPO-10755] c15 N71-27084
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686
CONDUCTIVE HEAT TRANSFER
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Automatic thermal switch --- Space Shuttle equipment bay temperature control
[NASA-CASE-GSC-12415-1] c34 N80-18338
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c33 N80-21671
CONDUCTORS
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XNP-07587] c15 N71-18701
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c24 N75-13032
CONES
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
CONFINEMENT
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
CONICAL BODIES
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
CONICAL SCANNING
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N79-13214
CONICAL SHELLS
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XMS-03495] c14 N69-39785
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
CONJUGATES
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N79-24210
CONNECTORS
Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
Development and characteristics of strainer for flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389
Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225
CONSCIOUSNESS
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
CONSOLES
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
CONSTANTS
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
CONSTRAINTS
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
Restraining mechanism
[NASA-CASE-MSC-13054] c54 N78-17677
CONSTRUCTION
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283
CONSTRUCTION MATERIALS
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454
Development of construction block in form of container folded from flat sheet and filled with solid material for architectural purposes
[NASA-CASE-MSC-12233-2] c32 N73-13921
CONTACT POTENTIALS
Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
CONTAINERLESS MELTS
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427
CONTAINERS
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
CONTAMINANTS
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
CONTAMINATION
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XNP-02039] c15 N71-15871
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing

[NASA-CASE-XGS-01971] c15 N71-15922
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c35 N79-28527
CONTINUOUS RADIATION
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c39 N78-15512
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c35 N79-10390
CONTINUOUS SPECTRA
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538
CONTINUOUS WAVE LASERS
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602
CONTINUOUS WAVE RADAR
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264
CONTOURS
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Processing system for semiperiodic electrical signals to produce real time contoured display
[NASA-CASE-MSC-13407-1] c10 N72-20225
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c74 N78-27904
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N79-10724
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
CONTROL
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XNP-04134] c14 N71-23755
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Improved power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c33 N79-25315
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c33 N80-33679
CONTROL BOARDS
Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
CONTROL DATA (COMPUTERS)
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721
CONTROL EQUIPMENT
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23809
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
System for control of variable signal generator
[NASA-CASE-NPO-11064] c07 N72-11150
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Digital controller for a Baum folding machine --- providing automatic counting and machine shutoff
[NASA-CASE-LAR-10688-1] c37 N74-21056
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c37 N74-21065
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c33 N78-10376
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c73 N78-28913
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c54 N78-32724
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c74 N79-12890
Means for controlling aerodynamically induced twist --- equipment to control twisting of slender wings due to aerodynamic loads
[NASA-CASE-LAR-12175-1] c05 N80-16055
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c35 N80-28686
CONTROL ROCKETS
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504
CONTROL RODS
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
CONTROL SIMULATION
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
CONTROL STABILITY
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
CONTROL SURFACES
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N79-14108
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968

Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c37 N81-15363

CONTROL UNITS (COMPUTERS)
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633

CONTROL VALVES
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Multiple orifice fluid flow control valve to provide different flow patterns
[NASA-CASE-ERC-10208] c15 N70-10667
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N78-25426
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468
Quartz ball value
[NASA-CASE-NPO-14473-1] c37 N80-23654
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c37 N81-17433

CONTROLLED ATMOSPHERES
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875

CONTROLLERS
Unitary three-axis controller for flight vehicles within or outside atmosphere
[NASA-CASE-XFR-00181] c21 N70-33279
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
Wide power range microwave feedback ccntroller
[NASA-CASE-GSC-12146-1] c33 N78-32340
Active nutation controller
[NASA-CASE-GSC-12273-1] c35 N80-21719
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c33 N81-20352

CONVECTIVE FLOW
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486

CONVECTIVE HEAT TRANSFER
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095

CONVERGENCE
Electrical device for developing converging spherical shock waves
[NASA-CASE-MFS-20890] c14 N72-22439

CONVERGENT NOZZLES
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c31 N79-11246

CONVERGENT-DIVERGENT NOZZLES
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XNP-01544] c28 N70-34162
Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
[NASA-CASE-XLE-04857] c28 N71-23968
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392

CONVERTERS
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
A fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c32 N80-18261

CONVEYORS
System for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c02 N81-14967

COOLING
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Dissipative voltage regulator system for minimizing heat dissipation
[NASA-CASE-GSC-10891-1] c10 N71-26626
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c39 N80-25693

COOLING SYSTEMS
Automatic thermal switch for improving efficiency of cooling gases below 40 K
[NASA-CASE-XNP-03796] c23 N71-15467
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
Electric power system with circulatory liquid coolant cooling system
[NASA-CASE-MFS-14114-2] c09 N71-24807
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430

Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
Tubular sublimatdry evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c31 N78-17237
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N78-25256
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c34 N79-13288
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N79-20336
A cooling system for an aircraft having a cruise range from Mach 2 to Mach 8
[NASA-CASE-LAR-12406-1] c05 N79-24980
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579

COORDINATES
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056

COPOLYMERS
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XNP-02584] c06 N71-20905
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187

COPPER
Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Brazing alloy composition
[NASA-CASE-XNP-06053] c26 N75-27126
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469

COPPER ALLOYS
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201

COPPER COMPOUNDS
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127

COPPER FLUORIDES
Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093

CORDAGE
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098

CORE STORAGE
Memory device employing semiconductor and ferroelectric properties of single crystal barium titanate
[NASA-CASE-ERC-10307] c08 N72-21198

CORES
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392

CORK (MATERIALS)
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388

CORRECTION
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978

CORRELATION DETECTION
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c32 N78-18266
Interferometric locating system
[NASA-CASE-NPO-14173-1] c04 N80-32359

CORRELATORS
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c32 N79-28383

CORROSION PREVENTION
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
[NASA-CASE-LEW-10327] c17 N71-33408
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579

CORROSION RESISTANCE
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Corrosion resistant thermal barrier coating --- protecting gas turbines and other heat engine parts
[NASA-CASE-LEW-13088-1] c24 N80-11142
Method of making bearing material
[NASA-CASE-LEW-11930-3] c24 N80-33482

CORRUGATED PLATES
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c39 N79-25424

CORRUGATING
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N80-29539

COSINE SERIES
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
COSMIC DUST
Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
COST ANALYSIS
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N78-17460
COST REDUCTION
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
COUCHES
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
Collapsible couch system for manned space vehicles
[NASA-CASE-MSC-13140] c05 N72-11085
COULOMETERS
Alkaline-type coulometer cell for primary charge control in secondary battery recharge circuits
[NASA-CASE-XGS-05434] c03 N71-20491
Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
COUNTERS
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c25 N79-24073
Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c60 N81-15706
COUNTING CIRCUITS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XNP-00421] c09 N70-34502
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515
Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c60 N81-15706
COUPLING
Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
Base support for expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
COUPLING CIRCUITS
Interrogator and current driver circuit for combination with transistor flip-flop circuit
[NASA-CASE-XGS-03058] c10 N71-19547
Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c35 N74-21017
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c33 N81-12331
COUPLINGS
Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Space vehicle stage coupling and quick release separation mechanism
[NASA-CASE-XLA-01441] c15 N70-41679
Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-MFS-12805] c15 N71-17805
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Coupling arrangement for isolating torque loads from axial, radial, and bending loads
[NASA-CASE-XLA-04897] c15 N72-22482
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c37 N80-14398
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c37 N81-14320
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605
COVERINGS
Apparatus for ejecting covers of instrument packages using differential pressure principle

[NASA-CASE-XMF-04132] c15 N69-27502
CRACKING (FRACTURING)
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c39 N78-16387
CRASH LANDING
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
CREEP RUPTURE STRENGTH
Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
[NASA-CASE-XLE-02082] c17 N71-16026
CRITICAL EXPERIMENTS
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
CRITICAL TEMPERATURE
Stable superconducting magnet --- high current levels below critical temperature
[NASA-CASE-XMF-05373-1] c33 N79-21264
CROSS CORRELATION
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c38 N78-17395
CROSS FLOW
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968
CROSS POLARIZATION
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154
CROSSED FIELDS
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
CROSSLINKING
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c27 N78-15276
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c27 N81-17262
CRUCIBLES
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
CRUDE OIL
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
CRUSTAL FRACTURES
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
CRYOGENIC COOLING
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c32 N80-32605
Low cost cryostat
[NASA-CASE-NPO-14513-1] c35 N81-14287
CRYOGENIC EQUIPMENT
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N78-25256
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c51 N79-10694
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c37 N79-28549
CRYOGENIC FLUID STORAGE
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Cryogenic storage system for gases onboard spacecraft
[NASA-CASE-XMS-04390] c31 N70-41871
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651
Prefabricated multilayered self-evacuating insulation panels using gas with low vapor pressure at cryogenic temperatures for application to storage of cryogens
[NASA-CASE-XLE-04222] c23 N71-22881
Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XMF-05046] c33 N71-28892
Apparatus for aligning shadow shields and cryogenic storage tanks in outer space with the sun
[NASA-CASE-KSC-10622-1] c31 N72-21893
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225
Low temperature latching solenoid --- cryogenic fluid storage and flow control
[NASA-CASE-MSC-18106-1] c33 N80-14338
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c37 N80-18393
CRYOGENIC FLUIDS
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859

Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
Automatic thermal switch for improving efficiency of cooling gases below 40 K
[NASA-CASE-XNP-03796] c23 N71-15467
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992
Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c37 N74-27904
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393

CRYOGENIC GYROSCOPES
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c35 N74-18323

CRYOGENIC MAGNETS
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890

CRYOGENIC ROCKET PROPELLANTS
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042

CRYOGENIC STORAGE
Light weight plastic foam thermal insulation for cryogenic storage
[NASA-CASE-XLE-02647] c18 N71-23658
Development of foam insulation for filament wound cryogenic storage tank
[NASA-CASE-XLE-03803] c15 N71-23816

CRYOGENIC WIND TUNNELS
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c37 N80-16339

CRYOGENICS
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XNP-02786] c17 N71-20743
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c33 N78-13320
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210

CRYOLITE
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332

CRYOSTATS
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XNP-02964] c14 N71-17659
Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XNP-10968] c14 N71-24234
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Low cost cryostat
[NASA-CASE-NPO-14513-1] c35 N81-14287

CRYOTRAPPING
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c28 N80-20402

CRYSTAL DEFECTS
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c76 N79-11920

CRYSTAL FILTERS
Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N79-14891
Inductorless narrow-band filter/amplifier
[NASA-CASE-GSC-12410-1] c33 N79-24260

CRYSTAL GROWTH
Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
Electrodeposition method for producing crystalline material from dense gaseous medium
[NASA-CASE-NPO-10440] c15 N72-21466
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c35 N78-17359
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c76 N79-11920
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c44 N80-24741
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c76 N80-32245
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944

CRYSTAL LATTICES
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950

CRYSTAL OSCILLATORS
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701

Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
CRYSTAL RECTIFIERS
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
CRYSTAL STRUCTURE
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
CRYSTALLINITY
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c27 N80-16158
CRYSTALLIZATION
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919
CRYSTALS
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c76 N80-18951
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c76 N80-32246
CUBS
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
CULTURE TECHNIQUES
Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c25 N79-24073
CURIE TEMPERATURE
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678
CURING
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c27 N81-17260
CURRENT DENSITY
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
Stable superconducting magnet --- high current levels below critical temperature
[NASA-CASE-XMF-05373-1] c33 N79-21264
CURRENT DISTRIBUTION
Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c33 N74-22864
CURRENT REGULATORS
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
Current regulating voltage divider design with load current shunting
[NASA-CASE-MFS-20935] c09 N71-34212
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c33 N81-12330
CURVATURE
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMF-01083] c15 N71-22723
Two degree inverted flexure from single block of material
[NASA-CASE-ARC-10345-1] c15 N73-12488
CURVE FITTING
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
CURVED PANELS
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
CUSHIONS
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c09 N79-31228
CUTTERS
Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-XMS-04178] c15 N71-22798
Portable cutting machine for piping weld preparation
[NASA-CASE-XKS-07953] c15 N71-26134
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905

Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
Open ended ratchet type tubing cutter
[NASA-CASE-MSC-18538-1] c37 N80-22703
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c37 N80-29703
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c76 N80-32246

CUTTING
Ellipsograph for describing and cutting ellipses with minimal axial dimensions
[NASA-CASE-XLA-03102] c14 N71-21079
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468

CYANATES
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c25 N80-16116

CYCLES
Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167

CYCLIC ACCELERATORS
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458

CYCLIC HYDROCARBONS
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572

CYCLIC LOADS
Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476

CYCLOTRON RADIATION
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c25 N78-27226

CYCLOTRON RESONANCE
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163

CYCLOTRON RESONANCE DEVICES
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c33 N81-16384

CYLINDRICAL ANTENNAS
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295

CYLINDRICAL BODIES
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968

CYLINDRICAL CHAMBERS
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c37 N81-12422

CYSTS
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751

D

DAMPING
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XNP-00658] c12 N70-38997
Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Nutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-REC-10403-1] c10 N73-26228
Apparatus for damping operator induced oscillations of a controlled system --- using adaptive filters to damp oscillations in a flight control system
[NASA-CASE-FRC-11041-1] c33 N80-20488

DATA ACQUISITION
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Development of telemetry system for position location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
Data acquisition system for converting displayed analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N79-10724

DATA COLLECTION PLATFORMS
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007

DATA COMPRESSION
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328

DATA CONVERTERS
Logarithmic converter for compressing 19-digit binary input number to 8-digit output
[NASA-CASE-XLA-00471] c08 N70-34778
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Analog signal to discrete time converter
[NASA-CASE-REC-10048] c09 N72-25251
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354

Digital demodulator
[NASA-CASE-LAR-12659-1] c33 N80-31731
DATA LINKS
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Automatic accounting system for transfer of data from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
DATA MANAGEMENT
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c60 N77-19760
DATA PROCESSING
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c32 N79-20297
DATA PROCESSING EQUIPMENT
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-IGS-04767] c08 N71-12494
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Development and characteristics of rate augmented digital to analog converter for computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
Data processor with plural register stages for selectively interconnecting with each other to effect multiplicity of operations
[NASA-CASE-GSC-10186] c08 N71-33110
Development and characteristics of telemetry system using computer-accessed circuits and remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
Development and characteristics of data decoder to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Automatic accounting system for transfer of data from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c60 N79-14797
DATA RECORDERS
Description of system for recording and reading out data related to distribution of occurrence of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c35 N74-15831
DATA RECORDING
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
Description of system for recording and reading out data related to distribution of occurrence of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
Apparatus for on-film optical recording of camera lens aperture and focus setting
[NASA-CASE-MSC-12363-1] c14 N73-26431
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
Holography utilizing surface plasmon resonances
[NASA-CASE-NFS-22040-1] c35 N74-26946
Common data buffer system
[NASA-CASE-KSC-11048-1] c60 N79-23674
DATA REDUCTION
System for storing histogram data in optimum number of elements
[NASA-CASE-XNP-09785] c08 N69-21928
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Description of system for recording and reading out data related to distribution of occurrence of plurality of events
[NASA-CASE-XNP-04067] c08 N71-22707
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Data compression using decreasing slope threshold test and digital techniques
[NASA-CASE-NPO-11630] c08 N72-33172
DATA RETRIEVAL
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XNP-05835] c08 N71-12504
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195
DATA SAMPLING
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328

DATA SMOOTHING
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c60 N80-17723

DATA STORAGE
Data handling based on source significance, storage availability, and data received from source
[NASA-CASE-XNP-04162-1] c08 N70-34675
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Event recorder with constant speed motor which rotates recording disk
[NASA-CASE-XLA-01832] c14 N71-21006
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337

DATA SYSTEMS
Data handling based on source significance, storage availability, and data received from source
[NASA-CASE-XNP-04162-1] c08 N70-34675
Development and characteristics of rate augmented digital to analog converter for computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598

DATA TRANSMISSION
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Data compression processor for monitoring analog signals by sampling procedure
[NASA-CASE-NPO-10068] c08 N71-19288
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Automatic accounting system for transfer of data from terminals to computer
[NASA-CASE-NPO-11456] c08 N73-26176
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c60 N79-14797
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c74 N79-34011
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c33 N81-14221

DAWSONITE
Synthesis of dawsonites
[NASA-CASE-ARC-113261-1] c25 N80-31490

DEBRIS
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c07 N78-25090

DECAY RATES
Solar sensor with coarse and fine sensing elements for matching preirradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269

DECELERATION
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
Device for use in descending spacecraft as altitude sensor for actuating deceleration retrorockets
[NASA-CASE-XMS-03792] c14 N70-41812
Development and characteristics of hot air balloon deceleration and recovery system
[NASA-CASE-XLA-06824-2] c02 N71-11037
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XMF-06515] c14 N71-23227

DECIMALS
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176

DECISION MAKING
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598

DECODERS
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XMS-06167] c08 N71-24890
Design and development of encoder/decoder system to generate binary code which is function of outputs of plurality of bistable elements
[NASA-CASE-NPO-10342] c10 N71-33407
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c32 N79-28383

DECODING
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Development and characteristics of data decoder to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598

Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
DECOMMUTATORS
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-1] c60 N80-21987
DECONTAMINATION
Decontamination of petroleum products with honey
[NASA-CASE-XNP-03835] c06 N71-23499
Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619
Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c75 N78-27913
DEEP SPACE NETWORK
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
DEFECTS
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c38 N78-32447
DEFLECTION
Bipropellant injector with pair of concave deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c74 N80-21138
DEFLECTORS
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c34 N76-18364
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343
DEFOCUSING
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
DEFORMATION
Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
DEGREES OF FREEDOM
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-HMS-02977] c11 N71-10746
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662
DEHUMIDIFICATION
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
DEHYDRATED FOOD
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-MSC-13540-1] c05 N72-33096
DELAY CIRCUITS
Development of pulsed differential comparator circuit
[NASA-CASE-XLE-03804] c10 N71-19471
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-IGS-04224] c10 N71-26418
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N78-25319
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179
DELAY LINES
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
DELTA MODULATION
Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-MSC-13855-1] c35 N74-17885
DELTA WINGS
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
DEMAGNETIZATION
Tumbling motion system for object demagnetization
[NASA-CASE-IGS-02437] c15 N69-21472
DEMODULATION
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c33 N78-32338
DEMODULATORS
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-IGS-02889] c07 N71-11282
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XNP-01160] c07 N71-11298
Development of demodulation system for removing amplitude modulation from two quadrature displaced data bearing signals
[NASA-CASE-XAC-04030] c10 N71-19472
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-MSC-12165-1] c07 N71-33696
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c33 N74-14939
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
Digital demodulator
[NASA-CASE-LAR-12659-1] c33 N80-31731
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427
DENSITOMETERS
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases
[NASA-CASE-XLE-00143] c14 N70-36618
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
DENSITY DISTRIBUTION
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c74 N76-20958
DENSITY MEASUREMENT
Capacitor for measuring density of compressible fluid in liquid, gas, or liquid and gas phases

[NASA-CASE-XLE-00143] c14 N70-36618
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N78-15461
DENTISTRY
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c52 N81-12724
DEOXYGENATION
Electrocatalyst for oxygen reduction in low temperature alkaline fuel cell
[NASA-CASE-HQN-10537-1] c06 N72-10138
DEPLOYMENT
Extendable, self-deploying boom apparatus
[NASA-CASE-GSC-10566-1] c15 N72-18477
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c18 N80-14183
DEPOSITION
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
DESALINIZATION
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
DESCENT
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
DESIGN ANALYSIS
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
DESULFURIZING
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154
DETECTION
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Metal detection system with electromagnetic transmitter with single coil and receiver with single coil
[NASA-CASE-ARC-10265-1] c10 N72-28240
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Method and device for destructive detection of a substance --- useful in determining the concentration of carbon fibers or pollutant particles
[NASA-CASE-NPO-14940-1] c35 N80-21723
Photoelectric detection system
[NASA-CASE-MFS-23776-1] c74 N80-25134
DETECTORS
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XNP-06531] c14 N71-17575
Electro-optical detector for determining position of light source
[NASA-CASE-XNP-01059] c23 N71-21821
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
Hydrogen fire blink detector for high altitude rocket or ground installation
[NASA-CASE-MFS-15063] c14 N72-25412
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c35 N80-11400
DETERGENTS
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c23 N75-14834
DETONATION
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
DETONATION WAVES
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XNP-06926] c28 N71-22983
DEUTERIUM
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c72 N76-15860
DIAGNOSIS
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751
DIAGRAMS
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
DIALYSIS
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c52 N80-14687
DIAMINES
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XNP-04133] c06 N71-20717
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XNP-03074] c06 N71-24740
Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980

Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c27 N79-33316
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c27 N81-14078

DIAMONDS
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457

DIAPHRAGMS (MECHANICS)
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41567
Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418

DIATOMIC GASES
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426

DICHROISM
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c35 N76-15435
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c33 N79-28416

DICKE RADIOMETERS
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c35 N80-18359

DIELECTRIC POLARIZATION
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137

DIELECTRIC PROPERTIES
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c35 N79-17192

DIELECTRICS
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XNP-00517] c03 N70-34157
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065

Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c33 N75-18477
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N79-14214
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
Microwave switching power divider --- for use in Earth orbiting satellites having spherical multi-element antenna arrays
[NASA-CASE-GSC-12420-1] c33 N80-21670

DIES
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c37 N81-16470

DIESEL ENGINES
Diesel engine catalytic combustor system --- turbocharging
[NASA-CASE-LEW-12995-1] c37 N80-26659

DIETS
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270

DIFFERENTIAL AMPLIFIERS
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Multi-channel temperature measurement amplification system
[NASA-CASE-MFS-23775-1] c35 N80-17421

DIFFERENTIAL INTERFEROMETRY
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XNP-05844] c14 N71-17587

DIFFERENTIAL PRESSURE
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XNP-04132] c15 N69-27502
Differential sound level meter
[NASA-CASE-LAR-12106-1] c71 N78-14867
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c74 N78-17867
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c02 N80-28300

DIFFERENTIATORS
Window comparator
[NASA-CASE-FRC-10090-1] c33 N78-18308

DIFFRACTION
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868

DIFFRACTION PATTERNS
Digital sensor for counting fringes produced by

interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
DIFFRACTOMETERS
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
DIFFUSE RADIATION
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c74 N78-15879
DIFFUSERS
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
DIFFUSION
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c70 N74-13436
DIFFUSION PUMPS
Oil trap for preventing diffusion pump backstreaming into evacuated system
[NASA-CASE-GSC-10518-1] c15 N72-22489
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
DIFFUSION WELDING
Method for diffusion welding dissimilar metals in vacuum chamber
[NASA-CASE-GSC-10303] c15 N72-22487
Reinforced FEP Teflon composite material diffusion bonded to metal substrate
[NASA-CASE-MFS-20482] c15 N72-22492
Two-step diffusion welding process of unrecrystallized alloys
[NASA-CASE-LEW-11388-1] c15 N73-32358
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
DIGITAL COMMAND SYSTEMS
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XNP-06892] c09 N71-24805
Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034
DIGITAL COMPUTERS
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
Binary number sorter for arranging numbers in order of magnitude
[NASA-CASE-NPO-10112] c08 N71-12502
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
Digital converter for scaling binary number to binary coded decimal number of higher multiple
[NASA-CASE-KSC-10595] c08 N73-12176
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c60 N78-10709
DIGITAL DATA
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
DIGITAL FILTERS
Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852
Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034
Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366
DIGITAL INTEGRATORS
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N79-22373
DIGITAL RADAR SYSTEMS
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278
DIGITAL SPACECRAFT TELEVISION
TV camera output signal control system for digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807
DIGITAL SYSTEMS
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Circuit diagram and operation of full binary adder
[NASA-CASE-XGS-00689] c08 N70-34787
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Digital function generator for generating any arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
Digital video system for displaying image and alphanumeric data on cathode ray tube

[NASA-CASE-NPO-11342] c09 N72-25248
Data compression using decreasing slope threshold test and digital techniques
[NASA-CASE-NPO-11630] c08 N72-33172
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
Digital controller for a Baum folding machine --- providing automatic counting and machine shutoff
[NASA-CASE-LAR-10688-1] c37 N74-21056
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
Memory-based frame synchronizer --- for voice data processing in digital communication systems
[NASA-CASE-GSC-12430-1] c32 N80-20453

DIGITAL TECHNIQUES
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Apparatus and digital technique for coding rate data
[NASA-CASE-LAR-10128-1] c08 N73-20217
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349

DIGITAL TO ANALOG CONVERTERS
Development and characteristics of rate augmented digital to analog converter for computed time-dependent data
[NASA-CASE-XLA-07828] c08 N71-27057
Digital to analog converter with parallel input/output memory device
[NASA-CASE-KSC-10397] c08 N72-25206
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
High speed, glitch-free digital to analog converter
[NASA-CASE-GSC-12319-1] c60 N79-32852
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c60 N80-17723

DIGITAL TRANSDUCERS
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
Angle detector
[NASA-CASE-ARC-11036-1] c35 N78-32395

DIISOCYANATES
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103

DIMENSIONS
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c35 N78-17357

DIODES
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c33 N78-32341
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c31 N79-17029
Power converter --- for display devices, lighting equipment
[NASA-CASE-FRC-11014-1] c33 N79-27395

DIPOLE ANTENNAS
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c32 N80-24511

DIRECT CURRENT
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Transistorized dc-coupled multivibrator with noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772

Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XNP-14301] c09 N71-23188
Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XNP-08217] c03 N71-23239
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
[NASA-CASE-LEW-10155-1] c09 N71-29035
Power converters for supplying direct current at one voltage from source at another voltage
[NASA-CASE-XER-11046] c09 N72-22203
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476
Powerplexer for distribution of dc power levels to loads which require different voltages
[NASA-CASE-MSC-12396-1] c03 N73-31988
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c33 N74-21851
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c33 N74-22864
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c33 N79-10338
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N79-17133
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c33 N81-20352

DIRECT LIFT CONTROLS
A velocity vector control system augmented with direct lift control --- stability augmentation using manual control
[NASA-CASE-LAR-12268-1] c08 N79-20136

DIRECT POWER GENERATORS
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XNP-08217] c03 N71-23239
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-XEC-10125] c09 N71-24893
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c33 N74-22864

DIRECTIONAL ANTENNAS
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295
An improved suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c37 N79-12446

DIRECTIONAL CONTROL
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XNP-01544] c28 N70-34162
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c37 N74-18125
A velocity vector control system augmented with direct lift control --- stability augmentation using manual control
[NASA-CASE-LAR-12268-1] c08 N79-20136

DIRECTIONAL SOLIDIFICATION (CRYSTALS)
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419

DIRECTIONAL STABILITY
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275

DIRECTIVITY
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387

DISCONNECT DEVICES
Patent data on gas actuated bolt disconnect assembly
[NASA-CASE-XLA-00326] c03 N70-34667
Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488
Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450

Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N79-11402
DISCONTINUITY
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
DISCRIMINATORS
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XNP-00701] c09 N70-40272
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Characteristics of comparator circuits for comparison of binary numbers in information processing system
[NASA-CASE-XNP-04819] c08 N71-23295
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
DISPENSERS
Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c35 N78-19466
DISPERSING
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
DISPERSIONS
Method for producing alkali metal dispersions of high purity
[NASA-CASE-XNP-08876] c17 N73-28573
DISPLACEMENT
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126
DISPLACEMENT MEASUREMENT
Null-type vacuum microbalance for measuring minute mechanical displacements
[NASA-CASE-XAC-00472] c15 N70-40180
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Gas bearing for model support with capacity for measuring angular displacement of model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740
Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
DISPLAY DEVICES
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
Fluidic-thermochromic display device
[NASA-CASE-ERC-10031] c12 N71-18603
Cathode ray tube system for displaying ones and zeros in binary wave train
[NASA-CASE-XGS-04987] c08 N71-20571
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Data acquisition system for converting displayed analog signal to digital values
[NASA-CASE-NPO-10344] c10 N71-26544
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519
System for digitizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
Digital video system for displaying image and alphanumeric data on cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft
[NASA-CASE-MSC-12372-1] c31 N72-25842
Situational display system of cathode ray tubes to assist pilot in aircraft control
[NASA-CASE-ERC-10350] c14 N73-20474
Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499
Transparent switchboard which permits optical display devices to be adapted for use in man machine communications
[NASA-CASE-MSC-13746-1] c10 N73-32143
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c35 N74-15831
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] c06 N74-27872
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c33 N78-17293
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c35 N78-17357
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c09 N78-18083
Chromatically corrected virtual image display --- lens design for flight simulators
[NASA-CASE-LAR-12251-1] c74 N79-14892
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N79-18580
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c74 N79-20856
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988
Power converter --- for display devices, lighting equipment
[NASA-CASE-FRC-11014-1] c33 N79-27395
Environmental fog/rain visual display system for aircraft simulators

[NASA-CASE-ARC-11158-1] c09 N79-33220
An image readout device with electrically variable spatial resolution
[NASA-CASE-LAR-12633-1] c35 N80-22661
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c74 N80-27185
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c33 N81-14221

DISSIPATION
Dissipative voltage regulator system for minimizing heat dissipation
[NASA-CASE-GSC-10891-1] c10 N71-26626

DISSOCIATION
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607

DISSOLVING
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458

DISTANCE MEASURING EQUIPMENT
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175

DISTILLATION EQUIPMENT
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129

DISTRIBUTED AMPLIFIERS
Broadband distribution amplifier with complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415

DISTRIBUTORS
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332

DIVERGENT NOZZLES
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490

DIVERTERS
Flow diverter valve and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468

DIVIDERS
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836

DOCUMENT STORAGE
Describing device for flagging punched business cards
[NASA-CASE-XLA-02705] c08 N71-15908

DOORS
Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c05 N71-12345
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230

DOPPLER EFFECT
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Describing laser Doppler velicometer for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c72 N74-19310
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194

DOPPLER RADAR
Cooperative Doppler radar system for avoiding midair collisions
[NASA-CASE-LAR-10403] c21 N71-11766
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607

DOSIMETERS
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388

DRAG CHUTES
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034

DRAG MEASUREMENT
Device for measuring drag forces in flight tests
[NASA-CASE-XLA-00113] c14 N70-33386
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
Impact energy absorber with decreasing absorption rate
[NASA-CASE-XLA-01530] c14 N71-23092
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c02 N80-28300
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c06 N81-17057

DRAG REDUCTION
Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660
Improved low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c85 N80-33312
Leading edge vortex flaps for drag reduction --- during subsonic flight
[NASA-CASE-LAR-12750-1] c02 N81-19016

DRIFT (INSTRUMENTATION)
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175

DRILL BITS
Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c37 N75-25186

DRILLING
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c37 N80-29705

DRILLS
Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321

DRIVES
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126

DROPS (LIQUIDS)
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
Method of forming frozen spheres in a force-free drop tower --- microballoons for inertial confinement fusion
[NASA-CASE-NPO-14845-1] c31 N81-16328
DRUGS
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
DRYING
Drying chamber for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
DRYING APPARATUS
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
DUCTED FANS
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c07 N79-14095
DUCTS
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c31 N80-32583
DURABILITY
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c37 N80-32717
DUST COLLECTORS
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
DYE LASERS
Infrared tunable dye laser with nonlinear wavelength mixing crystal in optical cavity
[NASA-CASE-ARC-10463-1] c09 N73-32111
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c36 N75-19655
DYES
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170
DYNAMIC CHARACTERISTICS
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
DYNAMIC CONTROL
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N78-16369
DYNAMIC LOADS
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411
DYNAMIC MODULUS OF ELASTICITY
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
DYNAMIC RESPONSE
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c07 N79-14095
DYNAMIC STRUCTURAL ANALYSIS
Development of system for measuring damping characteristics of structure or system subjected to random forces or influnces
[NASA-CASE-ARC-10154-1] c14 N72-22440
DYNAMIC TESTS
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
DYNAMOMETERS
Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429

E

EAR
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185
EARTH (PLANET)
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408
EARTH ATMOSPHERE
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
EARTH CRUST
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679
EARTH ORBITS
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
ECCENTRICS
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c37 N78-25431
ECHELETTE GRATINGS
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c35 N80-26635
ECHOES
Miniature implantable ultrasongc echosonometer
[NASA-CASE-ARC-11035-1] c52 N79-18580
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253
ECONOMIC ANALYSIS
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
EDGES
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149
EFFICIENCY
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-IGS-04047-2] c03 N72-11062
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
EFFLUENTS
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423

Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c34 N79-24285

EJECTION
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMF-04132] c15 N69-27502

EJECTION SEATS
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718

EJECTORS
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38596
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718
Latching mechanism with pivoting catch and self-contained spring ejector
[NASA-CASE-XLA-03538] c15 N71-24897

ELASTIC BODIES
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-XAC-05632] c32 N71-23971
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865

ELASTIC DEFORMATION
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
Development of systems for automatically and continually suppressing or attenuating bending motion in elastic bodies
[NASA-CASE-XAC-05632] c32 N71-23971

ELASTIC MEDIA
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156

ELASTIC PROPERTIES
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615

ELASTIC SHEETS
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803

ELASTOMERS
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMF-04680] c15 N71-19489
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMF-04133] c06 N71-20717
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
Flame retardant formulations and products produced therefrom
[NASA-CASE-MSC-16307-1] c25 N78-27232
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c27 N78-32262
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c27 N81-17262

ELECTRETS
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137

ELECTRIC ARCS
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
Controlled arc spot welding method
[NASA-CASE-XMF-00392] c15 N70-34814
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMF-00411] c11 N70-36913
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Arc electrode of graphite with tantalum ball tip
[NASA-CASE-XLE-04788] c09 N71-22987
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318

ELECTRIC BATTERIES
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Battery charging system with cell to cell voltage balance
[NASA-CASE-XGS-05432] c03 N71-19438
Development and characteristics of battery charging circuits with coulometer for control of available current
[NASA-CASE-GSC-10487-1] c03 N71-24719
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c44 N74-27519
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
Voltage regulator for battery power source --- using a bipolar transistor
[NASA-CASE-FEC-10116-1] c33 N79-23345
Toroidal cell and battery --- energy storage for orbital space applications or power cells for

electric vehicles
[NASA-CASE-LEW-12918-1] c44 N80-33857
ELECTRIC BRIDGES
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Bridge-type gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c33 N78-13320
Power converter --- for display devices, lighting equipment
[NASA-CASE-FRC-11014-1] c33 N79-27395
ELECTRIC CELLS
Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Design and characteristics of heat activated electric cell with anode made from one or more alkali metals and cathode made from oxidizing material
[NASA-CASE-LEW-11358] c03 N71-26084
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
ELECTRIC CHARGE
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
ELECTRIC CHOPPERS
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c33 N78-17295
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468
ELECTRIC COILS
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
ELECTRIC CONDUCTORS
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N78-32396
ELECTRIC CONNECTORS
Distribution of currents to circuits using electrical adaptor
[NASA-CASE-XLA-01288] c09 N69-21470
Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XNP-01483] c14 N69-27431
Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XNP-04238] c09 N69-39734
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XNP-00324] c09 N70-34596
Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XNP-00369] c09 N70-36494
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XNP-03498] c15 N71-15986
Design and development of electric connectors for rigid and semirigid coaxial cables
[NASA-CASE-XNP-04732] c09 N71-20851
Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c37 N76-27567
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
Electrical self-aligning connector
[NASA-CASE-MFS-25211-1] c33 N80-32651
ELECTRIC CONTACTS
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Characteristics of hermetically sealed electric switch with flexible operating capability
[NASA-CASE-XNP-09808] c09 N71-12518
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XNP-01049] c15 N71-23049
Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c33 N75-18477
Process for preparing liquid metal electrical contact device

[NASA-CASE-LEW-11978-1] c33 N77-26385
Liquid metal slip ring --- aerospace environments
[NASA-CASE-LEW-12277-3] c33 N80-18300
ELECTRIC CONTROL
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
ELECTRIC CORONA
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
ELECTRIC CURRENT
Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
Amplifying circuit with constant current source for accumulator load and high gain voltage amplification
[NASA-CASE-NPO-11023] c09 N72-17155
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
Current protection equipment for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Load current sensor for series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
Electrode with multiple columnar conductors for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N78-10377
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N79-11231
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315
Lightning current detector
[NASA-CASE-KSC-11057-1] c33 N79-14305
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c44 N80-18551
ELECTRIC DISCHARGES
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XMF-00375] c15 N70-34249
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c33 N80-18286
ELECTRIC ENERGY STORAGE
Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c44 N79-26474
ELECTRIC EQUIPMENT
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
[NASA-CASE-GSC-10735-1] c10 N71-26085
Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
ELECTRIC EQUIPMENT TESTS
Fixture for simultaneously supporting several components for electrical testing

[NASA-CASE-XNP-06032] c09 N69-21926
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XMF-06519] c09 N71-12519
Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842
ELECTRIC FIELD STRENGTH
Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XMF-06617] c09 N71-24843
ELECTRIC FIELDS
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-00755] c01 N71-13410
Electric analog for measuring induced drag on nonplanar airfoils
[NASA-CASE-XLA-05828] c01 N71-13411
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421
Electron beam deflection devices for measuring electric fields
[NASA-CASE-XMF-10289] c14 N71-23699
Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c33 N74-27862
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c35 N80-11400
ELECTRIC FILTERS
Describing static inverter with single or multiple phase output
[NASA-CASE-XMF-00663] c08 N71-18752
Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24806
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
ELECTRIC FUSES
Development of in-line fuse device for protection of electric circuits from excessive currents and voltages
[NASA-CASE-MSC-12135-1] c09 N71-12526
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XMS-03381] c09 N71-22796
Fused switch
[NASA-CASE-XMS-01244-1] c33 N79-33393
ELECTRIC GENERATORS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
Development and characteristics of single or doubl pulse generator which produces constant width pulses in nanosecond region
[NASA-CASE-XGS-03427] c10 N71-23029
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XMF-01049] c15 N71-23049
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XMF-14301] c09 N71-23188
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Electric power system with circulatory liquid coolant cooling system
[NASA-CASE-MFS-14114-2] c09 N71-24807
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-MFS-10068] c10 N71-25139
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
Power converters for supplying direct current at one voltage from source at another voltage
[NASA-CASE-XER-11046] c09 N72-22203
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Device for converting electromagnetic wave energy into electric power
[NASA-CASE-GSC-11394-1] c09 N73-32109
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
A linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft's power supply
[NASA-CASE-GSC-12518-1] c33 N80-19424
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c44 N80-21828
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c44 N80-29834
ELECTRIC IGNITION
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
ELECTRIC MOTOR VEHICLES
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183] c44 N80-29843
Toroidal cell and battery --- energy storage for orbital space applications or power cells for electric vehicles
[NASA-CASE-LEW-12918-1] c44 N80-33857
ELECTRIC MOTORS
Automatic control of voltage supply to direct current motor

[NASA-CASE-XMS-04215-1] c09 N69-39987
Electronic circuit system for controlling electric motor speed
[NASA-CASE-XNP-01129] c09 N70-38712
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XNP-01096] c10 N71-16030
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XNP-05195] c10 N71-24861
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
Design and development of electric motor with stationary field and armature windings which operates on direct current
[NASA-CASE-XGS-05290] c09 N71-25999
Circuits for controlling reversible dc motor
[NASA-CASE-XNP-07477] c09 N71-26092
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476
Speed control system for dc motor equipped with brushless Hall effect device
[NASA-CASE-MFS-20207-1] c09 N73-32107
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
Rotary electric device
[NASA-CASE-GSC-12138-1] c33 N79-20314
A linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft's power supply
[NASA-CASE-GSC-12518-1] c33 N80-19424
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c33 N81-20352

ELECTRIC NETWORKS

Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XNP-01097] c10 N71-16058
Development and characteristics of single or doubl pulse generator which produces constant width pulses in nanosecond region
[NASA-CASE-XGS-03427] c10 N71-23029
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583
Electrical short locator --- identifying shorts occurring while an electrical system is being wired
[NASA-CASE-ARC-11116-1] c33 N79-31498

ELECTRIC POTENTIAL

Battery charging system with cell to cell voltage balance
[NASA-CASE-XGS-05432] c03 N71-19438
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XNP-14301] c09 N71-23188
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Device for monitoring voltage by generating signal when voltages drop below predetermined value
[NASA-CASE-KSC-10020] c10 N71-27338
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Power converters for supplying direct current at one voltage from source at another voltage
[NASA-CASE-XER-11046] c09 N72-22203
Continuously variable, voltage-controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N78-10429
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c44 N80-18551
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348

ELECTRIC POWER

Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c33 N78-10376
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296

ELECTRIC POWER PLANTS

Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N78-32542

ELECTRIC POWER SUPPLIES

Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-FRC-10139] c09 N72-17154
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-FRC-10403-1] c10 N73-26228
Powerplexer for distribution of dc power levels to loads which require different voltages
[NASA-CASE-MSC-12396-1] c03 N73-31988
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935
Temperature compensated current source
[NASA-CASE-MSC-11235] c33 N78-17294

ELECTRIC POWER TRANSMISSION

Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24803
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Powerplexer for distribution of dc power levels to loads which require different voltages
[NASA-CASE-MSC-12396-1] c03 N73-31988
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394

ELECTRIC PROPULSION

Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844

ELECTRIC PULSES
RC transistor circuit to indicate each pulse of pulse train and occurrence of nth pulse
[NASA-CASE-XMF-00906] c09 N70-41655
Design and development of variable pulse width multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Development and characteristics of single or doubl pulse generator which produces constant width pulses in nanosecond region
[NASA-CASE-XGS-03427] c10 N71-23029
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
[NASA-CASE-XMF-08804] c09 N71-24717
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310

ELECTRIC RELAYS
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Alarm system design for monitoring one or more relay cicuits
[NASA-CASE-XMS-10984-1] c10 N71-19417
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N78-14625

ELECTRIC ROCKET ENGINES
Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-XNP-04124] c28 N71-21822

ELECTRIC STIMULI
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c51 N78-27733

ELECTRIC SWITCHES
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Characteristics of hermetically sealed electric switch with flexible operating capability
[NASA-CASE-XNP-09808] c09 N71-12518
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
System for checking status of several double-throw switches by readout indications
[NASA-CASE-XLA-08799] c10 N71-27272
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
High dc switch for causing abrupt, cyclic, decreases of current to operate under zero or varying gravity conditions
[NASA-CASE-LEW-10155-1] c09 N71-29035
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336
Fused switch
[NASA-CASE-XMS-01244-1] c33 N79-33393

ELECTRIC TERMINALS
Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XMF-04238] c09 N69-39734
Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XMF-00324] c09 N70-34596
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XMF-02107] c15 N71-10809
Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
Device for resistance soldering electrical leads to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
Development of electric connector and pin assembly with radio frequency absorbing sleeve to reduce radio frequency interference
[NASA-CASE-XLA-02609] c09 N72-25256
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977

ELECTRIC WELDING
Development of electric weeding torch with casing on one end to form inert gas shield
[NASA-CASE-XMF-02330] c15 N71-23798
Electrical resistance butt welder for welding fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c15 N73-14468
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515

ELECTRIC WIRE
Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
Device for resistance soldering electrical leads to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
Lead attachment for high temperature operation of electronic devices
[NASA-CASE-ERC-10224] c09 N72-25261
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c33 N74-22865
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c33 N74-27683
Wire stripper
[NASA-CASE-FRC-10111-1] c37 N79-10419
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c31 N79-21227

ELECTRICAL ENGINEERING
Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XMF-00421] c09 N70-34502
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021

ELECTRICAL FAULTS
Overcurrent protecting circuit for push-pull transistor amplifiers

[NASA-CASE-MSC-12033-1] c09 N71-13531
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21514

ELECTRICAL IMPEDANCE
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Signal conditioning circuit apparatus --- with constant input impedance
[NASA-CASE-ARC-10348-1] c33 N75-19518
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335

ELECTRICAL INSULATION
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c33 N74-21851
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366
Wire stripper
[NASA-CASE-FRC-10111-1] c37 N79-10419

ELECTRICAL MEASUREMENT
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
Ablation sensor for measuring char layer recession rate using electric wires
[NASA-CASE-XLA-01794] c33 N71-21586
Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
Connector internal force gage for measuring strength of electrical connection
[NASA-CASE-XNP-03918] c14 N71-23087
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c33 N80-32650
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389

ELECTRICAL PROPERTIES
Voltage drift compensation circuit for analog-to-digital converter
[NASA-CASE-XNP-04780] c08 N71-19687
Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-XNC-10113] c09 N71-27053
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c44 N74-19693
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c27 N80-24437

ELECTRICAL RESISTANCE
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c33 N80-32650

ELECTRICAL RESISTIVITY
Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
Simulating operation of thermopile vacuum gage tube at high and low pressures
[NASA-CASE-XLA-02758] c14 N71-18481
Electrically conductive fluorocarbon polymers
[NASA-CASE-XLE-06774-2] c06 N72-25150
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315
Lightweight electrically-powered flexible thermal laminate --- made of metal and

nonconductive yarns
[NASA-CASE-MSC-12662-1] c33 N79-12331
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c24 N79-14156
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
Electrical self-aligning connector
[NASA-CASE-MFS-25211-1] c33 N80-32651
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529

ELECTRICITY
Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599

ELECTRO-OPTICS
Electro-optical system with scan-in illuminator and scan-out photosensor for scanning variable transmittance objects
[NASA-CASE-NPO-11106] c14 N70-34697
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XNP-00908] c14 N70-40238
Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials
[NASA-CASE-XNP-08883] c23 N71-16101
Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Electro-optical stabilization of calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c74 N78-17865
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c74 N80-21138

ELECTROACOUSTIC TRANSDUCERS
Transducer for monitoring oxygen flow in respirator
[NASA-CASE-PRC-10012] c14 N72-17329
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
CDS solid state phase insensitive ultrasonic transducer --- annealing cadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c35 N80-20559

ELECTROACOUSTIC WAVES
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XKS-10804] c05 N71-24606

ELECTROCARDIOGRAPHY
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XKS-10804] c05 N71-24606
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N75-24716
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c52 N81-14612

ELECTROCATALYSTS
Electrocatalyst for oxygen reduction in low temperature alkaline fuel cell
[NASA-CASE-HQN-10537-1] c06 N72-10138
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487

ELECTROCHEMICAL CELLS
Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Sealed electrochemical cell with flexible casing for varying electrolyte level in cell
[NASA-CASE-XGS-01513] c03 N71-23336
Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state
[NASA-CASE-XGS-01674] c03 N71-29129
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
Porous electrode for use in electrochemical cells
[NASA-CASE-GSC-11368-1] c09 N73-32108
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c44 N74-27519
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N78-14625
Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c25 N79-22235
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c44 N79-26474
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487

ELECTROCHEMICAL MACHINING
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c37 N80-14395

ELECTROCHEMICAL OXIDATION
Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c25 N79-22235

ELECTROCHEMISTRY
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs
[NASA-CASE-XMS-02872] c05 N69-21925
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c25 N79-24073
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c51 N80-11756
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557

ELECTRODE FILM BARRIERS
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c44 N79-17313

ELECTRODELESS DISCHARGES
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c33 N79-25313

ELECTRODEPOSITION
Binding layer of semiconductor particles by electrodeposition
[NASA-CASE-XNP-01959] c26 N71-23043
Electrodeposition method for producing crystalline material from dense gaseous medium
[NASA-CASE-NPO-10440] c15 N72-21466
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c25 N74-26948
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c25 N79-22235
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232

ELECTRODES
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs
[NASA-CASE-XMS-02872] c05 N69-21925
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Ionization vacuum gage
[NASA-CASE-XNP-00646] c14 N70-35666
Accel and focus electrode design for ion engine with improved efficiency
[NASA-CASE-XNP-02839] c28 N70-41922
Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Characteristics of pressed disc electrode for biological measurements
[NASA-CASE-XMS-04212-1] c05 N71-12346
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Arc electrode of graphite with tantalum ball tip
[NASA-CASE-XLE-04788] c09 N71-22987
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Automatic recording McLeod gage with three electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
Development and characteristics of electrodes in which poisoning by organic molecules is prevented by ion selective electrolytic deposition of hydrophilic protein colloid
[NASA-CASE-XMS-04213-1] c09 N71-26002
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293
Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-FRC-10029-2] c05 N72-25121
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
Electrode with multiple columnar conductors for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MFS-20589] c25 N72-32688
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
Porous electrode for use in electrochemical cells
[NASA-CASE-GSC-11368-1] c09 N73-32108
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N75-24716
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
Cesium thermionic converters having improved electrodes
[NASA-CASE-LEW-12038-3] c44 N78-25555
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c37 N80-14395
Toroidal cell and battery --- energy storage for orbital space applications or power cells for electric vehicles
[NASA-CASE-LEW-12918-1] c44 N80-33857
ELECTROFORMING
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
ELECTROHYDRAULIC FORMING
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XNP-00375] c15 N70-34249
ELECTROHYDRODYNAMICS
Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332
ELECTROKINETICS
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226
ELECTROLYSIS
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N78-25391
ELECTROLYTES
Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052
Sealed electrochemical cell with flexible casing for varying electrolyte level in cell
[NASA-CASE-XGS-01513] c03 N71-23336
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
An improved solid electrolyte cell
[NASA-CASE-NPO-15269-1] c33 N81-16385
ELECTROLYTIC CELLS
Heat activated cell with aluminum anode
[NASA-CASE-LEW-11359-2] c03 N72-20034
Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c24 N76-14204
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487
Cell and method for electrolysis of water and anode therefor --- oxygen recovery in connection with space transportation vehicles
[NASA-CASE-MSC-16394-1] c25 N80-26406
Toroidal cell and battery --- energy storage for orbital space applications or power cells for electric vehicles

[NASA-CASE-LEW-12918-1] c44 N80-33857
An improved solid electrolyte cell
[NASA-CASE-NPO-15269-1] c33 N81-16385
ELECTROMAGNETIC ABSORPTION
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-MOO-00428-1] c32 N79-19186
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c32 N80-14281
ELECTROMAGNETIC FIELDS
Tumbling motion system for object demagnetization
[NASA-CASE-XGS-02437] c15 N69-21472
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Metal detection system with electromagnetic transmitter with single coil and receiver with single coil
[NASA-CASE-ARC-10265-1] c10 N72-28240
Low power electromagnetic flowmeter system producing zero output signal for zero flow
[NASA-CASE-ARC-10362-1] c14 N73-32326
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c35 N74-21018
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411
ELECTROMAGNETIC HAMMERS
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XNP-05114] c15 N71-17650
Portable magnetomotive hammer for metal working
[NASA-CASE-XNP-03793] c15 N71-24833
ELECTROMAGNETIC INTERFERENCE
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
ELECTROMAGNETIC MEASUREMENT
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411
ELECTROMAGNETIC NOISE
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366
ELECTROMAGNETIC PROPULSION
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c09 N79-21084
ELECTROMAGNETIC PUMPS
Multiducted electromagnetic pump for conductive liquids
[NASA-CASE-NPO-10755] c15 N71-27084
ELECTROMAGNETIC RADIATION
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063
Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits
[NASA-CASE-XNP-02140] c09 N71-23097
Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488
ELECTROMAGNETIC SHIELDING
Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
Wire stripper
[NASA-CASE-FRC-10111-1] c37 N79-10419
ELECTROMAGNETIC WAVE FILTERS
Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
ELECTROMAGNETIC WAVE TRANSMISSION
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c33 N81-16384
ELECTROMAGNETISM
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-XNP-06936] c15 N71-24695
ELECTROMAGNETS
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c37 N75-18574
Linear magnetic bearings --- active magnetic suspension of armatures
[NASA-CASE-GSC-12582-1] c37 N81-16469
ELECTROMECHANICAL DEVICES
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
Electro-mechanical circuit for converting floating intelligence signal to common electrically grounded intelligence recorder
[NASA-CASE-XAC-00086] c09 N70-33182
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-EEC-10088] c26 N71-25490
Electromechanical control actuator system using double differential screws
[NASA-CASE-EEC-10022] c15 N71-26635
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-EEC-10087] c14 N71-27334
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185

Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
Rotary electric device
[NASA-CASE-GSC-12138-1] c33 N79-20314
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Magnetic field control --- electromechanical torquing devices
[NASA-CASE-MFS-23828-1] c33 N80-17359
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c43 N80-23711

ELECTROMETERS
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389

ELECTROMIGRATION
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944

ELECTROMOTIVE FORCES
Heat activated emf cells with aluminum anode
[NASA-CASE-LEW-11359] c03 N71-28579
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555

ELECTRON ATTACHMENT
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877

ELECTRON BEAM WELDING
Portable electron beam welding chamber
[NASA-CASE-LEW-11531] c15 N71-14932
Development of device to prevent high voltage arcing in electron beam welding
[NASA-CASE-XMF-08522] c15 N71-19486

ELECTRON BEAMS
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Electron beam deflection devices for measuring electric fields
[NASA-CASE-XMF-10289] c14 N71-23699
Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XMF-06617] c09 N71-24843
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c33 N74-10195
Image tube --- deriving electron beam replica of image
[NASA-CASE-GSC-11602-1] c33 N74-21850
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c33 N75-27250
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c33 N80-19425
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428

ELECTRON BOMBARDMENT
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982
Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-XNP-04124] c28 N71-21622
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Single grid accelerator system for electron bombardment type ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c35 N81-19426

ELECTRON CAPTURE
Multistage depressed collector for dual mode operation --- for travelling wave tubes
[NASA-CASE-LEW-13282-1] c33 N79-32463

ELECTRON DISTRIBUTION
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156

ELECTRON EMISSION
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898

ELECTRON FLUX DENSITY
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982

ELECTRON IRRADIATION
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245

ELECTRON MICROSCOPES
Device and method for particle bombardment of specimens in electron microscope and measurement of beam intensities
[NASA-CASE-XGS-01725] c14 N69-39982
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408

ELECTRON PHOTON CASCADES
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473

ELECTRON PLASMA
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661

ELECTRON SOURCES
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408

ELECTRON TRANSFER
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555

ELECTRON TRANSITIONS
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426

ELECTRON TUBES
Direct radiation cooling of linear beam collector tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c33 N81-16384

ELECTRON TUNNELING
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332

ELECTRONIC CONTROL
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Electronic circuit system for controlling electric motor speed
[NASA-CASE-XMF-01129] c09 N70-38712
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185

Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
ELECTRONIC EQUIPMENT
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XNP-06531] c14 N71-17575
Development of stable electronic amplifier adaptable for monolithic and thin film construction
[NASA-CASE-XGS-02812] c09 N71-19466
Development and characteristics of oscillating static inverter
[NASA-CASE-XGS-05289] c09 N71-19470
Development of electromagnetic wave transmission line circulator and application to parametric amplifier circuits
[NASA-CASE-XNP-02140] c09 N71-23097
Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Device for rapid adjustment and maintenance of temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Readily assembled universal environment housing for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
Lead attachment for high temperature operation of electronic devices
[NASA-CASE-ERC-10224] c09 N72-25261
Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
Development and characteristics of data decoder to process convolution encoded information
[NASA-CASE-NPO-11371] c08 N73-12177
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014

Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
Multistage depressed collector for dual mode operation --- for travelling wave tubes
[NASA-CASE-LEW-13282-1] c33 N79-32463
ELECTRONIC EQUIPMENT TESTS
Apparatus for automatically testing analog to digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865
ELECTRONIC FILTERS
Self-tuning electronic filter for maintaining constant bandwidth and center frequency gain
[NASA-CASE-ARC-10264-1] c09 N73-20231
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
ELECTRONIC MODULES
Thermal conductive, electrically insulated cleavable adhesive connection between electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N78-25528
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c35 N79-14347
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c33 N79-24254
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c60 N81-15706
ELECTRONIC PACKAGING
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XNP-01483] c14 N69-27431
Capacitor fabrication by solidifying mixture of ferromagnetic metal particles, nonferromagnetic particles, and dielectric material
[NASA-CASE-LEW-10364-1] c09 N71-13522
Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918

Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c37 N80-20589
ELECTRONIC RECORDING SYSTEMS
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
ELECTRONIC TRANSDUCERS
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c35 N80-18359
ELECTROPHORESIS
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N78-14104
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c25 N79-10163
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c25 N79-14169
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c37 N80-14397
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-MFS-23883-1] c51 N80-16715
ELECTROPHOTOMETERS
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
ELECTROPHYSIOLOGY
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
ELECTROPLATING
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
ELECTROSTATIC CHARGE
Charged particle analyzer with periodically varying voltage applied across electrostatic deflection members
[NASA-CASE-XAC-05506-1] c24 N71-16095
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c33 N75-18477
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326
ELECTROSTATIC ENGINES
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
ELECTROSTATIC GENERATORS
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
ELECTROSTATIC PRECIPITATORS
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c35 N79-17192
ELECTROSTATIC PROBES
Low impedance apparatus for measuring electrostatic field intensity near space vehicles
[NASA-CASE-XLE-00820] c14 N71-16014
ELECTROSTATIC PROPULSION
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
ELECTROSTATIC SHIELDING
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
ELECTROSTATICS
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
ELECTROTHERMAL ENGINES
Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175
ELEVATION
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
ELEVATORS (LIFTS)
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453
ELEVONS
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
ELLIPSES
Ellipsograph for describing and cutting ellipses with minimal axial dimensions
[NASA-CASE-XLA-03102] c14 N71-21079
ELLIPSOMETERS
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N78-10529
ELONGATION
Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
Moving body velocity arresting line --- elongating steel cable
[NASA-CASE-LAR-12372-1] c37 N80-18399
ELUTION
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c37 N80-14397
EMERGENCIES
Silent alarm system for mutiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205

Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c54 N78-18761
EMERGENCY BREATHING TECHNIQUES
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
EMERGENCY LIFE SUSTAINING SYSTEMS
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
EMISSION SPECTRA
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
EMITTANCE
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
EMITTERS
Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
EMULSIONS
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
ENAMELS
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319
ENCAPSULATING
Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
Flexible, repairable, pottable composition for encapsulating electric connectors
[NASA-CASE-XGS-05180] c18 N71-25881
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N78-25528
ENCLOSURES
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c37 N79-13364
ENDOSCOPES
Borescope with adjustable hinged telescoping optical system
[NASA-CASE-MFS-15162] c14 N72-32452
Apparatus for endoscopic examination --- analysis of the propulsion system configuration and transmitter
[NASA-CASE-NPO-14092-1] c52 N80-16725
ENDOTHERMIC REACTIONS
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
ENEMY PERSONNEL
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
ENERGY ABSORPTION
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679

Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
High energy absorption docking system design for docking large spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
ENERGY CONSERVATION
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
ENERGY CONVERSION
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
Device for converting electromagnetic wave energy into electric power
[NASA-CASE-GSC-11394-1] c09 N73-32109
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Microwave power converter
[NASA-CASE-NPO-14068-1] c44 N78-19609
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831
ENERGY CONVERSION EFFICIENCY
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c44 N78-24608
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] c44 N78-25553
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c44 N80-14472
Improving the efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c44 N80-32850
ENERGY DISSIPATION
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N78-16369
ENERGY DISTRIBUTION
Method and apparatus for measurement of trap density and energy distribution in dielectric

films
[NASA-CASE-NPO-13443-1] c76 N76-20994
ENERGY LEVELS
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428
ENERGY POLICY
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28533
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c44 N78-19599
Microwave power converter
[NASA-CASE-NPO-14068-1] c44 N78-19609
Solar pond
[NASA-CASE-NPO-13581-2] c44 N78-31525
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N78-31526
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c44 N80-20810
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c44 N80-21828
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835
Solar power satellite system
[NASA-CASE-HQN-10949-1] c44 N81-16530
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558
ENERGY SOURCES
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
ENERGY STORAGE
Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c52 N78-10686
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c44 N78-24608
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N79-10422
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c44 N80-20810
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103
ENERGY TECHNOLOGY
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N78-25529
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
Back wall solar cell
[NASA-CASE-LEW-12236-2] c44 N79-14528
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c44 N79-19447
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433
Solar concentrator
[NASA-CASE-MFS-23727-1] c44 N80-14473
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
ENERGY TRANSFER
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
ENGINE ANALYZERS
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c35 N79-14345
ENGINE CONTROL
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XNP-01096] c10 N71-16030
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
ENGINE COOLANTS
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XNP-00148] c28 N70-38710
ENGINE DESIGN
Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526
Solar engine --- Flat plate type
[NASA-CASE-LAR-12148-1] c44 N79-29608
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c37 N80-31790
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
ENGINE FAILURE
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
ENGINE INLETS
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
ENGINE MONITORING INSTRUMENTS
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518

ENGINE NOISE
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c07 N80-32393
ENGINE PARTS
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c07 N78-17056
Gas path seal
[NASA-CASE-NPO-12131-3] c37 N80-18400
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c25 N81-19245
ENGINE STARTERS
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c33 N80-26599
ENGINE TESTS
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
ENGINEERING DRAWINGS
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XMF-03498] c15 N71-15986
ENTHALPY
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
ENTRAINMENT
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345
ENVIRONMENT SIMULATION
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
ENVIRONMENT SIMULATORS
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24564
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c09 N79-33220
ENVIRONMENTAL CONTROL
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XMF-03212] c15 N71-22721
Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Readily assembled universal environment housing for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
ENVIRONMENTAL ENGINEERING
Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
ENVIRONMENTAL MONITORING
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
ENVIRONMENTAL TESTS
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429
ENVIRONMENTS
Hermetically sealed elbow actuator for use in severe environments
[NASA-CASE-MFS-14710] c09 N72-22195
ENZYME ACTIVITY
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
ENZYMES
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
EPICYCLOIDS
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N79-20377
EPITAXY
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
EPOXY COMPOUNDS
Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240
Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c15 N79-26100
EPOXY MATRIX COMPOSITE MATERIALS
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230
EPOXY RESINS
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component

[NASA-CASE-ERC-10087] c14 N71-27334
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c27 N81-17260

EQUATIONS OF MOTION
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699

EQUIPMENT
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c31 N80-32583

EQUIPMENT SPECIFICATIONS
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N78-27326

EQUIPOTENTIALS
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421

ERGOMETERS
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
Versatile ergometer with work load control
[NASA-CASE-MFS-21109-1] c05 N73-27941
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c35 N75-15932

EROSION
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206

ERROR ANALYSIS
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263

ERROR CORRECTING DEVICES
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Description of error correcting methods for use with digital data computers and apparatus for encoding and decoding digital data
[NASA-CASE-XNP-02748] c08 N71-22749
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457

ERROR DETECTION CODES
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633

ERROR SIGNALS
Error correction circuitry for binary signal channels
[NASA-CASE-XNP-03263] c09 N71-18843
Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263

ERRORS
Analog to digital converter using offset voltage to eliminate errors
[NASA-CASE-MSC-13110-1] c08 N72-22163

ESCAPE CAPSULES
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343
Emergency escape cabin system for launch towers
[NASA-CASE-XKS-02342] c05 N71-11199
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859

ESCAPE SYSTEMS
Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c05 N71-12345
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067

ESTERS
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098

ETCHING
Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033

Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044
Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574
Etching aluminum alloys with aqueous solution containing sulfuric acid, hydrofluoric acid, and an alkali metal dischromate for adhesive bonding
[NASA-CASE-XMF-02303] c17 N71-23628
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319
An improved head for high speed spinner having a vacuum chuck --- holding silicon chips for etching
[NASA-CASE-NPO-15227-1] c37 N80-26661
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585

ETHANE
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155

ETHERS
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XMF-02584] c06 N71-20905
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144

ETHYLENE COMPOUNDS
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292

ETHYLENE OXIDE
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
A system for sterilizing objects --- such as water systems on the space shuttle using ethylene oxide
[NASA-CASE-KSC-11085-1] c54 N79-33848

EUTECTIC ALLOYS
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c26 N78-18183
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N79-25143

EVACUATING (VACUUM)
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111

EVAPORATION
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483

EVAPORATIVE COOLING
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353

EVAPORATORS
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XMF-06065] c15 N71-20395
Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487

EXAMINATION
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950

EXCLUSION
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c07 N78-25090

EXHAUST GASES
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c07 N74-15453
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c34 N76-18364
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c28 N79-28342
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c25 N81-19245

EXHAUST NOZZLES
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Exhaust nozzle with afterburning for generating thrust
[NASA-CASE-XLA-00154] c28 N70-33374
Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N78-27121
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c07 N79-14097

EXOTHERMIC REACTIONS
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c27 N79-11215

EXPANDABLE STRUCTURES
Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-XGS-01395] c03 N69-21539
Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
[NASA-CASE-XLA-00138] c31 N70-37981
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Collapsible high gain antenna which can be automatically expanded to operating state
[NASA-CASE-KSC-10392] c07 N73-26117
Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c33 N74-22865
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast

[NASA-CASE-GSC-12331-1] c18 N80-14183
EXPANSION
Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363
EXPERIMENTAL DESIGN
Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Conditioning suit for normal function of astronaut cardiovascular system in gravity environment
[NASA-CASE-XLA-02898] c05 N71-20268
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
EXPIRED AIR
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c52 N79-21750
EXPLOSIONS
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
EXPLOSIVE DEVICES
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Hermetically sealed explosive release mechanism for actuator device
[NASA-CASE-XGS-00824] c15 N71-16078
Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
Development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
[NASA-CASE-NPO-11330] c33 N73-26958
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097
EXPLOSIVE FORMING
Electric discharge apparatus for electrohydraulic explosive forming
[NASA-CASE-XMF-00375] c15 N70-34249
EXPLOSIVE WELDING
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c37 N79-13364
EXPLOSIVES
Production of intermetallic compounds by effect of shock waves from explosions and compaction of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N79-11231
EXPONENTIAL FUNCTIONS
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
EXPOSURE
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N78-15461
EXPULSION BLADDERS
Expulsion bladder equipped storage tank structure
[NASA-CASE-XNP-00612] c11 N70-38182
EXTENSIONS
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
EXTENSOMETERS
Transducer frame for use with extensometer to continuously monitor specimen sample
[NASA-CASE-XLA-10322] c15 N72-17452
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
EXTERNAL STORES
Decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c08 N80-22359
EXTRACTION
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467
EXTRAVEHICULAR ACTIVITY
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
[NASA-CASE-XMS-05304] c05 N71-12336
Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XNP-05344] c31 N71-16345
Releasable, pin-type fastener, easily operated during EVA
[NASA-CASE-ARC-10140-1] c15 N71-17653
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Open loop life support subsystem using breathing bag as reservoir for EVA
[NASA-CASE-MSC-12411-1] c05 N72-20096
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
EXTREMELY LOW RADIO FREQUENCIES
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
Frequency tracked pulse technique for ultrasonic analysis
[NASA-CASE-LAR-12697-1] c32 N80-26571
EXTRUDING
Extrusion can for extruding ceramics under heat and pressure
[NASA-CASE-NPO-10812] c15 N73-13464
Brazing alloy binder
[NASA-CASE-XNP-05868] c26 N75-27125
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154
EYE (ANATOMY)
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XNP-03934] c09 N71-22985
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N80-18690
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c74 N80-27185
EYE EXAMINATIONS
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072

Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
EYEPIECES
Wide angle eyepiece with long eye-relief distance
[NASA-CASE-XMS-06056-1] c23 N71-24857

F

FABRICATION
Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Capacitor fabrication by solidifying mixture of ferromagnetic metal particles, nonferromagnetic particles, and dielectric material
[NASA-CASE-LEW-10364-1] c09 N71-13522
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098
Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28533
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c27 N78-32262
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c44 N79-18444
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
Castable high temperature refractory materials
[NASA-CASE-LEW-13080-1] c27 N80-29496
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558
FABRICS
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c31 N79-11246
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c27 N80-23454
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
Absorbent product and articles made therefrom --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c24 N81-16127
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296
FABRY-PEROT INTERFEROMETERS
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
FACSIMILE COMMUNICATION
Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
FACTORIAL DESIGN
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
FAIL-SAFE SYSTEMS
Fail-safe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c44 N79-14527
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c33 N79-24254
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c60 N80-30050
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
FAILURE ANALYSIS
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537
FAILURE MODES
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
FAIRINGS
System for deploying and ejecting releasable clamshell fairing sections from spinning sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853
FALLING SPHERES
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587
Method of forming frozen spheres in a force-free drop tower --- microballoons for inertial confinement fusion
[NASA-CASE-NPO-14845-1] c31 N81-16328
FAR INFRARED RADIATION
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
FAR ULTRAVIOLET RADIATION
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641
FARADAY EFFECT
Faraday rotation measurement method and apparatus --- to receive RF signals from spacecraft which exhibits polarization characteristics due to spin stabilization
[NASA-CASE-NPO-14839-1] c35 N80-16313
FASTENERS
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
Releasable, pin-type fastener, easily operated during EVA
[NASA-CASE-ARC-10140-1] c15 N71-17653
Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
Design and development of electric connectors for rigid and semirigid coaxial cables

[NASA-CASE-XNP-04732] c09 N71-20851
Design, development, and characteristics of latching mechanism for operation in limited access areas
[NASA-CASE-XMS-03745] c15 N71-21076
Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254
Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework
[NASA-CASE-XLA-01027] c31 N71-24035
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469

FATIGUE (MATERIALS)
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c39 N78-16387
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457

FATIGUE LIFE
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEW-11152-1] c15 N73-32359
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N78-10493
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-2] c24 N81-16128

FATIGUE TESTING MACHINES
Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XNP-10968] c14 N71-24234
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136

FATIGUE TESTS
Fatigue testing device applying random discrete load levels to test specimen and applicable to aircraft structures
[NASA-CASE-XLA-02131] c32 N70-42003
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c39 N80-25693

FATS
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308

FECES
Fecal waste disposal container
[NASA-CASE-XMS-06761] c05 N69-23192

FEED SYSTEMS
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694
Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929
Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Supercharged topping rocket propellant feed system
[NASA-CASE-ILP-02062-1] c20 N80-14188
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c31 N80-18231
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154

FEEDBACK
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
A pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c08 N79-20135

FEEDBACK AMPLIFIERS
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860

FEEDBACK CIRCUITS
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339

FEEDBACK CONTROL
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28886
Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004

Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
System and method for tracking a signal source --- employing feedback control
[NASA-CASE-HQN-10880-1] c17 N78-17140
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c31 N78-17237
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N78-32340
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c33 N80-29583

FEEDBACK FREQUENCY MODULATION
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
[NASA-CASE-NPO-11282] c10 N73-16205
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334

FEEDERS
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778

FELTS
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c27 N79-12221

FEMALES
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
Urine collection device
[NASA-CASE-MSC-16433-1] c52 N78-27750
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c52 N79-23657

FERRITES
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c24 N75-13032
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257

FERROMAGNETIC MATERIALS
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N78-17335

FERROMAGNETISM
High temperature ferromagnetic cobalt-base alloy for electrical power generating equipment
[NASA-CASE-XLE-03629] c17 N71-23248

FIBER COMPOSITES
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c24 N79-24062
Method for making patterns for resin matrix composites
[NASA-CASE-ARC-11246-1] c24 N80-22410
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551
A method and technique for installing light-weight fragile, high-temperature fiber insulation --- spacecraft heat sealing
[NASA-CASE-MSC-16934-2] c37 N81-16468

FIBER OPTICS
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N78-14889
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c74 N79-20857
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c74 N81-12862
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c32 N81-14186
Optical crystal temperature gauge with fiber optic connections --- cryogenic systems
[NASA-CASE-MSC-18627-1] c74 N81-15818

FIBER REINFORCED COMPOSITES
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296

FIBER RELEASE
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c27 N81-17260

FIBERS
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N78-17150
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c24 N78-27182
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244

FIELD EFFECT TRANSISTORS
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
Development and characteristics of data multiplexer circuit using field effect transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Single integrated circuit chip with field effect transistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N78-27326
Method of making V-MOS field effect transistors
[NASA-CASE-GSC-12515-1] c33 N80-12281
JFET oscillator
[NASA-CASE-GSC-12555-1] c33 N80-26601

FIELD EMISSION
Electrode with multiple columnar conductors for

limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
FILAMENT WINDING
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XMF-02107] c15 N71-10809
Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
FILAMENTS
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
FILLERS
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c24 N78-27180
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c27 N80-23454
FILM COOLING
Multislot film cooled pyrolytic graphite rocket nozzle
[NASA-CASE-XNP-04389] c28 N71-20942
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363
FILM THICKNESS
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c25 N79-28253
FILMS
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
FILTERS
Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNR-04262-2] c17 N71-26773
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
FILTRATION
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
FINS
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLR-03583] c31 N71-17629
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
FIRE EXTINGUISHERS
Synthesis of dawsonites
[NASA-CASE-ARC-113261-1] c25 N80-31490
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c31 N81-14137
FIRE PREVENTION
Hydrogen fire blink detector for high altitude rocket or ground installation
[NASA-CASE-MFS-15063] c14 N72-25412
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
FIREPROOFING
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014
Lightweight fire resistant plastic foam for thermal protection of reentry vehicles and aircraft structures
[NASA-CASE-ARC-10180-1] c28 N72-20767
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c27 N74-12814
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c15 N79-26100
FIRES
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173
FIRING (IGNITING)
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
FITTINGS
Design and development of quick release connector
[NASA-CASE-XLA-01141] c15 N71-13789
Development and characteristics of strainer for flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389
FIXED WINGS
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
FIXTURES
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
FLAME PROBES
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
FLAME RETARDANTS
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Flame retardant formulations and products produced therefrom
[NASA-CASE-MSC-16307-1] c25 N78-27232
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c27 N78-32262
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c25 N80-16116
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c27 N80-16158
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c24 N81-13999
FLAME SPRAYING
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent

oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301

FLAME TEMPERATURE
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357

FLAMES
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403

FLAMMABILITY
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-MMS-09690] c33 N72-25913
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c27 N80-10358
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c27 N80-26446

FLANGES
Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562

FLAPS (CONTROL SURFACES)
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XNP-00641] c31 N70-36410
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c07 N75-24736

FLARED BODIES
Development and characteristics of strainer for flared tube fitting
[NASA-CASE-XLA-05056] c15 N72-11389

FLAT CONDUCTORS
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XNP-03498] c15 N71-15986
Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
Separable flat cable connector with isolated electrical contacts
[NASA-CASE-MFS-20757] c09 N72-28225
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c31 N79-21226
Edge coating of flat wires
[NASA-CASE-XNP-05757-1] c31 N79-21227

FLAT PLATES
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
Solar engine --- Flat plate type
[NASA-CASE-LAR-12148-1] c44 N79-29608

FLEXIBILITY
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c31 N79-11246
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c44 N79-14527

FLEXIBLE BODIES
Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XNP-00722] c15 N70-40204
Characteristics of hermetically sealed electric switch with flexible operating capability
[NASA-CASE-XNP-09808] c09 N71-12518
Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants
[NASA-CASE-XNP-08837] c18 N71-16210
Development and characteristics of self supporting space vehicle
[NASA-CASE-XLA-00117] c31 N71-17680
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686
Surface conforming thermal/pressure seal --- for control devices in space vehicles
[NASA-CASE-MSC-18422-1] c37 N80-14400
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c27 N80-16163

FLEXIBLE WINGS
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Development and characteristics of control system for flexible wings
[NASA-CASE-XLA-06958] c02 N71-11038

FLEXING
Two degree inverted flexure from single block of material
[NASA-CASE-ARC-10345-1] c15 N73-12488
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043

FLIGHT
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692

FLIGHT ALTITUDE
Surface based altitude measuring system for accurately measuring altitude of airborne

vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c04 N74-13420
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c35 N79-18296
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c36 N81-19439

FLIGHT CONTROL
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] c06 N74-27872
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c02 N76-16014
Apparatus for damping operator induced oscillations of a controlled system --- using adaptive filters to damp oscillations in a flight control system
[NASA-CASE-FRC-11041-1] c33 N80-20488

FLIGHT CREWS
Survival couch for aircraft or spacecraft crews
[NASA-CASE-XLA-00118] c05 N70-33285

FLIGHT HAZARDS
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677

FLIGHT RECORDERS
Event recorder with constant speed motor which rotates recording disk
[NASA-CASE-XLA-01832] c14 N71-21006

FLIGHT SAFETY
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641

FLIGHT SIMULATION
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449
Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663

FLIGHT SIMULATORS
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-XFS-20509] c11 N72-17183
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c09 N78-18083
Chromatically corrected virtual image display --- lens design for flight simulators
[NASA-CASE-LAR-12251-1] c74 N79-14892
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c09 N79-31228
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c74 N80-27185
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c36 N81-19439

FLIGHT TESTS
Device for measuring drag forces in flight tests
[NASA-CASE-XLA-00113] c14 N70-33386

FLIGHT VEHICLES
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497
Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326

FLIP-FLOPS
Bistable multivibrator circuits operating at high speed and low power dissipation
[NASA-CASE-XGS-00823] c10 N71-15910
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Interrogator and current driver circuit for combination with transistor flip-flop circuit
[NASA-CASE-XGS-03058] c10 N71-19547

FLOATING
Floating baffle for tank drain
[NASA-CASE-KSC-10639] c15 N73-26472
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653

FLOATS
Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820

FLOTATION
Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-XMS-04170] c05 N71-22748

FLOW CHAMBERS
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c34 N78-17337

FLOW DIRECTION INDICATORS
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864

FLOW DISTRIBUTION
Multiple orifice fluid flow control valve to provide different flow patterns
[NASA-CASE-ERC-10208] c15 N70-10867
Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XNP-01779] c12 N71-20815
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190

FLOW MEASUREMENT
Collapsible flow test device for obstructed passages
[NASA-CASE-XMS-04917] c14 N69-24257

Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359

FLOW REGULATORS
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15567
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
Describing device for changing flow rate of fluid in duct in response to change in temperature
[NASA-CASE-MFS-14259] c15 N71-19213
Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-MSC-12121-1] c15 N71-27147
Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N78-24545
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468
Automatic thermal switch --- Space Shuttle equipment bay temperature control
[NASA-CASE-GSC-12415-1] c34 N80-18338

FLOW STABILITY
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730

FLOW VELOCITY
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Measuring density of single and two-phase cryogenic fluids in rocket fuel tanks
[NASA-CASE-XLE-00688] c14 N70-41330
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c09 N80-22369

FLOW VISUALIZATION
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815

FLOWMETERS
Collapsible flow test device for obstructed passages
[NASA-CASE-XMS-04917] c14 N69-24257
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Describing laser Doppler velicometer for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Zeta potential flowmeter for measuring very slow to very high flows
[NASA-CASE-XNP-06509] c14 N71-23226
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Low power electromagnetic flowmeter system producing zero output signal for zero flow
[NASA-CASE-ARC-10362-1] c14 N73-32326
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c35 N74-21018
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c35 N79-27479

FLUID AMPLIFIERS
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578
Development of vortex fluid amplifier for throttling rocket exhaust

[NASA-CASE-LEW-10374-1] c28 N73-13773
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XMF-05964-1] c20 N79-21124

FLUID FILMS
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c37 N74-21061
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541

FLUID FILTERS
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c34 N75-33342
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c34 N79-24285

FLUID FLOW
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
Multiple orifice fluid flow control valve to provide different flow patterns
[NASA-CASE-ERC-10208] c15 N70-10867
Conical valve plug for use with reactive cryogenic fluids
[NASA-CASE-XLE-00715] c15 N70-34859
Pressure regulating system with high pressure fluid source, adapted to maintain constant downstream pressure
[NASA-CASE-XNP-00450] c15 N70-38603
Antiflutter check valve for use with high pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580
Photometric flow meter with comparator reference means
[NASA-CASE-XGS-01331] c14 N71-22996
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Control valve for switching main stream of fluid from one stable position to another by means of electrohydrodynamic forces
[NASA-CASE-NPO-10416] c12 N71-27332
Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Transferring liquid nitrogen through vacuum chamber to cryopanel
[NASA-CASE-LAR-10031] c15 N72-22484
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c37 N74-21065
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c34 N75-33342
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c35 N78-19465
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c34 N78-25351
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N78-25426
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N79-11402
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c37 N79-12445
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440

FLUID INJECTION
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647
Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212

Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771

FLUID JETS
Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856

FLUID LOGIC
Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579

FLUID MECHANICS
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429

FLUID POWER
Fluid power transmission and gas bearing system
[NASA-CASE-XMS-01445] c12 N71-16031
Low friction gas bearing system for fluid power transmission to bearing-supported payload
[NASA-CASE-ERC-10097] c15 N71-28465

FLUID PRESSURE
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c34 N78-25351
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c37 N79-12445

FLUID ROTOR GYROSCOPES
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824

FLUID SWITCHING ELEMENTS
Two phase fluid pressurization system for propellant tank
[NASA-CASE-MSC-12390] c27 N71-29155

FLUID TRANSMISSION LINES
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225

FLUIDIC CIRCUITS
Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503

FLUIDICS
Fluidic-thermochromic display device
[NASA-CASE-ERC-10031] c12 N71-18603
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519
Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N78-25426

FLUIDIZED BED PROCESSORS
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c37 N79-14388
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154

FLUIDS
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385

FLUORESCENCE
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c25 N74-26947
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
A fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c32 N80-18261

FLUORIDES
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Development of fluoride coating to prevent oxidation of beryllium surfaces at elevated temperatures
[NASA-CASE-LEW-10327] c17 N71-33408
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121

FLUORINATION
Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate
[NASA-CASE-NPO-10767-2] c06 N72-27151
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098

FLUORINE
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259

FLUORINE COMPOUNDS
Fluorine-containing polyformals
[NASA-CASE-XNP-06900-1] c27 N79-21191

FLUORO COMPOUNDS
Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101
Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155

FLUOROCARBONS
Electrically conductive fluorocarbon polymers
[NASA-CASE-XLE-06774-2] c06 N72-25150

FLUOROPOLYMERS
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
Texturing polymer surfaces by transfer casting --- cardiovascular prosthesis
[NASA-CASE-LEW-13120-1] c31 N81-16327

FLUTTER
Antiflutter check valve for use with high pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811

Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
Decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c08 N80-22359

FLUX (RATE)
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325

FLUX DENSITY
Particle beam power density detection and measurement apparatus
[NASA-CASE-XLE-00243] c14 N70-38602

FLUXES
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078

FLYWHEELS
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c44 N78-24608
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c24 N78-27182
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N79-10422
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c44 N79-14527

FOAMS
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Development of foam insulation for filament wound cryogenic storage tank
[NASA-CASE-XLE-03803] c15 N71-23816
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XNP-09902] c15 N72-11387
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Ceramic fiber insulating material and method of producing same --- aircraft construction materials
[NASA-CASE-MSC-14795-2] c24 N78-25138
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c25 N80-16116

FOCUSING
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027
Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c33 N74-10195
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Multiplate focusing collimator --- for scanning small near radiation sources
[NASA-CASE-MFS-20932-1] c35 N75-19616
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N78-28594
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c33 N81-16384

FOG
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c23 N75-14834
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c09 N79-33220

FOILS (MATERIALS)
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c24 N81-14000
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-2] c24 N81-16128

FOLDING
Characteristics of device for folding thin flexible sheets into compact configuration
[NASA-CASE-XLA-00137] c15 N70-33180

FOLDING STRUCTURES
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XNP-00437] c07 N70-40202
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XMS-00907] c02 N70-41630
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Apparatus and method of assembling building blocks by folding pre-cut flat sheets of material during on-site construction
[NASA-CASE-MSC-12233-1] c15 N72-25454
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425

Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N80-29539
FOOD
Detection of bacteria in biological fluids and foods
[NASA-CASE-GSC-11533-1] c14 N73-13435
FORCE
Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185
FORCE DISTRIBUTION
Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
Development and characteristics of device for indicating and recording magnitude of force applied in axial direction
[NASA-CASE-MSC-15626-1] c14 N72-25411
Variable direction force coupler for transmitting force along selectable curve path
[NASA-CASE-MFS-20317] c15 N73-13463
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
FORCED VIBRATION
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679
FOREBODIES
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968
FORMALDEHYDE
An improved synthesis of 2, 4, 8, 10-textroxaspiro (5.5)undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
FORMAT
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
FORMATES
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-MFS-10509] c06 N73-30103
FORMING TECHNIQUES
Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
Portable magnetomotive hammer for metal working
[NASA-CASE-XMF-03793] c15 N71-24833
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Holding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c31 N74-32920
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N78-10837
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N78-24333
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c44 N79-31752
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
FORWARD SCATTERING
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
FOUNDATIONS
Base support for expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N78-17383
FOURIER TRANSFORMATION
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
FRACTIONATION
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c37 N80-14397
FRACTURE MECHANICS
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
FRACTURE STRENGTH
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
FRAME PHOTOGRAPHY
Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774
FRAMES
Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c36 N80-18380
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c35 N80-20565
FRAMING CAMERAS
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411
FREE FLIGHT TEST APPARATUS
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
FREE WING AIRCRAFT
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c05 N79-12061
FREEZE DRYING
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze

drying
[NASA-CASE-MSC-13540-1] c05 N72-33096
FREEZING
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c51 N79-10694
Method of forming frozen spheres in a force-free drop tower --- microballoons for inertial confinement fusion
[NASA-CASE-MPO-14845-1] c31 N81-16328
FREON
Solar energy power system --- using Freon
[NASA-CASE-MFS-21628-1] c44 N75-32581
FREQUENCIES
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
FREQUENCY ANALYSERS
Describing frequency discriminator using digital logic circuits and supplying single binary output signal
[NASA-CASE-MFS-14322] c08 N71-18692
Broadband frequency discriminator with resistive captive inductive networks
[NASA-CASE-NPO-10096] c07 N71-24583
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
Frequency tracked pulse technique for ultrasonic analysis
[NASA-CASE-LAR-12697-1] c32 N80-26571
FREQUENCY CONTROL
Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XMF-08665] c10 N71-19467
Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24641
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c32 N78-31321
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c07 N79-14095
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
FREQUENCY CONVERTERS
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Describing static inverter with single or multiple phase output
[NASA-CASE-XMF-00663] c08 N71-18752
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
FREQUENCY DISCRIMINATORS
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c33 N79-18224
FREQUENCY DISTRIBUTION
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
FREQUENCY DIVIDERS
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
FREQUENCY DIVISION MULTIPLEXING
Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621
System for monitoring condition responsive devices by using frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
FREQUENCY MEASUREMENT
Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c33 N79-10338
FREQUENCY MODULATION
Accelerometer with FM output signals indicative of mechanical strain on it
[NASA-CASE-XLA-00492] c14 N70-34799
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XMF-01160] c07 N71-11298
Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264
Thickness measurement system
[NASA-CASE-MFS-23721-1] c31 N79-28370
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
FREQUENCY MULTIPLIERS
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375

FREQUENCY RANGES
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-MPO-13753-1] c32 N77-20289
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
FREQUENCY SCANNING
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c32 N79-10262
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c35 N80-18364
FREQUENCY SHIFT
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Laser Doppler velocity simulator --- to induce frequency shift
[NASA-CASE-LAR-12176-1] c36 N80-16321
FREQUENCY SHIFT KEYING
Frequency shift keyed demodulator - circuit diagrams
[NASA-CASE-XGS-02889] c07 N71-11282
Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405
FREQUENCY STABILITY
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
FREQUENCY STANDARDS
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c36 N79-14362
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c32 N81-14186
FREQUENCY SYNCHRONIZATION
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N79-20296
FREQUENCY SYNTHESIZERS
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N79-20296
Method for shaping and aiming narrow beams --- using a linear frequency chirp for sonar reception
[NASA-CASE-NPO-14632-1] c32 N80-12256
FRICTION FACTOR
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
FRICTION MEASUREMENT
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-32995
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
FRICTION REDUCTION
Development of low friction magnetic recording tape
[NASA-CASE-XGS-00373] c23 N71-15978
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
FRICTIONLESS ENVIRONMENTS
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XMF-01887] c15 N71-10617
Platform with several ground effect pads and plenum chambers
[NASA-CASE-MFS-14685] c31 N71-15689
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
FROST
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer
[NASA-CASE-XMF-00341] c15 N70-33323
FUEL CELLS
Inorganic ion exchange membrane electrolytes for fuel cell use
[NASA-CASE-XNP-04264] c03 N69-21337
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c24 N76-14204
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
FUEL COMBUSTION
Fuel combustor
[NASA-CASE-LEW-12137-1] c25 N78-10224
FUEL CONTROL
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XMF-00185] c21 N70-34539
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793

Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N78-24545
FUEL FLOW
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
FUEL FLOW REGULATORS
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
FUEL GAGES
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134
FUEL INJECTION
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XMF-00968] c28 N71-15660
Fuel and oxidizer injection head for thrust chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122
FUEL OILS
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
FUEL PUMPS
Variable displacement fuel pump for internal combustion engines
[NASA-CASE-MSC-12139-1] c28 N71-14058
FUEL SYSTEMS
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Fuel combustor
[NASA-CASE-LEW-12137-1] c25 N78-10224
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c37 N79-11403
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
FUEL TANK PRESSURIZATION
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929
FUEL TANKS
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39588
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186
FUEL VALVES
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Semitoroidal diaphragm cavitating flow control valve
[NASA-CASE-XNP-09704] c12 N71-18615
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c37 N75-29426
Electrical servo actuator bracket --- for jet engine fuel control valves
[NASA-CASE-FEC-11044-1] c07 N80-21327
FUELS
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103
FUNCTION GENERATORS
Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253
Integrated circuit tangnet function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230
FURLABLE ANTENNAS
Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
Furlable antenna for spacecraft
[NASA-CASE-NPO-11361] c07 N72-32169
Furlable antenna --- antenna design
[NASA-CASE-NPO-13553-1] c33 N76-32457
FURNACES
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Development of black-body source calibration furnace
[NASA-CASE-XLE-01399] c33 N71-15625
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
FUSELAGES
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045
FUSION (MELTING)
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Induction heating gun
[NASA-CASE-LAR-12540-1] c37 N80-11468
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469

FUSION WELDING
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Electrical resistance butt welder for welding fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c15 N73-14468
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c37 N74-18128

G

GADOLINIUM
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
GALLIUM
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Liquid metal slip ring --- aerospace environments
[NASA-CASE-LEW-12277-3] c33 N80-18300
GALLIUM ARSENIDES
Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c25 N75-29192
GALVANIC SKIN RESPONSE
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XFR-07658-1] c05 N71-26293
GAMMA RAY SPECTROMETERS
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635
GAMMA RAYS
Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MFS-21441-1] c14 N73-30392
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c74 N79-20857
GANTRY CRANES
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
GAPS
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
GARMENTS
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736

GAS ANALYSIS
Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-EEC-10014] c14 N71-28863
Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015
GAS BAGS
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
GAS BEARINGS
Externally pressurized air bearing for gyros operating in high temperature, low gravity environments
[NASA-CASE-XNP-00515] c15 N70-34664
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Air bearings for spacecraft gyros
[NASA-CASE-XNP-00339] c15 N70-39896
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XNP-01887] c15 N71-10617
Fluid power transmission and gas bearing system
[NASA-CASE-XMS-01445] c12 N71-16031
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XNP-07808] c15 N71-23812
Low friction gas bearing system for fluid power transmission to bearing-supported payload
[NASA-CASE-EEC-10097] c15 N71-28465
Gas bearing for model support with capacity for measuring angular displacement of model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740
Journal air bearing with cylindrical cup designed to ride on shaft
[NASA-CASE-MFS-20423] c15 N72-11388
Air bearing for use in exterior environment for moving heavy loads
[NASA-CASE-HLP-10002] c15 N72-17451
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N79-10418

GAS CHROMATOGRAPHY
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
GAS COMPOSITION
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334
GAS COOLED REACTORS
Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
GAS COOLING
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427
GAS DENSITY
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
Electrodeposition method for producing crystalline material from dense gaseous medium
[NASA-CASE-NPO-10440] c15 N72-21466
Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c74 N76-20958
GAS DETECTORS
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Development of device for detecting hydrogen in ambient environments
[NASA-CASE-MFS-11537] c14 N71-20442
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-MSC-13332-1] c14 N72-21408
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c35 N75-29380
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c74 N76-20958
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N78-13400
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015
GAS DISCHARGE TUBES
Direct current powered self repeating plasma-accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
GAS DISCHARGES
Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598
GAS EVOLUTION
Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
GAS EXPANSION
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
Gas-operated actuator with cyclic motion of expansion chamber
[NASA-CASE-NPO-11340] c15 N72-33477
GAS FLOW
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-MFS-12915] c11 N71-17600
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
Transducer for monitoring oxygen flow in respirator
[NASA-CASE-FRC-10012] c14 N72-17329
Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-MSC-12297] c14 N72-23457
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730

Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c35 N78-10428
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384

GAS GENERATORS
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
Actuator operated by electrolytic drive gas generator and evacuator
[NASA-CASE-NPO-11369] c15 N73-13467
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636

GAS GUNS
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628

GAS HEATING
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126

GAS INJECTION
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21619
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c43 N78-14452
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427

GAS IONIZATION
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186

GAS LASERS
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402

GAS LUBRICANTS
High temperature gas lubricant consisting of two fluoro-bromo-methanes
[NASA-CASE-XLE-00353] c18 N70-39897
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N79-10418

GAS MASERS
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436

GAS MIXTURES
Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c25 N79-28253

GAS PIPES
Tubular flow restrictor for gas flow control in pipeline
[NASA-CASE-NPO-10117] c15 N71-15608

GAS PRESSURE
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097

GAS STREAMS
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c45 N79-12584

GAS TEMPERATURE
Device for simultaneously determining density, velocity, and temperature of streaming gas
[NASA-CASE-XLA-03375] c16 N71-24074

GAS TRANSPORT
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238

GAS TUBES
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c37 N79-28550
GAS TURBINE ENGINES
Variable-orifice hydraulic mechanism for aircraft gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c20 N76-14190
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c07 N78-18066
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N78-24545
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Independent power generator
[NASA-CASE-LAR-11208-1] c44 N78-32539
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c07 N79-14097
A silicon-slurry/aluminide coating --- protects aircraft and land-based gas turbine engines
[NASA-CASE-LEW-13343-1] c24 N80-26389
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
GAS TURBINES
Method for maintaining good performance in gas turbine during air flow distortion
[NASA-CASE-LEW-10286-1] c28 N71-28915
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c07 N74-15453
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c07 N78-17056
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c07 N78-25090
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N79-10057
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c34 N79-20335
Corrosion resistant thermal barrier coating --- protecting gas turbines and other heat engine parts
[NASA-CASE-LEW-13088-1] c24 N80-11142
GAS VALVES
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Shrink-fit vacuum system gas valve
[NASA-CASE-XGS-00587] c15 N70-35087
Gas valve operated by thermally expanding and contracting device
[NASA-CASE-XLE-00815] c15 N70-35407
Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
GAS WELDING
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
GAS-LIQUID INTERACTIONS
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
GAS-METAL INTERACTIONS
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c26 N81-16209
GASDYNAMIC LASERS
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426
GASEOUS DIFFUSION
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749
GASEOUS FISSION REACTORS
Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
GASEOUS ROCKET PROPELLANTS
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983
GASES
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345
GASKETS
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c37 N74-18126
GATES (CIRCUITS)
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579
Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
Switching series regulator with gating control network

[NASA-CASE-XMS-09352] c09 N71-23316
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c60 N78-10709
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c33 N78-17295
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c33 N81-20352
GATES (OPENINGS)
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
GAW-1 AIRFOIL
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154
GEAR TEETH
Wabble gear drive mechanism --- for aerospace environments
[NASA-CASE-MOO-00625] c37 N78-17385
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c37 N80-32717
GEARS
Precision stepping drive device using cam disk
[NASA-CASE-MFS-14772] c15 N71-17692
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N79-20377
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318
GELLED ROCKET PROPELLANTS
Method and apparatus for producing fine particles in cryogenic liquid bath for gelled rocket propellants
[NASA-CASE-NPO-10250] c23 N71-16212
GELS
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
GENERATORS
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
GEOLOGICAL SURVEYS
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c46 N80-10709
Geological assessment probe
[NASA-CASE-NPO-14558-1] c46 N80-24906
GEOMETRY
Rhomboid prism pair for rotating the plane of parallel light beams --- laser velocimeters
[NASA-CASE-ARC-11311-1] c74 N81-16882
GERMANIUM
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c33 N78-13320
GIMBALS
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XNP-01544] c28 N70-34162
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XNP-01669] c21 N71-23289
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
[NASA-CASE-GSC-10556-1] c31 N71-26537
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c04 N81-21047
GIRDERS
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283
GLANDS (SEALS)
Development of mating flat surfaces to inhibit leakage of fluid around shafts
[NASA-CASE-XLE-10326-2] c15 N72-29488
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c37 N80-18401
GLASS
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Apparatus for applying thin glass slides to solar cells
[NASA-CASE-NPO-10575] c03 N72-25019
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c35 N80-20565
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c37 N80-29705
Method of forming frozen spheres in a force-free drop tower --- microballoons for inertial confinement fusion
[NASA-CASE-NPO-14845-1] c31 N81-16328
GLASS COATINGS
Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c74 N78-15879
GLASS ELECTRODES
Liquid junction for glass electrode or pH meters
[NASA-CASE-NPO-10682] c15 N70-34699
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
GLASS FIBER REINFORCED PLASTICS
Ceramic fiber insulating material and method of producing same --- aircraft construction materials
[NASA-CASE-MSC-14795-2] c24 N78-25138
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
GLASS FIBERS
Nonmagnetic hermetically sealed battery case made of epoxy resin and woven glass tape for use with electrochemical cells in spacecraft
[NASA-CASE-XGS-00886] c03 N71-11053
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates

[NASA-CASE-XLA-10470] c15 N72-21489
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit broads
[NASA-CASE-MFS-20408] c18 N73-12604
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c24 N78-27182
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230

GLAUCOMA
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c52 N80-14684

GLIDE PATHS
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930

GLOBES
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015

GLOVES
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080
Restraining mechanism
[NASA-CASE-MSC-13054] c54 N78-17677

GLOW DISCHARGES
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c27 N78-31233
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c33 N79-15245
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326

GLUCOSE
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487

GOLD COATINGS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191

GONDOLAS
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008

GRANULAR MATERIALS
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440

GRAPHITE
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103

GRAPHITE-EPOXY COMPOSITE MATERIALS
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c24 N81-14000

GRATINGS (SPECTRA)
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-XGS-01036] c14 N70-40003
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c74 N80-21140

GRAVIMETERS
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XNP-05844] c14 N71-17587

GRAVITATION
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789

GRAVITATIONAL CONSTANT
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
[NASA-CASE-XNP-00424] c11 N70-38196

GRAVITATIONAL EFFECTS
Gravity environment simulation by locomotion and restraint aid for studying manual operation performance of astronauts at zero gravity
[NASA-CASE-ARC-10153] c05 N71-28619
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503

GRAVITATIONAL FIELDS
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242

GRAVITY GRADIENT SATELLITES
Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729
Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969

GRAVITY GRADIOMETERS
Gravity device for accurate and rapid indication of relative gravity conditions aboard accelerating carrier
[NASA-CASE-XNP-00424] c11 N70-38196
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324

GRAZING INCIDENCE
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c74 N80-21140

GRIDS
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666

GRINDING (MATERIAL REMOVAL)
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MFS-11279] c16 N71-20400
Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149

GRINDING MACHINES
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905

GROOVES
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XNP-10040] c15 N71-22877
Spiral groove seal --- for hydraulic rotating shaft

[NASA-CASE-LEW-10326-3] c37 N74-10474
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c37 N74-15125
GROUND EFFECT MACHINES
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
Platform with several ground effect pads and plenum chambers
[NASA-CASE-MFS-14685] c31 N71-15689
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672
GROUND HANDLING
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
GROUND STATIONS
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
GROUND SUPPORT EQUIPMENT
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c35 N79-18296
GROUND-AIR-GROUND COMMUNICATIONS
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448
GROUT
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457
GUARDS (SHIELDS)
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343
GUIDANCE (MOTION)
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Guide member for stabilizing cable of open shaft elevator
[NASA-CASE-KSC-10513] c15 N72-25453
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988
GUIDANCE SENSORS
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c54 N79-20746
Improved Sun-sensing guidance system for high-altitude aircraft
[NASA-CASE-FRC-11052-1] c04 N80-20249
GUN LAUNCHERS
Self-obturating gas-operated launcher for launching projectiles in decontaminated medium
[NASA-CASE-NPO-11013] c11 N72-22247
GUN PROPELLANTS
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c28 N78-31255
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c09 N79-21084
GUNN EFFECT
Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721
Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
GUNS
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
GYRATORS
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
Gyrator circuit using MOS field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c33 N75-30428
GYROSCOPES
Externally pressurized air bearing for gyros operating in high temperature, low gravity environments
[NASA-CASE-XMF-00515] c15 N70-34664
Air bearings for spacecraft gyros
[NASA-CASE-XMF-00339] c15 N70-39896
Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c35 N74-15094
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
GYROSCOPIC PENDULUMS
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c04 N81-21047
GYROSTABILIZERS
Passive dual spin misalignment compensators --- gyrostabilized device
[NASA-CASE-GSC-11479-1] c35 N74-28097
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158

H

HAFNIUM
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
HALIDES
Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448

Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
HALL EFFECT
Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Speed control system for dc motor equipped with brushless Hall effect device
[NASA-CASE-MFS-20207-1] c09 N73-32107
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Magnetic field control --- electromechanical torquing devices
[NASA-CASE-MFS-23828-1] c33 N80-17359
HALL GENERATORS
Current measurement by use of Hall effect generator
[NASA-CASE-XAC-01662] c14 N71-23037
HALOGENS
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
HAMMERS
Exponential horn, copper plate, magnetic hammer, and anvil in apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
HAND (ANATOMY)
Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MFS-20413] c15 N72-21463
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N79-24652
HANDLING EQUIPMENT
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
HARDENING (MATERIALS)
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
HARMONIC GENERATORS
Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
HARNESSES
Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XMS-00784] c05 N71-12335
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
HATCHES
Design and specifications of emergency escape system for spacecraft structures
[NASA-CASE-MSC-12086-1] c05 N71-12345
HEART FUNCTION
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c52 N74-20726
HEART RATE
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FEC-11012-1] c52 N80-23969
HEAT
Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599
HEAT EXCHANGERS
Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPO-10831] c33 N72-20915
Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c34 N76-17317
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
Combuster --- low nitrogen oxide formation
[NASA-CASE-NPO-13958-1] c25 N79-11151
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c37 N79-11403
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c34 N79-13288
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c34 N79-13289
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N79-18443
A heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c34 N79-23383
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c54 N80-10799
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c34 N80-24573
A cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c31 N81-19344
HEAT FLUX
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
HEAT MEASUREMENT
Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
Specific wavelength colorimeter --- for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c35 N74-27860
HEAT OF FORMATION
An improved synthesis of 2, 4, 8, 10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376

HEAT PIPES
Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XMF-05843] c03 N71-11055
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c34 N75-12222
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c34 N78-17337
Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523
Heat pipe honeycomb panel
[NASA-CASE-LAR-12637-1] c34 N81-12362
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c25 N81-19245
HEAT PUMPS
Thermal pump-compressor for converting solar energy
[NASA-CASE-XLA-00377] c33 N71-17610
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N78-17335
A cooling system for an aircraft having a cruise range from Mach 2 to Mach 8
[NASA-CASE-LAR-12406-1] c05 N79-24980
HEAT RADIATORS
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MFS-20096] c14 N71-30026
HEAT RESISTANT ALLOYS
Preparation of nickel alloys for jet turbine blades operating at high temperatures
[NASA-CASE-XLE-00151] c17 N70-33283
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616
High temperature cobalt-base alloy resistant to corrosion by liquid metals and to sublimation in vacuum environment
[NASA-CASE-XLE-02991] c17 N71-16025
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c27 N76-15311
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c26 N78-18183
HEAT SHIELDING
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
Compact heat shielding for interplanetary space vehicles
[NASA-CASE-XMS-00486] c33 N70-33344
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XNP-08656] c06 N71-11242
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XNP-08652] c06 N71-11243
Preparation and characteristics of lightweight refractory insulation
[NASA-CASE-XNP-05279] c18 N71-16124
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c27 N79-12221
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c24 N79-25142
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c37 N81-15363
HEAT SINKS
Thermal conductive, electrically insulated cleavable adhesive connection between electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XNP-04208] c33 N71-29051
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N79-11231

Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523
HEAT SOURCES
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Thermally cascaded thermoelectric generator with radioisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c25 N79-10163
HEAT STORAGE
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667
HEAT TRANSFER
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00463] c33 N70-36847
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Method for improving heat transfer characteristics in nucleate boiling process
[NASA-CASE-XMS-04268] c33 N71-16277
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Heat sensing instrument, using thermocouple junction connected under heavy conducting material
[NASA-CASE-XLA-01551] c14 N71-22989
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Development and characteristics of cooling system to maintain temperature of rack mounted electronic modules
[NASA-CASE-MSC-12389] c33 N71-29052
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MFS-20096] c14 N71-30026
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829
Thermal flux transfer system for maintaining thrust chamber of operative reaction motor at given temperatures
[NASA-CASE-NPO-12070-1] c28 N73-32606
Electrostatically controlled heat transfer system for conducting thermal energy
[NASA-CASE-NPO-11942-1] c33 N73-32818
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c34 N78-17336
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398
Low cost cryostat
[NASA-CASE-NPO-14513-1] c35 N81-14287
HEAT TRANSMISSION
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c34 N74-27859
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
HEAT TREATMENT
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
Method for diffusion welding dissimilar metals in vacuum chamber
[NASA-CASE-GSC-10303] c15 N72-22487
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N78-24333
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
HEATERS
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935
HEATING
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c37 N74-18128
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c39 N80-25693
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
HEATING EQUIPMENT
Using heat control unit to preheat circulating fluid
[NASA-CASE-XMF-04237] c33 N71-16278
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918
Portable heatable container
[NASA-CASE-NPO-14237-1] c44 N80-20808
HELICAL ANTENNAS
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493

Collapsible high gain antenna which can be automatically expanded to operating state
[NASA-CASE-KSC-10392] c07 N73-26117

HELICOPTER WAKES
Variable geometry rotor system for direct control over wake vortex
[NASA-CASE-LAR-10557] c02 N72-11018

HELICOPTERS
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N78-24515
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N79-17847
Helicopter rotor airfoil
[NASA-CASE-LAR-12396-1] c02 N79-24958

HELIUM
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-XMF-06888] c15 N71-24044
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c31 N79-17029

HELIUM HYDROGEN ATMOSPHERES
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334

HELIUM IONS
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402

HELIUM-NEON LASERS
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Direction sensitive laser velocimeter --- determining the direction of particle motion using a helium-neon laser
[NASA-CASE-LAR-12177-1] c36 N79-28532
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c36 N80-18380

HELMETS
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678
Protective garment ventilation system
[NASA-CASE-XMS-04928] c54 N78-17679
Helmet feedport
[NASA-CASE-XMS-09653] c54 N78-17680
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c54 N78-18761
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761

HEMISPHERICAL SHELLS
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604

HERMETIC SEALS
Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XMS-04072] c15 N70-42017
Hermetically sealed explosive release mechanism for actuator device
[NASA-CASE-XGS-00824] c15 N71-16078
Sealing apparatus for joining two pieces of frangible materials
[NASA-CASE-XLA-01494] c15 N71-24164
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Pressure seals suitable for use in environmental test chambers
[NASA-CASE-NPO-10796] c15 N71-27068
Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
Hermetically sealed elbow actuator for use in severe environments
[NASA-CASE-MFS-14710] c09 N72-22195
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c37 N80-25660

HEXAGONS
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c44 N78-27515

HEXAMETHYLENETETRAMINE
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c24 N81-13999

HEXOKINASE
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487

HIGH ACCELERATION
Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432

HIGH ALTITUDE
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473

HIGH ALTITUDE ENVIRONMENTS
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779

HIGH ASPECT RATIO
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858

HIGH FREQUENCIES
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XMF-04958-1] c10 N71-26414
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c08 N79-23097

HIGH GAIN
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c08 N79-23097

HIGH PASS FILTERS
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
HIGH POLYMERS
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
HIGH POWER LASERS
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c36 N80-18381
HIGH PRESSURE
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34617
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36508
Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
Antiflutter check valve for use with high pressure fluid flow
[NASA-CASE-XNP-01152] c15 N70-41811
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Development and characteristics of high pressure control valve
[NASA-CASE-MSC-11010] c15 N71-19485
Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-XKS-02582] c15 N71-21234
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-XNP-06888] c15 N71-24044
Liquid aerosol dispenser with explosively driven piston to compress light gas to extremely high pressure
[NASA-CASE-MFS-20829] c12 N72-21310
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c35 N78-10428
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
HIGH RESOLUTION
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Interferometer --- high resolution
[NASA-CASE-NPO-14448-1] c74 N79-23777
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877
HIGH SPEED
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Method for reducing mass of ball bearings for long life operation at high speed
[NASA-CASE-LEW-10856-1] c15 N72-22490
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c60 N77-19760
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
High speed, glitch-free digital to analog converter
[NASA-CASE-GSC-12319-1] c60 N79-32852
HIGH SPEED CAMERAS
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
HIGH STRENGTH
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
HIGH STRENGTH ALLOYS
High strength, corrosion resistant cobalt-based alloys for aerospace structures
[NASA-CASE-XLE-00726] c17 N71-15644
High strength aluminum casting alloy for cryogenic applications in aerospace engineering
[NASA-CASE-XNP-02786] c17 N71-20743
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
High strength nickel based alloys
[NASA-CASE-LEW-10874-1] c17 N72-22535
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
HIGH STRENGTH STEELS
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c26 N79-22271
HIGH TEMPERATURE
High temperature source of thermal radiation
[NASA-CASE-XLE-00490] c33 N70-34545
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Method for making fiber composites with high strength at high temperatures
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c35 N79-14346
HIGH TEMPERATURE AIR
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
HIGH TEMPERATURE ENVIRONMENTS
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616

Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
Corrosion resistant thermal barrier coating --- protecting gas turbines and other heat engine parts
[NASA-CASE-LEW-13088-1] c24 N80-11142
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c35 N80-19468
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317
A method and technique for installing light-weight fragile, high-temperature fiber insulation --- spacecraft heat sealing
[NASA-CASE-MSC-16934-2] c37 N81-16468

HIGH TEMPERATURE FLUIDS
Self-cycling fluid heater for heating continuous fluid stream to ultrahigh temperatures to facilitate chemical reactions
[NASA-CASE-MSC-15567-1] c33 N73-16918
High-temperature microphone system --- for measuring pressure fluctuations in gases at high temperature
[NASA-CASE-LAR-12375-1] c32 N79-24203

HIGH TEMPERATURE GASES
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c37 N78-25431
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c37 N80-31790
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363

HIGH TEMPERATURE LUBRICANTS
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c24 N79-17916

HIGH TEMPERATURE PLASMAS
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661

HIGH TEMPERATURE PROPELLANTS
Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709

HIGH TEMPERATURE RESEARCH
Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217

HIGH TEMPERATURE TESTS
High-temperature, high-pressure spherical segment valve
[NASA-CASE-XAC-00074] c15 N70-34817
Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Apparatus for testing metallic and nonmetallic beams or rods by bending at high temperatures in vacuum or inert atmosphere
[NASA-CASE-XLE-01300] c15 N70-41993
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c39 N80-25693
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c35 N81-19426

HIGH VACUUM
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c75 N78-27913

HIGH VACUUM ORBITAL SIMULATOR
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XNP-07488] c11 N71-18773

HIGH VOLTAGES
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-XNP-00738] c09 N70-38201
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
High voltage planar multijunction --- solar cells
[NASA-CASE-LEW-13400-1] c44 N81-16528

HIGHWAYS
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19688

HINGES
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425

HISTOGRAMS
System for storing histogram data in optimum number of elements
[NASA-CASE-XNP-09785] c08 N69-21928

HOLDERS
Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XMS-03700] c15 N69-24266
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Holder for high frequency crystal resonators
[NASA-CASE-XNP-03637] c15 N71-21311
Design and construction of mechanical probe for determining if object is properly secured
[NASA-CASE-MFS-20760] c14 N72-33377
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913
Method and apparatus for holding two separate metal pieces together for welding

[NASA-CASE-GSC-12318-1] c37 N80-23655
An improved head for high speed spinner having a vacuum chuck --- holding silicon chips for etching
[NASA-CASE-NPO-15227-1] c37 N80-26661
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429

HOLE DISTRIBUTION (MECHANICS)
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409

HOLE MOBILITY
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460

HOLLOW
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513

HOLLOW CATHODES
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186

HOLOGRAPHIC INTERFEROMETRY
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386

HOLOGRAPHY
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MFS-20596] c14 N72-17324
Thin film analyzer utilizing holographic techniques
[NASA-CASE-MFS-20823-1] c16 N73-30476
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584

HOMING DEVICES
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173

HONEYCOMB CORES
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Honeycomb core structures of minimum surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541

HONEYCOMB STRUCTURES
Filling honeycomb matrix with deaerated paste filler
[NASA-CASE-XMS-01108] c15 N69-24322
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XNP-01402] c18 N71-21651
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XNP-05046] c33 N71-28892
Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N78-15180
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N78-17149
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
Heat pipe honeycomb panel
[NASA-CASE-LAR-12637-1] c34 N81-12362

HORIZON SCANNERS
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Multi-lobar scan horizon sensor
[NASA-CASE-XGS-00809] c21 N70-35427
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Clamped amplifier circuit for horizon scanner enabling amplification and accurate measurement of specified parameters
[NASA-CASE-XGS-01784] c10 N71-20782
Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088
Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475

HORIZONTAL FLIGHT
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988

HORIZONTAL SPACECRAFT LANDING
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986

HORIZONTAL TAIL SURFACES
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043

HORN ANTENNAS
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219
Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382
Characteristics of antenna horn feeds consisting of central horn with overlapping peripheral horns
[NASA-CASE-GSC-10452] c07 N71-12396
Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907

Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c32 N78-31321
Multifrequency broadband horn antenna
[NASA-CASE-NPO-14588-1] c32 N79-17067
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N80-29539

HOT CATHODES
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889

HOT PRESSING
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c37 N81-16470

HOT WORKING
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803

HOT-WIRE ANEMOMETERS
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454

HOT-WIRE FLOWMETERS
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N78-14364
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390

HOUSINGS
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600
Open type urine receptacle with tubular housing
[NASA-CASE-MSC-12324-1] c05 N72-22093
Readily assembled universal environment housing for electronic equipment
[NASA-CASE-KSC-10031] c15 N72-22486
Gas flow control device, including housing and input port
[NASA-CASE-NPO-11479] c15 N73-13462
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c35 N74-18323
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500

HOVERING
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039

HUGONIOT EQUATION OF STATE
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810

HULLS (STRUCTURES)
Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305

HUMAN BEINGS
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067

HUMAN BODY
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c54 N78-22720

HUMAN FACTORS ENGINEERING
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Harness assembly adapted to support man on ground based apparatus which simulates weightlessness
[NASA-CASE-MFS-14671] c05 N71-12341
Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909
Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699

HUMAN PERFORMANCE
Color perception tester for testing color code perceptiveness of individuals
[NASA-CASE-KSC-10278] c05 N72-16015

HUMAN REACTIONS
Reaction tester for testing reaction to light stimuli
[NASA-CASE-MSC-13604-1] c05 N73-13114

HUMAN WASTES
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Absorbent product and articles made therefrom --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c24 N81-16127

HUMIDITY
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c31 N80-32583

HYBRID COMPUTERS
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920

HYBRID PROPELLANTS
Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392

HYDRAULIC CONTROL
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type

[NASA-CASE-MFS-10412] c12 N71-17578
Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580
Fluidic-thermochronic display device
[NASA-CASE-ERC-10031] c12 N71-18603
Development and characteristics of variable displacement fluid pump for tranforming hydraulic pressures
[NASA-CASE-MFS-20830] c15 N71-30028
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479

HYDRAULIC EQUIPMENT
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XMF-01772] c11 N70-41677
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
Hydraulic clamping of sheet stock specimens
[NASA-CASE-XLA-05100] c15 N71-17696
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
Development of aircraft control system with high performance electrically controlled and mechanically operated hydraulic valves for precise flight operation
[NASA-CASE-XAC-00048] c02 N71-29128
Development and characteristics of variable displacement fluid pump for tranforming hydraulic pressures
[NASA-CASE-MFS-20830] c15 N71-30028
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
Design and development of device to prevent geysering during convective circulation of cryogenic fluids
[NASA-CASE-KSC-10615] c15 N73-12486
Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-MFS-20944] c15 N73-13466
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c34 N75-33342
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432

HYDRAULIC FLUIDS
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c37 N80-31790

HYDRAZINE ENGINES
Reciprocating engines
[NASA-CASE-MSC-16239-1] c37 N78-11399

HYDRAZINE NITROPORM
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764

HYDRAZINES
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203

HYDROCARBON COMBUSTION
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c43 N78-14452

HYDROCARBON FUEL PRODUCTION
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c27 N81-17261

HYDROCARBON FUELS
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704

HYDROCARBONS
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514

HYDROCHLORIC ACID
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742

HYDROCRACKING
Autocatalytic coal liquefaction process
[NASA-CASE-NPO-14876-1] c28 N80-26460

HYDROFOILS
Efficient operation of improved hydrofoil design
[NASA-CASE-XLA-00229] c12 N70-33305

HYDROFORMING
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346

HYDROGEN
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
Development of pulse-activated polarographic hydrogen detector
[NASA-CASE-XMF-06531] c14 N71-17575
Development of device for detecting hydrogen in ambient environments
[NASA-CASE-MFS-11537] c14 N71-20442
Gas chromatographic method for analyzing hydrogen deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Hydrogen fire blink detector for high altitude rocket or ground installation
[NASA-CASE-MFS-15063] c14 N72-25412
Separation of dissolved hydrogen from water and coating with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607

Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516

HYDROGEN ATOMS
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N78-24365
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c28 N80-20402
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103

HYDROGEN EMBRITTLEMENT
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c24 N76-14203

HYDROGEN ENGINES
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526

HYDROGEN FUELS
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636

HYDROGEN IONS
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186

HYDROGEN OXYGEN FUEL CELLS
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044

HYDROGEN PEROXIDE
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control
[NASA-CASE-XMS-00583] c28 N70-38504

HYDROGEN PRODUCTION
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394

HYDROGENATION
Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127

HYDROLOGY
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498

HYDROSTATICS
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486

HYDROXIDES
Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095

HYGROMETERS
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N78-25391

HYGROSCOPICITY
Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24534

HYPERFINE STRUCTURE
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142

HYPERGOLIC ROCKET PROPELLANTS
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634

HYPERSONIC AIRCRAFT
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c05 N74-10907
A cooling system for an aircraft having a cruise range from Mach 2 to Mach 8
[NASA-CASE-LAR-12406-1] c05 N79-24980

HYPERSONIC FLIGHT
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168

HYPERSONIC FLOW
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure
[NASA-CASE-XLA-05378] c11 N71-21475

HYPERSONIC SPEED
Leading edge design for hypersonic reentry vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
Aerospace vehicle with variable planform for hypersonic and subsonic flight
[NASA-CASE-XLA-00805] c31 N70-38010
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144

HYPERSONIC VEHICLES
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015

HYPERVELOCITY GUNS
Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube
[NASA-CASE-XGS-06628] c24 N71-16213
Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578
Collapsible piston for hypervelocity gun
[NASA-CASE-MSC-13789-1] c11 N73-32152
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c09 N79-21084

HYPERVELOCITY IMPACT
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130

HYPERVELOCITY PROJECTILES
Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MFS-20596] c14 N72-17324

HYPERVELOCITY WIND TUNNELS
Hypersonic test facility for studying ablation in models under high pressure and high temperature
[NASA-CASE-XLA-00378] c11 N71-15925
Design of hypersonic test facility for ablation tests and performance tests of vehicles under conditions of high temperature and pressure
[NASA-CASE-XLA-05378] c11 N71-21475

HYSTERESIS
Belleville spring assembly with elastic guides

having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504

I

IGNITERS
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c25 N74-33378
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c20 N78-24275
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405
IGNITION
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184
IGNITION LIMITS
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
IGNITION SYSTEMS
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Ignition system for monopropellant combustion devices
[NASA-CASE-XNP-00249] c28 N70-38249
Igniter capsule for chemical ignition of liquid rocket propellants
[NASA-CASE-XLE-00323] c28 N70-38505
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-2] c37 N80-18397
IGNITION TEMPERATURE
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
ILLUMINATORS
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
IMAGE CONTRAST
Video signal enhancement of signal component representing brightness of scene element in low contrast
[NASA-CASE-NPO-10343] c07 N71-27341
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
IMAGE CONVERTERS
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
Wedge immersed thermistor bolometers
[NASA-CASE-IGS-01245-1] c35 N79-33449
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c33 N80-28635
IMAGE CORRELATORS
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c32 N79-14268
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194
Optical signature generating and correlating apparatus
[NASA-CASE-NPO-15226-1] c74 N81-19899
IMAGE DISSECTOR TUBES
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
IMAGE ENHANCEMENT
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N79-10389
IMAGE FILTERS
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254
Development and characteristics of spectroradiometer with wedge filters to eliminate adverse effect of pinholes in filters
[NASA-CASE-HQN-10683] c14 N71-34389
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
IMAGE INTENSIFIERS
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c74 N78-18905
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N79-10389
IMAGE PROCESSING
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c32 N79-14268
IMAGE RESOLUTION
An image readout device with electrically variable spatial resolution
[NASA-CASE-LAR-12633-1] c35 N80-22661
IMAGE TUBES
Image tube --- deriving electron beam replica of image
[NASA-CASE-GSC-11602-1] c33 N74-21850
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
IMAGES
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
IMAGING TECHNIQUES
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Phototransistor imaging system with mosaic of phototransistors on semiconductor substrate
[NASA-CASE-MFS-20809] c23 N73-13660
Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499
Ritchey-Chretien telescope responsive to images located off telescope optical axis
[NASA-CASE-GSC-11487-1] c14 N73-30393
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408

Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c09 N78-18083
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
Chromatically corrected virtual image display --- lens design for flight simulators
[NASA-CASE-LAR-12251-1] c74 N79-14892
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c43 N79-17288
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c74 N79-20656
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c74 N79-20657
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c74 N80-21140
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c74 N81-17886

IMIDES
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177

IMINES
Synthesis of polymeric schiff bases by schiff-base exchange reactions
[NASA-CASE-XMF-08651] c06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMF-08655] c06 N71-11239
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XMF-03074] c06 N71-24740

IMMOBILIZATION
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159
Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445

IMPACT
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331

IMPACT ACCELERATION
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146

IMPACT DAMAGE
Measuring micrometeroid depth of penetration into various materials
[NASA-CASE-XLA-00941] c14 N71-23240

IMPACT LOADS
Piezoelectric transducer for detecting and measuring micrometeoroids
[NASA-CASE-XAC-01101] c14 N70-41957
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225

IMPACT RESISTANCE
Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188

IMPACT STRENGTH
High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625

IMPACT TESTING MACHINES
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225

IMPACT TOLERANCES
High impact antennas with high radiating efficiency
[NASA-CASE-NPO-10231] c07 N71-26101
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N79-10420

IMPEDANCE MATCHING
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
Pattern and impedance matching improvements in transversely polarized triaxial antenna
[NASA-CASE-XGS-02290] c07 N71-28809
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336

IMPEDANCE MEASUREMENTS
Development of electrical system for measuring high impedance
[NASA-CASE-XMS-08589-1] c09 N71-20569
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c33 N80-32650

IMPLANTATION
Biotelemetry apparatus with dual voltage generators for implanting in animals
[NASA-CASE-XAC-05706] c05 N71-12342
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772

IMPLANTED ELECTRODES (BIOLOGY)
An implantable electrical device
[NASA-CASE-GSC-12560-1] c52 N80-27073
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c52 N81-14612

IMPLOSIONS
Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578

IMPREGNATING
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N78-17150
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187

IMPULSE GENERATORS
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738

IMPURITIES
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c44 N80-24741

IN-FLIGHT MONITORING
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c02 N80-28300

INCIDENCE
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c74 N78-15880

INCIDENT RADIATION
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c44 N77-19571
INCLINATION
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
INCOHERENT SCATTERING
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
INDICATING INSTRUMENTS
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
Apparatus for determining quality of bond between high density material and low density material
[NASA-CASE-MFS-13686] c15 N71-18132
Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537
INDIUM ALLOYS
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
Solar cell collector
[NASA-CASE-LEW-12552-1] c44 N78-25527
INDUCTANCE
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
INDUCTION HEATING
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
Induction heating gun
[NASA-CASE-LAR-12540-1] c37 N80-11468
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
INDUCTION MOTORS
Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15674
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c33 N78-10376
Improved power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c33 N79-25315
Magnetic field control --- electromechanical torquing devices
[NASA-CASE-MFS-23828-1] c33 N80-17359
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c33 N81-12330
INDUCTORS
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XMF-01667] c15 N71-17647
Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393
INDUSTRIAL PLANTS
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
INDUSTRIAL WASTES
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N78-10225
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747
INERTIA
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-IGS-04227] c15 N71-21744
INERTIAL GUIDANCE
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
INERTIAL NAVIGATION
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c04 N81-21047
INERTIAL PLATFORMS
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c35 N74-15094
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
Rim inertial measuring system --- to measure angular rates and linear accelerations
[NASA-CASE-LAR-12052-1] c04 N80-18019
INERTIAL REFERENCE SYSTEMS
Development of attitude control system for spacecraft orientation
[NASA-CASE-IGS-04393] c21 N71-14159
Large amplitude, linear inertial reference system of vibrating string type for spacecraft reference plane
[NASA-CASE-IAC-03107] c23 N71-16098
INFLATABLE SPACECRAFT
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Rotating, multisided mandrel for fabricating gored inflatable spacecraft
[NASA-CASE-XLA-04143] c15 N71-17687
Forming inflatable panels erectable in space for passive communication satellite
[NASA-CASE-XLA-03497] c15 N71-23052
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
INFLATABLE STRUCTURES
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
Design of inflatable life raft for aircrafts and boats
[NASA-CASE-XMS-00863] c05 N70-34857
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Inflation system for balloon type satellites
[NASA-CASE-IGS-03351] c31 N71-16081
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679

Development and characteristics of self supporting space vehicle
[NASA-CASE-XLA-00117] c31 N71-17680
Conforming polisher for aspheric surfaces of revolution with inflatable tube
[NASA-CASE-XGS-02884] c15 N71-22705
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c54 N78-18761
Spine immobilization method and apparatus --- rigid bladder
[NASA-CASE-ARC-11167-1] c52 N79-30921
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c37 N81-17433

INFORMATION RETRIEVAL
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131

INFRARED DETECTORS
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XNP-03934] c09 N71-22585
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210

INFRARED INSTRUMENTS
Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181

INFRARED INTERFEROMETERS
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c35 N78-18395

INFRARED LASERS
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c31 N79-17029

INFRARED RADIATION
High speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088

INFRARED REFLECTION
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-NOO-00428-1] c32 N79-19186

INFRARED SCANNERS
Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475

INFRARED SPECTRA
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426

INFRARED SPECTROMETERS
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c35 N80-26635

INFRARED SPECTROSCOPY
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c35 N79-14348

INFRASONIC FREQUENCIES
Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363

INHIBITORS
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c28 N79-14228

INITIATORS (EXPLOSIVES)
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N79-11231

INJECTION
Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005

INJECTORS
Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XNP-00148] c28 N70-38710
Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube
[NASA-CASE-XGS-06628] c24 N71-16213
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Bipropellant injector with pair of concave deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809
Coaxial injector for mixing liquid propellants within combustion chambers
[NASA-CASE-NPO-11095] c15 N72-25455
Improved injector with porous plug for bubbles of gas into feed lines of electrically conductive liquid
[NASA-CASE-NPO-11377] c15 N73-27406
Rocket injector head
[NASA-CASE-XNP-04592-1] c20 N79-21125

INLET FLOW
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
Method for maintaining good performance in gas turbine during air flow distortion
[NASA-CASE-LEW-10286-1] c28 N71-28915
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455

Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
INLET NOZZLES
Rocket injector head
[NASA-CASE-XMF-04592-1] c20 N79-21125
INLET PRESSURE
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431
INOCULATION
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
INORGANIC COATINGS
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c27 N78-31233
INORGANIC COMPOUNDS
Inorganic ion exchange membrane electrolytes for fuel cell use
[NASA-CASE-XNP-04264] c03 N69-21337
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XMF-03988] c15 N71-21403
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Inorganic thermal control and solar reflector coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N78-25530
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c27 N80-21533
INORGANIC PEROXIDES
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162
INPUT
Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24606
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
INPUT/OUTPUT ROUTINES
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
INSERTION
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
INSERTION LOSS
High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component
[NASA-CASE-XNP-01193] c10 N71-16057
INSPECTION
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c38 N78-17396
System for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c02 N81-14967
INSTALLING
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
A method and technique for installing light-weight fragile, high-temperature fiber insulation --- spacecraft heat sealing
[NASA-CASE-KSC-16934-2] c37 N81-16468
INSTRUMENT ERRORS
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
INSTRUMENT FLIGHT RULES
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFB-04147] c11 N71-10748
INSTRUMENT ORIENTATION
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
INSTRUMENT PACKAGES
Apparatus for ejecting covers of instrument packages using differential pressure principle
[NASA-CASE-XMF-04132] c15 N69-27502
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523
INSTRUMENTS
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XMF-09422] c07 N71-19436
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch
[NASA-CASE-XMF-01974] c14 N71-22752
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft
[NASA-CASE-MSC-12372-1] c31 N72-25842
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c37 N78-27424
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c37 N78-27425
INSULATED STRUCTURES
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure

[NASA-CASE-XNP-08882] c15 N69-39935
INSULATION
Electrode attached to helmets for detecting low level signals from skin of living creatures
[NASA-CASE-ARC-10043-1] c05 N71-11193
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998
Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c05 N75-24716
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N78-27326
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
INSULATORS
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c27 N78-19302
INTAKE SYSTEMS
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
Reciprocating engines
[NASA-CASE-MSC-16239-1] c37 N78-11399
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
INTEGRATED CIRCUITS
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22697
Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
[NASA-CASE-XNP-08804] c09 N71-24717
Method and apparatus for testing integrated circuit microtab welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
Single integrated circuit chip with field effect transistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
Integrated circuit tangnet function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230
Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c33 N75-14957
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c33 N75-30428
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c38 N78-17395
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] c44 N78-25553
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N79-12321
A general logic structure for custom LSI circuits
[NASA-CASE-NPO-14410-1] c33 N79-25314
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
Digital demodulator
[NASA-CASE-LAR-12659-1] c33 N80-31731
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c44 N81-12542
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348
INTEGRATORS
Solid state operational integrator
[NASA-CASE-NPO-10230] c09 N71-12520
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Solid state integrator for converting variable width pulses into analog voltage
[NASA-CASE-XLA-03356] c10 N71-23315
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596
INTERFACIAL TENSION
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
Liquid metal slip ring --- aerospace environments
[NASA-CASE-LEW-12277-3] c33 N80-18300
INTERFEROMETERS
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
Incremental motion drive system applied to interferometer components
[NASA-CASE-XNP-08897] c15 N71-17694
Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Two beam interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c35 N79-14348
Interferometer --- high resolution
[NASA-CASE-NPO-14448-1] c74 N79-23777
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c35 N80-12383
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c35 N80-20563
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386
Interferometer
[NASA-CASE-NPO-14502-1] c74 N81-17888
INTERFEROMETRY
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c35 N79-10391
Interferometric locating system
[NASA-CASE-NPO-14173-1] c04 N80-32359
INTERLAYERS
Partial interlaminar separation system for

composites
[NASA-CASE-LAR-12065-2] c24 N81-16128
INTERMEDIATE FREQUENCY AMPLIFIERS
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
INTERMETALLICS
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
Production of intermetallic compounds by effect of shock waves from explosions and compaction of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437
INTERNAL COMBUSTION ENGINES
Variable displacement fuel pump for internal combustion engines
[NASA-CASE-MSC-12139-1] c28 N71-14058
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22583
Development of system for preheating vaporized fuel for use with internal combustion engines
[NASA-CASE-NPO-12072] c28 N72-22772
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c37 N78-25431
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c35 N79-14345
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-2] c37 N80-18397
INTERPLANETARY SPACE
Compact heat shielding for interplanetary space vehicles
[NASA-CASE-XMS-00486] c33 N70-33344
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
INTERPLANETARY SPACECRAFT
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
INTERPLANETARY TRAJECTORIES
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
INTRACRANIAL PRESSURE
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c52 N80-18691
INTRAOCULAR PRESSURE
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c52 N80-14684
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N80-18690
INTRAVEHICULAR ACTIVITY
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
INTRUSION
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
INVERTIONS
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c33 N80-29583
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
INVERTED CONVERTERS (DC TO AC)
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c44 N81-12542
INVERTERS
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N78-10377
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c33 N79-24254
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220
IODINE
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784
IODINE COMPOUNDS
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
IODINE ISOTOPES
Production of I-123 for use as radiopharmaceutical for low radiation exposure
[NASA-CASE-LEW-10518-1] c24 N72-33681
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
ION ACCELERATORS
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
ION BEAMS
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c25 N78-27226
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455
ION CHARGE
Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32325
ION CONCENTRATION
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270
ION CURRENTS
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
ION CYCLOTRON RADIATION
Ion and electron detector for use in an ICR

spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
ION DENSITY (CONCENTRATION)
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
ION ENGINES
Improved cathode containing barium carbonate block and heated tungsten screen for electron bombardment ion thrustor
[NASA-CASE-XLE-07087] c06 N69-39889
High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
Accel and focus electrode design for ion engine with improved efficiency
[NASA-CASE-XNP-02839] c28 N70-41922
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Electronic cathodes for use in electron bombardment ion thrustors
[NASA-CASE-XLE-04501] c09 N71-23190
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system
[NASA-CASE-LEW-10106-1] c28 N71-26642
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28650
Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Single grid accelerator system for electron bombardment type ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
ION EXCHANGE MEMBRANE ELECTROLYTES
Inorganic ion exchange membrane electrolytes for fuel cell use
[NASA-CASE-XNP-04264] c03 N69-21337
Development and characteristics of ion-exchange membrane and electrode assembly for fuel cells or electrolysis cells
[NASA-CASE-XMS-02063] c03 N71-29044
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c25 N78-25149
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c44 N79-17313
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187
ION EXCHANGE RESINS
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N78-25530
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c52 N80-14687
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
ION EXCHANGING
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
ION EXTRACTION
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148
ION IMPLANTATION
Method of making V-MOS field effect transistors
[NASA-CASE-GSC-12515-1] c33 N80-12281
ION IRRADIATION
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c27 N80-24437
ION PROBES
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
ION PROPULSION
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-XNP-00923] c28 N70-36802
Electrostatic ion engines using high velocity electrons to ionize propellant
[NASA-CASE-XLE-00376] c28 N70-37245
Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197
Accel and focus electrode design for ion engine with improved efficiency
[NASA-CASE-XNP-02839] c28 N70-41922
Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-XNP-04124] c28 N71-21822
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system
[NASA-CASE-LEW-10106-1] c28 N71-26642
Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
Radial magnetic field for ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
Automatic shunting of ion thrustor magnetic field when thrustor is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162
Closed loop solar array-ion thruster system with power control circuitry

[NASA-CASE-LEW-12780-1] c20 N79-20179
ION PUMPS
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
ION SOURCES
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-LNP-03332] c09 N71-10618
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-LNP-04338] c17 N71-23046
Development and characteristics of ion thruster accelerator with single glass coated grid to provide increased ion extraction capability and larger diameter accelerator system
[NASA-CASE-LEW-10106-1] c28 N71-26642
Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-LNP-01954] c28 N71-28850
Development and characteristics of apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186
ION TRAPS (INSTRUMENTATION)
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
IONIC MOBILITY
An improved solid electrolyte cell
[NASA-CASE-NPO-15269-1] c33 N81-16385
IONIZATION CHAMBERS
Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-LNP-03128] c10 N70-41991
Electric rocket engine with electron bombardment ionization chamber
[NASA-CASE-LNP-04124] c28 N71-21822
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090
Development and characteristics of apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
IONIZATION GAGES
Ionization vacuum gage
[NASA-CASE-LNP-00646] c14 N70-35666
Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
Development and characteristics of apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
Ionization gage for measuring ultrahigh vacuum levels
[NASA-CASE-XLA-05087] c14 N73-30391
IONIZATION POTENTIALS
Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
IONIZED GASES
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-LNP-09802] c33 N71-15641
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148
IONIZERS
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
IONIZING RADIATION
High voltage cable for use in high intensity ionizing radiation fields
[NASA-CASE-LNP-00738] c09 N70-38201
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c37 N74-18126
IONOSPHERE
Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
IONS
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
IRIDIUM
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c35 N79-14346
IRISES (MECHANICAL APERTURES)
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
IRON
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164
IRON ALLOYS
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N78-18182
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
IRRADIATION
Solar sensor with coarse and fine sensing elements for matching preirradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c27 N80-26446
IRRIGATION
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
ISOLATORS
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N79-11402
ISOPROPYL ALCOHOL
Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
ISOTHERMAL LAYERS
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
ISOTHERMAL PROCESSES
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366

ISOTOPE SEPARATION
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477

J

JET AIRCRAFT
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
JET AIRCRAFT NOISE
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
JET AMPLIFIERS
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Fluid control jet amplifiers
[NASA-CASE-XLE-09341] c12 N71-28741
JET BLAST EFFECTS
Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
JET CONTROL
Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
JET ENGINES
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave interference
[NASA-CASE-XLA-02865] c28 N71-15563
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
Stator rotor tools
[NASA-CASE-MSC-16000-1] c37 N78-24544
JET EXHAUST
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c07 N80-26298
JET FLAPS
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
JET FLOW
Two-phase flow system with discrete, impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
JET MIXING FLOW
Fuel injection system for maximum combustion efficiency of rocket engines
[NASA-CASE-XLE-00111] c28 N70-38199
JET NOZZLES
Fluid jet amplifier with fluid from jet nozzle deflected by inlet pressure
[NASA-CASE-XLE-03512] c12 N69-21466
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
JET PROPULSION
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N78-27121
JET STREAMS (METEOROLOGY)
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677
JET THRUST
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
JETTISON SYSTEMS
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XNP-03169] c31 N71-15675
System for deploying and ejecting releasable clamshell fairing sections from spinning sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853
JIGS
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c44 N79-19447
JOINING
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
JOINTS (ANATOMY)
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
Rotational joint assembly for the prosthetic leg
[NASA-CASE-MSC-11004-1] c54 N77-30749
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c54 N79-24651
JOINTS (JUNCTIONS)
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XNP-01452] c15 N70-41371
Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
[NASA-CASE-XNP-10475] c15 N71-24679
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XNP-05114-2] c15 N71-26148
Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951

Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c37 N74-18128
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c37 N74-23064
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Latching device
[NASA-CASE-MFS-21606-1] c37 N75-19685
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c54 N78-17676
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N78-31735
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c37 N80-22704
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c37 N81-15363
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394

JOSEPHSON JUNCTIONS
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348

JOULE-THOMSON EFFECT
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
A cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c31 N81-19344

JOURNAL BEARINGS
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Journal air bearing with cylindrical cup designed to ride on shaft
[NASA-CASE-MFS-20423] c15 N72-11388
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461

JUNCTION DIODES
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314

JUNCTION TRANSISTORS
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Miniature piezojunction semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372

K

KEYING
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c60 N79-14797

KIDNEY DISEASES
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236

KINETIC ENERGY
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c34 N79-20335

KINETIC FRICTION
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995

KINETICS
Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477

KRAFT PROCESS (WOODPULP)
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747

L

LABORATORY EQUIPMENT
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLR-02531] c05 N71-23080
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N78-10493
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c74 N78-13874
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N78-14104
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c25 N79-14169

LACQUERS
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319

LAMINAR FLOW
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-NPO-10122] c12 N71-17631
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c02 N80-20224

LAMINATES
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit broads
[NASA-CASE-MFS-20408] c18 N73-12604
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures

[NASA-CASE-MFS-21364-1] c37 N74-18126
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N78-15180
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N78-17150
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c33 N79-12331
Method for making patterns for resin matrix composites
[NASA-CASE-ARC-11246-1] c24 N80-22410
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-2] c24 N81-16128
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c24 N81-17170

LANDFORMS
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-PRC-11013-1] c43 N81-17499

LANDING AIDS
Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326
Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c09 N78-18083

LANDING GEAR
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
Landing pad assembly for aerospace vehicles
[NASA-CASE-XMF-02853] c31 N70-36654
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354
Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XMF-01174] c02 N70-41589

LANDING MODULES
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354

LANDING SIMULATION
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786

LANTHANUM COMPOUNDS
Cesium thermionic converters having improved electrodes
[NASA-CASE-LEW-12038-3] c44 N78-25555

LARGE SCALE INTEGRATION
A general logic structure for custom LSI circuits
[NASA-CASE-NPO-14410-1] c33 N79-25314
Tactile sensing system --- manipulator controllers
[NASA-CASE-NPO-15094-1] c33 N81-16386

LARGE SPACE STRUCTURES
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394

LARGE SPACE TELESCOPE
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c74 N79-11865

LASER ALTIMETERS
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c36 N81-19439

LASER APPLICATIONS
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440

LASER CAVITIES
Laser apparatus
[NASA-CASE-GSC-12237-1] c36 N80-14384

LASER DOPPLER VELOCIMETERS
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
Optical scanner --- laser doppler velocimeters
[NASA-CASE-LAR-11711-1] c74 N78-17866
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c35 N79-14349
Direction sensitive laser velocimeter --- determining the direction of particle motion using a helium-neon laser
[NASA-CASE-LAR-12177-1] c36 N79-28532
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c74 N80-12866
Laser Doppler velocity simulator --- to induce frequency shift
[NASA-CASE-LAR-12176-1] c36 N80-16321
Rhomboid prism pair for rotating the plane of parallel light beams --- laser velocimeters
[NASA-CASE-ARC-11311-1] c74 N81-16882

LASER DRILLING
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c43 N78-14452

LASER GUIDANCE
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c74 N80-12866

LASER HEATING
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767

LASER MATERIALS
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c36 N75-19655

LASER MODE LOCKING
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
LASER MODES
Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
LASER OUTPUTS
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Describing laser Doppler velicometer for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Development of apparatus for amplitude modulation of diode laser by periodic discharge of direct current power supply
[NASA-CASE-XMS-04269] c16 N71-22695
Doppler shifted laser beam as fluid velocity sensor
[NASA-CASE-XAC-10770-1] c16 N71-24828
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c36 N75-19655
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31598
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
Collimated beam manifold and method for using the same --- laser beams
[NASA-CASE-MFS-25312-1] c74 N80-34251
LASER PLASMAS
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416
LASER PUMPING
Large volume multiple path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c36 N79-26385
Laser apparatus
[NASA-CASE-GSC-12237-1] c36 N80-14384
LASER RANGE FINDERS
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c36 N80-18380
LASER RANGER/TRACKER
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
LASER SPECTROSCOPY
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538
LASER WINDOWS
Optical scanner --- laser doppler velocimeters
[NASA-CASE-LAR-11711-1] c74 N78-17866
LASERS
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MFS-11279] c16 N71-20400
Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Self-generating optical frequency waveguide
[NASA-CASE-HQN-10541-1] c07 N71-26291
Design and characteristics of laser camera system with diffusion filter of small particles with average diameter larger than wavelength of laser light
[NASA-CASE-NPO-10417] c16 N71-33410
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
Laser technique for breaking ice in ship path
[NASA-CASE-LAR-10815-1] c16 N72-22520
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c73 N78-32848
Large volume multiple path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c36 N79-26385
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c37 N79-28549
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407
LATCHES
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190

Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Design, development, and characteristics of latching mechanism for operation in limited access areas
[NASA-CASE-XMS-03745] c15 N71-21076
Latching mechanism with pivoting catch and self-contained spring ejector
[NASA-CASE-XLA-03538] c15 N71-24897
Latch for fastening spacecraft docking rings
[NASA-CASE-MSC-15474-1] c15 N71-26162
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
Latching device
[NASA-CASE-MFS-21606-1] c37 N75-19685
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678
Low temperature latching solenoid --- cryogenic fluid storage and flow control
[NASA-CASE-MSC-18106-1] c33 N80-14338

LATERAL CONTROL
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N79-14108

LATERAL STABILITY
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959

LATEX
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c27 N81-17261
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242

LATHES
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates
[NASA-CASE-XLA-10470] c15 N72-21489

LAUNCH ESCAPE SYSTEMS
Emergency escape cabin system for launch towers
[NASA-CASE-XKS-02342] c05 N71-11199
Ejector for separating astronaut from ejection seat during prelaunch or initial launch phase of flight
[NASA-CASE-XMS-04625] c05 N71-20718

LAUNCH VEHICLE CONFIGURATIONS
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076

LAUNCH VEHICLES
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Microleak detector mounted on weld seam of propellant tank of launch vehicle
[NASA-CASE-XMF-02307] c14 N71-10779
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120

LAUNCHING PADS
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XMF-03198] c30 N70-40353
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292

LAYERS
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N78-24365

LEACHING
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471

LEAD (METAL)
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664

LEAD TELLURIDES
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range
[NASA-CASE-XGS-05718] c26 N71-16037

LEADING EDGE FLAPS
Leading edge vortex flaps for drag reduction --- during subsonic flight
[NASA-CASE-LAR-12750-1] c02 N81-19016

LEADING EDGES
Leading edge design for hypersonic reentry vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170

LEAKAGE
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
Microleak detector mounted on weld seam of propellant tank of launch vehicle
[NASA-CASE-XMF-02307] c14 N71-10779
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Development of apparatus and method for testing leakage of large tanks
[NASA-CASE-XMF-02392] c32 N71-24285
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Method for locating leaks in hermetically sealed containers
[NASA-CASE-ERC-10045] c15 N71-24910
Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225

LEG (ANATOMY)
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c52 N78-10686

LENS DESIGN
Chromatically corrected virtual image display --- lens design for flight simulators
[NASA-CASE-LAR-12251-1] c74 N79-14892

LENSES
Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
Camera adapter design for image magnification including lens and illuminator

[NASA-CASE-XMF-03844-1] c14 N71-26474
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c74 N78-32654
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c74 N80-12866
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c74 N80-27185
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386

LENTICULAR BODIES
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924

LEVEL (HORIZONTAL)
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c37 N78-27425

LEVEL (QUANTITY)
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
Conversion of positive dc voltage to positive dc voltage of lower amplitude
[NASA-CASE-XMF-14301] c09 N71-23188

LEVELING
Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968

LEVITATION
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427

LIFE (DURABILITY)
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064

LIFE DETECTORS
Use of enzyme hexokinase and glucose to reduce inherent light levels of ATP in luciferase compositions
[NASA-CASE-XGS-05533] c04 N69-27487
Describing method for lyophilization of luciferase containing mixtures for use in life detection reactions
[NASA-CASE-XGS-05532] c06 N71-17705

LIFE RAFTS
Design of inflatable life raft for aircrafts and boats
[NASA-CASE-XMS-00863] c05 N70-34857
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845

LIFE SUPPORT SYSTEMS
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Design and development of flexible tunnel for use by spacecrews in performing extravehicular activities
[NASA-CASE-MSC-12243-1] c05 N71-24728
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Open loop life support subsystem using breathing bag as reservoir for EVA
[NASA-CASE-MSC-12411-1] c05 N72-20096
Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Helmet feedport
[NASA-CASE-XMS-09653] c54 N78-17680
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
Improved low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c85 N80-33312

LIFT DEVICES
Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c05 N75-25914
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N79-14108

LIFT DRAG RATIO
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959

LIFTING BODIES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
Static force balancing system attached to lifting body
[NASA-CASE-LAR-10348-1] c11 N73-12264

LIFTING REENTRY VEHICLES
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed

range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
LIGHT (VISIBLE RADIATION)
Light baffle with oblate hemispheroid surface and shading flange
[NASA-CASE-NPO-10337] c14 N71-15604
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
Device for detection of combustion light preceding gaseous explosions
[NASA-CASE-LAR-10739-1] c14 N73-16484
LIGHT AIRCRAFT
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
LIGHT AMPLIFIERS
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c36 N80-18381
LIGHT BEAMS
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
Multiple pattern holographic information storage and readout system
[NASA-CASE-ERC-10151] c16 N71-29131
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c35 N80-12383
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
Rhomboid prism pair for rotating the plane of parallel light beams --- laser velocimeters
[NASA-CASE-ARC-11311-1] c74 N81-16882
LIGHT GAS GUNS
Implosion driven, light gas, hypervelocity gun
[NASA-CASE-XAC-05902] c11 N71-18578
LIGHT MODULATION
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
Lamp modulator for generating visual indication of presence and magnitude of signal
[NASA-CASE-KSC-10565] c09 N72-25250
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
Collimated beam manifold and method for using the same --- laser beams
[NASA-CASE-MFS-25312-1] c74 N80-34251
LIGHT SCATTERING
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c74 N78-13874
LIGHT SCATTERING METERS
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c74 N79-11865
LIGHT SOURCES
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
[NASA-CASE-XLA-00141] c09 N70-33312
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Electro-optical detector for determining position of light source
[NASA-CASE-XNP-01059] c23 N71-21821
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Electro-optical stabilization of calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c33 N75-27250
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
LIGHT TRANSMISSION
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Solar cell panel with light transmitting cover plate
[NASA-CASE-NPO-10747] c03 N72-22042
Method and system for transmitting and distributing optical frequency radiation
[NASA-CASE-HQN-10541-3] c23 N72-23695
Thin absorbing metallic film for increased visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c70 N74-13436
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c74 N78-15879
LIGHTING EQUIPMENT
Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
Pressurized inert gas feed for lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315
Power converter --- for display devices, lighting equipment
[NASA-CASE-FRC-11014-1] c33 N79-27395
LIGHTNING
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110

Monitoring and recording lightning strokes in predetermined area
[NASA-CASE-KSC-10728-1] c14 N73-32319
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
Lightning current detector
[NASA-CASE-KSC-11057-1] c33 N79-14305
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c33 N79-25313

LIMBS (ANATOMY)
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772

LIMITER CIRCUITS
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Circuits for amplitude limiting of random noise inputs
[NASA-CASE-NPO-10169] c10 N71-24044
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24695
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333

LINE SPECTRA
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015

LINEAR ACCELERATORS
Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962

LINEAR ARRAYS
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c43 N79-17288

LINEAR RECEIVERS
Antenna array at focal plane of reflector with coupling network for beam switching
[NASA-CASE-GSC-10220-1] c07 N71-27233

LINEAR SYSTEMS
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Family of m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254

LINEARITY
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22582
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045

LINING PROCESSES
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619

LINKAGES
Development of collapsible nozzle extension for rocket engines
[NASA-CASE-MFS-11497] c28 N71-16224
Design and construction of mechanical probe for determining if object is properly secured
[NASA-CASE-MFS-20760] c14 N72-33377
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c05 N81-19087

LIQUEFACTION
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640

LIQUID BEARINGS
Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEW-11152-1] c15 N73-32359

LIQUID COOLING
Water cooled contactors for holding rotating carbon arc anode
[NASA-CASE-XMS-03700] c15 N69-24266
External device for liquid spray cooling of gas turbine blades
[NASA-CASE-XLE-00037] c28 N70-33372
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-NPO-10122] c12 N71-17631
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Electric power system with circulatory liquid coolant cooling system
[NASA-CASE-MFS-14114-2] c09 N71-24807
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c34 N76-17317
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c31 N78-17237

LIQUID CRYSTALS
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
Input signal measurement using liquid crystalline elements
[NASA-CASE-ERC-10275] c26 N72-25680

LIQUID FILLED SHELLS
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265

LIQUID FLOW
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Liquid junction for glass electrode or pH meters
[NASA-CASE-NPO-10682] c15 N70-34699
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074
Carrier liquid system containing bodies of ablative material
[NASA-CASE-LEW-10359-2] c33 N73-25952
Zero gravity liquid transfer device, using spiral shaped screen
[NASA-CASE-KSC-10626] c14 N73-27378
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c34 N76-27517

LIQUID HELIUM
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229

Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N78-25256
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826
Low cost cryostat
[NASA-CASE-NPO-14513-1] c35 N81-14287

LIQUID HYDROGEN
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XMF-05046] c33 N71-28692
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c37 N74-18126

LIQUID INJECTION
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XMF-00968] c28 N71-15660
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c37 N80-10494
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c31 N80-18231

LIQUID LASERS
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343

LIQUID LEVELS
Inductive liquid level detection system
[NASA-CASE-XLE-01609] c14 N71-10500

LIQUID METALS
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Shell-side liquid metal boiler employing tube and shell heat exchanger
[NASA-CASE-NPO-10831] c33 N72-20915
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c35 N74-21018
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Liquid metal slip ring --- aerospace environments
[NASA-CASE-LEW-12277-3] c33 N80-18300

LIQUID NITROGEN
Transferring liquid nitrogen through vacuum chamber to cryopanel
[NASA-CASE-LAR-10031] c15 N72-22484

LIQUID OXYGEN
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170

LIQUID PHASES
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393

LIQUID PROPELLANT ROCKET ENGINES
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Attitude and propellant flow control system for liquid propellant rocket vehicles
[NASA-CASE-XMF-00185] c21 N70-34539
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMF-00148] c28 N70-38710
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Low thrust monopropellant engine --- low temperature environments
[NASA-CASE-GSC-12194-2] c20 N79-15151
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XMF-05964-1] c20 N79-21124
Rocket injector head
[NASA-CASE-XMF-04592-1] c20 N79-21125

LIQUID ROCKET PROPELLANTS
Propellant injectors for rocket combustion chambers
[NASA-CASE-XLE-00103] c28 N70-33241
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Igniter capsule for chemical ignition of liquid rocket propellants
[NASA-CASE-XLE-00323] c28 N70-38505
High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
Compact high pressure filter for rocket fuel lines
[NASA-CASE-XNP-00732] c28 N70-41447
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Control valve and coaxial variable injector for controlling bipropellant mixture ratio and flow
[NASA-CASE-XNP-09702] c15 N71-17654
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c20 N80-14188

LIQUID SLOSHING
Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XMF-00658] c12 N70-38997
Flexible ring slosh damping baffle for spacecraft fuel tank
[NASA-CASE-LAR-10317-1] c32 N71-16103
Submerged fuel tank baffles to prevent sloshing in liquid propellant rocket flight
[NASA-CASE-XLA-04605] c32 N71-16106
Hot-wire liquid level detector for cryogenic propellants
[NASA-CASE-XLE-00454] c23 N71-17802
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
LIQUID SODIUM
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c37 N80-10494
LIQUID-GAS MIXTURES
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XMF-04042] c15 N71-23023
LIQUID-VAPOR INTERFACES
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
Response analyzing apparatus for liquid vapor interface sensor of sloshing rocket propellant
[NASA-CASE-MFS-11204] c14 N71-29134
LIQUIDS
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
Ablative system with liquid carrying ablattive material bodies and forming self-replacing ablative surface
[NASA-CASE-LEW-10359] c33 N72-25911
Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c35 N74-15126
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c35 N78-19466
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
LITHIUM COMPOUNDS
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
LOAD DISTRIBUTION (FORCES)
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
Device for use in loading tension members --- characterized by elongated elastic body
[NASA-CASE-MFS-21488-1] c14 N75-24794
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
LOAD TESTING MACHINES
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
Development of device for transferring load from load cell to bypass mechanism
[NASA-CASE-XMS-06329-1] c15 N71-20441
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537
LOAD TESTS
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
LOADING OPERATIONS
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XMF-01887] c15 N71-10617
LOADS (FORCES)
Device for handling heavy loads by distributing forces
[NASA-CASE-XNP-04969] c11 N69-27466
Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Development of device for transferring load from load cell to bypass mechanism
[NASA-CASE-XMS-06329-1] c15 N71-20441
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Force balanced throttle valve for fuel control in rocket engines
[NASA-CASE-NPO-10808] c15 N71-27432
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
Air bearing for use in exterior environment for moving heavy loads
[NASA-CASE-NLP-10002] c15 N72-17451

Measuring device for bearing preload using spring washers
[NASA-CASE-MFS-20434] c11 N72-25288
Variable direction force coupler for transmitting force along selectable curve path
[NASA-CASE-MFS-20317] c15 N73-13463
Versatile ergometer with work load control
[NASA-CASE-MFS-21109-1] c05 N73-27941
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
G-load measuring and indicator apparatus --- for aircraft
[NASA-CASE-ARC-10806] c06 N74-27872
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499

LOCATES SYSTEMS
System for locating lightning strokes by coordination of directional antenna signals
[NASA-CASE-KSC-10729-1] c09 N73-32110
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250

LOCKING
Releasable coupling device designed to receive and retain matching ends of electrical connectors
[NASA-CASE-XMS-07846-1] c09 N69-21927

LOCKS (FASTENERS)
Ball locking device which releases in response to small forces when subjected to high axial loads
[NASA-CASE-XMF-01371] c15 N70-41829
Low friction bearing and lock mechanism for two-axis gimbal carrying satellite payload
[NASA-CASE-GSC-10556-1] c31 N71-26537
Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-XNP-00816] c28 N71-28928
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c33 N79-13261
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c35 N80-19468

LOCOMOTION
Jet shoes for space locomotion
[NASA-CASE-XLA-08491] c05 N69-21380
Attitude control training device for astronauts permitting friction-free movement with five degrees of freedom
[NASA-CASE-XMS-02977] c11 N71-10746
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699

LOGARITHMIC RECEIVERS
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339

LOGARITHMS
Technique for deriving logarithm of input signal using exponentially varying electric signal inversely
[NASA-CASE-ERC-10267] c09 N72-23173

LOGIC CIRCUITS
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
Counter-divider circuit for accuracy and reliability in binary circuits
[NASA-CASE-XNP-00421] c09 N70-34502
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Bistable multivibrator circuits operating at high speed and low power dissipation
[NASA-CASE-XGS-00823] c10 N71-15910
Logic AND gate for fluid circuits
[NASA-CASE-XLA-07391] c12 N71-17579
Logic circuit to ripple add and subtract binary counters for spaceborne computers
[NASA-CASE-XGS-04766] c08 N71-18602
Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
Stepping motor control apparatus exciting windings in proper time sequence to cause motor to rotate in either direction
[NASA-CASE-GSC-10366-1] c10 N71-18772
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10150] c08 N71-24650
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XMS-06167] c08 N71-24890
Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
Adaptive signal generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Logical function and circuit generator
[NASA-CASE-XLA-05099] c09 N73-13209
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c33 N75-14957
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800
A general logic structure for custom LSI circuits
[NASA-CASE-NPO-14410-1] c33 N79-25314

LOGICAL ELEMENTS
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800

LONGITUDINAL CONTROL
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581

LONGITUDINAL STABILITY
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959

LOOP ANTENNAS
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113

LOOPS
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-XGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Filter for third order phase locked loops in signal receivers

[NASA-CASE-NPO-11941-1] c10 N73-27171
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c70 N74-21300
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c33 N74-22865
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N79-20336
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195

LOW ASPECT RATIO
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Aerodynamic configuration for aircraft capable of high speed flight and low drag for low speed takeoff or landing upon presently existing airfields
[NASA-CASE-XLA-00806] c02 N70-34858

LOW COST
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N78-24609

LOW CURRENTS
Low current linearization of magnetic amplifier for dc transformer
[NASA-CASE-NPO-14617-1] c33 N79-26311

LOW DENSITY MATERIALS
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c37 N76-19436
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c24 N78-27184
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c25 N80-16116

LOW FREQUENCIES
Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XMF-00479] c14 N70-34794

LOW GRAVITY MANUFACTURING
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189

LOW MOLECULAR WEIGHTS
Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-XMF-08674] c06 N71-28807

LOW NOISE
Low phase noise frequency divider for use with deep space network communication system
[NASA-CASE-NPO-11569] c10 N73-26229
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512

LOW PASS FILTERS
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c08 N79-23097

LOW PRESSURE
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-PRC-10022] c12 N71-26546
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450

LOW SPEED
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XMF-02966] c10 N71-24863

LOW TEMPERATURE
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103

LOW TEMPERATURE ENVIRONMENTS
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
Low thrust monopropellant engine --- low temperature environments
[NASA-CASE-GSC-12194-2] c20 N79-15151
Low temperature latching solenoid --- cryogenic fluid storage and flow control
[NASA-CASE-MSC-18106-1] c33 N80-14338
Optical crystal temperature gauge with fiber optic connections --- cryogenic systems
[NASA-CASE-MSC-18627-1] c74 N81-15818

LOW TEMPERATURE TESTS
Cryostat for flexure fatigue testing of composite materials
[NASA-CASE-XMF-02964] c14 N71-17659
Cryostat for use with horizontal fatigue testing machines at low temperatures
[NASA-CASE-XMF-10968] c14 N71-24234
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c39 N80-25693

LOW THRUST PROPULSION
Low thrust monopropellant engine --- low temperature environments
[NASA-CASE-GSC-12194-2] c20 N79-15151

LOW VACUUM
Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673

LOW VOLTAGE
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720
Circuit design for failure sensing and protecting low voltage electric generator and power transmission networks
[NASA-CASE-GSC-10114-1] c10 N71-27366

LUBRICANTS
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c37 N74-21061
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c37 N80-29705

LUBRICATING OILS
Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570

LUBRICATION
Hollow high strength rolling elements for antifriction bearings fabricated from preformed components
[NASA-CASE-LEW-11026-1] c15 N73-33383
Variable resistance constant tension and lubrication device --- using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c37 N75-13265
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461

LUBRICATION SYSTEMS
Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997

Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467

LUMINAIRES
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
Lamp modulator for generating visual indication of presence and magnitude of signal
[NASA-CASE-KSC-10565] c09 N72-25250
Electrodeless lamp circuit driven by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941

LUMINOSITY
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976

LUMINOUS INTENSITY
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c44 N77-19571
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c74 N79-11865

LUNAR BASES
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046

LUNAR COMMUNICATION
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171

LUNAR COMPOSITION
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765

LUNAR EXPLORATION
Backpack carrier with retractable legs suitable for lunar exploration and convertible to rescue vehicle
[NASA-CASE-LAR-10056] c05 N71-12351
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
Three transceiver lunar emergency system to relay voice communication of astronaut
[NASA-CASE-MFS-21042] c07 N72-25171

LUNAR GRAVITATION
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474

LUNAR GRAVITY SIMULATOR
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786

LUNAR LANDING
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966

LUNAR LOGISTICS
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585

LUNAR ROCKS
Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034

LUNAR SOIL
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011

LUNAR SURFACE VEHICLES
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MFS-13929] c15 N71-27091

LUNGS
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329

M

MACH NUMBER
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c09 N80-22369

MACHINE TOOLS
Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797
Description of device for aligning stacked sheets of paper for repetitive cutting
[NASA-CASE-XMS-04178] c15 N71-22798
Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817
Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Caterpillar micropositioner for positioning machine tools adjacent to workpiece
[NASA-CASE-GSC-10780-1] c14 N72-16283
Geneva mechanism --- including star wheel and driver
[NASA-CASE-NPO-13281-1] c37 N75-13266
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c37 N79-28550
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c76 N80-32246
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c37 N81-14319
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c37 N81-16470

MACHINERY
Design of mechanical device for stirring several test tubes simultaneously

[NASA-CASE-XAC-06956] c15 N71-21177
Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
MACHINING
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Lathe tool and holder combination for machining resin impregnated fiberglass cloth laminates
[NASA-CASE-XLA-10470] c15 N72-21489
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
MAGNESIUM
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
MAGNESIUM ALLOYS
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
MAGNESIUM OXIDES
Method for determining presence and type of OH in MgO
[NASA-CASE-NPO-10774] c06 N72-17095
MAGNET COILS
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
Relay circuit breaker with magnetic latching to provide conductive and nonconductive paths for current devices
[NASA-CASE-MSC-11277] c09 N71-29008
Low temperature latching solenoid --- cryogenic fluid storage and flow control
[NASA-CASE-MSC-18106-1] c33 N80-14338
MAGNETIC AMPLIFIERS
Low current linearization of magnetic amplifier for dc transformer
[NASA-CASE-NPO-14617-1] c33 N79-26311
MAGNETIC CHARGE DENSITY
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
MAGNETIC CIRCUITS
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
MAGNETIC COILS
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Linear magnetic braking system with nonuniformly wrapped primary coil producing constant braking force on secondary coil
[NASA-CASE-XLE-05079] c15 N71-17652
Electroexplosive safe-arm initiator using electric driven electromagnetic coils and magnets to align charge
[NASA-CASE-LAR-10372] c09 N71-18599
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c74 N78-18905
MAGNETIC CONTROL
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
MAGNETIC CORES
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Electronic counter circuit utilizing magnetic core and low power consumption
[NASA-CASE-XNP-08836] c09 N71-12515
Pulsed magnetic core memory element with blocking oscillator feedback for interrogation without loss of digital information
[NASA-CASE-XGS-03303] c08 N71-18595
Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24803
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
Saturable magnetic core and signal detection for indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928
MAGNETIC DIPOLES
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
MAGNETIC DISKS
Device for removing plastic dust cover from digital computer disk packs for inspection and cleaning
[NASA-CASE-LAR-10590-1] c15 N70-26819
MAGNETIC FIELD CONFIGURATIONS
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c74 N78-18905
Linear magnetic bearings --- active magnetic suspension of armatures
[NASA-CASE-GSC-12582-1] c37 N81-16469
MAGNETIC FIELDS
Magnetically diffused radial electric arc heater
[NASA-CASE-XLA-00330] c33 N70-34540
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Ion engine with magnetic circuit for optimal discharge
[NASA-CASE-XLE-01124] c28 N71-14043
Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529

Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-XGS-03390] c03 N71-23187
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619
Radial magnetic field for ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
Automatic shunting of ion thrustor magnetic field when thrustor is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Apparatus for determining distance to lighting strokes from single station by magnetic and electric field sensing antennas
[NASA-CASE-KSC-10698] c07 N73-20175
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c33 N74-10195
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N78-17335
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c28 N80-20402
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103

MAGNETIC FILMS

Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678

MAGNETIC FLUX

Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Development of hybrid bearing lubrication system with combination of standard type lubrication and magnetic flux field for earth atmosphere and space environment operation
[NASA-CASE-XNP-01641] c15 N71-22997
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24800
Magnetic flux pump for changing intensity of magnetic fields
[NASA-CASE-XNP-01187] c15 N73-28516
Method for increasing intensity of magnetic field by transferring flux
[NASA-CASE-XNP-01188] c15 N73-32361
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c37 N75-18574
A linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft's power supply
[NASA-CASE-GSC-12518-1] c33 N80-19424

MAGNETIC FORMING

Portable magnetomotive hammer for metal working
[NASA-CASE-XNP-03793] c15 N71-24833
Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XNP-05114-3] c15 N71-24865

MAGNETIC INDUCTION

Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c70 N74-21300

MAGNETIC LENSES

Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32325

MAGNETIC MATERIALS

Low density and low viscosity magnetic propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124

MAGNETIC MEASUREMENT

Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390

MAGNETIC POLES

Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406

MAGNETIC PUMPING

Magnetic flux pump for changing intensity of magnetic fields
[NASA-CASE-XNP-01187] c15 N73-28516
Method for increasing intensity of magnetic field by transferring flux
[NASA-CASE-XNP-01188] c15 N73-32361
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c37 N74-27904

MAGNETIC RECORDING

Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678

MAGNETIC SIGNALS

Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467

MAGNETIC STORAGE

Nondestructive interrogating and state changing circuit for binary magnetic storage elements
[NASA-CASE-XGS-00174] c08 N70-34743
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XMF-05835] c08 N71-12504
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135

Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N78-24365

MAGNETIC SUSPENSION
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c37 N78-27424
Magnetic suspension and pointing system --- on a carrier vehicle
[NASA-CASE-LAR-11889-1] c35 N79-26372
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427
Linear magnetic bearings --- active magnetic suspension of armatures
[NASA-CASE-GSC-12582-1] c37 N81-16469

MAGNETIC SWITCHING
Power switch with transfluxor type magnetic core
[NASA-CASE-NPO-10242] c09 N71-24603
Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000

MAGNETIC TAPE TRANSPORTS
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479

MAGNETIC TAPES
Tape cartridge with high capacity storage of endless-loop magnetic tape
[NASA-CASE-IGS-00769] c14 N70-41647
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-IGS-01223] c07 N71-10609
Development of low friction magnetic recording tape
[NASA-CASE-IGS-00373] c23 N71-15978
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-IGS-01021] c08 N71-21042
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353

MAGNETIC TRANSDUCERS
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397

MAGNETIZATION
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293

MAGNETO-OPTICS
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205

MAGNETOHYDRODYNAMIC FLOW
Improving preformance of magnetoplasmadynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760

MAGNETOHYDRODYNAMIC GENERATORS
Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562

MAGNETOMETERS
Nonmagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Development of wide range linear fluxgate magnetometer
[NASA-CASE-XGS-01587] c14 N71-15962
Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Fluxgate magnetometer for measuring magnetic field along two axes using one sensor
[NASA-CASE-GSC-10441-1] c14 N71-27325
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428

MAGNETRONS
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841

MAGNETS
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163

MAGNIFICATION
Camera adapter design for image magnification including lens and illuminator
[NASA-CASE-XMF-03844-1] c14 N71-26474
Passive type, magnifying scratch gage, force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c74 N78-18905

MAGNITUDE
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725

MAINTENANCE
Self testing and repairing computer comprising control and diagnostic unit and rollback points for error correction
[NASA-CASE-NPO-10567] c08 N71-24633
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c37 N80-20589
System for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c02 N81-14967

MALFUNCTIONS
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807

MANDRELS
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Rotating, multisided mandrel for fabricating gored inflatable spacecraft
[NASA-CASE-XLA-04143] c15 N71-17687
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779

MANGANESE
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678
MANIFOLDS
Injector manifold assembly for bipropellant rocket engines providing for fuel propellant to serve as coolant
[NASA-CASE-XMF-00148] c28 N70-38710
Collimated beam manifold and method for using the same --- laser beams
[NASA-CASE-MFS-25312-1] c74 N80-34251
MANIPULATORS
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c54 N78-17676
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c54 N78-32724
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c54 N79-20746
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N79-24652
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c37 N79-28551
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846] c37 N80-29704
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c37 N81-14320
Tactile sensing system --- manipulator controllers
[NASA-CASE-NPO-15094-1] c33 N81-16386
MANNED ORBITAL LABORATORIES
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776
MANNED ORBITAL RESEARCH LABORATORIES
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
MANNED SPACE FLIGHT
Three-port transfer valve with one port open continuously suitable for manned space flight
[NASA-CASE-XAC-01158] c15 N71-23051
Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492
MANNED SPACECRAFT
Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-XLA-00149] c31 N70-37938
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
Development of method for producing artificial gravity in manned spacecraft
[NASA-CASE-XNP-02595] c31 N71-21881
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Collapsible couch system for manned space vehicles
[NASA-CASE-MSC-13140] c05 N72-11085
Spacecraft with artificial gravity and earthlike atmosphere
[NASA-CASE-LEW-11101-1] c31 N73-32750
MANOMETERS
Magnetically centered liquid column float
[NASA-CASE-XAC-00030] c14 N70-34820
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
MANUAL CONTROL
Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
Manually activated heat pump for mechanically converting human operator output into heat energy
[NASA-CASE-NPO-10677] c05 N72-11084
Development of flight simulator system to show position of joystick displacement
[NASA-CASE-NPO-11497] c08 N73-25206
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
A velocity vector control system augmented with direct lift control --- stability augmentation using manual control
[NASA-CASE-LAR-12268-1] c08 N79-20136
MANUFACTURING
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
Shielded flat conductor cable fabricated by electroless and electrolytic plating
[NASA-CASE-MFS-13687] c09 N71-28691
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c24 N78-27182
A heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c34 N79-23383
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c35 N80-20565
MAPPING
Design and development of random function tracer

for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679

MAPS
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584

MASERS
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Traveling wave maser for operation in 7 to 20 GHz frequency range
[NASA-CASE-NPO-11437] c16 N72-28521
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N78-25256
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c36 N79-14362
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c32 N81-14186

MASKING
Reusable masking boot for chemical machining operations
[NASA-CASE-XNP-02092] c15 N70-42033
Composition and process for improving definition of resin masks used in chemical etching
[NASA-CASE-XGS-04993] c14 N71-17574

MASS
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385

MASS BALANCE
Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XNP-04134] c14 N71-23755

MASS DISTRIBUTION
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339

MASS FLOW
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Mass flow meter containing beta source for measuring nonpolar liquid flow
[NASA-CASE-MFS-20485] c14 N72-11365
Generation of high temperature, high mass flow, and high Reynolds number air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262

MASS SPECTROMETERS
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461
Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Quadrupole mass spectrometer using noise spectrum for ion separation and identification
[NASA-CASE-XNP-04231] c14 N73-32325
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c35 N80-28686

MASS SPECTROSCOPY
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456

MATERIAL ABSORPTION
Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483

MATERIALS HANDLING
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Catalyst bed element removing tool
[NASA-CASE-XPR-00811] c15 N70-36901
Air bearings for near frictionless transfer of loads from one body to another
[NASA-CASE-XNP-01887] c15 N71-10617
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
Method and apparatus for removing plastic insulation from wire using cryogenic equipment
[NASA-CASE-MFS-10340] c15 N71-17628
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XNP-09902] c15 N72-11387
Design and characteristics of mechanically extended and telescoping boom on crane assembly
[NASA-CASE-NPO-11118] c03 N72-25021
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585

MATERIALS RECOVERY
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471

Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
MATERIALS SCIENCE
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
MATERIALS TESTS
Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22564
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
MATHEMATICAL LOGIC
Logical function and circuit generator
[NASA-CASE-XLA-05099] c09 N73-13209
MATRICES (CIRCUITS)
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Magnetic matrix memory system for nondestructive reading of information contained in matrix
[NASA-CASE-XNP-05835] c08 N71-12504
Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Serial digital decoder design with square circuit matrix and serial memory storage units
[NASA-CASE-NPO-10450] c08 N71-24650
Electrically connected matrix of discrete solar cell blanks
[NASA-CASE-NPO-10591] c03 N72-22041
MCLEOD GAGES
Automatic recording McLeod gage with three electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450
MEASURING INSTRUMENTS
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XNP-00447] c14 N70-33179
Two plane balance for simultaneous measurements of multiple forces
[NASA-CASE-XAC-00073] c14 N70-34813
Parallel motion suspension device for measuring instruments
[NASA-CASE-XNP-01567] c15 N70-41310
Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XNP-04966] c14 N71-17658
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007

Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XNP-10040] c15 N71-22877
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
Electron beam deflection devices for measuring electric fields
[NASA-CASE-XNP-10289] c14 N71-23699
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XNP-04415] c14 N71-24693
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XNP-02966] c10 N71-24863
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005
Resonant infrasonic gauging device for measuring liquid quantity in closed bladderless reservoir
[NASA-CASE-MSC-11847-1] c14 N72-11363
Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379
Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Capacitive tank gaging device for monitoring one constituent of two phase fluid by sensing dielectric constant
[NASA-CASE-MFS-21629] c14 N72-22442
Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436
Surface based altitude measuring system for accurately measuring altitude of airborne vehicle
[NASA-CASE-ERC-10412-1] c09 N73-12211
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421
Material testing system with load sensor for applying and measuring cyclic tensile and compressive loads to test specimens
[NASA-CASE-MFS-20673] c14 N73-20476
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
Absolute pressure measuring device for measuring gas density level in high vacuum range

[NASA-CASE-LAR-10000] c14 N73-30394
Thin film analyzer utilizing holographic techniques
[NASA-CASE-MFS-20823-1] c16 N73-30476
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c52 N74-26626
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c33 N74-27862
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c04 N78-17031
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c35 N78-19465
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c54 N78-32720
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c33 N79-10338
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c44 N79-12541
Lightning current detector
[NASA-CASE-KSC-11057-1] c33 N79-14305
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c33 N79-25313
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c46 N80-10709
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c35 N80-14371
Faraday rotation measurement method and apparatus --- to receive RF signals from spacecraft which exhibits polarization characteristics due to spin stabilization
[NASA-CASE-NPO-14839-1] c35 N80-16313
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c35 N80-18357
Method and device for destructive detection of a substance --- useful in determining the concentration of carbon fibers or pollutant particles
[NASA-CASE-NPO-14940-1] c35 N80-21723
Geological assessment probe
[NASA-CASE-NPO-14558-1] c46 N80-24906
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c06 N81-17057

MECHANICAL DEVICES
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
Design and development of satellite despin device
[NASA-CASE-XNP-08523] c31 N71-20396
Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439
Design, development, and characteristics of latching mechanism for operation in limited access areas
[NASA-CASE-XMS-03745] c15 N71-21076
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
Design and development of random function tracer for obtaining coordinates of points on contour maps
[NASA-CASE-XLA-01401] c15 N71-21179
Design and characteristics of device for closing canisters under high vacuum conditions
[NASA-CASE-XLA-01446] c15 N71-21528
Development of non-magnetic indexing device for orienting magnetic flux sensing instrument in magnetic field without generation of detrimental magnetic fields
[NASA-CASE-XGS-02422] c15 N71-21529
Design and development of module joint clamping device for application to solar array construction
[NASA-CASE-XNP-02341] c15 N71-21531
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Metal alloy bearing materials for space applications
[NASA-CASE-XLE-05033] c15 N71-23810
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599
Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Design and development of layout tool for machine shop use to locate point in precise reference to straight or bowed reference edge
[NASA-CASE-FRC-10005] c15 N71-26145
Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Development of mating flat surfaces to inhibit leakage of fluid around shafts
[NASA-CASE-XLE-10326-2] c15 N72-29488
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
Design and construction of mechanical probe for determining if object is properly secured
[NASA-CASE-MFS-20760] c14 N72-33377
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855

Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c54 N78-17676
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N78-31426
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c37 N80-22704
Quartz ball value
[NASA-CASE-NPO-14473-1] c37 N80-23654
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c37 N80-23655
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c31 N81-14137
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c37 N81-14320

MECHANICAL DRIVES

Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
Precision stepping drive device using cam disk
[NASA-CASE-MFS-14772] c15 N71-17692
Incremental motion drive system applied to interferometer components
[NASA-CASE-XNP-08897] c15 N71-17694
Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-MFS-12805] c15 N71-17805
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XMF-07069] c15 N71-23815
Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Energy absorption device in high precision gear train for protection against damage to components caused by stop loads
[NASA-CASE-XNP-01848] c15 N71-28959
Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
Rotary actuator for use in environments with no rolling and sliding friction
[NASA-CASE-NPO-10244] c15 N72-26371
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c37 N74-23070
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
Geneva mechanism --- including star wheel and driver
[NASA-CASE-NPO-13281-1] c37 N75-13266
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c07 N78-17056
Wabble gear drive mechanism --- for aerospace environments
[NASA-CASE-HOO-00625] c37 N78-17385
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c37 N79-28550
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c18 N80-14183
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c37 N80-32716
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c37 N80-32717
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c37 N81-15364

MECHANICAL ENGINEERING

Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
A heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c34 N79-23383

MECHANICAL MEASUREMENT

Strain gage for detecting and measuring mechanical strain in thermally strained specimens
[NASA-CASE-FEC-10053] c14 N70-35587
Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMF-04680] c15 N71-19489
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195

MECHANICAL PROPERTIES

Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429

MECHANICS (PHYSICS)
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
MECHANIZATION
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N78-10493
MEDICAL ELECTRONICS
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c52 N81-14612
MEDICAL EQUIPMENT
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202
Laser machining device with dielectric functioning as beam waveguide for mechanical and medical applications
[NASA-CASE-HQN-10541-2] c15 N71-27135
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Automatic device for assaying urine on bacterial adenosine triphosphate content
[NASA-CASE-GSC-11169-2] c05 N73-32011
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N78-14773
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c34 N78-25351
Spine immobilization method and apparatus --- rigid bladder
[NASA-CASE-ARC-11167-1] c52 N79-30921
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N80-18690
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c52 N81-12724
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605
MELTING POINTS
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c27 N79-33316
MELTS (CRYSTAL GROWTH)
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944
MEMBRANE STRUCTURES
Liquid junction for glass electrode or pH meters
[NASA-CASE-NPO-10682] c15 N70-34699
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Flexible composite membrane structure impervious to extremely reactive chemicals in rocket propellants
[NASA-CASE-XNP-08837] c18 N71-16210
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c27 N80-16163
MEMBRANES
Apparatus for measuring polymer membrane expansion in electrochemical cells
[NASA-CASE-XGS-03865] c14 N69-21363
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c25 N79-14169
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c52 N80-14687
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c27 N80-23452
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
MEMORY
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c24 N75-13032
MERCURY (METAL)
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Development of system for delivering vaporized mercury to electron bombardment ion engine
[NASA-CASE-NPO-10737] c28 N72-11709
MERCURY VAPOR
Interrupter switching device utilizing electrodes and mercury filled capillary tubes in which current flow vaporizes mercury as circuit breaker
[NASA-CASE-XNP-02251] c12 N71-20896
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
METABOLIC WASTES
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721

Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067

METABOLISM
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c52 N79-21750

METAL BONDING
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
Apparatus for determining quality of bond between high density material and low density material
[NASA-CASE-MFS-13686] c15 N71-18132
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c34 N79-13289
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c37 N79-13364
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c37 N80-23655
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c34 N80-24573
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238

METAL COATINGS
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Selective nickel deposition on irradiation sensitive compounds
[NASA-CASE-LEW-10965-1] c15 N72-25452
Silicon carbide backward diode with coated lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
Solar cell collector
[NASA-CASE-LEW-12552-1] c44 N78-25527
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-NOO-00428-1] c32 N79-19186

METAL CUTTING
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c39 N74-13131
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c37 N75-25186
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c37 N81-14319

METAL FIBERS
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c33 N79-12331
A method and technique for installing light-weight fragile, high-temperature fiber insulation --- spacecraft heat sealing
[NASA-CASE-MSC-16934-2] c37 N81-16468

METAL FILMS
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Metallic film diffusion for boundary lubrication in aerospace engineering
[NASA-CASE-XLE-10337] c15 N71-24046
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Thin absorbing metallic film for increased visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
Photomechanical transducer --- using thin strips of photoabsorptive metal or polymeric film with strain gages
[NASA-CASE-NPO-14363-1] c76 N79-14908

METAL FINISHING
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c24 N77-28225

METAL FOILS
Characteristics of device for folding thin flexible sheets into compact configuration
[NASA-CASE-XLA-00137] c15 N70-33180
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Method and apparatus for tensile testing of metal foil

[NASA-CASE-LAR-10208-1] c35 N76-18400
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390
METAL FUELS
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
METAL HALIDES
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c36 N80-18381
METAL HYDRIDES
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
METAL IONS
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Aluminum ion-containing polyimide adhesives --- bonding temperature resistant materials
[NASA-CASE-LAR-12640-1] c27 N80-16164
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
METAL JOINTS
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
METAL MATRIX COMPOSITES
High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c34 N79-13289
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c34 N80-24573
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c24 N81-17170
METAL OXIDE SEMICONDUCTORS
Gyrator circuit using MOS field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730
Solar cell collector
[NASA-CASE-LEW-12552-1] c44 N78-25527
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906
Method of making V-MOS field effect transistors
[NASA-CASE-GSC-12515-1] c33 N80-12281
METAL OXIDES
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Photofabrication techniques for selective removal of conductive metals oxide coatings from nonconductive substrates
[NASA-CASE-EEC-10108] c06 N72-21094
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237
METAL PARTICLES
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
METAL PLATES
Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
Tungsten-coated tungsten-uranium dioxide nuclear fuel plates
[NASA-CASE-XLE-00209] c22 N73-32528
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
METAL POWDER
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Method to produce high purity copper fluoride by heating copper hydroxyfluoride powder and subjecting to flowing fluorine gas
[NASA-CASE-LEW-10794-1] c06 N72-17093
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
METAL SHEETS
Fatigue testing apparatus with light shield and infrared reflector for high temperature evaluation of loaded sheet samples
[NASA-CASE-XLA-01782] c14 N71-26136
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371

Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c37 N75-27376

METAL SPINNING
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMF-01083] c15 N71-22723

METAL STRIPS
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c70 N74-21300

METAL SURFACES
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24830
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555
Method of forming ceramic to metal seals impervious to gaseous and liquid mercury at high temperature
[NASA-CASE-XNP-01263-2] c15 N71-26312
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095
Corrosion resistant thermal barrier coating --- protecting gas turbines and other heat engine parts
[NASA-CASE-LEW-13088-1] c24 N80-11142
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c26 N81-16209
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455

METAL VAPOR LASERS
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c36 N80-20574

METAL VAPORS
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c36 N80-20574

METAL WORKING
Controlled arc spot welding method
[NASA-CASE-XMF-00392] c15 N70-34814
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650
Description of protective device for providing safe operating conditions around work piece in machine or metal working tool
[NASA-CASE-XLE-01092] c15 N71-22797
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMF-03511] c15 N71-22799
Development and characteristics of frusto-conical die nib for extrusion of refractory metals
[NASA-CASE-XLE-06773] c15 N71-23817
Portable magnetomotive hammer for metal working
[NASA-CASE-XMF-03793] c15 N71-24833
Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XMF-05114-3] c15 N71-24865
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c37 N81-16470

METAL-METAL BONDING
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XMF-01402] c18 N71-21651
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
Mechanical bonding of metal
[NASA-CASE-LEW-12941-1] c31 N81-16329
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455

METALLIZING
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906

METALLOGRAPHY
Development of method for etching copper
[NASA-CASE-XGS-06306] c17 N71-16044

METALLOSILOXANE POLYMER
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058

METALLURGY
Induction heating of metallurgical specimens to high temperatures in coil furnace
[NASA-CASE-XLE-04026] c14 N71-23267
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229

METALS
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N79-11467

METASTABLE STATE
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV

laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826

METEORITE COLLISIONS
Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130

METEORITES
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018

METEORITIC DAMAGE
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797

METEOROID HAZARDS
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367

METEOROID PROTECTION
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679

METEOROIDS
Cameras for photographing meteors in selected sky area
[NASA-CASE-LAR-10226-1] c14 N73-19419
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131

METEOROLOGICAL BALLOONS
Aerodynamically stable meteorological balloon using surface roughness effect
[NASA-CASE-XMF-04163] c02 N71-23007

METHANE
High temperature gas lubricant consisting of two fluoro-bromo-methanes
[NASA-CASE-XLE-00353] c18 N70-39897

MICHELSON INTERFEROMETERS
Michelson interferometer with photodetector for optical direction sensing
[NASA-CASE-NPO-10320] c14 N71-17655
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N78-18391

MICROANALYSIS
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913

MICROBALANCES
Null-type vacuum microbalance for measuring minute mechanical displacements
[NASA-CASE-XAC-00472] c15 N70-40180
Microbalance --- for measuring particle mass
[NASA-CASE-MSC-11242] c35 N78-17358

MICROBALLOONS
Method of forming frozen spheres in a force-free drop tower --- microballoons for inertial confinement fusion
[NASA-CASE-NPO-14845-1] c31 N81-16328

MICROBIOLOGY
Development of variable angle device for positioning test tubes to permit optimum drying of culture medium
[NASA-CASE-LAR-10507-1] c11 N72-25284
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c25 N79-24073
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c51 N80-11756

MICROCHANNELS
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635

MICROCRACKS
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c39 N80-10507

MICROELECTRONICS
Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-ERC-10138] c26 N71-14354
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high imput impedance for high sensitivity and low frequency response
[NASA-CASE-XPR-07172] c05 N71-27234
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XMF-05999] c15 N71-29032
Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
Active tuned circuits for microelectronic construction
[NASA-CASE-GSC-11340-1] c10 N72-33230
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c38 N78-17396
Inductorless narrow-band filter/amplifier
[NASA-CASE-GSC-12410-1] c33 N79-24260
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529

MICROFIBERS
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c35 N80-11400

MICROFILMS
Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788

MICROINSTRUMENTATION
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386

MICROMETEORITES
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433

MICROMETEOROIDS
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
Piezoelectric transducer for detecting and measuring micrometeoroids
[NASA-CASE-XAC-01101] c14 N70-41957
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
Development of large area micrometeoroid impact detector panels
[NASA-CASE-XLA-05906] c31 N71-16221
Rotary bead dropper and selector for testing micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988
Measuring micrometeroid depth of penetration into various materials
[NASA-CASE-XLA-00941] c14 N71-23240
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285

Micrometeoroid analyzer using arrays of interconnected capacitors and ion detector
[NASA-CASE-ARC-10443-1] c14 N73-20477
Cold cathode discharge tube with pressurized gas cell for meteoroid detection in space
[NASA-CASE-LAR-10483-1] c14 N73-32327
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N78-18390

MICROMETERS
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386

MICROMINIATURIZATION
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484

MICROORGANISMS
Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c35 N79-28527
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c51 N80-11756

MICROPARTICLES
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936

MICROPHONES
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
High-temperature microphone system --- for measuring pressure fluctuations in gases at high temperature
[NASA-CASE-LAR-12375-1] c32 N79-24203
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538

MICROPROCESSORS
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411

MICROSCOPES
Absolute focus locking device for microscopes to maintain set focus for extended time period
[NASA-CASE-LAR-10184] c14 N72-22445
Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361

MICROSTRIP TRANSMISSION LINES
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c32 N78-24391
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c32 N80-24511
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c32 N80-32604

MICROSTRUCTURE
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419

MICROTHRUST
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
Heated porous plug microthrustor for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766

MICROWAVE AMPLIFIERS
Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584

MICROWAVE ANTENNAS
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
Microwave ominidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292
Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c32 N78-24391
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c32 N80-24511

MICROWAVE CIRCUITS
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348

MICROWAVE COUPLING
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548

MICROWAVE EQUIPMENT
Apparatus for generating microwave signals at progressively related phase angles for driving antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
Dual frequency feed systems for Cassegrainian antennas
[NASA-CASE-NPO-13091-1] c09 N73-12214
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c33 N75-30430
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c33 N79-28416

MICROWAVE FILTERS
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195
MICROWAVE FREQUENCIES
Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721
Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
MICROWAVE OSCILLATORS
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c33 N74-10195
MICROWAVE RADIOMETERS
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
Microwave limb sounder --- to measure trace gases in the upper atmosphere
[NASA-CASE-NPO-14544-1] c74 N79-34014
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c32 N80-14281
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677
MICROWAVE REFLECTOMETERS
Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
MICROWAVE RESONANCE
Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
MICROWAVE SWITCHING
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
Microwave switching power divider --- for use in Earth orbiting satellites having spherical multi-element antenna arrays
[NASA-CASE-GSC-12420-1] c33 N80-21670
MICROWAVE TRANSMISSION
Microwave power converter
[NASA-CASE-NPO-14068-1] c44 N78-19609
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c32 N81-14185
Solar power satellite system
[NASA-CASE-HQN-10949-1] c44 N81-16530
MICROWAVE TUBES
Electrostatic charged particle collector containing stacked electrodes for microwave tube
[NASA-CASE-LEW-11192-1] c09 N73-13208
MICROWAVES
Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598
Method and apparatus for optically modulating light or microwave beam
[NASA-CASE-GSC-10216-1] c23 N71-26722
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N78-32340
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287
MIDAIR COLLISIONS
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
MILLIMETER WAVES
Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
MILLING (MACHINING)
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c37 N80-29705
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c37 N81-14319
MILLING MACHINES
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XMF-00908] c14 N70-40238
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMF-03511] c15 N71-22799
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
MINERAL DEPOSITS
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c31 N78-24387
MINERAL METABOLISM
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
MINIATURE ELECTRONIC EQUIPMENT
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Solid state television camera system consisting of monolithic semiconductor mosaic sensor and molecular digital readout systems
[NASA-CASE-XMF-06092] c07 N71-24612
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
MINIATURIZATION
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Fast response miniature carbon dioxide detector with no moving parts for measuring concentration in any atmosphere
[NASA-CASE-MSC-13332-1] c14 N72-21408
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163
MINING
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c31 N78-24387
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c43 N80-23711
MIRRORS
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321

Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Gas laser frequency stabilized by position of mirrors in resonant cavity
[NASA-CASE-XGS-03644] c16 N71-18614
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-MSC-12105-1] c14 N72-21409
Optical mirror support system
[NASA-CASE-XER-07896-2] c23 N72-22673
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c74 N78-15880
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N78-18391
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c89 N79-10969

MIS (SEMICONDUCTORS)
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c33 N80-28635

MISSILE CONTROL
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864

MISSILE LAUNCHERS
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XMF-03198] c30 N70-40353
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043

MISSILES
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c15 N79-26100

MITOSIS
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769

MIXERS
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067

MIXING CIRCUITS
Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141

MIXTURES
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390

MOBILITY
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251

MODE TRANSFORMERS
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N79-17133

MODEMS
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314

MODULATION
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930

MODULATORS
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Calibrator for measuring and modulating or demodulating laser outputs
[NASA-CASE-XLA-03410] c16 N71-25914
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FBC-10072-1] c33 N74-14939
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602

MODULES
Biorthogonal encoder with modular design
[NASA-CASE-NPO-10629] c08 N72-18184
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c44 N79-19447
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550

MODULUS OF ELASTICITY
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619

MOISTURE
Gas purged dry box glove reducing permeation of air or moisture into dry box or isolator by diffusion through glove
[NASA-CASE-XLE-02531] c05 N71-23080

MOISTURE METERS
Method of evaluating moisture barrier properties of materials used in electronics encapsulation
[NASA-CASE-NPO-10051] c18 N71-24934

MOLDING MATERIALS
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Method of making molded electric connector for use with flat conductor cables
[NASA-CASE-XMF-03498] c15 N71-15986
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
Cold metal hydroforming techniques using epoxy molds for counteracting creep or stretch
[NASA-CASE-XLE-05641-1] c15 N71-26346
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c20 N78-24275
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c20 N79-21123

MOLDS
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c31 N74-32920
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570

MOLECULAR BEAMS
Selector mechanism for mechanical separation and

discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
MOLECULAR CHAINS
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
MOLECULAR GASES
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
MOLECULAR PUMPS
Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
MOLECULAR RELAXATION
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887
MOLECULAR ROTATION
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426
MOLECULAR SPECTROSCOPY
Microwave double resonance spectroscopy absorption cell for gas analysis
[NASA-CASE-LAR-10305] c14 N71-26137
MOLECULES
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826
MOLTEN SALT ELECTROLYTES
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
MOLTEN SALTS
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c27 N81-17261
MOLYBDENUM
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c35 N79-14346
MOLYBDENUM CARBIDES
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
MOLYBDENUM DISULFIDES
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103
MOMENTS OF INERTIA
Test fixture for measuring moment of inertia of irregularly shaped body with multiple axes
[NASA-CASE-XGS-01023] c14 N71-22992
MOMENTUM
Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
MONATOMIC GASES
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c28 N80-20402
MONITORS
Fluid leakage detection system with automatic monitoring capability
[NASA-CASE-LAR-10323-1] c12 N71-17573
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
Monitoring and recording lightning strokes in predetermined area
[NASA-CASE-KSC-10728-1] c14 N73-32319
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193
Intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c35 N81-19430
MONOCHROMATIC RADIATION
Apparatus for producing monochromatic light from continuous plasma source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387
MONOCHROMATORS
Analytical photoionization mass spectrometer with argon gas filter between light source and monochrometer
[NASA-CASE-LAR-10180-1] c06 N71-13461
Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
MONOMERS
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c35 N78-17359
MONOPOLE ANTENNAS
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-36200
Flexible monopole antenna with broad bandwidth and low voltage standing wave ratio
[NASA-CASE-MSC-12101] c09 N71-18720
MONOPROPELLANTS
Ignition system for monopropellant combustion devices
[NASA-CASE-XNP-00249] c28 N70-38249
Catalyst bed ignition system for hydrazine propellants
[NASA-CASE-XNP-00876] c28 N70-41311
Low thrust monopropellant engine --- low temperature environments
[NASA-CASE-GSC-12194-2] c20 N79-15151
MONOPULSE ANTENNAS
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Development and characteristics of low-noise multimode monopulse antenna feed system for use with microwave communication equipment
[NASA-CASE-XNP-01735] c07 N71-22750
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
MONOPULSE RADAR
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Monopulse tracking system with antenna array of three radiators for deriving azimuth and

elevation indications
[NASA-CASE-XGS-01155] c10 N71-21483
MONOSTABLE MULTIVIBRATORS
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860
MOSSBAUER EFFECT
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
MOTION
Quick attach mechanism for moving or stationary wires, ropes, or cables
[NASA-CASE-XFR-05421] c15 N71-22994
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
MOTION PICTURES
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
MOTION SIMULATORS
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662
MOTION STABILITY
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
MOTORS
Nonmagnetic thermal motor for magnetometer movement
[NASA-CASE-XAR-03786] c09 N69-21313
System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XMF-06892] c09 N71-24805
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c37 N80-32716
MOUNTING
Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c35 N80-20560
MOVING TARGET INDICATORS
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Interferometric locating system
[NASA-CASE-NPO-14173-1] c04 N80-32359
MULTICHANNEL COMMUNICATION
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c74 N79-34011
MULTILAYER INSULATION
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c24 N80-12117
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
MULTIPACTOR DISCHARGES
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c33 N80-18285
MULTIPATH TRANSMISSION
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
Large volume multiple path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c36 N79-26385
MULTIPLE BEAM INTERVAL SCANNERS
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295
MULTIPLE DOCKING ADAPTERS
Probe and drogue assembly for mechanical linking of two space vehicles
[NASA-CASE-XMS-03613] c31 N71-16346
MULTIPLE OUTPUT PROGRAMS
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
MULTIPLEXING
Doppler frequency shift correction device for multiplex communication with Applications Technology Satellites
[NASA-CASE-XGS-02749] c07 N69-39978
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Development and characteristics of data multiplexer circuit using field effect transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Television multiplexing system, using single crystal controlled clock for signal synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N78-14889
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c60 N79-14797
Multi-channel temperature measurement amplification system

[NASA-CASE-MFS-23775-1] c35 N80-17421
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c33 N81-14221
MULTIPLIERS
Pulse duration modulation multiplier system
[NASA-CASE-XER-09213] c07 N71-12390
Design and development of variable pulse width multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c33 N78-32341
MULTISPECTRAL BAND SCANNERS
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c32 N79-20297
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210
MULTISPECTRAL PHOTOGRAPHY
Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-15691-1] c43 N79-17288
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c32 N79-20297
MULTISTAGE ROCKET VEHICLES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
Multi-mission space vehicle module stage design
[NASA-CASE-XMF-01543] c31 N71-17730
Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22674
Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008
Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488
MULTIVIBRATORS
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Improved semiconductor multivibrator circuit which approaches 100 percent efficiency
[NASA-CASE-XAC-00942] c10 N71-16042
Transistorized dc-coupled multivibrator with noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468
MUSCLES
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703
MUSCULAR FUNCTION
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
MUSCULOSKELETAL SYSTEM
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
MYOCARDIUM
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29695
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072

N

N-TYPE SEMICONDUCTORS
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N79-12321
NACELLES
Deflector for preventing objects from entering nacelle inlets of jet aircraft
[NASA-CASE-XLE-00388] c28 N70-34788
Afterburner-equipped jet engine nacelle with slotted configuration afterbody
[NASA-CASE-XLA-10450] c28 N71-21493
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
NASA PROGRAMS
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c37 N79-22474
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c52 N79-23657
NAVIGATION
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988
NAVIGATION AIDS
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c04 N78-17031
NAVIGATION INSTRUMENTS
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
NAVIGATION SATELLITES
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-EEC-10090] c21 N71-24948
NEAR INFRARED RADIATION
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
NEGATIVE FEEDBACK
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
NEODYMIUM LASERS
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
NETWORK SYNTHESIS
Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596
NEUROGLIA
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
NEUROLOGY
An implantable electrical device

[NASA-CASE-GSC-12560-1] c52 N80-27073
NEUTRALIZERS
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429
NEUTRON EMISSION
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c72 N76-15860
NICKEL
Process for producing dispersion strengthened nickel with aluminum comprising metallic matrices embedded with oxides or other hyperfine compounds
[NASA-CASE-XLE-06969] c17 N71-24142
Selective nickel deposition on irradiation sensitive compounds
[NASA-CASE-LEW-10965-1] c15 N72-25452
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c26 N78-18183
NICKEL ALLOYS
Preparation of nickel alloys for jet turbine blades operating at high temperatures
[NASA-CASE-XLE-00151] c17 N70-33283
Nickel alloy series for aerospace structures subjected to high temperatures
[NASA-CASE-XLE-00283] c17 N70-36616
Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
[NASA-CASE-XLE-02082] c17 N71-16026
High strength nickel based alloys
[NASA-CASE-LEW-10874-1] c17 N72-22535
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211
NICKEL CADMIUM BATTERIES
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c34 N74-27859
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N78-25531
NICKEL COATINGS
Intermetallic chromium containing nickel aluminide for high temperature corrosion protection of stainless steels
[NASA-CASE-LEW-11267-1] c17 N73-32414
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c44 N78-19599
NICKEL COMPOUNDS
Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
NICKEL PLATE
Nickel plating onto etched aluminum castings
[NASA-CASE-XNP-04148] c17 N71-24630
NIOBIUM
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
NITRAMINE PROPELLANTS
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c28 N78-31255
NITRATES
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237
NITRIC OXIDE
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c07 N80-26298
NITRILES
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c27 N78-15276
Preparation of perfluorinated imidoylamidoximes --- for eventual preparation of heat and chemical resistant polymers
[NASA-CASE-ARC-11267-1] c23 N80-26386
NITRO COMPOUNDS
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N78-14096
NITROANILINES
Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
NITROGEN
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
NITROGEN COMPOUNDS
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c27 N81-14078
NITROGEN OXIDES
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497
Combuster --- low nitrogen oxide formation
[NASA-CASE-NPO-13958-1] c25 N79-11151
NITROGEN TETROXIDE
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
NITROGUANIDINE
Solid propellant stabilizer containing nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
NOISE GENERATORS
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
NOISE METERS
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Differential sound level meter
[NASA-CASE-LAR-12106-1] c71 N78-14867
NOISE REDUCTION
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
Cassegrain antenna subreflector flange for suppressing ground noise and increasing antenna transmitting efficiency
[NASA-CASE-XNP-00683] c09 N70-35425
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Audio signal processing system for noise surge elimination at low amplitude audio input
[NASA-CASE-MSC-12223-1] c07 N71-26181
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects

[NASA-CASE-XNP-09830] c14 N71-26266
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Audio equipment for removing impulse noise from audio signals
[NASA-CASE-NPO-11631] c10 N73-12244
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c07 N74-15453
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31998
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c35 N78-29421
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c37 N79-13364
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c71 N79-14871
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c05 N80-14107
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c07 N80-32393
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c32 N80-32605
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999

NOISE TEMPERATURE
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774

NOISE THRESHOLD
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-MSC-12165-1] c07 N71-33696

NONADIABATIC CONDITIONS
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357

NONDESTRUCTIVE TESTS
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XNP-02221] c18 N71-27170
Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N78-24515
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c38 N78-32447

NONEQUILIBRIUM CONDITIONS
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c54 N78-32720

NONEQUILIBRIUM PLASMAS
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884

NONEQUILIBRIUM RADIATION
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N78-19920

NONFLAMMABLE MATERIALS
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551

NONLINEAR FEEDBACK
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373

NONLINEAR SYSTEMS
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XNP-00701] c09 N70-40272
Describing continuous analog to digital converter with parallel digital output and nonlinear feedback
[NASA-CASE-XAC-04031] c08 N71-18594
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439

NOSE CONES
Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984

NOSE WHEELS
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160

NOTCH STRENGTH
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c33 N80-29583

NOTCH TESTS
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c39 N74-13131
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307

NOTCHES
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307

NOZZLE DESIGN
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899

Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
Propellant injection assembly having individually removable and replaceable nozzles for liquid fueled rocket engines
[NASA-CASE-XNP-00968] c28 N71-15660
Development of collapsible nozzle extension for rocket engines
[NASA-CASE-MFS-11497] c28 N71-16224
Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c07 N79-14097
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392

NOZZLE FLOW
System for aerodynamic control of rocket vehicles by secondary injection of fluid into nozzle exhaust stream
[NASA-CASE-XLA-01163] c21 N71-15582
Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129

NOZZLE GEOMETRY
Method of making a rocket nozzle
[NASA-CASE-XNP-06884-1] c20 N79-21123

NOZZLE INSERTS
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c09 N80-22369

NUCLEAR DEVICES
Large volume multiple path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c36 N79-26385

NUCLEAR EXPLOSION EFFECT
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852

NUCLEAR FUEL ELEMENTS
Tungsten-coated tungsten-uranium dioxide nuclear fuel plates
[NASA-CASE-XLE-00209] c22 N73-32528

NUCLEAR MAGNETIC RESONANCE
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266

NUCLEAR POWER PLANTS
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046

NUCLEAR PUMPED LASERS
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307

NUCLEAR REACTOR CONTROL
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c73 N78-28913

NUCLEAR REACTORS
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891

NUCLEATE BOILING
Method for improving heat transfer characteristics in nucleate boiling process
[NASA-CASE-XMS-04268] c33 N71-16277

NULL ZONES
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740

NUMBER THEORY
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850

NUMERICAL CONTROL
Digital sensor for counting fringes produced by interferometers with improved sensitivity and one photomultiplier tube to eliminate alignment problem
[NASA-CASE-LAR-10204] c14 N71-27215
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c33 N81-20352

NUMERICAL INTEGRATION
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437

NUTATION
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XNP-00442] c31 N71-10747
Nutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513

NUTATION DAMPERS
Active nutation controller
[NASA-CASE-GSC-12273-1] c35 N80-21719
Method of and apparatus for damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c18 N81-12156

NUTS (FASTENERS)
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922
Split nut and bolt separation device
[NASA-CASE-XNP-06914] c15 N71-21489
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653

O

O RING SEALS
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c37 N79-12445
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c37 N80-18401
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c37 N81-12422

OBLIQUE WINGS
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217

OCEAN DATA ACQUISITIONS SYSTEMS
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667

OCEAN SURFACE
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c35 N79-10391
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667

OCEAN THERMAL ENERGY CONVERSION
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N78-32542

OFFSHORE PLATFORMS
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N78-32542
OHMMETERS
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
OIL EXPLORATION
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c46 N79-23555
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c46 N80-10709
OIL RECOVERY
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c43 N78-14452
OILS
Color photointerpretation of interference colors reflected from thin film oil-coated components in moving gases for gas flow visualization
[NASA-CASE-XMF-01779] c12 N71-20815
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
OMNIDIRECTIONAL ANTENNAS
Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
ONBOARD EQUIPMENT
Survival couch for aircraft or spacecraft crews
[NASA-CASE-XLA-00118] c05 N70-33285
Cryogenic storage system for gases onboard spacecraft
[NASA-CASE-XMS-04390] c31 N70-41871
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616
Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
Satellite aided aircraft collision avoidance system effective for large number of aircraft
[NASA-CASE-ERC-10090] c21 N71-24548
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Collapsible couch system for manned space vehicles
[NASA-CASE-MSC-13140] c05 N72-11085
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039
Electronic strain level counter on in-flight aircraft
[NASA-CASE-LAR-10756-1] c32 N73-26910
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
OPERATIONAL AMPLIFIERS
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N79-22373
OPHTHALMOLOGY
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
OPTICAL COMMUNICATION
Fabry-Perot interferometer retrodirective reflector modulator for optical communication
[NASA-CASE-XGS-04480] c16 N69-27491
Specifications and drawings for semipassive optical communication system
[NASA-CASE-XLA-01090] c07 N71-12389
Optical communication system with gas filled waveguide for laser beam transmission
[NASA-CASE-HQN-10541-4] c16 N71-27183
Development and characteristics of optical communications system based on modulation of light beams
[NASA-CASE-XLA-01090] c16 N71-28963
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N78-14889
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c74 N81-12862
OPTICAL COUPLING
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c35 N74-21017
OPTICAL DATA PROCESSING
Optical data processing system using paraboloidal reflecting surfaces
[NASA-CASE-GSC-11296-1] c23 N73-30666
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c35 N74-15831
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607
OPTICAL EMISSION SPECTROSCOPY
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
OPTICAL EQUIPMENT
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Design and development of optical interferometer with laser light source for application to schlieren systems
[NASA-CASE-XLA-04295] c16 N71-24170
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Development and characteristics of Petzval type objective including field shaping lens for focusing light of specified wavelength band on curved photoreceptor
[NASA-CASE-GSC-10700] c23 N71-30027
Development and characteristics of spectroradiometer with wedge filters to eliminate adverse effect of pinholes in filters
[NASA-CASE-HQN-10683] c14 N71-34389
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037

Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Borescope with adjustable hinged telescoping optical system
[NASA-CASE-MFS-15162] c14 N72-32452
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
Method and equipment for locating earth infrared horizon from space, independent of season and latitude
[NASA-CASE-LAR-10726-1] c14 N73-20475
Optical imaging system for increasing light absorption efficiency of imaging detector
[NASA-CASE-ARC-10194-1] c23 N73-20741
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c74 N78-32854
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149

OPTICAL FILTERS

Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
Noise elimination in coherent imaging system by axial rotation of optical lense for spectral distribution of degrading affects
[NASA-CASE-GSC-11133-1] c23 N72-11568
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31998
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c74 N78-17865
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N79-14891

OPTICAL GYROSCOPES

Optical gyroscope system
[NASA-CASE-NPO-14258-1] c35 N80-12383

OPTICAL HETERODYNING

Computerized optical system for producing multiple images of a scene simultaneously
[NASA-CASE-MSC-12404-1] c23 N73-13661
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

OPTICAL MEASUREMENT

Passive optical wind and turbulence remote detection system
[NASA-CASE-XNF-14032] c20 N71-16340
Ellipsoidal mirror reflector for measuring reflectance
[NASA-CASE-XGS-05291] c23 N71-16341
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c38 N78-32447
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913
Rotary target V-block --- aligning wind tunnel apparatus for optical measurement
[NASA-CASE-LAR-12007-2] c74 N79-25876
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386

OPTICAL MEASURING INSTRUMENTS

Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428
Optical gauging system for monitoring machine tool alignment
[NASA-CASE-XAC-09489-1] c15 N71-26673
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c74 N80-21138
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c35 N80-28687
Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774
Optical crystal temperature gauge with fiber optic connections --- cryogenic systems
[NASA-CASE-MSC-18627-1] c74 N81-15818
Interferometer
[NASA-CASE-NPO-14502-1] c74 N81-17888

OPTICAL PATHS

Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095

OPTICAL PROPERTIES

Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c27 N80-24437

OPTICAL PUMPING

Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp

[NASA-CASE-LAR-11341-1] c36 N75-19655
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407
OPTICAL PYROMETERS
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry
[NASA-CASE-XLA-00062] c14 N70-33254
OPTICAL RADAR
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
OPTICAL RANGE FINDERS
Electro-optical attitude sensing device for landing approach of flight vehicle
[NASA-CASE-XMS-01994-1] c14 N72-17326
Optical range finder using reflective first surfaces mirror and transmitting beam splitter
[NASA-CASE-MSC-12105-1] c14 N72-21409
OPTICAL REFLECTION
Hybrid holographic system using reference, transmitted, and reflected beams simultaneously
[NASA-CASE-MFS-20074] c16 N71-15565
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26542
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28533
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c73 N78-32848
OPTICAL RESONANCE
Design and development of optically pumped resonance magnetometer for determining vectoral components in spatial coordinate system
[NASA-CASE-XGS-04879] c14 N71-20428
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
OPTICAL SCANNERS
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-XMF-00462] c14 N70-34298
Electro-optical system with scan-in illuminator and scan-out photosensor for scanning variable transmittance objects
[NASA-CASE-NPO-11106] c14 N70-34697
Multi-lobar scan horizon sensor
[NASA-CASE-XGS-00809] c21 N70-35427
Optical scanner with linear housing and rotating camera
[NASA-CASE-NPO-11002] c14 N72-22441
Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19688
Optical scanner --- laser doppler velocimeters
[NASA-CASE-LAR-11711-1] c74 N78-17866
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c74 N78-27904
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c35 N80-20563
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c76 N80-32245
OPTICAL TRACKING
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
OPTICAL TRANSFER FUNCTION
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
OPTIMIZATION
Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407
ORAL HYGIENE
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c52 N81-12724
ORBITAL ASSEMBLY
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c18 N78-22146
ORBITAL MANEUVERS
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
ORBITAL MECHANICS
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
ORBITAL SPACE STATIONS
Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XMF-05344] c31 N71-16345
Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214
ORGANIC CHEMISTRY
Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
ORGANIC COMPOUNDS
Synthesis of high purity dianilinosilanes
[NASA-CASE-XMF-06409] c06 N71-23230
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c25 N79-23167
ORGANIC SILICON COMPOUNDS
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052
ORGANOMETALLIC COMPOUNDS
Ammonium perchlorate composite propellant with organic Cu/II/ chelate catalytic additive
[NASA-CASE-LAR-10173-1] c27 N71-14090
Organometallic compounds of niobium and tantalum useful for film deposition

[NASA-CASE-XNP-04023] c06 N71-28808
ORGANOMETALLIC POLYMERS
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
ORIFICE FLOW
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
ORIFICES
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
ORTHOGONAL MULTIPLEXING THEORY
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
ORTHOGONALITY
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
ORTHOPEDICS
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
ORTHOTROPIC CYLINDERS
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
OSCILLATION DAMPERS
Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894
Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612
Apparatus for damping operator induced oscillations of a controlled system --- using adaptive filters to damp oscillations in a flight control system
[NASA-CASE-FRC-11041-1] c33 N80-20488
Method of and apparatus for damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c18 N81-12156
OSCILLATIONS
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228
OSCILLATORS
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Frequency control network for current feedback oscillators converting dc voltage to ac or higher dc voltages
[NASA-CASE-GSC-10041-1] c10 N71-19418
Development and characteristics of oscillating static inverter
[NASA-CASE-XGS-05289] c09 N71-19470
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XNP-04367] c09 N71-23545
Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
Wideband voltage controlled oscillator with high phase stability
[NASA-CASE-XLA-03893] c10 N71-27271
Variable frequency subcarrier oscillator with temperature compensation
[NASA-CASE-XNP-03916] c09 N71-28810
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c33 N74-26732
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
JFET oscillator
[NASA-CASE-GSC-12555-1] c33 N80-26601
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
OSCILLOSCOPES
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
OUTER PLANETS EXPLORERS
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
OUTGASSING
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100
OUTPUT
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
OVENS
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c35 N80-19469
OVERVOLTAGE
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
Sensing circuit for instantaneous reaction to power overloads
[NASA-CASE-GSC-10667-1] c10 N71-33129
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N78-10377
OXAZOLE
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c27 N79-22300
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c27 N81-17262
OXIDATION
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086

Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N78-10225
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c27 N80-10358

OXIDATION RESISTANCE
Nickel base alloy with resistance to oxidation at high temperatures and superior stress-rupture properties
[NASA-CASE-XLE-02082] c17 N71-16026
Method of protecting the surface of a substrate --- by applying aluminide coating
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c27 N79-14213
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c24 N79-17916
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211

OXIDATION-REDUCTION REACTIONS
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c25 N78-25149
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c44 N79-26474
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487

OXIDE FILMS
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611

OXIDES
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029

OXIDIZERS
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052
Fuel and oxidizer injection head for thrust chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843

OXIMETRY
Ear oximeter for monitoring blood oxygenation and pressure, pulse rate, and pressure pulse curve, using dc and ac amplifiers
[NASA-CASE-XAC-05422] c04 N71-23185

OXYGEN
Analytical test apparatus and method for determining oxygen content in alkali liquid metal
[NASA-CASE-XLE-01997] c06 N71-23527
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Method for detecting oxygen in gas by thermoluminescence
[NASA-CASE-LAR-10668-1] c06 N73-16106
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c27 N74-17283

OXYGEN CONSUMPTION
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202

OXYGEN FLUORIDES
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228

OXYGEN METABOLISM
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c52 N74-20728

OXYGEN PLASMA
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052

OXYGEN REGULATORS
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664

OXYGEN SUPPLY EQUIPMENT
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900

OZONE
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c25 N78-15210
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514

P

P-N JUNCTIONS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513
Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Method for making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c44 N79-12541
Back wall solar cell
[NASA-CASE-LEW-12236-2] c44 N79-14528

P-TYPE SEMICONDUCTORS
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638

PACKAGES
Impact testing machine for imparting large impact forces on high velocity packages
[NASA-CASE-XNP-04817] c14 N71-23225
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085

PACKAGING
Characteristics of device for folding thin flexible sheets into compact configuration
[NASA-CASE-XLA-00137] c15 N70-33180
Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
[NASA-CASE-XLA-00138] c31 N70-37981
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c44 N79-25482

PACKING DENSITY
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
PACKINGS (SEALS)
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
PAD
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
PAINTS
Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
White paint production by heating impure aluminum silicate clay having low solar absorptance
[NASA-CASE-XNP-02139] c18 N71-24184
PALLADIUM
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
PALLADIUM COMPOUNDS
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864
Separation of dissolved hydrogen from water and coating with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
PANELS
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
Honeycomb panels of minimal surface, periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N78-17149
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c44 N78-19599
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-2] c03 N78-25070
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c44 N78-27515
Aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c24 N81-13999
PAPER (MATERIAL)
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747
PAPERS
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
PARABOLIC ANTENNAS
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219
Drive system for parabolic tracking antenna with reversible motion and minimal backlash
[NASA-CASE-NPO-10173] c15 N71-24696
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c37 N78-33446
PARABOLIC REFLECTORS
Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
Plural beam antenna with parabolic reflectors
[NASA-CASE-GSC-11013-1] c09 N73-19234
Multimode antenna feed system for microwave and broadband communication
[NASA-CASE-GSC-11046-1] c07 N73-28013
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N79-14526
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N79-23481
Solar concentrator
[NASA-CASE-MFS-23727-1] c44 N80-14473
PARABOLOID MIRRORS
Optical data processing system using paraboloidal reflecting surfaces
[NASA-CASE-GSC-11296-1] c23 N73-30666
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
PARACHUTE DESCENT
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Piston in bore cutter for severing parachute control lines and sealing cable hole to prevent water leakage into load
[NASA-CASE-XMS-04072] c15 N70-42017
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
PARACHUTE FABRICS
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c02 N74-10034
System for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c02 N81-14967
PARACHUTES
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c02 N76-16014
System for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c02 N81-14967
PARAGLIDERS
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804
PARALLAX
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c35 N78-17357
PARALLEL PLATES
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-XNP-09462] c14 N71-17584
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c33 N79-21265
PARALLEL PROCESSING (COMPUTERS)
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c60 N79-27864
PARAMETRIC AMPLIFIERS
Development of idler feedback system to reduce electronic noise problem in two parametric

amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
PARAMETRIC FREQUENCY CONVERTERS
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c33 N81-15192
PARAWINGS
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-MSS-00907] c02 N70-41630
PARKING
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
PARTIAL PRESSURE
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-MSS-01618] c14 N71-20741
PARTICLE ACCELERATION
Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
Method and apparatus for use in forming highly collimated beam of microparticles with high charge to mass ratio and injecting beam into electrostatic accelerating tube
[NASA-CASE-XGS-06628] c24 N71-16213
PARTICLE ACCELERATOR TARGETS
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c72 N76-15860
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c31 N76-17237
PARTICLE BEAMS
Particle beam power density detection and measurement apparatus
[NASA-CASE-XLE-00243] c14 N70-38602
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c72 N74-19310
PARTICLE COLLISIONS
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-MSS-04201] c14 N71-22990
PARTICLE DENSITY (CONCENTRATION)
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
PARTICLE EMISSION
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328
PARTICLE ENERGY
Particle detector for indicating incidence and energy of minute space particles
[NASA-CASE-XLA-00135] c14 N70-33322
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
PARTICLE MASS
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
Microbalance --- for measuring particle mass
[NASA-CASE-MSC-11242] c35 N78-17358
PARTICLE MOTION
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
PARTICLE PRODUCTION
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
PARTICLE SIZE DISTRIBUTION
Micropacked column for rapid chromatographic analysis using low gas flow rates
[NASA-CASE-XNP-04816] c06 N69-39936
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel
[NASA-CASE-XLE-00010] c15 N70-33382
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c35 N80-18364
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242
PARTICLE TRAJECTORIES
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
Direction sensitive laser velocimeter --- determining the direction of particle motion using a helium-neon laser
[NASA-CASE-LAR-12177-1] c36 N79-28532
PARTICLES
Development of device for separating, collecting, and viewing soil particles
[NASA-CASE-XNP-09770] c15 N71-20440
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c33 N78-17293
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
PARTICULATE SAMPLING
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c25 N74-26948
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c35 N79-17192
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c35 N79-28527
PASSAGEWAYS
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-MSS-10993] c15 N71-28936
PASSIVE SATELLITES
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Apparatus for measuring backscatter and transmission characteristics of sample segment of large spherical passive satellites
[NASA-CASE-XGS-02608] c07 N70-41678
Forming inflatable panels erectable in space for passive communication satellite
[NASA-CASE-XLA-03497] c15 N71-23052
PATIENTS
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XNP-06589] c05 N71-23159
PATTERN RECOGNITION
Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
Optical signature generating and correlating apparatus
[NASA-CASE-NPO-15226-1] c74 N81-19899
PAYLOAD RETRIEVAL (STS)
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c74 N79-13855

PAYLOADS
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XMF-06515] c14 N71-23227

PCM TELEMETRY
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
High speed direct binary to binary coded decimal converter for use in PCM telemetry systems
[NASA-CASE-KSC-10326] c08 N72-21197

PEELING
Wire stripper
[NASA-CASE-FRC-10111-1] c37 N79-10419

PELLETS
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606

PELTIER EFFECTS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146

PENETRANTS
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170

PENETRATION
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c31 N81-14137

PENETROMETERS
Development and characteristics of pentrometer for measuring physical properties of lunar surface
[NASA-CASE-XLA-00934] c14 N71-22765
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443

PERCEPTION
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122

PERFLUORO COMPOUNDS
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107
Silphenylenesiloxane polymer with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerization of perfluorobutadiene
[NASA-CASE-NPO-10863-2] c06 N72-25152
Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Process for preparing disilanols with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
Preparation of perfluorinated imidoylamidoximes --- for eventual preparation of heat and chemical resistant polymers
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles --- heat and chemical resistant polymers
[NASA-CASE-ARC-11267-2] c25 N80-26407

PERFLUOROALKANE
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c27 N79-22300

PERFORATED PLATES
Helium outgassing process for fused glass coating on ion accelerator grid
[NASA-CASE-LEW-10278-1] c15 N71-28582

PERFORATED SHELLS
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c31 N74-18089

PERFORMANCE PREDICTION
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175

PERFORMANCE TESTS
Flexible, frangible electrochemical cell and package for operation in low temperature environment
[NASA-CASE-XGS-10010] c03 N72-15986
Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959

PERIODIC VARIATIONS
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401

PERMEABILITY
Water insoluble, cationic permselective membrane
[NASA-CASE-NPO-11091] c18 N72-22567
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c39 N80-10507
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c52 N80-14687
Geological assessment probe
[NASA-CASE-NPO-14558-1] c46 N80-24906
Absorbent product and articles made therefrom --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c24 N81-16127

PEROXIDES
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252

PERSPIRATION
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120

PERTURBATION
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597

PERTURBATION THEORY
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
PHASE COHERENCE
Apparatus for estimating amplitude and sign of phase difference or time lag between two signals
[NASA-CASE-NPO-11203] c10 N72-20224
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
PHASE CONTROL
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Wideband voltage controlled oscillator with high phase stability
[NASA-CASE-XLA-03893] c10 N71-27271
Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
PHASE DEMODULATORS
Development of phase demodulation system with two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
PHASE DETECTORS
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XMP-00701] c09 N70-40272
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c33 N74-22885
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338
PHASE DEVIATION
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
PHASE LOCK DEMODULATORS
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
PHASE LOCKED SYSTEMS
System for phase locking onto carrier frequency signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XMF-08665] c10 N71-19467
Development and characteristics of burst synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
Development of phase demodulation system with two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841
Phase locked phase modulation system with voltage controlled oscillator for final phase linearity
[NASA-CASE-XNP-05382] c10 N71-23544
Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
Characteristics of data-aided carrier tracking loop used for tracking carrier in angle modulated communications system
[NASA-CASE-NFO-11282] c10 N73-16205
Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NFO-11628-1] c07 N73-30113
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N75-24758
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c33 N79-18224
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c32 N81-14185
PHASE MODULATION
Plural channel data transmission system with quadrature modulation and complementary demodulation
[NASA-CASE-XAC-06302] c08 N71-19763
Adaptive notch filter, using modulation techniques for reversed phase noise signal
[NASA-CASE-XMF-01892] c10 N71-22986
Phase locked phase modulation system with voltage controlled oscillator for final phase linearity
[NASA-CASE-XNP-05382] c10 N71-23544
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N78-25319
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c33 N78-32338
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c20 N79-20179

A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338
PHASE SHIFT
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
Left and right hand circular electromagnetic polarization excitation by phase shifter and hybrid networks
[NASA-CASE-GSC-10021-1] c09 N71-24595
Pulse code modulated data from frequency multiplex communications by digital phase shift or carrier
[NASA-CASE-NPO-11338] c08 N72-25208
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c33 N79-10338
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
PHASE SHIFT CIRCUITS
Design of gyrator circuit using operational amplifiers to replace ungrounded inductors
[NASA-CASE-XAC-10608-1] c09 N71-12517
Phase shifting circuit for selecting phase of input signal
[NASA-CASE-ARC-10269-1] c10 N72-16172
Continuously variable, voltage-controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
Voltage controlled oscillator circuit for two-phase induction motor control
[NASA-CASE-MFS-21465-1] c10 N73-32145
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c33 N74-22885
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179
PHASE SHIFT KEYING
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c33 N81-15192
PHASE SWITCHING INTERFEROMETERS
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
PHASE TRANSFORMATIONS
Magnetohydrodynamic generator for mixing nonconductive gas and liquid metal mist to form slugs
[NASA-CASE-XLE-02083] c03 N69-39983
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
PHASE VELOCITY
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432
PHASED ARRAYS
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Phased array antenna control
[NASA-CASE-MSC-14939-1] c32 N79-11264
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N79-24210
Complementary cross-slot phased array antenna
[NASA-CASE-MSC-18532-1] c32 N80-29543
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187
PHASED LOCKED SYSTEMS
Bit synchronization system using digital data transition tracking phased locked loop
[NASA-CASE-NPO-10844] c07 N72-20140
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
PHENOLIC RESINS
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
PHENOLS
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c25 N79-22235
PHONOCARDIOGRAPHY
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XMS-10804] c05 N71-24606
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XPR-07172] c05 N71-27234
PHOSPHATES
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
PHOSPHINES
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N78-32256
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
PHOSPHONITRILES
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
PHOSPHORS
Cathode ray tube with coating of phosphor and cobalt oxides
[NASA-CASE-ERC-10468] c09 N72-20206
PHOSPHOROUS POLYMERS
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c27 N80-21533
PHOTOABSORPTION
Photomechanical transducer --- using thin strips of photoabsorptive metal or polymeric film with strain gages
[NASA-CASE-NPO-14363-1] c76 N79-14908
PHOTOCATHODES
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
PHOTOCHEMICAL REACTIONS
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c27 N80-26446
PHOTOCONDUCTIVE CELLS
Two-dimensional radiant energy array computers

and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913

PHOTOCONDUCTIVITY
Photofabrication techniques for selective removal of conductive metals oxide coatings from nonconductive substrates
[NASA-CASE-ERC-10108] c06 N72-21094
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319

PHOTOCONDUCTORS
Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480

PHOTODIODES
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c37 N79-28549

PHOTODISSOCIATION
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148

PHOTOELECTRIC CELLS
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c91 N74-13130
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c74 N80-21138

PHOTOELECTRIC EFFECT
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599

PHOTOELECTRIC EMISSION
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877

PHOTOELECTRIC MATERIALS
Light radiation direction indicator with baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090

PHOTOELECTRICITY
Photoelectric detection system
[NASA-CASE-MFS-23776-1] c74 N80-25134

PHOTOELECTRON SPECTROSCOPY
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N78-10429
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635

PHOTOGRAPHIC EMULSIONS
Method of and means for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c35 N80-18362

PHOTOGRAPHIC EQUIPMENT
Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c74 N81-17886

PHOTOGRAPHIC FILM
Longitudinalfilm gate and lock mechanism for securing film in motion picture cameras under vibration and high acceleration loads
[NASA-CASE-LAR-10686] c14 N71-28935
Mechanical exposure interlock device for preventing film overexposure in oscilloscope camera
[NASA-CASE-LAR-10319-1] c14 N73-32322
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c74 N76-31998
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N78-15461
Method of and means for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c35 N80-18362

PHOTOGRAPHIC MEASUREMENT
Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645
Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c39 N78-16387

PHOTOGRAPHIC PROCESSING
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N79-10389

PHOTOGRAPHIC PROCESSING EQUIPMENT
Drying chamber for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489

PHOTOGRAPHIC RECORDING
Photographing surface flow patterns on wind tunnel test models
[NASA-CASE-XLA-01353] c14 N70-41366
Development of focused image holography with extended sources
[NASA-CASE-ERC-10019] c16 N71-15551
Recording and reconstructing focused image holograms
[NASA-CASE-ERC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
Multiple image storing system for obtaining holographic record on film of high speed projectile
[NASA-CASE-MFS-20596] c14 N72-17324
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551

PHOTOGRAPHS
Method of and means for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c35 N80-18362

PHOTOGRAPHY
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c74 N81-17886

PHOTOINTERPRETATION
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152

PHOTOIONIZATION
Multichannel photoionization chamber for measuring absorption, photoionization yield, and coefficients of gases
[NASA-CASE-ERC-10044-1] c14 N71-27090

PHOTOLYSIS
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c44 N79-11470

PHOTOMAPPING
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899

PHOTOMETERS
Michelson interferometer with photodetector for optical direction sensing

[NASA-CASE-NPO-10320] c14 N71-17655
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
Electro-optical detector for determining position of light source
[NASA-CASE-XNP-01059] c23 N71-21821
Photometric flow meter with comparator reference means
[NASA-CASE-XGS-01331] c14 N71-22996
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c25 N74-26947
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c74 N78-13874
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c35 N78-29421

PHOTOMICROGRAPHY
Stereo photomicrography system with stereo microscope for viewing specimen at various magnifications
[NASA-CASE-LAR-10176-1] c14 N72-20380
Device for displaying and recording angled views of samples to be viewed by microscope
[NASA-CASE-GSC-11690-1] c14 N73-28499
Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361

PHOTOMULTIPLIER TUBES
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Electronic divider and multiplier for analog electric signals
[NASA-CASE-XFR-05637] c09 N71-19480
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c33 N74-27682

PHOTON BEAMS
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255

PHOTONS
Solar cell collector
[NASA-CASE-LEW-12552-1] c44 N78-25527

PHOTOSENSITIVITY
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244

PHOTOTRANSISTORS
Phototransistor imaging system with mosaic of phototransistors on semiconductor substrate
[NASA-CASE-MFS-20809] c23 N73-13660
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235

PHOTOTROPISM
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443

PHOTOVISCOELASTICITY
Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645

PHOTOVOLTAIC CELLS
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N79-11467
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c44 N79-25482
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c44 N79-31752
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550
Improving the efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c44 N80-32850
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388
High voltage planar multijunction --- solar cells
[NASA-CASE-LEW-13400-1] c44 N81-16528
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558

PHOTOVOLTAIC EFFECT
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090

PHYSICAL EXERCISE
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
Tilting table for testing human body in variety of positions while exercising on ergometer or other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c37 N74-18127
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785

PHYSICAL PROPERTIES
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-MFS-10512] c06 N73-30099

PHYSIOLOGICAL EFFECTS
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119

PHYSIOLOGICAL TESTS
Vibrophonocardiograph comprising low weight and small volume piezoelectric microphone with amplifier having high input impedance for high sensitivity and low frequency response
[NASA-CASE-XFR-07172] c05 N71-27234
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757

PHYSIOLOGY
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
PIERCING
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
PIEZOELECTRIC CRYSTALS
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
CDS solid state phase insensitive ultrasonic transducer --- annealing dadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c35 N80-20559
PIEZOELECTRIC TRANSDUCERS
Piezoelectric transducer for detecting and measuring micrometeoroids
[NASA-CASE-XAC-01101] c14 N70-41957
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Miniature piezojunction semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c38 N79-14398
PIEZOELECTRICITY
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
PIEZORESISTIVE TRANSDUCERS
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
PIGMENTS
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XMF-07770-2] c18 N71-26772
PILOT ERROR
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
PILOT TRAINING
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFR-04147] c11 N71-10748
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662
PILOTLESS AIRCRAFT
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c43 N81-17499
PILOTS (PERSONNEL)
Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
PINCH EFFECT
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c37 N79-28550
PINS
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
PINTLES
Describing metal valve pintle with encapsulated elastomeric body
[NASA-CASE-MSC-12116-1] c15 N71-17648
PIPE FLOW
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
PIPELINES
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
PIPES (TUBES)
Capacitance measuring device for determining flare accuracy on tapered tubes
[NASA-CASE-XKS-03495] c14 N69-39785
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650
Sealed separable connection for thin wall metal tube
[NASA-CASE-NPO-10064] c15 N71-17693
Electrical switching device comprising conductive liquid confined within square loop of deformable nonconductive tubing also used for leveling
[NASA-CASE-NPO-10037] c09 N71-19610
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XMF-01083] c15 N71-22723
Description of portable milling tool for milling tube or pipe ends to desired shape and thickness
[NASA-CASE-XMF-03511] c15 N71-22799
Gage for measuring internal angle of flare on end of tube
[NASA-CASE-XMF-04415] c14 N71-24693
Method and apparatus for portable high precision magnetomotive bulging, constricting, and joining of large diameter metal tubes
[NASA-CASE-XMF-05114-3] c15 N71-24865
Portable cutting machine for piping weld preparation
[NASA-CASE-XKS-07953] c15 N71-26134
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Torsional disconnect device for releasably coupling distal ends of fluid conduits
[NASA-CASE-NPO-10704] c15 N72-20445
Open type urine receptacle with tubular housing
[NASA-CASE-MSC-12324-1] c05 N72-22093
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122
Low mass truss structure with elongated thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
Honeycomb panels of minimal surface, periodic tubule layers

[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimum surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
Cable guide and restraint device for reefing tubes in uniform manner
[NASA-CASE-LAR-10129-1] c15 N73-25512
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
Open ended ratchet type tubing cutter
[NASA-CASE-MSC-18538-1] c37 N80-22703

PISTON ENGINES
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
Solar engine --- flat plate type
[NASA-CASE-LAR-12148-1] c44 N79-29608

PISTONS
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Collapsible piston for hypervelocity gun
[NASA-CASE-MSC-13789-1] c11 N73-32152
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-1] c37 N79-23431
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c37 N80-31790
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318

PITCH (INCLINATION)
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
A pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c08 N79-20135

PIVOTS
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878

PLANAR STRUCTURES
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c31 N79-21226
High voltage planar multijunction --- solar cells
[NASA-CASE-LEW-13400-1] c44 N81-16528

PLANE WAVES
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130

PLANETARY ATMOSPHERES
Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991

PLANETARY GRAVITATION
Lunar and planetary gravity simulator to test vehicular response to landing
[NASA-CASE-XLA-00493] c11 N70-34786
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394

PLANETARY LANDING
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085

PLANETARY ORBITS
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296

PLANETARY RADIATION
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880

PLANETARY SURFACES
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118

PLANTS (BOTANY)
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c27 N81-17261

PLASMA ACCELERATION
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MFS-20589] c25 N72-32688

PLASMA ACCELERATORS
Crossed-field plasma accelerator for laboratory simulation of atmospheric reentry conditions
[NASA-CASE-XLA-00675] c25 N70-33267
Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
Direct current powered self repeating plasma accelerator with interconnected annular and linear discharge channels
[NASA-CASE-XLA-03103] c25 N71-21693
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931

PLASMA CONTROL
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c75 N75-13625

PLASMA CYLINDERS
Plasma-fluidic hybrid display system combining high brightness and memory characteristics
[NASA-CASE-ERC-10100] c09 N71-33519

PLASMA DENSITY
Apertured electrode focusing system for ion sources with nonuniform plasma density
[NASA-CASE-XNP-03332] c09 N71-10618
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156

PLASMA DIAGNOSTICS
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156

PLASMA DYNAMICS
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c75 N75-13625

PLASMA ENGINES
Nonconductive tube as feed system for plasma thrustor
[NASA-CASE-XLE-02902] c25 N71-21694

PLASMA GENERATORS
Apparatus for producing highly conductive, high temperature electron plasma with homogenous temperature and pressure distribution
[NASA-CASE-XLA-00147] c25 N70-34661
Crossed field MHD plasma generator-accelerator
[NASA-CASE-XLA-03374] c25 N71-15562
Coaxial, high density, hypervelocity plasma generator and accelerator using electrodes
[NASA-CASE-MFS-20589] c25 N72-32688
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c75 N75-13625
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c36 N77-19416

PLASMA GUNS
Plasma spraying gun for forming diffusion bonded metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610

PLASMA JETS
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c37 N75-29426
Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c75 N78-27513

PLASMA LAYERS
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284

PLASMA LOSS
Improved thermionic energy converters
[NASA-CASE-LEW-12443-1] c44 N81-19561

PLASMA POTENTIALS
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429

PLASMA PROBES
Plasma probes having guard ring and primary sensor at same potential to prevent stray wall current collection in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Small plasma probe using tungsten wire collector in tubular shield
[NASA-CASE-XLE-02578] c25 N71-20747

PLASMA PROPULSION
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310

PLASMA RADIATION
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563
Apparatus for producing monochromatic light from continuous plasma source
[NASA-CASE-XNP-04167-2] c25 N72-24753

PLASMA SHEATHS
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
Development of method for measuring electron density gradients of plasma sheath around space vehicle during atmospheric entry
[NASA-CASE-XLA-06232] c25 N71-20563

PLASMA SPRAYING
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619

PLASMA TEMPERATURE
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156

PLASMA-ELECTROMAGNETIC INTERACTION
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405

PLASMAS (PHYSICS)
Apparatus for measuring conductivity and velocity of plasma with multiple sensing coils positioned in plasma
[NASA-CASE-XAC-05695] c25 N71-16073

PLASTIC COATINGS
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555

PLASTIC DEFORMATION
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
Mechanical bonding of metal
[NASA-CASE-LEW-12941-1] c31 N81-16329

PLASTIC TAPES
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472

PLASTICIZERS
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N78-25530
Tackifier for addition polyimides
[NASA-CASE-LAR-12642-1] c27 N80-18179
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238

PLASTICS
Hot forming of plastic sheets
[NASA-CASE-XMS-05516] c15 N71-17803
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Dielectric apparatus for heating, fusing, and hardening of organic matrix to form plastic material into shaped product
[NASA-CASE-LAR-10121-1] c15 N71-26721

Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c31 N74-32920
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292

PLATES (STRUCTURAL MEMBERS)
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c33 N79-28416
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653

PLATING
Selective plating of etched circuits without removing previous plating
[NASA-CASE-XGS-03120] c15 N71-24047
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c31 N74-23065

PLATINUM
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368

PLAYBACKS
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c35 N79-16246

PLENUM CHAMBERS
Platform with several ground effect pads and plenum chambers
[NASA-CASE-MFS-14685] c31 N71-15689
Development of filter apparatus for gas separation and characteristics of filter cell support frame for improved operation
[NASA-CASE-MSC-12297] c14 N72-23457
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605

PLETHYSMOGRAPHY
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525

PLOTTERS
Plotter device for automatically drawing equipotential lines on sheet of resistance paper
[NASA-CASE-NPO-11134] c09 N72-21246

PLOTTING
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421

PLUG NOZZLES
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c07 N76-18117

PLUGS
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Heated porous plug microthrustor for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c35 N80-19468

PNEUMATIC CONTROL
Pneumatic system for cyclic control of fluid flow in pneumatic device
[NASA-CASE-XMS-04843] c03 N69-21469
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Pneumatic foot pedal operated fluidic exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c54 N78-32724

PNEUMATIC EQUIPMENT
Development and characteristics of high pressure control valve
[NASA-CASE-MSC-11010] c15 N71-19485
Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XNP-06515] c14 N71-23227
Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-MSC-12121-1] c15 N71-27147
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c54 N78-32724
Improved tire/wheel concept --- pneumatic aircraft tire
[NASA-CASE-LAR-11695-2] c37 N80-18402

POINT SOURCES
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240

POINTING CONTROL SYSTEMS
Development of reflector system for application to line-of-sight pointing and tracking telescopes
[NASA-CASE-NPO-10468] c23 N71-33229
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c37 N78-27424
Magnetic suspension and pointing system --- on a carrier vehicle
[NASA-CASE-LAR-11889-1] c35 N79-26372
Solar tracking system --- with pointing control circuits
[NASA-CASE-MFS-23999-1] c44 N79-28667

POLAR ORBITS
Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676

POLARIMETERS
Automatic polarimeter capable of measuring transient birefringence changes in electro-optic materials
[NASA-CASE-XNP-08883] c23 N71-16101
Two beam interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434

POLARITY
Converting output of positive dc voltage source to negative dc voltage across load with common reference point
[NASA-CASE-XMF-08217] c03 N71-23239
Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109
POLARIZATION (CHARGE SEPARATION)
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137
POLARIZATION (WAVES)
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Paraday rotation measurement method and apparatus --- to receive RF signals from spacecraft which exhibits polarization characteristics due to spin stabilization
[NASA-CASE-NPO-14839-1] c35 N80-16313
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387
POLARIZATION CHARACTERISTICS
Multifrequency broadband horn antenna
[NASA-CASE-NPO-14588-1] c32 N79-17067
POLARIZED ELECTROMAGNETIC RADIATION
Device for improving efficiency of parabolic horn antenna system for linearly polarized signals
[NASA-CASE-XNP-00611] c09 N70-35219
Device for improving efficiency of parabolic reflector horn for linearly or circularly polarized waves
[NASA-CASE-XNP-00540] c09 N70-35382
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c32 N80-16261
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187
POLARIZED LIGHT
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c35 N80-28687
POLARIZERS
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N79-14891
POLISHING
Conforming polisher for aspheric surfaces of revolution with inflatable tube
[NASA-CASE-XGS-02884] c15 N71-22705
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149
POLLUTION CONTROL
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c37 N77-31497
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c25 N81-19245
POLLUTION MONITORING
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c45 N76-31714
Automated syringe sampler
[NASA-CASE-LAR-12308-1] c45 N80-19664
POLYAMIDE RESINS
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c27 N80-26446
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
POLYBENZIMIDAZOLE
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
POLYBUTADIENE
Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c28 N79-14228
POLYCARBONATES
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
POLYCRYSTALS
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N78-24609
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
A method for producing a solidified body of silicon --- solar cells
[NASA-CASE-NPO-15250-1] c25 N81-16174
POLYESTERS
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
POLYETHER RESINS
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-MFS-10506] c06 N73-30100
Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101
Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
POLYIMIDE RESINS
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N78-17205
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c24 N78-27184
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c27 N79-33316
Tackifier for addition polyimides
[NASA-CASE-LAR-12642-1] c27 N80-18179
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296
POLYIMIDES
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268

Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c27 N78-32261
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c25 N80-16116
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c27 N80-16158
Aluminum ion-containing polyimide adhesives --- bonding temperature resistant materials
[NASA-CASE-LAR-12640-1] c27 N80-16164
Tackifier for addition polyimides
[NASA-CASE-LAR-12642-1] c27 N80-18179
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c27 N81-14078

POLYISOBUTYLENE
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710

POLYMER CHEMISTRY
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c27 N78-15276
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N78-17205
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c27 N79-21190
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c27 N79-21191
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481

POLYMER MATRIX COMPOSITE MATERIALS
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c24 N78-27180

POLYMERIC FILMS
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
Hydraulic apparatus for casting and molding of liquid polymers
[NASA-CASE-XNP-07659] c06 N71-22975
Thermodielectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
Development and characteristics of system for skin packaging articles using thermoplastic film heating and vacuum operated equipment
[NASA-CASE-MFS-20855] c15 N73-27405
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N79-14214
Photomechanical transducer --- using thin strips of photoabsorptive metal or polymeric film with strain gages
[NASA-CASE-NPO-14363-1] c76 N79-14908
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c27 N80-23452
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
Texturing polymer surfaces by transfer casting --- carviovascular prosthesis
[NASA-CASE-LEW-13120-1] c31 N81-16327

POLYMERIZATION
Synthesis of polyfluorobutadiene by polymerization of perfluorobutadiene with diisopropyl peroxydicarbonate
[NASA-CASE-NPO-10863] c06 N70-11251
Low pressure perfluorobutadiene polymerization with peroxide catalysts
[NASA-CASE-NPO-10447] c06 N70-11252
Process for interfacial polymerization of pyromellitic dianhydride and tetraamino benzene
[NASA-CASE-XLA-03104] c06 N71-11235
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
Direct synthesis of polymeric schiff bases from two amines and two aldehydes
[NASA-CASE-XMF-08655] c06 N71-11239
Synthesis of azine polymers for heat shields by azine-aromatic aldehyde reaction
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of schiff bases for heat shields by acetal amine reactions
[NASA-CASE-XMF-08652] c06 N71-11243
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMF-04133] c06 N71-20717
Reaction of polyperfluoropolyenes with fluorine to produce saturated polymer chain or create reactive sites on chain
[NASA-CASE-NPO-10862] c06 N72-22107
Silphenylenesiloxane polymer with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerization of perfluorobutadiene
[NASA-CASE-NPO-10863-2] c06 N72-25152
Preparation of fluorohydroxy ethers by reacting fluoroalkylene oxides with alkali salt of polyfluoroalkylene diol
[NASA-CASE-MFS-10507] c06 N73-30101
Preparation of fluorinated polyethers from 2-hydro-perhaloisopropyl alcohols
[NASA-CASE-MFS-11492] c06 N73-30102
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c27 N78-17214
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Preparation of heterocyclic block copolymer omega-diamidoxines
[NASA-CASE-ARC-11060-1] c27 N79-22300
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
An improved synthesis of 2, 4, 8, 10-tetroxaspiro (5.5)undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c27 N79-33316
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c27 N80-10358
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c25 N80-21464

Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c27 N80-21533
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c27 N81-17262
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-NPS-25000-1] c25 N81-19242
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244

POLYMERS
Preparation of ordered poly/arylenesiloxane/ polymers
[NASA-CASE-XNP-10753] c06 N71-11237
Synthesis of aromatic diamines and dialdehyde polymers using Schiff base
[NASA-CASE-XNP-03074] c06 N71-24740
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Infusible polymer production from reaction of polyfunctional epoxy resins with polyfunctional aziridine compounds
[NASA-CASE-NPO-10701] c06 N71-28620
Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
Utilization of lithium p-lithiphenoxide to prepare star polymers
[NASA-CASE-NPO-10998-1] c06 N73-32029
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-NPS-23883-1] c51 N80-16715
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c27 N80-24437
Preparation of perfluorinated imidoylamidoximes --- for eventual preparation of heat and chemical resistant polymers
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles --- heat and chemical resistant polymers
[NASA-CASE-ARC-11267-2] c25 N80-26407

POLYMETHYL METHACRYLATE
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c74 N78-32854

POLYSACCHARIDES
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236

POLYTETRAFLUOROETHYLENE
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404

POLYURETHANE FOAM
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Lightweight fire resistant plastic foam for thermal protection of reentry vehicles and aircraft structures
[NASA-CASE-ARC-10180-1] c28 N72-20767
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c27 N74-12814
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Mixing insert for foam dispensing apparatus
[NASA-CASE-NPS-20607-1] c37 N76-19436

POLYURETHANE RESINS
Chemical synthesis of hydroxy terminated perfluoro ethers as intermediates for highly fluorinated polyurethane resins
[NASA-CASE-NPO-10768] c06 N71-27254
Formation of polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate
[NASA-CASE-NPO-10767-2] c06 N72-27151
Chemical and physical properties of synthetic polyurethane polymer prepared by reacting hydroxy carbonate with organic diisocyanate
[NASA-CASE-NPS-10512] c06 N73-30099
Preparation of stable polyurethane polymer by reacting polymer with diisocyanate
[NASA-CASE-NPS-10506] c06 N73-30100
Preparation of polyurethane polymer by reacting hydroxy polyformal with organic diisocyanate
[NASA-CASE-NPS-10509] c06 N73-30103
Chemical and elastic properties of fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213

POLYVINYL ALCOHOL
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516

PORCELAIN
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-NPS-22324-1] c27 N75-27160

POROSITY
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371

POROUS MATERIALS
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Lubrication for bearings by capillary action from oil reservoir of porous material
[NASA-CASE-XNP-03972] c15 N71-23048

Method and photodetector device for locating abnormal voids in low density materials
[NASA-CASE-MFS-20044] c14 N71-28993
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Compressible electrolyte saturated sponge electrode for biomedical applications
[NASA-CASE-MSC-13648] c05 N72-27103
Porous electrode for use in electrochemical cells
[NASA-CASE-GSC-11368-1] c09 N73-32108
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N78-25426
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c34 N79-13289
Castable high temperature refractory materials
[NASA-CASE-LEW-13080-1] c27 N80-29496

POROUS PLATES

Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197

PORPHYRINS

Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714

PORTABLE EQUIPMENT

Portable electron beam welding chamber
[NASA-CASE-LEW-11531] c15 N71-14532
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XMF-03212] c15 N71-22721
Portable cutting machine for piping weld preparation
[NASA-CASE-XKS-07953] c15 N71-26134
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
Automatic controlled drive mechanism for portable boring bar
[NASA-CASE-XLA-03661] c15 N71-33518
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
Portable penetrometer for analyzing soil characteristics
[NASA-CASE-MFS-20774] c14 N73-19420
Hand-held, lightweight, portable photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c25 N79-10163
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c33 N79-13261
Portable heatable container
[NASA-CASE-NPO-14237-1] c44 N80-20808
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c33 N80-26599

PORTABLE LIFE SUPPORT SYSTEMS

Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c54 N80-10799

PORTS (OPENINGS)

Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256

Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343

POSITION (LOCATION)

Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Development of telemetry system for position location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090
Automatic braking device for rapidly transferring humans or materials from elevated location
[NASA-CASE-XKS-07814] c15 N71-27067
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
System for detecting impact position of cosmic dust on detector surface
[NASA-CASE-GSC-11291-1] c25 N72-33696
Collimator for analyzing spatial location of near and distant sources of radiation
[NASA-CASE-MFS-20546-2] c14 N73-30389
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
X-ray position detector
[NASA-CASE-NPO-12087-1] c74 N81-19898

POSITION INDICATORS

Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Characteristics and performance of electrical system to determine angular rotation
[NASA-CASE-XMF-00447] c14 N70-33179
Magnetic element position sensing device, using misaligned electromagnets
[NASA-CASE-XGS-07514] c23 N71-16099
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c44 N80-18552

POSITIONING

Centering device with ultrafine adjustment for use with roundness measuring apparatus
[NASA-CASE-XMF-00480] c14 N70-39898
Portable device for aligning surfaces of two adjacent wall or sheet sections for joining at point of junction
[NASA-CASE-XMF-01452] c15 N70-41371
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Manual control mechanism for adjusting control rod to null position
[NASA-CASE-XLA-01808] c15 N71-20740
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813

POSITIONING DEVICES (MACHINERY)

Swivel support for gas bearing for position

adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812
Caterpillar micropositioner for positioning machine tools adjacent to workpiece
[NASA-CASE-GSC-10780-1] c14 N72-16283
Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-MPO-10679] c15 N72-21462
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400

POSITIVE FEEDBACK
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015

POTABLE WATER
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Chlorine generator for purifying water in life support systems of manned spacecraft
[NASA-CASE-XLA-08913] c14 N71-28933
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784

POTASSIUM SILICATES
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014

POTENTIOMETERS
Angle detector
[NASA-CASE-ARC-11036-1] c35 N78-32395

POTENTIOMETERS (INSTRUMENTS)
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XFR-04104] c03 N70-42073
Device for controlling rotary potentiometer mounted on aircraft steering wheel or aileron control
[NASA-CASE-XAC-10019] c15 N71-23609
Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c51 N80-11756

POTTING COMPOUNDS
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Flexible, repairable, pottable composition for encapsulating electric connectors
[NASA-CASE-XGS-05180] c18 N71-25881
Thermally conductive polymer for potting electrical components
[NASA-CASE-GSC-11304-1] c06 N72-21105

POWDER (PARTICLES)
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
A method for producing a solidified body of silicon --- solar cells
[NASA-CASE-MPO-15250-1] c25 N81-16174

POWDER METALLURGY
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-FRC-10029-2] c05 N72-25121
Grinding mixtures of powdered metals and inert fillers for conversion to halide
[NASA-CASE-LEW-10450-1] c15 N72-25448
Superalloys from prealloyed powders at high temperatures
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-MPO-13120-1] c27 N76-15311

POWER AMPLIFIERS
Characteristics of high power, low distortion, alternating current power amplifier
[NASA-CASE-LAR-10218-1] c09 N70-34559
Power supply with automatic power factor conversion system
[NASA-CASE-XMS-02159] c10 N71-22961
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429

POWER CONDITIONING
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-MPO-14000-1] c33 N79-24254
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c44 N80-14472
Microwave switching power divider --- for use in Earth orbiting satellites having spherical multi-element antenna arrays
[NASA-CASE-GSC-12420-1] c33 N80-21670

POWER EFFICIENCY
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Excitation and detection circuitry for flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Increasing available power per unit area in ion rocket engine by increasing beam density
[NASA-CASE-XLE-00519] c28 N70-41576
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
Improved power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c33 N79-25315

POWER GAIN
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273

POWER LIMITERS
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221

POWER LINES
Patent data on terminal insert connector for flat electric cables
[NASA-CASE-XNP-00324] c09 N70-34596
Motor run-up system --- power lines
[NASA-CASE-MPO-13374-1] c33 N75-19524
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193

POWER SERIES
Describing circuit for obtaining sum of squares

of numbers
[NASA-CASE-XGS-04765] c08 N71-18693
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
POWER SPECTRA
Method and apparatus for high resolution power spectrum analysis
[NASA-CASE-NPO-10748] c08 N72-20177
POWER SUPPLIES
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Current dependent variable inductance for input filter chokes of ac or dc power supplies
[NASA-CASE-ERC-10139] c09 N72-17154
Performance of ac power supply developed for CO2 laser system
[NASA-CASE-GSC-11222-1] c16 N73-32391
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
POWER SUPPLY CIRCUITS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XMF-05843] c03 N71-11055
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
Power supply with automatic power factor conversion system
[NASA-CASE-XMS-02159] c10 N71-22961
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Device for monitoring voltage by generating signal when voltages drop below predetermined value
[NASA-CASE-KSC-10020] c10 N71-27338
Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c33 N74-26732
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c33 N75-30428
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c73 N78-28913
Closed loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c20 N79-20179
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c33 N81-12330
PRECESSION
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
PRECIPITATION (CHEMISTRY)
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
PRECISION
Precision stepping drive device using cam disk
[NASA-CASE-MFS-14772] c15 N71-17692
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
PREFLIGHT OPERATIONS
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
PRELAUNCH TESTS
Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
PREPOLYMERS
Carboxyl terminated polyester prepolymers and foams produced from prepolymers and materials
[NASA-CASE-NPO-10596] c06 N71-25929
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c24 N81-13999
PREPREGS
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-2] c24 N81-16128
PRESSURE
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Surface conforming thermal/pressure seal --- for control devices in space vehicles
[NASA-CASE-MSC-18422-1] c37 N80-14400
PRESSURE CHAMBERS
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMF-00411] c11 N70-36913
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c52 N74-10975
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343
PRESSURE DISTRIBUTION
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329
Preventing pressure buildup in electrochemical cells by reacting palladium oxide with evolved hydrogen
[NASA-CASE-XGS-01419] c03 N70-41864

Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c37 N80-16339
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c37 N81-15363

PRESSURE DROP
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931

PRESSURE EFFECTS
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c37 N75-19686
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c37 N79-33469

PRESSURE GAGES
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Control system for pressure balance device used in calibrating pressure gages
[NASA-CASE-XMF-04134] c14 N71-23755
Improved McLeod gage for pressure measurement
[NASA-CASE-XAC-04458] c14 N71-24232
Ultrahigh vacuum gauge with two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366

PRESSURE GRADIENTS
Positive displacement flowmeter for measuring extremely low flows of fluid with self calibrating features
[NASA-CASE-XMF-02822] c14 N70-41994
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440

PRESSURE HEADS
An improved head for high speed spinner having a vacuum chuck --- holding silicon chips for etching
[NASA-CASE-NPO-15227-1] c37 N80-26661

PRESSURE MEASUREMENTS
Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch
[NASA-CASE-XMF-01974] c14 N71-22752
Improved McLeod gage for pressure measurement
[NASA-CASE-XAC-04458] c14 N71-24232
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Absolute pressure measuring device for measuring gas density level in high vacuum range
[NASA-CASE-LAR-10000] c14 N73-30394
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c35 N79-14345
High-temperature microphone system --- for measuring pressure fluctuations in gases at high temperature
[NASA-CASE-LAR-12375-1] c32 N79-24203
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c35 N80-18358
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c02 N80-20224

PRESSURE REDUCTION
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229

PRESSURE REGULATORS
Pressure regulating system with high pressure fluid source, adapted to maintain constant downstream pressure
[NASA-CASE-XNP-00450] c15 N70-38603
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Antibacklash circuit for hydraulic drive system
[NASA-CASE-XNP-01020] c03 N71-12260
High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c34 N78-25351
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c52 N80-14684
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N80-18690
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c37 N81-17433

PRESSURE SENSORS
Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
Dynamic sensor for gas pressure or density measurement
[NASA-CASE-XAC-02877] c14 N70-41681
Design and development of inertia diaphragm pressure transducer
[NASA-CASE-XAC-02981] c14 N71-21072
Design and development of pressure sensor for measuring differential pressures of few pounds per square inch
[NASA-CASE-XMF-01974] c14 N71-22752
Combination pressure transducer-calibrator assembly for measuring fluid
[NASA-CASE-XNP-01660] c14 N71-23036
Pressure sensor network for measuring liquid dynamic response in flight including fuel tank acceleration, liquid slosh amplitude, and fuel

depth monitoring
[NASA-CASE-XLA-05541] c12 N71-26387
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
Method for making pressurized meteoroid penetration detector panels
[NASA-CASE-XLA-08916] c15 N71-29018
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Pressure transducer for systems for measuring forces of compression
[NASA-CASE-NPO-10832] c14 N72-21405
Pressure operated electrical switch responsive to pressure decrease after pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
Wide range dynamic pressure sensor with vibrating diaphragm for measuring density and pressure of gaseous environment
[NASA-CASE-ARC-10263-1] c14 N72-22438
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c54 N75-13531
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c35 N75-33368
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c35 N78-17359
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c35 N79-14347
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c02 N80-28300
Tactile sensing system --- manipulator controllers
[NASA-CASE-NPO-15094-1] c33 N81-16386

PRESSURE SUITS
Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XMS-00784] c05 N71-12335
Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Fabrication of root cord restrained fabric suit sections from sheets of fabric
[NASA-CASE-MSC-12398] c05 N72-20098
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N78-17675
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043

PRESSURE SWITCHES
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c33 N79-33392

PRESSURE VESSELS
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Thin walled pressure test vessel using low-melting alloy-filled joint to attach shell to heads
[NASA-CASE-XLE-04677] c15 N71-10577
Control of gas flow from pressurized vessel by thermal expansion of metal plug
[NASA-CASE-NPO-10298] c12 N71-17661
Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c35 N78-10428
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c37 N81-17433

PRESSURE WELDING
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c37 N74-21055

PRESSURIZING
Restraining mechanism
[NASA-CASE-MSC-13054] c54 N78-17677

PRESTRESSING
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068

PRETREATMENT
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471

PRINTED CIRCUITS
Electrical feedthrough connection for printed circuit boards
[NASA-CASE-XMF-01483] c14 N69-27431
Electric connector for printed cable to printed cable or to printed board
[NASA-CASE-XMF-00369] c09 N70-36494
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960
Electrical spot terminal assembly for printed circuit boards
[NASA-CASE-NPO-10034] c15 N71-17685
Solder coating process for printed copper circuit protection
[NASA-CASE-XMF-01599] c09 N71-20705
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
Development and characteristics of polyimide impregnated laminates with fiberglass cloth backing for application as printed circuit broads
[NASA-CASE-MFS-20408] c18 N73-12604
Techniques for packaging and mounting printed circuit boards
[NASA-CASE-MFS-21919-1] c10 N73-25243
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c33 N74-26977
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c37 N76-27567
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314

PRINTING
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
PRINTOUTS
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
PRISMS
Interferometer prism and control system for precisely determining direction to remote light source
[NASA-CASE-ARC-10278-1] c14 N73-25463
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c73 N78-32848
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387
Rhomboid prism pair for rotating the plane of parallel light beams --- laser velocimeters
[NASA-CASE-ARC-11311-1] c74 N81-16882
PROBABILITY THEORY
System and method for character recognition
[NASA-CASE-NPO-11337-1] c74 N81-19896
PROBES
Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft
[NASA-CASE-MFS-11133] c31 N71-16222
Development of droplet monitoring probe for use in analysis of droplet propagation in mixed-phase fluid stream
[NASA-CASE-NPO-10985] c14 N73-20478
PRODUCT DEVELOPMENT
Using molds for fabricating individual fluid circuit components
[NASA-CASE-XLA-07829] c15 N72-16329
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Simplified technique and device for producing industrial grade synthetic diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c74 N81-12862
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
PRODUCTION ENGINEERING
Standard coupling design for mass production
[NASA-CASE-XMS-02532] c15 N70-41808
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
Production of barium fluoride-calcium fluoride composite lubricant for bearings or seals
[NASA-CASE-XLE-08511-2] c18 N71-16105
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XNP-01016] c26 N71-17818
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Dry electrode design with wire sandwiched between two flexible conductive discs for monitoring physiological responses
[NASA-CASE-FRC-10029] c09 N71-24618
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c44 N79-11472
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Schottky barrier solar cell and method of fabrication
[NASA-CASE-NPO-13689-2] c44 N80-12549
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846] c37 N80-29704
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
PROJECTILES
Self-obturating gas-operated launcher for launching projectiles in decontaminated medium
[NASA-CASE-NPO-11013] c11 N72-22247
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
PROJECTION
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c35 N78-17357
PROJECTIVE GEOMETRY
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c35 N78-17357
PROJECTORS
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c74 N79-20856
PROPAGATION MODES
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
PROPELLANT ACTUATED INSTRUMENTS
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097
PROPELLANT ADDITIVES
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c28 N79-14228
PROPELLANT BINDERS
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
PROPELLANT CASTING
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
PROPELLANT CHEMISTRY
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c28 N78-31255
PROPELLANT COMBUSTION
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507
PROPELLANT DECOMPOSITION
Unit for generating thrust from catalytic decomposition of hydrogen peroxide, for high altitude aircraft or spacecraft reaction control

[NASA-CASE-XMS-00583] c28 N70-38504
PROPELLANT GRAINS
Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534
PROPELLANT TANKS
Liquid rocket systems for propulsion and control of spacecraft
[NASA-CASE-XNP-00610] c28 N70-36910
Slosh damping method for liquid rocket propellant tanks
[NASA-CASE-XMF-00658] c12 N70-38997
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948
Microleak detector mounted on weld seam of propellant tank of launch vehicle
[NASA-CASE-XMF-02307] c14 N71-10779
Fabrication of filament wound propellant tank for cryogenic storage
[NASA-CASE-XLE-03803-2] c15 N71-17651
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Two phase fluid pressurization system for propellant tank
[NASA-CASE-MSC-12390] c27 N71-29155
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
Passive propellant system
[NASA-CASE-MFS-23642-2] c20 N78-27176
PROPELLANT TRANSFER
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Electron bombardment ion rocket engine with improved propellant introduction system
[NASA-CASE-XLE-02066] c28 N71-15661
Rocket combustion chamber stability by controlling transverse instability during propellant combustion
[NASA-CASE-XLE-04603] c33 N71-21507
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XMF-04042] c15 N71-23023
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28937
Passive propellant system
[NASA-CASE-MFS-23642-2] c20 N78-27176
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
PROPELLER BLADES
Directed fluid stream for propeller blade loading control
[NASA-CASE-XAC-00139] c02 N70-34856
PROPORTIONAL CONTROL
Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954
PROPORTIONAL COUNTERS
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c35 N80-11400
PROPULSION SYSTEM CONFIGURATIONS
Electrothermal rocket engine using resistance heated heat exchanger
[NASA-CASE-XLE-00267] c28 N70-33356
Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534
Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780
Electrostatic microthrust propulsion system with annular slit colloid thrustor
[NASA-CASE-GSC-10709-1] c28 N71-25213
Method and apparatus for pressurizing propellant tanks used in propulsion motor feed system
[NASA-CASE-XNP-00650] c27 N71-28929
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
Apparatus for endoscopic examination --- analysis of the propulsion system configuration and transmitter
[NASA-CASE-NPO-14092-1] c52 N80-16725
PROPULSION SYSTEM PERFORMANCE
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
PROSTHETIC DEVICES
Prosthetic limb with tactile sensing device
[NASA-CASE-MFS-16570-1] c05 N73-32013
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c54 N75-12616
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c52 N78-10686
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c52 N79-14756
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N79-24652
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
Texturing polymer surfaces by transfer casting --- carviovascular prosthesis
[NASA-CASE-LEW-13120-1] c31 N81-16327
PROTECTION
Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
PROTECTIVE CLOTHING
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545
One piece human garment for use as contamination proof garment
[NASA-CASE-MSC-12206-1] c05 N71-17599
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
Development of improved convolute section for pressurized suits to provide high degree of mobility in response to minimum of applied torque
[NASA-CASE-XMS-09637-1] c05 N71-24730
Voice operated receiving and transmitting system for use in protective suits
[NASA-CASE-KSC-10164] c07 N71-33108
Protective garment ventilation system
[NASA-CASE-XMS-04928] c54 N78-17679
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments

[NASA-CASE-MSC-16074-1] c27 N80-26446
PROTECTIVE COATINGS
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Fireproof potassium silicate coating composition, insoluble in water after application
[NASA-CASE-GSC-10072] c18 N71-14014
Development of bacteriostatic conformal coating and methods of application
[NASA-CASE-GSC-10007] c18 N71-16046
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075
Flame or plasma spraying for molybdenum coating of carbon or graphite surfaces to prevent oxidative corrosion
[NASA-CASE-XLA-00302] c15 N71-16077
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles
[NASA-CASE-XLA-00892] c33 N71-17897
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Method for treating metal surfaces to prevent secondary electron transmission
[NASA-CASE-XNP-09469] c24 N71-25555
Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
Method for coating through-holes in ceramic substrates used in fabricating miniaturized electronic circuits
[NASA-CASE-XMF-05999] c15 N71-29032
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c27 N74-17283
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N78-14096
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
Flame retardant formulations and products produced therefrom
[NASA-CASE-MSC-16307-1] c25 N78-27232
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c27 N79-21190
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c15 N79-26100
Corrosion resistant thermal barrier coating --- protecting gas turbines and other heat engine parts
[NASA-CASE-LEW-13088-1] c24 N80-11142
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
A silicon-slurry/aluminide coating --- protects aircraft and land-based gas turbine engines
[NASA-CASE-LEW-13343-1] c24 N80-26389
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c26 N81-16209
PROTECTORS
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
PROTEINS
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
PROTON FLUX DENSITY
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
PSEUDONOISE
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179
PULLEYS
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
PULMONARY CIRCULATION
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922
PULMONARY FUNCTIONS
Piston device for producing known constant positive pressure within lungs by using thoracic muscles
[NASA-CASE-XMS-01615] c05 N70-41329

PULSE AMPLITUDE
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Analog to digital converter for converting pulses to frequencies
[NASA-CASE-XLA-00670] c08 N71-12501
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XNP-06519] c09 N71-12519
Analog to digital converter circuit for pulse height analysis
[NASA-CASE-XNP-00477] c08 N73-28045
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309

PULSE AMPLITUDE MODULATION
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XNF-04367] c09 N71-23545
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336

PULSE CODE MODULATION
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
System for recording and reproducing PCM data from data stored on magnetic tape
[NASA-CASE-XGS-01021] c08 N71-21042
Frequency shift keying apparatus for use with pulse code modulation data transmission system
[NASA-CASE-XGS-01537] c07 N71-23405
Data reduction and transmission system for TV PCM data
[NASA-CASE-NPO-11243] c07 N72-20154
Pulse code modulated data from frequency multiplex communications by digital phase shift or carrier
[NASA-CASE-NPO-11338] c08 N72-25208
Bit synchronization of PCM communications signal, without separate synchronization channel by digital correlation
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c32 N74-10132
Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-MSC-13855-1] c35 N74-17885
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
Digital demodulator
[NASA-CASE-LAR-12659-1] c33 N80-31731

PULSE COMMUNICATION
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
Memory-based frame synchronizer --- for voice data processing in digital communication systems
[NASA-CASE-GSC-12430-1] c32 N80-20453

PULSE DURATION
Frequency to analog converters with unipolar field effect transistor for determining potential charge by pulse duration of input signal
[NASA-CASE-XNP-07040] c08 N71-12500
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XNP-06519] c09 N71-12519
Design and development of variable pulse width multiplier
[NASA-CASE-XLA-02850] c09 N71-20447
Device for voltage conversion using controlled pulse widths and arrangements to generate ac output voltage
[NASA-CASE-MFS-10068] c10 N71-25139
One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711

PULSE DURATION MODULATION
Pulse duration modulation multiplier system
[NASA-CASE-XER-09213] c07 N71-12390
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XNF-05195] c10 N71-24861
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860
Load current sensor for series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c33 N81-19392

PULSE FREQUENCY MODULATION
Electric current measuring apparatus design including saturable core transformer and energy storage device to avoid magnetizing current errors from transformer output winding
[NASA-CASE-XGS-02439] c14 N71-19431
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Threshold extension device for improving operating performance of frequency modulation demodulators by eliminating click-type noise impulses
[NASA-CASE-MSC-12165-1] c07 N71-33696
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c35 N79-14349

PULSE GENERATORS
High voltage pulse generator for testing flash and ignition limits of nonmetallic materials in controlled atmospheres
[NASA-CASE-MSC-12178-1] c09 N71-13518
Interrogator and current driver circuit for combination with transistor flip-flop circuit
[NASA-CASE-XGS-03058] c10 N71-19547
Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
Pulse generating circuit for operation at very high duty cycles and repetition rates
[NASA-CASE-XNP-00745] c10 N71-28960
Pulse coupling circuit with switch between generator and winding
[NASA-CASE-LEW-10433-1] c09 N72-22197
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c38 N74-15395
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515

Frequency tracked pulse technique for ultrasonic analysis
[NASA-CASE-LAR-12697-1] c32 N80-26571
PULSE RADAR
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253
PULSE RATE
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c52 N80-23969
PULSED LASERS
Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-ERC-10178] c16 N71-24632
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887
PULSED RADIATION
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
PULSES
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119
PUMP SEALS
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c37 N74-10474
PUMPS
Piezoelectric pump for supplying fluid at high frequencies to gyroscope fluid suspension system
[NASA-CASE-XNP-05429] c26 N71-21824
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XMF-04042] c15 N71-23023
Automatically reciprocating, high pressure pump for use in spacecraft cryogenic propellants
[NASA-CASE-XNP-04731] c15 N71-24042
Development and characteristics of variable displacement fluid pump for tranforming hydraulic pressures
[NASA-CASE-MFS-20830] c15 N71-30028
Pumping and metering dual piston system and monitor for reaction chamber constituents
[NASA-CASE-GSC-10218-1] c15 N72-21465
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c37 N74-27904
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154
PUNCHED CARDS
Describing device for flagging punched business cards
[NASA-CASE-XLA-02705] c08 N71-15908
Handling tool for printed circuit cards
[NASA-CASE-MFS-20453] c15 N71-29133
PUNCHES
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
PURGING
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Fluid transferring system design for purging toxic, corrosive, or noxious fluids and fumes from materials handling equipment for cleansing and accident prevention
[NASA-CASE-XMS-01905] c12 N71-21089
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238
PURIFICATION
Apparatus and method capable of receiving large quantity of high pressure helium, removing impurities, and discharging at received pressure
[NASA-CASE-XMF-06888] c15 N71-24044
Purification apparatus for vaporization and fractional distillation of liquids
[NASA-CASE-XNP-08124] c15 N71-27184
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c25 N78-27226
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944
PURITY
Synthesis of high purity dianilinosilanes
[NASA-CASE-XMF-06409] c06 N71-23230
PUSH-PULL AMPLIFIERS
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
PYLONS
Decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c08 N80-22359
PYRIDINES
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c27 N78-17214
PYROELECTRICITY
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389
PYROGEN
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c20 N78-24275
PYROLYSIS
Thermal reactor and process --- liquid silicon production from silane
[NASA-CASE-NPO-14369-1] c25 N80-20338
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c27 N81-17261
PYROLYTIC GRAPHITE
Multislot film cooled pyrolytic graphite rocket nozzle
[NASA-CASE-XNP-04389] c28 N71-20942
PYROLYTIC MATERIALS
Design, development, and characteristics of ablation structures
[NASA-CASE-XMS-01816] c33 N71-15623
PYROMETERS
Sensor device with switches for measuring surface recession of charring and noncharring ablators
[NASA-CASE-XLA-01781] c14 N69-39975
PYROTECHNICS
Development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
[NASA-CASE-NPO-11330] c33 N73-26958

Q

Q SWITCHED LASERS
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Q VALUES
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
QUADRATIC PROGRAMMING
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c33 N78-32338
QUADRATURES
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c35 N74-21017
QUALITATIVE ANALYSIS
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c34 N79-24285
QUANTITATIVE ANALYSIS
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c23 N77-17161
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c25 N79-23167
QUANTUM THEORY
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
QUARTZ
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
Quartz ball valve
[NASA-CASE-NPO-14473-1] c37 N80-23654
QUARTZ LAMPS
High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
[NASA-CASE-XLA-00141] c09 N70-33312
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066

R

RACKS (FRAMES)
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
RADAR ANTENNAS
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c32 N76-18295
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
RADAR ATTENUATION
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264
RADAR DATA
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
RADAR ECHOES
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
RADAR EQUIPMENT
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264
RADAR IMAGERY
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c32 N77-21267
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c32 N78-18266
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607
RADAR MEASUREMENT
Thickness measurement system
[NASA-CASE-MFS-23721-1] c31 N79-28370
RADAR RANGE
Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
RADAR RECEIVERS
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
RADAR RECEPTION
Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
RADAR REFLECTORS
Inflatable radar reflector unit - lightweight, highly reflective to electromagnetic radiation, and adaptable for erection and deployment with minimum effort and time
[NASA-CASE-XMS-00893] c07 N70-40063
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c32 N77-21267
RADAR TARGETS
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498
RADAR TRACKING
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Monopulse tracking system with antenna array of three radiators for deriving azimuth and elevation indications
[NASA-CASE-XGS-01155] c10 N71-21483
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253
RADAR TRANSMITTERS
High resolution radar transmitting system for transmitting optical pulses to targets
[NASA-CASE-NPO-11426] c07 N73-26119

RADIAL FLOW
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17948
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
RADIANCE
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
RADIANT COOLING
Direct radiation cooling of linear beam collector tubes
[NASA-CASE-XNP-09227] c15 N69-24319
High thermal emittance black surface coatings and process for applying to metal and metal alloy surfaces used in radiative cooling of spacecraft
[NASA-CASE-XLA-06199] c15 N71-24875
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
RADIANT FLUX DENSITY
High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287
RADIANT HEATING
High intensity heat and light unit containing quartz lamp elements protectively positioned to withstand severe environmental stress
[NASA-CASE-XLA-00141] c09 N70-33312
High temperature source of thermal radiation
[NASA-CASE-XLE-00490] c33 N70-34545
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
Unfired ceramic insulation for protection from radiant heating environments
[NASA-CASE-MFS-14253] c33 N71-24858
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N78-10554
RADIATION
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c60 N78-10709
RADIATION ABSORPTION
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
RADIATION COUNTERS
Particle detector for indicating incidence and energy of minute space particles
[NASA-CASE-XLA-00135] c14 N70-33322
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
Particle beam power density detection and measurement apparatus
[NASA-CASE-XLE-00243] c14 N70-38602
Automatic baseline stabilization for ionization detector used in gas chromatograph
[NASA-CASE-XNP-03128] c10 N70-41991
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430
Apparatus for detecting particle emission lower than noise level of multiplier tube
[NASA-CASE-XLA-07813] c14 N72-17328
Radiation or charged particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c33 N78-17293
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334
RADIATION DAMAGE
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c33 N74-27682
RADIATION DETECTORS
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
Detection instrument for light emitted from ATP biochemical reaction
[NASA-CASE-XGS-05534] c23 N71-16355
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Nondispersive gas analysis using radiation detection for quantitative analysis
[NASA-CASE-ARC-10308-1] c06 N72-31141
Radiation source tracker comprised of sectored matrix of detectors with output voltages corresponding to irradiance levels
[NASA-CASE-NPO-11686] c14 N73-25462
Radiation or charged particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
Wide angle sun sensor --- consisting of cylinder, insulation and pair of detectors
[NASA-CASE-NPO-13327-1] c35 N75-23910
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c35 N79-33449
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388
X-ray position detector
[NASA-CASE-NPO-12087-1] c74 N81-19898
RADIATION DISTRIBUTION
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
RADIATION DOSAGE
Development of dosimeter for measuring absorbed dose of high energy ionizing radiation
[NASA-CASE-XLA-03645] c14 N71-20430
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
RADIATION EFFECTS
Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892

RADIATION HARDENING
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c76 N74-20329
RADIATION HAZARDS
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388
RADIATION MEASUREMENT
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
RADIATION MEASURING INSTRUMENTS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Infrared scanning system for maintaining spacecraft orientation with earth reference
[NASA-CASE-XLA-00120] c21 N70-33181
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
Phototransistor with base collector junction diode for integration into photo sensor arrays
[NASA-CASE-MFS-20407] c09 N73-19235
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488
Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MFS-21441-1] c14 N73-30392
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c47 N80-26992
RADIATION MEDICINE
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383
RADIATION PROTECTION
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c33 N74-27682
RADIATION SHIELDING
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
[NASA-CASE-XLA-07424] c14 N71-18482
Sealed housing for protecting electronic equipment against electromagnetic interference
[NASA-CASE-MSC-12168-1] c09 N71-18600
Internal labyrinth and shield structure to improve electrical isolation of propellant feed source from ion thrustor
[NASA-CASE-LEW-10210-1] c28 N71-26781
Apparatus for aligning shadow shields and cryogenic storage tanks in outer space with the sun
[NASA-CASE-KSC-10622-1] c31 N72-21893
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066
RADIATION SOURCES
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XMF-03934] c09 N71-22985
Apparatus for obtaining isotropic irradiation on film emulsion from parallel radiation source
[NASA-CASE-MFS-20095] c24 N72-11595
Radiation source tracker comprised of sectored matrix of detectors with output voltages corresponding to irradiance levels
[NASA-CASE-NPO-11686] c14 N73-25462
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
RADIATION SPECTRA
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
RADIATION THERAPY
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
RADIATION TOLERANCE
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
RADIATIVE HEAT TRANSFER
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Transient heat transfer gage for measuring total radiant intensity from far ultraviolet and ionized high temperature gases
[NASA-CASE-XNP-09802] c33 N71-15641
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
RADIATORS
Development and characteristics of natural circulation radiator for use with nuclear power plants installed in lunar space stations
[NASA-CASE-XHQ-03673] c33 N71-29046
RADIO ANTENNAS
Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
Development and characteristics of extensible dipole antenna using deformable tubular metallic strip element
[NASA-CASE-HQN-00937] c07 N71-28979
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
RADIO ASTRONOMY
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
RADIO BEACONS
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N78-28594
RADIO COMMUNICATION
System for synchronizing synthesizers of communication systems

[NASA-CASE-GSC-12148-1] c32 N79-20296
RADIO CONTROL
Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
RADIO EQUIPMENT
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N79-20296
RADIO FREQUENCIES
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Automatic gain control amplifier system
[NASA-CASE-XMS-05307] c09 N69-24330
Method and apparatus for bowing of instrument panels to improve radio frequency shielded enclosure
[NASA-CASE-XNP-09422] c07 N71-19436
Development of automatic frequency discriminators and control for phase lock loop providing frequency preset capabilities
[NASA-CASE-XNP-08665] c10 N71-19467
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
Radio frequency coaxial filter to provide dc isolation and low frequency signal rejection in audio range
[NASA-CASE-XGS-01418] c09 N71-23573
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
High efficiency transformerless amplitude modulator coupled to RF power amplifier
[NASA-CASE-GSC-10668-1] c07 N71-28430
Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
Radio frequency source resistance measuring instruments of varied design
[NASA-CASE-NPO-11291-1] c14 N73-30388
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c32 N80-18253
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c32 N81-14186
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195
RADIO FREQUENCY DISCHARGE
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c33 N79-15245
RADIO FREQUENCY HEATING
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c33 N81-16384
RADIO FREQUENCY INTERFERENCE
Radio frequency noise generator having microwave slow-wave structure in gas discharge plasma
[NASA-CASE-XER-11019] c09 N71-23598
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N79-11265
RADIO FREQUENCY SHIELDING
Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
Process for making RF shielded cable connector assemblies and resulting structures
[NASA-CASE-GSC-11215-1] c09 N73-28083
RADIO INTERFEROMETERS
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
RADIO RECEIVERS
Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
Faraday rotation measurement method and apparatus --- to receive RF signals from spacecraft which exhibits polarization characteristics due to spin stabilization
[NASA-CASE-NPO-14839-1] c35 N80-16313
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c32 N80-18253
Interferometric locating system
[NASA-CASE-NPO-14173-1] c04 N80-32359
RADIO RELAY SYSTEMS
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N79-11265
RADIO SIGNALS
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Synchronous detection system for detecting weak radio astronomical signals
[NASA-CASE-XNP-09832] c30 N71-23723
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408
RADIO SOURCES (ASTRONOMY)
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N79-13214
RADIO STARS
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
RADIO TELEMETRY
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
RADIO TELESCOPES
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457
RADIO TRANSMITTERS
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
RADIO WAVES
Gunn effect microwave diodes with RF shielding
[NASA-CASE-ERC-10119] c26 N72-21701
RADIOACTIVE ISOTOPES
Thermally cascaded thermoelectric generator with radioisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
RADIOBIOLOGY
Production of I-123 for use as radiopharmaceutical for low radiation exposure
[NASA-CASE-LEW-10518-1] c24 N72-33681
RADIOGRAPHY
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
RADIOLYSIS
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
RADIOMETERS
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Black body radiometer having isothermally surrounded cavity for ultraviolet, visible,

and infrared radiation
[NASA-CASE-NPO-10810] c14 N71-27323
Thermodielectric radiometer using polymer film as capacitor
[NASA-CASE-ARC-10138-1] c14 N72-24477
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861

RADIOSONDES
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c52 N80-18691

RAIN
Precipitation detector and mechanism for stopping and restarting machinery at initiation and cessation of rain
[NASA-CASE-XLA-02619] c10 N71-26334
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c09 N79-33220

RAMJET ENGINES
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168

RAMPS (STRUCTURES)
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480

RANDOM ACCESS MEMORY
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-1] c60 N80-21987

RANDOM LOADS
Fatigue testing device applying random discrete load levels to test specimen and applicable to aircraft structures
[NASA-CASE-XLA-02131] c32 N70-42003

RANDOM NOISE
Circuits for amplitude limiting of random noise inputs
[NASA-CASE-NPO-10169] c10 N71-24844
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c71 N74-31148
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308

RANGE (EXTREMES)
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339

RANGE FINDERS
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253

RANGEFINDING
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Spacecraft ranging system
[NASA-CASE-NPO-10066] c09 N71-18598
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Loop transponder for regenerating code of nu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015

RARE EARTH COMPOUNDS
Including didymium hydrate in nickel hydroxide of positive electrode of storage batteries to increase ampere hour capacity
[NASA-CASE-XGS-03505] c03 N71-10608

RARE GASES
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441

RAREFIED GASES
Magnetically controlled plasma accelerator capable of ignition in low density gaseous environment
[NASA-CASE-XLA-00327] c25 N71-29184

RATES (PER TIME)
Apparatus and digital technique for coding rate data
[NASA-CASE-LAR-10128-1] c08 N73-20217

RC CIRCUITS
RC transistor circuit to indicate each pulse of pulse train and occurrence of nth pulse
[NASA-CASE-XNP-00906] c09 N70-41655
Device utilizing RC rate generators for continuous slow speed measurement
[NASA-CASE-XNP-02966] c10 N71-24863
Digital data handling circuits for pulse amplifiers
[NASA-CASE-XNP-01068] c10 N71-28739
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256
Active RC filter networks and amplifiers for deep space magnetic field measurement
[NASA-CASE-XAC-05462-2] c10 N72-17171
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Multiloop RC active filter network with low parameter sensitivity and low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520

REACTION CONTROL
Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160

REACTION KINETICS
Autocatalytic coal liquefaction process
[NASA-CASE-NPO-14876-1] c28 N80-26460

REACTION TIME
An improved synthesis of 2, 4, 8, 10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179

REACTION WHEELS
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324

REACTIVITY
Absorbing gas reactivity control system for minimizing power distribution and perturbation in nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597

REACTOR CORES
Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228

REACTOR DESIGN
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N78-19920

REACTOR MATERIALS
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201

REACTOR PHYSICS
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N78-19920

READOUT
Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
System for checking status of several double-throw switches by readout indications

[NASA-CASE-XLA-08799] c10 N71-27272
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c35 N78-29421
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c36 N80-18380
REAL TIME OPERATION
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c35 N75-29380
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c35 N77-31465
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N79-10724
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c32 N79-14268
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
X-ray position detector
[NASA-CASE-NPO-12087-1] c74 N81-19898
REBREATHING
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c54 N80-10799
RECEIVERS
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Automatic carrier acquisition system for phase locked loop receiver
[NASA-CASE-NPO-11628-1] c07 N73-30113
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427
RECONSTRUCTION
Method and means for recording and reconstructing holograms without use of reference beam
[NASA-CASE-ERC-10020] c16 N71-26154
RECORDING HEADS
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
RECORDING INSTRUMENTS
Weighing and recording device for obtaining precise automatic record of small changes in force
[NASA-CASE-XLA-02605] c14 N71-10773
Blood pressure measuring system for separately recording dc and ac pressure signals of Korotkoff sounds
[NASA-CASE-XMS-06061] c05 N71-23317
Helical recorder for multiple channel recording
[NASA-CASE-GSC-10614-1] c09 N72-11224
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
RECOVERABILITY
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
RECOVERABLE LAUNCH VEHICLES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
RECOVERABLE SPACECRAFT
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XMF-03169] c31 N71-15675
RECOVERY PARACHUTES
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
RECTANGULAR PANELS
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N78-10214
RECTIFIERS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Precision full wave rectifier circuit for rectifying incoming electrical signals having positive or negative polarity with only positive output signals
[NASA-CASE-ARC-10101-1] c09 N71-33109
Voltage amplitude-responsive trigger circuit with silicon controlled rectifier
[NASA-CASE-GSC-10221-1] c09 N72-23171
Dc to ac to dc converter with transistor driven synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393
REDUCED GRAVITY
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Development of restraint system for securing personnel to ergometer while exercising under weightless conditions
[NASA-CASE-MFS-21046-1] c14 N73-27377
REDUCTION (CHEMISTRY)
Producing metal powders of controlled particle size by reducing oxide using reactive metal vapor in vacuum
[NASA-CASE-XLE-06461] c17 N72-22530
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514
REDUNDANCY
Reconfiguring redundancy management

[NASA-CASE-MSC-18498-1] c60 N80-30050
REDUNDANT COMPONENTS
Redundant memory for enhanced reliability of digital data processing system
[NASA-CASE-GSC-10564] c10 N71-29135
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c37 N80-32716
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c60 N81-15706
REELS
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
REENTRY COMMUNICATION
Electrostatic modulator for communicating through plasma sheath formed around spacecraft during reentry
[NASA-CASE-XLA-01400] c07 N70-41331
Method and apparatus for communicating through ionized layer of gases surrounding spacecraft during reentry into planetary atmospheres
[NASA-CASE-XLA-01127] c07 N70-41372
Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284
REENTRY SHIELDING
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c73 N75-30876
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c24 N79-24062
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c27 N80-23454
REENTRY TRAJECTORIES
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
REENTRY VEHICLES
Leading edge design for hypersonic reentry vehicles
[NASA-CASE-XLA-00165] c31 N70-33242
Delta winged, manned reentry vehicle capable of horizontal glide landing at low speeds
[NASA-CASE-XLA-00241] c31 N70-37986
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Ablation sensor for measuring surface ablation rate of material on vehicles entering earths atmosphere on entry into planetary atmospheres
[NASA-CASE-XLA-01791] c14 N71-22991
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
Development and operating principles of gas generator for deploying recovery parachutes from space capsules during atmospheric entry
[NASA-CASE-LAR-10549-1] c31 N73-13898
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
REFERENCE SYSTEMS
Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056

REFINING
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164
REFLECTANCE
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587
Highly stable optical mirror assembly optimizing image quality of light diffraction patterns
[NASA-CASE-ERC-10001] c23 N71-24868
REFLECTED WAVES
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c36 N76-31512
REFLECTING TELESCOPES
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c89 N79-10969
REFLECTION
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c74 N76-20958
REFLECTOMETERS
Ellipsoidal mirror reflector for measuring reflectance
[NASA-CASE-XGS-05291] c23 N71-16341
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c35 N77-31465
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c35 N80-28687
REFLECTORS
Method of compactly packaging centrifugally expandable lightweight flexible reflector satellite
[NASA-CASE-XLA-00138] c31 N70-37981
Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
Conical reflector antenna with feed approximating line source
[NASA-CASE-NPO-10303] c07 N72-22127
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Multipurpose microwave antenna, employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Characteristics of microwave antenna with conical reflectors to generate plane wave front
[NASA-CASE-NPO-11661] c07 N73-14130
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N78-31526
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
REFRACTIVITY
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c74 N78-13874
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c74 N80-27185
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440
REFRACTORY MATERIALS
Test apparatus for determining mechanical properties of refractory materials at high

temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c27 N78-19302
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c27 N79-14213
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c24 N79-24062
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c27 N80-23454
Castable high temperature refractory materials
[NASA-CASE-LEW-13080-1] c27 N80-29496
Improved attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c16 N81-16110
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c26 N81-16209

REFRACTORY METALS
Refractory filament series circuitry for radiant heater
[NASA-CASE-XLE-00387] c33 N70-34812
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468
Multilayer porous refractory metal ionizer design with thick, porous, large-grain substrates and thin, porous micron-grain substrates
[NASA-CASE-XNP-04338] c17 N71-23046
Brazing alloy adapted for brazing corrosion resistant steel to refractory metals, also for brazing refractory metals to other refractory metals
[NASA-CASE-XNP-03063] c17 N71-23365
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Production of high strength refractory compounds and microconstituents into refractory metal matrix
[NASA-CASE-XLE-03940] c18 N71-26153
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Development of procedure for improved distribution of refractory compounds and micro-constituents in refractory metal matrix
[NASA-CASE-XLE-03940-2] c17 N72-28536
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c37 N76-23570

REFRIGERATING
Heat exchanger and decontamination system for multistage refrigeration unit
[NASA-CASE-NPO-10634] c23 N72-25619

REFRIGERATING MACHINERY
Gas balancing, cryogenic refrigeration apparatus with Joule-Thomson valve assembly
[NASA-CASE-NPO-10309] c15 N69-23190
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
A cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c31 N81-19344

REFRIGERATORS
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c31 N79-17029

REGENERATION (ENGINEERING)
Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
Direct current electromotive system for regenerative braking of electric motor
[NASA-CASE-XNP-01096] c10 N71-16030
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c37 N80-31790

REGENERATION (PHYSIOLOGY)
An implantable electrical device
[NASA-CASE-GSC-12560-1] c52 N80-27073

REGENERATIVE COOLING
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Fabrication method for lightweight regeneratively cooled combustion chamber of channel construction
[NASA-CASE-XLE-00150] c28 N70-41818
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992
Regenerative cooling system for rocket combustion chamber using coolant tubes in convergent-divergent nozzle
[NASA-CASE-XLE-04857] c28 N71-23968
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417

REGENERATIVE FUEL CELLS
Electrolytically regenerative hydrogen-oxygen fuel cells
[NASA-CASE-XLE-04526] c03 N71-11052

REGENERATORS
Loop transponder for regenerating code of mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161

REGISTERS (COMPUTERS)
Data processor with plural register stages for selectively interconnecting with each other to effect multiplicity of operations
[NASA-CASE-GSC-10186] c08 N71-33110
Priority interrupt system --- comprised of four registers
[NASA-CASE-NPO-13067-1] c60 N76-18800

REINFORCED PLASTICS
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125

REINFORCEMENT (STRUCTURES)
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370

REINFORCING FIBERS
High strength reinforced metallic composites for applications over wide temperature range
[NASA-CASE-XLE-02428] c17 N70-33288

Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198
Description of method for producing metallic composites reinforced with ceramic and refractory hard metals that are fibered in place
[NASA-CASE-XLE-03925] c18 N71-22694
Production and application of sprayable fiber reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045
Ceramic fiber insulating material and method of producing same --- aircraft construction materials
[NASA-CASE-MSC-14795-2] c24 N78-25138
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c27 N80-16158
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296

RELAXATION OSCILLATORS
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25682

RELAY SATELLITES
Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448

RELEASING
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Quick-release coupling for fueling rocket vehicles with cryogenic propellants
[NASA-CASE-XKS-01985] c15 N71-10782
Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039

RELIABILITY ANALYSIS
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495

RELIABILITY ENGINEERING
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XNP-04966] c14 N71-17658
Reliability of automatic refilling valving device for cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
Reliable electrical element heater using plural wire system and backup power sources
[NASA-CASE-MFS-21462-1] c33 N74-14935
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064

RELIEF VALVES
Relief valve to permit slow and fast bleeding rates at difference pressure levels
[NASA-CASE-XMS-05894-1] c15 N69-21924
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Redundant hydraulic control system for actuators with three main valve combination
[NASA-CASE-MFS-20944] c15 N73-13466

REMOTE CONTROL
Oscillatory electromagnetic mirror drive system for horizon scanners
[NASA-CASE-XLA-03724] c14 N69-27461
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Power controlled bimetallic electromechanical actuator for accurate, timely, and reliable response to remote control signal
[NASA-CASE-XNP-09776] c09 N69-39929
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Remote control device operated by movement of finger tips for manual control of spacecraft attitude
[NASA-CASE-XAC-02405] c09 N71-16089
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Design and development of multichannel laser remote control system using modulated helium-neon laser as transmitter and light collector as receiving antenna
[NASA-CASE-LAR-10311-1] c16 N73-16536
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c74 N79-13855
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c54 N79-20746
Tactile sensing system --- manipulator controllers
[NASA-CASE-NPO-15094-1] c33 N81-16386

REMOTE HANDLING
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c37 N74-18123
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c37 N79-28551
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846] c37 N80-29704

REMOTE MANIPULATOR SYSTEM
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c37 N80-14398

REMOTE SENSING
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c43 N81-17499

REMOTE SENSORS
Passive optical wind and turbulence remote detection system
[NASA-CASE-XNP-14032] c20 N71-16340
Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090

Flow angle sensor and remote readout system for use with cryogenic fluids
[NASA-CASE-XLE-04503] c14 N71-24864
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
Development of radiometric sensor to warn aircraft pilots of region of clear air turbulence along flight path
[NASA-CASE-ERC-10081] c14 N72-28437
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N78-10529
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c35 N78-27384
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498
Photoelectric detection system
[NASA-CASE-MFS-23776-1] c74 N80-25134

REMOTELY PILOTED VEHICLES
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c43 N81-17499

REMOVAL
Catalyst bed element removing tool
[NASA-CASE-XFR-00811] c15 N70-36901
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119

REPEATERS
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773

REPLACING
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182

RESCUE OPERATIONS
Backpack carrier with retractable legs suitable for lunar exploration and convertible to rescue vehicle
[NASA-CASE-LAR-10056] c05 N71-12351
Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-XMS-04170] c05 N71-22748
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c32 N77-21267
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-2] c03 N78-25070

RESEARCH AND DEVELOPMENT
Process for developing filament reinforced plastic tubes used in research and development programs
[NASA-CASE-LAR-10203-1] c15 N72-16330

RESEARCH VEHICLES
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895

RESIDUAL STRESS
Miniature solid state, direction sensitive, stress transducer design with bonded semiconductive piezoresistive element for sensing residual stresses
[NASA-CASE-XNP-02983] c14 N71-21091
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120

RESILIENCE
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161

RESIN BONDING
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600

RESINS
Modification of polyurethanes with alkyl halide resins, inorganic salts, and encapsulated volatile and reactive halogen for fuel fire control
[NASA-CASE-ARC-10098-1] c06 N71-24739
Development of process for bonding resinous body in cavities of honeycomb structures
[NASA-CASE-MSC-12357] c15 N73-12489
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N78-17150

RESISTANCE
Manufacturing process for making perspiration resistant-stress resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
Variable resistance constant tension and lubrication device --- using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c37 N75-13265

RESISTANCE HEATING
High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175

RESISTORS
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473

RESOLUTION
Conversion system for increasing resolution of analog to digital converters
[NASA-CASE-XAC-00404] c08 N70-40125
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c71 N79-23753

RESOLVERS
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705

RESONANCE
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N78-13400

RESONANT FREQUENCIES
Vibrating element electrometer producing high conversion gain by input current control of elements resonant frequency displacement amplitude
[NASA-CASE-XAC-02807] c09 N71-23021
Quantitative liquid measurements in container by resonant frequencies
[NASA-CASE-XNP-02500] c18 N71-27397
Development of electrical circuit for suppressing oscillations across inductor operating in resonant mode
[NASA-CASE-ERC-10403-1] c10 N73-26228

CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c39 N78-15512
Microbalance --- for measuring particle mass
[NASA-CASE-MSC-11242] c35 N78-17358
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767

RESONATORS
Selective bandpass resonators using bandstop resonator pairs for microwave frequency operation
[NASA-CASE-GSC-10990-1] c09 N73-26195

RESPIRATION
Respiration analyzing method and apparatus for determining subjects oxygen consumption in aerospace environments
[NASA-CASE-XFR-08403] c05 N71-11202

RESPIRATORS
Transducer for monitoring oxygen flow in respirator
[NASA-CASE-FRC-10012] c14 N72-17329

RESPIRATORY RATE
Flowmeters for sensing low fluid flow rate and pressure for application to respiration rate studies
[NASA-CASE-FRC-10022] c12 N71-26546
Respiratory analysis system to determine gas flow rate and frequency of respiration and expiration cycles in real time
[NASA-CASE-MSC-13436-1] c05 N73-32015
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c52 N74-20728

RESPIROMETERS
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c52 N74-20728

RESPONSES
System for monitoring condition responsive devices by using frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176

RESTARTABLE ROCKET ENGINES
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Regenerative cooling system for small rocket engine having restart capability and using noncryogenic hypergolic propellants
[NASA-CASE-XLE-00685] c28 N70-41992

RESUSCITATION
Pulmonary resuscitation method and apparatus with adjustable pressure regulator
[NASA-CASE-XMS-01115] c05 N70-39922

RETAINING
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c37 N81-12422

RETARDING
Ablative resins used for retarding regression in ablative material
[NASA-CASE-XLE-05913] c33 N71-14032

RETICLES
Optical tracker with pair of FM reticles having patterns 90 deg out of phase
[NASA-CASE-XGS-05715] c23 N71-16100
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Star scanner --- with a reticle with a pair of slits having differing separation
[NASA-CASE-GSC-11569-1] c89 N74-30886

RETRACTABLE EQUIPMENT
Retractable runway lights
[NASA-CASE-XLA-00119] c11 N70-33329
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c37 N79-22474
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c18 N80-14183

RETROFIRING
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Device for use in descending spacecraft as altitude sensor for actuating deceleration retrorockets
[NASA-CASE-XMS-03792] c14 N70-41812

RETROREFLECTION
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c35 N78-18395
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510

RETROREFLECTORS
Interferometer --- high resolution
[NASA-CASE-NPO-14448-1] c74 N79-23777

RETROROCKET ENGINES
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645

REUSABLE SPACECRAFT
Recoverable, reusable single stage booster capable of injecting large payloads into circular earth orbit
[NASA-CASE-XMF-01973] c31 N70-41588
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854

REUSE
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376

REVERSE OSMOSIS
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c27 N80-23452

REVERSED FLOW
Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLE-00170] c15 N70-36412
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Positive locking check valve for stopping reversed flow
[NASA-CASE-XMS-09310] c15 N71-22706
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059

REYNOLDS NUMBER
Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-MFS-20509] c11 N72-17183

REYNOLDS STRESS
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c34 N76-27517

RHENIUM
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454

RHEOMETERS
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c35 N80-18357

RIBBONS
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c76 N79-11920
Photomechanical transducer --- using thin strips of photoabsorptive metal or polymeric film with strain gages
[NASA-CASE-NPO-14363-1] c76 N79-14908

Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c76 N80-32245
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389

RIBOFLAVIN
Bioassay of flavin coenzymes
[NASA-CASE-GSC-10565-1] c06 N72-25149

RIBS (SUPPORTS)
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981

RICE
Rice preparation process consisting of cooking, two freezing-thawing cycles, and then freeze drying
[NASA-CASE-MSC-13540-1] c05 N72-33096

RIGID ROTORS
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029

RIGID STRUCTURES
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c37 N78-33446

RIGID WINGS
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863

RING CURRENTS
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463

RING STRUCTURES
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XNP-10040] c15 N71-22877
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N80-29539
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c37 N81-12422

RING WINGS
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315

RIPPLES
Circuit for monitoring power supply by ripple current indication
[NASA-CASE-KSC-10162] c09 N72-11225

RIVETS
Electrical connection for printed circuits on common board, using bellows principle in rivet
[NASA-CASE-XNP-05082] c15 N70-41960

ROCKET ENGINE CASES
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143

ROCKET ENGINE CONTROL
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XNP-05964-1] c20 N79-21124

ROCKET ENGINE DESIGN
High thrust annular liquid propellant rocket engine and exhaust nozzle design
[NASA-CASE-XLE-00078] c28 N70-33284
Spherical solid propellant rocket engine design
[NASA-CASE-XLA-00105] c28 N70-33331
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Metal ion rocket engine design
[NASA-CASE-XLE-00342] c28 N70-37980
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
Characteristics of ion rocket engine with combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275
Low thrust monopropellant engine --- low temperature environments
[NASA-CASE-GSC-12194-2] c20 N79-15151

ROCKET ENGINES
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Encapsulated heater forming hollow body for cathode used in ion thruster
[NASA-CASE-LEW-10814-1] c28 N70-35422
Apparatus for cooling and injecting hypergolic propellants into combustion chamber of small rocket engine
[NASA-CASE-XLE-00303] c15 N70-36535
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Water electrolysis rocket engine with self-regulating stoichiometric fuel mixing regulator
[NASA-CASE-XGS-08729] c28 N71-14044
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
Laminar flow of liquid coolants in rocket engines
[NASA-CASE-NPO-10122] c12 N71-17631
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
System for removing and repairing spacecraft control thrusters by use of portable air locks

[NASA-CASE-MFS-20325] c28 N71-27095
Device for back purging thrust engines
[NASA-CASE-XMS-04826] c28 N71-28849
Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Automatic shunting of ion thrustor magnetic field when thrustor is not operating
[NASA-CASE-LEW-10835-1] c28 N72-22771
Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MFS-20620] c11 N72-27262
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Improving preformance of magnetoplasmadynamic arc rocket engine
[NASA-CASE-LEW-11180-1] c25 N73-25760
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c12 N79-26075

ROCKET EXHAUST
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773

ROCKET FIRING
Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663

ROCKET FLIGHT
Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691

ROCKET LAUNCHING
Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663
Controlled release device for use in launching rockets or missiles
[NASA-CASE-XKS-03338] c15 N71-24043

ROCKET LININGS
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c34 N80-24573

ROCKET NOZZLES
Gimbaled partially submerged nozzle for solid propellant rocket engines for providing directional control
[NASA-CASE-XNP-01544] c28 N70-34162
Large area-ratio nozzles for rocket motor thrust chambers
[NASA-CASE-XLE-00145] c28 N70-36806
Flexible rocket motor nozzle closure device to aid ignition and protect rocket chamber from foreign objects
[NASA-CASE-XLA-02651] c28 N70-41967
Automatically deploying nozzle exit cone extension
[NASA-CASE-XLE-01640] c31 N71-15637
Method for testing rocket nozzles at high tensile stress levels
[NASA-CASE-NPO-10311] c31 N71-15643
Development of collapsible nozzle extension for rocket engines
[NASA-CASE-MFS-11497] c28 N71-16224
Camera protecting device for use in photographing rocket engine nozzles or other engine components
[NASA-CASE-NPO-10174] c14 N71-18465
Multislot film cooled pyrolytic graphite rocket nozzle
[NASA-CASE-XNP-04389] c28 N71-20942
Prestressed rocket nozzle with ceramic inner rings and refractory metal outer rings
[NASA-CASE-XNP-02888] c18 N71-21068
Improvement in rocket engine performance with swirling flow exhaust nozzle development
[NASA-CASE-XNP-03692] c28 N71-24321
Development of method for cooling high temperature wall members with cooling medium having high heat absorption capability
[NASA-CASE-HQN-00938] c33 N71-29053
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
Thin walled nozzle with insulative nonablative coating for solid propellant rocket engines
[NASA-CASE-NPO-11458] c28 N72-23810
Method of making a rocket nozzle
[NASA-CASE-XNP-06884-1] c20 N79-21123
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c37 N79-22474

ROCKET OXIDIZERS
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077

ROCKET PROPELLANTS
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Bipropellant injector with pair of concave * deflector plates
[NASA-CASE-XNP-09461] c28 N72-23809

ROCKET TEST FACILITIES
High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094

ROCKET THRUST
Solid propellant rocket vehicle thrust control method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
High voltage insulators for direct current in acceleration system of electrostatic thrustor
[NASA-CASE-XLE-01902] c28 N71-10574
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382

ROCKET VEHICLES
Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
Hydraulic support equipment for full scale dynamic testing of large rocket vehicle under free flight conditions
[NASA-CASE-XNP-01772] c11 N70-41677
Design and characteristics of linkage to alleviate rocket vehicle divergence during launch
[NASA-CASE-XLA-00256] c31 N71-15663
Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c37 N80-14398

ROCKET-BORNE INSTRUMENTS
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-IGS-08266] c14 N69-27432

ROCKETS
Device for detecting hydrogen fires onboard high altitude rockets
[NASA-CASE-MFS-13130] c10 N72-17173

ROCKS
Rotary impact-type rock drill for recovering rock cuttings
[NASA-CASE-XNP-07478] c14 N69-21923
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c46 N74-23068

Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c46 N74-23069
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706

RODS
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891

ROLL
Measuring roll alignment of test body with respect to reference body
[NASA-CASE-GSC-10514-1] c14 N72-20379

ROLLER BEARINGS
Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Low mass rolling element bearing assembly
[NASA-CASE-LEW-11087-1] c15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c24 N76-22309

ROLLERS
Improving load capacity and fatigue life of rolling element systems in rockets and missiles
[NASA-CASE-XLE-02999] c15 N71-16052
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499
An improved suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c37 N79-12446

ROLLING CONTACT LOADS
Development of rolling element bearing for operation in ultrahigh vacuum environment
[NASA-CASE-XLE-09527-2] c15 N71-26189

ROLLING MOMENTS
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856

ROOM TEMPERATURE
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895

ROTARY STABILITY
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458

ROTARY WING AIRCRAFT
Aircraft control system for rotary wing aircraft
[NASA-CASE-ERC-10439] c02 N73-19004

ROTARY WINGS
Variable geometry rotor system for direct control over wake vortex
[NASA-CASE-LAR-10557] c02 N72-11018
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382
Helicopter rotor airfoil
[NASA-CASE-LAR-12396-1] c02 N79-24558
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c05 N80-14107
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c05 N81-19087

ROTATING BODIES
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Laser device for removing material from rotating object for dynamic balancing
[NASA-CASE-MFS-11279] c16 N71-20400
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N79-10422
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
Rotary target V-block --- aligning wind tunnel apparatus for optical measurement
[NASA-CASE-LAR-12007-2] c74 N79-25876
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c74 N79-34011
Rhomboid prism pair for rotating the plane of parallel light beams --- laser velocimeters
[NASA-CASE-ARC-11311-1] c74 N81-16882

ROTATING CYLINDERS
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c51 N78-27733
An improved head for high speed spinner having a vacuum chuck --- holding silicon chips for etching
[NASA-CASE-NPO-15227-1] c37 N80-26661

ROTATING DISKS
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
Rocket-borne aspect sensor consisting of radiation sensor, apertured disk, commutator, and counting circuits
[NASA-CASE-XGS-08266] c14 N69-27432
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101

ROTATING ELECTRICAL MACHINES
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
Design and development of electric motor with stationary field and armature windings which operates on direct current
[NASA-CASE-XGS-05290] c09 N71-25999
Double-induction variable speed system for constant-frequency electrical power generation
[NASA-CASE-ERC-10065] c09 N71-27364

ROTATING ENVIRONMENTS
Radial module manned space station with artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
Artificial gravity system for simulating self-locomotion capability of astronauts in rotating environments
[NASA-CASE-XLA-03127] c11 N71-10776

ROTATING GENERATORS
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c44 N80-21828

ROTATING MIRRORS
Optical retrodirective modulator with focus spoiling reflector driven by modulation signal
[NASA-CASE-GSC-10062] c14 N71-15605
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Optical device containing rotatable prism and reflecting mirror for generating precise angles
[NASA-CASE-XGS-04173] c19 N71-26674
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304

ROTATING SHAFTS
Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570
Anemometer with braking mechanism to prevent rotation of wind driven elements
[NASA-CASE-XNP-05224] c14 N71-23726

Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-INP-06936] c15 N71-24695
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-INP-02862-1] c15 N71-26294
Combination guide and rotary bearing for freely moving shaft
[NASA-CASE-XLA-00013] c15 N71-29136
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c37 N74-15125
Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c33 N74-29556
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c35 N75-15932
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c37 N78-27425
Rotary electric device
[NASA-CASE-GSC-12138-1] c33 N79-20314
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N80-28711

ROTATION
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Mechanical actuator wherein linear motion changes to rotational motion
[NASA-CASE-XGS-04548] c15 N71-24045
Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462

ROTOR AERODYNAMICS
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c05 N80-14107

ROTOR BLADES
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N78-24515
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N79-10057

ROTOR BLADES (TURBOMACHINERY)
Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-INP-00816] c28 N71-28928
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
Helicopter rotor airfoil
[NASA-CASE-LAR-12396-1] c02 N79-24558

ROTOR LIFT
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N79-17847

ROTOR SPEED
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660

ROTORCRAFT AIRCRAFT
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N79-17847

ROTORS
Multistage, multiple reentry, single rotor, axial flow turbine
[NASA-CASE-XLE-00085] c28 N70-39895
Describing angular position and velocity sensing apparatus
[NASA-CASE-XGS-05680] c14 N71-17585
Microwave waveguide switch with rotor position control
[NASA-CASE-INP-06507] c09 N71-23548
Electromagnetic braking arrangement for controlling rotor rotation in electric motor
[NASA-CASE-INP-06936] c15 N71-24695
Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Magnetic field control --- electromechanical torquing devices
[NASA-CASE-MFS-23828-1] c33 N80-17359
Liquid metal slip ring --- aerospace environments
[NASA-CASE-LEW-12277-3] c33 N80-18300

RUBBER
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c27 N78-33228
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c44 N79-17313

RUBBER COATINGS
Intumescent paint containing nitrile rubber for fire protection
[NASA-CASE-ARC-10196-1] c18 N73-13562

RUBY
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N79-25143

RUBY LASERS
Cooling and radiation protection of ruby lasers using copper sulfate solution in alcohol
[NASA-CASE-MFS-20180] c16 N72-12440

RUNWAY ALIGNMENT
Magnetic method for detection of aircraft position relative to runway
[NASA-CASE-ARC-10179-1] c21 N72-22619

RUNWAY LIGHTS
Retractable runway lights
[NASA-CASE-XLA-00119] c11 N70-33329
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031

RUNWAYS
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c09 N79-33220

RUPTURING
Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960

RYDBERG SERIES
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428

S

SABOT PROJECTILES
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c09 N79-21084

SAFETY DEVICES
Helmet and torso tiedown mechanism for shortening pressure suits upon inflation
[NASA-CASE-XMS-00784] c05 N71-12335
Positive locking check valve for stopping reversed flow
[NASA-CASE-XMS-09310] c15 N71-22706
Description of protective device for providing safe operating conditions around work piece in machine or metal working tool

[NASA-CASE-XLE-01092] c15 N71-22797
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343

SAFETY FACTORS
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c44 N79-14527

SAHA EQUATIONS
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431

SALT BATHS
Application techniques for protecting materials during salt bath brazing
[NASA-CASE-XLE-00046] c15 N70-33311

SAMARIUM
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292

SAMPLERS
Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395
Automated syringe sampler
[NASA-CASE-LAR-12308-1] c45 N80-19664
Method and device for destructive detection of a substance --- useful in determining the concentration of carbon fibers or pollutant particles
[NASA-CASE-NPO-14940-1] c35 N80-21723

SAMPLES
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913

SAMPLING
Impact bit for cutting, collecting, and storing samples such as lunar rock cuttings
[NASA-CASE-XNP-01412] c15 N70-42034
Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
Design and development of two types of atmosphere sampling chambers
[NASA-CASE-NPO-11373] c13 N72-25323
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c46 N74-23069
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c35 N78-27384
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c33 N79-17134
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c34 N79-24285

SANDWICH STRUCTURES
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
Capacitor sandwich structure containing metal sheets of known thickness for counting penetration rates of meteoroids
[NASA-CASE-XLE-01246] c14 N71-10797
Technique for making foldable, inflatable, plastic honeycomb core panels for use in building and bridge structures, light and radio wave reflectors, and spacecraft
[NASA-CASE-XLA-03492] c15 N71-22713
Punch and die device for forming convolution series in thin gage metal hemispheres
[NASA-CASE-XNP-05297] c15 N71-23811
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N78-10214
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c39 N79-25424
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c24 N80-12117

SAPPHIRE
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N79-25143

SATELLITE ANTENNAS
Monopole antenna system for maximum omnidirectional efficiency for use on satellites
[NASA-CASE-XLA-00414] c07 N70-38200
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009

SATELLITE ATTITUDE CONTROL
Photosensitive light source device for detecting unmanned spacecraft deviation from reference attitude
[NASA-CASE-XNP-00438] c21 N70-35089
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
Design and development of satellite despin device
[NASA-CASE-XMF-08523] c31 N71-20396
Utilization of momentum devices for forming attitude control and damping system for spacecraft
[NASA-CASE-XLA-02551] c21 N71-21708
Gravity gradient attitude control system with gravity gradiometer and reaction wheels for artificial satellite attitude control
[NASA-CASE-GSC-10555-1] c21 N71-27324
Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c37 N75-29426
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
Rim inertial measuring system --- to measure angular rates and linear accelerations
[NASA-CASE-LAR-12052-1] c04 N80-18019

SATELLITE CONTROL
Stabilization system for gravity-oriented satellites using single damper rod
[NASA-CASE-XAC-01591] c31 N71-17729

SATELLITE DESIGN
Inflation system for balloon type satellites
[NASA-CASE-XGS-03351] c31 N71-16081

SATELLITE INSTRUMENTS
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Economical satellite aided vehicle avoidance system for preventing midair collisions
[NASA-CASE-ERC-10419] c21 N72-21631
SATELLITE NETWORKS
Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
SATELLITE ORBITS
Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
SATELLITE ORIENTATION
Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297
Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676
Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
Analog spatial maneuver computer with three output angles for obtaining desired spatial attitude
[NASA-CASE-GSC-10880-1] c08 N72-11172
SATELLITE PERTURBATION
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747
SATELLITE POWER TRANSMISSION (TO EARTH)
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287
SATELLITE ROTATION
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
Development of method and apparatus for spinning satellite about selected axis after reaching predetermined orientation
[NASA-CASE-HQN-00936] c31 N71-29050
SATELLITE SOLAR POWER STATIONS
Solar power satellite system
[NASA-CASE-HQN-10949-1] c44 N81-16530
SATELLITE TELEVISION
Adaptive signal generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
SATELLITE TRACKING
Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15654
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
SATELLITE TRANSMISSION
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c32 N75-26195
SATELLITE-BORNE PHOTOGRAPHY
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c33 N74-20861
SATELLITE-BORNE RADAR
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278
SATURATION
Saturable magnetic core and signal detection for indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747
SAWTOOTH WAVEFORMS
Linear sawtooth voltage wave generator with transistor timing circuit having capacitor and zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
SCANNERS
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
Scan oscilloscope for mapping surface sensitivity of photomultiplier tube
[NASA-CASE-LAR-10320-1] c09 N72-23172
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c35 N79-14347
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c32 N80-28578
Intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c35 N81-19430
SCANNING
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Operation of vidicon tube for scanning spatial charge density pattern
[NASA-CASE-XNP-06028] c09 N71-23189
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c17 N76-21250
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397
System and method for character recognition
[NASA-CASE-NPO-11337-1] c74 N81-19896
SCATTERING CROSS SECTIONS
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334
SCHLIEREN PHOTOGRAPHY
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c74 N79-20856
SCHMIDT CAMERAS
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c35 N80-26635
SCHOOLS
Silent alarm system for mutiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205
SCHOTTKY DIODES
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N78-13526
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N79-11467
Back wall solar cell
[NASA-CASE-LEW-12236-2] c44 N79-14528
Schottky barrier solar cell and method of fabrication
[NASA-CASE-NPO-13689-2] c44 N80-12549
SCOOPS
Aeroflexible wing structure with air scoop for inflating stiffeners with ram air
[NASA-CASE-XLA-06095] c01 N69-39981
SCRAMBLING (COMMUNICATION)
Secure communication system
[NASA-CASE-MSC-16462-1] c32 N78-25274

SCREWS
Electromechanical control actuator system using double differential screws
[NASA-CASE-ERC-10022] c15 N71-26635
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
SCRUBBERS
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668
SEA ICE
Laser technique for breaking ice in ship path
[NASA-CASE-LAR-10815-1] c16 N72-22520
SEA STATES
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667
SEALERS
Design and development of flexible joint for pressure suits
[NASA-CASE-XMS-09636] c05 N71-12344
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
SEALING
Foil seal between parts moving relative to each other
[NASA-CASE-XLE-05130] c15 N69-21362
Sealed electric storage battery with gas manifold interconnecting each cell
[NASA-CASE-XNP-03378] c03 N71-11051
Epoxy resin sealing device for electrochemical cells in high vacuum environments
[NASA-CASE-XGS-02630] c03 N71-22974
Electrode sealing and insulation for fuel cells containing caustic liquid electrolytes using powdered plastic and metal
[NASA-CASE-XMS-01625] c15 N71-23022
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XNP-03290] c15 N71-23256
Segmented sealing surface in valve seat
[NASA-CASE-NPO-10606] c15 N72-25451
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
SEALS (STOPPERS)
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Flexible inflatable seal for butterfly valves
[NASA-CASE-XLE-00101] c15 N70-33376
Shrink-fit vacuum system gas valve
[NASA-CASE-XGS-00587] c15 N70-35087
Thin walled pressure test vessel using low-melting alloy-filled joint to attach shell to heads
[NASA-CASE-XLE-04677] c15 N71-10577
Fluid seal formed by flexible disk on rotating shaft to retain lubricating oils around shaft
[NASA-CASE-XLE-05130-2] c15 N71-19570
Sealed storage container for channel carriers with mounted miniature electronic components
[NASA-CASE-MFS-20075] c09 N71-26133
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c37 N74-15125
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c37 N75-21631
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c07 N78-25090
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c37 N79-18318
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c37 N79-22474
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c37 N79-33469
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c37 N80-12414
Surface conforming thermal/pressure seal --- for control devices in space vehicles
[NASA-CASE-MSC-18422-1] c37 N80-14400
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c37 N80-16339
Gas path seal
[NASA-CASE-NPO-12131-3] c37 N80-18400
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N80-28711
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c37 N81-15363
SEAMS (JOINTS)
Sealing apparatus for joining two pieces of frangible materials
[NASA-CASE-XLA-01494] c15 N71-24164
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
SEAT BELTS
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
SEATS
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c09 N79-31228
SECTORS
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
SECURITY
Secure communication system
[NASA-CASE-MSC-16462-1] c32 N78-25274
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c33 N79-13261
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
Intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c35 N81-19430
SEGMENTS
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
SEISMIC WAVES
Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XMP-00479] c14 N70-34794
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c46 N79-23555
SEISMOGRAPHS
Intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c35 N81-19430
SELECTORS
Selector mechanism for mechanical separation and discrimination of high velocity molecular

particles
[NASA-CASE-XLE-01533] c11 N71-10777
Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
SELF ALIGNMENT
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XMF-00908] c14 N70-40238
SELF ERECTING DEVICES
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296
Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
Foldable conduit capable of springing back as self erecting structural member
[NASA-CASE-XLE-00620] c32 N70-41579
Antenna design with self erecting mesh reflector
[NASA-CASE-XGS-09190] c31 N71-16102
Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
SELF LUBRICATING MATERIALS
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Self lubricating gears and other mechanical parts having surface adapted to frictional contact
[NASA-CASE-MFS-14971] c15 N71-24984
Method of making bearing material
[NASA-CASE-LEW-11930-3] c24 N80-33482
SELF LUBRICATION
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c24 N79-17916
SELF MANEUVERING UNITS
Hand-held maneuvering unit for propulsion and attitude control of astronauts in zero or reduced gravity environment
[NASA-CASE-XMS-05304] c05 N71-12336
Lightweight propulsion unit for movement of personnel and equipment across lunar surface
[NASA-CASE-MFS-20130] c28 N71-27585
SELF PROPAGATION
Self-generating optical frequency waveguide
[NASA-CASE-HQN-10541-1] c07 N71-26291
SELF SEALING
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c37 N79-12445
SEMICONDUCTOR DEVICES
Fixture for simultaneously supporting several components for electrical testing
[NASA-CASE-XNP-06032] c09 N69-21926
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-ERC-10138] c26 N71-14354
Voltage tunable Gunn effect semiconductor for microwave generation
[NASA-CASE-XER-07894] c09 N71-18721
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892
Development and characteristics of fluid oscillator analog to digital converter with variable frequency controlled by signal passing through conditioning circuit
[NASA-CASE-LEW-10345-1] c10 N71-25899
Volume displacement transducer for leak detection in hermetically sealed semiconductor devices
[NASA-CASE-ERC-10033] c14 N71-26672
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Semiconductor device manufacture using refractory dielectrics as diffusant masks and interconnection insulating materials
[NASA-CASE-XER-08476-1] c26 N72-17820
Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Development of process for forming insulating layer between two electrical conductor or semiconductor materials
[NASA-CASE-LEW-10489-1] c15 N72-25447
Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
Miniature piezojunction semiconductor transducer with in situ stress coupling
[NASA-CASE-ERC-10087-2] c14 N72-31446
Development and characteristics of hermetically sealed coaxial package for containing microwave semiconductor components
[NASA-CASE-GSC-10791-1] c15 N73-14469
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N78-18390
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c33 N80-32650
SEMICONDUCTOR JUNCTIONS
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Miniature electromechanical junction transducer operating on piezojunction effect and utilizing epoxy for stress coupling component
[NASA-CASE-ERC-10087] c14 N71-27334
Resin for protecting p-n semiconductor junction surface
[NASA-CASE-ERC-10339-1] c18 N73-30532
JFET oscillator
[NASA-CASE-GSC-12555-1] c33 N80-26601
High voltage planar multijunction --- solar cells
[NASA-CASE-LEW-13400-1] c44 N81-16528
SEMICONDUCTORS (MATERIALS)
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460
Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Improved semiconductor multivibrator circuit which approaches 100 percent efficiency
[NASA-CASE-XAC-00942] c10 N71-16042
Fabrication of sintered impurity semiconductor brushes for electrical energy transfer
[NASA-CASE-XMF-01016] c26 N71-17818
Binding layer of semiconductor particles by electrodeposition
[NASA-CASE-XNP-01959] c26 N71-23043
Gadolinium or samarium doped-silicon semiconductor material with resistance to

radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
Characteristics of infrared photodetectors manufactured from semiconductor material irradiated by electron beam
[NASA-CASE-LAR-10728-1] c14 N73-12445
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c25 N75-29192
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c33 N80-18286

SENSITIVITY
Design of active RC network capable of operating at high Q values with reduced sensitivity to gain amplification and number of passive components
[NASA-CASE-ARC-10042-2] c10 N72-11256

SENSITOMETRY
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c54 N78-32720

SENSORS
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757

SENSORY PERCEPTION
Prosthetic limb with tactile sensing device
[NASA-CASE-MFS-16570-1] c05 N73-32013

SEPARATED FLOW
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
Separation cell with permeable membranes for fluid mixture component separation
[NASA-CASE-XMS-02952] c18 N71-20742
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N78-14364

SEPARATORS
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Liquid-gaseous centrifugal separator for weightlessness environment
[NASA-CASE-XLA-00415] c15 N71-16079
Development of liquid separating system using capillary device connected to flexible bladder storage chamber
[NASA-CASE-XMS-13052] c14 N71-20427
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XNP-04042] c15 N71-23023
Device for removing air from water for use in life support systems in manned space flight
[NASA-CASE-XLA-8914] c15 N73-12492
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N78-14104
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c07 N78-25090
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c25 N78-25149
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N78-25530
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c44 N79-17313
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c24 N81-14000

SEQUENCING
Synchronous counter design incorporating cascaded binary stages driven by previous stages and inputs through NAND gates
[NASA-CASE-XGS-02440] c08 N71-19432
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Digital function generator for generating any arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
MOD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482

SEQUENTIAL ANALYSIS
Binary coded sequential acquisition ranging system for distance measurements
[NASA-CASE-NPO-11194] c08 N72-25209
Event sequence detector with several input and shift register responsive to clock pulses
[NASA-CASE-NPO-11703-1] c10 N73-32144

SEQUENTIAL COMPUTERS
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751

SEQUENTIAL CONTROL
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Binary sequence detector with few memory elements and minimized logic circuit complexity
[NASA-CASE-XNP-05415] c08 N71-12505
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N79-20377

SERUMS
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270

SERVICE LIFE
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248

SERVOAMPLIFIERS
Pneumatic servoamplifier for controlling flow regulation
[NASA-CASE-MSC-12121-1] c15 N71-27147

SERVOCONTROL
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460

Proportional controller for regulating aircraft or spacecraft motion about three axes
[NASA-CASE-XAC-03392] c03 N70-41954
Modulating and controlling intensity of light beam from high temperature source by servocontrolled rotating cylinders
[NASA-CASE-XMS-04300] c09 N71-19479
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
System to control speed of hydraulically movable members by limiting energy applied to actuators with hydraulic servo loop
[NASA-CASE-ARC-10131-1] c15 N71-27754
Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c33 N74-29556
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c71 N74-31148
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c33 N75-13139
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c04 N81-21047

SERVOMECHANISMS
Servo system for retroreflector of Michelson interferometer
[NASA-CASE-NPO-10300] c14 N71-17662
Mechanical function generators with potentiometer as sensing element
[NASA-CASE-XAC-00001] c15 N71-28952
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Characteristics of lightweight actuator for imparting linear motion using elongated output shaft
[NASA-CASE-NPO-11222] c15 N72-25456
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N78-31426
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c35 N79-14348
A hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c05 N80-11065
Electrical servo actuator bracket --- for jet engine fuel control valves
[NASA-CASE-FRC-11044-1] c07 N80-21327

SERVOMOTORS
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Electric motor control system with pulse width modulation for providing automatic null seeking servo
[NASA-CASE-XNP-05195] c10 N71-24861
Development and characteristics of cyclically operable, optical shutter for use as focal plane shutter for transmitting single radiation pulses
[NASA-CASE-NPO-10758] c14 N73-14427
Development and characteristics of rotary actuator for use on spacecraft to deploy and support pivotal structures such as solar panels
[NASA-CASE-NPO-10680] c31 N73-14855
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c35 N80-20563

SHAFTS (MACHINE ELEMENTS)
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Elastic universal joint for rocket motor mounting
[NASA-CASE-XNP-00416] c15 N70-36947
Air brake device for absorbing and measuring power from rotating shafts
[NASA-CASE-XLE-00720] c14 N70-40201
Two axis flight controller with potentiometer control shafts directly coupled to rotatable ball members
[NASA-CASE-XPR-04104] c03 N70-42073
Ratchet mechanism for high speed operation at reduced backlash
[NASA-CASE-MFS-12805] c15 N71-17805
Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
Development of mating flat surfaces to inhibit leakage of fluid around shafts
[NASA-CASE-XLE-10326-2] c15 N72-29488
Fatigue life of hybrid antifriction bearings at ultrahigh speeds
[NASA-CASE-LEW-11152-1] c15 N73-32359
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c37 N74-10474
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c37 N75-25186
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c07 N78-25090
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N79-20377
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c37 N80-18401
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c37 N80-25660
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c37 N81-15364

SHALE OIL
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c43 N78-14452

SHALES
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c43 N80-23711

SHAPED CHARGES
Coupling device for linear shaped charge for space vehicle abort system
[NASA-CASE-XLA-00189] c33 N70-36846
Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008

SHAPERS
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Dielectric apparatus for heating, fusing, and hardening of organic matrix to form plastic material into shaped product
[NASA-CASE-LAR-10121-1] c15 N71-26721

SHARKS
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545

SHARPNESS
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149

SHEAR CREEP
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781

SHEAR FLOW
Shear modulated fluid amplifier of high pressure hydraulic vortex amplifier type
[NASA-CASE-MFS-10412] c12 N71-17578

SHEAR PROPERTIES
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic

materials
[NASA-CASE-XNP-09462] c14 N71-17584
SHEAR STRESS
Fatigue resistant shear pin with hollow shaft and two plugs
[NASA-CASE-XLA-09122] c15 N69-27505
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-EEC-10292] c14 N72-25410
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c37 N74-23064
SHELLS (STRUCTURAL FORMS)
Channel-type shell construction for rocket engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
SHIELDING
Flexible bellows joint shielding sleeve for propellant transfer pipelines
[NASA-CASE-XNP-01855] c15 N71-28537
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c74 N79-11665
SHIFT REGISTERS
Binary to binary-coded decimal converter using single set of logic circuits notwithstanding number of shift register decades
[NASA-CASE-XNP-00432] c08 N70-35423
Linear three-tap feedback shift register
[NASA-CASE-NPO-10351] c08 N71-12503
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Commutator for steering precisely controlled bidirectional currents through numerous loads by use of magnetic core shift registers
[NASA-CASE-NPO-10743] c08 N72-21199
Multistage feedback shift register with states decomposable into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
MOD 2 sequential function generator for multibit sequence, with two-bit shift register for each pair of bits
[NASA-CASE-NPO-10636] c08 N72-25210
Linear shift register with feedback logic for generating pseudonoise linear recurring binary sequences
[NASA-CASE-NPO-11406] c08 N73-12175
Family of m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
Nonrecursive counting digital filter containing shift register
[NASA-CASE-NPO-11821-1] c08 N73-26175
Event sequence detector with several input and shift register responsive to clock pulses
[NASA-CASE-NPO-11703-1] c10 N73-32144
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c60 N77-19760
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
SHOCK ABSORBERS
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
Energy dissipating shock absorbing system for land payload recovery or vehicle braking
[NASA-CASE-XLA-00754] c15 N70-34850
Shock absorbing couch for body support under high acceleration or deceleration forces
[NASA-CASE-XMS-01240] c05 N70-35152
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Landing pad assembly for aerospace vehicles
[NASA-CASE-XMF-02853] c31 N70-36654
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
Shock absorber for landing gear of lunar or planetary landing modules
[NASA-CASE-XMF-01045] c15 N70-40354
Shock absorbing articulated multiple couch assembly
[NASA-CASE-MSC-11253] c05 N71-12343
Design and development of double acting shock absorber for spacecraft docking operations
[NASA-CASE-XMS-03722] c15 N71-21530
Impact energy absorber with decreasing absorption rate
[NASA-CASE-XLA-01530] c14 N71-23092
Energy absorbing crew couch strut for Apollo command module
[NASA-CASE-MSC-12279] c15 N72-17450
Shock absorber for use as protective barrier in impact energy absorbing system
[NASA-CASE-NPO-10671] c15 N72-20443
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N79-10420
SHOCK LOADS
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612
SHOCK MEASURING INSTRUMENTS
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N78-18390
SHOCK RESISTANCE
Removable potting compound for instrument shock protection
[NASA-CASE-XLA-00482] c15 N70-36409
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206
SHOCK TUBES
Knife structure for controlling rupture of shock tube diaphragms
[NASA-CASE-XAC-00731] c11 N71-15960
Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
SHOCK WAVE INTERACTION
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave interference
[NASA-CASE-XLA-02865] c28 N71-15563
SHOCK WAVE LUMINESCENCE
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
SHOCK WAVE PROFILES
Method and apparatus for measuring shock layer radiation distribution about high velocity objects
[NASA-CASE-XAC-02970] c14 N69-39896
SHOCK WAVES
Apparatus for mechanically dispersing ultrafine metal powders subjected to shock waves
[NASA-CASE-XLE-04946] c17 N71-24911
Electrical device for developing converging spherical shock waves
[NASA-CASE-MFS-20890] c14 N72-22439
Production of intermetallic compounds by effect of shock waves from explosions and compaction of powder
[NASA-CASE-MFS-20861-1] c18 N73-32437
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431
SHOES
Jet shoes for space locomotion
[NASA-CASE-XLA-08491] c05 N69-21380
SHORT CIRCUITS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator

source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Apparatus for automatically testing analog to digital converters for open and short circuits
[NASA-CASE-XLA-06713] c14 N71-28991
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193
Electrical short locator --- identifying shorts occurring while an electrical system is being wired
[NASA-CASE-ARC-11116-1] c33 N79-31498
SHOT PEENING
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
SHROUDED NOZZLES
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N78-27121
SHROUDED TURBINES
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c37 N79-18318
Gas path seal
[NASA-CASE-NPO-12131-3] c37 N80-18400
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658
SHROUDS
Shrouded composite propulsion system configuration
[NASA-CASE-XLA-01043] c28 N71-10780
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c37 N79-18318
SHUTTERS
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c70 N74-21300
SIDEBANDS
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
SIDELOBE REDUCTION
Multiple mode horn antenna with radiation pattern of equal beamwidths and suppressed sidelobes
[NASA-CASE-XNP-01057] c07 N71-15907
SIGNAL ANALYSIS
Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c32 N74-10132
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c33 N75-26243
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c32 N79-28383
SIGNAL ANALYZERS
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Feedback controller for sampling error signals within single control formulation time interval
[NASA-CASE-GSC-10554-1] c08 N71-29033
Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
SIGNAL DETECTION
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Saturable magnetic core and signal detection for indicating impending saturation
[NASA-CASE-ERC-10089] c23 N72-17747
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c32 N79-10262
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c33 N80-28635
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c60 N80-30050
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338
SIGNAL DETECTORS
Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
Electrical testing apparatus for detecting amplitude and width of transient pulse
[NASA-CASE-XNP-06519] c09 N71-12519
System for monitoring presence of neutrals in streams of ions - ion engine control
[NASA-CASE-XNP-02592] c24 N71-20518
Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-ERC-11012-1] c52 N80-23969
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427
SIGNAL DISTORTION
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
SIGNAL ENCODING
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
Secure communication system
[NASA-CASE-MSC-16462-1] c32 N78-25274
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427
SIGNAL GENERATORS
Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
Alternating current signal generator providing plurality of amplitude modulated output signals
[NASA-CASE-XNP-05612] c09 N69-21468
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Apparatus for generating microwave signals at progressively related phase angles for driving antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
Hand controller operable about three respectively perpendicular axes and capable of actuating signal generators for attitude control devices
[NASA-CASE-XMS-07487] c15 N71-23255
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XNP-04367] c09 N71-23545

Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Adaptive signal generating system and logic circuits for satellite television systems
[NASA-CASE-GSC-11367] c10 N71-26374
Device for monitoring voltage by generating signal when voltages drop below predetermined value
[NASA-CASE-KSC-10020] c10 N71-27338
System for control of variable signal generator
[NASA-CASE-NPO-11064] c07 N72-11150
Digital function generator for generating any arbitrary single valued function
[NASA-CASE-NPO-11104] c08 N72-22165
Development of Hall effect transducer for converting mechanical shaft rotations into proportional electrical signals
[NASA-CASE-LAR-10620-1] c09 N72-25255
Multiterminal Gunn-type semiconductor microwave generator for producing stable signals
[NASA-CASE-XER-07895] c26 N72-25679
Audio frequency analysis circuit for determining, displaying, and recording frequency of sweeping audio frequency signal
[NASA-CASE-NPO-11147] c14 N72-27408
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c71 N74-31148
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c35 N79-14348
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c35 N79-14349
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c46 N79-23555
Photoelectric detection system
[NASA-CASE-MFS-23776-1] c74 N80-25134
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c32 N81-14185
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116

SIGNAL MIXING
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408

SIGNAL PROCESSING
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
Circuitry for developing autocorrelation function continuously within signal receiving period
[NASA-CASE-XNP-00746] c07 N71-21476
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174
Feedback integrating circuit with grounded capacitor for signal processing
[NASA-CASE-XAC-10607] c10 N71-23669
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Monopulse scanning network for scanning volumetric antenna pattern
[NASA-CASE-GSC-10299-1] c09 N71-24804
Apparatus for filtering input signals
[NASA-CASE-NPO-10198] c09 N71-24806
Video sync processor with phase locked system
[NASA-CASE-MSC-10002] c10 N71-25865
Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
Scanning signal phase and amplitude electronic control device with hybrid T waveguide junction
[NASA-CASE-NPO-10302] c10 N71-26142
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138
Development of electric circuit for production of different pulse width signals
[NASA-CASE-XLA-07788] c09 N71-29139
Phase shifting circuit for selecting phase of input signal
[NASA-CASE-ARC-10269-1] c10 N72-16172
Processing system for semiperiodic electrical signals to produce real time contoured display
[NASA-CASE-MSC-13407-1] c10 N72-20225
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Technique for deriving logarithm of input signal using exponentially varying electric signal inversely
[NASA-CASE-ERC-10267] c09 N72-23173
Development and characteristics of telemetry system using computer-accessed circuits and remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
Characteristics of digital data processor using pulse from clock source to derive binary singles to show state of various indicators in processor
[NASA-CASE-GSC-10975-1] c08 N73-13187
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386
Digital to analog converter for sampled signal reconstruction
[NASA-CASE-MSC-12458-1] c08 N73-32081
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c52 N74-26626
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c60 N75-13539
Signal conditioning circuit apparatus --- with constant input impedance
[NASA-CASE-ARC-10348-1] c33 N75-19518
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
Isolated output system for a class D switching-mode amplifier

[NASA-CASE-MFS-21616-1] c33 N75-30429
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c34 N76-27517
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
An interleaving device --- for computer logic circuits used in optical data processing
[NASA-CASE-GSC-12111-2] c60 N77-31800
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N78-10375
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N78-25319
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c33 N78-32338
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c25 N79-24073
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c32 N79-28383
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c32 N80-28578
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386

SIGNAL RECEPTION

Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
Diversity receiving system with diversity phase lock
[NASA-CASE-XGS-01222] c10 N71-20841
Design and development of signal detection and tracking apparatus
[NASA-CASE-XGS-03502] c10 N71-20852
Development of optimum pre-detection diversity combining receiving system adapted for use with amplitude modulation, phase modulation, and frequency modulation systems
[NASA-CASE-XGS-00740] c07 N71-23098
Binary data decoding device for use at receiving end of communication channel
[NASA-CASE-NPO-10118] c07 N71-24741
Development of electronic circuit for combining input signals on two separate antennas to form two processed signals
[NASA-CASE-MSC-12205-1] c07 N71-27056
Input signal measurement using liquid crystalline elements
[NASA-CASE-ERC-10275] c26 N72-25680
Filter for third order phase locked loops in signal receivers
[NASA-CASE-NPO-11941-1] c10 N73-27171
Electromechanical actuator for producing mechanical force and/or motion in response to electrical signals
[NASA-CASE-NPO-11738-1] c09 N73-30185
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338

SIGNAL REFLECTION

Reflectometer for receiver input impedance match measurement
[NASA-CASE-XNP-10843] c07 N71-11267
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c32 N78-31321

SIGNAL STABILIZATION

Linear accelerator frequency control system
[NASA-CASE-XGS-05441] c10 N71-22962
Development of apparatus for generating output signal commensurate with information contained in input signal
[NASA-CASE-ERC-10041] c08 N71-29138
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250

SIGNAL TO NOISE RATIOS

Semiconductor in resonant cavity for improving signal to noise ratio of communication receiver
[NASA-CASE-MSC-12259-1] c07 N70-12616
Radar signal receiver arrangement for extending range and increasing signal to noise ratio
[NASA-CASE-XNP-00748] c07 N70-36911
Detector assembly for discriminating first signal with respect to presence or absence of second signal at time of occurrence of first signal
[NASA-CASE-XNP-00701] c09 N70-40272
Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791
Voltage controlled oscillators and pulse amplitude modulation for signal ratio system
[NASA-CASE-XNP-04367] c09 N71-23545
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Development of idler feedback system to reduce electronic noise problem in two parametric amplifiers
[NASA-CASE-LAR-10253-1] c09 N72-25258
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Signal to noise ratio determination circuit using bandpass limiter
[NASA-CASE-GSC-11239-1] c10 N73-25241
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788

SIGNAL TRANSMISSION

Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Electro-mechanical circuit for converting floating intelligence signal to common electrically grounded intelligence recorder
[NASA-CASE-XAC-00086] c09 N70-33182
Demodulator for simultaneous demodulation of two modulating ac signal carriers close in frequency
[NASA-CASE-XNP-01160] c07 N71-11298
Bipolar phase detector and corrector for split phase PCM data signals
[NASA-CASE-XGS-01590] c07 N71-12392
Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791
Multiplexed communication system design including automatic correction of transmission errors introduced by frequency spectrum shifts
[NASA-CASE-XNP-01306] c07 N71-20814
Adaptive notch filter, using modulation techniques for reversed phase noise signal
[NASA-CASE-XNP-01892] c10 N71-22986
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Device for locating electrically nonlinear objects and determining distance to object by FM signal transmission
[NASA-CASE-KSC-10108] c14 N73-25461
Television multiplexing system, using single crystal controlled clock for signal synchronization

[NASA-CASE-KSC-10654-1] c07 N73-30115
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N78-14889
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c32 N81-14186
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349

SIGNATURE ANALYSIS
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c43 N79-17288
Optical signature generating and correlating apparatus
[NASA-CASE-NPO-15226-1] c74 N81-19899

SILANES
Preparation of elastomeric diamine silazane polymers
[NASA-CASE-XMP-04133] c06 N71-20717
Synthesis of high purity dianilinosilanes
[NASA-CASE-XMP-06409] c06 N71-23230
Process for preparing high molecular weight polyaryloxysilanes from lower molecular weight forms
[NASA-CASE-XMP-08674] c06 N71-28607
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052
Thermal reactor and process --- liquid silicon production from silane
[NASA-CASE-NPO-14369-1] c25 N80-20338

SILICA GEL
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606

SILICATES
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c24 N79-31347

SILICIDES
Silicide coating process and composition for protection of refractory metals from oxidation
[NASA-CASE-XLE-10910] c18 N71-29040
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229

SILICON
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c76 N79-11920
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c31 N80-18231
Thermal reactor and process --- liquid silicon production from silane
[NASA-CASE-NPO-14369-1] c25 N80-20338
A silicon-slurry/aluminide coating --- protects aircraft and land-based gas turbine engines
[NASA-CASE-LEW-13343-1] c24 N80-26389
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c37 N80-29703
A method for producing a solidified body of silicon --- solar cells
[NASA-CASE-NPO-15250-1] c25 N81-16174
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944

SILICON CARBIDES
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798

SILICON COMPOUNDS
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Process for preparing disilanols with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c27 N79-21190

SILICON CONTROLLED RECTIFIERS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Reversible ring counter using cascaded single silicon controlled rectifier stages
[NASA-CASE-XGS-01473] c09 N71-10673
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514

SILICON DIOXIDE
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769

Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c74 N78-15879
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N78-27326
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c24 N79-24062
Improved attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c16 N81-16110

SILICON FILMS
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389

SILICON JUNCTIONS
Improving radiation resistance of silicon semiconductor junctions by doping with lithium
[NASA-CASE-XGS-07801] c09 N71-12513

SILICON NITRIDES
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580

SILICON OXIDES
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426

SILICON POLYMERS
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052

SILICON RADIATION DETECTORS
Lithium drifted silicon radiation detector with gold rectifying contacts
[NASA-CASE-XLE-10529] c14 N69-23191
Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440

SILICON TRANSISTORS
Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457

SILICONE RESINS
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575

SILICONES
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c28 N80-28536

SILICONIZING
Vapor deposited laminated nitride-silicon coating for corrosion prevention of carbonaceous surfaces
[NASA-CASE-XLA-00284] c15 N71-16075

SILOXANES
Synthesis of siloxane containing epoxy polymers with low dielectric properties
[NASA-CASE-MFS-13994-1] c06 N71-11240
Method for producing alternating ether-siloxane copolymers with stable properties when exposed to elevated temperatures and UV radiation
[NASA-CASE-XNP-02584] c06 N71-20905
Synthesis of siloxane containing epoxide and diamine polymers
[NASA-CASE-MFS-13994-2] c06 N72-25148
Silphenylenesiloxane polymer with in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Fluid polydimethylsiloxane resin with low outgassing properties in cured state
[NASA-CASE-GSC-11358-1] c06 N73-26100

SILVER
Dry electrode manufacture, using silver powder with cement
[NASA-CASE-FRC-10029-2] c05 N72-25121

SILVER ALLOYS
Brazing alloy composition
[NASA-CASE-XNP-06053] c26 N75-27126

SILVER CHLORIDES
Electrochemically reversible silver-silver chloride electrode for detecting bioelectric potential differences generated by human muscles and organs
[NASA-CASE-XMS-02872] c05 N69-21925
Silver chloride use in technique for fusion bonding of graphite to silver, glass, ceramics, and certain other metals
[NASA-CASE-XGS-00963] c15 N69-39735

SILVER COMPOUNDS
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718

SILVER ZINC BATTERIES
Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state
[NASA-CASE-XGS-01674] c03 N71-29129

SIMULATORS
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
Phonocardiogram simulator producing electrical voltage waves to control amplitude and duration between simulated sounds
[NASA-CASE-XKS-10804] c05 N71-24606
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Laser Doppler velocity simulator --- to induce frequency shift
[NASA-CASE-LAR-12176-1] c36 N80-16321

SINE SERIES
Service life of electromechanical device for generating sine/cosine functions
[NASA-CASE-LAR-10503-1] c09 N72-21248
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253

SINE WAVES
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387

SINGLE CRYSTALS
Producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-00158] c26 N70-36805
Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798

SINTERING
Condenser-separator for dehumidifying air utilizing sintered metal surface
[NASA-CASE-XLA-08645] c15 N69-21465
Production of refractory bodies with controlled porosity by pressing and heating mixtures of refractory and inert metal powders
[NASA-CASE-LEW-10393-1] c17 N71-15468

SIZE (DIMENSIONS)
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535

SIZE DETERMINATION
Impact measuring technique for determining size of hypervelocity projectiles
[NASA-CASE-LAR-10913] c14 N72-16282
SIZE SEPARATION
Method and apparatus for precision sizing and joining of large diameter tubes by bulging or constricting overlapping ends
[NASA-CASE-XMF-05114-2] c15 N71-26148
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
SIZING (SHAPING)
Method and apparatus for shaping and joining large diameter metal tubes using magnetomotive forces
[NASA-CASE-XMF-05114] c15 N71-17650
SIZING SCREENS
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15566
Screen particle separator for soil samples
[NASA-CASE-XNP-09770-2] c15 N72-22483
SKEWNESS
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c33 N76-18353
SKID LANDINGS
Nose gear steering system for vehicles with main skids to provide directional stability after loss of aerodynamic control
[NASA-CASE-XLA-01804] c02 N70-34160
SKIN (ANATOMY)
Conditioning tanned sharkskin for use as abrasive resistant clothing
[NASA-CASE-XMS-09691-1] c18 N71-15545
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
SKIN (STRUCTURAL MEMBER)
Development of resilient fastener for attaching skin of aerospace vehicles to permit movement of skin relative to framework
[NASA-CASE-XLA-01027] c31 N71-24035
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c31 N81-14137
SKIN FRICTION
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c06 N81-17057
SKIN TEMPERATURE (BIOLOGY)
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
SKIN TEMPERATURE (NON-BIOLOGICAL)
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
SKIRTS
Inflatable rocket engine nozzle skirt with transpiration cooling
[NASA-CASE-MFS-20619] c28 N72-11708
SKY
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408
SKY BRIGHTNESS
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c47 N80-26992
SLEEP
Development of apparatus and method for quantitatively measuring brain activity as automatic indication of sleep state and level of consciousness
[NASA-CASE-MSC-13282-1] c05 N71-24729
SLEEVES
Nonreuseable energy absorbing device comprising ring member with plurality of recesses, cutting members, and guide member mounted in each recess
[NASA-CASE-XMF-10040] c15 N71-22877
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c31 N81-14137
SLENDER BODIES
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
SLENDER WINGS
Means for controlling aerodynamically induced twist --- equipment to control twisting of slender wings due to aerodynamic loads
[NASA-CASE-LAR-12175-1] c05 N80-16055
Leading edge vortex flaps for drag reduction --- during subsonic flight
[NASA-CASE-LAR-12750-1] c02 N81-19016
SLICING
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c76 N80-18951
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c37 N80-29703
SLIDING CONTACT
Electrical connector pin with wiping action to assure reliable contact
[NASA-CASE-XMF-04238] c09 N69-39734
Development of slip ring assembly with inner and outer peripheral surfaces used as electrical contacts for brushes
[NASA-CASE-XMF-01049] c15 N71-23049
SLIDING FRICTION
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c24 N76-22309
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c33 N81-12331
SLIP CASTING
Freeze casting of metal ceramic and refractory compound powders into plastic slips
[NASA-CASE-XLE-00106] c15 N71-16076
SLITS
Slit regulated gas journal bearing
[NASA-CASE-XNP-00476] c15 N70-38620
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c35 N80-28686
SLOPES
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
SLOT ANTENNAS
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Circularly polarized antenna with linearly polarized pair of elements
[NASA-CASE-ERC-10214] c09 N72-31235
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
SLOTS
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Direct lift control system having flaps with slots adjacent to their leading edge and particularly adapted for lightweight aircraft
[NASA-CASE-LAR-10249-1] c02 N71-26110
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c37 N81-14319
SLURRY PROPELLANTS
Apparatus for producing hydrocarbon slurry containing small particles of magnesium for use as jet aircraft fuel

[NASA-CASE-XLE-00010] c15 N70-33382
SMOKE
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
SODIUM CHLORIDES
Composition of diffuse reflective coating containing sodium chloride in combination with diol solvent and organic wetting and drying agents
[NASA-CASE-GSC-11214-1] c06 N73-13128
SODIUM VAPOR
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c31 N80-18231
SOFT LANDING
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Spacecraft shock absorbing system for soft landings
[NASA-CASE-XMF-02108] c31 N70-36845
Payload soft landing system using stowable gas bag
[NASA-CASE-XLA-09881] c31 N71-16085
SOFT LANDING SPACECRAFT
Pivotal shock absorbing assembly for use as load distributing portion in landing gear systems of space vehicles
[NASA-CASE-XMF-03856] c31 N70-34159
SOIL MECHANICS
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
SOIL MOISTURE
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498
SOIL SCIENCE
Auger-type soil penetrometer for burrowing into soil formations
[NASA-CASE-XNP-05530] c14 N73-32321
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
SOILS
Screen particle separator for soil samples
[NASA-CASE-XNP-09770-2] c15 N72-22483
Soil burrowing mole apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N78-10529
SOL-GEL PROCESSES
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c24 N79-31347
SOLAR ACTIVITY
Radiometric measuring system for solar activity and atmospheric attenuation and emission
[NASA-CASE-ERC-10276] c14 N73-26432
SOLAR ARRAYS
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Development of solar energy powered heliotrope assembly to orient solar array toward sun
[NASA-CASE-GSC-10945-1] c21 N72-31637
Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LEW-11069-1] c44 N74-14784
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c44 N78-27515
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c20 N79-20179
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c44 N79-25482
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
Solar power satellite system
[NASA-CASE-HQN-10949-1] c44 N81-16530
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394
SOLAR CELLS
Fabricating solar cells with dielectric layers to improve glass fusion
[NASA-CASE-XGS-04531] c03 N69-24267
Solar radiation direction detector and device for compensating degradation of photocells
[NASA-CASE-XLA-00183] c14 N70-40239
Attitude control system for spacecraft based on conversion of incident solar radiation on movable control surfaces into mechanical torques
[NASA-CASE-XNP-02982] c31 N70-41855
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
Doping silicon material with gadolinium to increase radiation resistance of solar cells
[NASA-CASE-XLE-02792] c26 N71-10607
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Solar battery with interconnecting means for plural cells
[NASA-CASE-XNP-06506] c03 N71-11050
Fabrication methods for matrices of solar cell submodules
[NASA-CASE-XNP-05821] c03 N71-11056
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Conductor for connecting parallel cells into submodules in series to form solar cell matrix
[NASA-CASE-NPO-10821] c03 N71-19545
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Electrode connection for n-on-p silicon solar cell
[NASA-CASE-XLE-04787] c03 N71-20492
Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Gadolinium or samarium doped-silicon semiconductor material with resistance to radiation damage for use in solar cells
[NASA-CASE-XLE-10715] c26 N71-23292
Maintaining current flow through solar cells with open connection using shunting diode
[NASA-CASE-XLE-04535] c03 N71-23354
Metal pattern bonding technique for cover glass attachment to silicon solar cells for space applications
[NASA-CASE-XLE-08569] c03 N71-23449
Addition of group 3 elements to silicon semiconductor material for increased resistance to radiation damage in solar cells
[NASA-CASE-XLE-02798] c26 N71-23654
Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
Electrically coupled individually encapsulated solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044

Recovering efficiency of solar cells damaged by environmental radiation through thermal annealing
[NASA-CASE-IGS-04047-2] c03 N72-11062
Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
Test method and equipment for identifying faulty cells or connections in solar cell assemblies
[NASA-CASE-NPO-10401] c03 N72-20033
Electrically connected matrix of discrete solar cell blanks
[NASA-CASE-NPO-10591] c03 N72-22041
Solar cell panel with light transmitting cover plate
[NASA-CASE-NPO-10747] c03 N72-22042
Development of process for constructing protective covers for solar cells
[NASA-CASE-GSC-11514-1] c03 N72-24037
Apparatus for applying thin glass slides to solar cells
[NASA-CASE-NPO-10575] c03 N72-25019
Electrical interconnection of unilluminated solar cells in solar battery array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LEW-11069-1] c44 N74-14784
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c44 N76-14600
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c44 N77-19571
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N78-13526
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N78-24609
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N78-25528
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N78-25529
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] c44 N78-25553
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c44 N78-27515
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c44 N79-12541
Back wall solar cell
[NASA-CASE-LEW-12236-2] c44 N79-14528
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c44 N79-18444
Solar cell module assembly jig
[NASA-CASE-IGS-00829-1] c44 N79-19447
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c44 N79-25482
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c44 N79-31752
Solar cell module
[NASA-CASE-NPO-14467-1] c44 N79-31753
Schottky barrier solar cell and method of fabrication
[NASA-CASE-NPO-13689-2] c44 N80-12549
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c44 N80-14472
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c44 N80-18551
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c44 N80-18552
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c44 N80-24741
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835
Improving the efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c44 N80-32850
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c44 N81-12542
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
A method for producing a solidified body of silicon --- solar cells
[NASA-CASE-NPO-15250-1] c25 N81-16174
High voltage planar multijunction --- solar cells
[NASA-CASE-LEW-13400-1] c44 N81-16528
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558

SOLAR COLLECTORS

Expanding and contracting connector strip for solar cell array of Nimbus satellite
[NASA-CASE-IGS-01395] c03 N69-21539
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N78-10554
Solar heating system
[NASA-CASE-LAR-12009-1] c44 N78-15560
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N78-17460
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c44 N78-19599
Solar cell collector
[NASA-CASE-LEW-12552-1] c44 N78-25527
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N78-31526
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N79-11467
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N79-11471
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c44 N79-11472

Electromagnetic radiation energy arrangement --- coatings fcr solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c32 N79-19186
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N79-23481
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433
Solar tracking system --- with pointing control circuits
[NASA-CASE-MFS-23999-1] c44 N79-28667
Solar concentrator
[NASA-CASE-MFS-23727-1] c44 N80-14473
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c44 N80-20810
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183] c44 N80-29843
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518

SOLAR ELECTRIC PROPULSION
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c20 N79-20179

SOLAR ENERGY
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
Solar energy power system --- using Freon
[NASA-CASE-MFS-21628-1] c44 N75-32581
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Solar heating system
[NASA-CASE-LAR-12009-1] c44 N78-15560
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N78-25529
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c44 N79-14529
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475
Solar cell module
[NASA-CASE-NPO-14467-1] c44 N79-31753
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747

SOLAR ENERGY ABSORBERS
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N78-17460
Electromagnetic radiation energy arrangement --- coatings fcr solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c32 N79-19186
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452

SOLAR ENERGY CONVERSION
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N78-13526
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N78-24609
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c44 N79-11470
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N79-18443
Solar engine --- Flat plate type
[NASA-CASE-LAR-12148-1] c44 N79-29608
Solar concentrator
[NASA-CASE-MFS-23727-1] c44 N80-14473
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558

SOLAR FURNACES
Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622

SOLAR GENERATORS
Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
Microwave power converter
[NASA-CASE-NPO-14068-1] c44 N78-19609

SOLAR GRAVITATION
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394

SOLAR HEATING
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N78-10554
Solar heating system
[NASA-CASE-LAR-12009-1] c44 N78-15560
Solar energy control system
[NASA-CASE-MFS-25287-1] c44 N80-17544
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c44 N80-20810

SOLAR OBSERVATORIES
Light sensitive control system for automatically opening and closing dome of solar optical telescope
[NASA-CASE-MSC-10966] c14 N71-19568

SOLAR PONDS (HEAT STORAGE)
Solar pond
[NASA-CASE-NPO-13581-2] c44 N78-31525

SOLAR POSITION
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552

SOLAR RADIATION
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Wide angle sun sensor --- consisting of cylinder, insulation and pair of detectors
[NASA-CASE-NPO-13327-1] c35 N75-23910
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382

SOLAR RADIO EMISSION
System generating sidereal frequency signals from signals of standard solar frequency without use of mixing operations or feedback loops
[NASA-CASE-XGS-02610] c14 N71-23174

SOLAR REFLECTORS
Foldable, double cone and parabolic reflector system for solar ray concentration
[NASA-CASE-XLA-04622] c03 N70-41580
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Fabrication of curved reflector segments for solar mirror
[NASA-CASE-XLE-08917] c15 N71-15597
Thermal pump-compressor for converting solar energy

[NASA-CASE-XLA-00377] c33 N71-17610
Forming mold for polishing and machining curved solar magnesium reflector with reinforcing ribs
[NASA-CASE-XLE-08917-2] c15 N71-24836
Inorganic thermal control and solar reflector coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433

SOLAR SAILS
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c27 N80-16163
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c37 N81-15364

SOLAR SENSORS
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Solar sensor with coarse and fine sensing elements for matching preirradiated cells on degradation rates
[NASA-CASE-XLA-01584] c14 N71-23269
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N79-14526
Solar tracking system --- with pointing control circuits
[NASA-CASE-MFS-23999-1] c44 N79-28667
Improved Sun-sensing guidance system for high-altitude aircraft
[NASA-CASE-FRC-11052-1] c04 N80-20249

SOLAR SIMULATORS
Lens assembly for solar furnace or solar simulator
[NASA-CASE-XNP-04111] c14 N71-15622
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c33 N74-12913

SOLDERED JOINTS
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214

SOLDERING
Hydrazine monoperfluoro alkanoate solder flux leaving corrosion resistant coating, for metals such as copper
[NASA-CASE-XNP-03459-2] c18 N71-15688
Metal soldering with hydrazine monoperfluoro alkanoate for corrosion resistant coatings
[NASA-CASE-XNP-03459] c15 N71-21078
Method of plating copper on aluminum to permit conventional soldering of structural aluminum bodies
[NASA-CASE-XLA-08966-1] c17 N71-25903
Device for resistance soldering electrical leads to solder cups of multiple terminal block
[NASA-CASE-GSC-10913] c15 N72-22491
Development of electrical system for indicating optimum contact between electrode and metal surface to permit improved soldering operation
[NASA-CASE-KSC-10242] c15 N72-23497
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431

SOLDERS
Solder coating process for printed copper circuit protection
[NASA-CASE-XNP-01599] c09 N71-20705
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260

SOLENOID VALVES
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Automatic recording McLeod gage with three electrodes and solenoid valve connection
[NASA-CASE-XLE-03280] c14 N71-23093
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c25 N74-33378
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968

SOLENOIDS
Water cooled solenoid capable of producing magnetic field intensities up to 100 kilogauss
[NASA-CASE-XNP-01951] c09 N70-41929
Automatic power supply circuit design for driving inductive loads and minimizing power consumption including solenoid example
[NASA-CASE-NPO-10716] c09 N71-24892
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c33 N74-20861
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Low temperature latching solenoid --- cryogenic fluid storage and flow control
[NASA-CASE-MSC-18106-1] c33 N80-14338
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468

SOLID ELECTRODES
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N78-25391

SOLID LUBRICANTS
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Preparation of inorganic solid film lubricants with long wear life and stability in aerospace environments
[NASA-CASE-XNP-03988] c15 N71-21403
Development of rolling element bearing for operation in ultrahigh vacuum environment
[NASA-CASE-XLE-09527-2] c15 N71-26189
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c24 N79-17916

SOLID PHASES
An improved solid electrolyte cell
[NASA-CASE-NPO-15269-1] c33 N81-16385

SOLID PROPELLANT IGNITION
Solid propellant ignition with hypergolic fluid injected to predetermined portions of propellant
[NASA-CASE-XLE-00207] c28 N70-33375
Method for igniting solid propellant rocket motors by injecting hypergolic fluids
[NASA-CASE-XLE-01988] c27 N71-15634
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c20 N78-24275

SOLID PROPELLANT ROCKET ENGINES
Spherical solid propellant rocket engine design
[NASA-CASE-XLA-00105] c28 N70-33331
Mandrel for shaping solid propellant rocket fuel into engine casing
[NASA-CASE-XLA-00304] c27 N70-34783
Spherical solid propellant rocket engine having abrupt burnout
[NASA-CASE-XHQ-01897] c28 N70-35381
Grain configuration for solid propellant rocket engines
[NASA-CASE-XGS-03556] c27 N70-35534
Solid propellant rocket vehicle thrust control method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645

Method of making solid propellant rocket motor having reliable high altitude capabilities, long shelf life, and capable of firing with nozzle closure with foamed plastic permanent mandrel
[NASA-CASE-XLA-04126] c28 N71-26779
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186
Solid propellant rocket engine with venting system to control effective nozzle throat area
[NASA-CASE-XNP-03282] c28 N72-20758
Thin walled nozzle with insulative nonablative coating for solid propellant rocket engines
[NASA-CASE-NPO-11458] c28 N72-23810
Characteristics of solid propellant rocket engine with controlled rate of thrust buildup operating in vacuum environment
[NASA-CASE-NPO-11559] c28 N73-24784
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c20 N78-24275
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179

SOLID PROPELLANTS
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-XMF-00923] c28 N70-36802
Photographic method for measuring viscoelastic strain in solid propellants and other materials
[NASA-CASE-XNP-01153] c32 N71-17645
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
Chemical process for production of polyisobutylene compounds and application as solid rocket propellant binder
[NASA-CASE-NPO-10893] c27 N73-22710
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077

SOLID ROCKET BINDERS
Liner for hybrid solid propellants to bind propellant to rocket motor case
[NASA-CASE-XNP-09744] c27 N71-16392
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c28 N80-28536

SOLID ROCKET PROPELLANTS
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Pressurized gas injection for burning rate control of solid propellants
[NASA-CASE-XLE-03494] c27 N71-21819
Solid propellant stabilizer containing nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
Solid propellant containing hydrazinium nitroformate oxidizer and polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c28 N79-28342
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c28 N80-28536

SOLID STATE
Solid state chemical source for ammonia beam masers
[NASA-CASE-XGS-01504] c16 N70-41578

SOLID STATE DEVICES
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Solid state operational integrator
[NASA-CASE-NPO-10230] c09 N71-12520
Microwave power receiving antenna solving heat dissipation problems by construction of elements as heat pipe devices
[NASA-CASE-MFS-20333] c09 N71-13486
Computer circuit performing both counting and shifting logic operations also capable of miniaturization and integration in basic circuits
[NASA-CASE-XNP-01753] c08 N71-22897
Solid state television camera system consisting of monolithic semiconductor mosaic sensor and molecular digital readout systems
[NASA-CASE-XMF-06092] c07 N71-24612
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Solid state force measuring electromechanical transducers made of piezoresistive materials
[NASA-CASE-ERC-10088] c26 N71-25490
Development and characteristics of solid state acoustic variable time delay line using direct current voltage and radio frequency pulses
[NASA-CASE-ERC-10032] c10 N71-25900
Solid state broadband stable power amplifier
[NASA-CASE-XNP-10854] c10 N71-26331
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
Development of thermal to electric power conversion system using solid state switches of electrical currents to load for Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Solid state switch for variable circuit switching
[NASA-CASE-NPO-10817-1] c08 N73-30135
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c33 N74-14939
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c33 N79-11314
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c33 N80-33679
Optical crystal temperature gauge with fiber optic connections --- cryogenic systems
[NASA-CASE-MSC-18627-1] c74 N81-15818

SOLID SURFACES
Dye penetrant and technique for nondestructive tests of solid surfaces contacted by liquid oxygen
[NASA-CASE-XMF-02221] c18 N71-27170

SOLID WASTES
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N78-10225

SOLID-SOLID INTERFACES
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706

SOLIDIFICATION
A method for producing a solidified body of silicon --- solar cells
[NASA-CASE-NPO-15250-1] c25 N81-16174
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427

SOLUBILITY
Fireproof potassium silicate coating composition, insoluble in water after

application
[NASA-CASE-GSC-10072] c18 N71-14014
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c25 N78-25149
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187
SOLUTES
Specific wavelength colorimeter --- for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c35 N74-27860
SOLVENT EXTRACTION
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
SONAR
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253
Method for shaping and aiming narrow beams --- using a linear frequency chirp for sonar reception
[NASA-CASE-NPO-14632-1] c32 N80-12256
SONIC BOOMS
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
SORBATES
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c35 N78-19465
SORET COEFFICIENT
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c24 N77-27187
SOUND FIELDS
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c07 N80-32393
SOUND GENERATORS
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
SOUND LOCALIZATION
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c71 N79-23753
SOUND PRESSURE
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Differential sound level meter
[NASA-CASE-LAR-12106-1] c71 N78-14667
SOUND PROPAGATION
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
SOUND TRANSDUCERS
Method and transducer device for detecting presence of hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Sensor for detecting and measuring energy, velocity and direction of travel of a cosmic dust particle
[NASA-CASE-GSC-10503-1] c14 N72-20381
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c71 N79-23753
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c52 N80-23969
SOUND WAVES
Piezoelectric transducer for monitoring sound waves of physiological origin
[NASA-CASE-XMS-05365] c14 N71-22993
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N78-10837
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
SOUNDING ROCKETS
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-24750
System for deploying and ejecting releasable clamshell fairing sections from spinning sounding rockets
[NASA-CASE-GSC-10590-1] c31 N73-14853
SPACE BASES
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c18 N78-22146
SPACE CAPSULES
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
Describing assembly for opening stabilizing and decelerating flaps of flight capsules used in space research
[NASA-CASE-XMF-03169] c31 N71-15675
SPACE CHARGE
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c33 N79-11314
SPACE COMMUNICATION
Radio receiver with array of independently steerable antennas for deep space communication
[NASA-CASE-XLA-00901] c07 N71-10775
Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
Development of antenna system for spin stabilized communication satellite for simultaneous reception and transmission of data
[NASA-CASE-XGS-02607] c31 N71-23009
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
SPACE ENVIRONMENT SIMULATION
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086
Optical characteristics measuring apparatus
[NASA-CASE-XNP-08840] c23 N71-16365
Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
Low and zero gravity simulator for astronaut training
[NASA-CASE-MFS-10555] c11 N71-19494
Self lubricating fluoride-metal composite materials for outer space applications
[NASA-CASE-XLE-08511] c18 N71-23710
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
SPACE ERECTABLE STRUCTURES
Self-erectable space structures of flexible foam for application in planetary orbits
[NASA-CASE-XLA-00686] c31 N70-34135
Manned space station collapsible for launching and self-erectable in orbit
[NASA-CASE-XLA-00678] c31 N70-34296

Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XNP-00437] c07 N70-40202
Erectable, inflatable, radio signal reflecting passive communication satellite
[NASA-CASE-XLA-00210] c30 N70-40309
Deployment system for flexible wing with rigid superstructure
[NASA-CASE-XLA-01220] c02 N70-41863
Capillary radiator for carrying heat transfer liquid in planetary spacecraft structures
[NASA-CASE-XLE-03307] c33 N71-14035
Describing apparatus for manufacturing operations in low and zero gravity environments of orbital space flight
[NASA-CASE-MFS-20410] c15 N71-19214
Space erectable rollup solar array of arcuate solar panels furled on tapered drum for spacecraft storage during launch
[NASA-CASE-NPO-10188] c03 N71-20273
Self erecting parabolic reflector design for use in space
[NASA-CASE-XMS-03454] c09 N71-20658
Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
Hydraulic actuator design for space deployment of heat radiators
[NASA-CASE-MSC-11817-1] c15 N71-26611
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
Expandable space frames with high expansion to collapse ratio
[NASA-CASE-ERC-10365-1] c31 N73-32749
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c37 N78-33446
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108

SPACE EXPLORATION

Self-propelled vehicle with wheel, track laying, and walking capability for exploratory expolaration
[NASA-CASE-NPO-11366] c11 N73-26238

SPACE FLIGHT

Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449

SPACE FLIGHT FEEDING

Helmet feedport
[NASA-CASE-XMS-09653] c54 N78-17680

SPACE INDUSTRIALIZATION

Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108

SPACE MAINTENANCE

System for removing and repairing spacecraft control thrusters by use of portable air locks
[NASA-CASE-MFS-20325] c28 N71-27095

SPACE MANUFACTURING

Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108

SPACE MISSIONS

Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990
Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24613
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884

SPACE NAVIGATION

Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XNP-00684] c21 N71-21688
Momentum wheel design for spacecraft attitude control and magnetic drum and head system for data storage
[NASA-CASE-NPO-11481] c21 N73-13644
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630

SPACE ORIENTATION

Sensing method and device for determining orientation of space vehicle or satellite by using particle traps
[NASA-CASE-XGS-00466] c21 N70-34297

SPACE RENDEZVOUS

Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft
[NASA-CASE-MFS-11133] c31 N71-16222

SPACE SHUTTLE ORBITERS

Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
Improved attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c16 N81-16110

SPACE SHUTTLES

Designing spacecraft for flight into space, atmospheric reentry, and landing at selected sites
[NASA-CASE-XAC-02058] c02 N71-16087
Design and development of space shuttle system for delivering payload to earth orbit or celestial orbit
[NASA-CASE-MSC-12391] c30 N73-12884
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c27 N76-16229
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120
A system for sterilizing objects --- such as water systems on the space shuttle using ethylene oxide
[NASA-CASE-KSC-11085-1] c54 N79-33848
Automatic thermal switch --- Space Shuttle equipment bay temperature control
[NASA-CASE-GSC-12415-1] c34 N80-18338
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c27 N80-23454
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c37 N81-14320

SPACE SIMULATORS

Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
Variable geometry manned orbital vehicle having high aerodynamic efficiency over wide speed range and incorporating auxiliary pivotal wings
[NASA-CASE-XLA-03691] c31 N71-15674
Development of method and equipment for testing heat radiative properties of material under controlled environmental conditions
[NASA-CASE-MFS-20096] c14 N71-30026

SPACE STATIONS

Manned space station launched in packaged condition and self erecting in orbit
[NASA-CASE-XLA-00258] c31 N70-38676
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112

SPACE SUITS
Astronaut restraint suit for high acceleration protection
[NASA-CASE-XAC-00405] c05 N70-41819
Space suit with pressure-volume compensator system
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suits utilizing mechanical aids to minimize astronaut energy at bending joints
[NASA-CASE-LAR-10007-1] c05 N71-11195
One piece human garment for use as contamination proof garment
[NASA-CASE-MSC-12206-1] c05 N71-17599
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Conditioning suit for normal function of astronaut cardiovascular system in gravity environment
[NASA-CASE-XLA-02898] c05 N71-20268
Space suit using nonflexible material with low leakage and providing protection against thermal extremes, physical punctures, and radiation with high mobility articulation
[NASA-CASE-XAC-07043] c05 N71-23161
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XMF-03290] c15 N71-23256
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
Space suit with improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
Intra- and extravehicular life support space suite for Apollo astronauts
[NASA-CASE-MSC-12609-1] c05 N73-32012
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Protective garment ventilation system
[NASA-CASE-XMS-04928] c54 N78-17679
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c54 N78-18761
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c54 N79-24651
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043
Absorbent product and articles made therefrom --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c24 N81-16127

SPACE TRANSPORTATION SYSTEM
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c37 N80-14398

SPACE VEHICLE CHECKOUT PROGRAM
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Digital computer system for automatic prelaunch checkout of spacecraft
[NASA-CASE-XKS-08012-2] c31 N71-15566
Developing high pressure gas purification and filtration system for use in test operations of space vehicles
[NASA-CASE-MFS-12806] c14 N71-17588

SPACEBORNE PHOTOGRAPHY
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408

SPACEBORNE TELESCOPES
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c89 N79-10969
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c35 N80-26635

SPACECRAFT
Metal strip mounting arrangement for solar cell arrays on spacecraft
[NASA-CASE-XGS-01475] c03 N71-11058
Attitude sensor with scanning mirrors for detecting orientation of space vehicle with respect to planet
[NASA-CASE-XLA-00793] c21 N71-22880
Negation of magnetic fields produced by thin waferlike circuit elements in space vehicles
[NASA-CASE-XGS-03390] c03 N71-23187
Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850
Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MFS-20620] c11 N72-27262

SPACECRAFT ANTENNAS
Low loss parasitic probe antenna for prelaunch tests of spacecraft antennas
[NASA-CASE-XKS-09348] c09 N71-13521
Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XER-09521] c09 N72-12136
Omnidirectional antenna array with circumferential slots for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Furlable antenna for spacecraft
[NASA-CASE-NPO-11361] c07 N72-32169
Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c74 N79-34011
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c18 N80-14183

SPACECRAFT CABIN ATMOSPHERES
Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c27 N74-17283
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722

SPACECRAFT COMMUNICATION
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Phase shift data transmission system with pseudo-noise synchronization code modulated with digital data into single channel for spacecraft communication
[NASA-CASE-XNP-00911] c08 N70-41961
Design and development of tracking receiver for tracking satellites and receiving radio signal transmissions under adverse noise conditions
[NASA-CASE-XGS-08679] c10 N71-21473
Microwave omnidirectional antenna for use on spacecraft
[NASA-CASE-XLA-03114] c09 N71-22888
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
System designed to reduce time required for obtaining synchronization in data

communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c32 N80-16261
SPACECRAFT COMPONENTS
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Omnidirectional anisotropic molecular trap, used with vacuum pump to simulate space environments for testing spacecraft components
[NASA-CASE-XGS-00783] c30 N71-17788
Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
Development and characteristics of docking structure and apparatus for spacecraft docking
[NASA-CASE-XMF-05941] c31 N71-23912
Design and development of release mechanism for spacecraft components, releasable despin weights, and extensible gravity booms
[NASA-CASE-XGS-08718] c15 N71-24600
Space environment simulator for testing spacecraft components under aerospace conditions
[NASA-CASE-NPO-10141] c11 N71-24964
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185
Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
Development of apparatus for mounting scientific experiments in spacecraft to permit utilization without maneuvering spacecraft
[NASA-CASE-MSC-12372-1] c31 N72-25842
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Surface conforming thermal/pressure seal --- for control devices in space vehicles
[NASA-CASE-MSC-18422-1] c37 N80-14400
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c35 N80-19468
SPACECRAFT CONFIGURATIONS
Inflatable honeycomb panel element for lightweight structures usable in space stations and other construction
[NASA-CASE-XLA-00204] c32 N70-36536
Lenticular vehicle with foldable aerodynamic control flaps and reaction jets for operation above and within earth's atmosphere
[NASA-CASE-XGS-00260] c31 N70-37924
Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Spacecraft configurations and aerodynamic characteristics of space shuttle systems with two reusable stages
[NASA-CASE-MSC-12433] c31 N73-14854
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
SPACECRAFT CONSTRUCTION MATERIALS
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N78-17149
SPACECRAFT CONTROL
Light sensitive digital aspect sensor for attitude control of earth satellites or space probes
[NASA-CASE-XGS-00359] c14 N70-34158
Spacecraft attitude control system using solar and earth sensors, gyroscopes, and jet actuators
[NASA-CASE-XNP-00465] c21 N70-35395
Multiple parachute system for landing control of Apollo type spacecraft
[NASA-CASE-XLA-00898] c02 N70-36804
Attitude control device for space vehicles
[NASA-CASE-XNP-00294] c21 N70-36938
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Aerodynamic configuration of reentry vehicle heat shield to provide longitudinal and directional stability at hypersonic velocities
[NASA-CASE-XMS-04142] c31 N70-41631
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Development of spacecraft experiment pointing and attitude control system
[NASA-CASE-XLA-05464] c21 N71-14132
Development of attitude control system for spacecraft orientation
[NASA-CASE-XGS-04393] c21 N71-14159
Drive mechanism for operating reactance attitude control system for aerospace bodies
[NASA-CASE-XNP-01598] c21 N71-15583
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Large amplitude, linear inertial reference system of vibrating string type for spacecraft reference plane
[NASA-CASE-XAC-03107] c23 N71-16098
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Heated porous plug microthrustor for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
SPACECRAFT DESIGN
Lunar landing flight research vehicle
[NASA-CASE-XFR-00929] c31 N70-34966
Design and configuration of manned space capsule
[NASA-CASE-XLA-01332] c31 N71-15664
Development of spacecraft radiator cover
[NASA-CASE-MSC-12049] c31 N71-16080
Method and apparatus for connecting two spacecraft with probe of one inserted in rocket engine nozzle of other spacecraft

[NASA-CASE-MFS-11133] c31 N71-16222
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
Development and characteristics of self supporting space vehicle
[NASA-CASE-XLA-00117] c31 N71-17680
Multi-mission space vehicle module stage design
[NASA-CASE-XNP-01543] c31 N71-17730
Development and characteristics of docking structure and apparatus for spacecraft docking
[NASA-CASE-XNP-05941] c31 N71-23912
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429

SPACECRAFT DOCKING
Probe and drogue assembly for mechanical linking of two space vehicles
[NASA-CASE-XMS-03613] c31 N71-16346
Development and characteristics of docking structure and apparatus for spacecraft docking
[NASA-CASE-XNP-05941] c31 N71-23912
Latch for fastening spacecraft docking rings
[NASA-CASE-MSC-15474-1] c15 N71-26162
High energy absorption docking system design for docking large spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483

SPACECRAFT ELECTRONIC EQUIPMENT
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XNP-01667] c15 N71-17647
Nose cone mounted heat resistant antenna comprising plurality of adjacent layers of silica not introducing paths of high thermal conductivity through ablative shield
[NASA-CASE-XMS-04312] c07 N71-22984

SPACECRAFT ENVIRONMENTS
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Dual solid cryogens for spacecraft refrigeration insuring low temperature cooling for extended periods
[NASA-CASE-GSC-10188-1] c23 N71-24725
Dual stage check valve for cryogenic supply systems used in space flight environmental control system
[NASA-CASE-MSC-13587-1] c15 N73-30459
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853

SPACECRAFT GUIDANCE
Automatic ejection valve for attitude control and midcourse guidance of space vehicles
[NASA-CASE-XNP-00676] c15 N70-38996
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMF-00684] c21 N71-21688
Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
Inertial gimbal alignment system for spacecraft guidance
[NASA-CASE-XMF-01669] c21 N71-23289
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243

SPACECRAFT INSTRUMENTS
Mechanical coordinate converter for use with spacecraft tracking antennas
[NASA-CASE-XNP-00614] c14 N70-36907
Air bearings for spacecraft gyros
[NASA-CASE-XMF-00339] c15 N70-39896
Unfolding boom assembly with knuckle joints for positioning equipment for spacecraft
[NASA-CASE-XGS-00938] c32 N70-41367
Pressurized cell micrometeoroid detector
[NASA-CASE-XLA-00936] c14 N71-14996
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
Inertial component clamping assembly design for spacecraft guidance and control system mounting
[NASA-CASE-XMS-02184] c15 N71-20813
Optical projector system for establishing optimum arrangement of instrument displays in aircraft, spacecraft, other vehicles, and industrial instrument consoles
[NASA-CASE-XNP-03853] c23 N71-21882
Combined optical attitude and altitude indicating instrument for use in aircraft or spacecraft
[NASA-CASE-XLA-01907] c14 N71-23268
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c35 N80-18359

SPACECRAFT LANDING
Non-reusable kinetic energy absorber for application in soft landing of space vehicles
[NASA-CASE-XLE-00810] c15 N70-34861
Plastic foam generator for space vehicle instrument payload package flotation in water landing
[NASA-CASE-XLA-00838] c03 N70-36778
Device for use in descending spacecraft as altitude sensor for actuating deceleration retrorockets
[NASA-CASE-XMS-03792] c14 N70-41812

SPACECRAFT LAUNCHING
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Development and characteristics of squib actuated explosive disconnect for spacecraft release from launch vehicle
[NASA-CASE-NPO-11330] c33 N73-26958

SPACECRAFT MODELS
Space environment simulation system for measuring spacecraft electric field strength in plasma sheath
[NASA-CASE-XLE-02038] c09 N71-16086

SPACECRAFT MODULES
Radial module manned space station with

artificial gravity environment
[NASA-CASE-XMS-01906] c31 N70-41373
Multi-mission space vehicle module stage design
[NASA-CASE-XMF-01543] c31 N71-17730
Design and development of spacecraft with outer shell structure heat shielding and built-in, removable excursion module
[NASA-CASE-MSC-13047-1] c31 N71-25434
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829

SPACECRAFT MOTION
Magnetic suspension and pointing system --- on a carrier vehicle
[NASA-CASE-LAR-11889-1] c35 N79-26372

SPACECRAFT POSITION INDICATORS
Device for determining relative angular position of spacecraft and radiating celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
Spacecraft attitude sensing system design with narrow field of view sensor rotating about spacecraft x-y axis
[NASA-CASE-GSC-10890-1] c21 N73-30640

SPACECRAFT POWER SUPPLIES
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XMF-00517] c03 N70-34157
Lightweight, rugged, inexpensive satellite battery for producing electrical power from ionosphere using electrodes with different contact potentials
[NASA-CASE-XGS-01593] c03 N70-35408
Design and development of electric generator for space power system
[NASA-CASE-XLE-04250] c09 N71-20446
Monostable multivibrator for conserving power in spacecraft systems
[NASA-CASE-GSC-10082-1] c10 N72-20221
Rectangular solar cell stacked panels to generate electrical power aboard spacecraft
[NASA-CASE-NPO-11771] c03 N73-20040
Thermoelectric power system --- for spacecraft
[NASA-CASE-MFS-22002-1] c44 N76-16612
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c33 N79-24254
A linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft's power supply
[NASA-CASE-GSC-12518-1] c33 N80-19424
Toroidal cell and battery --- energy storage for orbital space applications or power cells for electric vehicles
[NASA-CASE-LEW-12918-1] c44 N80-33857

SPACECRAFT PROPULSION
Colloidal particle generator for electrostatic engine for propelling space vehicles
[NASA-CASE-XLE-00817] c28 N70-33265
Spacecraft trajectory correction propulsion system
[NASA-CASE-XNP-01104] c28 N70-39931
Permanently magnetized ion engine casing construction for use in spacecraft propulsion systems
[NASA-CASE-XNP-06942] c28 N71-23293
Development of voice operated controller for controlling reaction jets of spacecraft
[NASA-CASE-XLA-04063] c31 N71-33160
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c12 N79-26075
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c37 N81-15364

SPACECRAFT RADIATORS
Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523

SPACECRAFT RECOVERY
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
Method for deployment of flexible wing glider from space vehicle with minimum impact and loading
[NASA-CASE-XMS-00907] c02 N70-41630

SPACECRAFT REENTRY
Manned space capsule configuration for orbital flight and atmospheric reentry
[NASA-CASE-XLA-00149] c31 N70-37938
Event recorder with constant speed motor which rotates recording disk
[NASA-CASE-XLA-01832] c14 N71-21006

SPACECRAFT SHIELDING
Development and characteristics of protective coatings for spacecraft
[NASA-CASE-XNP-02507] c31 N71-17679
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XMF-07770-2] c18 N71-26772
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c24 N79-14156
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c24 N79-25142
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c37 N81-15363
A method and technique for installing light-weight fragile, high-temperature fiber insulation --- spacecraft heat sealing
[NASA-CASE-MSC-16934-2] c37 N81-16468

SPACECRAFT STABILITY
Satellite stabilization reaction wheel scanner
[NASA-CASE-XGS-02629] c14 N71-21082
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
Active nutation controller
[NASA-CASE-GSC-12273-1] c35 N80-21719
Method of and apparatus for damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c18 N81-12156

SPACECRAFT STERILIZATION
A system for sterilizing objects --- such as water systems on the space shuttle using ethylene oxide
[NASA-CASE-KSC-11085-1] c54 N79-33848

SPACECRAFT STRUCTURES
Collapsible, space erectable loop antenna system for space vehicle
[NASA-CASE-XMF-00437] c07 N70-40202
Electro-optical system for maintaining two-axis alignment during milling operations on large tank-sections
[NASA-CASE-XMF-00908] c14 N70-40238
Development of spacecraft radiator cover
[NASA-CASE-MSC-12049] c31 N71-16080
Design and construction of satellite appendage tie-down cord
[NASA-CASE-XGS-02554] c31 N71-21064
Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
Delayed simultaneous appendage release mechanism for use on spacecraft equipped with despin mechanisms and releasable components
[NASA-CASE-GSC-10814-1] c03 N73-20039
Pressurized panel meteoroid detector
[NASA-CASE-XLA-08916-2] c14 N73-28487
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c34 N75-12222
Auger attachment method for insulation --- of spacecraft
[NASA-CASE-MSC-12615-1] c37 N76-19437

Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
Diced tile thermal protection for spacecraft
[NASA-CASE-MSC-16366-1] c24 N79-23142
SPACECRAFT TELEVISION
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c74 N78-17865
SPACECRAFT TRACKING
Spacecraft ranging system
[NASA-CASE-NPO-10066] c09 N71-18598
Elimination of tracking occultation problems occurring during continuous monitoring of interplanetary missions by using Earth orbiting communications satellite
[NASA-CASE-XAC-06029-1] c31 N71-24813
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c19 N74-21015
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N79-13214
SPACECREWS
Development and characteristics of inflatable structure to provide escape from orbit for spacecrews under emergency conditions
[NASA-CASE-XMS-06162] c31 N71-28851
SPALLATION
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c25 N76-27383
SPARK CHAMBERS
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c36 N80-18380
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c35 N80-20565
SPARK GAPS
Spark gap type protective circuit for fast sensing and removal of overvoltage conditions
[NASA-CASE-XAC-08981] c09 N69-39897
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976
SPARK IGNITION
High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405
SPARK PLUGS
High temperature spark plug for igniting liquid rocket propellants
[NASA-CASE-XLE-00660] c28 N70-39925
SPATIAL DISTRIBUTION
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10485] c10 N71-26339
SPATIAL FILTERING
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
SPECIMENS
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429
SPECTRAL REFLECTANCE
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
SPECTRAL SIGNATURES
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c43 N79-17288
SPECTROMETERS
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
Variable frequency nuclear magnetic resonance spectrometer providing drive signals over wide frequency range and minimizing noise effects
[NASA-CASE-XNP-09830] c14 N71-26266
Maksutov spectrograph for low light level research
[NASA-CASE-XLA-10402] c14 N71-29041
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
Design of gamma ray spectrometer for measurement of intense radiation using Compton scattering effect
[NASA-CASE-MFS-21441-1] c14 N73-30392
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c35 N80-18364
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c35 N80-20563
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c35 N80-28687
SPECTROPHOTOMETERS
Spectrophotofluorometer with 3-dimensional display to identify fluorescence spectra of carcinogenic and noncarcinogenic hydrocarbons
[NASA-CASE-XGS-01231] c14 N70-41676
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c74 N78-17867
SPECTRORADIOMETERS
Development and characteristics of spectroradiometer with wedge filters to eliminate adverse effect of pinholes in filters
[NASA-CASE-HQN-10683] c14 N71-34389
SPECTROSCOPIC ANALYSIS
Cylindrical reflector for resolving wide angle light beam from telescope into narrow beam for spectroscopic analysis
[NASA-CASE-XGS-08269] c23 N71-26206
SPECTRUM ANALYSIS
Spectrometer using photoelectric effect to obtain spectral data
[NASA-CASE-XNP-04161] c14 N71-15599
Emission spectroscopy method for contamination monitoring of inert gas metal arc welding
[NASA-CASE-XMF-02039] c15 N71-15871
Method and apparatus for high resolution power spectrum analysis
[NASA-CASE-NPO-10748] c08 N72-20177
Frequency tracked pulse technique for ultrasonic analysis
[NASA-CASE-LAR-12697-1] c32 N80-26571
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015
SPECULAR REFLECTION
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c35 N77-31465
SPEECH RECOGNITION
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
SPEED CONTROL
System for maintaining motor at predetermined speed using digital pulses
[NASA-CASE-XNP-06892] c09 N71-24805

Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c37 N74-23070
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N75-24758
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c37 N81-15364

SPEED REGULATORS
Feedback control for direct current motor to achieve constant speed under varying loads
[NASA-CASE-MFS-14610] c09 N71-28686

SPHERES
Guidance analyzer having suspended spacecraft simulating sphere for astronavigation
[NASA-CASE-XNP-09572] c14 N71-15621
Plastic sphere for radar tracking and calibration
[NASA-CASE-XLA-11154] c07 N72-21117
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197

SPHERICAL SHELLS
Hollow spherical electrode for shielding dielectric junction between high voltage conductor and insulator
[NASA-CASE-XLE-03778] c09 N69-21542
Development of mechanical device for measuring distance of point within sphere from surface of sphere
[NASA-CASE-XLA-06683] c14 N72-28436

SPHERICAL TANKS
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007

SPHERICAL WAVES
Electrical device for developing converging spherical shock waves
[NASA-CASE-MFS-20890] c14 N72-22439

SPHYGMOGRAPHY
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839

SPIKE NOZZLES
Constructing fluid spike nozzle to eliminate heat transfer and high temperature problems inherent in physical spikes
[NASA-CASE-XGS-01143] c31 N71-15647

SPIKE POTENTIALS
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393

SPIN DYNAMICS
Nutation damper for use on spinning body
[NASA-CASE-GSC-11205-1] c15 N73-25513
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826

SPIN REDUCTION
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Bolt-latch mechanism for releasing despin weights from space vehicle
[NASA-CASE-XLA-00679] c15 N70-38601
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016
Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XMF-00442] c31 N71-10747

SPIN STABILIZATION
Dynamic precession damping of spin-stabilized vehicles by using rate gyroscope and angular accelerometer
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude orientation control of spin stabilized final stage space vehicles, using horizon scanners
[NASA-CASE-XLA-00281] c21 N70-36943
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Spin phase synchronization of cartwheel satellite in polar orbit
[NASA-CASE-XGS-05579] c31 N71-15676
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692
Passive dual spin misalignment compensators --- gyrostabilized device
[NASA-CASE-GSC-11479-1] c35 N74-28097
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Active nutation controller
[NASA-CASE-GSC-12273-1] c35 N80-21719
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c08 N81-19130

SPINDLES
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423

SPINE
Spine immobilization method and apparatus --- rigid bladder
[NASA-CASE-ARC-11167-1] c52 N79-30921

SPINNERS
An improved head for high speed spinner having a vacuum chuck --- holding silicon chips for etching
[NASA-CASE-NPO-15227-1] c37 N80-26661

SPIRAL ANTENNAS
Complementary cross-slot phased array antenna
[NASA-CASE-MSC-18532-1] c32 N80-29543

SPIRAL WRAPPING
Adjustable spiral wire winding device
[NASA-CASE-XMS-02383] c15 N71-15918
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c37 N80-16339
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c37 N81-12422

SPIRALS (CONCENTRATORS)
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c37 N74-10474

SPIROMETERS
Compact bellows spirometer for high speed and high altitude space travel
[NASA-CASE-XAR-01547] c05 N69-21473

SPLINES
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536

SPLINTS
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159

SPOILERS
A hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c05 N80-11065

SPORES
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178

SPOT WELDS
Controlled arc spot welding method
[NASA-CASE-XMF-00392] c15 N70-34814
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433

SPRAY CHARACTERISTICS
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c34 N80-20528

SPRAY NOZZLES
Rocket injector head
[NASA-CASE-XMF-04592-1] c20 N79-21125
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c34 N80-20528
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c31 N81-14137

SPRAYED COATINGS
Plasma spraying gun for forming diffusion bonded

metal or ceramic coatings on substrates
[NASA-CASE-XLE-01604-2] c15 N71-15610
Production and application of sprayable fiber reinforced ablation material
[NASA-CASE-XLA-04251] c18 N71-26100
Metal plating process employing spraying of metallic power/peening particle mixture
[NASA-CASE-GSC-11163-1] c15 N73-32360
Sprayable, low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c34 N80-20528

SPRAYERS
External device for liquid spray cooling of gas turbine blades
[NASA-CASE-XLE-00037] c28 N70-33372
Adhesive spray process for attaching biomedical skin electrodes
[NASA-CASE-XPR-07658-1] c05 N71-26293
Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c31 N78-17237
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434

SPRAYING
Aircraft wheel spray drag alleviator for dual tandem landing gear
[NASA-CASE-XLA-01583] c02 N70-36825
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N79-20336

SPREADING
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XMF-02107] c15 N71-10809

SPRINGS (ELASTIC)
Belleville spring assembly with elastic guides having low hysteresis
[NASA-CASE-XNP-09452] c15 N69-27504
Multiple Belleville spring assembly with even load distribution
[NASA-CASE-XNP-00840] c15 N70-38225
Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
Load cell protection device using spring-loaded breakaway mechanism
[NASA-CASE-XMS-06782] c32 N71-15974
Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c44 N80-29834

SPUTTERING
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
Technique and equipment for sputtering using apertured electrode and pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455

SQUARE WAVES
High speed phase detector design indicating phase relationship between two square wave input signals
[NASA-CASE-XNP-01306-2] c09 N71-24596

SQUARES (MATHEMATICS)
Apparatus for computing square roots
[NASA-CASE-XGS-04768] c08 N71-19437

SQUIBS
Contamination free separation nut eliminating combustion products from ambient surroundings generated by squib firing
[NASA-CASE-XGS-01971] c15 N71-15922

STABILITY AUGMENTATION
A velocity vector control system augmented with direct lift control --- stability augmentation using manual control
[NASA-CASE-LAR-12268-1] c08 N79-20136

STABILITY TESTS
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146

STABILIZATION
Electro-optical stabilization of calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
System for controlling torque buildup in suspension of gondola connected to balloon by parachute shroud lines
[NASA-CASE-GSC-11077-1] c02 N73-13008
Development of aerodynamic control system to control flutter over large range of oscillatory frequencies using stability augmentation techniques
[NASA-CASE-LAR-10682-1] c02 N73-26004
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
A pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c08 N79-20135

STABILIZED PLATFORMS
Hydraulic drive mechanism for leveling isolation platforms
[NASA-CASE-XMS-03252] c15 N71-10658
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c37 N78-27425

STABILIZERS
Design and development of satellite despin device
[NASA-CASE-XMF-08523] c31 N71-20396

STABILIZERS (AGENTS)
Solid propellant stabilizer containing nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699

STABILIZERS (FLUID DYNAMICS)
Assembly for opening flight capsule stabilizing and decelerating flaps with reference to capsule recovery
[NASA-CASE-XMF-00641] c31 N70-36410
Mechanical stabilization system for VTOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873
Inflatable stabilizing system for use on life raft to reduce rocking and preclude capsizing
[NASA-CASE-MSC-12393-1] c02 N73-26006
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460

STABLE OSCILLATIONS
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986

STACKS
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c25 N74-33378

STAGE SEPARATION
Stage separation using remote control release of joint with explosive insert
[NASA-CASE-XLA-02854] c15 N69-27490
Piezoelectric means for missile stage separation indication and stage initiation
[NASA-CASE-XLA-00791] c03 N70-39930
Space vehicle stage coupling and quick release separation mechanism
[NASA-CASE-XLA-01441] c15 N70-41679

Stage separation system for spinning vehicles and payloads
[NASA-CASE-XLA-02132] c31 N71-10582
Payload/spent rocket engine case separation system
[NASA-CASE-XLA-05369] c31 N71-15687
Separation mechanism for use between stages of multistage rocket vehicles
[NASA-CASE-XLA-00188] c15 N71-22874
Development of remotely controlled shaped charge for lateral displacement of rocket stages after separation
[NASA-CASE-XLA-04804] c31 N71-23008
Electrical circuit selection device for simulating stage separation of flight vehicle
[NASA-CASE-XKS-04631] c10 N71-23663
Frangible connecting link suitable for rocket stage separation
[NASA-CASE-MSC-11849-1] c15 N72-22488

STAGNATION PRESSURE
Flow meter for measuring stagnation pressure in boundary layer around high speed flight vehicle
[NASA-CASE-XFR-02007] c12 N71-24692
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878

STAGNATION TEMPERATURE
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156

STAINING
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677

STAINLESS STEELS
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237

STAMPING
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c37 N81-16470

STANDARDS
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348

STANDING WAVES
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767

STAR TRACKERS
Star sensor system for roll attitude control of spacecraft
[NASA-CASE-XNP-01307] c21 N70-41856
Sun tracker with rotatable plane-parallel plate and two photocells
[NASA-CASE-XGS-01159] c21 N71-10678
Photomultiplier detector of Canopus for spacecraft attitude control
[NASA-CASE-XNP-03914] c21 N71-10771
Attitude detection system using stellar references for three-axis control and spin stabilized spacecraft
[NASA-CASE-XGS-03431] c21 N71-15642
Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
Method for producing reticles for use in outer space
[NASA-CASE-GSC-11188-2] c21 N73-19630
Production method of star tracking reticles for transmitting in visible and near ultraviolet regions
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Star scanner --- with a reticle with a pair of slits having differing separation
[NASA-CASE-GSC-11569-1] c89 N74-30886

STARK EFFECT
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015

STARTERS
Starting circuit design for initiating and maintaining arcs in vapor lamps
[NASA-CASE-XNP-01058] c09 N71-12540
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c33 N75-19524

STARTING
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FEC-10113-1] c33 N80-26599

STATIC FRICTION
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489

STATIC INVERTERS
Describing static inverter with single or multiple phase output
[NASA-CASE-XNP-00663] c08 N71-18752
Development and characteristics of oscillating static inverter
[NASA-CASE-XGS-05289] c09 N71-19470

STATIC LOADS
Measuring shear-creep compliance of solid and liquid materials used in spacecraft components
[NASA-CASE-XLE-01481] c14 N71-10781
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878

STATIC PRESSURE
Pressure probe for sensing ambient static air pressures
[NASA-CASE-XLA-00481] c14 N70-36824
Ambient atmospheric pressure sensing device for determining altitude of flight vehicles
[NASA-CASE-XLA-00128] c15 N70-37925
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c35 N80-18358

STATIONKEEPING
Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969

STATISTICAL CORRELATION
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407

STATOR BLADES
Stator rotor tools
[NASA-CASE-MSC-16000-1] c37 N78-24544

STATORS
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c26 N77-32280
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Liquid metal slip ring --- aerospace environments
[NASA-CASE-LEW-12277-3] c33 N80-18300
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c44 N80-29834

STEADY STATE
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861

STEAM TURBINES
Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104
STEELS
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Moving body velocity arresting line --- elongating steel cable
[NASA-CASE-LAR-12372-1] c37 N80-18399
STEERABLE ANTENNAS
Apparatus for generating microwave signals at progressively related phase angles for driving antenna array
[NASA-CASE-ERC-10046] c10 N71-18722
Satellite radio communication system with remote steerable antenna
[NASA-CASE-XNP-02389] c07 N71-28900
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Phased array antenna control
[NASA-CASE-MSC-14939-1] c32 N79-11264
STEERING
Steerable solid propellant rocket motor adapted to effect payload orientation as multistage rocket stage or reduce velocity as retrorocket
[NASA-CASE-XNP-00234] c28 N70-38645
STELLAR LUMINOSITY
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
STELLAR SPECTRA
Development of star intensity measuring system which minimizes effects of outside interference
[NASA-CASE-XNP-06510] c14 N71-23797
STENCIL PROCESSES
Method for making patterns for resin matrix composites
[NASA-CASE-ARC-11246-1] c24 N80-22410
STEREOPHOTOGRAPHY
Stereo photomicrography system with stereo microscope for viewing specimen at various magnifications
[NASA-CASE-LAR-10176-1] c14 N72-20380
STEREOSCOPIC VISION
Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728
STERILIZATION
Using ethylene oxide in preparation of sterilized solid rocket propellants and encapsulating materials
[NASA-CASE-XNP-01749] c27 N70-41897
Ethylene oxide sterilization and encapsulating process for sterile preservation of instruments and solid propellants
[NASA-CASE-XNP-09763] c14 N71-20461
Environmentally controlled suit for working in sterile chamber
[NASA-CASE-LAR-10076-1] c05 N73-20137
Protein sterilization of firefly luciferase without denaturation
[NASA-CASE-GSC-10225-1] c06 N73-27086
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Portable heatable container
[NASA-CASE-NPO-14237-1] c44 N80-20808
STERILIZATION EFFECTS
Reliability of electrical connectors after heat sterilization
[NASA-CASE-NPO-10694] c09 N72-20200
STIFFENING
Spine immobilization method and apparatus --- rigid bladder
[NASA-CASE-ARC-11167-1] c52 N79-30921
STIFFNESS
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c37 N80-12414
STIMULATED EMISSION
Repetitively pulsed wavelength selective carbon dioxide laser
[NASA-CASE-ERC-10178] c16 N71-24832
STIRLING CYCLE
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c37 N78-25431
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518
STIRRING
Design of mechanical device for stirring several test tubes simultaneously
[NASA-CASE-XAC-06956] c15 N71-21177
STORAGE
Design and development of fluid sample collector
[NASA-CASE-XMS-06767-1] c14 N71-20435
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c37 N80-10494
STORAGE BATTERIES
Leak resistant bonded elastomeric seal for secondary electrochemical cells
[NASA-CASE-XGS-02631] c03 N71-23006
Automatically charging battery of electric storage cells
[NASA-CASE-XNP-04758] c03 N71-24605
Elimination of two step voltage discharge property of silver zinc batteries by using divalent silver oxide capacity of cell to charge anodes to monovalent silver state
[NASA-CASE-XGS-01674] c03 N71-29129
Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c44 N79-17313
STORAGE STABILITY
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749
STORAGE TANKS
Expulsion bladder equipped storage tank structure
[NASA-CASE-XNP-00612] c11 N70-38182
Development of apparatus and method for testing leakage of large tanks
[NASA-CASE-XNP-02392] c32 N71-24285
Apparatus for aligning shadow shields and cryogenic storage tanks in outer space with the sun
[NASA-CASE-KSC-10622-1] c31 N72-21893
A system for sterilizing objects --- such as water systems on the space shuttle using ethylene oxide
[NASA-CASE-KSC-11085-1] c54 N79-33848
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c37 N80-18393
STRAIN GAGE ACCELEROMETERS
Accelerometer with FM output signals indicative of mechanical strain on it
[NASA-CASE-XLA-00492] c14 N70-34799
Strain gage accelerometer for angular acceleration measurement
[NASA-CASE-XMS-05936] c14 N70-41682
STRAIN GAGE BALANCES
Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
STRAIN GAGES
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Apparatus for forming wire grids for electric strain gages
[NASA-CASE-XLE-00023] c15 N70-33330
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XNP-00456] c14 N70-34705
Strain gage for detecting and measuring mechanical strain in thermally strained specimens
[NASA-CASE-FRC-10053] c14 N70-35587

Difference indicating circuit used in conjunction with device measuring gravitational fields
[NASA-CASE-XNP-08274] c10 N71-13537
Water cooled gage for strain measurements in high temperature environments
[NASA-CASE-XNP-09205] c14 N71-17657
Development of apparatus for measuring successive increments of strain on elastomers
[NASA-CASE-XMF-04680] c15 N71-19489
Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
Method for temperature compensating semiconductor gages by exposure to high energy radiation
[NASA-CASE-XLA-04555-1] c14 N71-25892
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Method for making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c39 N78-15512
Photomechanical transducer --- using thin strips of photoabsorptive metal or polymeric film with strain gages
[NASA-CASE-NPO-14363-1] c76 N79-14908
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c35 N80-20560
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195

STRAIN RATE
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740

STRAPDOWN INERTIAL GUIDANCE
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399

STRAPS
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c37 N80-18393

STRATIGRAPHY
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584

STREAMS
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c35 N78-19465

STRESS ANALYSIS
Development of system for measuring damping characteristics of structure or system subjected to random forces or influnces
[NASA-CASE-ARC-10154-1] c14 N72-22440
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523

STRESS CONCENTRATION
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369

STRESS CORROSION
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
Method and apparatus for inducing compressive stresses in pressure vessel to prevent stress corrosion
[NASA-CASE-XLA-07390] c15 N71-18616

STRESS MEASUREMENT
Semiconductor p-n junction on needle apex to provide stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Force measuring instrument for structural members, particularly fastening bolts or studs
[NASA-CASE-XMF-00456] c14 N70-34705
Self-balancing strain gage transducer with bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
Servocontrol system for measuring local stresses at geometric discontinuity in stressed material
[NASA-CASE-XLA-08530] c32 N71-25360
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c39 N78-15512

STRESS RELAXATION
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c24 N81-17170

STRESS RELIEVING
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799

STRESSES
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Strain gage measurement of elongation due to thermally and mechanically induced stresses
[NASA-CASE-XGS-04478] c14 N71-24233
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429

STRETCHERS
Development and characteristics of rescue litter with inflatable flotation device for water rescue application
[NASA-CASE-XMS-04170] c05 N71-22748
Stretcher with rigid head and neck support with capability of supporting immobilized person in vertical position for removal from vehicle hatch to exterior also useful as splint stretcher
[NASA-CASE-XMF-06589] c05 N71-23159

STRETCHING
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457

STRINGS
Cord restraint system for pressure suit joints
[NASA-CASE-XMS-09635] c05 N71-24623

STRIP TRANSMISSION LINES
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348

STRUCTURAL ANALYSIS
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899

STRUCTURAL DESIGN
Design of inflatable life raft for aircrafts and boats
[NASA-CASE-XMS-00863] c05 N70-34857
Structural design of high pressure regulator valve
[NASA-CASE-XNP-00710] c15 N71-10778
Graphic illustration of lifting body design
[NASA-CASE-FRC-10063] c01 N71-12217
Design of ring wing vehicle of high drag-to-weight ratio to withstand reentry stress into low density atmosphere
[NASA-CASE-XLA-04901] c31 N71-24315
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366

Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N79-23481
STRUCTURAL ENGINEERING
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283
STRUCTURAL FAILURE
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
STRUCTURAL MEMBERS
Broadband chokes and absorbers to reduce spurious radiation patterns of antenna array caused by support structures
[NASA-CASE-XMS-05303] c07 N69-27462
Electro-optical/computer system for aligning large structural members and maintaining correct position
[NASA-CASE-XNP-02029] c14 N70-41955
Nut and bolt fastener permitting all-directional movement of skin sections with respect to supporting structure
[NASA-CASE-XLA-01807] c15 N71-10799
Universal joints for connecting two displaced shafts or members
[NASA-CASE-NPO-10646] c15 N71-28467
Device for securing together structural members with axially stretched bolt and nut
[NASA-CASE-GSC-11149-1] c15 N73-30457
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c18 N78-22146
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c37 N80-22704
STRUCTURAL STABILITY
Latching device
[NASA-CASE-MFS-21606-1] c37 N75-19685
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
STRUCTURAL VIBRATION
Rectangular electric conductors for conductor cables to withstand spacecraft vibration and controlled atmosphere
[NASA-CASE-MFS-14741] c09 N70-20737
Determining sway of buildings by low frequency device using pendulum
[NASA-CASE-XNP-00479] c14 N70-34794
Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c33 N80-29583
STRUCTURES
Deformation measuring apparatus with feedback control for arbitrarily shaped structures
[NASA-CASE-LAR-10098] c32 N71-26681
STRUTS
Low onset rate energy absorber in form of strut assembly for crew couch of Apollo command module
[NASA-CASE-MSC-12279-1] c15 N70-35679
Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283
STUDS (STRUCTURAL MEMBERS)
Design of quick release locking pin for joining two or more load-carrying structural members
[NASA-CASE-MFS-18495] c15 N72-11385
Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MFS-20299] c15 N72-11392
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
STYRENES
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N78-32256
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447
SUBLIMATION
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
SUBMARINES
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c24 N78-27184
SUBMERGING
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585
SUBMINIATURIZATION
Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
SUBREFLECTORS
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c33 N75-19516
SUBSONIC FLOW
Leading edge vortex flaps for drag reduction --- during subsonic flight
[NASA-CASE-LAR-12750-1] c02 N81-19016
SUBSONIC SPEED
Aerospace vehicle with variable planform for hypersonic and subsonic flight
[NASA-CASE-XLA-00805] c31 N70-38010
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-XLA-01486] c01 N71-23497
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c02 N76-22154
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
SUBSONIC WIND TUNNELS
Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246
SUBSTRATES
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Fabrication of solar cell banks for attaching solar cells to base members or substrates
[NASA-CASE-XNP-00826] c03 N71-20895
Method and apparatus for fabricating solar cell panels
[NASA-CASE-XNP-03413] c03 N71-26726
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c74 N78-32854
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c35 N80-20560
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389
SUBSTRUCTURES
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
System for detecting substructure microfractures and method therefore

[NASA-CASE-NPO-14192-1] c39 N80-10507
SULFATES
Nitroaniline sulfate, intumescent paints
[NASA-CASE-ARC-10099-1] c18 N71-15469
SULFONES
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
SULFONIC ACID
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N78-14096
SULFUR COMPOUNDS
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
SULFUR DIOXIDES
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Process for removing sulfur dioxide from gas streams --- using iron as a catalyst
[NASA-CASE-MSC-16299-1] c45 N77-31668
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c45 N79-12584
SULFURIC ACID
An improved synthesis of 2, 4, 8, 10-textroxaspiro (5.5)undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
SUM RULES
Describing circuit for obtaining sum of squares of numbers
[NASA-CASE-XGS-04765] c08 N71-18693
SUN
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N79-14526
SUNGLASSES
Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
SUNLIGHT
Illumination system design for use as sunlight simulator in space environment simulators with multiple light sources reflected to single virtual source
[NASA-CASE-HQN-10781] c23 N71-30292
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c74 N79-12890
SUPERCHARGERS
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c20 N80-14188
Diesel engine catalytic combustor system --- turbocharging
[NASA-CASE-LEW-12995-1] c37 N80-26659
SUPERCONDUCTING MAGNETS
Cryogenic flux-gated magnetometer using superconductors
[NASA-CASE-XAC-02407] c14 N69-27423
Improved alternator with windings of superconducting materials acting as permanent magnet
[NASA-CASE-XLE-02824] c03 N69-39890
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Operating properties of superconducting magnet in vacuum environment
[NASA-CASE-XNP-06503] c23 N71-29049
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Stable superconducting magnet --- high current levels below critical temperature
[NASA-CASE-XMF-05373-1] c33 N79-21264
SUPERCONDUCTIVITY
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Superconductive resonant cavity for improved signal to noise ratio in communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Superconducting magnetic field trapping device for producing magnetic field in air
[NASA-CASE-XNP-01185] c26 N73-28710
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
SUPERCONDUCTORS
Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XNP-01099] c14 N71-15969
Controlled diffusion reaction process for masking substrate of twisted multifilament superconductive ribbon
[NASA-CASE-LEW-11726-1] c26 N73-26752
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
Germanium coated microbridge and method
[NASA-CASE-NPS-23274-1] c33 N78-13320
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584
SUPERCOOLING
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584
SUPERFLUIDITY
Helium refining by superfluidity
[NASA-CASE-XNP-00733] c06 N70-34946
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
SUPERHEATING
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-NPS-23167-1] c44 N76-31667
SUPERHIGH FREQUENCIES
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524
SUPERPLASTICITY
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c39 N79-25424
SUPERSONIC AIRCRAFT
Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
Absorptive, nonreflecting barrier mounted between closely spaced jet engines on supersonic aircraft, for preventing shock wave interference
[NASA-CASE-XLA-02865] c28 N71-15563
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
SUPERSONIC COMBUSTION
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
SUPERSONIC DRAG
Bluff-shaped annular configuration for supersonic decelerator for reentry vehicles
[NASA-CASE-XLE-00222] c02 N70-37939
SUPERSONIC FLIGHT
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088

SUPERSONIC FLOW
Optical sensing of supersonic flows by correlating deflections in laser beams through flow
[NASA-CASE-MFS-20642] c14 N72-21407
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c35 N74-32878
SUPERSONIC INLETS
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c35 N76-14431
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
SUPERSONIC NOZZLES
Penshaped, supersonic exhaust nozzle design
[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392
SUPERSONIC SPEEDS
Continuous operation, single phased, induction plasma accelerator producing supersonic speeds
[NASA-CASE-XLA-01354] c25 N70-36946
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
SUPERSONIC TRANSPORTS
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
System and method for position locating for air traffic control involving supersonic transports
[NASA-CASE-GSC-10087-3] c07 N72-12080
Doppler compensated communication system for locating supersonic transport position
[NASA-CASE-GSC-10087-4] c07 N73-20174
Supersonic transport --- using canard surfaces
[NASA-CASE-LAR-11932-1] c05 N78-32086
SUPERSONIC WIND TUNNELS
Wind tunnel
[NASA-CASE-LAR-10135-1] c09 N79-21083
SUPPORT INTERFERENCE
Spherical bearing --- to reduce vibration effects
[NASA-CASE-MFS-23447-1] c37 N79-11404
SUPPORT SYSTEMS
Hydraulic support apparatus for dynamic testing of space vehicles under near-free flight conditions
[NASA-CASE-XMF-03248] c11 N71-10604
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Adjustable support device with jacket screw for altering distance between base and supported member
[NASA-CASE-NPO-10721] c15 N72-27484
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c09 N80-24334
SUPPORTS
Support techniques for restraint of slender bodies such as launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Optical scanner mounted on rotating support structure with method of compensating for image or satellite rotation
[NASA-CASE-XGS-02401] c14 N69-27485
Support for flexible conductor cable between drawers or racks holding electronic equipment and cabinet assembly housing drawers or racks
[NASA-CASE-XMF-07587] c15 N71-18701
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Gas bearing for model support with capacity for measuring angular displacement of model in bearing
[NASA-CASE-XLA-09346] c15 N71-28740
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Slotted fine-adjustment support for optical devices
[NASA-CASE-MFS-20249] c15 N72-11386
Base support for expansible and contractible coupling between two members
[NASA-CASE-NPO-11059] c15 N72-17454
Optical mirror support system
[NASA-CASE-XER-07896-2] c23 N72-22673
Fixture for supporting articles during vibration tests comprising integral annular unit
[NASA-CASE-MFS-20523] c14 N72-27412
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Collapsible support for antenna reflector applied to installation of spacecraft antennas
[NASA-CASE-NPO-11751] c07 N73-24176
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c44 N74-19692
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
SUPPRESSORS
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980
SURFACE ACOUSTIC WAVE DEVICES
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
SURFACE DEFECTS
Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
SURFACE DIFFUSION
Metallic film diffusion into metal or ceramic surfaces for boundary lubrication in aerospace environments
[NASA-CASE-XLE-01765] c18 N71-10772
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887
SURFACE FINISHING
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c24 N77-28225
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c27 N80-24437

Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455
SURFACE IONIZATION
Electrodes having array of small surfaces for field ionization
[NASA-CASE-ERC-10013] c09 N71-26678
Development of method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
SURFACE LAYERS
Bismuth and lead surface coatings for gas bearings in aerospace engineering
[NASA-CASE-XGS-02011] c15 N71-20739
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
SURFACE PROPERTIES
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471
Ablation article and surface for analyzing flow transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c35 N75-12272
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c35 N77-27367
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c74 N78-27904
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c35 N80-14371
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c37 N80-14395
Mechanical bonding of metal
[NASA-CASE-LEW-12941-1] c31 N81-16329
Tactile sensing system --- manipulator controllers
[NASA-CASE-NPO-15094-1] c33 N81-16386
SURFACE REACTIONS
Chemical spot test for identifying magnesium or magnesium alloys used in aerospace applications
[NASA-CASE-LAR-10953-1] c17 N73-27446
SURFACE ROUGHNESS
Roughness detector for recording surface pattern of irregularities
[NASA-CASE-XLA-00203] c14 N70-34161
Optical apparatus for visual detection of roundness and regularity of cone surfaces
[NASA-CASE-XMF-00462] c14 N70-34298
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c35 N79-10391
Texturing polymer surfaces by transfer casting --- carviovascular prosthesis
[NASA-CASE-LEW-13120-1] c31 N81-16327
SURFACE ROUGHNESS EFFECTS
Aerodynamically stable meteorological balloon using surface roughness effect
[NASA-CASE-XMF-04163] c02 N71-23007
SURFACE TEMPERATURE
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363
SURFACE VEHICLES
Optimal control system for automatic speed regulation of electric driven motor vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Self-propelled vehicle with wheel, track laying, and walking capability for exploratory expolaration
[NASA-CASE-NPO-11366] c11 N73-26238
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c36 N74-15145
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N79-10420
SURFACE WAVES
Development of method for suppressing excitation of electromagnetic surface waves on dielectric converter antenna
[NASA-CASE-XLA-10772] c07 N71-28980
SURFACES
Techniques for recovery of multistage rocket vehicles by providing lifting surfaces on individual sections
[NASA-CASE-XMF-00389] c31 N70-34176
Kinetic and static friction force measurement between magnetic tape and magnetic head surfaces
[NASA-CASE-XNP-08680] c14 N71-22995
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N78-10429
SURFACTANTS
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
SURGERY
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N78-14773
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c52 N80-14684
SURGES
Silicon controlled rectifier inverter with compensation of transients to avoid false gating
[NASA-CASE-XLA-08507] c09 N69-39984
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
SURGICAL INSTRUMENTS
Ultrasonic device for ophthalmic eye surgery with safe removal of macerated material
[NASA-CASE-LEW-11669-1] c05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
SURVIVAL EQUIPMENT
Survival couch for aircraft or spacecraft crews
[NASA-CASE-XLA-00118] c05 N70-33285
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
Pliable frame for sunglasses in emergency survival kits
[NASA-CASE-XMS-06064] c05 N71-23096
SUSPENDING (HANGING)
Parallel motion suspension device for measuring instruments
[NASA-CASE-XNP-01567] c15 N70-41310
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
SUSPENSION SYSTEMS (VEHICLES)
An improved suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c37 N79-12446
SWEAT
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c54 N78-22720
SWEAT COOLING
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLR-00020] c15 N70-33226
Transpirationally cooled heat ablation system for interplanetary spacecraft reentry shielding
[NASA-CASE-XMS-02677] c31 N70-42075
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
SWEEP CIRCUITS
Transistorized circuit for producing multiple slope voltage sweep

[NASA-CASE-XMS-03542] c09 N71-28926
SWEEP EFFECT
Supersonic or hypersonic vehicle control system comprising elevons with hinge line sweep and free of adverse aerodynamic cross coupling
[NASA-CASE-XLA-08967] c02 N71-27088
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c05 N80-14107
SWEEP FREQUENCY
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N78-25319
SWELLING
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
SWEPT WINGS
Design of supersonic aircraft with novel fixed, swept wing planform
[NASA-CASE-XLA-04451] c02 N71-12243
Leading edge vortex flaps for drag reduction --- during subsonic flight
[NASA-CASE-LAR-12750-1] c02 N81-19016
SWIRLING
Slosh and swirl alleviator for liquid propellant tanks during transport and flight
[NASA-CASE-XLA-05749] c15 N71-19569
Swirl can, full-annulus combustion chambers for high performance gas turbine engines
[NASA-CASE-LEW-11326-1] c23 N73-30665
SWITCHES
Switching mechanism with energy stored in coil spring
[NASA-CASE-XGS-00473] c03 N70-38713
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
Radio frequency controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c33 N80-18285
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c74 N81-12862
SWITCHING CIRCUITS
Solid state switching circuit design to increase current capacity of low rated relay contacts
[NASA-CASE-XNP-09228] c09 N69-27500
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Selective gold diffusion on monolithic silicon chips for switching and nonswitching amplifier devices and circuits and linear and digital logic circuits
[NASA-CASE-ERC-10072] c09 N70-11148
Electrical power system for space flight vehicles operating over extended periods
[NASA-CASE-XNP-00517] c03 N70-34157
High speed low level voltage commutating switch
[NASA-CASE-XAC-00060] c09 N70-39915
Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
Using electron beam switching for brushless motor commutation
[NASA-CASE-XGS-01451] c09 N71-10677
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514
Describing magnetic core current switching device for steering bipolar current pulses to memory units
[NASA-CASE-NPO-10201] c08 N71-18694
Transistorized dc-coupled multivibrator with noninverted output signal
[NASA-CASE-XNP-09450] c10 N71-18723
Reversible current directing circuitry for reversible motor control
[NASA-CASE-XLA-09371] c10 N71-18724
Constructing Exclusive-Or digital logic circuit in single module
[NASA-CASE-XLA-07732] c08 N71-18751
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Sight switch using infrared source and sensor mounted beside eye
[NASA-CASE-XNP-03934] c09 N71-22985
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
Reliable magnetic core circuit apparatus with application in selection matrices for digital memories
[NASA-CASE-XNP-01318] c10 N71-23033
Electric circuit for producing high current pulse having fast rise and fall time
[NASA-CASE-XMS-04919] c09 N71-23270
Electric circuit for reversing direction of current flow
[NASA-CASE-XNP-00952] c10 N71-23271
Switching series regulator with gating control network
[NASA-CASE-XMS-09352] c09 N71-23316
Microwave waveguide switch with rotor position control
[NASA-CASE-XNP-06507] c09 N71-23548
Signaling summary alarm circuit with semiconductor switch for faulty contact indications
[NASA-CASE-XLE-03061-1] c10 N71-24798
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Inverters for changing direct current to alternating current
[NASA-CASE-XGS-06226] c10 N71-25950
Design and development of multistage current steering switch with inductively coupled magnetic cores
[NASA-CASE-XNP-08567] c09 N71-26000
Pulse duration control device for driving slow response time loads in selected sequence including switching and delay circuits and magnetic storage
[NASA-CASE-XGS-04224] c10 N71-26418
Turn on current transient limiter for controlling peak current flow in high capacity load
[NASA-CASE-GSC-10413] c10 N71-26531
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
Phase locked demodulator with bandwidth switching amplifier circuit
[NASA-CASE-XNP-01107] c10 N71-28859
Monostable multivibrator for producing output pulse widths with positive feedback NOR gates
[NASA-CASE-MSC-13492-1] c10 N71-28860
Digital magnetic core memory with sensing amplifier circuits
[NASA-CASE-XNP-01012] c08 N71-28925
Current regulating voltage divider design with load current shunting
[NASA-CASE-MFS-20935] c09 N71-34212
Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
Flow rate switch for detecting variations in fluid flow velocity through conduits of pressurized systems
[NASA-CASE-NPO-10722] c09 N72-20199
Switching type voltage regulator with relatively simple circuit arrangement
[NASA-CASE-LEW-11005-1] c09 N72-21243
Development and characteristics of data multiplexer circuit using field effect transistors arranged in tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Pulse coupling circuit with switch between generator and winding

[NASA-CASE-LEW-10433-1] c09 N72-22197
Solid state remote circuit selector switching circuit
[NASA-CASE-LEW-10387] c09 N72-22201
Pressure operated electrical switch responsive to pressure decrease after pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Switching circuit for control of cathode ray tube beam with fast rise time for output signal
[NASA-CASE-KSC-10647-1] c10 N72-31273
Electronic video editor for switching video input signals to common output channel
[NASA-CASE-KSC-10003] c10 N73-13235
Solid state switch for variable circuit switching
[NASA-CASE-NPO-10817-1] c08 N73-30135
Transparent switchboard which permits optical display devices to be adapted for use in man machine communications
[NASA-CASE-MSC-13746-1] c10 N73-32143
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
Window comparator
[NASA-CASE-FRC-10090-1] c33 N78-18308
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c33 N79-24254
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c33 N79-28415
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c44 N80-14472
Microwave switching power divider --- for use in Earth orbiting satellites having spherical multi-element antenna arrays
[NASA-CASE-GSC-12420-1] c33 N80-21670
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c33 N80-33679
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c74 N81-12862

SWITCHING THEORY
Multiple circuit switch apparatus requiring minimum hand and eye movement by operator
[NASA-CASE-XAC-03777] c10 N71-15909

SWIVELS
Swivel support for gas bearing for position adjustment between ball and supporting cup
[NASA-CASE-XMF-07808] c15 N71-23812

SYNCHRONISM
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Pulse generator for synchronizing or resetting electronic signals without requiring separate external source
[NASA-CASE-XGS-03632] c09 N71-23311
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577

SYNCHRONIZED OSCILLATORS
Development of phase demodulation system with two phase locked loops
[NASA-CASE-XNP-00777] c10 N71-19469
Phase locked phase modulation system with voltage controlled oscillator for final phase linearity
[NASA-CASE-XNP-05382] c10 N71-23544
Automatic frequency control device for providing frequency reference for voltage controlled oscillator
[NASA-CASE-KSC-10393] c09 N72-21247

SYNCHRONIZERS
Development and characteristics of burst synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
Memory-based frame synchronizer --- for voice data processing in digital communication systems
[NASA-CASE-GSC-12430-1] c32 N80-20453

SYNCHRONOUS MOTORS
Synchronous dc direct-drive system comprising multiple-loop hybrid control system controlling load directly connected to actuator
[NASA-CASE-GSC-10065-1] c10 N71-27136
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c33 N75-19524

SYNCHRONOUS SATELLITES
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Traffic control system for supersonic transports using synchronous satellite for data relay between vehicles and ground station
[NASA-CASE-GSC-10087-1] c02 N71-19287
Tracking antenna system with array for synchronous satellite or ground based radar
[NASA-CASE-GSC-10553-1] c07 N71-19854
Satellite network synchronization system with multiple access to multiplex repeater
[NASA-CASE-GSC-10390-1] c07 N72-11149
Development of device for simulating charge and discharge cycle of battery in synchronous orbit
[NASA-CASE-GSC-11211-1] c03 N72-25020
Camera arrangement --- for satellite scanning of earth or sky
[NASA-CASE-GSC-12032-2] c35 N76-19408
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N79-11265
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448

SYNTHESIS
Synthesis of polymeric schiff bases by schiff-base exchange reactions
[NASA-CASE-XMF-08651] c06 N71-11236
Preparation of ordered poly/arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c06 N71-11237
Synthesis and chemical properties of imidazopyrrolone/imide copolymers
[NASA-CASE-XLA-08802] c06 N71-11238
Stable polyimide synthesis from mixtures of monomeric diamines and polycarboxylic acid

esters
[NASA-CASE-LEW-11325-1] c06 N73-27980
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155
SYNTHESIS (CHEMISTRY)
Synthesis of dawsonites
[NASA-CASE-ARC-113261-1] c25 N80-31490
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
SYNTHESIZERS
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
SYNTHETIC APERTURE RADAR
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c35 N79-10391
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c32 N79-14268
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194
SYNTHETIC FIBERS
Manufacture of fluid containers from fused coated polyester sheets having resealable septum
[NASA-CASE-NPO-10123] c15 N71-24835
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Flexible barrier membrane comprising porous substrate and incorporating liquid gallium or indium metal used as sealant barriers for spacecraft walls and pumping liquid propellants
[NASA-CASE-XNP-08881] c17 N71-28747
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N78-25391
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c27 N78-32262
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187
SYNTHETIC FUELS
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c27 N81-17261
SYNTHETIC RESINS
Process permitting application of synthetic resin coating to irregular-shaped objects at ambient temperature
[NASA-CASE-XNP-06508] c18 N69-39895
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551
SYRINGES
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605
SYSTEM EFFECTIVENESS
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c74 N79-11665
SYSTEM FAILURES
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
SYSTEMS ANALYSIS
Analog to digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
SYSTEMS ENGINEERING
Design of magnetohydrodynamic induction machine with end poles which produce compensating magnetic fields
[NASA-CASE-XNP-07481] c25 N69-21929
Hovering type flying vehicle design and principle mechanisms for manned or unmanned use
[NASA-CASE-MSC-12111-1] c02 N71-11039
Solar battery with interconnecting means for plural cells
[NASA-CASE-XNP-06506] c03 N71-11050
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-XMS-04935] c05 N71-11190
Design and operation of multi-feed cone Cassegrain antenna
[NASA-CASE-NPO-10539] c07 N71-11285
Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894
Alarm system design for monitoring one or more relay circuits
[NASA-CASE-XMS-10984-1] c10 N71-19417
Wide range analog data compression system
[NASA-CASE-XGS-02612] c08 N71-19435
Space suit body heat exchanger design composed of thermal conductance yarn and liquid coolant loops
[NASA-CASE-XMS-09571] c05 N71-19439
Silicon radiation detecting probe design for in vivo biomedical use
[NASA-CASE-XMS-01177] c05 N71-19440
Design and operation of high speed binary to decimal conversion system
[NASA-CASE-XGS-01230] c08 N71-19544
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XNP-06065] c15 N71-20395
Method and apparatus for fabrication of heat insulating and ablative reentry structure
[NASA-CASE-XMS-02009] c33 N71-20834
Polarization diversity monopulse tracking receiver design without radio frequency switches
[NASA-CASE-XGS-03501] c09 N71-20864
Pneumatic cantilever beams and platform for space erectable structure
[NASA-CASE-XLA-01731] c32 N71-21045
Magnetically opened diaphragm design with camera shutter and expansion tube applications
[NASA-CASE-XLA-03660] c15 N71-21060
Portable apparatus producing high velocity annular air column surrounding low velocity, filtered, superclean air central core for industrial clean room environmental control
[NASA-CASE-XNP-03212] c15 N71-22721
Rotary spindle lathe attachments for machining geometrical cones
[NASA-CASE-XMS-04292] c15 N71-22722
Apparatus and method for spin forming tubular elbows with high strength, uniform thickness, and close tolerances
[NASA-CASE-XNP-01083] c15 N71-22723
Spacecraft air lock system to provide ingress and egress of astronaut without subjecting vehicular environment to vacuum of space
[NASA-CASE-XLA-02050] c31 N71-22968
Method of stationkeeping for lenticular gravity gradient satellites
[NASA-CASE-XLA-03132] c31 N71-22969
Filler valve design for supplying liquid propellants at high pressure to space vehicles
[NASA-CASE-XNP-01747] c15 N71-23024
Method and apparatus for producing very low temperature refrigeration based on gas pressure balance
[NASA-CASE-XNP-08877] c15 N71-23025

Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Variable duration pulse integrator design for integrating pulse duration modulated pulses with elimination of ripple content
[NASA-CASE-XLA-01219] c10 N71-23084
Sealed electrochemical cell with flexible casing for varying electrolyte level in cell
[NASA-CASE-XGS-01513] c03 N71-23336
Mosaic semiconductor radiation detector and position indicator systems engineering for low energy particles
[NASA-CASE-XGS-03230] c14 N71-23401
Device for measuring two orthogonal components of force with gallium flotation of measuring target for use in vacuum environments
[NASA-CASE-XAC-04885] c14 N71-23790
Transducer circuit design with single coaxial cable for input and output connections including incorporation into miniaturized catheter transducer
[NASA-CASE-ARC-10132-1] c09 N71-24597
Method of attaching cover glass to silicon solar cell without using adhesive
[NASA-CASE-XLE-08569-2] c03 N71-24681
Development of attitude control system for sounding rocket stabilization during ballistic phase of flight
[NASA-CASE-XGS-01654] c31 N71-24750
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
Tuning arrangement for frequency control of magnetron-type electron discharge device
[NASA-CASE-XNP-09771] c09 N71-24841
Broadband modified turnstile antenna for use in space tracking and communications
[NASA-CASE-MSC-12209] c09 N71-24842
Apparatus to determine electric field strength by measuring deflection of electron beam impinging on target
[NASA-CASE-XMF-06617] c09 N71-24843
Binary to decimal decoder logic circuit design with feedback control and display device
[NASA-CASE-XKS-06167] c08 N71-24890
Noninterruptable digital counter circuit design with display device for pulse frequency modulation
[NASA-CASE-XNP-09759] c08 N71-24891
Quick disconnect duct coupling device for single-handed operation
[NASA-CASE-MFS-20395] c15 N71-24903
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Pneumatic mechanism for releasing hook and loop fasteners between large rigid structures
[NASA-CASE-XMS-10660-1] c15 N71-25975
Sealed fluorescent tube light unit capable of connection with other units to form string of work lights
[NASA-CASE-XKS-05932] c09 N71-26787
Apparatus for semiautomatic inspection of microfilmed documents for density, resolution, size, and position
[NASA-CASE-MFS-20240] c14 N71-26788
Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Spacecraft solar cell system with switching circuit to provide compensation for environmental changes
[NASA-CASE-GSC-10669-1] c03 N72-20031
Electric storage battery with high impact resistance
[NASA-CASE-NPO-11021] c03 N72-20032
Method and apparatus for providing active attitude control for spacecraft by converting any attitude motion of vehicle into simple rotational motion
[NASA-CASE-HQN-10439] c21 N72-21624
Development of light sensing system for controlled orientation of object relative to sun or other light source
[NASA-CASE-NPO-11311] c14 N72-25414
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
Development of computer program for estimating reliability of self-repair and fault-tolerant systems with respect to selected system and mission parameters
[NASA-CASE-NPO-13086-1] c15 N73-12495
Measurement system for physical quantity represented by or converted to variable frequency signal
[NASA-CASE-MFS-20658-1] c14 N73-30386
Design of precision vertical alignment system using laser with gravitationally sensitive cavity
[NASA-CASE-ARC-10444-1] c16 N73-33397
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N78-31526
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N79-23481
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
Solar energy control system
[NASA-CASE-MFS-25287-1] c44 N80-17544
A fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c32 N80-18261
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c37 N80-32716

T

TACHOMETERS
Digital cardiotachometer incorporating circuit for measuring heartbeat rate of subject over predetermined portion of one minute also converting rate to beats per minute
[NASA-CASE-XMS-02399] c05 N71-22896
Brushless dc tachometer design with Hall effect crystals and output voltage magnitude proportional to rotor speed
[NASA-CASE-MFS-20385] c09 N71-24904
Development of instantaneous reading tachometer for measuring electrocardiogram signal rate
[NASA-CASE-MFS-20418] c14 N73-24473
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
TAKEOFF
Aircraft instrument for indicating malfunctions during takeoff
[NASA-CASE-XLA-00100] c14 N70-36807
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
TANGENTS
Integrated circuit tangnet function generator
[NASA-CASE-MSC-13907-1] c10 N73-26230
TANK GEOMETRY
Liquid propellant tank design with semitoroidal bulkhead
[NASA-CASE-XMF-01899] c31 N70-41948
TANKS (CONTAINERS)
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
Development of apparatus and method for testing leakage of large tanks
[NASA-CASE-XMF-02392] c32 N71-24285
Floating baffle for tank drain
[NASA-CASE-KSC-10639] c15 N73-26472

Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029

TANTALUM
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646
Arc electrode of graphite with tantalum ball tip
[NASA-CASE-XLE-04788] c09 N71-22987
Organometallic compounds of niobium and tantalum useful for film deposition
[NASA-CASE-XNP-04023] c06 N71-28808
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454

TANTALUM ALLOYS
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N78-18182

TANTALUM CARBIDES
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206

TANTALUM OXIDES
Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761

TAPE RECORDERS
Plural recorder system which limits signal recording to signals of sufficient interest
[NASA-CASE-XMS-06949] c09 N69-21467
Endless loop tape transport mechanism for driving and tensioning recording medium in magnetic tape recorder
[NASA-CASE-XGS-01223] c07 N71-10609
Development of low friction magnetic recording tape
[NASA-CASE-XGS-00373] c23 N71-15978
Tape guidance system for multichannel digital recording system
[NASA-CASE-XNP-09453] c08 N71-19420
Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
Development of data storage system for storing digital data in high density format on magnetic tape
[NASA-CASE-XNP-02778] c08 N71-22710
Digital telemetry system apparatus to reduce tape recorder wow and flutter noise during playback
[NASA-CASE-XGS-01812] c07 N71-23001
Tape recorder designed for low power consumption and resistance to operational failure under high stress conditions
[NASA-CASE-XGS-08259] c14 N71-23698
Transient video signal tape recorder with expanded playback
[NASA-CASE-ARC-10003-1] c09 N71-25866
Closed loop servosystem for variable speed tape recorders onboard spacecraft
[NASA-CASE-NPO-10700] c07 N71-33613
Design and characteristics of recording system for selective reprocessing and filtering of data to obtain optimum signal to noise ratios
[NASA-CASE-ERC-10112] c07 N72-21119
Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426

TAPERED COLUMNS
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659

TARGET ACQUISITION
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
Target acquisition antenna feed with reflector system
[NASA-CASE-GSC-10064-1] c10 N72-22235
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
Optical signature generating and correlating apparatus
[NASA-CASE-NPO-15226-1] c74 N81-19899

TARGET RECOGNITION
Electronic background suppression field scanning sensor for detecting point source targets
[NASA-CASE-XGS-05211] c07 N69-39980

TARGET SIMULATORS
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c74 N79-13855

TECHNOLOGY UTILIZATION
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045

TEETH
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c52 N81-12724

TEFLON (TRADEMARK)
Reinforced FEP Teflon composite material diffusion bonded to metal substrate
[NASA-CASE-MFS-20482] c15 N72-22492
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664

TELECOMMUNICATION
Adaptive compression signal processor for PCM communication systems
[NASA-CASE-XLA-03076] c07 N71-11266
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Automatic estimation of signal to noise ratio and other parameters in signal communication systems
[NASA-CASE-XNP-05254] c07 N71-20791
Digital synchronizer for extracting binary data in receiver of PSK/PCM communication system
[NASA-CASE-NPO-10851] c07 N71-24613
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Synchronized digital communication system
[NASA-CASE-XNP-03623] c09 N73-28084
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c35 N75-21582
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c32 N75-24981
Secure communication system
[NASA-CASE-MSC-16462-1] c32 N78-25274
Common data buffer system
[NASA-CASE-KSC-11048-1] c60 N79-23674
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c33 N81-15192

TELEMETRY
Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Telemetry data unit to form multibit words for use between demodulator and computer
[NASA-CASE-XNP-09225] c09 N69-24333
Development of telemetry system for position location and data acquisition
[NASA-CASE-GSC-10083-1] c30 N71-16090

Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Digitally controlled frequency synthesizer for pulse frequency modulation telemetry systems
[NASA-CASE-XGS-02317] c09 N71-23525
Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
System designed to reduce time required for obtaining synchronization in data communication with spacecraft utilizing pseudonoise codes
[NASA-CASE-NPO-10214] c10 N71-26577
Zero power telemetry actuated switch for biomedical equipment
[NASA-CASE-ARC-10105] c09 N72-17153
Development and characteristics of telemetry system using computer-accessed circuits and remotely controlled from ground station
[NASA-CASE-NPO-11358] c07 N72-25172
Control and information system for digital telemetry data using analog converter to digitize sensed parameter values
[NASA-CASE-NPO-11016] c08 N72-31226
Characteristics of two channel telemetry system with two data rate channels for high and low data rate communication
[NASA-CASE-NPO-11572] c07 N73-16121
Improved phase lock loop for receiver in multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-1] c60 N80-21987

TELEOPERATORS
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758

TELEPHONES
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310

TELEPHONY
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524

TELESCOPES
Pneumatic control of telescopic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
Tracking mount for laser telescope employed in tracking large rockets and space vehicles to give information regarding azimuth and elevation
[NASA-CASE-MFS-14017] c14 N71-26627
Development of reflector system for application to line-of-sight pointing and tracking telescopes
[NASA-CASE-NPO-10468] c23 N71-33229
Design and development of light sensing device for controlling orientation of object relative to sun or other light source
[NASA-CASE-NPO-11201] c14 N72-27409
Borescope with adjustable hinged telescoping optical system
[NASA-CASE-MFS-15162] c14 N72-32452
Ritchey-Chretien telescope responsive to images located off telescope optical axis
[NASA-CASE-GSC-11487-1] c14 N73-30393
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123

TELETYPEWRITER SYSTEMS
Teletypewriter video communication system and apparatus
[NASA-CASE-XNP-06611] c07 N71-26102

TELEVISION CAMERAS
Electrically operated rotary shutter for television camera aboard spacecraft
[NASA-CASE-XNP-00637] c14 N70-40273
TV camera output signal control system for digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807
Solid state television camera system consisting of monolithic semiconductor mosaic sensor and molecular digital readout systems
[NASA-CASE-XNP-06092] c07 N71-24612
Color television system for allowing monochrome television camera to produce color pictures
[NASA-CASE-MSC-12146-1] c07 N72-17109
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c39 N78-16387
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c74 N78-17865

TELEVISION EQUIPMENT
Conversion system for transforming slow scan rate of Apollo TV camera on moon to fast scan of commercial TV
[NASA-CASE-XMS-07168] c07 N71-11300
Automatic closed circuit television arc guidance control for welding joints
[NASA-CASE-MFS-13046] c07 N71-19433
Color television system utilizing single gun current sensitive color cathode ray tube
[NASA-CASE-ERC-10098] c09 N71-28618
Television multiplexing system, using single crystal controlled clock for signal synchronization
[NASA-CASE-KSC-10654-1] c07 N73-30115
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c18 N76-14186
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893

TELEVISION RECEIVERS
Improvements in receiver of narrow bandwidth television system
[NASA-CASE-XMS-06740-1] c07 N71-26579

TELEVISION SYSTEMS
Electron beam scanning system for improved image definition and reduced power requirements for video signal transmission
[NASA-CASE-ERC-10552] c09 N71-12539
Development and characteristics of burst synchronization detection system
[NASA-CASE-XMS-05605-1] c10 N71-19468
Improvements in receiver of narrow bandwidth television system
[NASA-CASE-XMS-06740-1] c07 N71-26579
Stereoscopic television system, including projecting pair of binocular images
[NASA-CASE-ARC-10160-1] c23 N72-27728

TELEVISION TRANSMISSION
Television simulation for aircraft and space flight
[NASA-CASE-XFR-03107] c09 N71-19449
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485

TELLURIUM
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c25 N78-27226

TEMPERATURE
Fluorinated esters of polycarboxylic acid and lubricating compositions for use at extreme temperature
[NASA-CASE-MFS-21040-1] c06 N73-30098

TEMPERATURE COMPENSATION
Temperature compensated solid state differential amplifier with application in bioinstrumentation circuits
[NASA-CASE-XAC-00435] c09 N70-35440
Variable frequency magnetic coupled multivibrator with temperature compensated frequency control circuit
[NASA-CASE-XGS-00458] c09 N70-38604
Matched thermistors for microwave power meters with compensation for temperature changes
[NASA-CASE-NPO-10348] c10 N71-12554
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Variable frequency subcarrier oscillator with temperature compensation

[NASA-CASE-XNP-03916] c09 N71-28810
Omnidirectional liquid filled accelerometer design with liquid and housing temperature compensation
[NASA-CASE-HQN-10780] c14 N71-30265
Development of thermal compensating structure which maintains uniform length with changes in temperature
[NASA-CASE-MFS-20433] c15 N72-28496
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
Temperature compensated current source
[NASA-CASE-MSC-11235] c33 N78-17294

TEMPERATURE CONTROL
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Passive thermal control coating on aluminum foil laminate for inflatable spacecraft surfaces
[NASA-CASE-XLA-01291] c33 N70-36617
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00463] c33 N70-36847
Sandwich panel structure for removing heat from shield between hot and cold areas
[NASA-CASE-XLA-00349] c33 N70-37979
Device for adding water to high velocity exhaust jets to reduce velocity, noise, and temperature
[NASA-CASE-XMF-01813] c28 N70-41582
Modifying existing solar cells for temperature control
[NASA-CASE-NPO-10109] c03 N71-11049
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Intermittent type silica gel adsorption refrigerator for providing temperature control for spacecraft components
[NASA-CASE-XNP-00920] c15 N71-15906
Using heat control unit to preheat circulating fluid
[NASA-CASE-XMF-04237] c33 N71-16278
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Design and development of device for cooling inner conductor of coaxial cable
[NASA-CASE-XNP-09775] c09 N71-20445
Thermal control wall panel with application to spacecraft cabins
[NASA-CASE-XLA-01243] c33 N71-22792
Development and characteristics of thermal sensitive panel for controlling ratio of solar absorptivity to surface emissivity for space vehicle temperature control
[NASA-CASE-XLA-07728] c33 N71-22890
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Device for rapid adjustment and maintenance of temperature in electronic components
[NASA-CASE-XNP-02792] c14 N71-28958
Automatic control device for regulating inlet water temperature of liquid cooled spacesuit
[NASA-CASE-MSC-13917-1] c05 N72-15098
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025
Atomic hydrogen maser with bulb temperature control by output frequency difference signal for wall shift elimination
[NASA-CASE-HQN-10654-1] c16 N73-13489
Design and development of thermomechanical pump for transmitting warming fluid through fluid circuit to control temperature of spacecraft instrumentation
[NASA-CASE-NPO-11417] c15 N73-24513
Automatic temperature control for liquid cooled space suit
[NASA-CASE-ARC-10599-1] c05 N73-26071
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c34 N78-17337
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c31 N79-17029
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225
Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523
Automatic thermal switch --- Space Shuttle equipment bay temperature control
[NASA-CASE-GSC-12415-1] c34 N80-18338
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c39 N80-25693

TEMPERATURE DISTRIBUTION
Oven for heat treating heat shields
[NASA-CASE-XMS-04318] c15 N69-27871
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c31 N80-32583

TEMPERATURE EFFECTS
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
Differential pressure cell insensitive to changes in ambient temperature and extreme overload
[NASA-CASE-XAC-00042] c14 N70-34816
Fluid flow control valve for regulating fluids in molecular quantities
[NASA-CASE-XLE-00703] c15 N71-15967
Describing device for changing flow rate of fluid in duct in response to change in temperature
[NASA-CASE-MFS-14259] c15 N71-19213
Temperature sensitive magnetometer with pulsating thermally cycled magnetic core
[NASA-CASE-XAC-03740] c14 N71-26135
Development of system with electrical properties which vary with changes in temperature for use with feedback loop in operational amplifier circuit
[NASA-CASE-MSC-13276-1] c14 N71-27058

TEMPERATURE GRADIENTS
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
Development of temperature compensated light source with components and circuitry for maintaining luminous intensity independent of temperature variations
[NASA-CASE-ARC-10467-1] c09 N73-14214
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
Heat pipe honeycomb panel
[NASA-CASE-LAR-12637-1] c34 N81-12362
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440

TEMPERATURE MEASUREMENT
Filter arrangement for controlling light intensity in motion picture camera used in optical pyrometry

[NASA-CASE-XLA-00062] c14 N70-33254
Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992
Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c31 N74-18089
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
Multi-channel temperature measurement amplification system
[NASA-CASE-MFS-23775-1] c35 N80-17421
Solar energy control system
[NASA-CASE-MFS-25287-1] c44 N80-17544
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c35 N80-19469

TEMPERATURE MEASURING INSTRUMENTS

Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Electric network for monitoring temperatures, detecting critical temperatures, and indicating critical time duration
[NASA-CASE-XMF-01097] c10 N71-16058
Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
Input radio frequency circuit for switching type absolute temperature measuring radiometer for noise sources
[NASA-CASE-ERC-11020] c14 N71-26774
High intensity radiant energy pulse source for calibrating heat transfer gages with thermoluminescent shutter activation
[NASA-CASE-ARC-10178-1] c09 N72-17152
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454

TEMPERATURE PROBES

Thermally sensitive tuning probe for nullifying detuning effects in microwave cavity resonator of amplifier
[NASA-CASE-XNP-00449] c14 N70-35220
Design, development, and characteristics of pressure and temperature sensor operating immersed in fluid flow
[NASA-CASE-LEW-10281-1] c14 N72-17327

TEMPERATURE SENSORS

Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
Mounting fixture for supporting thermobulb in pipeline
[NASA-CASE-NPO-10158] c33 N71-16356
Mounting apparatus for temperature control system
[NASA-CASE-NPO-10138] c33 N71-16357
Heat flux sensor adapted for mounting on aircraft or spacecraft to measure aerodynamic heat flux inflow to aircraft skin
[NASA-CASE-XFR-03802] c33 N71-23085
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
Development of thin film temperature sensor from TaO
[NASA-CASE-NPO-11775] c26 N72-28761
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
Optical crystal temperature gauge with fiber optic connections --- cryogenic systems
[NASA-CASE-MSC-18627-1] c74 N81-15818

TEMPLATES

Precision surface cutter for screen circuit negatives and other microcircuits
[NASA-CASE-XLA-09843] c15 N72-27485

TENSILE STRENGTH

Method for producing fiber reinforced metallic composites with high strength and elasticity over wide temperature range
[NASA-CASE-XLE-00231] c17 N70-38198
Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLE-00228] c17 N70-38490
Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
Process for fiberizing ceramic materials with high fusion temperatures and tensile strength
[NASA-CASE-XNP-00597] c18 N71-23088
Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834
Device for use in loading tension members --- characterized by elongated elastic body
[NASA-CASE-MFS-21488-1] c14 N75-24794

TENSILE STRESS

Method for testing rocket nozzles at high tensile stress levels
[NASA-CASE-NPO-10311] c31 N71-15643
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379

TENSILE TEST

Tensile strength testing device having pulley guides for exerting multiple forces on test specimen
[NASA-CASE-XNP-05634] c15 N71-24834

TENSILE TESTS

Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
Apparatus for measuring load on cable under static or dynamic conditions comprising pulleys pivoting structure against restraint of tension strap
[NASA-CASE-XMS-04545] c15 N71-22878
Method and apparatus for remote measurement of displacement of marks on specimen undergoing tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450

TENSION

Meter for use in detecting tension in straps having predetermined elastic characteristics

[NASA-CASE-MFS-22189-1] c35 N75-19615
TERMINAL GUIDANCE
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c04 N74-13420
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c54 N79-20746
TERNARY SYSTEMS
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211
TERRAIN
Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XNP-01174] c02 N70-41589
TERRAIN ANALYSIS
Surface roughness measuring system ---,synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c35 N79-10391
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c43 N81-17499
TEST CHAMBERS
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22675
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
Flammability test chamber for testing materials in certain predetermined environments
[NASA-CASE-KSC-10126] c11 N71-24985
Pressure seals suitable for use in environmental test chambers
[NASA-CASE-NPO-10796] c15 N71-27068
Test chamber for determining decomposition and autoignition of materials used in spacecraft under controlled environmental conditions
[NASA-CASE-KSC-10198] c11 N71-28629
Test chambers with orifice and helium mass spectrometer for detecting leak rate of encapsulated semiconductor devices
[NASA-CASE-ERC-10150] c14 N71-28992
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511
TEST EQUIPMENT
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-XMS-05454-1] c07 N71-12391
Apparatus for tensile strength testing of specimen by pressurized fluid
[NASA-CASE-XKS-06250] c14 N71-15600
Development of black-body source calibration furnace
[NASA-CASE-XLE-01399] c33 N71-15625
Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039
Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276
Development and characteristics of electric circuitry for detecting electrical pulses rise time and amplitude
[NASA-CASE-XNP-08804] c09 N71-24717
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-XKS-10543] c07 N71-26292
Acoustic vibration test apparatus for wiring harnesses
[NASA-CASE-MSC-15158-1] c14 N72-17325
Design and development of two types of atmosphere sampling chambers
[NASA-CASE-NPO-11373] c13 N72-25323
Development of apparatus for testing burning rate and flammability of materials
[NASA-CASE-XMS-09690] c33 N72-25913
Development of apparatus for detonating explosive devices in order to determine forces generated and detonation propagation rate
[NASA-CASE-LAR-10800-1] c33 N72-27959
Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Development and characteristics of apparatus for measuring intensity of electric field in atmosphere
[NASA-CASE-KSC-10730-1] c14 N73-32318
Test equipment to prevent buckling of small diameter specimens during compression tests
[NASA-CASE-LAR-10440-1] c14 N73-32323
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
Anti-buckling fatigue test assembly --- for *subjecting metal specimen to tensile and* compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c09 N74-19528
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c44 N74-27519
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c74 N78-15880
TEST FACILITIES
Electric propulsion engine test chamber
[NASA-CASE-XLE-00252] c11 N70-34844
Test apparatus for determining mechanical properties of refractory materials at high temperatures in vacuum or inert atmospheres
[NASA-CASE-XLE-00335] c14 N70-35368
Gas analyzer for bi-gaseous mixtures suitable for use in test facilities
[NASA-CASE-XLA-01131] c14 N71-10774
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Design, development, and operation of shock tube with bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
TEST STANDS
Automatic balancing device for use on frictionless supported attitude-controlled test platforms
[NASA-CASE-LAR-10774] c10 N71-13545
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094
TETHERED SATELLITES
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
TETHERING
Force separation rigid tethering device using cables
[NASA-CASE-XLA-02332] c32 N71-17609
Space expandable tether device for use as passageway between two docked spacecraft
[NASA-CASE-XMS-10993] c15 N71-28936
TETHERLINES
Flexible cable that can be made rigid
[NASA-CASE-MSC-13512-1] c15 N72-22485
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
TETRAPHENYLS
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363

TEXTILES
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405

TEXTURES
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c27 N80-24437
Texturing polymer surfaces by transfer casting --- carviovascular prosthesis
[NASA-CASE-LEW-13120-1] c31 N81-16327
Mechanical bonding of metal
[NASA-CASE-LEW-12941-1] c31 N81-16329

THERMAL ABSORPTION
Development and characteristics of calorimeter with integral heat sink for maintenance of constant temperature
[NASA-CASE-XMF-04208] c33 N71-29051
Solar pond
[NASA-CASE-NPO-13581-2] c44 N78-31525

THERMAL CONDUCTIVITY
Measuring conductive heat flow and thermal conductivity of laminar gas stream in cylindrical plug to simulate atmospheric reentry
[NASA-CASE-XLE-00266] c14 N70-34156
Development of apparatus for measuring thermal conductivity
[NASA-CASE-XGS-01052] c14 N71-15992
Heated element sensor for fluid flow detection in thermal conductive conduit with adaptive means to determine flow rate and direction
[NASA-CASE-MSC-12084-1] c12 N71-17569
Method and apparatus for adjusting thermal conductance in electronic components for space use
[NASA-CASE-XNP-05524] c33 N71-24876
Thermally conductive polymer for potting electrical components
[NASA-CASE-GSC-11304-1] c06 N72-21105
Electrostatically controlled heat transfer system for conducting thermal energy
[NASA-CASE-NPO-11942-1] c33 N73-32818
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c34 N78-18355
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c33 N80-21671
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c32 N80-32605
Heat pipe honeycomb panel
[NASA-CASE-LAR-12637-1] c34 N81-12362

THERMAL CONDUCTORS
Thermal conductive, electrically insulated cleavable adhesive connection between electronic module and heat sink
[NASA-CASE-XMS-02087] c09 N70-41717
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657

THERMAL CONTROL COATINGS
Low concentration alkaline solution treatment of aluminum with metal phosphate surface coatings to improve chemical bonding and reduce coating weight
[NASA-CASE-XLA-01995] c18 N71-23047
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XMF-07770-2] c18 N71-26772
Inorganic thermal control and solar reflector coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Mercaptan terminated polymer containing sulfonic acid salts of nitrosubstituted aromatic amines for heat and moisture resistant coatings
[NASA-CASE-ARC-10325] c06 N72-25147
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N78-14096
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c34 N78-18355
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c27 N78-19302
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c24 N78-27180
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c33 N79-12331
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c24 N79-14156

THERMAL DEGRADATION
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186

THERMAL DIFFUSIVITY
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887

THERMAL EMISSION
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c32 N79-19186

THERMAL ENERGY
Direct conversion of thermal energy into electrical energy using crossed electric and magnetic fields
[NASA-CASE-XLE-00212] c03 N70-34134
Concentrator device for controlling direction of solar energy onto energy converters
[NASA-CASE-XLE-01716] c09 N70-40234
Storage stable, thermally activated foaming compositions for erecting and rigidizing mechanisms of thin sheet solar collectors
[NASA-CASE-LAR-10373-1] c18 N71-26155
Gaseous core diffusion nuclear reactor for thermal energy generation
[NASA-CASE-LEW-10250-1] c22 N71-28759
Electrostatically controlled heat transfer system for conducting thermal energy
[NASA-CASE-NPO-11942-1] c33 N73-32818
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c44 N76-31667
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N79-18443

THERMAL EXPANSION
Gas valve operated by thermally expanding and contracting device
[NASA-CASE-XLE-00815] c15 N70-35407
Adjustable rigid mount for trihedral mirror formed of alloy with small coefficient of thermal expansion supporting screws and spring-biased plates
[NASA-CASE-XNP-08907] c23 N71-29123
Application of spiral, bimetallic strip to create circular motion on mechanical shaft by changing strip temperature
[NASA-CASE-NPO-11283] c09 N72-25260
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063

THERMAL FATIGUE
Automatic controlled thermal fatigue testing apparatus
[NASA-CASE-XLA-02059] c33 N71-24276

THERMAL INSULATION
Low thermal loss piping arrangement for moving cryogenic media through double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer

[NASA-CASE-XMF-00341] c15 N70-33323
Unfired-ceramic, highly reflective composite insulation for large launch vehicles
[NASA-CASE-XMF-01030] c18 N70-41583
Carbon dioxide purge systems to prevent condensation in spaces between cryogenic fuel tanks and hypersonic vehicle skin
[NASA-CASE-XLA-01967] c31 N70-42015
Preparation and characteristics of lightweight refractory insulation
[NASA-CASE-XMF-05279] c18 N71-16124
Development of thermal insulation system for wing and control surfaces of hypersonic aircraft and reentry vehicles
[NASA-CASE-XLA-00892] c33 N71-17897
Prefabricated multilayered self-evacuating insulation panels using gas with low vapor pressure at cryogenic temperatures for application to storage of cryogens
[NASA-CASE-XLE-04222] c23 N71-22881
Light weight plastic foam thermal insulation for cryogenic storage
[NASA-CASE-XLE-02647] c18 N71-23658
Development of foam insulation for filament wound cryogenic storage tank
[NASA-CASE-XLE-03803] c15 N71-23816
Multilayer insulation panels for cryogenic liquid containers
[NASA-CASE-MFS-14023] c33 N71-25351
Double-wall isothermal cylinder containing heat transfer fluid thermal reservoir as spacecraft insulation cover
[NASA-CASE-MFS-20355] c33 N71-25353
Structure of fabric layers for micrometeoroid protection garment with capability for eliminating heat shorts for use in manufacturing space suits
[NASA-CASE-MSC-12109] c18 N71-26285
Foam insulation thickness measuring and injection device for spacecraft applications
[NASA-CASE-MFS-20261] c14 N71-27005
Development of thermal insulation material for insulating liquid hydrogen tanks in spacecraft
[NASA-CASE-XMF-05046] c33 N71-28892
Para-benzoquinone dioxime and concentrated mineral acid processed to yield intumescent or fire resistant, heat insulating materials
[NASA-CASE-ARC-10304-1] c18 N73-26572
Development and characteristics of thermal control system for maintaining constant temperature within spacecraft module with wide variations of component heat transfer
[NASA-CASE-GSC-11018-1] c31 N73-30829
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c33 N74-27683
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c34 N75-12222
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
Auger attachment method for insulation --- of spacecraft
[NASA-CASE-MSC-12615-1] c37 N76-19437
Ceramic fiber insulating material and method of producing same --- aircraft construction materials
[NASA-CASE-MSC-14795-2] c24 N78-25138
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c34 N78-25350
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c27 N79-12221
Diced tile thermal protection for spacecraft
[NASA-CASE-MSC-16366-1] c24 N79-23142
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c24 N79-24062
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c24 N79-25142
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c27 N80-21533
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317
A method and technique for installing light-weight fragile, high-temperature fiber insulation --- spacecraft heat sealing
[NASA-CASE-MSC-16934-2] c37 N81-16468

THERMAL PLASMAS
Apparatus for producing monochromatic light from continuous plasma source
[NASA-CASE-XNP-04167-2] c25 N72-24753

THERMAL PROTECTION
Thermoprotective device for balances
[NASA-CASE-XAC-00648] c14 N70-40400
Design, development, and characteristics of ablation structures
[NASA-CASE-XMS-01816] c33 N71-15623
Development of spacecraft radiator cover
[NASA-CASE-MSC-12049] c31 N71-16080
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998
Unfired ceramic insulation for protection from radiant heating environments
[NASA-CASE-MFS-14253] c33 N71-24858
Development of solid state polymer coating for obtaining thermal balance in spacecraft components
[NASA-CASE-XLA-01745] c33 N71-28903
Anodizing method for providing metal surfaces with temperature reducing coatings against flames
[NASA-CASE-XLE-00035] c33 N71-29151
Ablative heat shield for protection from aerodynamic heating of reentry spacecraft
[NASA-CASE-MSC-12143-1] c33 N72-17947
Lightweight fire resistant plastic foam for thermal protection of reentry vehicles and aircraft structures
[NASA-CASE-ARC-10180-1] c28 N72-20767
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c27 N74-12814
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N78-17383
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Diced tile thermal protection for spacecraft
[NASA-CASE-MSC-16366-1] c24 N79-23142
Corrosion resistant thermal barrier coating --- protecting gas turbines and other heat engine parts
[NASA-CASE-LEW-13088-1] c24 N80-11142
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c24 N80-12117
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398
Improved attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c16 N81-16110

THERMAL RADIATION
Miniaturized radiometer for detecting low level thermal radiation
[NASA-CASE-XLA-04556] c14 N69-27484
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
High temperature source of thermal radiation
[NASA-CASE-XLE-00490] c33 N70-34545
Development and characteristics of thermal radiation shielding of refractory metal foil used for induction furnace
[NASA-CASE-XLE-03432] c33 N71-24145
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
Development of method for protecting large and oddly shaped areas from radiant and convective heat
[NASA-CASE-XNP-01310] c33 N71-28852

THERMAL REACTORS
Non-equilibrium radiation nuclear reactor

[NASA-CASE-HQN-10841-1] c73 N78-19920
THERMAL RESISTANCE
Single electrical circuit component combining diode, fuse, and blown indicator with elongated tube of heat resistant transparent material
[NASA-CASE-XKS-03381] c09 N71-22796
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N78-32256
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Surface conforming thermal/pressure seal --- for control devices in space vehicles
[NASA-CASE-MSC-18422-1] c37 N80-14400
Aluminum ion-containing polyimide adhesives --- bonding temperature resistant materials
[NASA-CASE-LAR-12640-1] c27 N80-16164
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c27 N81-17262
THERMAL SHOCK
Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22964
Thermal shock resistant hafnia ceramic materials
[NASA-CASE-LAR-10894-1] c18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206
THERMAL SIMULATION
Simulating operation of thermopile vacuum gage tube at high and low pressures
[NASA-CASE-XLA-02758] c14 N71-18481
THERMAL STABILITY
Bonded solid lubricant coatings of calcium fluoride and binder for high temperature stability
[NASA-CASE-XMS-00259] c18 N70-36400
Portable environmental control and life support system for astronaut in and out of spacecraft
[NASA-CASE-XMS-09632-1] c05 N71-11203
Chemical synthesis of thermally stable organometallic polymers with divalent metal ion and tetraphenylphosphonitrilic units
[NASA-CASE-HQN-10364] c06 N71-27363
Cermet for nuclear fuel constructed by pressing metal coated ceramic particles in die at temperature to cause bonding of metal coatings, and tested for thermal stability
[NASA-CASE-LEW-10219-1] c18 N71-28729
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c71 N79-14871
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c27 N79-21190
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
Aluminum ion-containing polyimide adhesives --- bonding temperature resistant materials
[NASA-CASE-LAR-12640-1] c27 N80-16164
THERMAL STRESSES
Strain gage for detecting and measuring mechanical strain in thermally strained specimens
[NASA-CASE-FRC-10053] c14 N70-35587
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Development of device for simulating cyclic thermal loading of flexible materials by application of mechanical stresses and deformations
[NASA-CASE-LAR-10270-1] c32 N72-25877
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N79-10057
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c24 N81-17170
THERMIONIC CATHODES
Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421
THERMIONIC CONVERTERS
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
Thermionic converter for converting heat energy directly into electrical energy
[NASA-CASE-XLE-01903] c22 N71-23599
Thermionic cesium diode converter with cavity emitters
[NASA-CASE-NPO-10412] c09 N71-28421
Development and characteristics of solar cells with phosphors in cover glass to improve response to solar ultraviolet radiation
[NASA-CASE-ARC-10050] c03 N71-33409
Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c33 N74-27683
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891
Cesium thermionic converters having improved electrodes
[NASA-CASE-LEW-12038-3] c44 N78-25555
THERMIONIC DIODES
Electric power system utilizing thermionic plasma diodes in parallel and heat pipes as cathodes
[NASA-CASE-XNP-05843] c03 N71-11055
Thermionic diode switch for use in high temperature region to chop current from dc source
[NASA-CASE-NPO-10404] c03 N71-12255
Micromicroampere current measuring circuit, with two subminiature thermionic diodes with filament cathodes
[NASA-CASE-XNP-00384] c09 N71-13530
Electric power system with thermionic diodes and circulatory liquid metal coolant lines
[NASA-CASE-MFS-14114] c33 N71-27862
Reactor heated in-core diodes for energy conversion
[NASA-CASE-NPO-10542] c09 N72-27228
THERMIONIC EMITTERS
Oxygen-doped tantalum emitter for thermionic devices such as cesium vapor diodes
[NASA-CASE-NPO-11138] c03 N70-34646
THERMIONIC POWER GENERATION
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c73 N78-28913
Improved thermionic energy converters
[NASA-CASE-LEW-12443-1] c44 N81-19561
THERMISTORS
Matched thermistors for microwave power meters with compensation for temperature changes
[NASA-CASE-NPO-10348] c10 N71-12554
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c35 N79-33449
THERMOCHROMATIC MATERIALS
Thermochromic compositions for detecting heat levels in electronic circuits and devices
[NASA-CASE-NPO-10764-1] c14 N73-14428
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
THERMOCOUPLE PYROMETERS
Dual measurement ablation sensor

[NASA-CASE-LAR-10105-1] c34 N74-15652
THERMOCOUPLES
Heat flux sensor assembly with proviso for heat shield to reduce radiative transfer between sensor elements
[NASA-CASE-XMS-05909-1] c14 N69-27459
Gas cooled high temperature thermocouple
[NASA-CASE-XLE-09475-1] c33 N71-15568
Control of fusion welding through use of thermocouple wire
[NASA-CASE-MFS-06074] c15 N71-20393
Heat sensing instrument, using thermocouple junction connected under heavy conducting material
[NASA-CASE-XLA-01551] c14 N71-22989
Design and characteristics of thermocouples consisting of flexible tape for improved attachment to temperature source
[NASA-CASE-XNP-01659] c14 N71-23039
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Development of thermocouple instrument for measuring temperature of wall heated by flowing fluid without disturbing boundary layer
[NASA-CASE-XLE-05230] c14 N72-27410
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Electrical resistance butt welder for welding fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c15 N73-14468
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c35 N76-15434
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c35 N79-14346
Solar energy control system
[NASA-CASE-MFS-25287-1] c44 N80-17544
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c35 N80-19469
THERMODYNAMIC CYCLES
Solar engine --- Flat plate type
[NASA-CASE-LAR-12148-1] c44 N79-29608
THERMODYNAMIC PROPERTIES
Development of equipment for measuring thermal shock resistance of thin discs of material
[NASA-CASE-XLE-02024] c14 N71-22964
Characteristics of foamed-in-place ceramic refractory insulating material and method of fabrication
[NASA-CASE-XGS-02435] c18 N71-22998
Operating properties of superconducting magnet in vacuum environment
[NASA-CASE-XNP-06503] c23 N71-29049
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
THERMOELECTRIC GENERATORS
Use of silicon controlled rectifier shorting circuit to protect thermoelectric generator source from thermal destruction
[NASA-CASE-XGS-04808] c03 N69-25146
Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range
[NASA-CASE-XGS-05718] c26 N71-16037
Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XRR-09521] c09 N72-12136
Thermally cascaded thermoelectric generator with radioisotopic heat source
[NASA-CASE-NPO-10753] c03 N72-26031
THERMOELECTRIC MATERIALS
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Procedure for segmenting lead telluride and silicon germanium thermoelectric elements to obtain composite elements effective over wide temperature range
[NASA-CASE-XGS-05718] c26 N71-16037
THERMOELECTRIC POWER GENERATION
Thermoelectric power conversion by liquid metal flowing through magnetic field
[NASA-CASE-XNP-00644] c03 N70-36803
Operation method for combined electrolysis device and fuel cell using molten salt to produce power by thermoelectric regeneration mechanism
[NASA-CASE-XLE-01645] c03 N71-20904
Thermoelectric power system --- for spacecraft
[NASA-CASE-MFS-22002-1] c44 N76-16612
THERMOELECTRICITY
Development of flexible thermocouple in form of tape for adaptation to special temperature measuring conditions
[NASA-CASE-LEW-11072-1] c14 N73-24472
Device for measuring thermoelectric properties of materials under high pressure
[NASA-CASE-NPO-11749] c14 N73-28486
THERMOLUMINESCENCE
Method for detecting oxygen in gas by thermoluminescence
[NASA-CASE-LAR-10668-1] c06 N73-16106
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c25 N78-15210
THERMOMAGNETIC EFFECTS
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c35 N79-16246
THERMOMETERS
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368
THERMOPHYSICAL PROPERTIES
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
THERMOPILES
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598
Horizon sensor design with digital sampling of spaced radiation-compensated thermopile infrared detectors
[NASA-CASE-XNP-06957] c14 N71-21088
Development of thermopile with sensor surface to receive radiant energy and to provide measurement of energy quantity
[NASA-CASE-NPO-11493] c14 N73-12447
THERMOPLASTIC RESINS
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c25 N78-25149
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-AEC-11057-1] c27 N78-31233
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c27 N78-33228
Induction heating gun
[NASA-CASE-LAR-12540-1] c37 N80-11468
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
THERMOPLASTICITY
Process for preparing thermoplastic aromatic polyimides

[NASA-CASE-LAR-11828-1] c27 N78-32261
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
THERMOREGULATION
Thermoregulating with cooling flow pipe network for humans
[NASA-CASE-XMS-10269] c05 N71-24147
THERMOSETTING RESINS
Vacuum method for molding thermosetting compounds used as ablative materials
[NASA-CASE-XLA-01091] c15 N71-10672
Procedure for bonding polytetrafluoroethylene thermal protective sleeves to magnesium alloy conical shell components with different thermal coefficients
[NASA-CASE-XLA-01262] c15 N71-21404
Method for honeycomb panel bonding by thermosetting film adhesive with electrical heat means
[NASA-CASE-XNP-01402] c18 N71-21651
Heat treatment and tooling for forming shapes from thermosetting honeycomb core sheets
[NASA-CASE-NPO-11036] c15 N72-24522
Fluorinated polyurethanes produced by reacting hydroxy terminated perfluoro polyether with diisocyanate
[NASA-CASE-NPO-10767-2] c06 N72-27151
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c31 N75-13111
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
THERMOSTATS
Thermal switch for transferring excess heat from one region to another heat dissipating one
[NASA-CASE-XNP-00463] c33 N70-36847
Design and development of linear actuator based on bimetallic spring expansion
[NASA-CASE-NPO-10637] c15 N72-12409
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c33 N80-21671
THICK FILMS
Material compositions and processes for developing dielectric thick films used in microcircuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
THICKNESS
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Thickness measurement system
[NASA-CASE-MFS-23721-1] c31 N79-28370
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c27 N80-16163
THIN FILMS
Temperature sensitive capacitor device for detecting very low intensity infrared radiation
[NASA-CASE-XNP-09750] c14 N69-39937
Means and methods of depositing thin films on substrates
[NASA-CASE-XNP-00595] c15 N70-34967
Method of forming thin window drifted silicon charged particle detector
[NASA-CASE-XLE-00808] c24 N71-10560
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XNP-01667] c15 N71-17647
Describing method for vapor deposition of gallium arsenide films to manganese substrates to provide semiconductor devices with low resistance substrates
[NASA-CASE-XNP-01328] c26 N71-18064
Development of stable electronic amplifier adaptable for monolithic and thin film construction
[NASA-CASE-XGS-02812] c09 N71-19466
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XNP-06065] c15 N71-20395
Binding layer of semiconductor particles by electrodeposition
[NASA-CASE-XNP-01959] c26 N71-23043
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Magnetic recording head composed of ferrite core coated with thin film of aluminum-iron-silicon alloy
[NASA-CASE-GSC-10097-1] c08 N71-27210
Thin film capacitive bolometer and capacitance temperature interchange sensor
[NASA-CASE-NPO-10607] c09 N71-27232
Electrical connections for thin film hybird microcircuits
[NASA-CASE-XMS-02182] c10 N71-28783
Single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin absorbing metallic film for increased visible light transmission
[NASA-CASE-LAR-10836-1] c26 N72-27784
Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
Process for analysis of strain field of structures subjected to large deformations involving low modulus substrate with thin coating
[NASA-CASE-LAR-10765-1] c32 N73-20740
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
Thin film analyzer utilizing holographic techniques
[NASA-CASE-MFS-20823-1] c16 N73-30476
Transparent switchboard which permits optical display devices to be adapted for use in man machine communications
[NASA-CASE-MSC-13746-1] c10 N73-32143
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c27 N80-16163
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c24 N81-14000
THIN PLATES
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c35 N76-15435
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N78-17383
THIN WALLED SHELLS
Thin walled pressure test vessel using low-melting alloy-filled joint to attach shell to heads
[NASA-CASE-XLE-04677] c15 N71-10577
THIN WALLS
Channel-type shell construction for rocket

engines and related configurations
[NASA-CASE-XLE-00144] c28 N70-34860
Sealed separable connection for thin wall metal tube
[NASA-CASE-NPO-10064] c15 N71-17693
Low mass truss structure with elongated thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
Development of differential pressure control system using motion of mechanical diaphragms to operate electric switch
[NASA-CASE-MFS-14216] c14 N73-13418
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c31 N74-18089
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059

THORIUM FLUORIDES
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332

THORIUM OXIDES
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891

THREADS
Gage for quality control of sealing surfaces of threaded boss
[NASA-CASE-XMF-04966] c14 N71-17658
Threadless fastener apparatus comprising receiving apertures for plurality of articles, self-locked condition, and capable of using nonmalleable materials in both ends
[NASA-CASE-XFR-05302] c15 N71-23254

THREE DIMENSIONAL MOTION
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942

THRESHOLD GATES
Apparatus with summing network for compression of analog data by decreasing slope threshold sampling
[NASA-CASE-NPO-10769] c08 N72-11171
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c76 N75-25730

THRESHOLD LOGIC
Silicon controlled rectifier pulse gate amplifier for blocking false gating caused by negative transient voltages
[NASA-CASE-XLA-07497] c09 N71-12514

THROATS
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c20 N79-21123
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c09 N80-22369

THRUST AUGMENTATION
Exhaust nozzle with afterburning for generating thrust
[NASA-CASE-XLA-00154] c28 N70-33374
Construction and method of arranging plurality of ion engines to form cluster thereby increasing efficiency and control by decreasing heat radiated to space
[NASA-CASE-XNP-02923] c28 N71-23081
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c07 N75-24736
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c08 N81-19130

THRUST BEARINGS
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588

THRUST CHAMBERS
Rocket chamber leak test fixture using tubular plug
[NASA-CASE-XFR-09479] c14 N69-27503
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
Large area-ratio nozzles for rocket motor thrust chambers
[NASA-CASE-XLE-00145] c28 N70-36606
Method for shaping regeneratively cooled rocket motor casing having minimum thickness at each channel cross section
[NASA-CASE-XLE-00409] c28 N71-15658
Regeneratively cooled rocket motor casing with tapered channels to insure minimum thicknesses at each channel cross section for necessary strength requirements
[NASA-CASE-XLE-05689] c28 N71-15659
Rocket engine injector orifice to accommodate changes in density, velocity, and pressure, thereby maintaining constant mass flow rate of propellant into rocket combustion chamber
[NASA-CASE-XLE-03157] c28 N71-24736
Fuel and oxidizer injection head for thrust chamber of reaction engine
[NASA-CASE-NPO-10046] c28 N72-17843
Continuous gas flow control by fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Radial magnetic field for ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
Thermal flux transfer system for maintaining thrust chamber of operative reaction motor at given temperatures
[NASA-CASE-NPO-12070-1] c28 N73-32606
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c34 N79-13288
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c34 N79-13289

THRUST CONTROL
Electromechanical actuator and its use in rocket thrust control valve
[NASA-CASE-XNP-05975] c15 N69-23185
Solid propellant rocket vehicle thrust control method and apparatus
[NASA-CASE-XNP-00217] c28 N70-38181
Thrust and attitude control apparatus using jet nozzle in movable canard surface or fin configuration
[NASA-CASE-XLE-03583] c31 N71-17629
Detonation reaction engine comprising outer housing enclosing pair of inner walls for continuous flow
[NASA-CASE-XMF-06926] c28 N71-22983
Low mass ionizing device for use in electric thrust spacecraft engines
[NASA-CASE-XNP-01954] c28 N71-28850
Heated porous plug microthrustor for spacecraft reaction jet controlled systems such as fuel flow regulation, propellant disassociation, and heat transfer augmentation
[NASA-CASE-GSC-10640-1] c28 N72-18766
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XMF-05964-1] c20 N79-21124

THRUST LOADS
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382

THRUST MEASUREMENT
Dynamometer measuring microforce thrust produced by ion engine
[NASA-CASE-XLE-00702] c14 N70-40203
Development of thrust dynamometer for measuring performance of jet and rocket engines
[NASA-CASE-XLE-05260] c14 N71-20429
Development of temperature compensated thrust measuring gage for measuring forces as function of time in environment with varying temperature
[NASA-CASE-XGS-02319] c14 N71-22965
Micro-pound extended range thrust stand for small rocket engines
[NASA-CASE-GSC-10710-1] c28 N71-27094

THRUST VECTOR CONTROL
Thrust vector control by secondary injection of fluid into rocket nozzle flow field to separate exhaust flow
[NASA-CASE-XLE-00208] c28 N70-34294
High velocity guidance and spin stabilization gyro controlled jet reaction system for launch vehicle payloads
[NASA-CASE-XLA-01339] c31 N71-15692

Ion beam deflector system for electronic thrust vector control for ion propulsion yaw, pitch, and roll forces
[NASA-CASE-LEW-10689-1] c28 N71-26173
Tertiary flow injection system for thrust vectoring of propulsive nozzle flow
[NASA-CASE-MFS-20831] c28 N71-29153
Development of thrust control system for application to control of aircraft and spacecraft
[NASA-CASE-MSC-13397-1] c21 N72-25595
Development of vortex fluid amplifier for throttling rocket exhaust
[NASA-CASE-LEW-10374-1] c28 N73-13773
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275

THRUST-WEIGHT RATIO
Launch pad missile release system with bending moment change rate reduction in thrust distribution structure at liftoff
[NASA-CASE-XMF-03198] c30 N70-40353

TILES
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c27 N76-14264
Diced tile thermal protection for spacecraft
[NASA-CASE-MSC-16366-1] c24 N79-23142
Improved attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c16 N81-16110

TILT WING AIRCRAFT
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c05 N79-12061

TIME CONSTANT
Variable time constant, wide frequency range smoothing network for noise removal from pulse chains
[NASA-CASE-XGS-01983] c10 N70-41964

TIME DISCRIMINATION
Extra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit
[NASA-CASE-XGS-00381] c09 N70-34819

TIME DIVISION MULTIPLEXING
Synchronizing apparatus for multi-access satellite time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Time division multiplexer with magnetic latching relays
[NASA-CASE-XNP-00431] c09 N70-38998
Data processor having multiple sections activated at different times by selective power coupling to sections
[NASA-CASE-XGS-04767] c08 N71-12494
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Time division relay synchronizer with master sync pulse for activating binary counter to produce signal identifying time slot for station
[NASA-CASE-GSC-10373-1] c07 N71-19773
Sampling circuit for signal processing in multiplex transmission by Fourier analysis
[NASA-CASE-NPO-10388] c07 N71-24622
Time division multiplexed telemetry transmitting system controlled by programmed memory
[NASA-CASE-GSC-10131-1] c07 N71-24624

TIME FUNCTIONS
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659

TIME LAG
Closed loop radio communication ranging system to determine distance between moving airborne vehicle and fixed ground station
[NASA-CASE-XNP-01501] c21 N70-41930
Minimum time delay unit for conventional time multiplexed data compression channels
[NASA-CASE-XNP-08832] c08 N71-12506
Apparatus for estimating amplitude and sign of phase difference or time lag between two signals
[NASA-CASE-NPO-11203] c10 N72-20224
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262

TIME MEASUREMENT
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c33 N79-10338

TIME MEASURING INSTRUMENTS
Mechanism for measuring nanosecond time differences between luminous events using streak camera
[NASA-CASE-XLA-01987] c23 N71-23976

TIME OF FLIGHT SPECTROMETERS
Design and characteristics of time of flight mass spectrometer to measure or analyze gases at low pressures and time of flight of single gas molecule
[NASA-CASE-XNP-01056] c14 N71-23041

TIME SERIES ANALYSIS
Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240

TIME SHARING
Integrated time shared instrumentation display for aerospace vehicle simulators
[NASA-CASE-XLA-01952] c08 N71-12507

TIME SIGNALS
Monitoring system for signal amplitude ranges over predetermined time interval
[NASA-CASE-XMS-04061-1] c09 N69-39885
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Time synchronization system for synchronizing clocks at remote locations with master clock using moon reflected coded signals
[NASA-CASE-NPO-10143] c10 N71-26326
Circuit for measuring wide range of pulse rates by utilizing high capacity counter
[NASA-CASE-XNP-06234] c10 N71-27137
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c32 N81-14186

TIMING DEVICES
Design and development of synchronous servo loop control system
[NASA-CASE-XNP-03744] c10 N71-20448
Development of method for synchronizing clocks at several ground stations based on signals received from spacecraft or satellites
[NASA-CASE-XNP-08875] c10 N71-23099
Development and characteristics of resettable monostable pulse generator with charge rundown-timing circuit
[NASA-CASE-GSC-11139] c09 N71-27016
Data acquisition and processing system with buffer storage and timing device for magnetic tape recording of PCM data and timing information
[NASA-CASE-NPO-12107] c08 N71-27255
High speed photo-optical time recorder for indicating time at exposure of each frame of high speed movie camera film
[NASA-CASE-KSC-10294] c14 N72-18411

TIRES
Temperature sensor warning system for pneumatic tires of aircraft and ground vehicles
[NASA-CASE-XLA-01926] c14 N71-15620
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MFS-13929] c15 N71-27091

TISSUES (BIOLOGY)
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c51 N79-10694
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836

Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703

TITANATES
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532

TITANIUM
Joining aluminum to stainless steel by bonding aluminum coatings onto titanium coated stainless steel and brazing aluminum to aluminum/titanium coated steel
[NASA-CASE-MFS-07369] c15 N71-20443
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c44 N80-24741

TITANIUM ALLOYS
Method to prevent stress corrosion cracking in titanium alloys
[NASA-CASE-NPO-10271] c17 N71-16393
Chemical spot tests for identification of titanium and titanium alloys used in aerospace vehicles
[NASA-CASE-LAR-10539-1] c17 N73-12547

TITANIUM CARBIDES
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232

TITANIUM NITRIDES
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c26 N81-16209

TITANIUM OXIDES
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237

TOLERANCES (MECHANICS)
Mechanism for restraining universal joints to prevent separation while allowing bending, angulation, and lateral offset in any position about axis
[NASA-CASE-XNP-02278] c15 N71-28951

TOMOGRAPHY
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584

TOOLS
Tool attachment for spreading or moving away loose elements from terminal posts during winding of filamentary elements
[NASA-CASE-XNP-02107] c15 N71-10809
Development of adjustable attitude guide block for setting pins perpendicular to irregular convex work surface
[NASA-CASE-XLA-07911] c15 N71-15571
Hand tool for forming dimples and nipples on end portion of tubes
[NASA-CASE-XMS-06876] c15 N71-21536
Tool for mounting and removing studs with adhesive coated head portion
[NASA-CASE-MFS-20299] c15 N72-11392
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c37 N74-25968
Stator rotor tools
[NASA-CASE-MSC-16000-1] c37 N78-24544
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c37 N80-20589
Open ended ratchet type tubing cutter
[NASA-CASE-MSC-18538-1] c37 N80-22703

TOOTH DISEASES
Process for preparing calcium phosphate salts for tooth repair
[NASA-CASE-ERC-10338] c04 N72-33072

TOPOGRAPHY
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c43 N81-17499

TORCHES
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XNP-03287] c15 N71-15607
Development of electric weeding torch with casing on one end to form inert gas shield
[NASA-CASE-XNP-02330] c15 N71-23798
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421

TOROIDS
Flux gate magnetometer with toroidal gating coil and solenoidal output coil for signal modulation or amplification
[NASA-CASE-XGS-01881] c09 N70-40123
Toroidal cell and battery --- energy storage for orbital space applications or power cells for electric vehicles
[NASA-CASE-LEW-12918-1] c44 N80-33857

TORQUE
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744
Coupling arrangement for isolating torque loads from axial, radial, and bending loads
[NASA-CASE-XLA-04897] c15 N72-22482
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
Magnetic field control --- electromechanical torquing devices
[NASA-CASE-MFS-23828-1] c33 N80-17359
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043

TORQUE MOTORS
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c09 N75-24758

TORQUEMETERS
Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818
Torquemeter for determining magnitude of torque generated by interaction of magnetic dipole between test specimen and ambient magnetic field
[NASA-CASE-XGS-01013] c14 N71-23725

TORSO
Restraint torso for increased mobility and reduced physiological effects while wearing pressurized suits
[NASA-CASE-MSC-12397-1] c05 N72-25119
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736

TOUCH
Mechanically operated hand which can depress trigger using touch control device
[NASA-CASE-MFS-20413] c15 N72-21463
Measuring method for cutaneous perception using instrument with elongated tubular housing
[NASA-CASE-MSC-13609-1] c05 N72-25122
Prosthetic limb with tactile sensing device
[NASA-CASE-MFS-16570-1] c05 N73-32013

TOWERS
Aerial capsule emergency separation device using jettisonable towers
[NASA-CASE-XLA-00115] c03 N70-33343

TOXICITY AND SAFETY HAZARD
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c37 N74-18123

TOXICOLOGY
System for continuous monitoring of exhalations, weighing, and cage cleaning for animal exposed to controlled atmosphere for toxic study
[NASA-CASE-XAC-05333] c11 N71-22875

TRACE CONTAMINANTS
Describing crystal oscillator instrument for detecting condensible gas contaminants in vacuum apparatus
[NASA-CASE-NPO-10144] c14 N71-17701
Heated tungsten filter for removing oxygen impurities from cesium
[NASA-CASE-XNP-04262-2] c17 N71-26773
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c33 N79-15245

TRACE ELEMENTS
Ion microprobe mass spectrometer with cooled electrode target for analyzing traces of fluids
[NASA-CASE-ERC-10014] c14 N71-28863
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323

Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c25 N78-15210

TRACKING (POSITION)
Sensor consisting of photocells mounted on pyramidical base for improved pointing accuracy of planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Laser beam projector for continuous, precise alignment between target, laser generator, and astronomical telescope during tracking
[NASA-CASE-NPO-11087] c23 N71-29125
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
System and method for tracking a signal source --- employing feedback control
[NASA-CASE-HQN-10880-1] c17 N78-17140
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N79-14526
Solar tracking system --- with pointing control circuits
[NASA-CASE-MFS-23999-1] c44 N79-28667

TRACKING FILTERS
System for phase locking onto carrier frequency signal located within receiver bandpass
[NASA-CASE-XGS-04994] c09 N69-21543
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c33 N79-18224

TRACKING RADAR
Electronic and mechanical scanning control system for monopulse tracking antenna
[NASA-CASE-XGS-05582] c07 N69-27460
Phase locked loop with sideband rejecting properties in continuous wave tracking radar
[NASA-CASE-XNP-02723] c07 N70-41680
Interferometric tuning acquisition and tracking radar antenna system
[NASA-CASE-XMS-09610] c07 N71-24625
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437

TRACKING STATIONS
Optical monitor panel consisting of translucent screen with test or meter information projected onto it from rear for application in control rooms of missile launching and tracking stations
[NASA-CASE-XKS-03509] c14 N71-23175
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854

TRAFFIC CONTROL
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c66 N76-19888

TRAILERS
Improved low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c85 N80-33312

TRAILING-EDGE FLAPS
Double hinged flap for boundary layer control over trailing edges of wings
[NASA-CASE-XLA-01290] c02 N70-42016
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c07 N79-14097

TRAINING SIMULATORS
Low and zero gravity simulator for astronaut training
[NASA-CASE-MFS-10555] c11 N71-19494
Apparatus for training astronaut crews to perform on simulated lunar surface under conditions of lunar gravity
[NASA-CASE-XMS-04798] c11 N71-21474
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c09 N75-15662

TRAJECTORY ANALYSIS
Table structure and rotating magnet system simulating gravitational forces on spacecraft and displaying trajectories between Earth, Venus, and Mercury
[NASA-CASE-XNP-00708] c14 N70-35394
Planetary atmospheric investigation using split trajectory dual flyby mode
[NASA-CASE-XAC-08494] c30 N71-15990

TRAJECTORY CONTROL
Spacecraft trajectory correction propulsion system
[NASA-CASE-XNP-01104] c28 N70-39931
Development of technique for control of free flight rocket vehicles
[NASA-CASE-XLA-00937] c31 N71-17691
Attitude stabilizer for nonguided missile or vehicle with respect to trajectory
[NASA-CASE-ARC-10134] c30 N72-17873

TRANSDUCERS
Fabrication of pressure-telemetry transducers
[NASA-CASE-XNP-09752] c14 N69-21541
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
Transducer for measuring deflections from vibrating structures
[NASA-CASE-XLA-03135] c32 N71-16428
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Rotary bead dropper and selector for testing micrometeorite transducers
[NASA-CASE-XGS-03304] c09 N71-22988
Development and characteristics of self-calibrating displacement transducer for measuring magnitude and frequency of displacement of bodies
[NASA-CASE-XLA-00781] c09 N71-22999
Transducer frame for use with extensometer to continuously monitor specimen sample
[NASA-CASE-XLA-10322] c15 N72-17452
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
Pulsed excitation voltage circuit for strain gage bridge transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Passive type, magnifying scratch gage, force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
Development of electronic detection system for remotely determining number and movement of enemy personnel
[NASA-CASE-ARC-10097-2] c07 N73-25160
Acoustical transducer calibrating system including differential pressure activating device
[NASA-CASE-FRC-10060-1] c14 N73-27379
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c33 N74-26732
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c33 N75-31329
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Photomechanical transducer --- using thin strips of photoabsorptive metal or polymeric film with strain gages
[NASA-CASE-NPO-14363-1] c76 N79-14908
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c44 N80-18552
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072

Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390
Optical crystal temperature gauge with fiber optic connections --- cryogenic systems
[NASA-CASE-MSC-18627-1] c74 N81-15818
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703

TRANSFORMERS
Impedance transformation device for signal mixing
[NASA-CASE-XGS-01110] c07 N69-24334
High impedance alternating current sensing transformer device between two bolometers for measuring insertion loss of test component
[NASA-CASE-XNP-01193] c10 N71-16057
Magnetic current regulator for saturable core transformer
[NASA-CASE-ERC-10075] c09 N71-24600
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Development and characteristics of electronically resettable fuse with saturable core current sensing transformer having two outside legs and center leg
[NASA-CASE-XGS-11177] c09 N71-27001
Development and characteristics of voltage regulator for connection in series with alternating current source and load using three leg, two-window transformer
[NASA-CASE-ERC-10113] c09 N71-27053
Radial heat flux transformer for use in heating and cooling processes
[NASA-CASE-NPO-10828] c33 N72-17548
Current protection equipment for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Fail-safe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c33 N78-17295
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Low current linearization of magnetic amplifier for dc transformer
[NASA-CASE-NPO-14617-1] c33 N79-26311
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c33 N79-28415
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c33 N81-12330
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c33 N81-12331
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220

TRANSIENT HEATING
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409

TRANSIENT LOADS
Deployable cantilever support for deploying solar cell arrays aboard spacecraft and reducing transient loading
[NASA-CASE-NPO-10883] c31 N72-22874

TRANSISTOR AMPLIFIERS
Overcurrent protecting circuit for push-pull transistor amplifiers
[NASA-CASE-MSC-12033-1] c09 N71-13531

TRANSISTOR CIRCUITS
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
RC transistor circuit to indicate each pulse of pulse train and occurrence of nth pulse
[NASA-CASE-XNP-00906] c09 N70-41655
Linear sawtooth voltage wave generator with transistor timing circuit having capacitor and zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
Switching circuit with regeneratively connected transistors eliminating power consumption when not in use
[NASA-CASE-XNP-02654] c10 N70-42032
High voltage transistor circuit
[NASA-CASE-XNP-06937] c09 N71-19516
Complementary regenerative transistorized switch circuit employing positive and negative feedback
[NASA-CASE-XGS-02751] c09 N71-23015
Inverter drive circuit for semiconductor switch
[NASA-CASE-LEW-10233] c10 N71-27126
Transistorized circuit for producing multiple slope voltage sweep
[NASA-CASE-XMS-03542] c09 N71-28926
Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
Temperature compensated current source
[NASA-CASE-MSC-11235] c33 N78-17294
Inductorless narrow-band filter/amplifier
[NASA-CASE-GSC-12410-1] c33 N79-24260

TRANSISTORS
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Solid state circuit for switching alternating current input signal as function of direct current gating transistor
[NASA-CASE-XNP-06505] c10 N71-24799
Broadband distribution amplifier with complementary pair transistor output stages
[NASA-CASE-NPO-10003] c10 N71-26415
Transistorized switching logic circuits with tunnel diodes
[NASA-CASE-GSC-10878-1] c10 N72-22236
Inverted geometry transistor for use with monolithic integrated circuit
[NASA-CASE-ARC-10330-1] c09 N73-32112
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c33 N75-14957
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N79-12321
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
Power converter --- for display devices, lighting equipment
[NASA-CASE-FRC-11014-1] c33 N79-27395
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220

TRANSITION FLOW
Ablation article and surface for analyzing flow transition on ablative surface
[NASA-CASE-LAR-10439-1] c33 N73-27796

TRANSITION TEMPERATURE
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c27 N78-32261

TRANSLATIONAL MOTION
Centrifuge mounted motion simulator with elevator mechanism
[NASA-CASE-XAC-00399] c11 N70-34815
Development and characteristics of translating horizontal tail assembly for supersonic aircraft
[NASA-CASE-XLA-08801-1] c02 N71-11043
Semilinear bearing comprising two rows of roller bearings separated by spherical bearings and permitting rotational and translational movement
[NASA-CASE-XLA-02809] c15 N71-22982
Positioning mechanism for converting translatory motion into rotary motion
[NASA-CASE-NPO-10679] c15 N72-21462

TRANSLATORS
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c32 N79-28383
TRANSMISSION EFFICIENCY
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
Common data buffer system
[NASA-CASE-KSC-11048-1] c60 N79-23674
Multistage depressed collector for dual mode operation --- for travelling wave tubes
[NASA-CASE-LEW-13282-1] c33 N79-32463
TRANSMISSION LINES
Portable equipment for validating C band launch pad antennas and transmission lines used for spacecraft checkout
[NASA-CASE-KKS-10543] c07 N71-26292
Collapsible antenna boom and coaxial transmission line having inflatable inner tube
[NASA-CASE-MFS-20068] c07 N71-27191
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
Development of phase control coupling for use with phased array antenna
[NASA-CASE-ERC-10285] c10 N73-16206
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17527
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c33 N79-28415
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250
TRANSMISSIONS (MACHINE ELEMENTS)
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c05 N81-19087
TRANSMITTANCE
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394
TRANSMITTER RECEIVERS
Low weight, integrated thermoelectric generator/antenna combination for spacecraft
[NASA-CASE-XER-09521] c09 N72-12136
Location identification system with ground based transmitter and aircraft borne receiver/decoder
[NASA-CASE-ERC-10324] c07 N72-25173
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
TRANSMITTERS
Temperature telemetric transmitter with frequency determining tank circuit for short range transmission
[NASA-CASE-NPO-10649] c07 N71-24840
Multicarrier communications system for transmitting modulated signals from single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Apparatus for endoscopic examination --- analysis of the propulsion system configuration and transmitter
[NASA-CASE-NPO-14092-1] c52 N80-16725
TRANSONIC SPEED
Construction of leading edges of surfaces for aerial vehicles performing from subsonic to above transonic speeds
[NASA-CASE-ILA-01486] c01 N71-23497
TRANSONIC WIND TUNNELS
Wind tunnel test section for simulating high Reynolds number over transonic speed range
[NASA-CASE-MFS-20509] c11 N72-17183
TRANSPARENCE
Transparent polycarbonate resin, shell helmet and latch design for high altitude and space flight
[NASA-CASE-MMS-04935] c05 N71-11190
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550
TRANSPIRATION
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
TRANSPONDERS
Equipment for testing of ground station ranging equipment and spacecraft transponders
[NASA-CASE-MMS-05454-1] c07 N71-12391
Spacecraft transponder and ground station radar system for mapping planetary surfaces
[NASA-CASE-NPO-11001] c07 N72-21118
Loop transponder for regenerating code of mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
TRANSPORTATION
Supporting and protecting frame structure and plug for empty thrust chamber assembly, handling, and shipping
[NASA-CASE-XMF-00580] c11 N70-35383
TRANSVERSE ACCELERATION
Rim inertial measuring system --- to measure angular rates and linear accelerations
[NASA-CASE-LAR-12052-1] c04 N80-18019
TRAPS
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
TRAVELING WAVE AMPLIFIERS
Serrodyne traveling wave tube reentrant amplifier for synchronous communication satellites operating at microwave frequencies
[NASA-CASE-XGS-01022] c07 N71-16088
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
TRAVELING WAVE MASERS
Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
Comb type traveling wave maser amplifier for improved high gain broadband output
[NASA-CASE-NPO-10548] c16 N71-24831
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N78-18410
TRAVELING WAVE TUBES
Segmented superconducting magnet producing staggered magnetic field and suitable for broadband traveling wave masers
[NASA-CASE-XGS-10518] c16 N71-28554
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N79-10339
Multistage depressed collector for dual mode operation --- for travelling wave tubes
[NASA-CASE-LEW-13282-1] c33 N79-32463
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c33 N80-19425
TRAVELING WAVES
Traveling wave maser for operation in 7 to 20 GHz frequency range
[NASA-CASE-NPO-11437] c16 N72-28521
TREADMILLS
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c51 N78-27733

TRIGGER CIRCUITS
Design of transistorized ring counter circuit with special steering and triggering circuits
[NASA-CASE-XGS-03095] c09 N69-27463
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMP-00411] c11 N70-36913
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
One shot multivibrator circuit for producing long duration output pulses
[NASA-CASE-ARC-10137-1] c09 N71-28468
Voltage amplitude-responsive trigger circuit with silicon controlled rectifier
[NASA-CASE-GSC-10221-1] c09 N72-23171
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
TRIGONOMETRY
Electrical and electromechanical trigonometric computation assembly and space vehicle guidance system for aligning perpendicular axes of two sets of three-axes coordinate references
[NASA-CASE-XMP-00684] c21 N71-21688
TRIMERS
New trifunctional alcohol derived from trimer acid and novel method of preparation
[NASA-CASE-NPO-10714] c06 N69-31244
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c27 N78-15276
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
TRIODES
Vacuum thermionic converter with short-circuited triodes and increased electron transmission and conversion efficiency
[NASA-CASE-XLE-01015] c03 N69-39898
TRITIUM
Method for determining state of charge of alkali batteries by using tritium as tracer
[NASA-CASE-XNP-01464] c03 N71-10728
TROPOPAUSE
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677
TRUCKS
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
Improved low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c85 N80-33312
TRUSSES
Low mass truss structure with elongated thin-walled tubular segments
[NASA-CASE-LAR-10546-1] c11 N72-25287
Lightweight structural columns --- for truss structures
[NASA-CASE-LAR-12095-1] c39 N77-27432
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c18 N78-22146
TUBE GRIDS
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c44 N79-18444
TUBE HEAT EXCHANGERS
High resistance cross flow heat exchangers for electrothermal rocket engines
[NASA-CASE-XLE-01783] c28 N70-34175
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518
TUBES
Forming tubes from long thin flat metal strips
[NASA-CASE-XGS-04175] c15 N71-18579
Hermetic sealing device for ends of tubular bodies during materials testing operations
[NASA-CASE-NPO-10431] c15 N71-29132
TUMBLING MOTION
Tumbling motion system for object demagnetization
[NASA-CASE-XGS-02437] c15 N69-21472
TUMORS
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
TUNABLE LASERS
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350
TUNGSTEN
Bonding method for improving contact between lead telluride thermoelectric elements and tungsten electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Method for producing porous tungsten plates for ionizing cesium compounds for propulsion of ion engines
[NASA-CASE-XLE-00455] c28 N70-38197
Small plasma probe using tungsten wire collector in tubular shield
[NASA-CASE-XLE-02578] c25 N71-20747
Production method for manufacturing porous tungsten bodies from tungsten powder particles
[NASA-CASE-XNP-04339] c17 N71-29137
Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c73 N77-18891
TUNGSTEN ALLOYS
Evaporating crucible of tantalum-tungsten foil, nickel alumina bonding agent, and ceramic coating
[NASA-CASE-XLA-03105] c15 N69-27483
Cobalt-tungsten alloys with superior strength at elevated temperatures
[NASA-CASE-LEW-10436-1] c17 N73-32415
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
TUNING
Active tuned circuits for microelectronic construction
[NASA-CASE-GSC-11340-1] c10 N72-33230
Microwave generator using Gunn effect for magnetic tuning
[NASA-CASE-NPO-12106] c09 N73-15235
TUNNEL DIODES
Low power drain transistor feedback circuit
[NASA-CASE-XGS-04999] c09 N69-24317
TUNNELING (EXCAVATION)
Intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c35 N81-19430
TUNNELS
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
TURBINE BLADES
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Modification and improvement of turbine blades for maximum cooling efficiency
[NASA-CASE-XLE-00092] c15 N70-33264
Preparation of nickel alloys for jet turbine blades operating at high temperatures
[NASA-CASE-XLE-00151] c17 N70-33283
External device for liquid spray cooling of gas turbine blades
[NASA-CASE-XLE-00037] c28 N70-33372
Apparatus for liquid spray cooling of turbine blades
[NASA-CASE-XLE-00027] c33 N71-29152
Process for welding compressor and turbine blades to rotors and discs of jet engines
[NASA-CASE-LEW-10533-1] c15 N73-28515
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660
TURBINE ENGINES
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c37 N75-21631

Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c37 N79-18318
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658

TURBINE PUMPS
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Portable cryogenic cooling system design including turbine pump, cooling chamber, and atomizer
[NASA-CASE-NPO-10467] c23 N71-26654
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c20 N80-14188

TURBINE WHEELS
Locking device for retaining turbine rotor blades on turbine wheel
[NASA-CASE-XNP-00816] c28 N71-28928
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116

TURBINES
Liquid-vapor interface seal design for turbine rotating shafts including helical and molecular pumps and liquid cooling of mercury vapor
[NASA-CASE-XNP-02862-1] c15 N71-26294
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831

TURBOCOMPRESSORS
Multistage multiple reentry axial flow reaction turbine with reverse flow reentry ducting
[NASA-CASE-XLE-00170] c15 N70-36412
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N79-10057
Diesel engine catalytic combustor system --- turbocharging
[NASA-CASE-LEW-12995-1] c37 N80-26659

TURBOFAN ENGINES
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c07 N74-28226
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c07 N74-32418
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116

TURBOFANS
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059

TURBOJET ENGINE CONTROL
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116

TURBOJET ENGINES
Telescoping-spike supersonic nozzle for turbojet or ramjet engines
[NASA-CASE-XLE-00005] c28 N70-39899
Design and development of gas turbine combustion unit with nozzle guide vanes for introducing diluent air into combustion gases
[NASA-CASE-XLE-103477-1] c28 N71-20330
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c07 N80-26298

TURBOMACHINE BLADES
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658

TURBOMACHINERY
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-1] c37 N79-23431

TURBOSHAFTS
Remote-reading torquemeter for use where high horsepowers are transmitted at high rotative speeds
[NASA-CASE-XLE-00503] c14 N70-34818
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c37 N75-21631
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660

TURBULENCE METERS
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390

TURBULENT FLOW
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c34 N76-18364
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c02 N80-20224

TURNSTILE ANTENNAS
Flexible turnstile antenna system for reducing nutation in spin-oriented satellites
[NASA-CASE-XNP-00442] c31 N71-10747
Broadband modified turnstile antenna for use in space tracking and communications
[NASA-CASE-MSC-12209] c09 N71-24842
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372

TURRET
Indexing mechanism for cathode array substitution in electron beam tube
[NASA-CASE-NPO-10625] c09 N71-26182

TWISTING
Means for controlling aerodynamically induced twist --- equipment to control twisting of slender wings due to aerodynamic loads
[NASA-CASE-LAR-12175-1] c05 N80-16055

TWO BODY PROBLEM
Instrument for measuring potentials on two dimensional electric field plot
[NASA-CASE-XLA-08493] c10 N71-19421

TWO DIMENSIONAL BODIES
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751

TWO PHASE FLOW
Solenoid two-step valve for bipropellant flow rate control to rocket engine
[NASA-CASE-XMS-04890-1] c15 N70-22192
Two phase fluid pressurization system for propellant tank
[NASA-CASE-MSC-12390] c27 N71-29155
Two-phase flow system with discrete, impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c34 N79-20335
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660

TWO STAGE TURBINES
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660

TYPEWRITERS
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457

U

U BENDS
Elbow forming in jacketed pipes while maintaining separation between core shape and jacket pipes
[NASA-CASE-XNP-10475] c15 N71-24679
U shaped heated tube for distillation and purification of liquid metals
[NASA-CASE-XNP-08124-2] c06 N73-13129
ULCERS
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c52 N78-11692
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613
ULLAGE
Radiation source and detection system for measuring amount of liquid inside tanks independently of liquid configuration
[NASA-CASE-MSC-12280] c27 N71-16348
ULTRAHIGH FREQUENCIES
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524
ULTRAHIGH VACUUM
Solid lubricant applied to porous roller bearings prior to use in ultrahigh vacuum
[NASA-CASE-XLE-09527] c15 N71-17688
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Ultrahigh vacuum gauge with two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
ULTRASONIC AGITATION
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
ULTRASONIC CLEANING
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c52 N81-12724
ULTRASONIC FLAW DETECTION
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c38 N79-14398
ULTRASONIC RADIATION
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c52 N74-20726
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c52 N79-26771
ULTRASONIC TESTS
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c38 N74-15395
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c39 N78-15512
ULTRASONIC WAVE TRANSDUCERS
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c35 N76-15432
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
CDS solid state phase insensitive ultrasonic transducer --- annealing cadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c35 N80-20559
ULTRASONIC WELDING
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
ULTRASONICS
Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c35 N79-10390
ULTRAVIOLET FILTERS
Ultraviolet filter of thorium fluoride and cryolite on quartz base
[NASA-CASE-XNP-02340] c23 N69-24332
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
ULTRAVIOLET LASERS
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826
ULTRAVIOLET RADIATION
Ultraviolet radiation resistant alkali-metal silicate coatings for temperature control of spacecraft
[NASA-CASE-XGS-04119] c18 N69-39979
Development of ultraviolet resonance lamp with improved transmission of radiation
[NASA-CASE-ARC-10030] c09 N71-12521
Gas leak detection in evacuated systems using ultraviolet radiation probe
[NASA-CASE-ERC-10034] c15 N71-24896
Phototropic composition of matter with sensitivity to ultraviolet light and usable for producing positive photographic images
[NASA-CASE-XGS-03736] c14 N72-22443
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c70 N74-13436
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c34 N74-23066
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c27 N80-26446
ULTRAVIOLET REFLECTION
Composition and production method of alkali metal silicate paint with ultraviolet reflection properties
[NASA-CASE-XGS-04799] c18 N71-24183
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c74 N78-15879
ULTRAVIOLET SPECTRA
Ultraviolet chromatographic detector for quantitative and qualitative analysis of compounds
[NASA-CASE-HQN-10756-1] c14 N72-25428
ULTRAVIOLET SPECTROMETERS
Concave grating spectrometer for use in near and vacuum ultraviolet regions
[NASA-CASE-XGS-01036] c14 N70-40003
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at

high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
UMBILICAL CONNECTORS
Umbilical separator for rockets
[NASA-CASE-XNP-00425] c11 N70-38202
Remotely actuated quick disconnect mechanism for umbilical cables
[NASA-CASE-XLA-00711] c03 N71-12258
Remotely actuated quick disconnect for tubular umbilical conduits used to transfer fluids from ground to rocket vehicle
[NASA-CASE-XLA-01396] c03 N71-12259
Internal and external serpentine devices for performing physical operations around orbital space stations
[NASA-CASE-XMF-05344] c31 N71-16345
Breakaway multiwire electrical cable connector with particular application for umbilical type cables
[NASA-CASE-NPO-11140] c15 N72-17455
Gas operated quick disconnect coupling for umbilical connectors
[NASA-CASE-NPO-11202] c15 N72-25450
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
UMBILICAL TOWERS
Emergency escape cabin system for launch towers
[NASA-CASE-KKS-02342] c05 N71-11199
UNDERWATER ENGINEERING
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c46 N79-23555
UNDERWATER TESTS
Pressure regulator for space suit worn underwater to simulate space environment for testing and experimentation
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
UNIFORM FLOW
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
UNIONS (CONNECTORS)
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283
UNLOADING
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
UNMANNED SPACECRAFT
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
UP-CONVERTERS
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c33 N81-15192
UPPER ATMOSPHERE
Telespectrograph for analyzing upper atmosphere by tracking bodies reentering atmosphere at high velocities
[NASA-CASE-XLA-03273] c14 N71-18699
Development and operation of apparatus for sampling particulates in gases in upper atmosphere
[NASA-CASE-HQN-10037-1] c14 N73-27376
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
Microwave limb sounder --- to measure trace gases in the supper atmosphere
[NASA-CASE-NPO-14544-1] c74 N79-34014
URANIUM 235
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
UREAS
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c52 N80-14687
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c27 N80-23452
URETHANES
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
URINALYSIS
Automated fluid chemical analyzer for microchemical analysis of small quantities of liquids by use of selected reagents and analyzer units
[NASA-CASE-XNP-09451] c06 N71-26754
Enzymatic luminescent bioassay method for determining bacterial levels in urine
[NASA-CASE-GSC-11092-2] c04 N73-27052
Automatic device for assaying urine on bacterial adenosine triphosphate content
[NASA-CASE-GSC-11169-2] c05 N73-32011
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
URINATION
Open type urine receptacle with tubular housing
[NASA-CASE-MSC-12324-1] c05 N72-22093
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c52 N79-14756
URINE
Urine collection device
[NASA-CASE-MSC-16433-1] c52 N78-27750
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c52 N79-23657
UROLOGY
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c52 N79-14756
UTERUS
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796

V

V GROOVES
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c39 N74-13131
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N79-12321
Rotary target V-block --- aligning wind tunnel apparatus for optical measurement
[NASA-CASE-LAR-12007-2] c74 N79-25876
VACANCIES (CRYSTAL DEFECTS)
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
VACUUM
Hole mobility of deposited semiconductor films in vacuum utilizing thermal gradient
[NASA-CASE-KKS-04614] c15 N69-21460
Operating properties of superconducting magnet in vacuum environment
[NASA-CASE-XNP-06503] c23 N71-29049
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c35 N79-14346
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450
VACUUM APPARATUS
Null-type vacuum microbalance for measuring minute mechanical displacements
[NASA-CASE-XAC-00472] c15 N70-40180
Sealing evacuation port and evacuating vacuum container such as space jackets
[NASA-CASE-XNP-03290] c15 N71-23256
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607
Oil trap for preventing diffusion pump backstreaming into evacuated system
[NASA-CASE-GSC-10518-1] c15 N72-22489
Inductance device with vacuum insulation and materials of low gas entrapping capability
[NASA-CASE-LEW-10330-1] c09 N72-27226
Development of apparatus for producing metal powder particles of controlled size
[NASA-CASE-XLE-06461-2] c17 N72-28535
Portable vacuum probe surface sampler for sampling large surface areas with relatively light loading densities of microorganisms
[NASA-CASE-LAR-10623-1] c14 N73-30395

Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343

VACUUM CHAMBERS
High-vacuum condenser tank for testing ion rocket engines
[NASA-CASE-XLE-00168] c11 N70-33278
Portable electron beam welding chamber
[NASA-CASE-LEW-11531] c15 N71-14932
Space environmental work simulator with portions of space suit mounted to vacuum chamber wall
[NASA-CASE-XMF-07488] c11 N71-18773
Ionization control system design for monitoring separately located ion gage pressures on vacuum chambers
[NASA-CASE-XLE-00787] c14 N71-21090
Coherent light beam device and method for measuring gas density in vacuum chambers
[NASA-CASE-XER-11203] c14 N71-28994
Transferring liquid nitrogen through vacuum chamber to cryopanel
[NASA-CASE-LAR-10031] c15 N72-22484
Vacuum chamber with scale model of rocket engine base area of space vehicle
[NASA-CASE-MFS-20620] c11 N72-27262
Packless valve for use with evacuation chamber with adapter for attachment to vacuum line and vacuum pump
[NASA-CASE-LAR-10061-1] c15 N72-31483
Apparatus for analyzing gas samples in containers including vacuum chamber, mass spectrometer, and gas chromatography
[NASA-CASE-GSC-10903-1] c14 N73-12444
Design and development of test stand system for supporting test items in vacuum chamber
[NASA-CASE-MFS-21362] c11 N73-20267
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c28 N80-20402
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c35 N81-19426

VACUUM DEPOSITION
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Describing apparatus used in vacuum deposition of thin film inductive windings for spacecraft microcircuitry
[NASA-CASE-XMF-01667] c15 N71-17647
Spatter proof evaporant source design for use in vacuum deposition of solid thin films on substrates
[NASA-CASE-XMF-06065] c15 N71-20395
Device for high vacuum film deposition with electromagnetic ion steering
[NASA-CASE-NPO-10331] c09 N71-26701
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N79-14214

VACUUM EFFECTS
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c33 N80-18285

VACUUM FURNACES
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27500

VACUUM GAGES
Simulating operation of thermopile vacuum gage tube at high and low pressures
[NASA-CASE-XLA-02758] c14 N71-18481
Calibration of vacuum gauges for measuring total and partial pressures in ultrahigh vacuum region
[NASA-CASE-XGS-07752] c14 N73-30390
Ionization gage for measuring ultrahigh vacuum levels
[NASA-CASE-XLA-05087] c14 N73-30391
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092

VACUUM MELTING
Electric furnace for vacuum and zero gravity melting of high melting point materials during earth orbit
[NASA-CASE-MFS-20710] c11 N72-23215

VACUUM PUMPS
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c37 N81-17433

VACUUM SYSTEMS
Shrink-fit vacuum system gas valve
[NASA-CASE-XGS-00587] c15 N70-35087
Leakproof soft metal seal for use in very high vacuum systems operating at cryogenic temperatures
[NASA-CASE-XGS-02441] c15 N70-41629
Describing hot filament type Bayard-Alpert ionization gage with ion collector buried or removed from grid structure
[NASA-CASE-XLA-07424] c14 N71-18482
Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612

VACUUM TUBES
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229

VALUE
High impact pressure regulator having minimum number of lightweight movable elements
[NASA-CASE-NPO-10175] c14 N71-18625

VALVES
Actuator using compressed gas as driving force to control valve handling large liquid flows
[NASA-CASE-XHQ-01208] c15 N70-35409
Two component valve assembly for cryogenic liquid transfer regulation
[NASA-CASE-XLE-00397] c15 N70-36492
High pressure four-way valve with O ring adapted to pass across inlet port
[NASA-CASE-XNP-00214] c15 N70-36908
Reinforcing beam system for highly flexible diaphragms in valves or pressure switches
[NASA-CASE-XNP-01962] c32 N70-41370
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
Throttle valve for regulating fluid flow volume
[NASA-CASE-XNP-09698] c15 N71-18580
Development and characteristics of high pressure control valve
[NASA-CASE-MSC-11010] c15 N71-19485
Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-XKS-02582] c15 N71-21234
Positive locking check valve for stopping reversed flow
[NASA-CASE-XMS-09310] c15 N71-22706
Valve assembly for controlling simultaneously more than one fluid flow, and having stable qualities under loads
[NASA-CASE-XMS-05890] c09 N71-23191
Segmented sealing surface in valve seat
[NASA-CASE-NPO-10606] c15 N72-25451
Packless valve for use with evacuation chamber with adapter for attachment to vacuum line and vacuum pump
[NASA-CASE-LAR-10061-1] c15 N72-31483
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c37 N74-21065
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Reciprocating engines
[NASA-CASE-MSC-16239-1] c37 N78-11399

VANES
Design and characteristics of device for sensing solar radiation and providing spacecraft attitude control to maintain direction with respect to incident radiation
[NASA-CASE-XNP-05535] c14 N71-23040
Rotary vane attenuator with two stators and intermediary rotor, using resistive and orthogonally disposed cards
[NASA-CASE-NPO-11418-1] c14 N73-13420

VAPOR DEPOSITION
Deposition method for epitaxial beta SiC films having high degree of crystallographic perfection
[NASA-CASE-ERC-10120] c26 N69-33482
Device for producing high purity silicon carbide on carbon base by hydrogen reduction of silicon tetrachloride
[NASA-CASE-XLA-02057] c26 N70-40015
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Vapor deposition method for forming metallized tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Means of vapor deposition using electric current and evaporator filament
[NASA-CASE-LAR-10541-1] c15 N72-32487
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c27 N74-13270
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c25 N75-29192
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c25 N79-28253

VAPOR PHASES
Method and feed system for separating and orienting liquid and vapor phases of liquid propellants in zero gravity environment
[NASA-CASE-XLE-01182] c27 N71-15635
Gallium arsenide solar cell preparation by surface deposition of cuprous iodide on thin n-type polycrystalline layers and heating in iodine vapor
[NASA-CASE-XNP-01960] c09 N71-23027
Mixed liquid and vapor phase analyzer design with thermocouples for relative heat transfer measurement
[NASA-CASE-NPO-10691] c14 N71-26199
Electronic recording system for spatial mass distribution of liquid rocket propellant droplets or vapors ejected from high velocity nozzles
[NASA-CASE-NPO-10185] c10 N71-26339

VAPOR PRESSURE
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Vapor-liquid separator design with vapor driven pump for separated liquid pumping for application in propellant transfer
[NASA-CASE-XNP-04042] c15 N71-23023
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c36 N80-20574

VAPOR TRAPS
Describing sorption vacuum trap having housing with group of reentrant wall portions projecting into internal gas-pervious container filled with gas and vapor sorbent material
[NASA-CASE-XER-09519] c14 N71-18483

VAPORIZERS
Vapor generating boiler system for turbine motor
[NASA-CASE-XLE-00785] c33 N71-16104
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394

VAPORIZING
Apparatus and process for volumetrically dispensing reagent quantities of volatile chemicals for small batch reactions
[NASA-CASE-NPO-10070] c15 N71-27372
Development of method for controlling vapor content of gas
[NASA-CASE-NPO-10633] c03 N72-28025

VARACTOR DIODE CIRCUITS
Phase modulator with tuned variable length electrical lines including coupling and varactor diode circuits
[NASA-CASE-MSC-13201-1] c07 N71-28429

VARACTOR DIODES
Varactor microwave frequency mixing circuit
[NASA-CASE-XGS-02171] c09 N69-24324
Multiple varactor for generating high frequencies with high power and high conversion efficiency
[NASA-CASE-XNP-04958-1] c10 N71-26414
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660

VARIABLE CYCLE ENGINES
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067

VARIABLE GEOMETRY STRUCTURES
Aerospace configuration with low and high aspect ratio variability for high and low speed flight
[NASA-CASE-XLA-00142] c02 N70-33286
Variable geometry wind tunnel for testing aircraft models at subsonic speeds
[NASA-CASE-XLA-07430] c11 N72-22246
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392

VARIABLE PITCH PROPELLERS
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468

VARIABLE SWEEP WINGS
Variable sweep wing configuration for supersonic aircraft
[NASA-CASE-XLA-00230] c02 N70-33255
Variable aspect ratio and variable sweep delta wing planforms for supersonic aircraft
[NASA-CASE-XLA-00221] c02 N70-33266
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
Supersonic aircraft variable sweep wing planform for varying aspect ratio
[NASA-CASE-XLA-00350] c02 N70-38011
Development and characteristics of variable sweep wing control system for supersonic aircraft
[NASA-CASE-XLA-03659] c02 N71-11041
Design of dual fuselage aircraft with pivoting wing and horizontal stabilizer to permit yawing of wing in flight for high speed operation
[NASA-CASE-ARC-10470-1] c02 N73-26005

VARIABLE THRUST
Variable thrust ion engine using thermal decomposition of solid cesium compound to produce propulsive vapor
[NASA-CASE-XNP-00923] c28 N70-36802
Continuous variation of propellant flow and thrust by application of liquid foam flow theory to injection orifice
[NASA-CASE-XLE-00177] c28 N70-40367
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055

VARIATIONS
Gearing system for eliminating backlash and filtering input torque fluctuations from high inertia load
[NASA-CASE-XGS-04227] c15 N71-21744

VECTOR ANALYSIS
Development of two force component measuring device
[NASA-CASE-XAC-04886-1] c14 N71-20439

VECTORCARDIOGRAPHY
Electromedical garment, applying vectorcardiologic type electrodes to human torsos for data recording during physical activity
[NASA-CASE-XFR-10856] c05 N71-11189

VEGETATION GROWTH
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N78-10529

VEHICLE WHEELS
Resilient vehicle wheel for lunar surface travel
[NASA-CASE-MFS-20400] c31 N71-18611
Resilient wheel design with woven wire tire and abrasive treads for lunar surface vehicles
[NASA-CASE-MFS-13929] c15 N71-27091
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c37 N74-18125
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c37 N74-23070
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
Improved tire/wheel concept --- pneumatic aircraft tire
[NASA-CASE-LAR-11695-2] c37 N80-18402
VEHICLES
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c37 N78-27424
VEHICULAR TRACKS
An improved suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c37 N79-12446
VELOCITY
Velocity limiting safety system for motor driven research vehicle
[NASA-CASE-XLA-07473] c15 N71-24895
VELOCITY MEASUREMENT
Particle detector for measuring micrometeoroid velocity in space
[NASA-CASE-XLA-00495] c14 N70-41332
Superconductive accelerometer employing variable force principle to determine acceleration of bodies
[NASA-CASE-XMF-01099] c14 N71-15969
Device for determining acceleration of gravity by interferometric measurement of travel of falling body
[NASA-CASE-XMF-05844] c14 N71-17587
Describing laser Doppler velicometer for measuring mean velocity and turbulence of fluid flow
[NASA-CASE-MFS-20386] c21 N71-19212
Momentum-velocity analyzer for measuring minute space particles
[NASA-CASE-XMS-04201] c14 N71-22990
Development of combined velocimeter and accelerometer based on color changes in liquid crystalline material subjected to shear stresses
[NASA-CASE-ERC-10292] c14 N72-25410
Instrument for measuring magnitude and direction of flow velocity in flow field
[NASA-CASE-LAR-10855-1] c14 N73-13415
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c72 N74-19310
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N78-32396
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c06 N80-18036
VELOCITY MODULATION
Selector mechanism for mechanical separation and discrimination of high velocity molecular particles
[NASA-CASE-XLE-01533] c11 N71-10777
Describing device for velocity control of electromechanical drive mechanism of scanning mirror of interferometer
[NASA-CASE-XGS-03532] c14 N71-17627
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c33 N80-19425
VENTILATION
Protective garment ventilation system
[NASA-CASE-XMS-04928] c54 N78-17679
VENTILATORS
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
VENTING
Fuel tank pressure-relief device for venting cryogenic liquid vapors through tubes with porous plug
[NASA-CASE-XLE-00288] c15 N70-34247
Venting device for liquid propellant storage tank using magnetic field to separate liquid and gaseous phases
[NASA-CASE-XLE-01449] c15 N70-41646
Valve seat with resilient support ring for venting valves subjected to high pressure sealing loads
[NASA-CASE-XKS-02582] c15 N71-21234
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333
Solid propellant rocket engine with venting system to control effective nozzle throat area
[NASA-CASE-XNP-03282] c28 N72-20758
VENUS (PLANET)
Space simulator with uniform test region radiation distribution, adapted to simulate Venus solar radiations
[NASA-CASE-XNP-00459] c11 N70-38675
VERTICAL FLIGHT
Aircraft indicator for pilot control of takeoff roll, climbout path and verticle flight path in poor visibility conditions
[NASA-CASE-XLA-00487] c14 N70-40157
VERTICAL LANDING
Vertically descending flight vehicle landing gear for rough terrain
[NASA-CASE-XNP-01174] c02 N70-41589
VERTICAL TAKEOFF AIRCRAFT
Mechanical stabilization system for VTOL aircraft
[NASA-CASE-XLA-06339] c02 N71-13422
Development of attitude control system for vertical takeoff aircraft using reaction nozzles displaced from various axes of aircraft
[NASA-CASE-XAC-08972] c02 N71-20570
VERY HIGH FREQUENCIES
VHF/UHF parasitic probe antenna for spacecraft communication
[NASA-CASE-XKS-09340] c07 N71-24614
VERY LONG BASE INTERFEROMETRY
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
VESTS
Lightweight life preserver without fastening devices
[NASA-CASE-XMS-00864] c05 N70-36493
VIBRATION
Three stage motion restraining mechanism for restraining and damping three dimensional vibrational movement of gimballed package during launch of spacecraft
[NASA-CASE-GSC-10306-1] c15 N71-24694
Vibration control of flexible bodies in steady accelerating environment
[NASA-CASE-LAR-10106-1] c15 N71-27169
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197
VIBRATION DAMPING
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
Digital filter for reducing jitter in digital control systems
[NASA-CASE-NPO-11088] c08 N71-29034
Blade vibration damping pins for turbomachinery
[NASA-CASE-XLE-00155] c28 N71-29154
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c33 N80-29583
VIBRATION EFFECTS
Electromagnetic energy detection by thermal sensor with vibrating electrode
[NASA-CASE-XAC-10768] c09 N71-18830
Development of ultrasonic radiation equipment for removing material from host surface and vacuum apparatus for recovery of material
[NASA-CASE-NPO-11213] c15 N73-20514
Spherical bearing --- to reduce vibration effects
[NASA-CASE-MFS-23447-1] c37 N79-11404
VIBRATION ISOLATORS
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
Miniature vibration isolator utilizing elastic tubing material
[NASA-CASE-XLA-01019] c15 N70-40156

Vibration damping system operating in low vacuum environment for spacecraft mechanisms
[NASA-CASE-XMS-01620] c23 N71-15673
Hermetically sealed vibration damper design for use in gimbal assembly of spacecraft inertial guidance system
[NASA-CASE-MSC-10959] c15 N71-26243
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006
Vibration isolation system, using coaxial helical compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c18 N74-27397
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c27 N79-12221
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c37 N79-28549
Decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c08 N80-22359

VIBRATION MEASUREMENT
Development of system for measuring damping characteristics of structure or system subjected to random forces or influnces
[NASA-CASE-ARC-10154-1] c14 N72-22440
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c35 N80-14371

VIBRATION METERS
Fiber optic transducers for monitoring and analysis of vibration in aerospace vehicles and onboard equipment
[NASA-CASE-XMF-02433] c14 N71-10616

VIBRATION MODE
Function generators for producing complex vibration mode patterns used to identify vibration mode data
[NASA-CASE-LAR-10310-1] c10 N73-20253

VIBRATION SIMULATORS
Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416

VIBRATION TESTS
Electronic detection system for peak acceleration limits in vibrational testing of spacecraft components
[NASA-CASE-NPO-10556] c14 N71-27185
Fixture for supporting articles during vibration tests comprising integral annular unit
[NASA-CASE-MFS-20523] c14 N72-27412
Equipment for vibration testing of assemblies, components, and other articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
Multiaxes vibration device for making vibration tests along orthogonal axes of test specimen
[NASA-CASE-MFS-20242] c14 N73-19421

VIBRATIONAL SPECTRA
Tuned damped vibration absorber for mass vibrating in more than one degree of freedom for use with wind tunnel models
[NASA-CASE-LAR-10083-1] c15 N71-27006

VIDEO COMMUNICATION
Circuitry for generating sync signals in FM communication systems including video information
[NASA-CASE-XNP-10830] c07 N71-11281
Monitoring circuit design for sampling circuit control and reduction of time-bandwidth in video communication systems
[NASA-CASE-XNP-02791] c07 N71-23026
Teletypewriter video communication system and apparatus
[NASA-CASE-XNP-06611] c07 N71-26102
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328

VIDEO DATA
TV camera output signal control system for digital spacecraft communication
[NASA-CASE-XNP-01472] c14 N70-41807
Transient video signal tape recorder with expanded playback
[NASA-CASE-ABC-10003-1] c09 N71-25866
Restoration and improvement of demodulated facsimile video signals
[NASA-CASE-GSC-10185-1] c07 N72-12081
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431

VIDEO EQUIPMENT
Video signal processing system for sampling video brightness levels
[NASA-CASE-NPO-10140] c07 N71-24742
Video sync processor with phase locked system
[NASA-CASE-KSC-10002] c10 N71-25865
Teletypewriter video communication system and apparatus
[NASA-CASE-XNP-06611] c07 N71-26102
Video signal enhancement of signal component representing brightness of scene element in low contrast
[NASA-CASE-NPO-10343] c07 N71-27341
Circuitry for high input impedance video processor with high noise immunity
[NASA-CASE-NPO-10199] c09 N72-17156
Electronic video editor for switching video input signals to common output channel
[NASA-CASE-KSC-10003] c10 N73-13235
Video tape recorder with scan conversion playback for color television signals
[NASA-CASE-NPO-10166-1] c07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656

VIDICONS
Operation of vidicon tube for scanning spatial charge density pattern
[NASA-CASE-XNP-06028] c09 N71-23189
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036

VINYL POLYMERS
Method of producing output voltage from photovoltaic cell using poly-N-vinyl carbazole complexed with iodine
[NASA-CASE-NPO-10373] c03 N71-18698
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N78-32256
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438

VINYLIDENE
Preparation of dicyanoacetylene and vinylidene copolymers using organic compounds
[NASA-CASE-XNP-03250] c06 N71-23500

VIRUSES
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693

VISCOELASTICITY
Automated ball rebound resilience test equipment for determining viscoelastic properties of polymers
[NASA-CASE-XLA-08254] c14 N71-26161
Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104

VISCOMETERS
Describing instrument capable of measuring true shear viscosity of liquids and viscoelastic materials
[NASA-CASE-XNP-09462] c14 N71-17584
Development and characteristics of parallel plate viscometer for determination of absolute viscosity of liquids and viscoelastic materials
[NASA-CASE-NPO-11387] c14 N73-14429

VISCOSITY
Low density and low viscosity magnetic

propellant for use under zero gravity conditions
[NASA-CASE-XLE-01512] c12 N70-40124
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c35 N80-18357

VISCOUS DAMPING
Shock and vibration damping device using temperature sensitive solid amorphous polymers
[NASA-CASE-XAC-11225] c14 N69-27486
Design and operation of viscous pendulum damper
[NASA-CASE-XLA-02079] c12 N71-16894
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626

VISIBILITY
Controlled visibility device for simulating poor visibility conditions in training pilots in instrument landing and flight procedures
[NASA-CASE-XFR-04147] c11 N71-10748
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-2] c03 N78-25070

VISORS
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c23 N75-14834

VISUAL ACUITY
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759

VISUAL CONTROL
Visual target luminaires for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499

VISUAL FIELDS
Automated visual sensitivity tester for determining visual field sensitivity and blind spot size
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882

VISUAL OBSERVATION
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c38 N78-17396

VISUAL PERCEPTION
High pressure liquid flow sight assembly for wide temperature range applications including cryogenic fluids
[NASA-CASE-XLE-02998] c14 N70-42074

VISUAL STIMULI
Reaction tester for testing reaction to light stimuli
[NASA-CASE-MSC-13604-1] c05 N73-13114

VOICE COMMUNICATION
Position locating system for remote aircraft using voice communication and digital signals
[NASA-CASE-GSC-10087-2] c21 N71-13958
Earth satellite relay station for frequency multiplexed voice transmission
[NASA-CASE-GSC-10118-1] c07 N71-24621
Voice operated receiving and transmitting system for use in protective suits
[NASA-CASE-KSC-10164] c07 N71-33108
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c32 N76-21366
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448

VOICE DATA PROCESSING
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Memory-based frame synchronizer --- for voice data processing in digital communication systems
[NASA-CASE-GSC-12430-1] c32 N80-20453

VOLATILITY
Apparatus for determining volatile condensable material present in polymeric products
[NASA-CASE-XNP-09699] c06 N71-24607

VOLT-AMPERE CHARACTERISTICS
Simulating voltage-current characteristic curves of solar cell panel with different operational parameters
[NASA-CASE-XMS-01554] c10 N71-10578
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193

VOLTAGE AMPLIFIERS
Increasing power conversion efficiency of electronic amplifiers by power supply switching
[NASA-CASE-XMS-00945] c09 N71-10798
Bootstrap unloading circuits for sampling transducer voltage sources without drawing current
[NASA-CASE-XNP-09768] c09 N71-12516
RC networks with voltage amplifier, RC input circuit, and positive feedback
[NASA-CASE-ARC-10020] c10 N72-17172
Wide range analog to digital converter with variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c33 N80-18286

VOLTAGE CONVERTERS (AC TO AC)
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312

VOLTAGE CONVERTERS (DC TO DC)
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c33 N78-32341
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
Power converter --- for display devices, lighting equipment
[NASA-CASE-FEC-11014-1] c33 N79-27395
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c33 N81-19392
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393

VOLTAGE GENERATORS
Pulsed energy power system for application of combustible gases to turbine controlling ac voltage generator
[NASA-CASE-MSC-13112] c03 N71-11057
Biotelemetry apparatus with dual voltage generators for implanting in animals
[NASA-CASE-XAC-05706] c05 N71-12342
Transistorized circuit for producing multiple slope voltage sweep
[NASA-CASE-XMS-03542] c09 N71-28926
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-FEC-10268] c09 N72-25252
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c44 N80-18551

VOLTAGE REGULATORS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Power control switching circuit using low voltage semiconductor controlled rectifiers for high voltage isolation
[NASA-CASE-XNP-02713] c10 N69-39888
Automatic measuring and recording of gain and zero drift characteristics of electronic amplifier
[NASA-CASE-XMS-05562-1] c09 N69-39986

Automatic control of voltage supply to direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Design, development, and operating principles of power supply with starting circuit which is independent of voltage regulator
[NASA-CASE-XMS-01991] c09 N71-21449
High voltage divider system for attenuating high voltages to convenient levels suitable for introduction to measuring circuits
[NASA-CASE-XLE-02008] c09 N71-21583
Power supply with overload protection for series stage transistor
[NASA-CASE-XMS-00913] c10 N71-23543
Voltage controlled, variable frequency relaxation oscillator with MOSFET variable current feed
[NASA-CASE-GSC-10022-1] c10 N71-25882
Design and development of buck-boost voltage regulator circuit with additive or subtractive alternating current impressed on variable direct current source voltage
[NASA-CASE-GSC-10735-1] c10 N71-26085
Voltage range selection apparatus for sensing and applying voltages to electronic instruments without loading signal source
[NASA-CASE-XMS-06497] c14 N71-26244
Dissipative voltage regulator system for minimizing heat dissipation
[NASA-CASE-GSC-10891-1] c10 N71-26626
Power point tracker for maintaining optimal output voltage of power source
[NASA-CASE-GSC-10376-1] c14 N71-27407
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
Relay controlled voltage switching unit for scanning circuitry of star tracker
[NASA-CASE-NPO-11253] c09 N72-17157
Switching type voltage regulator with relatively simple circuit arrangement
[NASA-CASE-LEW-11005-1] c09 N72-21243
Inductive-capacitive loops as load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c33 N74-22885
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c33 N78-17295
Voltage regulator for battery power source --- using a bipolar transistor
[NASA-CASE-FRC-10116-1] c33 N79-23345
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c33 N81-19392

VOLTMETERS
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521

VOLUMETRIC ANALYSIS
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307

VOMITING
Venting device for pressurized space suit helmet to eliminate vomit expelled by crewmen
[NASA-CASE-XMS-09652-1] c05 N71-26333

VORTEX BREAKDOWN
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001

VORTEX FLAPS
Leading edge vortex flaps for drag reduction --- during subsonic flight
[NASA-CASE-LAR-12750-1] c02 N81-19016

VORTEX GENERATORS
Multiple vortex amplifier system as fluid valve
[NASA-CASE-XMF-04709] c15 N71-15609
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423

VORTICES
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N79-14108

VULCANIZING
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124

W

WAFERS
Separation of semiconductor wafer into chips bounded by scribe lines
[NASA-CASE-ERC-10138] c26 N71-14354
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c37 N80-29703
High voltage planar multijunction --- solar cells
[NASA-CASE-LEW-13400-1] c44 N81-16528
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529

WALL TEMPERATURE
Thermocouple apparatus for measuring wall temperatures in regeneratively cooled rocket engines having thin walled cooling passages
[NASA-CASE-XLE-05230-2] c14 N73-13417
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c34 N75-12222
Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363

WALLS
Metal ribbon wrapped outer wall for regeneratively cooled combustion chamber
[NASA-CASE-XLE-00164] c15 N70-36411

WARNING SYSTEMS
Alarm system design for monitoring one or more relay cicuits
[NASA-CASE-XMS-10984-1] c10 N71-19417
Unsaturating magnetic core transformer design with warning signal for electrical power processing equipment
[NASA-CASE-ERC-10125] c09 N71-24893
Electrical failure detector in solid rocket propellant motor insulation against thermal degradation by fuel grain
[NASA-CASE-XMF-03968] c14 N71-27186
Device for generating and controlling combustion products for testing of fire detection system
[NASA-CASE-GSC-11095-1] c14 N72-10375
Vertically stacked collinear array of independently fed omnidirectional antennas for use in collision warning systems on commercial aircraft
[NASA-CASE-LAR-10545-1] c09 N72-21244
Development and operating principles of collision warning system for aircraft accident prevention
[NASA-CASE-HQN-10703] c21 N73-13643
Pilot warning indicator system of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
Silent alarm system for mutiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205
Development and characteristics of electronic signalling system and data processing equipment for warning systems to avoid midair collisions between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N78-10375
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c32 N79-10262
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
Intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c35 N81-19430

WASTE DISPOSAL
Fecal waste disposal container
[NASA-CASE-XMS-06761] c05 N69-23192
Airlock for waste transferal from pressurized enclosure aboard space vehicle to waste

receiver at negative pressure
[NASA-CASE-MFS-20922] c31 N72-20840
Pressurized tank for feeding liquid waste into processing equipment
[NASA-CASE-LAR-10365-1] c05 N72-27102
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804

WASTE ENERGY UTILIZATION
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183] c44 N80-29843

WASTE UTILIZATION
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c45 N79-12584

WASTE WATER
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747

WATER
Variable water load for dissipating large amounts of electrical power during high voltage power supply tests
[NASA-CASE-XNP-05381] c09 N71-20842
Gas chromatographic method for determining water in nitrogen tetroxide rocket propellant
[NASA-CASE-NPO-10234] c06 N72-17094
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c35 N78-27384
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c44 N79-11470

WATER FLOW
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779

WATER INJECTION
Reentry communication by injection of water droplets into plasma layer surrounding space vehicle
[NASA-CASE-XLA-01552] c07 N71-11284

WATER LANDING
Parachute system for lowering manned spacecraft from post-reentry to ocean landing
[NASA-CASE-XLA-00195] c02 N70-38009
Spacecraft design with single point aerodynamic and hydrodynamic stability for emergency transport of men from space station to splashdown
[NASA-CASE-MSC-13281] c31 N72-18859

WATER MANAGEMENT
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701

WATER POLLUTION
Utilization of solar radiation by solar still for converting salt and brackish water into potable water
[NASA-CASE-XMS-04533] c15 N71-23086
Portable tester for monitoring bacterial contamination by adenosine triphosphate light reaction
[NASA-CASE-GSC-10879-1] c14 N72-25413
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067

WATER QUALITY
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c34 N79-24285
A system for sterilizing objects --- such as water systems on the space shuttle using ethylene oxide
[NASA-CASE-KSC-11085-1] c54 N79-33848

WATER RECLAMATION
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345

WATER RESOURCES
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498

WATER TEMPERATURE
Differential thermopile for measuring cooling water temperature rise
[NASA-CASE-XAC-00812] c14 N71-15598

WATER TREATMENT
Description of electrical equipment and system for purification of waste water by producing silver ions for bacterial control
[NASA-CASE-MSC-10960-1] c03 N71-24718
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c25 N75-12087
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Air removal device --- for purification of water under zero gravity conditions
[NASA-CASE-XLA-8914-2] c34 N76-23522
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c45 N79-12584
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c27 N80-23452
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076

WATER VAPOR
Equipment for measuring partial water vapor pressure in gas tank
[NASA-CASE-XMS-01618] c14 N71-20741
Cell and method for electrolysis of water and anode therefor --- oxygen recovery in connection with space transportation vehicles
[NASA-CASE-MSC-16394-1] c25 N80-26406

WATER WAVES
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c35 N79-10391
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667

WATERPROOFING
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063

WATERWAVE ENERGY CONVERSION
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c44 N80-29834

WAVE AMPLIFICATION
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919

WAVE DIFFRACTION
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c74 N80-21140

WAVE FRONT RECONSTRUCTION
Recording and reconstructing focused image holograms
[NASA-CASE-REC-10017] c16 N71-15567

WAVE GENERATION
Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
Linear sawtooth voltage wave generator with transistor timing circuit having capacitor and zener diode feedback loops
[NASA-CASE-XMS-01315] c09 N70-41675
Sign wave generation simulator for variable amplitude, frequency, damping, and phase pulses for oscilloscope display
[NASA-CASE-NPO-10251] c10 N71-27365
Wideband generator for producing sine wave quadrature and second harmonic of input signal
[NASA-CASE-NPO-11133] c10 N72-20223
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c12 N75-24774
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584
WAVE REFLECTION
Surface defect detection by reflected microwave radiation pattern
[NASA-CASE-ARC-10009-1] c15 N71-17822
Millimeter wave antenna system for spacecraft use
[NASA-CASE-GSC-10949-1] c07 N71-28965
WAVE SCATTERING
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
WAVEFORMS
Variable frequency magnetic coupled multivibrator with output signal of constant amplitude and waveform
[NASA-CASE-XGS-00131] c09 N70-38995
Cathode ray oscilloscope for analyzing electrical waveforms representing amplitude distribution of time function
[NASA-CASE-XNP-01383] c09 N71-10659
Peak polarity selector for monitoring waveforms
[NASA-CASE-FRC-10010] c10 N71-24862
Development of family of frequency to amplitude converters for frequency analysis of complex input signal waveforms
[NASA-CASE-MSC-12395] c09 N72-25257
Device for performing statistical time-series analysis of complex electrical signal waveforms
[NASA-CASE-MSC-12428-1] c10 N73-25240
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
WAVEGUIDE ANTENNAS
Planar array circularly polarized antenna with wall slot excitation
[NASA-CASE-NPO-10301] c07 N72-11148
WAVEGUIDE FILTERS
Microwave power divider for providing variable output power to output waveguide in fixed waveguide system
[NASA-CASE-NPO-11031] c07 N71-33606
WAVEGUIDE LASERS
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350
WAVEGUIDE WINDOWS
Broadband microwave waveguide window to compensate dielectric material filling
[NASA-CASE-XNP-08880] c09 N71-24808
WAVEGUIDES
Dual waveguide mode source for controlling amplitudes of two modes
[NASA-CASE-XNP-03134] c07 N71-10676
Design of folded traveling wave maser structure
[NASA-CASE-XNP-05219] c16 N71-15550
Quasi-optical microwave circuit with dielectric body for use with oversize waveguides
[NASA-CASE-ERC-10011] c07 N71-29065
Microwave waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Development of thin film microwave iris installed in microwave waveguide transverse to flow of energy in waveguide
[NASA-CASE-LAR-10511-1] c09 N72-29172
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c33 N75-26245
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c32 N80-32605
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187
WAVELENGTHS
Method and apparatus using temperature control for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Multiple wavelength radiation measuring instrument for determining hot body or gas temperature
[NASA-CASE-XLE-00011] c14 N70-41946
Optical system for selecting particular wavelength light beams from multiple wavelength light source
[NASA-CASE-ERC-10248] c14 N72-17323
Development of radiant energy sensor to detect the radiant energy wavelength bands from portions of radiating body
[NASA-CASE-ERC-10174] c14 N72-25409
Dual wavelength system for monitoring film deposition
[NASA-CASE-MFS-20675] c26 N73-26751
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c35 N75-16783
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c36 N75-31426
A fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c32 N80-18261
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440
WAVES
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c44 N80-29834
WEATHERPROOFING
Weatherproof helix antenna
[NASA-CASE-XKS-08485] c07 N71-19493
WEBS (SHEETS)
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
WEBS (SUPPORTS)
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
WEDGES
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N78-27121
WEIGHT (MASS)
Suspended mass oscillation damper based on impact energy absorption for damping wind induced oscillations of tall stacks, antennas, and umbilical towers
[NASA-CASE-LAR-10193-1] c15 N71-27146
WEIGHT INDICATORS
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
WEIGHT MEASUREMENT
Weighing and recording device for obtaining precise automatic record of small changes in force
[NASA-CASE-XLA-02605] c14 N71-10773
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
WEIGHTLESSNESS
Apparatus for cryogenic liquid storage with heat transfer reduction and for liquid transfer at

zero gravity conditions
[NASA-CASE-XLE-00345] c15 N70-38020
Liquid-gas separator adapted for use in zero gravity environment - drawings
[NASA-CASE-XMS-01624] c15 N70-40062
Expulsion and measuring device for determining quantity of liquid in tank under conditions of weightlessness
[NASA-CASE-XMS-01546] c14 N70-40233
Collapsible auxiliary tank for restarting liquid propellant rocket motors under zero gravity
[NASA-CASE-XNP-01390] c28 N70-41275
Absorbent apparatus for separating gas from liquid-gas stream used in environmental control under zero gravity conditions
[NASA-CASE-XMS-01492] c05 N70-41297
Potable water reclamation from human wastes in zero-G environment
[NASA-CASE-XLA-03213] c05 N71-11207
Describing apparatus for separating gas from cryogenic liquid under zero gravity and for venting gas from fuel tank
[NASA-CASE-XLE-00586] c15 N71-15968
Cable suspension and inclined walkway system for simulating reduced or zero gravity environments
[NASA-CASE-XLA-01787] c11 N71-16028
Development of apparatus for simulating zero gravity conditions
[NASA-CASE-MFS-12750] c27 N71-16223
Quick disconnect latch and handle combination for mounting articles on walls or supporting bases in spacecraft under zero gravity conditions
[NASA-CASE-MFS-11132] c15 N71-17649
Gauge for measuring quantity of liquid in spherical tank in reduced gravity
[NASA-CASE-XMS-06236] c14 N71-21007
Zero gravity apparatus utilizing pneumatic decelerating means to create payload subjected to zero gravity conditions by dropping its height
[NASA-CASE-XMF-06515] c14 N71-23227
Method and apparatus for applying compressional forces to skeletal structure of subject to simulate force during ambulatory conditions
[NASA-CASE-ARC-10100-1] c05 N71-24738
Device which separates and screens particles of soil samples for vidicon viewing in vacuum and reduced gravity environments
[NASA-CASE-XNP-09770-3] c11 N71-27036
Description of method for making homogeneous foamed materials in weightless environment using materials having different physical properties
[NASA-CASE-XMF-09902] c15 N72-11387
Manipulator for remote handling in zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Apparatus for mixing two or more liquids under zero gravity conditions
[NASA-CASE-LAR-10195-1] c15 N73-19458
Zero gravity liquid transfer device, using spiral shaped screen
[NASA-CASE-KSC-10626] c14 N73-27378
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c51 N75-25503
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
Air removal device --- for purification of water under zero gravity conditions
[NASA-CASE-XLA-8914-2] c34 N76-23522
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c76 N77-32919
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278

WEIGHTLESSNESS SIMULATION
Reduced gravity liquid configuration simulator to study propellant behavior in rocket fuel tanks
[NASA-CASE-XLE-02624] c12 N69-39988
Apparatus for measuring human body mass in zero or reduced gravity environment
[NASA-CASE-XMS-03371] c05 N70-42000
Harness assembly adapted to support man on ground based apparatus which simulates weightlessness
[NASA-CASE-MFS-14671] c05 N71-12341
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c52 N74-10975

WELD STRENGTH
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683

WELD TESTS
Nondestructive radiographic tests of resistance welds
[NASA-CASE-XNP-02588] c15 N71-18613
Method and apparatus for testing integrated circuit microtab welds
[NASA-CASE-ARC-10176-1] c15 N72-21464

WELDED JOINTS
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568

WELDED STRUCTURES
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265

WELDING
Segmented back-up bar for butt welding large tubular structures such as rocket booster bodies or tanks
[NASA-CASE-XMF-00640] c15 N70-39924
Flexible backup bar for welding awkwardly shaped structures
[NASA-CASE-XMF-00722] c15 N70-40204
Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c37 N75-27376
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c37 N80-23655

WELDING MACHINES
Computer controlled apparatus for maintaining welding torch angle and velocity during seam tracking
[NASA-CASE-XMF-03287] c15 N71-15607
Welding torch with automatic speed controller using speed sensing wheel and closed servo system
[NASA-CASE-XMF-01730] c15 N71-23050
Development of electric weeding torch with casing on one end to form inert gas shield
[NASA-CASE-XMF-02330] c15 N71-23798
Development of apparatus for automatically changing carriage speed of welding machine to obtain constant speed of torch along work surface
[NASA-CASE-XMF-07069] c15 N71-23815
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421

WET CELLS
Indicator device for monitoring charge of wet cell battery, using semiconductor light emitter and photodetector
[NASA-CASE-NPO-10194] c03 N71-20407

WETTING
Anti-wettable materials brazing processes using titanium and zirconium for surface pretreatment
[NASA-CASE-XMS-03537] c15 N69-21471

WHEATSTONE BRIDGES
Self-balancing strain gage transducer with

bridge circuit
[NASA-CASE-MFS-12827] c14 N71-17656
Development of method for improving signal to noise ratio and accuracy of Wheatstone bridge type radiation measuring instrument
[NASA-CASE-XLA-02810] c14 N71-25901
Temperature control system comprised of wheatstone bridge with RC circuit
[NASA-CASE-NPO-11304] c14 N73-26430
WHEELS
An improved suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c37 N79-12446
WHISKER COMPOSITES
Composites reinforced with short metal fibers or whiskers and having high tensile strength
[NASA-CASE-XLE-00228] c17 N70-38490
WHISKERS (SINGLE CRYSTALS)
Catalyst for increased growth of boron carbide crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
WICKS
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
WIDE ANGLE LENSES
Wide angle eyepiece with long eye-relief distance
[NASA-CASE-XMS-06056-1] c23 N71-24857
WIDEBAND COMMUNICATION
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c32 N80-32604
WINCHES
Design and characteristics of device for showing amount of cable payed out from winch and load imposed
[NASA-CASE-MSC-12052-1] c15 N71-24599
WIND EFFECTS
Mercury filled pendulum damper for controlling bending vibration induced by wind effects
[NASA-CASE-LAR-10274-1] c14 N71-17626
WIND MEASUREMENT
Passive optical wind and turbulence remote detection system
[NASA-CASE-XMF-14032] c20 N71-16340
Maxometers for measuring peak wind speeds during severe environmental conditions
[NASA-CASE-MFS-20916] c14 N73-25460
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
WIND PROFILES
Free-fall body for obtaining wind velocity profiles by radar tracking
[NASA-CASE-XLA-02081] c20 N71-16281
WIND TUNNEL APPARATUS
Wind tunnel air flow modulating device and apparatus for selectively generating wave motion in wind tunnel airstream
[NASA-CASE-XLA-00112] c11 N70-33287
Electric arc device for minimizing electrode ablation and heating gases to supersonic or hypersonic wind tunnel temperatures
[NASA-CASE-XAC-00319] c25 N70-41628
Free flight suspension system for use with aircraft models in wind tunnel tests
[NASA-CASE-XLA-00939] c11 N71-15926
Burst diaphragm flow initiator for installation in short duration wind tunnels
[NASA-CASE-MFS-12915] c11 N71-17600
Electric arc heater with supersonic nozzle and fixed arc length for use in high temperature wind tunnels
[NASA-CASE-XAC-01677] c09 N71-20816
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Development of wind tunnel microphone structure to minimize effects of vibrations and eliminate unwanted signals in microphone output
[NASA-CASE-XNP-00250] c11 N71-28779
Wind tunnel
[NASA-CASE-LAR-10135-1] c09 N79-21083
Rotary target V-block --- aligning wind tunnel apparatus for optical measurement
[NASA-CASE-LAR-12007-2] c74 N79-25876
WIND TUNNEL DRIVES
Triggering system for electric arc driven impulse wind tunnel
[NASA-CASE-XMF-00411] c11 N70-36913
WIND TUNNEL MODELS
Wind tunnel method for simulating flow fields around blunt vehicles entering planetary atmospheres without involving high temperatures
[NASA-CASE-LAR-11138] c12 N71-20436
Multilegged support system for wind tunnel test models subjected to thermal dynamic loading
[NASA-CASE-XLA-01326] c11 N71-21481
Design and characteristics of device for launching models in wind tunnels without disturbance of air flow
[NASA-CASE-XNP-03578] c11 N71-23030
Damper system for alleviating air flow shock loads on wind tunnel models
[NASA-CASE-XLA-09480] c11 N71-33612
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c25 N74-18551
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c09 N80-24334
WIND TUNNEL NOZZLES
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c09 N80-22369
WIND TUNNEL TESTS
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c35 N77-20400
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c09 N80-24334
WIND TUNNELS
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c35 N74-22095
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c35 N80-18358
WIND VELOCITY MEASUREMENT
Free-fall body for obtaining wind velocity profiles by radar tracking
[NASA-CASE-XLA-02081] c20 N71-16281
WINDING
Black body radiometer design with temperature sensing and cavity heat source cone winding
[NASA-CASE-XNP-09701] c14 N71-26475
Pulse coupling circuit with switch between generator and winding
[NASA-CASE-LEW-10433-1] c09 N72-22197
WINDOWS (APERTURES)
Waveguide, thin film window and microwave irises
[NASA-CASE-LAR-10513-1] c07 N72-25170
Observation window for internal gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
WINDPOWER UTILIZATION
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831
WINDPOWERED GENERATORS
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c44 N80-21828
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831
WINDSHIELDS
Transparent fire resistant polymeric structures

[NASA-CASE-ARC-10813-1] c27 N76-16230
WING FLAPS
Upper surface, external flow, jet-augmented flap configuration for high wing jet aircraft for noise reduction
[NASA-CASE-XLA-00087] c02 N70-33332
WING PROFILES
Supersonic aircraft configuration providing for variable aspect ratio and variable sweep wings
[NASA-CASE-XLA-00166] c02 N70-34178
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959
WING TIP VORTICES
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001
WING TIPS
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
WINGS
Development of auxiliary lifting system to provide ferry capability for entry vehicles
[NASA-CASE-LAR-10574-1] c11 N73-13257
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c24 N77-28225
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c05 N79-12061
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c02 N80-20224
Decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c08 N80-22359
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c02 N80-28300
WIRE
Transpiration cooled turbine blade made from metallic or ceramic wires
[NASA-CASE-XLE-00020] c15 N70-33226
Soldering device particularly suited to making high quality wiring joints for aerospace engineering utilizing capillary attraction to regulate flow of solder
[NASA-CASE-XLA-08911] c15 N71-27214
Device for bending metal ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Method of fabricating equal length insulated wire
[NASA-CASE-FRC-10038] c15 N72-20444
Shielded flat conductor cable of ribbonlike wires laminates in thin flexible insulation
[NASA-CASE-MFS-13687-2] c09 N72-22198
Electrical resistance butt welder for welding fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c15 N73-14468
Twisted wire or tube superconductor for filament windings
[NASA-CASE-LEW-11015] c26 N73-32571
WIRE BRIDGE CIRCUITS
Black body cavity radiometer with thermal resistance wire bridge circuit
[NASA-CASE-XNP-08961] c14 N71-24809
WIRE CLOTH
Insulating system for receptacles of liquefied gases using wire cloth for forming frost layer
[NASA-CASE-XMF-00341] c15 N70-33323
Method for making screen with unlimited fineness of mesh and screen thickness
[NASA-CASE-XLE-00953] c15 N71-15966
WIRE WINDING
Adjustable spiral wire winding device
[NASA-CASE-XMS-02383] c15 N71-15918
Superconducting alternator design with cryogenic fluid for cooling windings below critical temperature
[NASA-CASE-XLE-02823] c09 N71-23443
Direct current motor including stationary field windings and stationary armature winding
[NASA-CASE-XGS-07805] c15 N72-33476
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c36 N80-18380
WIRELESS COMMUNICATIONS
Silent alarm system for mutiple room facility or school
[NASA-CASE-NPO-11307-1] c10 N73-30205
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N78-28594
WIRING
Acoustic vibration test apparatus for wiring harnesses
[NASA-CASE-MSC-15158-1] c14 N72-17325
Electrical short locator --- identifying shorts occurring while an electrical system is being wired
[NASA-CASE-ARC-11116-1] c33 N79-31498
WOODEN STRUCTURES
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c24 N81-13999
WORDS (LANGUAGE)
Encoders designed to generate comma free biorthogonal Reed-Muller type code comprising conversion of 64 6-bit words into 64 32-bit data for communication purposes
[NASA-CASE-NPO-10595] c10 N71-25917
Logic circuit for generating multibit binary code word in parallel
[NASA-CASE-XNP-04623] c10 N71-26103
Digital memory system with multiple switch cores for driving each word location
[NASA-CASE-XNP-01466] c10 N71-26434
WORK HARDENING
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N78-24333
WORKING FLUIDS
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c34 N78-17336
WRENCHES
Ultrasonic wrench for applying vibratory energy to mechanical fasteners
[NASA-CASE-MFS-20586] c15 N71-17686
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383
WRIST
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c54 N78-17676

X

X RAY APPARATUS
Device and method for determining X ray reflection efficiency, scattering properties, and surface finish of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
X-ray position detector
[NASA-CASE-NPO-12087-1] c74 N81-19898
X RAY DIFFRACTION
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950
X RAY IMAGERY
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c74 N79-20857
X RAY INSPECTION
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c37 N75-26372
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950
X RAY IRRADIATION
Multisample test chamber for exposing materials to X rays, temperature change, and gaseous conditions and determination of material effects
[NASA-CASE-XMS-02930] c11 N71-23042
X RAY SPECTROSCOPY
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635
X RAY TELESCOPES
X ray collimating structure for focusing radiation directly onto detector
[NASA-CASE-XHQ-04106] c14 N70-40240

Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c74 N78-15880
X RAYS
Supporting structure for simultaneous exposure of pellets to X rays
[NASA-CASE-XNP-06031] c15 N71-15606
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N78-15461
X-Y PLOTTERS
Describing device for surveying contour of surface using X-Y plotter and traveling transducer
[NASA-CASE-XLA-08646] c14 N71-17586
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c33 N78-17293
X-15 AIRCRAFT
Data processing and display system for terminal guidance of X-15 aircraft
[NASA-CASE-XFR-00756] c02 N71-13421
XENON LAMPS
Xenon flashlamp driver system for optical laser pumping
[NASA-CASE-ERC-10283] c16 N72-25485
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c33 N80-14330

Y

YAG LASERS
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
YARNS
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c34 N78-25350
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c33 N79-12331
YAW
Three-axis controller operated by hand-wrist motion for yaw, pitch, and roll control
[NASA-CASE-XAC-01404] c05 N70-41581
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c08 N81-19130
YIELD STRENGTH
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
YO-YO DEVICES
Stretch Yo-Yo mechanism for reducing initial spin rate of space vehicle
[NASA-CASE-XGS-00619] c30 N70-40016


Z

ZEOLITES
Development of filter system for control of outgas contamination in vacuum conditions using absorbent beds of molecular sieve zeolite, silica gel, and charcoal
[NASA-CASE-MFS-14711] c15 N71-26185
ZINC
Zinc dust formulation for abrasion resistant steel coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699
ZINC COMPOUNDS
Water content in vapor deposition atmosphere for forming n-type and p-type junctions of zinc doped gallium arsenide
[NASA-CASE-XNP-01961] c26 N71-29156
Vacuum preparation of zinc titanate pigment resistant to loss of reflective properties
[NASA-CASE-MFS-13532] c18 N72-17532
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
ZINC OXIDES
Binder stabilized zinc oxide pigmented coating for spacecraft thermal control
[NASA-CASE-XMF-07770-2] c18 N71-26772
Development of procedure for producing thin transparent films of zinc oxide on transparent refractory substrate
[NASA-CASE-FRC-10019] c15 N73-12487
ZIRCONIUM
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211
ZIRCONIUM OXIDES
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N79-25143

Page intentionally left blank

Page intentionally left blank

Typical Inventor Index Listing



Listings in this index are arranged alphabetically by inventor. The title of the document provides the user with a brief description of the subject matter. The NASA Case Number is the prime access point to patent documents. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. The titles are arranged under each inventor in ascending accession number order.

A

ABEL, I. M.
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
ABERNATHY, W. J.
Insert facing tool
[NASA-CASE-MFS-21485-1] c37 N74-25968
ABHYANKAR, K. D.
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
ABSHIRE, J. B.
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
ACORD, J. D.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c03 N71-12260
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c14 N71-23040
ACUNA, M. H.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522
ADACHI, M. M.
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
ADAMS, C. M., JR.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c15 N69-21471
ADAMS, G. D.
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c15 N71-17647
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c15 N71-20395
ADAMS, R. H.
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388
ADAMSON, A. P.
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c07 N78-17056
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c07 N78-18066
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
ADAMSON, M. J.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
AIKEN, H. B., JR.
Regulated power supply Patent
[NASA-CASE-XMS-01991] c09 N71-21449
AISENBERG, S.
Doppler shift system
[NASA-CASE-HQN-10740-1] c72 N74-19310
AJELLO, J. M.
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877
AJIOKA, J. S.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
AKANIE, R. I.
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
AKKERMAN, J. W.
Reciprocating engines
[NASA-CASE-MSC-16239-1] c37 N78-11399
ALBRECHT, W. P.
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
ALBRIGHT, C. F.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
ALBUS, J. S.
Light sensitive digital aspect sensor Patent
[NASA-CASE-IGS-00359] c14 N70-34158
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c17 N78-17140
ALDRICH, B. M.
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c12 N79-26075
ALESNA, R. E.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
ALEXANDER, P., JR.
Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958
ALFORD, W. J., JR.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255
ALGER, D. L.
Deuterium pass through target

[NASA-CASE-LEW-11866-1] c72 N76-15860
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c31 N78-17237
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N79-20336
ALLCOCK, H. R.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c27 N80-21533
ALLEN, G. V.
Electric welding torch Patent
[NASA-CASE-XMF-02330] c15 N71-23798
ALLEN, H., JR.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
ALLEN, J. G., JR.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966
ALLEN, J. H., SR.
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722
ALLEN, L. D.
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c33 N71-16277
ALLEN, L. H.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125
ALLEN, R. W.
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c33 N71-24858
ALLEN, W. K.
Time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c07 N71-16088
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
ALLEN, W. W.
Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
ALLEY, V. L., JR.
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c31 N79-11246
ALLGEIER, R. K., JR.
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c15 N71-17648
ALPER, M. E.
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
ALTHAN, R. L.
Synthesis of dawsonites
[NASA-CASE-ARC-113261-1] c25 N80-31490
ALTSHULER, T. L.
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c14 N71-28992
AMBRUSO, A.
Gas operated actuator
[NASA-CASE-NPO-11340] c15 N72-33477
AMER, G. A.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699
AMON, M.
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393
AMACKER, K.
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408

ANAGNOSTOU, E.
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N78-25528
ANDERSON, D. L.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c08 N71-18752
ANDERSON, F. A.
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c28 N72-20758
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c28 N79-28342
ANDERSON, G. D.
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c09 N70-40272
ANDERSON, G. E.
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c34 N78-25350
ANDERSON, J. E.
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c17 N71-26773
ANDERSON, J. W.
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c31 N79-21227
ANDERSON, K. F.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200
ANDERSON, R. A.
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c33 N70-37979
ANDERSON, R. E.
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
ANDERSON, R. F.
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c26 N71-21824
ANDERSON, T. O.
Binary number sorter Patent
[NASA-CASE-NPO-10112] c08 N71-12502
Ranging system Patent
[NASA-CASE-NPO-10066] c09 N71-18598
Data compression processor Patent
[NASA-CASE-NPO-10068] c08 N71-19288
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c07 N71-24613
Decoder system Patent
[NASA-CASE-NPO-10118] c07 N71-24741
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407
Modular encoder
[NASA-CASE-NPO-10629] c08 N72-18184
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c08 N72-25210
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c08 N72-33172
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c32 N75-26195
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c60 N79-14797
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c33 N80-33679

ANDERSON, W. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c15 N73-32359
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588

ANDERSON, W. W.
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c37 N78-27424
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c35 N79-26372
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c04 N80-18019

ANDERSON, W. W., JR.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c15 N71-22982

ANDREWS, E. H., JR.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366

ANDREWS, R. E.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090

ANDREWS, T. W.
Adjustable support
[NASA-CASE-NPO-10721] c15 N72-27484

ANGELE, W.
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c09 N70-34596
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c14 N70-39898
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c11 N70-41677
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c15 N71-15986
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c09 N71-28691
Shielded flat cable
[NASA-CASE-MFS-13687-2] c09 N72-22198
Electrical connector
[NASA-CASE-MFS-20757] c09 N72-26225
Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c35 N74-18323

ANICICH, V. G.
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163

APPEL, M. A.
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c27 N71-28929

APPLEBERRY, W. T.
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c14 N75-24794
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N79-20377

APPLER, E. L.
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c19 N71-26674

APPLETON, H. W.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247

ARCAND, G. H.
Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c03 N71-10728

ARCELLA, F. G.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265

ARENS, W. E.
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c32 N79-14268

ARGOUD, M. J.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933

ARIAS, A.
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c15 N70-41993
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c14 N71-22964
Production of metal powders
[NASA-CASE-XLE-06461] c17 N72-22530
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c15 N72-25448
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c17 N72-28535

ARLINE, S. B.
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468

ARMSTRONG, H. T.
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c33 N70-36846

ARMSTRONG, R. W.
Optical signature generating and correlating apparatus
[NASA-CASE-NPO-15226-1] c74 N81-19899

ARNDT, G. D.
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c07 N70-12616
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146

ARRANCE, F. C.
Method of making membranes
[NASA-CASE-XNP-04264] c03 N69-21337

ASHBROOK, R. L.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179

ASHWORTH, B. R.
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c09 N79-31228

ASKINS, B. S.
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N79-10389

ASTHEIMER, R. W.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427

ATKISSON, E. A.
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c14 N70-36618

AUBLE, C. H.
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946

AUER, S. O.
Cosmic dust or other similar outer space

particles impact location detector
[NASA-CASE-GSC-11291-1] c25 N72-33696
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c14 N73-20477
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N78-10529

AUKER, B. H.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160

AUSTIN, I. G.
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345

AUSTIN, W. E.
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c14 N73-30392

AVIZIENIS, A. A.
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c08 N71-24633

AYLWARD, J. R.
Cell and method for electrolysis of water and anode therefor
[NASA-CASE-MSC-16394-1] c25 N80-26406

AYVAZIAN, E. A.
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c12 N71-17631
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c10 N71-26339

B

BABA, P. D.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032

BABB, R. D.
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c15 N71-17628
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c14 N71-17656

BABECKI, A. J.
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360

BACCHI, R.
Valve actuator Patent
[NASA-CASE-XHQ-01208] c15 N70-35409

BACHLE, W. H.
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c03 N72-25021

BADIN, F. R.
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026

BAEHR, E. F.
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c28 N70-34860
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c28 N70-36806
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c28 N70-41818
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c28 N71-15659
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N78-14773
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c34 N78-25351
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c52 N80-14684

BAER, D. A.
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c03 N72-25020

BAGANOFF, D.
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c11 N71-15960

BAGBY, J. P.
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407

BAHIMAN, H.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c37 N80-32717

BAHN, E. J.
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c07 N71-33613

BAILEY, C. L., JR.
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942

BAILEY, F. J., JR.
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c14 N70-36807

BAILEY, G. A.
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c08 N71-12504

BAILEY, J. H.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573

BAILEY, M. C.
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244

BAILEY, R. L.
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c09 N73-32109

BAKER, C. D.
Coating process
[NASA-CASE-XNP-06508] c18 N69-39895
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c15 N71-17685
Electrical connector
[NASA-CASE-NPO-10694] c09 N72-20200
Pressure transducer
[NASA-CASE-NPO-10832] c14 N72-21405

BAKER, E. H.
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c11 N70-34815

BAKER, G. J.
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c06 N80-18036

BAKER, J. T.
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839

BAKER, M. E.
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c05 N71-24623

BAKER, R. L.
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744

BAKER, V. D.
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c14 N71-20741

BAKSTON, B.
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c15 N71-18132

BALDWIN, L. V.
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c14 N70-38602
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c28 N70-41576

BALES, T. T.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616

BALLARD, R. R.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073

BALLENTINE, F. M., JR.
Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778
BALLOU, E. V.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326
BANFORD, R. M.
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947
Sealed separable connection Patent
[NASA-CASE-NPO-10064] c15 N71-17693
BANDINI, U.
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c10 N71-19417
BANK, H.
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749
BANKS, B. A.
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c28 N71-26173
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c28 N71-26642
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c15 N71-28582
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c28 N72-22771
Electromagnetic flow rate meter
[NASA-CASE-LEW-10981-1] c35 N74-21018
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c31 N81-16327
Mechanical bonding of metal
[NASA-CASE-LEW-12941-1] c31 N81-16329
BANKSTON, B. F.
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
BANTA, R. D.
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c15 N72-23497
BARACK, H. H.
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101
BARBER, J. B.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170
BARBERA, A. J.
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c03 N72-27053
BARGER, R. L.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946
BARISH, B.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057
BARKER, P.
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c05 N71-27234
BARNES, J. R.
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427
BARNES, P. E.
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c07 N79-14095
BARNETT, J. H., JR.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006
BARNETT, M. A.
Furlable antenna
[NASA-CASE-NPO-13553-1] c33 N76-32457
BARNISKIS, W. A.
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
BARNS, C. E.
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
BARR, T. A.
Thickness measurement system
[NASA-CASE-MFS-23721-1] c31 N79-28370
BARRETT, C. A.
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211
BARRETT, T. H.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
BARRINGTON, A. E.
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483
BARRINGTON, A. E.
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c15 N71-24896
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c14 N71-28863
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c14 N71-28994
BARTERA, R. E.
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c33 N80-14330
BARTHLOME, D. E.
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c05 N71-11195
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N80-29539
BARZA, M. J.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
BASIULIS, A.
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c15 N71-27184
Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129
BASS, A. M.
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c09 N71-12521
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428
BASTIEN, G. J.
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c15 N71-15608
BATE, E. R., JR.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
BATES, H. E.
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037
BATHKER, D. A.
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c32 N80-16261
BATSCH, F. F.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938

Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c15 N70-38620

BATTE, W. G.
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c08 N71-18751

BATTEN, C. E.
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c35 N80-28687

BATTERSON, S. A.
Runway light Patent
[NASA-CASE-XLA-00119] c11 N70-33329

BATTS, C. H.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586

BAUCOM, R. M.
Extensometer frame
[NASA-CASE-XLA-10322] c15 N72-17452

BAUER, H. B.
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902

BAUER, J. L., JR.
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230

BAUERSCHUB, J. P., JR.
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c32 N70-41367
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c15 N71-21529

BAUGHMAN, J. B.
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478

BAUMAN, A. J.
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c18 N71-15688
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c15 N71-21078
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c17 N71-28747
Molten salt pyrolysis of latex
[NASA-CASE-NPO-14315-1] c27 N81-17261

BAUMER, W. E.
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137

BAXTER, R. D.
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c33 N71-23085

BEALE, H. A.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213

BEAM, B. H.
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c14 N72-24477

BEAM, R. A.
Optical projector system Patent
[NASA-CASE-XNP-03853] c23 N71-21882

BEAM, R. M.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379

BEASLEY, E. M.
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426

BEASLEY, W. D.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946

BEATTY, E. W.
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420

BEAUREGARD, W. W.
Water separating system Patent
[NASA-CASE-XMS-13052] c14 N71-20427

BECK, A. F.
Small plasma probe Patent
[NASA-CASE-XLE-02578] c25 N71-20747

BECK, T. R.
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c17 N71-16393

BECKER, R. A.
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c14 N71-15599

BECKERLE, L. D.
Heat shield oven
[NASA-CASE-XMS-04318] c15 N69-27871

BECKMAN, P.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884

BECKWITH, R. H.
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c14 N70-36907

BEEBE, J. H.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627

BEEKMAN, S. W.
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101

BEEM, J. P.
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488

BEER, R.
Cooled echelle grating spectrometer
[NASA-CASE-NPO-14372-1] c35 N80-26635

BEHIMER, H.
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383

BEHM, J. W.
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784

BEITLER, R. S.
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116

BEJCZY, A. K.
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c54 N79-20746

BELANGER, R. J.
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23048

BELASCO, N.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757

BELCHER, J. G.
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585

BELEW, H. W., JR.
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c11 N72-27262

BELEW, R. R.
Thermal compensating structural member
[NASA-CASE-MFS-20433] c15 N72-28496
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c14 N80-24342
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394

BELL, A.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229

BELL, C. H.
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N78-14889
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c74 N81-12862

BELL, D., III
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c12 N71-17569

BELL, V. L.
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N78-17205

Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c27 N78-32261

BELL, V. L., JR.
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4,5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c06 N71-11235
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c06 N71-11238
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c14 N71-20430

BELLAVIA, J., JR.
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c37 N81-15363

BELLMAN, D. R.
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c06 N81-17057

BELT, J. L.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310

BEMENT, L. J.
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c33 N72-27959
Totally confined explosive welding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c37 N79-13364

BENEDICT, R. D.
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c10 N71-28739

BENEDICTO, J. S. J.
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c76 N80-16951
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c76 N80-32246

BENGTSON, R. D.
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c15 N71-21060

BENHAM, J. W.
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c33 N80-18286

BENNIGHT, J. D.
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c15 N71-17650
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c15 N71-24865
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c15 N71-26148

BENZ, H. P.
An image readout device with electrically variable spatial resolution
[NASA-CASE-LAR-12633-1] c35 N80-22661

BERDAHL, C. M.
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N78-15461
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N79-18443

BERENAND, D. G.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c37 N80-31790

BERENAND, G. B.
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539

BERG, O. E.
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c24 N71-16213
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c14 N72-20381

BERGE, L. M.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767

BERGLUND, R. A.
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c31 N70-34296

BERKMAN, S.
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389

BERKOPEC, F. D.
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Liquid metal slip ring
[NASA-CASE-LEW-12277-3] c33 N80-18300

BERMAN, P. A.
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666

BERNARDIN, R. M.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233

BERNATOWICZ, D. T.
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784

BERNSEN, B.
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c14 N71-27186

BERNSTEIN, A. J.
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c32 N79-10262

BERRIER, B. L.
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c08 N81-19130

BERRY, E. M.
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c09 N71-23188
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c03 N71-23239

BESSETTE, R. J.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

BESWICK, A. G.
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765

BEUKIAN, C. S.
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c15 N71-21536
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492

BEYLIK, C. M.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068

BHAT, B. N.
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c24 N77-27187

BHIWANDKER, N. C.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032

BIBBO, C.
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c15 N70-33376

BICKNELL, T. J.
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194

BIEHL, A. J.
Hypervelocity gun
[NASA-CASE-XLE-03186-1] c09 N79-21084

BIENIEK, T.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c06 N71-27363

BIER, M.
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c37 N80-14397

BIKLE, P. F.
System for use in conducting wake investigation for a wing in flight
[NASA-CASE-FRC-11024-1] c02 N80-28300

BILBRO, J. W.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493

BILDERBACK, R. B.
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c16 N71-22895
BILES, J. E., JR.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625
BILL, R. C.
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-1] c37 N79-18318
Gas path seal
[NASA-CASE-NPO-12131-3] c37 N80-18400
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658
BILLINGHAM, J.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
BILLINGS, C. E.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067
BILLINGSLEY, F. C.
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c14 N70-34697
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
BILLMAN, K. W.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
Infrared tunable laser
[NASA-CASE-ARC-10463-1] c09 N73-32111
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
BILOW, N.
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
BINCKLEY, W. G.
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c10 N71-26626
BINGHAM, G. J.
Helicopter rotor airfoil
[NASA-CASE-LAR-12396-1] c02 N79-24958
BIRCHENOUGH, A. G.
Switching regulator
[NASA-CASE-LEW-11005-1] c09 N72-21243
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
BIRD, J. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
BISHOP, O. L.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462
BISHOP, R. E.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
BLACK, D. H.
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N79-23481
BLACK, I. A.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
BLACK, J. H.
Full wave modulator-demodulator amplifier apparatus
[NASA-CASE-FRC-10072-1] c33 N74-14939
Window comparator
[NASA-CASE-FRC-10090-1] c33 N78-18308
Voltage regulator for battery power source
[NASA-CASE-FRC-10116-1] c33 N79-23345
Power converter
[NASA-CASE-FRC-11014-1] c33 N79-27395
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c33 N80-29583
BLACK, S. H.
Automatic gain control system
[NASA-CASE-XMS-05307] c09 N69-24330
BLACK, W. W.
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c07 N71-28809
BLACKABY, J. R.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
BLACKSTOCK, T. A.
Ferry system
[NASA-CASE-LAR-10574-1] c11 N73-13257
BLAIR, G. R.
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c18 N71-24184
BLAISE, H. T.
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
BLANCHARD, W. S., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c31 N71-23008
High lift aircraft
[NASA-CASE-LAR-11252-1] c05 N75-25914
BLANCHE, J. P.
Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XNP-01483] c14 N69-27431
BLAND, C.
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046
BLAND, W. M., JR.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
BLANKENSHIP, C. P.
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N78-18182
BLAZE, C. J.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411
BLESS, J. J.
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296
BLOCH, J. T.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
BLOOMFIELD, H. S.
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c43 N78-14452
BLOSSER, E. R.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
BLUE, J. W.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681
Method of producing I-123
[NASA-CASE-LEW-11390-2] c25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c25 N78-27226
BLUM, P.
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069
BLUME, H. C.
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c09 N72-25258
BLUMRICH, J. F.
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XNP-03856] c31 N70-34159
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XNP-02853] c31 N70-36654

Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c15 N70-40354
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c31 N70-41948
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c31 N71-23912
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c37 N74-18125

BLUTINGER, B.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468

BLYMILLER, E. R.
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c15 N72-27485

BOATRIGHT, W. B.
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262

BOCKWOLDT, W. H.
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c07 N71-26579

BOEDY, D. D.
Power supply circuit Patent
[NASA-CASE-XMS-00913] c10 N71-23543

BOEHM, J.
Gravity device Patent
[NASA-CASE-XMF-00424] c11 N70-38196

BOEHME, R. J.
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394

BOER, K. W.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088

BOEX, H. W.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342

BOGNER, R. S.
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693

BOGUSZ, F. J.
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c14 N71-23036

BOIES, E. D.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421

BOISSEVAIN, A. G.
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c15 N71-26673

BOLT, C. A., JR.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462

BOLTON, P. H.
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c31 N81-14137

BOND, W. W.
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c14 N71-23087

BONISCH, P. H.
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382

BONN, J. L.
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c15 N70-33330

BONO, P.
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c31 N70-41588

BOODLEY, L. E.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539

BOOM, R. W.
Stable superconducting magnet
[NASA-CASE-XMF-05373-1] c33 N79-21264

BOOTH, F. W.
Condenser - Separator
[NASA-CASE-XLA-08645] c15 N69-21465
Separator Patent
[NASA-CASE-XLA-00415] c15 N71-16079
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c33 N71-17610
Soldering device Patent
[NASA-CASE-XLA-08911] c15 N71-27214
Air removal device
[NASA-CASE-XLA-8914] c15 N73-12492
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c15 N73-19458
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Air removal device
[NASA-CASE-XLA-8914-2] c34 N76-23522

BOOTH, R. A.
Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500

BORELLI, M. T.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986

BOROSON, H. R.
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-IGS-01587] c14 N71-15962

BOSCO, G. B., JR.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294

BOSHERS, W. A.
Battery testing device
[NASA-CASE-MFS-20761-1] c44 N74-27519
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664

BOSTON, R. E.
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517

BOTTONS, D. J.
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372

BOULDIN, D. L.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906

BOURKE, D. G.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c08 N71-12506

BOUSHAN, W. G.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029

BOWER, K. F.
Buffered analog converter
[NASA-CASE-KSC-10397] c08 N72-25206

BOXWELL, D. A.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N80-14107

BOYLE, J. C.
Balance torquemeter Patent
[NASA-CASE-IGS-01013] c14 N71-23725

BOYLE, J. V., JR.
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c15 N71-15571
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528

BOZAJIAN, J. H.
Thermal switch Patent
[NASA-CASE-XNP-00463] c33 N70-36847

BOZEK, J. H.
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555

BRADFIELD, S. P., III
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331

BRADLEY, E. H.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c30 N73-12884

BRADY, J. C.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161

BRAINARD, H. A.
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232
Improved refractory coatings
[NASA-CASE-LEW-23169-2] c26 N81-16209

BRANDHORST, H. W., JR.
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859

High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Solar cell assembly
[NASA-CASE-LEW-11549-1] c44 N77-19571
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
Back wall solar cell
[NASA-CASE-LEW-12236-2] c44 N79-14528

BRANDON, C. A.
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237

BRANSTETTER, J. R.
Black-body furnace Patent
[NASA-CASE-XLE-01399] c33 N71-15625

BRANTLEY, J. W.
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170

BRANTLEY, L. W., JR.
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
Thermal energy storage system
[NASA-CASE-MFS-23167-1] c44 N76-31667
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401

BRASCHWITZ, J. M.
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372

BRAUN, W.
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428

BRAUNER, C. C.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860

BRAUNER, E. L.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015

BREALT, R. P.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865

BREAZEALE, M. A.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363

BRECKENRIDGE, R. A.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397

BRECKINRIDGE, J. B.
Interferometer
[NASA-CASE-NPO-14448-1] c74 N79-23777
Interferometer
[NASA-CASE-NPO-14502-1] c74 N81-17888

BREED, L. L.
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c06 N73-30098

BREED, L. W.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c06 N71-11237

BREEZE, R. K.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c05 N71-11202

BREGMAN, B. J.
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c10 N73-26230

BREITWIESER, R.
High current electrical lead
[NASA-CASE-LEW-10950-1] c33 N74-27683

BREJCHA, A. G., JR.
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c09 N71-20851

BRESHEARS, R. R.
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405

BREUER, D. R.
Temperature compensated current source
[NASA-CASE-MSC-11235] c33 N78-17294

BREY, H.
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264

BRICKER, B. W.
Mass measuring system Patent
[NASA-CASE-XMS-03371] c05 N70-42000

BRIGHT, C. W.
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772

BRINICH, P. F.
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c28 N70-34175

BRINKS, B. J.
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c17 N71-24830

BRISKEN, A. F.
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350

BRISSENDEN, R. F.
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c32 N71-17609

BRITT, T. O.
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315

BRITZ, W. J.
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664

BROCK, F. J.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c14 N73-30390
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c14 N73-30391

BROCKMAN, H. H.
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c35 N80-16313
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c32 N80-18253

BRODER, J. D.
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c03 N71-20492
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784
Covered silicon solar cells and method of manufacture
[NASA-CASE-LEW-11065-2] c44 N76-14600
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580

BRODERICK, J. C.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612

BRODERICK, R. F.
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c09 N71-23545
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c07 N71-24625

BRODIE, S. B.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041

BROKL, S. S.
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c08 N73-25206

BROMAN, C. L.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025

BROOKS, A. D.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509

BROOKS, D. E.
Method for separating biological cells
[NASA-CASE-MFS-23883-1] c51 N80-16715

BROOKS, G. W.
Impact simulator Patent
[NASA-CASE-XLA-00493] c11 N70-34786

Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c32 N71-16103
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765
BROOKS, J. D.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946
BROOKS, R. A.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
BROOKS, R. L.
Fluid sample collection and distribution system
[NASA-CASE-MSC-16841-1] c34 N79-24285
BROSH, A.
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N78-14364
BROUSSARD, P. H.
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
BROUSSARD, R.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627
BROWN, C. E.
G conditioning suit Patent
[NASA-CASE-XLA-02898] c05 N71-20268
BROWN, D.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
BROWN, D. W.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
BROWN, E. L.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
BROWN, G. A.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
BROWN, G. V.
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
Magnetocaloric pump
[NASA-CASE-LEW-11672-1] c37 N74-27904
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N78-17335
BROWN, H. H.
Reaction tester
[NASA-CASE-MSC-13604-1] c05 N73-13114
BROWN, J. W.
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
BROWN, K. H.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429
BROWN, M. D.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
BROWN, P. A.
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c52 N78-11692
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613
BROWN, R. H.
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-16067
BROWN, R. L.
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c28 N70-34162
BROWN, R. M.
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c23 N73-26741
BROWN, W. E., III
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c14 N73-26432
BROWNING, R. E.
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c15 N70-33376
BROYLES, H. F.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
BROYLES, R. H.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584
BRUCE, A. M., JR.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421
BRUCE, R. A.
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c14 N71-28933
Air removal device
[NASA-CASE-XLA-8914] c15 N73-12492
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c15 N73-19458
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Air removal device
[NASA-CASE-XLA-8914-2] c34 N76-23522
BRUNSON, J. W.
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865
BRUNSTEIN, S. A.
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214
BRYAN, C. J.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
A system for sterilizing objects
[NASA-CASE-KSC-11085-1] c54 N79-33848
BRYAN, M. B.
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c11 N71-33612
BRYANT, E. L.
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c74 N80-21138
BRYANT, W. H.
Digital controller for a Baum folding machine
[NASA-CASE-LAR-10688-1] c37 N74-21056
BRYSON, R. P.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
BUBE, K. R.
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c44 N79-31752
BUCHANAN, R. I.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
BUCHELE, D. R.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818
BUCHHOLD, T. A.
Superconductive accelerometer Patent
[NASA-CASE-XMF-01099] c14 N71-15969
BUCHMILLER, L. D.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
BUCKLEY, D. H.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c18 N71-10772
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c15 N71-24046
BUCKLEY, J. D.
Induction heating gun
[NASA-CASE-LAR-12540-1] c37 N80-11468
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469
BUHLER, G. V.
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615

BULLINGER, H. B.
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c06 N72-21094
BUNCE, R. C.
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c21 N70-41930
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c07 N73-30113
BUNKER, E. B., JR.
Automated equipotential plotter
[NASA-CASE-NPO-11134] c09 N72-21246
BURCH, C. F.
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
BURCH, J. L.
Two speed drive system
[NASA-CASE-MFS-20645-1] c37 N74-23070
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
BURCHAM, F. W., JR.
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c07 N80-32393
BURCHAM, T. W.
Controlled release device Patent
[NASA-CASE-XKS-03338] c15 N71-24043
BURCHER, E. E.
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c70 N74-13436
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c74 N78-15879
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c74 N78-27904
BURDIN, C.
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c33 N75-13139
BURGETT, F. A.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545
BURK, S. M., JR.
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
BURKE, J. E.
Optical spin compensator
[NASA-CASE-XGS-02401] c14 N69-27485
BURKHART, J. A.
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c25 N73-25760
BURKLEY, R. A.
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351
BURKS, R. E., JR.
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c27 N79-21190
BURNETT, J. E.
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N78-14773
BURNHAM, D. C.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
BURNS, E. A.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
BURNS, F. P.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440
BURNS, R. H.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
BURNS, R. K.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
BURROUS, C. N.
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214
BURROWS, D. L.
Insulating structure Patent
[NASA-CASE-XMF-00341] c15 N70-33323
BURTON, D. E.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147
BURTON, W. A.
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213
BUSEMANN, A.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
BUSH, H. G.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Lightweight structural columns
[NASA-CASE-LAR-12095-1] c39 N77-27432
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c37 N80-22704
BUTLER, D. H.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156
Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256
BUTLER, J. E.
Tackifier for addition polyimides
[NASA-CASE-LAR-12642-1] c27 N80-18179
BUTMAN, S.
Signal phase estimator
[NASA-CASE-NPO-11203] c10 N72-20224
Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
BUTMAN, S. A.
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
BUZZARD, R. J.
Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948
BYERS, D. C.
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
BYRON, B. G.
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c14 N71-29134
Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941
BYRD, A. M.
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c03 N71-11055
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c09 N71-24807
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c33 N71-25353
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c33 N71-27862
Thermoelectric power system
[NASA-CASE-MFS-22002-1] c44 N76-16612
BYRD, J. D.
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c06 N71-20717
BYRD, M. B.
Thermally conductive polymers

[NASA-CASE-GSC-11304-1] c06 N72-21105
BYRNE, F.
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c08 N71-24890
Video sync processor Patent
[NASA-CASE-KSC-10002] c10 N71-25865
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c09 N72-21247
Digital servo controller
[NASA-CASE-KSC-10769-1] c33 N74-25556
Common data buffer system
[NASA-CASE-KSC-11048-1] c60 N79-23674

C

CABLE, C. W.
Solar cell assembly test method
[NASA-CASE-NPO-10401] c03 N72-20033
CABLE, W. L.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861
CACOSSA, R. A.
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c23 N72-17747
CAHILL, K. J.
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487
CAHILL, W. E.
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c15 N71-22706
CAIRO, F. J.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
CALANDRO, J. M.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
CALLAHAN, D. E.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612
CALVERT, H. F.
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c15 N70-33264
CALVERT, J. A.
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c37 N80-32716
CAMACHO, S. L.
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c09 N69-39897
CAMARDA, C. J.
Heat pipe honeycomb panel
[NASA-CASE-LAR-12637-1] c34 N81-12362
CAMBRA, J. M.
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
CAMERON, J. R.
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
CAMP, D. W.
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c14 N71-23726
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
CAMP, E. L.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
CAMPBELL, B. A.
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620
CAMPBELL, C. C., JR.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
CAMPBELL, C. W.
Collimated beam manifold and method for using the same
[NASA-CASE-MFS-25312-1] c74 N80-34251
CAMPBELL, D. H.
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c20 N79-21123
CAMPBELL, D. R.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773
CAMPBELL, F. D.
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462
CAMPBELL, G. E.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
CAMPBELL, G. W.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c05 N71-11202
CAMPBELL, J. G.
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c28 N71-20942
Tube sealing device Patent
[NASA-CASE-NPO-10431] c15 N71-29132
CAMPBELL, R. A.
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c15 N73-13466
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
CAMPBELL, R. B., JR.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
CAMPBELL, T. G.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
CAMPEN, C. F., JR.
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
CANCRO, C. A.
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c08 N71-19435
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c10 N72-22236
CANICATTI, C. L.
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
CANNING, T. N.
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c14 N69-39896
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c11 N71-18578
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Bimetallic fluid displacement apparatus
[NASA-CASE-ARC-10441-1] c35 N74-15126
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
CANTOR, C.
Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c10 N71-20782
Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379
CANTRELL, J. H., JR.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
Frequency tracked pulse technique for ultrasonic analysis
[NASA-CASE-LAR-12697-1] c32 N80-26571
CANVEL, H.
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c07 N71-26102
CAPLETTE, E. K.
Current steering commutator
[NASA-CASE-NPO-10743] c08 N72-21199
CAPPS, J. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192

CAREW, R. P.
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c23 N71-24725
CARL, C.
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
CARL, G. R.
Air conditioned suit
[NASA-CASE-LAR-10076-1] c05 N73-20137
CARLE, C. R.
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
CARLISLE, T. E.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c33 N71-16278
CARLSON, A. W.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390
CARLSON, H. W.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
CARLSON, R. L.
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468
CARLSON, W. C. A.
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628
CARMIN, D. L., JR.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834
CARMODY, R. J.
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c18 N71-21651
CARO, E. R.
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c33 N80-18285
CARON, P. R.
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c09 N72-23173
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206
CARPINI, T. D.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415
CARR, W. F.
Split nut separation system Patent
[NASA-CASE-XMF-06914] c15 N71-21489
CARRAWAY, J. B.
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
CARROLL, W. F.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
CARSON, J. W.
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c07 N71-29065
CARSON, L. R.
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c33 N79-18224
CARSON, P. R.
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722
CARSON, W. N., JR.
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c03 N71-10608
CARTER, A. F.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c25 N70-34661
CARTER, J. R.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
CARTER, W. K.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
CARUSO, A. J.
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483
CARUSO, V. P.
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
CARVER, V. C.
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
CASE, H. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
CASEY, L. O.
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c09 N71-12526
CASH, W. H., JR.
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c52 N80-23969
CASHION, K. D.
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c14 N71-19568
CASON, R. L.
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193
CASTLE, K. D.
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
CASTLEMAN, K. R.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
CATLAW, T. G.
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c09 N72-20206
CAUDILL, L. O.
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
CECCON, H. L.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485
CELLIER, A.
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
CEPOLLINA, F. J.
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c14 N71-24233
CERINI, D. J.
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
CERVENKA, P. O.
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c36 N79-14362
CHAI, A. T.
High voltage planar multijunction
[NASA-CASE-LEW-13400-1] c44 N81-16528
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
CHAMBERLAIN, F. R.
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c74 N81-17886
CHAMBERS, A. B.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
Walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N78-17675
CHANIS, C. C.
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
CHANDLER, J. A.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
Line cutter Patent
[NASA-CASE-XMS-04072] c15 N70-42017
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c31 N71-16080

Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c15 N71-24599
CHANDLER, W. A.
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c31 N70-41871
CHANEY, R. E.
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
CHANG, C. C.
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-NPS-23845-1] c33 N81-17348
CHAO, J. I. L.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
CHAPMAN, C. P.
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c14 N71-27185
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c15 N73-20514
Automated attendance accounting system
[NASA-CASE-NPO-11456] c08 N73-26176
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
CHAPMAN, R. H.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c31 N71-16081
CHAPPELLE, E. W.
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c04 N69-27487
Light detection instrument Patent
[NASA-CASE-XGS-05534] c23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c06 N71-17705
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
CHARLES, J. P.
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653
CHARLTON, K. W.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c03 N69-21469
CHARNOSKY, A. J.
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c15 N71-10809
CHASE, E. W.
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678
CHASE, W. D.
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c09 N78-18083
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c09 N79-33220
CHEATHAM, D. C.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c18 N76-14186
CHEN, C. J.
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
CHEN, H.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
CHEN, W. S.
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c11 N71-28779
CHENG, D. Y.
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c07 N75-24736
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
CHERDAK, A. S.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407
CHERN, S. S.
Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c25 N79-28253
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835
CHERNOFF, R.
Frequency translating phase conjugation circuit for active retrodirective antenna array
[NASA-CASE-NPO-14536-1] c32 N81-14185
CHERNOFF, R. C.
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N79-24210
CHESTNUTT, D.
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
CHI, K.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
CHIAO, R. Y.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
CHILDRESS, J. D.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c04 N72-33072
CHILDS, J. H.
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c11 N70-33278
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844
CHILENSKI, J. J.
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c28 N70-38249
CHILTON, R. G.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
CHIOA, R. Y.
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
CHISEL, D. E.
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
CHONG, C. F.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c10 N71-19547

CHOW, E. Y.
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947
CHOWNING, D.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
CHREITZBERG, A. H.
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c03 N71-25129
CHRISTENSEN, W. W.
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
CHRISTMAN, L. H.
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c05 N70-39922
CHRISTOPHER, P. A.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
CHRISTY, C. L., JR.
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c27 N79-21190
CHU, T. L.
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N78-24609
CHUMLEY, J. F.
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c14 N71-23227
CHUTJIAN, A.
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877
CIEPLUCH, C. C.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
CISSELL, R. E.
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254
CISZEK, T. F.
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c76 N80-32245
CLAPP, W. H.
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c09 N71-23316
CLARK, C. E.
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
CLARK, F. L.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
CLARK, H. K.
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c33 N71-17610
CLARK, J. R.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754
CLARK, K. H.
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c54 N78-32724
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108
Electrical self-aligning connector
[NASA-CASE-MFS-25211-1] c33 N80-32651
CLARK, R. K.
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429
CLARK, R. L.
Deposition apparatus
[NASA-CASE-LAR-10541-1] c15 N72-32487
CLARK, R. T.
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c07 N71-12396
CLARKE, D. R.
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c15 N72-22487
CLATTERBUCK, C. H.
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083
Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499
CLAUSS, R. C.
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c09 N71-20445
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c09 N71-23097
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c16 N71-24831
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c36 N76-31512
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
CLAWSON, G. T.
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
CLAY, F. P., JR.
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c14 N71-18482
CLELAND, R. L.
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749
CLEMENS, G. H., JR.
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813
CLEMENS, P. H.
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c33 N74-26977
CLEMENT, W. G.
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995
CLEMENTS, P. A.
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
CLEMMONS, D. L., JR.
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c33 N70-36617
CLEMONS, J. H.
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238
CLEVELAND, G. J.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
CLICKNER, R. E., JR.
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c03 N71-12258
CLIFF, R. A.
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c08 N71-12494
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c08 N71-18602
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c08 N71-19437
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c09 N71-23525
SCR lamp driver
[NASA-CASE-GSC-10221-1] c09 N72-23171
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
CLIFF, W. C.
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753

CLINE, R. W.
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
CLOTFELTER, W. N.
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c15 N71-18132
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511
CLOUGH, L. G.
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
COBIN, J. C.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
COCCA, P. J.
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
COE, H. H.
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
COE, P. L., JR.
Supersonic transport
[NASA-CASE-LAR-11932-1] c05 N78-32086
COFFINBERRY, G. A.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c37 N79-11403
COHEN, D.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435
COHEN, E. A.
Audio frequency marker system
[NASA-CASE-NPO-11147] c14 N72-27408
COHEN, M. F.
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c08 N71-29138
COHEN, N. S.
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N78-31255
COHEN, R. A.
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c09 N70-11148
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
COHN, E. M.
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699
COHN, R. B.
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379
COHN, S. B.
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524
COKER, L. E.
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c15 N71-17649
COLBURN, H. E.
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
COLE, H. A., JR.
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c14 N72-22440
COLE, P. T.
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c08 N71-21042
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
COLES, W. D.
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c26 N73-26752
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
COLLIER, L.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147
COLLIN, R. E.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
COLLINS, D. D.
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c45 N79-12584
COLLINS, D. F., JR.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
COLLINS, E. R.
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
Geological assessment probe
[NASA-CASE-NPO-14558-1] c46 N80-24906
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c37 N80-29703
COLLINS, E. R., JR.
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c15 N72-20443
COLLINS, V. G.
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207
COLLINS, W. A.
Flight control system
[NASA-CASE-MSC-13397-1] c21 N72-25595
COLONY, J. A.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
CONANT, J. E.
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c09 N71-19449
CONE, C. D., JR.
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c01 N71-13411
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
CONGER, C. C.
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c09 N72-27226
CONIGLIO, G. V.
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c23 N71-30027
CONN, J. H.
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c14 N71-22992
CONNELL, E. W.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
CONNOLLY, D. J.
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N79-10339
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c33 N80-19425
CONNOLLY, J. P.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
CONNORS, J. P.
Annular rocket motor and nozzle configuration Patent

[NASA-CASE-XLE-00078] c28 N70-33284
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c02 N70-37939
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c28 N70-38711
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c28 N70-39899
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c31 N71-17629

CONRAD, E. W.
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c28 N70-34294
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c15 N70-34861

CONRAD, W. H.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696

CONSTANTINIDES, N. J.
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194

CONWAY, E. J.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714

COOGAN, J. H.
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c30 N71-15990

COOK, T. A.
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853

COOK, W. H., JR.
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c31 N71-16221

COOLIDGE, J. E.
Data transfer system Patent
[NASA-CASE-NPO-12107] c08 N71-27255

COON, G. W.
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c09 N71-23021
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c14 N71-26135
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390

COOPER, C. R.
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125

COOPER, D. W.
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c09 N71-20446
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436

COOPER, L. P.
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122

COOPER, W. E.
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085

COPELAND, J. T., JR.
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c14 N72-18411

CORBIN, P. L.
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c33 N71-24276

CORLEY, R. C.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039

CORNETT, J. E.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-15116

CORNILLE, H. J., JR.
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016

CORNISH, S. D.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410

CORREALE, J. V.
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-1] c24 N81-16127

CORSON, B. W., JR.
Nozzle Patent
[NASA-CASE-XLA-00154] c28 N70-33374
Cascade plug nozzle
[NASA-CASE-LAR-11674-1] c07 N76-18117

CORWIN, R. R.
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131

COSTAKOS, N. C.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540

COSTEN, R. C.
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423

COSTES, N. C.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420

COSTOGUE, E. N.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431

COSTON, R. H.
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c23 N71-24725

COTE, C. E.
Display for binary characters Patent
[NASA-CASE-XGS-04987] c08 N71-20571

COUCH, L. H.
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c09 N80-22369

COUCH, R. H.
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292

COULBERT, C. D.
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c28 N71-20942

COUVILLON, L. A., JR.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c07 N71-20791
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c08 N72-25208
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c09 N73-28084
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132

COWAN, J. J.
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946

COWELL, T. E.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c31 N71-15647

COX, J. A.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c08 N72-22163

COYNER, J. V.
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425

CRABILL, N. L.
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c21 N71-15582

CRAIG, R. A.
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c07 N80-26298
CRAWFORD, D. W.
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
CRAWFORD, R.
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c21 N72-31637
CRAWFORD, R. F.
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425
CRAWFORD, W. E.
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c09 N71-24892
CRBASY, W. K.
Shock absorber Patent
[NASA-CASE-XMS-03722] c15 N71-21530
CREE, D.
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c09 N69-39986
CREE, R. F.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
CREEDON, J. F.
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
CREEL, T. R., JR.
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
CREPEAU, P. C.
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881
CRESS, S. B.
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112
CRESSEY, J. R.
Display for binary characters Patent
[NASA-CASE-XGS-04987] c08 N71-20571
CREWS, J. H., JR.
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c32 N71-25360
CRIBB, H. E.
Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c09 N71-13521
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c07 N71-19493
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c07 N71-24614
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c07 N71-26292
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c07 N71-33108
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c07 N73-26117
CROFT, R. M.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
CROFTS, D. E.
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c14 N69-27459
CROSWELL, W. F.
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c09 N71-22888
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244
CROUCH, C. E.
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706
CROUCH, H. W.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087
CROUCH, R. K.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
CROW, R. B.
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c10 N72-20223
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c10 N73-27171
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
CROWELL, B. T.
System for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c02 N81-14967
CRUM, G. W.
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
CRUMPLER, J. F.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
CRUMPLER, W. B.
All-directional fastener Patent
[NASA-CASE-XLA-01807] c15 N71-10799
Multilegged support system Patent
[NASA-CASE-XLA-01326] c11 N71-21481
CRUTCHER, J. E.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
CUBBISON, R. W.
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c31 N71-17629
CUBLEY, H. D.
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c07 N71-27056
CUDDIHY, E. F.
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
CULLER, V. H.
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703
CULOTTA, E. F.
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c35 N80-18358
CULP, D. H.
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Liquid metal slip ring
[NASA-CASE-LEW-12277-3] c33 N80-18300
CUNNINGHAM, H. E.
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
CUNNINGHAM, J. W.
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c34 N80-18338
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c33 N80-21671
CUNNINGHAM, R. E.
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
CURRIE, J. R.
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XNP-01160] c07 N71-11298
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XNP-05195] c10 N71-24861
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139
Ratemeter
[NASA-CASE-MFS-20418] c14 N73-24473
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
Multi-channel temperature measurement amplification system
[NASA-CASE-MFS-23775-1] c35 N80-17421
Solar energy control system
[NASA-CASE-MFS-25287-1] c44 N80-17549

Photoelectric detection system
[NASA-CASE-MFS-23776-1] c74 N80-25134
CURRIE, H. E., JR.
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c09 N70-34502
CURRY, J. E.
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c06 N71-20905
CURRY, K. C.
Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445
CURRY, R. E.
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
CURTIS, D. L.
Life support system
[NASA-CASE-MSC-12411-1] c05 N72-20096
CYGNAROWICZ, T. A.
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c51 N79-10694
CZARCINSKI, E. A.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624

D

DAEGES, J. J.
Motor run-up system
[NASA-CASE-NPO-13374-1] c33 N75-19524
DAHM, W. K.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
DAILEDA, J. J.
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129
DAILEY, C. C.
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c09 N71-13486
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c74 N78-15880
DALE, W. J.
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c31 N74-18089
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
DALELIO, G. F.
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c06 N71-11243
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c06 N71-24740
DALY, W. H.
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
DANE, J. H.
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383
DANERON, C. E.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421
DANSIG, A. H., JR.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
DANCHENKO, V.
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-1] c76 N74-20329
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c76 N75-25730
DANE, D. H.
Harness assembly Patent
[NASA-CASE-MFS-14671] c05 N71-12341
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c15 N71-17805
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c11 N71-19494
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c15 N72-21463
Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Orthotic arm joint
[NASA-CASE-MFS-21611-1] c54 N75-12616
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
DANGLE, E. E.
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
DANIELS, H. J.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986
DANSKIN, J. H.
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c28 N71-14058
DARCEY, R. J.
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c07 N71-24621
DARR, J., JR.
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254
DARROW, H. E., JR.
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224
DASGUPTA, K.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
DAUD, T.
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558
DAVID-MALIG, H. A.
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c37 N81-14319
DAVID, R. M.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716
DAVIDS, L. H.
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
DAVIDSON, A. C.
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640
DAVIDSON, G. A.
Compact spectroradiometer
[NASA-CASE-HQN-10683] c14 N71-34389
DAVIDSON, J. K.
Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225
DAVIDSON, J. S. W.
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c11 N70-34815
DAVIES, W. D. T.
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243
DAVIS, A. J.
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c14 N71-10616
DAVIS, B. K.
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c15 N71-15871
Stud-bonding gun
[NASA-CASE-MFS-20299] c15 N72-11392
Solar energy power system
[NASA-CASE-MFS-21628-1] c44 N75-32581
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675

DAVIS, D. C.
Patigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537
DAVIS, D. P.
Quick disconnect coupling
[NASA-CASE-MPO-11202] c15 N72-25450
DAVIS, E. J.
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c15 N72-25453
DAVIS, E. S.
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c14 N71-15604
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c14 N71-23797
Reference voltage switching unit
[NASA-CASE-NPO-11253] c09 N72-17157
DAVIS, J. G., JR.
Tube fabricating process
[NASA-CASE-LAR-10203-1] c15 N72-16330
DAVIS, J. R.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c09 N72-27228
DAVIS, J. W.
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c11 N71-17600
Wind tunnel test section
[NASA-CASE-MFS-20509] c11 N72-17183
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c11 N72-27262
DAVIS, L. R.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
DAVIS, M. S.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504
DAVIS, W. T.
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c32 N71-25360
Patigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537
DAVISON, E. H.
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c14 N71-10797
DAVISON, H. W.
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
DAWN, F. S.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913
Lightweight electrically-powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c33 N79-12331
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-1] c24 N81-16127
DAY, J. L.
Electrode for biological recording
[NASA-CASE-XMS-02872] c05 N69-21925
Pressed disc type sensing electrodes with ion-screening means Patent
[NASA-CASE-XMS-04212-1] c05 N71-12346
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
DAYAN, V. H.
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c14 N71-20442
DEADMORE, D. L.
A silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343-1] c24 N80-26389
DEATON, E. T., JR.
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
DEBNAM, W. J. J.
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397
DEBNAM, W. J., JR.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
DEBOO, G. J.
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c09 N71-12517
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c10 N71-23669
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109
Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c10 N72-16172
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231
Electrical short locator
[NASA-CASE-ARC-11116-1] c33 N79-31498
DECARLO, F. S.
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
DECKER, A. J.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
DEDOLPH, R. D.
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c51 N75-25503
DEERKOSKI, L. F.
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c10 N73-25241
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
DEFURIA, R. R.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
DEGEER, H. D.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
DEGRASSE, R. W.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
DEIS, B. C.
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164
DEL CASALE, L. A.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468
DEL CURTO, B.
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518
DEL DUCA, A.
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c09 N71-19480
DELANO, C. B.
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
DELAPLAINE, R. W.
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c54 N78-22720
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c37 N78-27425
DELATEUR, L. A.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
DELGREGO, D. J.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
DELIONBACK, L. M.
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
DELUCA, J. J.
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide

[NASA-CASE-GSC-11577-3] c24 N79-25143

DELVIGS, P.
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c27 N81-17260
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296

DELVISS, P.
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447

DEMING, J.
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585

DEMING, J. W.
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750

DEMOGENES, C.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877

DEMOREST, K. E.
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c15 N71-24984

DENACI, D. E.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813

DEO, N.
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c21 N73-13644

DERING, W. G.
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898

DERR, L. J.
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c14 N70-35220
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c09 N71-26182
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c09 N72-25260
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c33 N73-32818

DESCAMP, V. A.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342

DESTEESE, J. G.
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646

DETTLING, J. E.
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c37 N79-22474

DETWEILER, H. K.
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814

DEVINE, D. J.
Electrical short locator
[NASA-CASE-ARC-11116-1] c33 N79-31498

DEVINE, E. J.
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-IGS-05715] c23 N71-16100

DEWHIRST, D. L.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c31 N71-18611

DEWITT, R. L.
Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492

DEYOUNG, R. J.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307
Large volume multiple path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c36 N79-26385

DI LOSA, V. J.
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-IGS-01222] c10 N71-20841

DIAMOND, D. D.
Stator rotor tools
[NASA-CASE-MSC-16000-1] c37 N78-24544

DIAMOND, R. M.
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531

DIBATTISTA, J. D.
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367

DICKENS, L. E.
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660

DICKERSON, G. E.
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N78-17150

DICKINSON, R. M.
Microwave power converter
[NASA-CASE-NPO-14068-1] c44 N78-19609
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c32 N78-24391
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N78-28594
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287

DIETRICH, F. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860

DILL, G. P.
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067

DILLARD, P. A.
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550

DILLON, R. F., JR.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573

DIMEFF, J.
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c14 N69-27423
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c09 N70-33182
Two-plane balance Patent
[NASA-CASE-XAC-00073] c14 N70-34813
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c09 N70-39915
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c14 N70-41681
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c24 N71-16095
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c23 N71-16098
Thermal detector of electromagnetic energy by means of a vibrating electrode Patent
[NASA-CASE-XAC-10768] c09 N71-18830
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c09 N71-23021
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c14 N72-22438
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c06 N72-31141
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520

Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector
[NASA-CASE-ARC-10631-1] c74 N76-20958
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N78-13400

DIX, H. G.
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472

DIXON, G. V.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169

DOBIES, E. F.
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c14 N73-14427

DOD, L. B.
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234

DOLAND, G. D.
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Secure communication system
[NASA-CASE-MSC-16462-1] c32 N78-25274
Phased array antenna control
[NASA-CASE-MSC-14939-1] c32 N79-11264

DOLLYHIGH, S. M.
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c09 N80-24334

DOMAS, P. A.
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101

DOMBROWSKI, H. G.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c15 N71-15918

DONALDSON, E. E., JR.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334

DONNELLY, P. C.
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864

DONNINI, J. M.
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c14 N72-25412

DONOHUE, J. H.
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c35 N74-28097
Active nutation controller
[NASA-CASE-GSC-12273-1] c35 N80-21719

DONOVAN, B. P.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881

DONOVAN, G.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489

DONOVAN, R. P.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509

DOONG, H.
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c08 N71-12501
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522

DORNE, A.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c07 N71-22984

DOTSON, W. P., JR.
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c08 N73-32081

DOTTS, R. L.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c24 N79-25142
Improved attachment system for silica tiles
[NASA-CASE-MSC-18741-1] c16 N81-16110

DOUGHERTY, H. B.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861

DOUGHTY, R. A.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244

DOUGLAS, J.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16076

DOUGLAS, J. L.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407

DOW, H. B.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575

DOW, N. F.
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136

DOWLER, W. L.
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679

DOWNING, R. G.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431

DOWNS, W. R.
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c31 N70-42075
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011

DOYLE, J. C.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233

DREISBACH, F. R.
Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774

DRESHFIELD, R. L.
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415

DRESSER, H. S.
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129

DREXHAGE, M. G.
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c28 N72-17843

DREYFUS, M. G.
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c35 N79-33449

DRISCOLL, K. L.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865

DROST, E. J.
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443

DRUMMOND, A. S.
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c15 N70-40204

DU PONT, P. S.
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c03 N71-26726

DUBEY, M.
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531

DUBOIS, H. D.
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457

DUBUSKER, W.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376

DUFFY, J. O.
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c10 N71-25917

DUNAETZ, R. A.
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881

DUNAVANT, J. C.
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037
DUNN, J. G.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
DUNN, J. H.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579
DUNN, S. T.
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341
DUNN, W. F.
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345
DUNN, W. R.
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112
DUNNAVANT, W. B.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c06 N71-23230
Process for preparation of high-molecular-weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c06 N71-28807
DUNNING, J. W., JR.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c03 N69-35983
DUPRAW, W. A.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
DURAN, E. M.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
DURNEY, G. P.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
DUSTIN, M. O.
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c10 N71-25899
Shock position sensor for supersonic inlets
[NASA-CASE-LEW-11915-1] c35 N76-14431
DWINELL, W. S.
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c33 N79-28415

E

EASLEY, W. C.
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
EASTERLING, M. F.
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c07 N70-36911
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c10 N71-26326
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c32 N80-18253
EASTON, R. A.
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172
EATON, L. R.
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
EBERSOLE, T. J.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
EBIHARA, B. T.
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c33 N71-24145
EBY, R. J.
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c31 N73-30829
ECKERT, E. R. G.
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c15 N70-33226
ECKLES, P. M.
High-speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
ECONOMU, N. A.
Wire stripper
[NASA-CASE-FRC-10111-1] c37 N79-10419
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c06 N80-18036
EDDINS, T. O.
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c31 N70-36845
Missile launch release system Patent
[NASA-CASE-XMF-03198] c30 N70-40353
EDLESON, S. M.
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c15 N71-24897
EDNAN, C. W.
Electrical switching device Patent
[NASA-CASE-NPO-10037] c09 N71-19610
EDWARDS, G. G.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
EDWARDS, J. W.
Apparatus for damping operator induced oscillations of a controlled system
[NASA-CASE-FRC-11041-1] c33 N80-20488
EDWARDS, T. H.
Filtering device
[NASA-CASE-MFS-22729-1] c32 N76-21366
EGGER, R. L.
Strain gage Patent Application
[NASA-CASE-FRC-10053] c14 N70-35587
EGGERS, A. J., JR.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
EGLI, P. H.
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c15 N73-12487
EHRENFELD, D. A.
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c08 N71-22710
EICHENBRENNER, F. P.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c09 N74-19528
EICHENTHAL, J.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
EISENBERGER, I.
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
EL-AASSER, M. S.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242
ELACHI, C.
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13548-1] c36 N76-18428
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
ELBER, W.
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c05 N80-16055
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c24 N81-14000

Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-2] c24 N81-16128
ELDER, H. D.
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c14 N71-24693
ELIA, A. D.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460
ELIASON, J. T.
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
ELKINS, H.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
ELLEHAN, D. D.
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N78-10837
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197
ELLERN, W. B.
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c18 N71-24934
ELLIOTT, D. G.
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c25 N69-21929
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c03 N70-36803
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c34 N79-20335
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660
ELLIOTT, R. L.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XNP-10753] c06 N71-11237
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c06 N73-30098
ELLIS, D. R.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
ELLIS, H., JR.
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c32 N80-24511
Complementary cross-slot phased array antenna
[NASA-CASE-MSC-18532-1] c32 N80-29543
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187
ELLIS, S. G.
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c09 N71-23027
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c26 N71-23043
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c26 N71-29156
ENDE, W. D.
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c17 N71-23828
ENERY, J. C.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170
ENGEL, A.
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
ENGLAND, C.
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
ENGLAR, K. G.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881
ENIE, R. B.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
ENRIQUEZ, H. A.
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N79-20296
ENSTROM, R. E.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c15 N69-24266
EPPS, C. H., JR.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
EPSTEIN, J.
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
EPSTEIN, P.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
ERB, R. B.
Heat shield Patent
[NASA-CASE-XMS-00486] c33 N70-33344
ERICKSON, W. D.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
Ablation article and method
[NASA-CASE-LAR-10439-1] c33 N73-27796
ERPENBACH, H.
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c15 N70-34967
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c24 N71-25555
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
ERRETT, D. D.
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771
ESCHER, W. J. D.
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c21 N70-34539
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c28 N71-10780
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c28 N71-15660
ESGAR, J. B.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
ESKENAZI, R.
Tactile sensing system
[NASA-CASE-NPO-15094-1] c33 N81-16386
ESKEW, H. H., JR.
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179
ESPY, P. H.
Coaxial high density, hypervelocity plasma

generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c25 N72-32688
ESTES, E. G.
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c31 N71-15643
ESTES, M. F.
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
ESTRELLA, C.
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c27 N80-23454
ESTRELLA, C. A.
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c25 N80-16116
ETSION, I.
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N79-10418
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c37 N79-12445
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c37 N80-12414
ETZEL, J. G.
Laser measuring system for incremental assemblies
[NASA-CASE-GSC-12321-1] c36 N80-18380
EUBANKS, A. G.
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c18 N71-22998
EULITZ, W. R.
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c12 N70-38997
EVANS, D. D.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311
EVANS, D. G.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895
EVANS, E. H.
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c14 N71-17657
EVANS, F. D.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
EVANS, G. A.
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
EVANS, H. E.
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c44 N78-24608
EVANS, J.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Nutation damper
[NASA-CASE-GSC-11205-1] c15 N73-25513
EVANS, J. C., JR.
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Solar cell collector
[NASA-CASE-LEW-12552-1] c44 N78-25527
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N78-25529
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] c44 N78-25553
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N79-11467
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c44 N79-11472
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c44 N79-18444
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c44 N81-12542
High voltage planar multijunction
[NASA-CASE-LEW-13400-1] c44 N81-16528
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
EVANS, J. H., JR.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c17 N78-17140
EVANS, P. K.
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
EVENSEN, D. A.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106
EVYARD, J. C.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
EWEN, H. I.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
EXTON, R. J.
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c39 N78-16387
EZEKIEL, F. D.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465

F

FABETH, P. A.
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c14 N71-23093
FAGET, M. A.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c31 N73-14854
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
FAGOT, R. J.
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329
FAHAN, J. C.
Superconducting alternator
[NASA-CASE-XLE-02824] c03 N69-39890
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c09 N71-23443
FALBEL, G.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
FALES, C. L., JR.
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397
FALK, W. C.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528
FANG, P.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
FANNIN, B. B.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865
FARNSWORTH, D. L.
Phototransistor imaging system

[NASA-CASE-MFS-20809] c23 N73-13660
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
FARNSWORTH, P. D.
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026
FARRELL, H.
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c09 N72-25261
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
FARRIS, C. D.
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
FARTHING, H. H.
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
FASSBENDER, A. G.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
FAULKNER, H. D.
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c15 N69-39735
FAY, H. J.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
FEAKES, F.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c14 N73-30390
FEALEY, H. D.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435
FEARNBROUGH, H. T.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
FEATHERSTON, A. B.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
FEDOR, J. V.
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016
FEDORS, H. F.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c76 N79-14908
FEHRENKAMP, L. G.
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
FEILER, C. E.
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507
FEINBERG, P. M.
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c07 N71-23001
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
FEINSTEIN, L.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
FEINSTEIN, S. P.
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c35 N80-18357
FELDSTEIN, C.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703
FELL, D. H.
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c34 N78-25350
FELTNER, W. R.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475
FENG, S. Y.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
FENTRESS, C. E.
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c31 N71-16346
FENWICK, J. R.
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
FERGUSON, R. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192
FERRARA, L. J.
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085
FESSLER, T. E.
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c14 N69-23191
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560
FEUELL, L. L.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c27 N80-21533
FIELDS, S. A.
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
FIET, O. O.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
FIGGINS, D. A.
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c10 N71-26374
FILIP, G. L.
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c09 N71-26133
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c15 N71-29032
FINDL, E.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
FINK, J. W.
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
FINKE, R. C.
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c09 N69-21542
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c14 N71-21090
FINLEY, T. D.
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
FINLEY, W. R.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c08 N72-22163
FINNIE, C. J.
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent

[NASA-CASE-XNP-01193] c10 N71-16057
FISCHELL, D. R.
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
FISCHER, J. A.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c15 N71-15918
FISCHER, J. R.
An interleaving device
[NASA-CASE-GSC-12111-2] c60 N77-31800
FISH, D. C.
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c15 N71-22723
FISH, R. H.
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
FISH, R. H.
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
FISHER, A.
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083
Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499
FITCH, E. J.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
FITTING, R. C.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429
FITTON, J. A., JR.
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580
FITZER, G. E.
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N78-10493
FITZGERALD, D. J.
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405
FITZGERALD, J. J.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
FITZGERALD, J. W.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
FITZGERALD, T. M.
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c10 N71-25900
FITZMAURICE, M. W.
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
FLAGGE, B.
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c32 N71-16428
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c32 N71-26681
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c09 N72-21248
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c35 N80-14371
FLAHERTY, R.
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c03 N72-26031
FLAHN, D. L.
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c33 N79-15245
FLANNERY, E. J.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c33 N71-16278
FLATAU, C. R.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
FLATTAU, T.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
FLEETWOOD, C. M.
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149
FLEETWOOD, C. M., JR.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
FLEISCHMAN, G. L.
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
FLETCHER, E. A.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
FLETCHER, I. L.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
FLETCHER, J. C.
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859
FLETHER, W. R.
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N78-27326
FLIPPIN, A.
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
FLORES, A. L.
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
FLOYD, E. L.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625
FOGAL, G. L.
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385
FOHLEN, G. M.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551
FONTANA, A.
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c14 N71-23269
FONTES, M. J.
Method for making patterns for resin matrix composites
[NASA-CASE-ARC-11246-1] c24 N80-22410
FOOTE, R. H.
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c10 N71-26374
FORBES, S. G.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
FORD, A. G.
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c14 N69-21923
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c14 N70-40273
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N78-16369
Speed control device for a heavy duty shaft
[NASA-CASE-NPO-14170-1] c37 N81-15364
FORD, F. C.
Hypervelocity gun

[NASA-CASE-XLE-03186-1] c09 N79-21084
FORD, P. E.
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719
FORD, R. B.
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c07 N70-38200
FORREHAND, L.
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895
FORRESTIERI, A. F.
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N78-25528
FORLIFER, W. R.
Landing gear Patent
[NASA-CASE-XNP-01174] c02 N70-41589
FORSYTHE, A. K.
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c11 N70-38202
FORTINI, A.
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
Heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N79-13289
A heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c34 N79-23383
Heat exchanger and method of making
[NASA-CASE-LEW-12441-2] c34 N80-24573
FOSTER, J. V.
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c02 N71-29128
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c21 N72-22619
FOSTER, L. E.
Magnetomotive metal working device Patent
[NASA-CASE-XNP-03793] c15 N71-24833
FOSTER, T.
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
FOULER, J.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263
FOULER, J. T.
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c10 N73-26228
FOX, R. L.
Induction heating gun
[NASA-CASE-LAR-12540-1] c37 N80-11468
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469
FOX, W. E.
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006
FRALEY, T. O.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
FRANCISCO, A. C.
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311
FRANCISCUS, L. C.
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
FRANK, H. A.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
FRANKE, J. M.
Direction sensitive laser velocimeter
[NASA-CASE-LAR-12177-1] c36 N79-28532
Laser Doppler velocity simulator
[NASA-CASE-LAR-12176-1] c36 N80-16321
FRANKLIN, W. J.
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c15 N70-39924
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c15 N70-41371
FRASER, A. S.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
FRAZE, R. E.
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c23 N71-26654
FRAZER, R. E.
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c09 N71-26701
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751
Strong thin membrane structure
[NASA-CASE-NPO-14021-2] c27 N80-16163
Apparatus for endoscopic examination
[NASA-CASE-NPO-14092-1] c52 N80-16725
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
FRAZIER, H. J.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
FRECHE, J. C.
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c17 N70-33283
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
Nickel-base alloy containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c33 N71-29152
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Nickel base alloy
[NASA-CASE-LEW-12270-1] c26 N77-32280
FREDRICKSON, C. A.
Energy absorption device Patent
[NASA-CASE-XNP-01848] c15 N71-28959
FREEMAN, E. T.
Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774
FREEMAN, R. S.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
FREGGENS, R. A.
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c28 N73-32606
FRENCH, K. E.
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
FRENCHE, J. C.
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c17 N72-22535
FRIDRICH, C. W.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
FRIEDAN, H. J.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
FRIEDELL, H. V.
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N79-11402
FRIEDERICHS, J. E.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440
FRIEDRICH, E. W.
Reentry vehicle leading edge Patent

[NASA-CASE-XLA-00165] c31 N70-33242
PRIICHTENICHT, J. P.
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386
PRIPP, A. L.
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389
PRISBIE, H. F.
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
PRITZ, M. E.
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550
PRITZEN, E., JR.
Noncontaminating swabs
[NASA-CASE-MFS-18100] c15 N72-11390
PROEHLING, S. C.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
PROST, J. D., JR.
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c05 N71-24729
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c05 N72-27103
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
PRYER, T. B.
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c05 N71-12342
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c14 N73-32326
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c52 N80-18691
PUCHS, J. C.
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
PUHR, W.
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319
PUHRMEISTER, P. F.
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179
PUJIOKA, R. S.
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
PULCHER, C. W. G.
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c05 N72-15098
PULCHER, R. W.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N75-24758
PULLER, H. V.
Cable restraint
[NASA-CASE-LAR-10129-1] c15 N73-25512
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882
PUNG, L. W.
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c60 N79-27864
PUNK, B. H., JR.
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c14 N72-21407
PURCINITI, C. A.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390
PURMAN, E. R.
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c31 N78-17237
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N79-20336
PURNER, R. L.
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
PURTSCH, T. A.
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
PURUMOTO, H. W.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485
PYLER, N. F.
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c33 N75-27250
PYNAT, A. L.
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c35 N80-18364

G

GAALEMA, S. D.
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c33 N79-17134
GABROVIC, L. J.
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c15 N71-20739
GADDIS, D. H.
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c15 N71-21403
GADDIS, J. L.
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237
GADDY, E. M.
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c03 N72-20031
GADE, D. W.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c14 N71-28958
GAETANO, G.
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
GAHN, R. F.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
GAISER, E. E.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618
GALE, G. P.
Flow rate switch
[NASA-CASE-NPO-10722] c09 N72-20199
GALLAGHER, H. E.
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c28 N71-23081
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c28 N71-28850
GALLO, A. J.
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
GANGULI, P. S.
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
GARAVAGLIA, A. P.
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
GARBA, J. A.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
GARD, L. H.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421

GARDNER, D. E.
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c15 N70-33330
GARDNER, J. H.
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679
GARDNER, M. B.
Heating and cooling system
[NASA-CASE-LAR-12393-1] c39 N80-25693
GARDNER, M. S.
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
GARDOS, M. N.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
GARFEIN, A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
GARNIER, R. H.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
GARNIER, G.
X-ray position detector
[NASA-CASE-NPO-12087-1] c74 N81-19898
GARNER, H. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
GARRAHAN, N. M.
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c10 N71-23029
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c09 N71-27016
GARREN, J. F., JR.
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c02 N71-13422
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c08 N79-23097
GARWOOD, D. C.
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c14 N70-35666
GARY, B. L.
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677
GASTON, D. H.
Masking device Patent
[NASA-CASE-XNP-02092] c15 N70-42033
GASTON, R. P., JR.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589
GATES, D. M.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
GATES, J. D.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
GATES, L. E., JR.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088
GATEWOOD, J. B.
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c26 N72-28761
GATLIN, J. A.
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c31 N71-15676
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c08 N71-29033
GATTI, A.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
GAUSE, R. L.
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377
Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Manual actuator
[NASA-CASE-MFS-21481-1] c37 N74-18127
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
Ergometer calibrator
[NASA-CASE-MFS-21045-1] c35 N75-15932
GAUTHIER, M. K.
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
GAVALAS, G. R.
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
GAVIRA, M. R.
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
GAVRILLIS, T. G.
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
GDULA, M. G.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
GEBBEN, V. D.
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c54 N75-13531
GEDWILL, M. A.
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
GEE, S. W.
Terminal guidance system
[NASA-CASE-FRC-10049-1] c04 N74-13420
GEHRING, W. R.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089
GEIDEMAN, W. A., JR.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
GEIER, D. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
GEIPEL, D. H.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265
GEISE, P. E., JR.
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264
GELB, L. L.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
GELDERLOOS, H. C.
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c60 N80-30050
GELLES, R.
Wide angle long eye relief eyepiece Patent

[NASA-CASE-MFS-06056-1] c23 N71-24857
GENTER, R. E.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c09 N71-27001
GEORGE, T. R., JR.
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
GERDTS, J. C.
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
GERINGER, H. J.
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c14 N71-23267
GERMANN, R. F., JR.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
GERTSMA, L. W.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579
GETCHELL, D. E.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344
GETTELMAN, C. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
GIACCONI, R.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240
GIANATASIO, A. J.
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154
GIANDOMENICO, A.
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c30 N71-23723
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383
GIANNINI, G. M.
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c37 N75-25426
GIBSON, P. W.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
GIFFIN, C. E.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
GILBERT, G. J.
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
GILBREATH, W. P.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-15339
GILCHRIEST, C. E.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c07 N71-20791
GILES, R. H. P.
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170
GILKISON, C. A.
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c10 N71-22962
GILL, W. L.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913
GILLEHAN, J. B.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
GILLESPIE, W., JR.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c30 N70-40309
Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c31 N71-15663
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c15 N71-23052
GILLETTE, R. B.
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N78-27913
GILLEY, G. C.
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
GILLEY, P. J.
Material fatigue testing system
[NASA-CASE-MFS-20673] c14 N73-20476
GILLIGAN, J. E.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
GILLMORE, W. F.
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c08 N72-20177
GILMAN, H. H.
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
GILREATH, M. C.
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c09 N71-22888
GILWEE, W. J., JR.
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N78-15180
GIN, B.
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
GIN, W.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181
GINER, J. D.
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487
GINSBURG, A.
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c20 N80-14188
GIORGINI, E. A.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
GIOVANNETTI, A., JR.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
GIRALA, A. S.
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c05 N72-22093
Open ended ratchet type tubing cutter
[NASA-CASE-MSC-18538-1] c37 N80-22703
GLASER, P. E.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
GLASSEY, E. A.
Line following servosystem Patent
[NASA-CASE-XAC-00001] c15 N71-28952
GLAWE, G. E.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
Sensing probe
[NASA-CASE-LEW-10281-1] c14 N72-17327
GLEKAS, L. P.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
GLENN, C. G.
Manual actuator
[NASA-CASE-MFS-21481-1] c37 N74-18127
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
GLENN, D. C.
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c15 N71-17688
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c15 N71-26189
GLOBUS, R. H.
Process of forming particles in a cryogenic path Patent

[NASA-CASE-NPO-10250] c23 N71-16212
GLOSS, W. L.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473
GLORIA, H. H.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
GOERING, R. S.
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672
GOETZ, A. F. H.
Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c43 N79-17288
GOETZ, C.
Quartz ball value
[NASA-CASE-NPO-14473-1] c37 N80-23654
GOLD, H.
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N78-24545
GOLD, H. S.
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
GOLDBERG, G. I.
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c14 N71-21082
GOLDBERG, J.
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843
GOLDEN, D. P., JR.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
GOLDMAN, G. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
GOLDOWSKY, M. P.
Linear magnetic bearings
[NASA-CASE-GSC-12582-1] c37 N81-16469
GOLDSBERRY, R. E.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
GOLDSCHMIED, F. R.
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c12 N71-17578
GOLDSMITH, J. W.
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042
GOLDSTEIN, A. W.
Supersonic fan blading
[NASA-CASE-LEW-11402-1] c07 N74-28226
GOLDSTEIN, C. S.
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c33 N79-21265
GOLDSTEIN, H. E.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c24 N79-24062
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c27 N80-23454
GOLDSTEIN, I.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
GOLDSTEIN, R.
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c35 N80-12383
GOLDSTEIN, R. M.
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c07 N71-21476
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c08 N72-25209
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
GOODLOE, R. R.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
GOODRICH, J. A.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928
GOODWIN, F. E.
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
GOODWIN, R. A.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
GOODYER, M. J.
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c35 N74-32878
GOOKIN, R. E.
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N79-20296
GORADIA, C. P.
High voltage planar multijunction
[NASA-CASE-LEW-13400-1] c44 N81-16528
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
GORDON, B. L.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
GORDON, W. A.
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c09 N71-22987
GORELICK, D.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
GORSTEIN, M.
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
GOSS, W. C.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c35 N80-12383
GOULD, C. W.
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c15 N70-41960
GOULD, J. M.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XNP-00663] c08 N71-18752
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
GOULD, W. I., JR.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965
GRAAB, J. W.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
GRABOWSKI, J. P.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235
GRAFF, J.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844

GRAFSTEIN, D.
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c12 N71-18603
GRAHAM, O. L.
Color television system
[NASA-CASE-MSC-12146-1] c07 N72-17109
GRAHAM, R. W.
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-LLE-01449] c15 N70-41646
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363
GRAN, A. A.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c05 N71-26333
GRANA, D. C.
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c35 N78-27384
Natural turbulence electrical power generator
[NASA-CASE-LAR-11551-1] c44 N80-29834
GRANATA, R. L.
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174
GRANT, D. J.
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c28 N71-14044
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c14 N71-22965
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c14 N71-22996
GRANT, G. H.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
GRANT, H. H.
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640
GRANTHAM, W. L.
Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c25 N71-20563
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c07 N71-28980
GRAY, C. E.
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c23 N71-16365
GRAY, D. L.
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c44 N80-18552
GRAY, D. T.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
GRAY, J. L.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
GRAY, H. C.
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c31 N81-14137
GRAY, V. H.
Boiler for generating high quality vapor Patent
[NASA-CASE-LLE-00785] c33 N71-16104
Ablative system
[NASA-CASE-LEW-10359] c33 N72-25911
Ablative system
[NASA-CASE-LEW-10359-2] c33 N73-25952
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c31 N73-32750
GRAYSON, J. H.
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c10 N71-10578
GREBE, V. J.
Inductive liquid level detection system Patent
[NASA-CASE-LLE-01609] c14 N71-10500
GREEB, F. J.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
GREEN, A. T.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
GREEN, C. W., JR.
Rocket injector head
[NASA-CASE-XMF-04592-1] c20 N79-21125
GREEN, E. D.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c09 N70-41675
GREEN, K. A.
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Multifrequency broadband horn antenna
[NASA-CASE-NPO-14588-1] c32 N79-17067
GREEN, R. G.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
Layout tool Patent
[NASA-CASE-FRC-10005] c15 N71-26145
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
GREEN, R. R.
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c08 N71-24650
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
GREEN, W. L.
Mass measuring system Patent
[NASA-CASE-XMS-03371] c05 N70-42000
GREENBERG, J.
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-LLE-01645] c03 N71-20904
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084
Heat activated cell Patent
[NASA-CASE-LEW-11359] c03 N71-28579
Method of making emf cell
[NASA-CASE-LEW-11359-2] c03 N72-20034
GREENLEAF, J. E.
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c54 N78-22720
GREENWOOD, T. D.
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
GREENWOOD, T. L.
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c14 N70-34794
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c10 N71-16058
GREGORY, J. W.
Rocket motor system Patent
[NASA-CASE-XLE-00323] c28 N70-38505
Combustion chamber Patent
[NASA-CASE-XLE-04857] c28 N71-23968
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c28 N73-13773
GREGORY, T. J.
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076
GRIEVE, S. H.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325
GRIFFIN, C. R.
Antenna deployment mechanism for use with a spacecraft
[NASA-CASE-GSC-12331-1] c18 N80-14183
GRIFFIN, F. D.
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c14 N69-39785
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c14 N71-23175
GRIFFIN, R. N.
Apparatus for conducting flow electrophoresis in

the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
GRIFFIN, W. S.
Fluid jet amplifier
[NASA-CASE-XLE-03512] c12 N69-21466
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c12 N71-28741
GRIFFITH, G. E.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312
GRINER, D. B.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865
GRISAFFE, S. J.
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c15 N71-15610
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c17 N73-32414
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c27 N76-16229
GRISWOLD, H. H., JR.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
GROBMAN, J.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844
GROOM, H. J.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c09 N71-20447
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c37 N78-27424
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c35 N79-26372
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c04 N80-18019
GROSE, W. L.
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
GROSS, C.
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c14 N71-25892
Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N73-12445
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c35 N79-14347
GROSS, W. J.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
GROTH, W. G.
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c14 N70-34298
GROVE, C. H.
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
GROVES, W. O.
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
GRUBBS, T. H.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
Line cutter Patent
[NASA-CASE-XMS-04072] c15 N70-42017
Tension measurement device Patent
[NASA-CASE-XMS-04545] c15 N71-22878
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c15 N71-24599
GRUBER, C. L.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722
GRUBER, R. P.
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c20 N79-20179
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c44 N80-14472
GRUNBAUM, B. W.
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N78-14104
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c25 N79-14169
GRUNBERGER, P. J.
High speed, glitch-free digital to analog converter
[NASA-CASE-GSC-12319-1] c60 N79-32852
GRUNTHANER, F. J.
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N78-10429
GUILLOTTE, R. J.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
GUISINGER, J. E.
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c09 N71-12540
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c35 N78-29421
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678
GUIST, L. E.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
GUNGLE, E. L.
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c28 N70-41967
GUNTER, W. D., JR.
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c23 N73-20741
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
GUPTA, A.
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887
GURTLER, C. A.
Ablation sensor
[NASA-CASE-XLA-01781] c14 N69-39975
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c14 N71-14996
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
GUSSOW, S. S.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
GUSTAFSON, G. L.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
GUSTINCIC, J. J.
Microwave limb sounder
[NASA-CASE-NPO-14544-1] c74 N79-34014

GUTSHALL, R. L.
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
GUY, J. T., SR.
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c15 N70-26819
GYORGAK, C. A.
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c15 N71-23817

H

HABBAL, N. A.
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c10 N71-26544
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
HABRA, J. H.
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04958-1] c10 N71-26414
HADEK, V.
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c14 N73-28486
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164
HADLAND, W. O.
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c15 N73-12488
HADLEY, H. C., JR.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
HADY, W. F.
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
HADY, W. F.
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c37 N75-21631
HAEHNER, C. L.
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
HAERTHER, L. W.
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467
HAEUSSERMANN, W.
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N78-32396
Magnetic field control
[NASA-CASE-MFS-23828-1] c33 N80-17359
HAFLE, R. S.
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
HAGIHARA, F. S.
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c08 N71-12500
HAGOOD, G. J., JR.
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c10 N73-20253
HAINES, R. F.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
HALEY, C. T.
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392
HALEY, F. C.
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c14 N71-24809
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913
HALL, A. C.
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
HALL, D. F.
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c09 N71-16086
HALL, E. D.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
HALL, E. H.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
HALL, J. B., JR.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
HALL, J. F., JR.
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c23 N71-30292
HALL, J. H.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
HALLAM, K. L.
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
HALLBERG, F. C.
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c10 N71-26531
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c76 N80-18951
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c76 N80-32246
HALLOCK, J. H.
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c16 N71-29131
HALPERT, G.
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
HAMERMESH, C. L.
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
HAMLET, J. F.
Automatic quadrature control and measuring system
[NASA-CASE-MFS-21660-1] c35 N74-21017
LC-oscillator with automatic stabilized amplitude via bias current control
[NASA-CASE-MFS-21698-1] c33 N74-26732
HAMMACK, J. B.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
HAMMOND, A. D.
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11041
HANCHEY, K. K.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c15 N71-19486
HAND, P. J.
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c35 N74-15094
HANGER, B. T.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
HANKINSON, T. W. E.
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c15 N69-27505
HANNA, M. F.
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c09 N71-26092
Event sequence detector
[NASA-CASE-NPO-11703-1] c10 N73-32144
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
HANSEN, D. O.
Particle parameter analyzing system

[NASA-CASE-XLE-06094] c33 N78-17293
HANSEN, G. B., JR.
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
HANSEN, I. G.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
HANSEN, S.
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c14 N70-40203
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c15 N71-15966
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c15 N71-15967
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c14 N71-20429
HANSON, H. P.
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c28 N71-29154
HANSON, P. W.
Lift balancing device
[NASA-CASE-LAR-10348-1] c11 N73-12264
HANSON, R. M.
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c15 N71-24834
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c15 N71-26346
HANST, P. L.
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c16 N71-24832
HAQ, K. E.
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c26 N69-33482
HARADA, Y.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
HARALSON, H. S.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
HARAWAY, W. M., JR.
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c18 N71-26100
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
HARD, T. M.
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c14 N72-17323
HARDGROVE, W. F.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788
HARDY, J. C.
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c05 N71-24623
Restraining mechanism
[NASA-CASE-MSC-13054] c54 N78-17677
HARMAN, J. M., III
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XNP-06531] c14 N71-17575
HARMS, V. W.
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c30 N72-17873
HAROULES, G. G.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c14 N73-26432
HARPER, C. A.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
HARPER, P. M., SR.
Improved tire/wheel concept
[NASA-CASE-LAR-11695-2] c37 N80-18402
HARRAP, V.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
HARRIGILL, W. T., JR.
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c33 N78-32341
HARRIS, D. H.
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c07 N72-21119
HARRIS, H. P.
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455
HARRIS, H. P.
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c37 N81-16470
HARRIS, H. V., JR.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
HARRISON, D. H.
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
HARRISON, E. S.
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
HARRISON, F. L.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006
HARRISON, H. G., JR.
Pressure variable capacitor
[NASA-CASE-XNP-09752] c14 N69-21541
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c07 N71-24840
HARSTAD, K. G.
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
HARTENSTEIN, R. G.
Accelerometer with PM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c10 N70-41964
HARTING, D. R.
Strain gage Patent Application
[NASA-CASE-FRC-10053] c14 N70-35587
HARTMANN, H. J.
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c20 N80-14188
HARTOP, R. W.
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c32 N78-31321
HARVEY, G. A.
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c14 N71-29041
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c14 N73-19419
HARVEY, W. D.
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989
HARWELL, R. J.
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c27 N74-17283
HASBACH, W. A.
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041
HASKELL, R. E.
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c32 N79-20297
HASSON, D. F.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924
HATAKEYAMA, L. F.
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c31 N73-14853
HATCH, J. E.
Energy conversion apparatus Patent

[NASA-CASE-XLE-00212] c03 N70-34134
HATCHER, H. M.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c10 N71-13545
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c21 N71-22880
HATFIELD, J. J.
Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c08 N71-12507
HATHAWAY, H. E.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850
HAUGE, G.
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885
HAURY, V. E.
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
HAUSER, J. A.
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c14 N71-17588
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c15 N71-24044
HAVENS, D. E.
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
HAWKINS, C. A.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865
HAWLEY, J. J.
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c09 N71-23189
HAWLEY, M. W.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265
HAYDEN, R. E.
Magnetic counter Patent
[NASA-CASE-XNP-08836] c09 N71-12515
HAYNES, D. P.
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c35 N78-27384
HAYNES, J. L.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
HAYNIE, C. C.
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
HAYNIG, C. C.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
HAYNOS, J. G.
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c03 N71-11058
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
HAYS, L. G.
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c14 N71-26199
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Flow control valve
[NASA-CASE-NPO-11951-1] c37 N74-21065
HEARN, C. P.
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c10 N71-27271
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
HEBERLIG, J. C.
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
HECHT, R.
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c14 N73-30394
HECKELMAN, J. D.
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c10 N71-24798
HECKLER, C. H.
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c12 N71-20896
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032
HEDGEPETH, J. M.
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425
HEDLUND, R. C.
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231
HEER, E.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
HEFFERMAN, J. T.
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
HEFFERMAN, J. T.
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
HEFLINGER, L. O.
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Microbalance
[NASA-CASE-MSC-11242] c35 N78-17358
HEIDMANN, M. P.
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c28 N70-38710
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819
HEIDT, H. F.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
HEIER, W. C.
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c15 N71-10672
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Molding apparatus
[NASA-CASE-LAR-10489-2] c31 N74-32920
Evacuated, displacement compression mold
[NASA-CASE-LAR-10782-2] c31 N75-13111
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N78-24275
HEIMBUCH, A. H.
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
HEIMERL, G. J.
Extensometer frame
[NASA-CASE-XLA-10322] c15 N72-17452
HEIN, L. A.
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N79-11404
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831
HEINDL, J. C.
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23048
HEINEMANN, K.
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732

Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
HEINEY, O. K.
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c11 N72-22247
HEISMAN, B. M.
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c15 N71-21536
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
HELBERT, W. B., JR.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
HELLBAUM, R. F.
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c12 N71-17579
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
HELLER, J. A.
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N79-10057
HELLMANN, R. F.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089
HELMS, C. R.
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c52 N79-14756
HENDEL, F. J.
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c27 N78-33228
HENDERSON, M. E.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
HENDRICKS, H. D.
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c06 N73-16106
HENLEY, W. H.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
HENNIGAN, T. J.
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c14 N69-21363
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c03 N71-11053
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c03 N71-22974
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c03 N71-23336
HENRY, A. W.
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c06 N71-23500
HENRY, B. Z., JR.
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c31 N71-15674
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
HENRY, V. F.
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N79-11265
HEPPNER, J. P.
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c14 N71-15962
HERBELL, T. P.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
HERMAN, C. F.
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
HERMANN, A. M.
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698
HERMESMEYER, C. R.
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c33 N81-15192
HEROLD, C. P.
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c15 N71-10782
HERR, R. W.
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
HERRMANN, A. L.
Locking device with rolling detents Patent
[NASA-CASE-XNP-01371] c15 N70-41829
HERRON, B. G.
Power control circuit
[NASA-CASE-XNP-02713] c10 N69-39888
HESLIN, T. M.
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c35 N80-20565
HESPENHIDE, W. H.
Variable direction force coupler
[NASA-CASE-MFS-20317] c15 N73-13463
HESS, D. A.
Passive propellant system
[NASA-CASE-MFS-23642-2] c20 N78-27176
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
HESS, R. V.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
HESS, R. W.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586
HESTER, H. B.
Current regulating voltage divider
[NASA-CASE-MFS-20935] c09 N71-34212
HETHCOAT, J. P.
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
HEWES, D. E.
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c11 N71-10776
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c11 N71-16028
HEYMAN, J. S.
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c35 N76-15432
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c39 N78-15512
Pseudo continuous wave instrument
[NASA-CASE-LAR-12260-1] c35 N79-10390
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
CDS solid state phase insensitive ultrasonic transducer
[NASA-CASE-LAR-12304-1] c35 N80-20559
Frequency tracked pulse technique for ultrasonic analysis
[NASA-CASE-LAR-12697-1] c32 N80-26571
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c52 N81-12724
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195
HEYSER, R. C.
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c14 N73-26430
Method for shaping and aiming narrow beams
[NASA-CASE-NPO-14632-1] c32 N80-12256
HEYSON, H. H.
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c11 N72-22246
HIEDA, L. S.
Controller for computer control of brushless dc motors
[NASA-CASE-NPO-13970-1] c33 N81-20352
HIGA, W. H.
Refrigeration apparatus
[NASA-CASE-NPO-10309] c15 N69-23190

Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c15 N71-23025
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-1] c37 N79-23431

HIGBY, R. F.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980

HIGH, R. W.
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131

HILBERT, E. E.
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240

HILBORN, E. H.
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c09 N71-12539
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c12 N71-18603
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c09 N71-33519

HILDEBRANDT, A. F.
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c06 N70-34946
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361

HILKER, W. R.
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040

HILL, E. K.
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415

HILL, O. E.
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c11 N71-17600
Wind tunnel test section
[NASA-CASE-MFS-20509] c11 N72-17183

HILL, P. R.
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c33 N71-17897
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c09 N75-15662

HILL, W. E.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290

HILLBERG, E. T.
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c15 N71-20441

HILLBORN, E. H.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618

HILLIS, D. A.
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-15687

HILLMAN, C. E., JR.
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-26717

HILLMAN, J. J.
Thermal compensator for closed-cycle helium refrigerator
[NASA-CASE-GSC-12168-1] c31 N79-17029

HILTON, G. E.
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090

HIMMELRIGHT, R. H.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817

HIRAYAMA, C.
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063

HIRSHFIELD, S. M.
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c15 N71-27372
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c06 N73-32029

HITCHMAN, H. J.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778

HOBART, H. F.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074

HOBBS, A. J.
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444

HOBLIN, L. E.
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c07 N71-28979

HOCHMAIR, E. S.
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c33 N75-30428

HODDER, D. T.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123

HODGE, P. E.
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c24 N80-11142

HODGES, D. H.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029

HOFFLER, G. W.
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839

HOFFMAN, C. A.
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c24 N81-17170

HOFFMAN, D. G.
Light detection instrument Patent
[NASA-CASE-XGS-05534] c23 N71-16355

HOFFMAN, E. L.
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c31 N70-34135

HOFFMAN, H. C.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
Active nutation controller
[NASA-CASE-GSC-12273-1] c35 N80-21719
Method of and apparatus for damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c18 N81-12156

HOFFMAN, I. S.
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c14 N71-23092
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407

HOFFMAN, L. A.
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c10 N71-28859

HOFFMAN, T. E.
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313

HOHL, F.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307
Large volume multiple path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c36 N79-26385

HOKLO, K. H.
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c15 N73-28515

HOLDEMAN, L. B.
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348

HOLDEN, G. R.
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c05 N69-21473
HOLDERER, O. C.
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c11 N70-36913
HOLDERMAN, L. B.
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c33 N78-13320
HOLDEN, R. T., III
Radar calibration sphere
[NASA-CASE-XLA-11154] c07 N72-21117
HOLES, J. K.
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
HOLESKI, D. E.
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201
HOLKO, K. H.
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c15 N73-32358
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c37 N74-18128
Diffusion welding
[NASA-CASE-LEW-11388-2] c37 N74-21055
HOLLAHAN, J. R.
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
HOLLAND, V. B.
Signal conditioning circuit apparatus
[NASA-CASE-ARC-10348-1] c33 N75-19518
HOLLANDER, J.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c06 N73-30099
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c06 N73-30102
HOLLANHAN, J. R., JR.
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052
HOLLEMAN, E. C.
Three axis controller Patent
[NASA-CASE-XFR-00181] c21 N70-33279
HOLLENBAUGH, R. C.
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c21 N71-13958
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Position location system and method
[NASA-CASE-GSC-10087-3] c07 N72-12080
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
HOLLEY, L. D.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N79-22373
HOLLIDAY, M. L.
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
HOLLIS, B. R.
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585
HOLLIS, B. R., JR.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475
HOLMAN, R. V.
Latching mechanism Patent
[NASA-CASE-XMS-03745] c15 N71-21076
HOLMES, B. K.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
HOLMES, H. K.
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c15 N71-24895
HOLMES, J. P.
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667
HOLMES, L., JR.
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c04 N78-17031
HOLMES, R. F.
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
HOLMES, S. J.
Ultraviolet filter
[NASA-CASE-XNP-02340] c23 N69-24332
HOLMES, T. H.
Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673
HOLMES, W. T.
Lifting body Patent Application
[NASA-CASE-FRC-10063] c01 N71-12217
HOLMSTROM, F. R.
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c26 N72-21701
HOLOWACH, J.
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c71 N79-14871
HOLT, H. M.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-39984
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c09 N71-12514
HOLT, J. M.
Improved attachment system for silica tiles
[NASA-CASE-MSC-18741-1] c16 N81-16110
HOLT, M. I.
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
HOLTZE, H. F.
Coating process
[NASA-CASE-XNP-06508] c18 N69-39895
HOLWAY, H. P.
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c11 N71-23030
HOMAES, R. J.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
HONEY, R. M.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
HONEYCUTT, L., III
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206
HONG, J. P.
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
System and method for character recognition
[NASA-CASE-NPO-11337-1] c74 N81-19896
HONG, S. D.
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887
HONNELL, M. A.
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
HOOD, R. T.
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c14 N71-23037

HOOD, W. R.
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface
[NASA-CASE-LAR-12261-1] c02 N80-20224
HOOP, J. M.
Method and apparatus for nondestructive testing
[NASA-CASE-MFS-21233-1] c38 N74-15395
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
HOOPER, C. D.
Extensometer Patent
[NASA-CASE-XMF-04680] c15 N71-15489
HOOVER, R. B.
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c14 N73-30389
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c35 N75-19616
Method of and means for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c35 N80-16362
HOOVER, R. J.
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c15 N71-23817
HOPKINS, P. M.
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313
HOPKINS, V.
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c15 N71-21403
HOPPING, R. L.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589
HORNE, W. B.
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c02 N70-36825
HORNER, J. L.
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c74 N76-31998
HORTON, D. B.
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c14 N70-35898
HORTON, J. C.
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c26 N71-17818
HORTTOR, R. L.
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118
HOSENTHIEN, H. H.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986
HOTZ, G. M.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
HOUCK, W. H.
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c10 N71-27338
Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
HOUSEMAN, J.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Combustion engine
[NASA-CASE-NPO-13671-1] c37 N77-31497
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
HOWARD, R. A.
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
HOWARD, P. S.
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c31 N72-21893
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c15 N73-12486
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c15 N73-26472
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c14 N73-27378
HOWARD, J. C.
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c32 N71-23971
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806] c06 N74-27872
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
HOWARD, P. W.
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
HOWARD, W. D.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993
HOWARD, W. H.
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Tread drum for animals
[NASA-CASE-ARC-10917-1] c51 N78-27733
HOWARTH, J. T.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N78-32262
HOWE, R. D.
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
HOWE, T. L.
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
HOWELL, J. R.
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234
HOWELL, W. E.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215
Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444
HOWELL, W. L.
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c20 N79-21124
HOWLAND, B. T.
High pressure air valve Patent
[NASA-CASE-MSC-11010] c15 N71-19485
HOYT, R. F.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
HRACH, F. J.
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522
HRON, R. L.
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249

HRUBY, R. J.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
HRYNIEWICKI, E.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238
HSU, G. C.
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
HSU, L. C.
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c27 N78-15276
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516
HSU, Y.-Y.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c03 N69-39983
HUANG, M. Y.
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427
HUBBARD, W. P.
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
HUBER, C. S.
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c05 N72-33096
HUBER, R. F.
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c05 N81-15087
HUBER, W. C.
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336
Inflatable tether Patent
[NASA-CASE-XMS-10993] c15 N71-28936
Foldable construction block
[NASA-CASE-MSC-12233-1] c15 N72-25454
Foldable construction block
[NASA-CASE-MSC-12233-2] c32 N73-13921
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N78-25426
HUDGINS, J. L.
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846] c37 N80-29704
HUDIS, M.
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N79-14214
HUDOCK, R. J.
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
HUDSON, O. K.
Gravimeter Patent
[NASA-CASE-XNP-05844] c14 N71-17587
HUDSPETH, T.
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c10 N71-19469
HUELSMAN, L. P.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171
HUEY, D. C.
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
HUFF, R. G.
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c14 N72-27410
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c14 N73-13417
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
HUFFAKER, R. M.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
HUGGINS, C. T.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612
HUGHES, B. C.
Air bearing Patent
[NASA-CASE-XMF-00339] c15 N70-39896
HUGHES, D. B.
Past scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
HUGHES, F. M.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
HULL, R. A.
Moving body velocity arresting line
[NASA-CASE-LAR-12372-1] c37 N80-18399
HUMBERT, J. E.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
HUMENIK, F. M.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
HUMES, D. H.
Impact measuring technique
[NASA-CASE-LAR-10913] c14 N72-16282
HUMMER, H. F.
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408
HUMPHREY, M. F.
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
HUNGERFORD, W. J.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705
HUNKELER, R. E.
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c18 N71-22998
HUNT, G. H.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865
HUNT, J. G.
Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464
HUNT, J. L.
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
HUNT, S. R., JR.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
HUNTER, R. E.
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429
HUNTRESS, W. T.
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
HUNTRESS, W. T., JR.
Miniature cyclotron resonance ion source using

small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163
HURD, W. A.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865
HURD, W. J.
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-25034
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
HURSTA, W. W.
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
HUSAIN-ABIDI, A. S.
Optical data processing using paraboloidal mirror segments
[NASA-CASE-GSC-11296-1] c23 N73-30666
HUSCHKE, R. G., JR.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c15 N71-20443
Brazing alloy composition
[NASA-CASE-XNP-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
HUSHANN, O. K.
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c17 N71-23046
HUSSEY, H. W.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
HUTCHINSON, W. D.
Manually actuated heat pump
[NASA-CASE-NPO-10677] c05 N72-11084
HUTCHISON, J. J.
Trifunctional alcohol
[NASA-CASE-NPO-10714] c06 N69-31244
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c06 N71-25929
HUTTO, R. J.
Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c08 N73-30135
HYNER, R. L.
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c07 N71-26181

I

I-LECHAO, J.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
IANNINI, A. A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
IANNONE, M.
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c27 N79-22300
ICELAND, W. F.
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
IDEN, R. B.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
IGENBERGS, E. B.
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c75 N75-13625
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
IGOE, W. B.
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c15 N71-27006
ILES, P. A.
Method for producing a solar cell having an integral protective covering
[NASA-CASE-XGS-04531] c03 N69-24267
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c03 N72-24037
ILLG, W.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136
IMBOLDI, E.
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473
IMIG, L.
Heating and cooling system
[NASA-CASE-LAR-12393-1] c39 N80-25693
IMIG, L. A.
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c09 N74-19528
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537
IMLAY, E. H.
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c08 N70-35423
INGHAM, J. D.
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515
INGHAM, K. T.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928
INGLE, W. M.
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
Quartz ball value
[NASA-CASE-NPO-14473-1] c37 N80-23654
IRICK, S. C.
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
A hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c05 N80-11065
Continuous self-locking spiral wound seal
[NASA-CASE-LAR-12315-1] c37 N80-16339
IRONS, A. S.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
IRWIN, A. S.
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
IRWIN, K. S.
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c11 N71-10748
IRWIN, T. P.
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
ISLEY, W. C.
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c28 N72-18766
ITO, T. I.
Preparation of perfluorinated imidoylamidoximes
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c25 N80-26407
IVES, R. E.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421
IVIE, C. V.
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c74 N79-34011
IWASAKI, M.
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809
IWASAKI, R. S.
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c32 N80-14281

J

JACK, J. R.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c28 N70-34175
JACKSON, C. M., JR.
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c09 N80-24334
JACKSON, K. R.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
JACKSON, L. R.
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c31 N70-42015
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c24 N80-12117
JACKSON, M. R.
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c26 N78-16183
JACOB, D. S.
Pressure modulating valve
[NASA-CASE-MSC-14905-1] c37 N77-28487
JACOBS, I. M.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
JACOBS, J. M.
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c35 N79-28527
JACOBS, R. B.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330
JACOBS, V. L.
Passive propellant system
[NASA-CASE-MFS-23642-2] c20 N78-27176
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
JACOBSON, D. S.
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c15 N73-14469
JAGOW, R. B.
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N78-10225
JAIN, A.
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c32 N78-18266
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c35 N79-10391
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607
JAKSTYS, V. J.
Composite antenna feed
[NASA-CASE-GSC-11046-1] c07 N73-28013
JALINK, A., JR.
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c14 N71-25901
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c14 N73-20475
JALUFKA, N. W.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307
JAMES, L. W.
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
JAMES, M. J.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
JAMES, R.
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988
JAMISON, H. H.
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c03 N71-29044
JANEFF, W.
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473
JANKOWSKI, F.
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
JANNICHE, P. J., JR.
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311
JANSEN, H. B.
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c20 N79-21124
JAVAN, A.
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c16 N71-18614
JEANE, H. L.
Priority interrupt system
[NASA-CASE-NPO-13067-1] c60 N76-18800
JECH, R. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
JEDLICKA, J. R.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
JEFFERS, E. L.
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067
JEFFERY, P. A. E.
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c05 N81-19087
JEFFREYS, H. B.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
JELALIAN, A. V.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
JELLISON, J. C.
Resilience testing device Patent
[NASA-CASE-XLA-08254] c14 N71-26161
JENKINS, K. H.
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c09 N71-22796
JENKINS, L. M.
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c15 N70-41808
JENKINS, R. K.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105
JENNINGS, D. R.
Thermal compensator for closed-cycle helium refrigerator
[NASA-CASE-GSC-12168-1] c31 N79-17029
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c37 N79-28549
JENSEN, A. R.
Separation nut Patent
[NASA-CASE-XGS-01971] c15 N71-15922

JENSEN, C. A.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
JENSEN, K. J.
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c10 N71-27366
JENSEN, P. A.
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c07 N71-22750
JENSEN, R. H.
Solar heating system
[NASA-CASE-LAR-12009-1] c44 N78-15560
Solar engine
[NASA-CASE-LAR-12148-1] c44 N79-29608
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c44 N80-20810
JEPPESEN, G. L.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
JESSUP, A. D.
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c11 N72-25284
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
JETER, J. D.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985
JEWELL, P. A.
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c08 N70-34675
JEWELL, R. A.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077
JEX, D. W.
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c12 N72-21310
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
JHABVALA, M. D.
Method of making V-MOS field effect transistors
[NASA-CASE-GSC-12515-1] c33 N80-12281
An implantable electrical device
[NASA-CASE-GSC-12560-1] c52 N80-27073
JHABVALA, M. O.
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N79-12321
JOBSON, D. J.
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
JOHANNSEN, K. G.
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N79-11265
JOHANSEN, D. L.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c05 N71-12343
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085
JOHNS, C. E.
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
JOHNSON, A. L., JR.
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c10 N71-28783
JOHNSON, C. B.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
JOHNSON, C. C.
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
Orbital escape device Patent
[NASA-CASE-XMS-06162] c31 N71-28851
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c33 N72-17947
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N80-23452
JOHNSON, C. C., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
JOHNSON, C. E.
Impact testing machine Patent
[NASA-CASE-XNP-04817] c14 N71-23225
JOHNSON, C. L.
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177
JOHNSON, C. W.
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c10 N71-23099
JOHNSON, E. G.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c17 N78-17140
JOHNSON, E. T.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
JOHNSON, F. W.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052
JOHNSON, H. G.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
JOHNSON, H. I.
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c11 N71-10746
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c02 N71-11039
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c11 N71-21474
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c15 N71-27147
JOHNSON, J. C., JR.
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c15 N71-24045
JOHNSON, J. D.
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c54 N78-17676
JOHNSON, J. E.
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
JOHNSON, J. E., JR.
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605
JOHNSON, J. L.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767
JOHNSON, J. L., JR.
High lift aircraft
[NASA-CASE-LAR-11252-1] c05 N75-25914
JOHNSON, K. G.
Positioning mechanism
[NASA-CASE-NPO-10679] c15 N72-21462
JOHNSON, R. C.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
JOHNSON, R. D.
Gas path seal
[NASA-CASE-NPO-12131-3] c37 N80-18400
JOHNSON, R. E.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437

JOHNSON, R. L.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c18 N71-10772
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c15 N71-24046
JOHNSON, V. B., JR.
Hydrofoil Patent
[NASA-CASE-XLA-00229] c12 N70-33305
JOHNSTON, A. R.
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c23 N71-16101
Light direction sensor
[NASA-CASE-NPO-11201] c14 N72-27409
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
JOHNSTON, E. A.
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c07 N79-14097
JOHNSTON, J. D.
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c54 N78-32724
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108
JOHNSTON, J. E.
Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c33 N75-18477
JOHNSTON, M. H.
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419
JOHNSTON, R. L.
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c11 N71-23042
JOHNSTON, R. S.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c18 N71-26285
JOHNSTON, W. V.
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859
JOLLEY, J.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
JONES, B. W.
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706
JONES, J. C.
Shock absorber Patent
[NASA-CASE-XMS-03722] c15 N71-21530
JONES, J. F.
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
JONES, J. H.
Lightning tracking system
[NASA-CASE-KSC-10729-1] c09 N73-32110
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
JONES, J. L.
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c23 N72-27728
JONES, R. A.
Flow field simulation Patent
[NASA-CASE-LAR-11138] c12 N71-20436
Method for determining thermo-physical properties of specimens
[NASA-CASE-LAR-11053-1] c25 N74-18551
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
JONES, R. E.
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c23 N73-30665
JONES, R. H.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
JONES, R. J.
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
JONES, R. L.
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c05 N71-11190
JONES, R. T.
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c02 N73-26005
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
JONES, W. C.
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
JONES, W. P.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c23 N71-29049
JORDAN, A. W.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032
JORDON, W. J.
Inspection gage for boss Patent
[NASA-CASE-XMP-04966] c14 N71-17658
JOSIAS, C. S.
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c09 N71-13530
JOSLYN, A. W.
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c33 N71-16104
JOYNER, U. T.
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c02 N70-34160
JUDD, B. W.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147
JUDD, J. H.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c31 N71-22968
Light regulator
[NASA-CASE-LAR-10836-1] c26 N72-27784
Deposition apparatus
[NASA-CASE-LAR-10541-1] c15 N72-32487
JUDY, P. F.
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
JUERGENSEN, K.
Regenerative braking system Patent
[NASA-CASE-XNP-01096] c10 N71-16030
JUHASZ, A. J.
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c20 N76-14190
JURSCAGA, G. M.
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c31 N74-18089
JUVINALL, G. L.
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c06 N71-28808

K

KABANA, W. P.
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c15 N73-14468
KAHLBAUM, W. H., JR.
Chromatically corrected virtual image display
[NASA-CASE-LAR-12251-1] c74 N79-14892
Chromatically corrected virtual image visual display
[NASA-CASE-LAR-12251-1] c74 N80-27185

KAISER, J. A., JR.
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c32 N80-28578
KALPAKIAN, S. H.
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
KALKBRENNER, R. W.
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
KALLINS, C.
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371
KAMI, S.
Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661
KAMINSKAS, R. A.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c27 N71-16348
KAMMERMEYER, K.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742
KAMPINSKY, A.
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c07 N70-41678
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c31 N71-23009
KANABUS, E. W.
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
KANBER, H.
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
KANE, J. O.
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c37 N81-15363
KANE, T. R.
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c21 N72-21624
KAPUSTKA, E. E.
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N78-25531
KARIGAN, G. H.
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
KARIOTIS, A. H.
Compression test assembly
[NASA-CASE-LAR-10440-1] c14 N73-32323
KARSH, I.
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c08 N71-22710
KASPARECK, W. E.
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c15 N71-17692
Fine adjustment mount
[NASA-CASE-MFS-20249] c15 N72-11386
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
KAST, H. B.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467
KASTAN, H.
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c28 N71-15563
KASTNER, S. O.
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c74 N80-21140
KATON, M. S.
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
KATVALA, V. W.
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434
KATZ, L.
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c14 N70-34705
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c24 N72-11595
KATZ, M. H.
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c33 N71-29151
KATZBERG, S. J.
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c74 N78-27904
KATZEN, R. D.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
KATZIN, L.
Breakaway connector
[NASA-CASE-NPO-11140] c15 N72-17455
KAUFMAN, H. R.
Ion thrustor cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Ion rocket Patent
[NASA-CASE-XLE-00376] c28 N70-37245
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c28 N71-14043
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c28 N71-15661
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c28 N71-26173
KAUFMAN, J. W.
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c44 N80-21828
KAUFMAN, W. B.
High current electrical lead
[NASA-CASE-LEW-10950-1] c33 N74-27683
KAUFMANN, J. J.
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
KAVAYA, M. J.
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538
KAZAROFF, J. M.
Heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N79-13289
A heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c34 N79-23383
Heat exchanger and method of making
[NASA-CASE-LEW-12441-2] c34 N80-24573
KAZNOFF, A. I.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c18 N71-28729
KAZOKAS, G. P.
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
KEAFER, L. S., JR.
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c70 N74-13436
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c74 N78-15879
KEARNS, M. J.
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c33 N71-16357
KEATHLEY, M. H.
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c15 N70-35679
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c15 N72-17450

KEATING, J. M.
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XPR-07658-1] c05 N71-26293
KEEFER, J. M.
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c05 N71-24606
KEENE, W. H.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
KEETON, A. R.
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c37 N80-10494
KEHLET, A. B.
Parachute glider Patent
[NASA-CASE-XLA-00898] c02 N70-36804
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
KELBAUGH, B. M.
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
KELLER, E. E.
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
KELLER, G. C.
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234
KELLER, O. F.
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603
KELLEY, J. R.
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c02 N71-13422
KELLEY, W. H.
A pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c08 N79-20135
A velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c08 N79-20136
KELLS, M. C.
Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c14 N71-24232
KELLY, D. L.
Multistage aerospace craft
[NASA-CASE-XMF-02263] c05 N74-10907
KELLY, H. N.
Heat pipe honeycomb panel
[NASA-CASE-LAR-12637-1] c34 N81-12362
KELLY, W. L., IV
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c74 N78-27904
KELSEY, E. L.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-35984
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c09 N71-12514
KEMP, K. L.
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321
KEMP, R. F.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
KEMP, R. H.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
KENDALL, J. M.
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c71 N79-23753
KENDALL, J. M., JR.
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c31 N81-16328
KENDALL, J. M., SR.
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c14 N71-26475
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c14 N71-27323
KENDRICK, W. P.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
KENNEDY, B. W.
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c09 N70-20737
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c15 N71-26185
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c09 N71-28691
Shielded flat cable
[NASA-CASE-MFS-13687-2] c09 N72-22198
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
KENNEWAY, A. J., III
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
KENNEY, B. L.
Geneva mechanism
[NASA-CASE-NPO-13281-1] c37 N75-13266
KENT, W. D.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
KENYON, G. C.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
KEPLER, C. E.
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c28 N71-29153
KERLEY, J. J., JR.
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c33 N79-13261
KERN, C. V.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c31 N71-18611
KERN, J. D.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c08 N71-27210
KERNODLE, B. H.
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c33 N74-14935
KERR, J. H.
Traffic survey system
[NASA-CASE-MFS-22631-1] c66 N76-19888
KERSEY, E. D., JR.
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c15 N71-28740
KERSLAKE, W. R.
Ion thrustor cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c09 N71-23190
KERSTEN, L.
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c54 N78-17676
KERWIN, W. J.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c09 N69-21313
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597
Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171
Active RC networks
[NASA-CASE-ARC-10020] c10 N72-17172
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365

KESSEL, J. E.
Plural recorder system
[NASA-CASE-XMS-06949] c09 N69-21467
KESSINGER, R. L.
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N78-10375
KEY, C. F.
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c27 N74-17283
KEYNTON, R. J.
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c31 N71-17691
KHANNA, S. M.
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N79-17133
KIBBE, R. K.
Load cell protection device Patent
[NASA-CASE-XMS-06782] c32 N71-15974
KICHAK, R. A.
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
KIEFER, F. J., JR.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
KIKIN, G. M.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
KILLALEA, W. P.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813
KIM, C.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
KIM, H. H.
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c14 N71-27090
KIM, K. M.
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
KIMBALL, R. B.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
KINARD, W. H.
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c14 N70-33322
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c03 N70-34667
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
KINELL, D. K.
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
KING, C. B.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c15 N71-21404
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c15 N73-14468
KING, H. J.
Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661
KING, H. M.
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c26 N71-17818
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
KING, R. B.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c06 N72-17093
KING, R. F.
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
KING, R. H.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
KING, W. L.
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
KINKEL, J. F.
Data transfer system Patent
[NASA-CASE-NPO-12107] c08 N71-27255
KINNARD, K. F.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212
KINO, G. S.
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
KINSEL, R. C.
Signal multiplexer
[NASA-CASE-XGS-01110] c07 N69-24334
KINZLER, J. A.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c18 N78-22146
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
KIRBY, C. A.
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
KIRCHMAN, E. J.
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799
KIRSTEN, C. C.
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
KIS, G.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
KISSEL, R. H.
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
KISSELL, R. R.
Ratemeter
[NASA-CASE-MFS-20418] c14 N73-24473
KISZKO, W.
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c15 N71-22721
KITTS, W. T.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629
KLECHKE, E. W.
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c17 N73-32414
KLEIN, E.
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
KLEIN, E. L.
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c14 N71-26788
KLEIN, M. G.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
KLEINBERG, L. L.
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c09 N71-19466
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c09 N71-23015
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c10 N72-20221
Active tuned circuit
[NASA-CASE-GSC-11340-1] c10 N72-33230

Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
Inductorless narrow-band filter/amplifier
[NASA-CASE-GSC-12410-1] c33 N79-24260
JFET oscillator
[NASA-CASE-GSC-12555-1] c33 N80-26601

KLEINHOCK, L.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c08 N72-11171

KLIMA, S. J.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644

KLINE, A. J.
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712

KLINE, A. J., JR.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XNP-08665] c10 N71-19467

KLINGMAN, E. E., III
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935

KLISCH, J. A.
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375

KLOC, I.
Penetrometer
[NASA-CASE-NPO-11103-1] c35 N77-27367

KNAUER, W.
Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770

KNECHTEL, E. D.
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c14 N71-23790

KNOELL, A. C.
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N79-10420

KNOOS, S. P.
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245

KO, W. L.
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c39 N79-25424

KOBAYASHI, H. S.
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338

KOBAYASKI, H. S.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263

KOCH, E. F.
Expulsion bladder-equipped storage tank structure Patent
[NASA-CASE-XNP-00612] c11 N70-38182
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050

KOCH, K. F.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273

KOCH, W. G.
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210

KOCZELA, L. J.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920

KODIS, R. D.
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437

KOEPF, G. A.
Laser apparatus
[NASA-CASE-GSC-12237-1] c36 N80-14384
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407

KOJIMA, G. K.
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N79-18580

KOLBLY, R. B.
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c07 N71-33606
System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c07 N72-11150

KOLBY, R. B.
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455

KOLIWAD, K. M.
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558

KOLOBOFF, G. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860

KOLSTEE, H. M.
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c15 N71-26611

KONIGSBERG, E.
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347

KOPELSON, S.
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c08 N71-27057

KOPETSKI, P. J.
Ring counter
[NASA-CASE-XGS-03095] c09 N69-27463

KOPIA, L. P.
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c70 N74-13436
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c74 N78-15879

KORABOWSKI, J. J.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c05 N72-20098

KORDES, E. E.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312

KORNFELD, D. M.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242

KORSCH, D. G.
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c89 N79-10969

KORUS, R. A.
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259

KORVIN, W.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c07 N71-19854
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c07 N71-27233

KOSCHMEDER, L. A.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392

KOSMAHL, H. G.
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c15 N71-17652
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c09 N73-13208
Electron beam controller
[NASA-CASE-LEW-11617-1] c33 N74-10195
Multistage depressed collector for dual mode operation
[NASA-CASE-LEW-13282-1] c33 N79-32463
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c33 N81-16384

KOSMO, J. J.
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c05 N71-24728

KOTHE, R.
Helmet feedport
[NASA-CASE-XMS-09653] c54 N78-17680

KOURTIDES, D. A.
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-2] c24 N78-27184
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
KOVELL, S. P.
Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044
KOYBAYASHI, H. S.
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331
KOZIOL, J. S., JR.
Aircraft control system
[NASA-CASE-EEC-10439] c02 N73-19004
KRAMER, F.
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XNP-01813] c28 N70-41582
KRAMER, J. S.
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
KRAMER, H.
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c09 N71-10798
Power supply Patent
[NASA-CASE-XMS-02159] c10 N71-22961
KRASIN, F. B.
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
KRATZER, H. H.
Preparation of perfluorinated imidoylamidoximes
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c25 N80-26407
KRAUSE, F. H.
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c20 N71-16340
KRAUSE, I. A.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
KRAUSE, L. H.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
Sensing probe
[NASA-CASE-LEW-10281-1] c14 N72-17327
KRAUSE, M. C.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
KRAUSE, S. J.
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c03 N71-20407
KRAUSHAAR, W. L.
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
KRAY, W. P.
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155
KREISMAN, W. S.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c31 N71-16081
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450
KRIEVE, W. F.
High-voltage cable Patent
[NASA-CASE-XNP-00738] c09 N70-38201
KROPP, C. J.
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c15 N71-18613
KRSEK, A., JR.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818
KRUPNICK, A. C.
Method for detecting hydrogen gas
[NASA-CASE-XNF-03873] c06 N69-39733
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c18 N72-22566
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c27 N74-17283
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452
KUBACKI, R. M.
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c27 N78-31233
Process for producing a well-adhered durable optical coating on an optical plastic substrate
[NASA-CASE-ARC-11039-1] c74 N78-32854
KUBICA, A. J.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504
KUBICZ, A. P.
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c07 N71-28430
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c10 N71-33129
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241
KUBIK, C. P.
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c33 N71-28852
KUBIK, J. S.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c15 N71-19486
KUBOKAWA, C. C.
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c15 N71-17653
KUEBLER, M. E.
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c31 N71-10747
KUENZLY, J. D.
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c20 N79-15151
KUGATH, D. A.
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
KUHN, R. F., JR.
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c15 N71-28951
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c37 N75-19686
KUHNS, P. M.
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c09 N71-20446
KUPPERIAN, J. E., JR.
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978
KURAL, M. H.
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c27 N76-14264
KURIGER, W. L.
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c36 N74-15145
KURPLE, W.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263
KURTZ, R. L.
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c16 N71-15565
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c14 N72-17324
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124

Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c35 N78-17357
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c38 N78-32447

KURVIN, C. W.
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007

KURYLO, M. J., III
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428

KURZHALS, P. R.
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c21 N71-14132
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c21 N71-21708

KUSHIDA, R. O.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700

KWONG, H.
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c27 N81-17262

L

LA RUSSA, F. J.
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722

LA VIGNA, T. A.
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c10 N71-26085

LACEY, R. E.
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c27 N79-21190

LACKNER, H. G.
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c27 N71-16223
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146

LACY, L. L.
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c35 N81-19426

LAFLAME, D. T.
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179

LAIACONA, F. P.
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c15 N72-22492
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135

LAINE, D. D.
Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185

LAMAR, J. E.
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N79-14108

LAMB, R. H.
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c31 N70-41631

LAMBSON, K. H.
Spine immobilization method and apparatus
[NASA-CASE-ARC-11167-1] c52 N79-30921
Pressure control valve
[NASA-CASE-ARC-11251-1] c37 N81-17433

LAMPERT, H. H.
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-IGS-02011] c15 N71-20739

LAMPTON, M. L.
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473

LANDAUER, F. P.
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c07 N71-11281

LANDANER, F. P., JR.
Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c43 N79-17288

LANDEL, R. F.
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c03 N72-28025
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c17 N73-28573

LANDES, H. S.
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172

LANE, J. W.
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c14 N72-22438

LANEY, C. C., JR.
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240

LANFORD, W. E.
Folding apparatus Patent
[NASA-CASE-XLA-00137] c15 N70-33180
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c31 N70-37981

LANG, R.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c05 N71-26333
Protective garment ventilation system
[NASA-CASE-XMS-04928] c54 N78-17679

LANGE, O. H.
Continuous detonation reaction engine Patent
[NASA-CASE-XNP-06926] c28 N71-22983

LANGE, R. A.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

LANGHUIN, R. V.
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c14 N73-32325

LANSING, J. C., JR.
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304

LANTZ, E.
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597

LARK, R. F.
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188

LARMER, J. W.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-IGS-02884] c15 N71-22705

LARSON, L. L.
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c15 N72-25455

LARSON, T. P.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342

LATHAM, E. A.
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392

LATTO, W. T., JR.
Small rocket engine Patent
[NASA-CASE-XLE-00685] c28 N70-41992

LAU, K. Y.
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250

LAUB, J. H.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c15 N70-38620

LAUDENSLAGER, J. B.
Pulse switching for high energy lasers

[NASA-CASE-NPO-14556-1] c36 N79-21336
LAUDERDALE, W. B.
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c31 N71-16222
LAUDERSLAGER, J. B.
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402
LAUE, E. G.
Irradiance measuring device
[NASA-CASE-NPO-11493] c14 N73-12447
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c47 N80-26992
LAUE, H. H.
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
LAUE, J. H.
Multi-mission module Patent
[NASA-CASE-XMF-01543] c31 N71-17730
LAUGHLIN, C. B., JR.
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c21 N71-13958
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c10 N71-20841
Position location system and method
[NASA-CASE-GSC-10087-3] c07 N72-12080
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
LAUMAN, E. A.
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526
LAURENCE, J. C.
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571
LAURIE, R. O.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123
LAVIGNE, R. C.
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
LAWHITE, E.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
LAWING, P. L.
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
A cooling system for an aircraft having a cruise range from Mach 2 to Mach 8
[NASA-CASE-LAR-12406-1] c05 N79-24980
LAWRENCE, E. D.
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-28810
LAWRENCE, T. E.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
LAWSON, A. G.
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c37 N81-12422
LAWSON, B. D.
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c31 N70-36410
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c31 N71-15675
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
LAWSON, D. D.
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N78-25391
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394
LAYLAND, J. W.
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
LE BEL, P. J.
Ablation sensor Patent
[NASA-CASE-XLA-01794] c33 N71-21586
LE DOUX, P. H.
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046
LE VAY, H. H.
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c15 N71-21311
LEATHERWOOD, J. D.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
LEAVY, W. A.
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c03 N70-38713
Antenna deployment mechanism for use with a spacecraft
[NASA-CASE-GSC-12331-1] c18 N80-14183
LEBLANC, L. P.
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c35 N80-19469
LEDBETTER, F. E.
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238
LEE, C. E.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
LEE, D. A.
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c15 N71-16078
LEE, D. H.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311
LEE, J. S.
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516
LEE, M. C.
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c14 N71-26137
LEE, R. D.
Telemetry actuated switch
[NASA-CASE-ARC-10105] c09 N72-17153
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c10 N72-28240
Intruder detection system
[NASA-CASE-ARC-10097-2] c07 N73-25160
Ultrasonic biomedical measuring and recording apparatus
[NASA-CASE-ARC-10597-1] c52 N74-20726
Bio-isolated dc operational amplifier
[NASA-CASE-ARC-10596-1] c33 N74-21851
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c52 N79-26771
Intrusion detection method and apparatus
[NASA-CASE-ARC-11317-1] c35 N81-19430
LEE, S. H.
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
LEE, S. Y.
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
LEE, W. S.
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077

LEEB, W. R.
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c73 N78-32848
LEEPER, W. A.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
LEES, W. L.
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246
LEFFEL, W. O.
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c31 N71-24035
LEFTWICH, R. P.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
LEGER, L. J.
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
Thermal insulation attaching means
[NASA-CASE-MSC-12619-2] c27 N79-12221
LEHMANN, E. N.
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c20 N79-21124
LEIBECKI, H. F.
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c06 N72-25150
LEIBERT, C. H.
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c34 N78-18355
LEIBOWITZ, L. P.
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
LEININGER, D. B.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
LEIPOLD, M. H.
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c76 N79-11920
LEISER, D. B.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c24 N79-24062
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c27 N80-23454
LEISS, A.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
LEMCOE, M. M.
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c35 N80-20560
LEMOS, F. R.
Metallic hot wire anemometer
[NASA-CASE-ARC-10911-1] c35 N77-20400
LEMSON, P. H.
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c09 N71-24842
LENETT, S. D.
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338
LENNON, C. L.
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c33 N79-25313
LENT, W. E.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088
LEON, H. A.
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
LEONARD, E. T.
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397
LEPP, D. R.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
LERNER, T.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
LESH, J. R.
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
LESKO, J. G., JR.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
LESNIEWSKI, R. J.
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c08 N71-33110
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c08 N73-13187
LESSLEY, R. L.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294
LESSMANN, G. G.
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
LEVIN, H.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Thermal reactor and process
[NASA-CASE-NPO-14369-1] c25 N80-20338
LEVIN, K. L.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966
LEVINE, M. W.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
LEVINE, S. R.
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c27 N76-16229
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c24 N80-11142
LEVINSOHN, M.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705
LEVIS, C. A.
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c35 N80-18359
LEVY, G. S.
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
LEWICKI, G. W.
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c35 N78-29421
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678
LEWIS, B. F.
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N78-10429
LEWIS, B. W.
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c15 N71-24875
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097

Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360

LEWIS, D. J.
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143

LEWIS, G. W.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703

LEWIS, J. R.
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350

LEWIS, R.
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248

LEWIS, T. L.
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379

LEWYN, L. L.
Analog-to-digital converter
[NASA-CASE-XNP-00477] c08 N73-28045

LI, S. P.
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835

LIBBEY, C. E.
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c02 N70-41863

LIBBY, J. M.
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673

LIBBY, W. F.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416

LIBEROTTI, J.
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453

LIEBERMAN, S.
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363

LIGHT, D. J.
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c14 N72-27412

LIGHTSEY, G. R.
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980

LILLEY, A. E.
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437

LIN, L. Y.
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c07 N71-24622

LIN, R. Y.
Ceramic fiber insulating material and method of producing same
[NASA-CASE-MSC-14795-2] c24 N78-25138

LINDBERG, J. G.
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c33 N71-24876

LINDBERG, R. A.
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265

LINDERFELT, H. H.
An airlock
[NASA-CASE-MFS-20922] c31 N72-20840
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136

LINDSEY, J. P., III
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c09 N71-18720

LINDSEY, R. S., JR.
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515

LINDSEY, W. C.
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c10 N73-16205
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523

LINDSEY, W. F.
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c14 N72-20380

LINEBACK, L. D.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584

LINFORD, R. M. F.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410

LING, S. C.
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c09 N70-40123

LINGLE, J. T.
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c10 N71-19418
Static inverter Patent
[NASA-CASE-XGS-05289] c09 N71-19470

LIPANOVICH, M. I.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757

LIPKE, D. W.
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c07 N69-39978

LIPKIS, R. E.
Electromagnetic radiation energy arrangement
[NASA-CASE-NOO-00428-1] c32 N79-19186

LIPOMA, P. C.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c07 N71-11300
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893

LIPPITT, M. W., JR.
Electrode for biological recording
[NASA-CASE-XMS-02872] c05 N69-21925
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c05 N70-41329

LIPSHITZ, A.
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c37 N80-12414

LISAGOR, W. B.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429

LISLE, R. V.
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c35 N79-27479

LISOVICZ, E. J.
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c09 N72-20206
LIST, W. F.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612
Phototransistor imaging system
[NASA-CASE-MFS-20809] c23 N73-13660
LISTER, J. L.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105
LITANT, I.
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c15 N71-24910
LITCHFORD, G. B.
Altitude measuring system
[NASA-CASE-ERC-10412-1] c09 N73-12211
LITTLE, E. E.
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
LITTLEJOHN, D. P.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842
LIU, C. C.
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N79-22235
LIU, F. F.
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c05 N73-32015
LIVERMORE, S. F.
Lightning current detector
[NASA-CASE-KSC-11057-1] c33 N79-14305
LLOYD, W. B.
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c31 N71-26537
LOCH, F. J.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696
LOCKARD, E. L.
Leak detector Patent
[NASA-CASE-LAR-10323-1] c12 N71-17573
LOCKMAN, C. S.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
LOCKWOOD, V. E.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010
LOFTIN, L. K., JR.
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c11 N70-33287
LOGAN, W. R.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
LOH, G. M.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
LOHR, J. J.
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c14 N69-27486
LOKERSON, D. C.
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c10 N71-25882
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
LOMBARDI, F.
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c37 N80-25660
An improved head for high speed spinner having a vacuum chuck
[NASA-CASE-NPO-15227-1] c37 N80-26661
LONBORG, J. O.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
LONG, E. E., JR.
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c25 N78-15210
LONG, H. E.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
LONG, W. C.
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N78-24515
LONGYEAR, W. D.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265
LOOK, G. F.
Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778
LOOP, E. W.
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
LOOSE, J. D.
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861
LOPEZ, A. E.
Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c09 N71-16089
LORD, H. C., III
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
LORELL, K. R.
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c14 N71-15622
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
LOTHSCHUETZ, F. X.
Stretcher Patent
[NASA-CASE-XMF-06589] c05 N71-23159
LOTT, D. R.
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550
LOUGHEAD, A. G.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c14 N71-22752
LOUNSBERRY, E. D.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
LOVALL, D. D.
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c33 N74-27862
LOVELL, J. S.
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N80-10799
LOVELL, R. R.
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c33 N77-26385
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Liquid metal slip ring
[NASA-CASE-LEW-12277-3] c33 N80-18300
LOVELOCK, J. E.
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c13 N72-25323
LOVINGER, D. M.
Voice operated controller Patent
[NASA-CASE-XLA-04063] c31 N71-33160
LOWE, E. G.
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c15 N71-23049
LOWEN, I. E.
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642
Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379
LOWERY, J. R.
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
LOWRY, J. G.
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c02 N70-34178

LOY, C. A.
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c31 N70-41948
LOYD, C.
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c09 N71-24805
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c10 N71-24863
LUBOWITZ, H. R.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
LUCAS, C. H.
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
LUCERO, D. P.
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
LUCHT, R. A.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
LUCY, M. H.
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N78-24275
LUDWIG, A. C.
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c07 N71-10676
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c07 N72-32169
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
LUDWIG, L. P.
Foil seal
[NASA-CASE-XLE-05130] c15 N69-21362
Foil seal Patent
[NASA-CASE-XLE-05130-2] c15 N71-19570
Spiral groove seal
[NASA-CASE-XLE-10326-2] c15 N72-29488
Spiral groove seal
[NASA-CASE-LEW-10326-3] c37 N74-10474
Spiral groove seal
[NASA-CASE-XLE-10326-4] c37 N74-15125
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c37 N75-21631
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c07 N78-25090
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-1] c37 N79-18318
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c37 N80-18401
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N80-28711
LUEBBERS, S. S.
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c03 N71-12255
LUEBERING, G. W.
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
LUH, H.
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
LUNCE, H. S.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
LUND, G. F.
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c52 N81-14612
LUND, W. C.
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c28 N72-18766
LUNDQUIST, J. R.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c06 N72-17093
LUSHBAUGH, W. A.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177
LUTES, G. F.
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250
LUTES, G. F., JR.
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c10 N71-26331
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c10 N73-26229
Precise RF timing signal distribution to remote stations
[NASA-CASE-NPO-14749-1] c32 N81-14186
LUTWACK, R.
A method for producing a solidified body of silicon
[NASA-CASE-NPO-15250-1] c25 N81-16174
LUTZ, E. B.
Operational integrator Patent
[NASA-CASE-NPO-10230] c09 N71-12520
LYLAND, J. W.
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177
LYNCH, E. J.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
LYNCH, T. L.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200
LYON, W. E.
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c14 N72-21409

M

MA, L. M.
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
MACCONNELL, J. W.
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
MACCONOCHIE, I. O.
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c14 N71-15620
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388
MACDAVID, K. S.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
MACDORAN, P. F.
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
Interferometric locating system
[NASA-CASE-NPO-14173-1] c04 N80-32359
MACFADDEN, J. A.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
MACGLASHAN, W. F.
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318

MACGLASHAN, W. F., JR.
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c15 N70-36908
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c15 N70-38225
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603
Ejection unit Patent
[NASA-CASE-XNP-00676] c15 N70-38996
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c32 N70-41370
High pressure filter Patent
[NASA-CASE-XNP-00732] c28 N70-41447
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c15 N70-41811
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c15 N71-10778
Piller valve Patent
[NASA-CASE-XNP-01747] c15 N71-23024
MACKAY, C. A.
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c15 N71-17649
MACLEOD, N. H.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413
MACVEIGH, G. E.
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c08 N72-11172
MADDOX, J. W.
Air bearing
[NASA-CASE-WLP-10002] c15 N72-17451
MADEY, J. M.
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c31 N71-21064
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c15 N71-24600
Rotary electric device
[NASA-CASE-GSC-12138-1] c33 N79-20314
MADISON, I. B.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c31 N71-15647
MADSEN, B.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
MAHAN, J. C.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c15 N71-19486
MAIDEN, D. L.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N78-27121
MAILLOUX, R. J.
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722
Circularly polarized antenna
[NASA-CASE-ERC-10214] c09 N72-31235
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c10 N73-16206
MAJOR, C. J.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742
MALLING, L. R.
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c14 N70-41807
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c07 N71-23026
MALMBERG, J. H.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365
MALONE, L. B.
Emergency lunar communications system
[NASA-CASE-MFS-21042] c07 N72-25171
MANATT, S. L.
Audio frequency marker system
[NASA-CASE-NPO-11147] c14 N72-27408
MANDEL, C. H.
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c21 N71-23289
MANDELKORN, J.
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c26 N71-10607
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c03 N71-20492
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c26 N71-23292
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c03 N71-23449
Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c26 N71-23654
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c03 N71-24681
MANDELL, A.
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c54 N78-32720
MANGION, C.
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c28 N72-22772
MANGOLD, D. W.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
MANN, C. W.
Rotary target V-block
[NASA-CASE-LAR-12007-2] c74 N79-25876
MANN, W. A.
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N79-24652
MANNING, C. R.
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206
MANNING, C. R., JR.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584
MANOLI, R.
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
MANSOUR, H. H.
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
MANTLER, R. L.
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c28 N70-33241
MANUS, E. A.
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339
MAPLE, W. E.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
MAPLES, H. E.
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c09 N71-19479
MARAK, R. J.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006
MARCELL, G. V.
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c31 N79-21227
MARCUM, D. C., JR.
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
MARCUS, B. D.
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
MARCUS, H. L.
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
MAREK, C. J.
Fuel combustor
[NASA-CASE-LEW-12137-1] c25 N78-10224
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122
MARGOLIS, J. S.
Method and apparatus for Doppler frequency modulation of radiation

[NASA-CASE-NPO-14524-1] c32 N80-24510
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015

MARGOSIAN, P. H.
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699

MARGRAF, H. J.
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c15 N70-36908

MARKLEY, R. A.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046

MARLOW, M. O.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c18 N71-28729

MARLOW, R. E.
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457

MAROPIS, N.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686

MARRELE, R. A.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XNP-06409] c06 N71-23230

MARRONI, M. A., JR.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c05 N71-24623
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c05 N71-24730
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c05 N72-20098
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c05 N72-25119

MARSH, H. E., JR.
Trifunctional alcohol
[NASA-CASE-NPO-10714] c06 N69-31244
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c06 N71-25929
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179

MARSH, H. W.
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c37 N79-33469

MARSHALL, J. H.
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c10 N70-41991

MARSHALL, T. H., JR.
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c14 N72-11365

MARSIK, S. J.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458

MARTEL, R. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860

MARTIN, J. A.
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120

MARTIN, J. W.
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c07 N71-12391

MARTIN, N. C.
Segmented back-up bar Patent
[NASA-CASE-XNP-00640] c15 N70-39924
Portable alignment tool Patent
[NASA-CASE-XNP-01452] c15 N70-41371

MARTIN, R. B.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015

MARTIN, S. C.
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243

MARTIN, W. L.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c10 N71-23099
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c08 N72-25209
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267

MARTINAGE, L. H.
Power supply Patent
[NASA-CASE-XMS-02159] c10 N71-22961

MARTINECK, H. G.
Electrical connector for flat cables Patent
[NASA-CASE-XNP-00324] c09 N70-34596
Printed cable connector Patent
[NASA-CASE-XNP-00369] c09 N70-36494
Method of making a molded connector Patent
[NASA-CASE-XNP-03498] c15 N71-15986
Electrical connector
[NASA-CASE-MFS-20757] c09 N72-28225

MARTOCCI, V. J.
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c09 N71-24841

MARTZ, E. L.
Externally pressurized fluid bearing Patent
[NASA-CASE-XNP-00515] c15 N70-34664

MARVIN, I. E.
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116

MARZEK, R. A.
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918

MASCY, A. C.
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813

MASEK, T. D.
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c28 N71-21822
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c28 N72-11709

MASERJIAN, J.
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c14 N69-39937
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c09 N71-27232
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c26 N72-28761
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c25 N79-28253
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835

MASLOWSKI, E. A.
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181

MASON, J. H.
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411

MASON, R. J.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
MASON, R. M.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
MASSUCCO, A. A.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N78-32262
MATEER, G. C.
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N78-14364
MATHUR, F. P.
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c15 N73-12495
MATSUHIRO, D. S.
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
MATSUMOTO, Y.
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
MATTAUCH, R. J.
Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N73-12445
MATTHEWS, F. R., JR.
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c02 N74-10034
MATZEN, W. J.
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c33 N80-32650
MAULDIN, D. G.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
MAXWELL, R. G.
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
MAXWELL, W. S.
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234
MAXWELL, W. W.
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
MAXWELL, W. F., JR.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980
MAXWELL, W. A.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16076
MAY, C. E.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516
MAYALL, S. D.
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c15 N71-28467
MAYER, L. A.
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
MAYNARD, O. E.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
MAYNE, H. C.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
MAYO, E. E.
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c31 N70-41631
MAYO, J. W.
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c15 N69-27490
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c31 N71-16221
MAYO, R. F.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540
MAZARIS, G. A.
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
MAZER, L.
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c08 N70-40125
MAZIQUE, J.
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
MAZUR, J. T.
Telescoping columns
[NASA-CASE-LAR-12195-1] c37 N78-33446
MCAFEE, D. F.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573
MCALEXANDER, B. T.
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c36 N75-19655
MCBRAYER, R. O.
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c05 N71-23096
MCBRYAR
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c03 N71-29044
MCBRYAR, M.
Reconstituted asbestos matrix
[NASA-CASE-MSC-12568-1] c24 N76-14204
MCCAIG, J. C.
Electric arc welding Patent
[NASA-CASE-XMF-00392] c15 N70-34814
MCCALLUM, J.
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c09 N73-32108
MCCAMPBELL, W. M.
Electric arc welding Patent
[NASA-CASE-XMF-00392] c15 N70-34814
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c15 N71-20393
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c10 N71-24863
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c09 N71-28886
MCCANDLESS, L. C.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
MCCANN, D. H.
Phototransistor
[NASA-CASE-MFS-20407] c09 N73-19235
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
MCCANN, R. J.
Device for handling heavy loads
[NASA-CASE-XMF-04969] c11 N69-27466
MCCARTY, J. L.
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765
MCCAUL, P. F.
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174
MCCHESNEY, J. P., JR.
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332

MCCHESNEY, J. R.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
MCCLEESE, D. J.
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
MCCLENAHAN, J. O.
High speed shutter
[NASA-CASE-ARC-10516-1] c70 N74-21300
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof
[NASA-CASE-ARC-10593-1] c33 N74-27682
MCCLUNEY, W. R.
The 2 deg/90 deg laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c74 N78-13874
MCCLUNG, C. E.
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457
MCCLURE, J. C.
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419
MCCLURE, S. R.
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c37 N80-23655
MCCONAUGHEY, R. T.
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
MCCONNELL, J. C.
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c17 N71-25903
MCCORMACK, W.
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874
MCCORMICK, C. T., JR.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
MCCRAW, D. L.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345
MCCREA, F. E.
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c09 N71-23548
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c32 N80-32605
MCCREARY, R. A.
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c15 N70-41310
MCCREIGHT, L. R.
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
MCCUSKER, T. J.
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c03 N70-41580
MCDANIELS, D. L.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
MCDARIS, R. A.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067
MCDAVID, L. S.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
MCDERMOND, D. K.
Synchronous counter Patent
[NASA-CASE-XGS-02440] c08 N71-19432
MCDEVITT, F. R.
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440
MCDONALD, G. E.
Nuclear fuel elements
[NASA-CASE-XLE-00209] c22 N73-32528
Selective coating for solar panels
[NASA-CASE-LEW-12159-1] c44 N78-19599
MCDONALD, R. T.
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329
MCDOUGAL, A. R.
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
Quick disconnect coupling
[NASA-CASE-NPO-11202] c15 N72-25450
Rotary actuator
[NASA-CASE-NPO-10680] c31 N73-14855
Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c37 N78-25431
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
MCERLEAN, E. A.
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
MCFADIN, L. W.
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368
MCGANNON, W. J.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N80-18690
MCGEHEE, J. R.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c31 N71-16085
MCGINNESS, H. D.
An improved suspension system for a wheel rolling on a flat track
[NASA-CASE-NPO-14395-1] c37 N79-12446
MCGOUGH, J. T.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067
MCHAFFIE, D. J.
Extensible cable support Patent
[NASA-CASE-XNP-07587] c15 N71-18701
MCHATTON, A. D.
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c31 N79-11246
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468
MCHENRY, T. P.
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c14 N72-21408
MCHUGH, D. P.
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
MCINTOSH, M. J.
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471
MCKAY, R. A.
Combuster
[NASA-CASE-NPO-13958-1] c25 N79-11151
MCKEE, C. W.
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
MCKENNA, J. P., JR.
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
MCKENNA, R. T.
Automatic character skew and spacing checking network
[NASA-CASE-GSC-11925-1] c33 N76-18353
MCKENZIE, R. L.
Diatomic infrared gasdynamic laser

[NASA-CASE-ARC-10370-1] c36 N75-31426
MCKEOWN, D.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
MCKEVITT, F. X.
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c28 N71-24321
MCKINNEY, R. L.
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c09 N71-22999
MCKINNON, R. A.
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
MCLAIN, J. H.
Air bearing Patent
[NASA-CASE-XMF-01887] c15 N71-10617
MCLAUCHLAN, J. M.
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c14 N71-21088
Light position locating system Patent
[NASA-CASE-XNP-01059] c23 N71-21821
MCLEAN, F. E.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
MCLYMAN, C. W. T.
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928
MCLYMAN, W. T.
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393
MCMASTER, L. R.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
MCNEAR, M. F.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
MCNUTT, W. C.
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c09 N71-23191
MCRONALD, A. D.
Thin film gauge
[NASA-CASE-NPO-10617-1] c35 N74-22095
MCSTAY, J. J.
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193
MCWILLIAMS, I. G.
Compact spectroradiometer
[NASA-CASE-HQN-10683] c14 N71-34389
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
MEAD, D. C.
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-28810
MEADOR, T. G., JR.
Light shield and cooling apparatus
[NASA-CASE-LAR-10089-1] c34 N74-23066
MEALY, G. E.
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574
High voltage divider system Patent
[NASA-CASE-XLE-02008] c09 N71-21583
MEDCALF, W. A.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c14 N72-23457
MEGIE, G. J.
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350
MEINTEL, A. J., JR.
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c14 N71-23268
MEISENHOLDER, G. W.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c21 N70-41856
MEISSINGER, H. F.
Method of and device for determining the characteristics and flux distribution of micrometeorites
[NASA-CASE-NPO-12127-1] c91 N74-13130
MELAMED, L.
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c14 N72-25410
MELPI, L. T., JR.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c14 N71-18482
MELLARS, B.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
MELUGIN, J. F.
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
MELVILLE, R. D. S.
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
MENEFEE, E. O.
Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581
Proportional controller Patent
[NASA-CASE-XAC-03392] c03 N70-41954
MENGES, H. J.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
MENICHELLI, V. J.
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N79-11231
MENTZER, C. A.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
MENZIES, R. T.
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350
MERHAV, S. J.
Autonomous navigation system
[NASA-CASE-ARC-11257-1] c04 N81-21047
MERLEN, H. M.
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c14 N71-21088
MERRBAUM, S.
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703
MERRICK, V. K.
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c31 N71-17729
MERRILL, J. T., IV
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
MESSINEO, S. V.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
MESSNER, A.
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
MESZAROS, G.
Recovery of radiation damaged solar cells

through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
METCALFE, A. G.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040
METZGER, A. E.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
METZLER, A. J.
Black-body furnace Patent
[NASA-CASE-XLE-01399] c33 N71-15625
MEYER, A. J., JR.
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c15 N70-33264
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c02 N70-38009
Ablation structures Patent
[NASA-CASE-XMS-01816] c33 N71-15623
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
MEYER, J. A.
Altitude sensing device
[NASA-CASE-XMS-01994-1] c14 N72-17326
MEYER, J. F.
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c09 N70-38998
MEYER, K. A.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
MEYER, T. N.
Method of producing silicon
[NASA-CASE-NPO-14382-1] c31 N80-18231
MICALE, F. J.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242
MICHAEL, J. E.
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930
MICHAUD, R. B.
Urine collection device
[NASA-CASE-MSC-16433-1] c52 N78-27750
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c52 N79-23657
MICHEL, R. E.
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c15 N71-23811
MICKA, E. Z.
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c38 N78-17395
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c38 N78-17396
MICKELSEN, W. R.
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c11 N70-33278
MIDDLETON, J. H.
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
MIDDLETON, O.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
MIDDLETON, R. L.
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892
MIDDLETON, W. D.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
MIERTSCHIN, J. L.
Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256
MIKSZAN, D. P.
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c07 N71-23405
MIKULAS, M. M., JR.
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N78-10214
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N78-17149
MILDICE, J. W.
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c14 N69-24331
MILES, P. A.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
MILES, R. T.
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667
MILKULLA, V.
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454
MILLER, A. J.
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N78-17691
MILLER, B. A.
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
MILLER, C. E.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330
MILLER, C. G.
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N78-10554
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N78-17460
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c31 N78-24387
Solar pond
[NASA-CASE-NPO-13581-2] c44 N78-31525
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c33 N80-14330
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-2] c37 N80-18397
MILLER, D. P.
Controllers Patent
[NASA-CASE-XMS-07487] c15 N71-23255
MILLER, H. B.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989
Spherical measurement device
[NASA-CASE-XLA-06683] c14 N72-28436
MILLER, J. A., JR.
Method of forming difunctional polyisobutylene

[NASA-CASE-NPO-10893] c27 N73-22710
MILLER, J. C.
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c18 N71-27397
MILLER, J. E.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149
MILLER, J. G.
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c35 N76-15432
MILLER, J. L.
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c15 N71-33518
MILLER, P. C.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-26743
MILLER, R. A.
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c24 N80-11142
MILLER, W. E.
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c33 N80-28635
MILLIGAN, G. C.
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c08 N71-28925
MILLIKEN, D. B.
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c14 N71-28935
MILLIKEN, J. P.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c14 N71-22752
MILLS, M. K.
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c07 N71-19854
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c07 N71-27233
MILLS, S. M.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-39984
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
MILLY, J. J.
Satellite despin device Patent
[NASA-CASE-XMF-08523] c31 N71-20396
MINKIN, H. L.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074
MINOTT, P. O.
Retrodirective optical system
[NASA-CASE-XGS-04480] c16 N69-27491
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387
MINTER, E. J.
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
MINTON, F. R.
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
MINTON, U. O.
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
MIRTICH, M. J.
Modification of the electrical and optical properties of polymers
[NASA-CASE-LEW-13027-1] c27 N80-24437
MIRTICH, M. J., JR.
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186
MISERENTINO, R.
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c35 N80-14371
MITCHELL, D. K.
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c14 N72-32452
MITCHELL, F. R.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938
MITCHELL, G. A.
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
MITCHELL, H. H.
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c14 N71-10779
MITCHELL, V. H.
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c05 N71-22896
MITCHUM, L. L., JR.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c07 N70-40202
MIXSON, J. S.
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c31 N71-24315
MOACANIN, J.
Ionene membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887
MOECKEL, W. E.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356
MOEDE, L. W.
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
Digital control and information system
[NASA-CASE-NPO-11016] c08 N72-31226
MOEN, W. K.
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c33 N73-16918
MOFFITT, P. L.
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c14 N71-26474
MOGAVERO, L. N.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c17 N78-17140
MONAGHAN, P.
Flame retardant formulations and products produced therefrom
[NASA-CASE-MSC-16307-1] c25 N78-27232
MONDT, J. F.
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c73 N77-18891
MONFORD, L. G., JR.
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c14 N71-27058
Multifunction audio digitizer
[NASA-CASE-MSC-13855-1] c35 N74-17885
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
MONTEITH, J. H.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c14 N73-13415
MONTEITH, L. K.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
MONTGOMERY, L. C.
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c14 N71-20461
MONTGOMERY, L. D.
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
MONTOYA, L. C.
System for use in conducting wake investigation for a wing in flight
[NASA-CASE-FRC-11024-1] c02 N80-28300
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c06 N81-17057
MOODY, D. L., JR.
Readout electrode assembly for measuring biological impedance

[NASA-CASE-ARC-10816-1] c35 N76-24525
MOONEY, V.
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
MOORE, C. D.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365
MOORE, H. D.
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673
MOORE, R. C.
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
MOORE, R. L.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
Rotary actuator
[NASA-CASE-NPO-10680] c31 N73-14855
MOORE, T. J.
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c15 N73-28515
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c15 N73-32358
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c15 N73-33383
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c37 N74-18128
MOORE, W. A.
Journal bearings
[NASA-CASE-LEW-11076-1] c37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
MORANDO, J. A.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c15 N71-30028
MORDECAI, T. T.
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c12 N71-20815
MORECROFT, J. H.
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c15 N71-17694
MORELLI, F. A.
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c14 N71-20461
MOREMAN, O. S., III
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
MORGAN, I. T., JR.
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
MORGAN, J. E.
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c54 N78-32720
MORGAN, L. E.
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c32 N79-28383
MORGAN, W. C.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
MORISSETTE, S.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
MORRELL, G.
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c28 N70-40367
MORRIS, D. E.
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
MORRIS, J. F.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
Cesium thermionic converters having improved electrodes
[NASA-CASE-LEW-12038-3] c44 N78-25555
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c35 N79-14346
Improved thermionic energy converters
[NASA-CASE-LEW-12443-1] c44 N81-19561
MORRIS, J. H.
Difference circuit Patent
[NASA-CASE-XNP-08274] c10 N71-13537
MORRIS, P. W.
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
MORRISON, H. D.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834
MORSE, C. P.
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c33 N71-29053
MORTENSEN, L. O.
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c14 N72-25411
MOSER, B. G.
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c14 N71-23226
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c03 N72-28025
MOSER, J. C.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
MOSIER, B.
Pressed disc type sensing electrodes with ion-screening means Patent
[NASA-CASE-XMS-04212-1] c05 N71-12346
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c09 N71-26002
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120
MOSIER, J. H.
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c06 N71-23499
MOSSOLANI, D. L.
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c37 N78-27425
MOUNTVALA, A. J.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c18 N71-16124
MOYER, K. W.
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c15 N71-24600
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039
MOYERS, C. V.
A system for sterilizing objects
[NASA-CASE-KSC-11085-1] c54 N79-33848
MOYNIHAN, P. I.
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c37 N79-14388
MROZ, T. S.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357
MUENTER, P. P.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
MUELLER, R. I.
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
MUELLER, R. L.
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
MUELLER, W. A.
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236

Dialysis system
[NASA-CASE-NPO-14101-1] c52 N80-14687
MUGLER, S. W.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
MULHERN, J. E., JR.
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c07 N72-21119
MULLEN, D. L.
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c10 N71-12554
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c09 N71-24808
MULLEN, L. O.
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c15 N72-25447
MULLER, K.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
MULLER, R. H.
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
MULLIKEN, E. F.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
MUNOLA, P. B.
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c36 N75-19655
MUNFORD, J. A.
Laser measuring system for incremental assemblies
[NASA-CASE-GSC-12321-1] c36 N80-18380
MUNOZ, R. M.
High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c10 N71-16042
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c08 N71-18594
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c08 N71-19763
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c60 N75-13539
MUNSON, R. E.
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
MURACA, R. F.
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c06 N71-24607
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c06 N72-17094
MURCH, R. M.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c06 N71-27363
MURPHY, A. J.
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
MURPHY, D. W.
Frangible link
[NASA-CASE-MSC-11849-1] c15 N72-22488
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097
MURPHY, F. L.
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c09 N69-39929
MURPHY, J. P.
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
MURPHY, W. J.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
MURTY, M. V. R. K.
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c14 N70-40003
MUSICK, R. O.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073
MUSSETT, E. W.
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c05 N71-20718
MYERS, D. A.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203
MYERS, I. T.
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c33 N78-32341
MYERS, W. H.
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c15 N71-24903
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N79-11404
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831

N

NAESETH, R. L.
Aeroflexible structures
[NASA-CASE-XLA-06095] c01 N69-39981
NAGANO, S.
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N78-10377
Module failure isolation circuit for paralleled inverters
[NASA-CASE-NPO-14000-1] c33 N79-24254
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Low current linearization of magnetic amplifier for dc transformer
[NASA-CASE-NPO-14617-1] c33 N79-26311
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c60 N81-15706
NAGLE, W. J.
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N78-14625
Toroidal cell and battery
[NASA-CASE-LEW-12918-1] c44 N80-33857
NAIDITCH, S.
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c15 N72-21466
NAIMER, J.
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-2] c03 N78-25070
NAKADA, M. P.
Time of flight mass spectrometer with feedback means from the detector to the low source and a specific counter Patent
[NASA-CASE-XNP-01056] c14 N71-23041
NAKAMURA, H. H.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XNP-05279] c18 N71-16124
NAKANISHI, S.
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c28 N70-35422
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c25 N71-21694
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c28 N71-26642
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c28 N71-26781
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699
NAKICH, R. B.
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c71 N74-31148
NANCE, H. M.
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c09 N71-28886
NAPLES, J. P.
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c15 N71-17803
NARASIMHAN, K. Y.
System for detecting substructure microfractures and method therefore

[NASA-CASE-NPO-14192-1] c39 N80-10507
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
NASH, D. O.
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c71 N79-14871
NASON, G. H.
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c09 N71-18720
NASUTI, A. J.
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c09 N69-21926
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c15 N71-15606
NATHAN, R.
System for plotting subsoil structure and methcd therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
NAUMANN, E. C.
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c33 N71-24276
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c32 N71-26681
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c10 N73-20253
NAUMANN, R. J.
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c12 N72-21310
Carbon monoxide monitor
[NASA-CASE-MFS-22060-1] c35 N75-29380
NEAL, P. F.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067
NEALY, J. E.
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
NELSON, B.
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c09 N71-12518
NELSON, B. W.
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c15 N71-26673
NELSON, C. A.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c10 N71-19547
NELSON, C. H.
Ablation sensor
[NASA-CASE-XLA-01781] c14 N69-39975
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c07 N71-11284
NELSON, D. E.
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c15 N71-23811
NELSON, E. P.
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
NELSON, H. H.
Telemetry word forming unit
[NASA-CASE-XNP-09225] c09 N69-24333
NELSON, W. J.
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c15 N71-19569
NERHEIM, N. M.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
NEWBY, D. T.
Hole cutter
[NASA-CASE-MFS-22649-1] c37 N75-25186
NEWCOMB, A. L., JR.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c09 N70-34559
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c10 N71-23084
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c10 N71-23315
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468
NEWCOMB, J. F.
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c15 N71-20740
NEWCOMB, W. L.
Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c15 N70-41679
NEWCOMBE, C. A.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c15 N69-24322
NEWMAN, D. F.
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c11 N73-20267
NEWMAN, J. B.
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c15 N70-36901
NEWMAN, J. H.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c06 N70-11251
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c06 N72-25152
NICHOLS, F. W.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
NICHOLS, G. B.
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c14 N71-17627
Apparatus for phase stability determination Patent
[NASA-CASE-XGS-01118] c10 N71-23662
NICHOLS, J. J.
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c14 N70-34705
NICHOLS, M. H.
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c28 N71-21493
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
NICKLAS, J. C.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c14 N71-23040
NICOL, W. S.
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c25 N75-29192
NIEDRA, J. M.
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c09 N72-22197
NIEDZWIECKI, R. W.
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c23 N73-30665
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c20 N76-14190
NIELSON, T. L.
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679
NIER, A. O.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
NIESSEN, F. R.
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c08 N79-23097
NISEN, D. B.
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c35 N81-19426
NISSIM, E.
Suppression of flutter
[NASA-CASE-LAR-10682-1] c02 N73-26004
NISWANDER, J. K.
Memory-based frame synchronizer
[NASA-CASE-GSC-12430-1] c32 N80-20453
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-1] c60 N80-21987
NITTA, H.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
NIXON, D. L.
Parabolic reflector horn feed with spillover

correction Patent
[NASA-CASE-XNP-00540] c09 N70-35382
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c09 N71-23548
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-19420
NOBLE, B. H.
Solenoid construction Patent
[NASA-CASE-XNP-01951] c09 N70-41929
NOLA, F. J.
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c09 N71-23188
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c03 N71-23239
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c10 N71-24861
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c09 N71-24904
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c09 N73-32107
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c33 N78-10376
Improved power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c33 N79-25315
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c33 N81-12330
NORD, D. B.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c15 N71-20443
NORDEN, B. H.
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c16 N71-15565
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c16 N73-30476
NOREEN, S. J.
Spherical shield Patent
[NASA-CASE-XNP-01855] c15 N71-28937
NORGREN, C. T.
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c28 N70-33265
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
NORK, C. L.
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c09 N71-22985
NORMAN, R. H.
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Expansible support means
[NASA-CASE-NPO-11059] c15 N72-17454
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
NORTON, R. H.
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
Interferometer
[NASA-CASE-NPO-14448-1] c74 N79-23777
NORWOOD, J., JR.
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c25 N71-25184
NOSSEN, E. J.
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
NOVOTNY, J. E.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
NUSBAUM, H. J.
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201

O

OAKLEY, R. C.
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c14 N73-30388
OBERSCHMIDT, H.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
OBLEN, H. D.
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c31 N80-32583
OBRIEN, D. E., III
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612
OBRIEN, J. P.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c27 N80-21533
OCONNER, B. J.
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
OCONNOR, B. H.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
OCONNOR, J. H.
Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457
ODELL, H. G.
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c09 N71-23191
ODONNELL, P. H.
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c17 N71-33408
ODONNELL, T. J.
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c28 N70-35381
OERTEL, G. K.
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c15 N71-21060
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c23 N71-23976
OFARRELL, H. W.
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c44 N79-19447
OFFIK, H. G.
Emergency escape system Patent
[NASA-CASE-XKS-02342] c05 N71-11199
OGDEN, H. P.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925
OGDEN, H. R.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743
OGLE, J. S.
Whole body measurement systems
[NASA-CASE-MSC-13972-1] c52 N74-10975
OHLSON, J. E.
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N79-13214
OKANE, J. H.
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c05 N71-12335
OKEAN, H. C.
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c09 N73-26195
OKEEFE, W. J.
Head-up attitude display
[NASA-CASE-ERC-10392] c21 N73-14692
OKELLY, K. P.
Method of fluxless brazing and diffusion bonding of aluminum containing components

[NASA-CASE-MSC-14435-1] c37 N76-18455
OLCOTT, J. W.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
OLDRIEVE, R. E.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N78-18182
OLIVER, G. D.
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c31 N74-23065
OLIVER, R. E.
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c07 N73-14130
OLIVER, R. L.
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019
OLLENDORF, S.
Structural heat pipe
[NASA-CASE-GSC-11619-1] c34 N75-12222
Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523
OLLING, E. H.
Radial module space station Patent
[NASA-CASE-MSC-01906] c31 N70-41373
OLSASKY, H. J.
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c16 N71-33410
OLSEN, W. A., JR.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39988
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c23 N71-17802
OLSON, W. T.
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c28 N70-34788
OLTMANS, D. A.
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c10 N71-12554
ONEIL, R. L.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
ONEILL, R. W.
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c10 N71-28860
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
ORAN, W. A.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427
ORELLY, W. J.
Portable environmental control system Patent
[NASA-CASE-MMS-09632-1] c05 N71-11203
OREN, V. C.
Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457
ORILLION, A. G.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
ORLIK, F. W.
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
ORLOFF, K. L.
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c74 N81-16882
ORMISTON, R. A.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
ORNER, J. W.
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c14 N71-26672
OROURKE, T. E., JR.
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-MMS-01625] c15 N71-23022
ORTH, M. W.
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c24 N81-17170
OSHER, J. V.
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
OSMUNDSON, J.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
OSTROFF, A. J.
Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444
OSTROFF, J.
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371
OSULLIVAN, W. J., JR.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c31 N71-17680
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c33 N71-22792
Thermal control panel Patent
[NASA-CASE-XLA-07728] c33 N71-22890
OTHMAN, T. E.
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
OTOSHI, T. Y.
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
OTTO, G. H.
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437
OUTLAW, R. A.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
OWEN, R. B.
Collimated beam manifold and method for using the same
[NASA-CASE-MFS-25312-1] c74 N80-34251
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440
OWENS, L. J.
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N78-32542
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c74 N79-12890
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772

P

PACALA, T. J.
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336
PACE, G. D., JR.
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
PACIOREK, K. J. L.
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N78-32256
Compound oxidized styrylphosphine
[NASA-CASE-MSC-14903-2] c27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
Preparation of perfluorinated imidoylamidoximes
[NASA-CASE-ARC-11267-1] c23 N80-26386

Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c25 N80-26407
PACKARD, R. D.
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c18 N73-30532
PACKER, P. M.
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N78-17383
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
PADILLA, D.
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
PAGEL, L. L.
A cooling system for an aircraft having a cruise range from Mach 2 to Mach 8
[NASA-CASE-LAR-12406-1] c05 N79-24980
PAIK, S. F.
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c09 N71-23598
PAIK, W. W.
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c15 N73-20514
PAINTER, J. H.
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
PALANDATI, C. F., JR.
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
PALMER, E. I.
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c14 N71-23755
PALSINGH, S.
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789
PAN, F. M.
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723
PAOLINI, J. J.
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c15 N70-10867
PAPELL, S. S.
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c12 N70-40124
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c15 N70-41646
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c27 N71-15635
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363
PARDOE, C. T.
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
PARESCE, F.
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
PARK, J. J.
Method of making tubes Patent
[NASA-CASE-XGS-04175] c15 N71-18579
PARKER, D. L.
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950
PARKER, G. L.
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c07 N71-20814
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c09 N71-24596
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
PARKER, J. A.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Flexible fire retardant foam
[NASA-CASE-ARC-10180-1] c28 N72-20767
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c27 N74-12814
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N78-15180
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-2] c24 N78-27184
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551
PARKER, L. C.
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c09 N71-18599
PARKER, O. J.
Despin weight release Patent
[NASA-CASE-XLA-00679] c15 N70-38601
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582
Flared tube strainer
[NASA-CASE-XLA-05056] c15 N72-11389
PARKER, R. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064
PARMLEY, R. T.
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c31 N71-17679
PARR, R. A.
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419
PARRA, G. T.
Angle detector
[NASA-CASE-ARC-11036-1] c35 N78-32395
PARSONS, W. E.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
PARTHASARATHY, S. P.
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c74 N79-20856
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c39 N80-10507
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
PARTSCH, V. M.
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c28 N71-28849
PASCIUTTI, E. R.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950
A dc to ac to dc converter having transistor synchronous rectifiers

[NASA-CASE-GSC-11126-1] c09 N72-25253
PASIERB, E. P.
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c26 N71-18064
PASSMAN, H. H.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052
PATE, W. E.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015
PATEL, B. C.
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-2] c37 N81-16468
PATON, W. J.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985
PATTEE, H. E.
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c35 N80-20560
PATTEN, C. W.
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
PATTERSON, J. C., JR.
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001
PATTERSON, W. J.
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c06 N71-11240
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c06 N72-25148
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
PAULI, F. A.
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c02 N71-20570
PAULKOVICH, J.
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c14 N71-19431
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c33 N81-12331
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c33 N81-19392
PAULL, S.
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c09 N70-38604
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c09 N70-38995
PAVLICS, P.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
PAWLIK, E. V.
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c25 N71-21694
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
PEARSON, A. O.
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
PECHHAM, A.
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
PECK, S. E.
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c33 N80-18286
PECKHAM, V. A., JR.
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c15 N70-42034
PEDERSON, C. W.
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885
PEELGREN, M. L.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
PEER, C. E.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539
PEGDEN, C. D.
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
PELCHAT, G. H.
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154
PELLERIN, C. J., JR.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
PENQUE, M. J.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324
PEOPLES, J. A.
Multiway vortex valve system Patent
[NASA-CASE-XNP-04709] c15 N71-15609
PERKINS, G. S.
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c15 N71-24695
Ball screw linear actuator
[NASA-CASE-NPO-11222] c15 N72-25456
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N79-14526
PERKINS, M.
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275
PERKINS, P. J., JR.
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c23 N71-22881
Insulation system Patent
[NASA-CASE-XLE-02647] c18 N71-23658
PERLMAN, M.
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c08 N71-12503
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c08 N71-12505
Digital function generator
[NASA-CASE-NPO-11104] c08 N72-22165
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c08 N73-12175
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
PERLMUTTER, M.
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234
PERRY, C. L.
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c52 N74-20728
PERRY, G. D.
Zero gravity apparatus Patent
[NASA-CASE-XNP-06515] c14 N71-23227
PERRY, J. C.
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c33 N81-14221
PERRY, W. E.
Optical conversion method
[NASA-CASE-MSC-12618-1] c74 N78-17865
PERSON, J. K.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
PESEK, C. T.
Clamping assembly for inertial components Patent

[NASA-CASE-XMS-02184] c15 N71-20813
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c10 N73-25243
PESMAN, G. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
PETERS, D. A.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
PETERS, H. E.
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
PETERS, L., JR.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
PETERS, P. N.
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c33 N78-13320
PETERS, R. L.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273
PETERS, R. W.
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136
PETERSEN, G. R.
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394
PETERSEN, H. L.
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
PETERSEN, H. W.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123
PETERSON, E. W.
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771
PETERSON, H. C.
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428
PETERSON, H. E., JR.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087
PETERSON, P. D.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203
PETERSON, S. T.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
PETERSON, V. S.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c09 N72-22201
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c35 N79-17192
PETERSON, W. A.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c23 N71-29049
PETERSON, W. D.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c10 N71-19467
PETERSSEN, H. E.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
PETRASEK, D. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
PETRICK, E. H.
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XNP-00923] c28 N70-36802
PETYNIA, W. W.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
PEYTON, J.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
PEZDIRTZ, G. F.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c06 N71-11238
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c14 N71-20430
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c33 N71-28903
PFAFF, H.
Swivel support for gas bearings Patent
[NASA-CASE-XNP-07808] c15 N71-23812
PFIFFNER, H. J.
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c09 N71-12516
PFLEGER, R. O.
Spherical shield Patent
[NASA-CASE-XNP-01855] c15 N71-28937
PHILIPP, W. H.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481
PHILIPS, A. M.
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329
PHILLIPP, W. H.
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516
PHILLIPS, B. L. S.
Pile card marker Patent
[NASA-CASE-XLA-02705] c08 N71-15908
PHILLIPS, E. C., JR.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
PHILLIPS, W. H.
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c31 N70-37986
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c31 N71-22969
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c04 N80-18019
PHILLIPS, W. M.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c27 N76-15311
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c73 N77-18891
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c27 N78-19302
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c27 N79-14213
PHLIEGER, G. A., JR.
Separation simulator Patent
[NASA-CASE-XKS-04631] c10 N71-23663
Internal work light Patent
[NASA-CASE-XKS-05932] c09 N71-26787
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c15 N72-22486
Pressurized lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
PIASECKI, L. E.
Apparatus and method for control of a solid fueled rocket vehicle Patent

[NASA-CASE-XNP-00217] c28 N70-38181
PICCIOLO, G. L.
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
PIERCE, H. H.
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c27 N70-35534
PILLA, P. K. C.
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137
PINCKNEY, K. H.
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-26518
PINCKNEY, S. Z.
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
PINCUS, B. H.
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c14 N69-27432
PINKEL, I. I.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39988
PINSON, G. T.
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
PIPPEN, D. L.
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c09 N71-13518
PITELLI, E. E.
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490
PITTS, D. E.
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
PITTS, F. L.
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c32 N73-26910
PITTS, W. C.
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439
PIVIROTTO, T. J.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c36 N80-18381
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c36 N80-20574
PIZZECK, D. E.
Connector
[NASA-CASE-LAR-11709-1] c37 N76-27567
PLAKAS, C. J.
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c15 N72-21465
PLAMONDON, J. A., JR.
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c14 N71-26475
PLANOWSKI, S. C.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
PLATT, P. K.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629
PLAZEK, D. J.
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c14 N71-10781
PLEASANTS, J. E.
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c32 N71-21045
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898
PLITT, K. F.
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
PODGORSKI, T. J.
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
POESCHEL, R. L.
Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
POGORZELSKI, F. S.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
POHL, H. O.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192
POHL, J. G.
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N78-10554
POHM, A. V.
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397
POLHAMUS, E. C.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c02 N70-38011
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11041
POLHEMUS, J. T.
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c54 N78-32720
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c52 N80-23969
POLLACK, I.
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c17 N71-23828
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170
POLLACK, J. L.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
POLLARD, E. A.
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c05 N71-22748
POLLOCK, G. E.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
POLSTORFF, W. K.
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c74 N79-13855
POOL, S. L.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
POOLE, B. D., JR.
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388
POPE, A. H.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968
POPE, J. H.
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
POPE, W. L.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390
POPICK, H.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400
POPINSKI, Z.
Automotive absorption air conditioner utilizing

solar and motor waste heat
[NASA-CASE-NPO-15183] c44 N80-29843
POPMA, D. C.
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207
PORADEK, J. C.
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c45 N79-12584
PORTER, E. E.
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434
PORTER, R. H.
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c28 N70-36910
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c28 N70-41275
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
PORTER, W. A.
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950
PORTHOY, W. A.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716
POSCHENRIEDER, W. P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
POSEY, D. L.
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c35 N80-18358
POSHKUS, A. C.
An improved synthesis of 2, 4, 8, 10-textroxaspiro (5.5)undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
POSNER, E. C.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c32 N74-10132
POSTMA, E. W.
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
POTEATE, W. B.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
POTTER, A. E., JR.
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c23 N73-13661
POTTER, L. H.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
POTTER, M. H.
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
POTTER, P. D.
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c09 N70-35425
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c07 N71-15907
Dichroic plate
[NASA-CASE-NPO-13506-1] c35 N76-15435
POUCHOT, W. D.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046
POVINELLI, L. A.
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819
POWELL, C. A., JR.
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387
POWELL, J. A.
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
POWELL, J. D.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784
POWELL, W. B.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
POWELL, W. E., JR.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235
POWER, J. L.
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
POWERS, E. I.
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c31 N73-30829
POZSONY, E. R.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
PRASTHOFER, W. P.
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c34 N80-20528
PRESCOTT, W. A.
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c15 N70-40062
PRESLEY, L. L.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
PRESTON, G. H.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
PRESTON, G. W.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c07 N71-28900
PRICE, A. G.
Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
PRICE, H. W.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
PRICE, P.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
PRICE, S. B.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
PRIDE, J. D., JR.
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c03 N71-12259
PRIEBE, G. W.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192
PRIOLETTI, J. A.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
PRITCHARD, E. B.
Orbital and entry tracking accessory for globes
[NASA-CASE-LAR-10626-1] c19 N74-21015
PRITCHARD, H. O.
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c07 N80-26298
PROCH, G. E.
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249

PROEHSEY, J. H.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c15 N69-24322
PROFFIT, B. L.
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c10 N72-17173
PROGAR, D. J.
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c15 N71-24875
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N78-17205
PROK, G. M.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382
PROKOPIUS, P. R.
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
PRUETT, B. J.
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c14 N71-23755
PRYOR, D. E.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
PRYOR, P. P., JR.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421
PRZYBISZEWSKI, J. S.
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
PSARRAS, T.
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
PUCCINELLI, A. A.
Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581
Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051
PUCILLO, G. L.
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c09 N72-12136
PULLING, B. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
PURCELL, T. H., JR.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032
PURGOLD, G. C.
Automated syringe sampler
[NASA-CASE-LAR-12308-1] c45 N80-19664
PUTNAM, D. F.
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252

Q

QADER, S. A.
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
Autocatalytic coal liquefaction process
[NASA-CASE-NPO-14876-1] c28 N80-26460
QUATINETZ, M.
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
QUATTRONE, P. D.
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875
QUINN, R. B.
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372

R

RADNOFSKY, M. I.
Life raft Patent
[NASA-CASE-XMS-00863] c05 N70-34857
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
Life preserver Patent
[NASA-CASE-XMS-00864] c05 N70-36493
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c07 N70-40063
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-2] c03 N78-25070
RAGGIO, C. W., JR.
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c28 N70-38645
RAIBERT, M.
Tactile sensing system
[NASA-CASE-NPO-15094-1] c33 N81-16386
RAINEY, R. W.
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c02 N71-27088
RAINWATER, L. L.
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c07 N71-27191
RAMEY, R. L.
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XMS-04614] c15 N69-21460
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172
RAMME, F. B.
Flexible conductive disc electrode Patent
[NASA-CASE-PBC-10029] c09 N71-24618
Method of removing insulated material from insulated wires
[NASA-CASE-PBC-10038] c15 N72-20444
Method of making dry electrodes
[NASA-CASE-PBC-10029-2] c05 N72-25121
RAMOHALLI, K. N. R.
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c28 N80-28536
RANDALL, J. C.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855
RANEY, J. P.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106
RAO, D. M.
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968
Leading edge vortex flaps for drag reduction
[NASA-CASE-LAR-12750-1] c02 N81-19016
RAPOSA, F. L.
Parasitic suppressing circuit
[NASA-CASE-EEC-10403-1] c10 N73-26228
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c33 N78-17295
RAPOZA, E. J.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724
RASMUSSEN, H. P.
Transparent switchboard
[NASA-CASE-MSC-13746-1] c10 N73-32143
RASQUIN, J. R.
Angular measurement system Patent
[NASA-CASE-XNP-00447] c14 N70-33179
Electro-optical alignment control system Patent
[NASA-CASE-XNP-00908] c14 N70-40238
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446

High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c11 N72-23215
Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778

RASSWEILER, G. G.
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154

RATAJCZAK, A. F.
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601

RATCLIFF, L. P.
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903

RAVAS, R. J.
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c10 N71-27126

RAVENHALL, R.
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468

RAWSON, J.
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643

RAY, W. L.
Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c25 N74-33378

RAYBORN, G., H.
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428

RAYLE, W. D.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844

READ, F. G.
Backpack carrier Patent
[NASA-CASE-LAR-10056] c05 N71-12351

READ, W. S.
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c10 N73-30205
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918

READER, A. F.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836

READER, P. D.
Ion thrustor cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c28 N71-14043
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c28 N71-15661

REAM, L. W.
Diesel engine catalytic combustor system
[NASA-CASE-LEW-12995-1] c37 N80-26659

RECHTER, H. L.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c18 N71-16124

REDDING, A. H.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046

REDMON, J. W.
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c15 N72-11388

REECE, O. Y.
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c14 N71-17659
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c14 N71-24234
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437

REED, A. E.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842

REED, J. H., JR.
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c05 N70-41329

REED, L.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c15 N71-26312

REED, R. D.
Improved Sun-sensing guidance system for high-altitude aircraft
[NASA-CASE-FRC-11052-1] c04 N80-20249
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c43 N81-17499

REED, W. A., III
Decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c08 N80-22359

REED, W. H., III
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c11 N71-15926
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c12 N71-16894
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c14 N71-17626
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c15 N71-27146

REESE, P. B.
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097

REGNIER, W. W.
Passive propellant system
[NASA-CASE-MFS-23642-2] c20 N78-27176
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278

REHAGE, J. R.
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XNP-00906] c09 N70-41655

REIBER, J. H. C.
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N79-10724

REID, H. J. E., JR.
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943

REID, H., JR.
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c43 N80-23711

REID, M. S.
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N79-13214

REID, R.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c18 N76-14186

REID, W. J.
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c08 N71-18692

REILLY, M. B.
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448

REINHARDT, G.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080

REINHARDT, V. S.
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c33 N79-10338
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c36 N79-14362

REINHOLD, H. W.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008

REINISCH, R. F.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315

REINITZ, K.
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c14 N71-23401
REISS, D. A.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767
REMBAUM, A.
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c06 N71-23500
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c14 N73-14428
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c17 N73-28573
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c27 N78-17214
Pressure transducer
[NASA-CASE-NPO-11150] c35 N78-17359
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
REMPEL, R. C.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c14 N71-20428
REMPFER, P. S.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004
RENNER, W.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435
RENNIE, P. A.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
RESWICK, J. B.
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
REYNOLDS, H. I.
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c31 N79-21227
REYNOLDS, J. M.
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
REYNOLDS, R. K.
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526
REYNOLDS, W. E.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008
RHEIN, R. A.
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515
RHO, J. H.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754
RHODES, C. M.
Method of and means for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c35 N80-18362
RHODES, D. B.
Optical scanner
[NASA-CASE-LAR-11711-1] c74 N78-17866
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c74 N80-12866
RHODES, L. L.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
RHODES, M. D.
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N78-10214
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N78-17149
RIAZ, M.
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c09 N71-27364
RIBARICH, J. J.
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
RICCITELLO, S. R.
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
RICCITIELLO, S. R.
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Flexible fire retardant foam
[NASA-CASE-ARC-10180-1] c28 N72-20767
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c27 N74-12814
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N78-14096
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c24 N78-27180
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c15 N79-26100
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c25 N80-16116
RICE, R. F.
Data compression system
[NASA-CASE-NPO-11243] c07 N72-20154
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
RICE, R. R.
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c31 N70-41871
RICE, R. W.
Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464
RICE, S. H.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c37 N80-29705
RICE, W. J.
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c35 N79-14345
RICH, E., JR.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086
RICHARD, C. E.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877

RICHARD, R. R.
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c14 N70-41682
RICHARDS, R. R.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714
RICHARDS, W. B.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722
RICHARDSON, R. W.
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122
RICHLEY, E. A.
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
RICHMOND, J. C.
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341
RICHTER, C. G.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411
RICHTER, H. L.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696
RICHTER, I. A.
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
RICHTER, R.
An improved solid electrolyte cell
[NASA-CASE-NPO-15269-1] c33 N81-16385
RIEBE, J. M.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c21 N71-15582
RIEBLING, R. W.
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
Bipropellant injector
[NASA-CASE-XNP-09461] c28 N72-23809
RILEY, J. F.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
RILEY, T. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
RINARD, G. A.
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472
RINDNER, W.
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c09 N71-18721
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
RINEHART, D.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
RINGELMAN, J. F.
Regulated power supply Patent
[NASA-CASE-XMS-01991] c09 N71-21449
RIPPY, E. H.
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
RITCHIE, D. G.
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c15 N71-20440
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c15 N72-22483
RITCHIE, D. W.
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050
RITCHIE, V. S.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925
RITTER, D. L.
Foldable construction block
[NASA-CASE-MSC-12233-2] c32 N73-13921
RLOFF, K. L.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
ROACH, J. E.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
ROBBINS, H. J.
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c31 N71-24750
ROBELEN, D. B.
Deploy/release system
[NASA-CASE-LAR-11575-1] c02 N76-16014
ROBERTS, D. E.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325
ROBERTS, D. L.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400
ROBERTS, E. J.
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c15 N72-22484
ROBERTS, H. L.
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452
ROBERTS, V. W.
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c10 N73-30205
ROBERTSON, A. J.
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004
ROBERTSON, J. B.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
ROBERTSON, W. L.
Two-axis controller Patent
[NASA-CASE-IPR-04104] c03 N70-42073
ROBILLARD, G.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181
ROBINS, A. W.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
ROBINSON, G. P.
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c14 N69-27459
ROBINSON, H.
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c16 N70-41578
ROBINSON, R. K.
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045
ROBINSON, W. J., JR.
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870

ROBSON, P. N.
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
ROCHOW, S. E.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
RODNEE, W. H.
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895
RODRIGUEZ, G. E.
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c33 N81-19392
ROEDER, E. R.
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
ROESKE, P. W.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
ROGALLO, F. M.
Aeroflexible structures
[NASA-CASE-XLA-06095] c01 N69-39981
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c02 N71-11038
ROGALLO, V. L.
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c02 N70-34856
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c15 N70-40180
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c14 N70-40400
Force transducer Patent
[NASA-CASE-XAC-01101] c14 N70-41957
ROGERS, F. O.
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
ROGERS, J. R.
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
ROGOWSKI, E. S.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c25 N78-15210
ROLF, B.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-19212
ROLIK, G. P.
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042
ROLLER, R. F.
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
ROLLINS, G. H.
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
ROLLINS, J. R.
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
ROM, F. E.
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c22 N71-28759
ROMAN, J. A.
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c05 N71-11189
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329
ROMAN, R. F.
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186
ROMANCZYK, K. C.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215
ROMMEL, M. A.
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c14 N71-20442
ROMVARY, E., JR.
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c15 N71-15906
RONEY, B. W.
Evacuation valve
[NASA-CASE-LAR-10061-1] c15 N72-31483
ROOT, G. L.
Valve seat
[NASA-CASE-NPO-10606] c15 N72-25451
ROSALES, L. A.
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580
ROSE, S. D.
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706
ROSEN, H. A.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c31 N71-29050
ROSEN, L.
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c16 N71-15567
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c16 N71-26154
ROSENBAUM, B. J.
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
ROSENBLUM, L.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
ROSENGREN, L. G.
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
ROSIER, W. R.
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c33 N80-26599
ROSIN, A. D.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968
ROSIN, S.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393
ROSINSKI, W. K.
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
ROSITANO, S. A.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
ROSS, L. O.
Preparation of heterocyclic block copolymer omega-diamidoximes

[NASA-CASE-ARC-11060-1] c27 N79-22300
ROSSER, R. W.
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c27 N79-22300
Preparation of perfluorinated imidoylamidoximes
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c25 N80-26407
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c27 N81-17262
ROSSI, B. B.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240
ROSSON, V. J.
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c25 N71-16073
ROTH, H.
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c09 N71-18721
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679
ROTMAN, A.
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c11 N70-35383
ROUDEBUSH, W. H.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
ROUGHTON, N. A.
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
ROUSEY, W. J.
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
ROUTH, D. E.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475
ROUZER, L. E.
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554
ROWE, H. E.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
ROWLAND, C. W.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c15 N69-27502
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
ROWLEY, P. D.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
ROY, N. L.
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
Particle parameter analyzing system
[NASA-CASE-XLE-06094] c33 N76-17293
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386
ROY, U.
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437
RUBERT, K. F.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
Quick release connector Patent
[NASA-CASE-XLA-01141] c15 N71-13789
RUBIN, B.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c04 N72-33072
RUBIN, D. C.
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
RUBIN, I.
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c44 N76-27515
RUDDOCK, K. A.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-IGS-04879] c14 N71-20428
RUDERMAN, I. W.
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c52 N79-21750
RUDMANN, A. A.
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c37 N80-14398
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c37 N81-14320
RUDNICK, I.
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
RUEHR, W. C.
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999
RUHNKE, L. H.
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c07 N73-20175
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c14 N73-32318
RUIZ, W. V.
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
RUMBLE, C. V.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865
RUMMEL, J. A.
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c52 N74-20728
RUMMLER, D. R.
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c14 N71-10773
Low mass truss structure
[NASA-CASE-LAR-10546-1] c11 N72-25287
RUNDELL, D. J.
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
RUPE, J. H.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
RUPNIK, D. R.
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799
RUPP, C. C.
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
RUPPE, R. P.
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
RUSSELL, C. H.
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c14 N71-28991

RUSSELL, G. R.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
RUSSELL, J. M., III
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006
Ablation sensor Patent
[NASA-CASE-XLA-01791] c14 N71-22991
RUSSELL, L. D.
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c09 N72-17152
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c14 N72-24477
RUSSELL, W. E.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836
RUST, R.
Solenoid construction Patent
[NASA-CASE-XNP-01951] c09 N70-41929
RYAN, C. E.
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c33 N76-32338
RYASON, P. R.
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c44 N79-11470
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154

S

SABAROFF, S.
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c07 N71-24583
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N79-11265
SABELMAN, E. E.
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c15 N73-24513
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c09 N73-30185
SABOL, A. P.
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c25 N71-15562
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c25 N71-21693
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c34 N76-17317
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
SACKS, B. H.
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c09 N73-15235
SADHUKHAN, P.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229
SAFFREN, M. M.
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
SAHINKAYA, Y.
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
SAINSBURY-CARTER, J. B.
Bonded joint and method
[NASA-CASE-LAR-10900-1] c37 N74-23064
SAINTCLAIR, T. L.
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
SAKELLARIS, P. C.
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c35 N78-19466
SALAMA, A. M.
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c44 N80-24741
Improving the efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c44 N80-32850
SALEHME, C. T.
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468
SALISBURY, J. K., JR.
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c37 N79-28551
SALMIRS, S.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c31 N71-10582
SALTER, W. E.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
SALTZMAN, E. J.
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
Improved low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c85 N80-33312
SALVINSKI, R. J.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
SAMFIELD, E.
Inflatable tether Patent
[NASA-CASE-XMS-10993] c15 N71-28936
SAMONSKI, F. H., JR.
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c05 N70-41297
SAMSON, J. A. R.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
SAMSON, R.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c09 N71-18600
SAN MIGUEL, A.
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c32 N71-17645
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c14 N71-21091
SANDBORN, V. A.
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c14 N70-38602
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c28 N70-41576
SANDER, R. C.
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866
SANDERS, B. W.
Airflow control system for supersonic inlets

[NASA-CASE-LEW-11188-1] c02 N74-20646
SANDFORD, H. C.
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c44 N80-18552
SANDROCK, G. D.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
SANDSTROM, D. B.
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
SANTARPIA, D.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
SARBOLOUKI, M. N.
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c76 N79-14908
SARGISSON, D. F.
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c07 N78-17056
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
SARVER, G. L., III
Solar power satellite system
[NASA-CASE-HQN-10949-1] c44 N81-16530
SATER, B. L.
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455
SAUER, L. S.
Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c15 N71-22997
SAUER, R. L.
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
SAUER, T. H.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
SAUERS, D. G.
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
Lightweight electrically-powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c33 N79-12331
SAUNDERS, A. A., JR.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116
SAUNDERS, A. R.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
SAUNDERS, N. T.
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c28 N70-38197
SAUTER, R. J.
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
SAWKO, P. M.
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c06 N72-25147
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c18 N73-13562
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N78-14096
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c24 N78-27180
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c15 N79-26100
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c25 N80-16116
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c24 N81-13999
SAWYER, C. D.
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c73 N78-28913
SAWYER, D. E.
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c08 N72-21198
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
SAWYER, J. T.
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
SAWYER, R. V.
Electrical servo actuator bracket
[NASA-CASE-FRC-11044-1] c07 N80-21327
SAWYER, R. W.
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c37 N80-20589
SCAPICCHIO, A. J.
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354
SCHACH, H.
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
SCHACHT, W. P.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c15 N69-24266
SCHACHTER, M. M.
Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c14 N70-41676
SCHAEFER, D. H.
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c08 N70-34743
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c08 N70-34778
Full binary adder Patent
[NASA-CASE-XGS-00689] c08 N70-34787
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c08 N71-18602
Computing apparatus Patent
[NASA-CASE-XGS-04765] c08 N71-18693
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c10 N71-20852
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c60 N78-10709
SCHAEFER, G. J.
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
SCHAER, G. R.
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c44 N74-19692
SCHAFFER, G. L.
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c09 N71-28468
SCHAFFERT, J. C.
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819
SCHALLER, N. C.
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
SCHAPPERT, G. T.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
SCHAUS, R. B.
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c33 N71-16356
SCHEIBE, H.
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853

SCHEIBLEY, D. W.
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555
SCHELL, J. T.
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892
SCHER, M. P.
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c21 N72-21624
SCHER, S. H.
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037
SCHIFFNER, G.
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c16 N73-32391
SCHILLER, J. G.
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N79-22235
SCHINDLER, R. A.
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c14 N71-17655
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c14 N71-17662
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N78-18391
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c35 N78-18395
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c35 N79-14348
Interferometer
[NASA-CASE-NPO-14448-1] c74 N79-23777
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c35 N80-20563
SCHLESINGER, F. W.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
SCHLOSS, A. L.
Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500
SCHLUGE, G.
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468
SCHMIDT, E. E.
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c14 N72-16283
SCHMIDT, H. W.
Conical valve plug Patent
[NASA-CASE-XLE-00715] c15 N70-34859
Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492
SCHMIDT, K. C.
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
SCHMIDT, L. F.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Light sensor
[NASA-CASE-NPO-11311] c14 N72-25414
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
SCHMIDT, R.
Reactance control system Patent
[NASA-CASE-XNP-01598] c21 N71-15583
SCHMIDT, R. F.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c09 N71-24804
Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c33 N75-19516
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Variable beamwidth antenna
[NASA-CASE-GSC-11862-1] c32 N76-18295
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
SCHMIDT, W. G.
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c27 N71-14090
SCHMITT, A. L.
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
SCHMITZ, B. W.
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c28 N70-39931
SCHMITZ, F. H.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N80-14107
SCHNEIDER, H. T.
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N78-19920
Safety flywheel
[NASA-CASE-HQN-10888-1] c44 N79-14527
SCHNEIDER, W. C.
Auger attachment method for insulation
[NASA-CASE-MSC-12615-1] c37 N76-19437
Diced tile thermal protection for spacecraft
[NASA-CASE-MSC-16366-1] c24 N79-23142
SCHNITZER, E.
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c32 N70-36536
Manned space station Patent
[NASA-CASE-XLA-00258] c31 N70-38676
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c15 N71-22713
SCHNOPPER, H. W.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
SCHOEN, A. H.
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
Expandable space frames
[NASA-CASE-ERC-10365-1] c31 N73-32749
SCHOLL, J. A.
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c15 N72-24522
SCHORUM, S. W.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544
SCHRADER, J. H.
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c07 N71-10775
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c21 N71-11766
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
SCHREDER, K. D.
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c10 N71-26331
SCHUBERT, F. H.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784
SCHUERER, P. H.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
SCHULLER, F. T.
Journal bearings
[NASA-CASE-LEW-11076-1] c37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
SCHULTZ, D. F.
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c25 N81-19245
SCHUMACHER, L. L.
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c35 N75-23910
SCHUSTER, D. H.
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c09 N70-35219
Parabolic reflector horn feed with spillover correction Patent

[NASA-CASE-XNP-00540] c09 N70-35382
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c10 N71-16057
SCHUSTER, M. A.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612
SCHUTT, J. B.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-35979
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014
Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N78-10529
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c24 N79-31347
SCHUTZENHOFER, L. A.
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
SCHWAB, W. B.
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c31 N78-17237
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N79-20336
SCHWARTZ, I. R.
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
SCHWARZ, F. C.
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c09 N71-24800
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c09 N71-24893
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Load-insensitive electrical device
[NASA-CASE-XER-11046] c09 N72-22203
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c09 N72-25251
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Load insensitive electrical device
[NASA-CASE-XER-11046-2] c33 N74-22864
SCHWINGHAMER, R. J.
Angular measurement system Patent
[NASA-CASE-XMF-00447] c14 N70-33179
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c03 N70-34157
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c15 N70-34249
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c14 N70-40238
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c15 N71-17650
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c15 N71-24833
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c15 N71-24865
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c15 N71-26148
SCHWUTTKE, G. H.
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798
SCIACCA, T. P.
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982
SCOGGINS, J. R.
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c02 N71-23007
SCOPELIANOS, A. G.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c25 N80-21464
SCOTT, C. E.
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
SCOTT, C. H.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
SCOTT, D. R.
Solar tracking system
[NASA-CASE-MFS-23999-1] c44 N79-28667
Electrical self-aligning connector
[NASA-CASE-MFS-25211-1] c33 N80-32651
SCOTT, R. F.
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
SCOTT, R. R.
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c03 N71-11049
SCOTT, S. G.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c09 N69-21313
SCOTT, W. L.
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c05 N73-32013
SCOW, J.
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909
SCROOP, F. R.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192
SCUDDER, L. R.
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
SCULLY, P. T.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
SEA, R. G.
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
SEAMAN, C. H.
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
SEATON, A. F.
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c10 N71-26142
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
Conical reflector antenna
[NASA-CASE-NPO-10303] c07 N72-22127
SEATON, S. L.
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c07 N70-41331
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c07 N70-41372
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c16 N71-24074
Laser calibrator Patent
[NASA-CASE-XLA-03410] c16 N71-25914
SEAY, B. F., JR.
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468
SEBACHER, D. I.
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
SECKEL, E.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
SECRETAN, L.
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c09 N71-22988
SEEGMILLER, H. L. B.
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c14 N71-21072

SEIDEL, B. L.
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c32 N80-16261
SEIDENBERG, B.
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c06 N73-26100
SEILER, E. E.
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c32 N71-24285
SEITZ, T. E.
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084
SEITZINGER, V. F.
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c18 N70-41583
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c33 N71-24858
SELCUK, M. K.
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N78-31526
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N79-11471
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518
SELLEN, J. M., JR.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c09 N71-16086
SENSENY, P. H.
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c31 N81-14137
SERAPINI, T. T.
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c27 N81-17260
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296
SEWARD, H. H.
Compact spectroradiometer
[NASA-CASE-HQN-10683] c14 N71-34389
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
SEYFFERT, H. B.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
SEYL, J. W.
Dynamic Doppler simulator Patent
[NASA-CASE-XNS-05454-1] c07 N71-12391
SHADY, D. L.
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
SHAFFER, D. H.
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
SHAFFER, J. I.
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179
SHAFFER, C. V.
Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
SHAI, C. M.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-39979
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183
SHAI, M. C.
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c24 N79-14156
SHALHOUB, I. M.
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c27 N81-17262
SHALTENS, R. K.
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
SHANKAR, N. R.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
SHANNON, R. L.
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N78-27913
SHAPIRO, H.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c15 N72-22489
SHARMA, R.
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c74 N81-15818
SHARPE, M. H.
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
SHATALSKY, R.
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
SHATTUCK, R. D.
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c03 N71-23354
SHAW, C. S.
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c34 N76-18364
SHAW, D. S.
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c09 N80-24334
SHAW, G. C.
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
SHEETS, R. E.
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551
SHEPSIEK, P. K.
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c15 N71-27184
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129
SHEIBLEY, D. W.
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606

Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c25 N78-25149
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N78-25530
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-1] c44 N79-17313
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516

SHELPUK, B.
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c44 N79-25482

SHELTON, G. B.
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865

SHELTON, J. P., JR.
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c10 N71-21483

SHELTON, R. D.
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c14 N71-23699

SHEPARD, C. E.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816

SHEPARD, L. F.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

SHEPARD, N. F., JR.
Solar cell module
[NASA-CASE-NPO-14467-1] c44 N79-31753

SHEPARD, S. K.
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c10 N71-24862

SHER, A.
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c33 N80-28635

SHERBURNE, A. E.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442

SHERFEY, J. M.
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c03 N71-23006
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371

SHERMAN, A.
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213

SHERWIN, E. J.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c15 N69-39786

SHETH, S.
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N78-32262

SHETH, S. G.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405

SHEWMAKE, G. A.
Life raft Patent
[NASA-CASE-XMS-00863] c05 N70-34857
Life preserver Patent
[NASA-CASE-XMS-00864] c05 N70-36493
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c07 N70-40063
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c05 N71-22748

SHIEBER, H.
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c18 N71-21068

SHIGEMOTO, F. H.
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c16 N71-24828

SHILLINGER, G. L., JR.
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417

SHIH, I. H.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831

SHIHA, R.
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684

SHIMADA, K.
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c03 N71-12255
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c09 N71-28421
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602

SHIMANSKI, R. A.
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343

SHIMODA, K.
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c16 N71-18614

SHIRA, C. S.
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236

SHIRE, L. I.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357

SHLICHTA, P. J.
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944

SHLOSINGER, A. P.
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c34 N78-17337

SHOBER, P. W.
Position determination systems
[NASA-CASE-MSC-12593-1] c17 N76-21250

SHORTRIDGE, S. R.
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c10 N70-42032

SHRIVER, C. B.
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c15 N71-17651
Filament wound container Patent
[NASA-CASE-XLE-03803] c15 N71-23816
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351

SHRIVER, C. L.
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321

SHRIVER, E. L.
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c09 N71-24843
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c14 N72-22439
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c75 N75-13625
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N78-18390
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137

SHROCK, C. G.
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
SHUBB, E. E.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c07 N71-22984
SHULL, T. A.
Digital demodulator
[NASA-CASE-LAR-12659-1] c33 N80-31731
SHULMAN, A. R.
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c23 N72-11568
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
SHUMATE, M. S.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c74 N78-17867
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015
SHUNKA, A.
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c33 N79-11314
SHURE, L. I.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
SHUTE, D. I.
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
SIDMAN, K. R.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Flame retardant formulations and products produced therefrom
[NASA-CASE-MSC-16307-1] c25 N78-27232
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N78-32262
SIDORAK, L. G.
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
SIEBERT, C. J.
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c15 N72-22485
SIEGEL, B.
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363
SIEGMAN, A. E.
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
SIERADSKI, L. M.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
SIEVERS, M. W.
A general logic structure for custom LSI circuits
[NASA-CASE-NPO-14410-1] c33 N79-25314
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c32 N80-18252
SIEWERT, R. D.
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c35 N79-17192
SIGFRED, J.
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
SIGNORELLI, R. A.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
SIKORA, P. F.
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c14 N70-35368
SIKORRA, D. J.
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c09 N71-13531
SILVER, R. H.
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c32 N71-17645
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c14 N71-21091
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
SILVERMAN, J. R.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
SILVERTSON, W. E., JR.
Logical function generator
[NASA-CASE-XLA-05099] c09 N73-13209
SIMAS, V. R.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
SIMMONDS, M. R.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
SIMMONDS, P. G.
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c13 N72-25323
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c15 N73-13467
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
SIMMONS, G. M.
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
SIMMONS, W. H.
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c15 N70-41808
SIMON, M. K.
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c10 N73-16205
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
SIMON, S. L.
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c33 N71-29151
SIMPKINS, L. G.
Television multiplexing system
[NASA-CASE-KSC-10654-1] c07 N73-30115
SIMPSON, J. G.
Solar concentrator
[NASA-CASE-MFS-23727-1] c44 N80-14473
SIMPSON, W. H.
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c15 N71-26611
SIMPSON, W. G.
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c11 N71-18773
Stud-bonding gun
[NASA-CASE-MFS-20299] c15 N72-11392
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c37 N76-19436
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290

Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388

SIMS, C. R.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c14 N73-19421

SINCLAIR, A. B.
Ablation sensor Patent
[NASA-CASE-XLA-01791] c14 N71-22991
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014

SINGER, S.
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c27 N78-17214

SINGH, J. J.
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428

SIOMAN, K. R.
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440

SIROCKY, P. J.
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c15 N70-38020

SIVERTSON, W. E., JR.
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c07 N71-11266
Rate data encoder
[NASA-CASE-LAR-10128-1] c08 N73-20217
Method of locating persons in distress
[NASA-CASE-LAR-11390-1] c32 N77-21267
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498

SIVITER, J. H., JR.
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240

SIVLEY, J. B.
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c10 N71-23544

SIZEMORE, K. O.
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438

SLATER, B. J.
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164

SLAYDEN, H. D.
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c09 N71-12519
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c09 N71-24717

SLEEMAN, W. C., JR.
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c02 N71-11038

SLEMP, W. S.
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382

SLIFER, L. W., JR.
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c03 N71-23187

SLINEY, H. E.
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c18 N70-36400
Method of making self lubricating fluoride-metal composite materials Patent
[NASA-CASE-XLE-08511-2] c18 N71-16105
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c18 N71-23710
Bearing material
[NASA-CASE-LEW-11930-1] c24 N76-22309
Method of making bearing materials
[NASA-CASE-LEW-11930-4] c24 N79-17916
Method of making bearing material
[NASA-CASE-LEW-11930-3] c24 N80-33482

SLOWIKOWSKI, D. P.
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c09 N71-29139

SMALL, J. G.
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c14 N70-35394

SMALL, W. J.
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120

SMITH, A. B.
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560

SMITH, C.
Counter and shift register Patent
[NASA-CASE-XNP-01753] c08 N71-22897

SMITH, D.
Brazing alloy Patent
[NASA-CASE-XNP-03063] c17 N71-23365

SMITH, D. L.
Hall effect transducer
[NASA-CASE-LAR-10620-1] c09 N72-25255

SMITH, E. B.
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999

SMITH, E. W.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360

SMITH, H. A.
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c14 N71-21007
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c54 N78-18761

SMITH, H. E.
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778

SMITH, H. J.
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c37 N75-13265

SMITH, J. A.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c24 N79-25142

SMITH, J. G.
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448

SMITH, J. P.
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c02 N71-13421

SMITH, J. R., JR.
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c05 N69-21473
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c09 N70-35440
Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c04 N71-23185

SMITH, J. W.
Apparatus for damping operator induced oscillations of a controlled system
[NASA-CASE-FRC-11041-1] c33 N80-20488

SMITH, L.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390

SMITH, L. G.
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c03 N70-35408

SMITH, L. H., JR.
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059

SMITH, L. S.
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c10 N71-23271

SMITH, M.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376

Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c24 N79-24062
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c27 N80-23454

SMITH, H. J.
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c33 N79-33392

SMITH, H. W.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086

SMITH, T. B., III
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643

SMITH, W. O.
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008

SMITH, W. R.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681

SMITH, W. W.
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c28 N70-39931

SMOOT, G. F.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390

SMYLIE, H. E.
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c05 N70-41297

SMYLY, H. M.
Differential pressure control
[NASA-CASE-MFS-14216] c14 N73-13418
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c52 N79-14756

SNEEDEN, R. J.
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c28 N71-20330

SNODDY, L. G.
Insert facing tool
[NASA-CASE-MFS-21485-1] c37 N74-25968

SNYDER, J. A.
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c15 N73-27406

SNYDER, L. M.
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c14 N71-22990

SNYDER, R. S.
Method of crystallization
[NASA-CASE-MFS-23001-1] c76 N77-32919

SODD, V. J.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681

SOFFEN, G. A.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754

SOHL, G.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c09 N71-10618
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c28 N71-23293

SOINI, H. E.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-IGS-01052] c14 N71-15992

SOKOLOWSKI, D. E.
Heat exchanger
[NASA-CASE-LEW-12252-1] c34 N79-13288

SOLOMON, G.
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749

SOLTIS, D. G.
Method of making membranes
[NASA-CASE-XNP-04264] c03 N69-21337
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555

SOMOANO, R. B.
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164

SONNENSCHEIN, C. M.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493

SONNENSCHEIN, G.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260

SOPELIANOS, A. G.
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c27 N80-21533

SORENSEN, C. E.
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628

SORENSEN, N. E.
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392

SOTER, E. J.
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845

SOTHERLUND, A. W., JR.
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874

SOURS, W. P.
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c15 N72-18477

SOVEY, J. S.
Modification of the electrical and optical properties of polymers
[NASA-CASE-LEW-13027-1] c27 N80-24437
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c31 N81-16327

SOWA, W. W.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708

SPADY, A. A., JR.
Backpack carrier Patent
[NASA-CASE-LAR-10056] c05 N71-12351
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c11 N71-16028

SPAIN, I. L.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213

SPALVINS, T.
Deposition of alloy films
[NASA-CASE-LEW-11262-1] c27 N74-13270

SPANG, H. A., III
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115

SPARKS, B. H.
Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477

SPEARMAN, M. L.
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c02 N71-11043

SPEISER, H. C.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c09 N71-10618

SPENCER, B., JR.
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c31 N71-15674
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132

SPENCER, D. J.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c08 N71-12506

SPENCER, J. L.
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c32 N73-26910

SPENCER, P. B.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239

SPENCER, B. L.
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c14 N71-27005
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
SPENCER, B. S.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343
SPIER, B. A.
Portable milling tool Patent
[NASA-CASE-XMF-03511] c15 N71-22799
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Vee-notching device
[NASA-CASE-MFS-20730-1] c39 N74-13131
SPIES, B.
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
SPITZER, L. A.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326
SPITZER, C. R.
Evaporant holder
[NASA-CASE-XLA-03105] c15 N69-27483
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c14 N73-32322
SPITZIG, W. A.
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c15 N71-15610
SPRECACE, R. P.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
SPRINGER, L. R.
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
SPRINGETT, J. C.
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c08 N70-41961
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c10 N73-12244
SPRINGFIELD, C. L.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
SPROSS, F. R.
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c05 N71-17599
SPUCK, W. H., III
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c46 N80-10709
SQUILLARI, M.
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008
SQUYRES, H. P.
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
ST.CLAIR, A. K.
Crystalline polyimides
[NASA-CASE-LAR-12099-1] c27 N80-16158
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c27 N80-16164
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
ST.CLAIR, T. L.
Crystalline polyimides
[NASA-CASE-LAR-12099-1] c27 N80-16158
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c27 N80-16164
Tackifier for addition polyimides
[NASA-CASE-LAR-12642-1] c27 N80-18179
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c27 N81-14078
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
STAHLEY, S. D.
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c15 N71-10782
STAINBACK, J. D.
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c14 N73-32322
STALEY, H. W.
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c09 N71-12519
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c09 N71-24717
STALEY, R. W.
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875
STALLCOP, J. R.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
STALOFF, C.
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282
STAMPS, J. C.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
STANGE, W. C.
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N78-31426
STANLEY, A. G.
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
STARK, K. H.
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c07 N71-10609
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c28 N71-27094
STARK, M. H.
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c27 N71-16392
STARKEY, D. J.
Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445
STARNER, E. E.
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
STATTEL, R. J.
Memory-based frame synchronizer
[NASA-CASE-GSC-12430-1] c32 N80-20453
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-1] c60 N80-21987
STCLAIR, T. L.
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N78-17205
STCLAIRE, T. L.
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c27 N79-33316
STECURA, S.
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c34 N78-18355
STEELE, E. E.
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c21 N71-24948
Improved satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419] c21 N72-21631
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c03 N75-30132
STEELE, E. K.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
STEENBAGEN, G.
Expansible support means
[NASA-CASE-NPO-11059] c15 N72-17454

STEENKEN, J.
Relief valve
[NASA-CASE-XMS-05894-1] c15 N69-21924
STEIN, R. J.
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c28 N71-22983
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
STEIN, R. M.
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
STEIN, S.
Injector-valve device Patent
[NASA-CASE-XLE-00303] c15 N70-36535
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c28 N70-38199
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c28 N71-24736
STEINBERG, R.
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c11 N71-10777
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
STEINMETZ, C. P.
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c15 N71-27754
STELBEN, J. J.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831
STELL, R. E.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
STELLA, A. J.
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c09 N69-39734
STELTS, P. D.
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225
STELZRIED, C. T.
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c07 N71-11267
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c10 N71-12554
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c09 N71-24808
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
STENGARD, E. O.
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c37 N79-28550
STENGEL, R. F.
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c20 N71-16281
STENLUND, S. J.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164
STEPHANS, J. B.
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N78-17460
STEPHENS, D. G.
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c32 N71-16103
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
STEPHENS, D. L.
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c07 N71-19433
STEPHENS, J. B.
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c14 N71-17701
Space simulator Patent
[NASA-CASE-NPO-10141] c11 N71-24964
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c31 N78-24387
Solar pond
[NASA-CASE-NPO-13581-2] c44 N78-31525
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-2] c37 N80-18397
Low cost cryostat
[NASA-CASE-NPO-14513-1] c35 N81-14287
STEPHENS, J. R.
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
STERN, H.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724
STERRETT, J. R.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170
STETSON, A. R.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040
STEUDL, R. M.
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400
STEVENS, M. L.
Surface conforming thermal/pressure seal
[NASA-CASE-MSC-18422-1] c37 N80-14400
STEVENS, M. R.
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c25 N79-10163
STEVENSON, L. E.
Aircraft control system
[NASA-CASE-EEC-10439] c02 N73-19004
STEWART, C. H.
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c09 N72-25257
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c10 N73-25240
STEWART, D. A.
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c27 N80-23454
STEWART, R. B.
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
STEWART, W. L.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c20 N80-14188
STICKLE, J. W.
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c02 N71-26110
STIFFLER, J. J.
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407
STIGBERG, J. D.
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270

STINE, H. A.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816
STIRN, R. J.
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N78-13526
Schottky barrier solar cell and method of fabrication
[NASA-CASE-NPO-13689-2] c44 N80-12549
STJOHN, H. H.
Walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N78-17675
STOCKARD, H. H.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
STOCKER, P. J.
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
STOCKTON, H. J.
Microwave switching power divider
[NASA-CASE-GSC-12420-1] c33 N80-21670
STOKES, C. S.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
STOKES, H. C.
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210
STOLLER, F. H.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696
STONE, F. A.
Synchronous servo loop control system Patent
[NASA-CASE-XMF-03744] c10 N71-20448
STONE, L. P.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c05 N71-12343
STONE, R. W., JR.
G conditioning suit Patent
[NASA-CASE-XLA-02898] c05 N71-20268
STONE, S. E.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435
STORY, A. H.
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
Display system
[NASA-CASE-ERC-10350] c14 N73-20474
STOTLER, C. L., JR.
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
STRAIGHT, D. H.
Rocket motor system Patent
[NASA-CASE-XLE-00323] c28 N70-38505
Gas turbine exhaust nozzle
[NASA-CASE-LEW-11569-1] c07 N74-15453
STRAND, L. D.
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N78-31255
STRANGE, H. G.
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c23 N71-16099
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
STRASS, H. K.
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c14 N70-33254
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c09 N71-19479
STREED, E. R.
Solar cell Patent
[NASA-CASE-ARC-10050] c03 N71-33409
STRINGHAM, R. S.
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N80-26446
STROH, T. H.
Spiral groove seal
[NASA-CASE-XLE-10326-2] c15 N72-29488
Spiral groove seal
[NASA-CASE-XLE-10326-4] c37 N74-15125
STRONG, I. J.
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177
STRONG, J. P., III
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c60 N78-10709
STROUB, R. H.
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N79-17847
STROUHAL, G.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c24 N79-25142
STROUP, H. H.
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c03 N71-20491
STRULL, G.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612
STRUTHOPP, G. L.
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c35 N80-28686
STRUZIK, E. A.
Ceramic fiber insulating material and method of producing same
[NASA-CASE-MSC-14795-2] c24 N78-25138
STUART, J. L.
Automated fluid chemical analyzer Patent
[NASA-CASE-XMF-09451] c06 N71-26754
STUART, J. H.
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c06 N73-13128
STUCKEY, J. H.
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892
STUDENICK, D. E.
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
STUDER, P. A.
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c09 N71-10677
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c09 N71-25999
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c15 N72-33476
Magnetic bearing
[NASA-CASE-GSC-11079-1] c37 N75-18574
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c44 N78-24608
A linear magnetic motor/generator
[NASA-CASE-GSC-12518-1] c33 N80-19424
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c33 N81-12331
STUHP, C. H.
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c35 N79-18296

Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774
STUMP, E. C., JR.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
STURGIS, A. C.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
STURM, R. G.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420
STURMAN, J. C.
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c10 N71-19471
STYLES, C. M.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
SUDEY, J.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N75-24758
SULLIVAN, D. B.
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c15 N72-25447
SULLIVAN, E. M.
Ablation article and method
[NASA-CASE-LAR-10439-1] c33 N73-27796
SULLIVAN, J. L.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
SULLIVAN, T. E.
Waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
SUMIDA, J. T.
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
SUMMERFIELD, D. G.
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
SUMMERS, R. M.
Geneva mechanism
[NASA-CASE-NPO-13281-1] c37 N75-13266
SUNBAT, M.
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398
SUTLIFF, J. D.
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c02 N70-41630
SWAIM, R. J.
Induction heating gun
[NASA-CASE-LAR-12540-1] c37 N80-11468
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469
SWAIN, R. L.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
SWANN, R. T.
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c33 N70-37979
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
SWARTZ, P. F.
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605
SWEAT, J. C.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067
SWEET, G. E.
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Spherical measurement device
[NASA-CASE-XLA-06683] c14 N72-26436
SWETTE, L. L.
Electrocatalyst for oxygen reduction
[NASA-CASE-HQN-10537-1] c06 N72-10138
SWINGLE, R. L.
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
SWIRSKY, B. D.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
SWORDS, B. B.
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
SYDNOR, R. L.
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
SYVERTSON, C. A.
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087
SZUHALSKI, B.
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c37 N80-20589

T

TABACK, I.
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c35 N80-11400
TADDEO, F. V.
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c10 N71-28960
TALBOT, M. W.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950
TALLEY, D. H.
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c14 N71-29134
TAPPLEY, J. L.
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
TASHBAR, P. W.
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
TAUB, W. M.
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
TAUSWORTHE, R. C.
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c10 N73-27171
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N79-24210
TAYLOR, C. J.
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c14 N71-17574
TAYLOR, L. L.
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c18 N71-16210
TAYLOR, L. T.
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c27 N80-16164
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
TAYLOR, L. V.
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c10 N71-27272
TAYLOR, R. A.
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
TAYLOR, R. C.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c14 N73-19421
TAYLOR, R. E.
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c09 N69-21543
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c09 N71-20864
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c09 N71-24595
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067
TAYLOR, T. I.
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c52 N79-21750

TCHERNEV, D. I.
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
TE POEL, H. R.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c07 N71-11300
TEGNELIA, C. R.
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
TEITELBAUM, S.
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282
TELFER, T. A.
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c37 N75-26372
TEMPLE, H. R.
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
TENER, W. M.
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
TENG, R. N.
Collapsible pistons
[NASA-CASE-MSC-13789-1] c11 N73-32152
TENOSO, H. J.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
TEPPER, E. H.
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
TERP, L. S.
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c35 N78-10428
TERRAY, A.
Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c37 N76-23570
TERSELIC, H. A.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932
TESINSKY, J. S.
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c34 N78-25350
TETSUKA, G. M.
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c09 N71-10659
THALER, S.
Voltage regulator Patent
[NASA-CASE-ERC-10113] c09 N71-27053
Current dependent filter inductance
[NASA-CASE-ERC-10139] c09 N72-17154
THALLER, L. H.
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c03 N71-20904
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c44 N79-26474
THATCHER, C. S.
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
THEARSTON, H. A.
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653
THIBODAUX, J. G., JR.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c28 N71-26779
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
THIEL, A. H.
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c15 N71-22798
THIELE, C.
Space simulator Patent
[NASA-CASE-XNP-00459] c11 N70-38675
THIELE, C. L.
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N79-18443
THOLE, J. H.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c31 N71-16081
THON, K.
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c25 N71-29184
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N78-19920
THOMAS, D. F., JR.
Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c09 N75-15662
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359
THOMAS, H. H.
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c09 N70-38712
THOMAS, H. R.
Optical communications system Patent
[NASA-CASE-XLA-01090] c07 N71-12389
Optical communications system Patent
[NASA-CASE-XLA-01090] c16 N71-28963
THOMAS, H. L.
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
THOMAS, R. D.
Thermocouple tape
[NASA-CASE-LEW-11072-1] c14 N73-24472
Thermocouple tape
[NASA-CASE-LEW-11072-2] c35 N76-15434
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N78-14625
THOMAS, R. R.
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714
THOMASON, H. E.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c21 N71-23289
THOMPSON, G. D., JR.
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415
THOMPSON, J. R., JR.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708
THOMPSON, R. B.
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c38 N79-14398
THOMPSON, R. E.
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c14 N73-26431
THOMPSON, S. H.
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
THOMPSON, W. W.
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c28 N79-14228
THOMSON, A. R.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057
THOMSON, J. A. L.
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
THORNTON, G. H.
Hole cutter

[NASA-CASE-MFS-22649-1] c37 N75-25186
THORNTON, W. E.
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699
THORNWALL, J. C.
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c08 N71-18595
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c10 N71-18772
THORPE, E. S.
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
THYS, P. C.
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478
TIBBITTS, W. C.
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465
TICKNER, E. G.
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
TIEFERMANN, H. W.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818
TILLER, W. G.
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c11 N72-25288
TINN, J. D.
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137
TINOR, U.
Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
TINLING, B. E.
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c31 N71-17729
TISCHLER, H. F.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
TISDALE, H. F., SR.
A velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c08 N79-20136
TITLE, A. M.
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N79-14891
TITUS, L. E.
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N78-32340
TOBIAS, E. A.
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c09 N72-25260
TOCK, R. W.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742
TODD, H. H.
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c17 N71-15468
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c17 N71-24911
TOPT, A. R.
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
TOLL, T. A.
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c02 N70-33266
TOLSON, B. A.
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c15 N72-25453
TOM, H. Y.
Ionene membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567
TOMBARELLO, T. A.
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334
TOMLINSON, H. M.
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045
TOMLINSON, L. E.
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c15 N71-19213
TONGIER, M., JR.
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
TOOLE, P. C.
High speed direct binary-to-binary coded decimal converter
[NASA-CASE-KSC-10326] c08 N72-21197
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c08 N73-12176
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
TOOTS, J.
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23645-1] c33 N81-17348
TOPITS, A., JR.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
TORBERT, H. A.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
TORREY, F. L., JR.
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
TOTH, L. E.
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504
TOWERS, C. H.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
TOWNSEND, M. E.
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c07 N71-23001
TOY, M. S.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c06 N70-11252
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c06 N72-22107
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c06 N72-25152
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N80-26446
TRADER, A. G.
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c11 N71-21474
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c15 N71-27147

TRAVIS, E. W.
Satellite appendage tie down cord Patent
[NASA-CASE-IGS-02554] c31 N71-21064
TRELEASE, R. B.
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c06 N71-22975
TRENT, R. C.
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c26 N72-17820
TRENT, D. L.
Location identification system
[NASA-CASE-ERC-10324] c07 N72-25173
TRIMPI, R. L.
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
TRIOLO, J. J.
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
TRIPP, C. H.
Booster tank system Patent
[NASA-CASE-MSC-12390] c27 N71-29155
TRISCHLER, F. D.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c06 N73-30099
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c06 N73-30100
Fluorchydroxy ethers
[NASA-CASE-MFS-10507] c06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c06 N73-30102
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c06 N73-30103
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c27 N79-21191
TROST, R. P.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c08 N71-12506
TROUT, O. F., JR.
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c33 N71-17897
TROWBRIDGE, D. L.
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N78-18410
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N78-25319
TRUBERT, M. R.
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c07 N73-24176
TRUSCH, R. B.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
TRUSSELL, D. H.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312
TSCHIRCH, R. P.
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
TSCHUNKO, H. P. A.
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c23 N71-24868
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c15 N71-26635
Optical system support apparatus
[NASA-CASE-XER-07896-2] c23 N72-22673
TSUDA, G. I.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
TSUO, Y. H.
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c33 N80-28635
TSUTSUMI, K.
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c15 N71-10658
TUBBS, H. E.
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c28 N71-22983
TUCKER, E. M.
Coupling device
[NASA-CASE-XMS-07846-1] c09 N69-21927
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c05 N71-19439
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c05 N71-24728
TUGGLE, R. H., JR.
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108
TUHULTY, W. T., JR.
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c15 N72-18477
TUNG, Y.
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
TURK, R. R.
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c17 N71-29137
TURLY, A. P.
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
TURNAGE, J. E.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
TURNER, G. B.
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c44 N80-18551
TURNER, J. W.
Measurement system
[NASA-CASE-MFS-20658-1] c14 N73-30386
TURNER, R. C.
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c14 N71-23039
TURNER, R. E.
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c14 N71-23726
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
TURNER, T. R.
Double hinged flap Patent
[NASA-CASE-XLA-01290] c02 N70-42016
TUTTLE, S. A.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
TVEITAN, W.
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
TWARD, E.
A cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c31 N81-19344
TYAGI, R. C.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
TYCE, H.
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
TYLER, A. L.
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008
TYREE, V. C.
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278

U

UBER, P. H.
Tape recorder Patent
[NASA-CASE-XGS-08259] c14 N71-23698
ULRICH, B. H.
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
ULRICH, D. H.
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
ULRICH, G. W.
Latching device
[NASA-CASE-MFS-21606-1] c37 N75-19685
UNDERWOOD, J. H.
Collimator of multiple plates with axially aligned identical random arrays of apertures

[NASA-CASE-MFS-20546-2] c14 N73-30389
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c35 N75-19616
UPDIKE, O. L.
Apparatus for measuring a sorbate dispersed in a fluid stream,
[NASA-CASE-ARC-10896-1] c35 N78-19465
UPTON, D. T.
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408
URBAN, E. W.
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N79-17133
URSERY, B. C.
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224

V

VALENTIJN, H. P.
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c03 N71-20273
Deployable solar cell array
[NASA-CASE-NPO-10883] c31 N72-22874
VALINSKY, J. P.
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
VALLOTTON, W. C.
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c52 N78-10686
VANALSTYNE, E. M.
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c31 N71-25434
VANARMAN, D. E.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c03 N69-21469
VANATTA, L. C.
Circularly polarized antenna
[NASA-CASE-ERC-10214] c09 N72-31235
VANAUKEN, B.
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c37 N74-18126
VANDERHOFF, J. W.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-15242
VANDERIET, E. K.
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c09 N71-24803
VANGO, S. P.
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c15 N70-34699
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c18 N71-16210
VANNUCCI, R. D.
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c27 N81-17260
VANO, A. E.
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c15 N71-22994
VANORNUM, D. G.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
VANSCHOIACK, H. M. E.
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c09 N71-20569
VANTUYLBUSCH, W.
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c30 N71-23723
VARGO, D. J.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
VARMA, I. K.
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551
VARSI, G.
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679
VARY, A.
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c03 N69-39898
High temperature heat source Patent
[NASA-CASE-XLE-00490] c33 N70-34545
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c33 N70-34812
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
Capillary radiator Patent
[NASA-CASE-XLE-03307] c33 N71-14035
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c22 N71-23599
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c09 N71-29035
VAUGHAN, G. R.
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c10 N71-23544
VAUGHAN, O. H.
Emergency lunar communications system
[NASA-CASE-MFS-21042] c07 N72-25171
VAUGHAN, R. L.
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
VAUGHAN, R. W.
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
VAUSE, R.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N80-14107
VERBRENCAMP, J. E.
Electromagnetic radiation energy arrangement
[NASA-CASE-WOO-00428-1] c32 N79-19186
VEIKINS, O.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
VEILLETTE, L. J.
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c14 N71-17585
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c10 N71-26418
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c10 N71-27136
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
VELLEND, H.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
VERMILLION, C. H.
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c07 N72-12081
VERMILLION, C. H.
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c15 N72-22491
VERNIKOS-DANELLIS, J.
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c52 N78-11692
VERNIKOS, J.
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613
VESSOT, R. F. C.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313
VICK, A. R.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366

VICK, H. A.
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c05 N71-23317

VICKERS, J. M.
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c25 N79-10163

VICKERS, J. M. F.
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c15 N71-15906

VIEHMANN, W.
A fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c32 N80-18261

VIKINSALO, S. J.
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678

VILLARREAL, S.
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338

VINAL, A. W.
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c10 N71-29135

VINCENT, J. S.
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560

VINE, J.
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c74 N78-18905

VIVIAN, H. C.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395
Remodulator filter Patent
[NASA-CASE-NPO-10198] c09 N71-24806

VODICKA, V. W.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c08 N71-27210

VOGELEY, A. W.
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c32 N71-17609
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c14 N71-23268

VOLK, G. G.
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c33 N80-26599

VOLKOFF, J. J.
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c14 N70-34697

VOLPE, F. A.
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c21 N71-10678
Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886

VONPRAGENAU, G. L.
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c11 N70-41677
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c11 N71-10604
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113

VONROOS, O. H.
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c44 N79-12541

VONTIESENHAUSEN, G.
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283

VONTIESENHAUSEN, G. F.
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c15 N71-22877

VORHABEN, K. H.
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893

VORKINK, H. G.
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266

VORREITER, J. W.
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c37 N80-18393

VRANAS, T.
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c14 N71-23092
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390

VUKELICH, R. K.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993

VYKUKAL, H. C.
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c05 N70-41819
Hard space suit Patent
[NASA-CASE-XAC-07043] c05 N71-23161
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c05 N71-28619
Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
Walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N78-17675
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c54 N79-24651
Spine immobilization method and apparatus
[NASA-CASE-ARC-11167-1] c52 N79-30921
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043

W

WADE, O. W.
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400

WAGES, C. G.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130

WAGNER, A. P.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090

WAGNER, C. A.
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c60 N80-17723

WAGNER, H. R.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c07 N70-40202

WAKELYN, N. T.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077
Thermal control coating Patent
[NASA-CASE-XLA-01995] c18 N71-23047

WALD, D.
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c14 N71-15598

WALKER, D. J.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
WALKER, H. J.
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959
WALKER, H. M.
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c11 N71-18773
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
WALKER, H. L.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
WALL, R. J.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
WALL, W. A., JR.
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c15 N71-15607
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c07 N71-19433
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c15 N71-23050
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c15 N71-23815
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c14 N71-24693
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421
WALLACE, C. J.
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
WALLACE, E. D.
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c14 N71-15600
Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c15 N71-21234
Weld preparation machine Patent
[NASA-CASE-XKS-07953] c15 N71-26134
WALLACE, G. R.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
WALLINGFORD, W. M.
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
WALLIO, M. A.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540
WALLSON, R. E.
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c37 N80-22704
WALSH, J. M.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
WALSH, T. C.
Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673
WALSH, T. J.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382
WALSH, T. M.
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c14 N73-25463
WALTER, H. U.
Method of crystallization
[NASA-CASE-MFS-23001-1] c76 N77-32919
WALTERS, R. M.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699
WALTON, T. S.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
WANG, D. S.
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317
WANG, G. Y.
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836
WANG, T. G.
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N78-10837
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197
WANG, W. S.
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c33 N80-14338
WANGER, R. P.
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
WARD, D. R.
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c31 N71-15637
WARD, J. F.
Variable geometry rotor system
[NASA-CASE-LAR-10557] c02 N72-11018
WARD, J. O.
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N79-22373
WARD, W. D.
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c15 N71-23023
WARKENTINE, D. K.
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c03 N71-24605
WARNECK, P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
WARREN, A. D.
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317
WARREN, A. P.
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c31 N70-36410
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c31 N71-15675
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c31 N71-16222
WATERS, W. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
Nickel-base alloy containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c17 N72-22535
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Nickel base alloy
[NASA-CASE-LEW-12270-1] c26 N77-32280
WATSON, J. D.
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472
WATSON, J. E.
High temperature spark plug Patent
[NASA-CASE-XLE-00660] c28 N70-39925
WATSON, M. D.
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c31 N71-15687
WATSON, W. R.
Electric arc apparatus Patent

[NASA-CASE-XAC-01677] c09 N71-20816
WAYLAND, H. J.
Servo-controlled intravital microscope system
[NASA-CASE-MPO-13214-1] c35 N75-25123
WEAR, J. D.
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
WEATHERS, G. D.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
WEAVER, L. B.
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
WEAVER, O.
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137
WEBB, D. D.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
WEBB, D. L.
Video sync processor Patent
[NASA-CASE-KSC-10002] c10 N71-25865
Electronic video editor
[NASA-CASE-KSC-10003] c10 N73-13235
WEBB, J. A., JR.
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c54 N75-13531
WEBB, J. B.
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039
WEBBON, B.
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043
WEBBON, B. W.
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
WEBER, G. E.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
WEBER, G. J.
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
Fused switch
[NASA-CASE-XMS-01244-1] c33 N79-33393
WEBER, L.
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-MPO-12122-1] c24 N76-14203
WEBER, R. J.
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c15 N70-34247
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
WEBSTER, J. A.
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
WEBSTER, L. D.
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c36 N81-19439
WEETON, J. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c24 N81-17170
WEIDENHAMER, J. H.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482
WEIDMAN, D. J.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312
WEIDNER, J. P.
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120
WEIGAND, A. J.
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c31 N81-16327
WEINGART, J. M.
Stacked solar cell arrays
[NASA-CASE-MPO-11771] c03 N73-20040
WEINSTEIN, L.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
WEINSTEIN, M.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-IGS-04554] c15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-IGS-05718] c26 N71-16037
WEISS, P. F.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
WEISS, S.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c15 N69-21471
WEITZEL, D. F.
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c27 N71-28929
WEITZEL, D. H.
Resilience testing device Patent
[NASA-CASE-XLA-08254] c14 N71-26161
WELCH, W. A.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c14 N72-23457
WELLING, C. E.
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c18 N71-26155
WELLMAN, J. B.
Gas flow control device
[NASA-CASE-MPO-11479] c15 N73-13462
WELLS, A. F.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
WELLS, B. R.
Apparatus for ejection of an instrument cover
[NASA-CASE-XNP-04132] c15 N69-27502
WELLS, F. E.
Positive displacement flowmeter Patent
[NASA-CASE-XNP-02822] c14 N70-41994
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
WELLS, W. H.
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-MPO-10468] c23 N71-33229
WELLS, W. L.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540
WENDT, A. J.
Rotating mandrel for assembly of inflatable

devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
WENZEL, G. E.
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c09 N69-39986
WERNER, E. A.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836
WESSELSKI, C. J.
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c15 N70-35679
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c15 N72-17450
WEST, R. L.
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c15 N71-29133
WEST, R. W., JR.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834
WESTBROOK, R. M.
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c05 N71-11193
WESTER, G. W.
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
WESTON, K. C.
Heat shield Patent
[NASA-CASE-XMS-00486] c33 N70-33344
WESTPHAL, J. A.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125
WETMORE, J. W.
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c14 N70-40157
WETZLER, D. G.
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c18 N74-27397
WEYLER, G. W., JR.
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c24 N78-27182
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N79-10422
WEZNER, F. S.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
WHEATLEY, D. G.
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c15 N71-26243
WHEELER, D. R.
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232
WHEELER, R. K.
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
WHEELER, S.
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c11 N71-28779
WHEELER, S. B.
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c15 N71-24835
WHIPPEN, E. L.
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
WHIPPLE, D. W.
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c15 N72-27485
WHIPPLE, E. C., JR.
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c21 N70-34297
WHISENANT, J. T.
Inspection gage for boss Patent
[NASA-CASE-XNF-04966] c14 N71-17658
WHITACRE, E. E.
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c15 N71-25975
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c31 N72-25842
WHITCOMB, R. T.
Airfoil shape for flight at subsonic speeds
[NASA-CASE-LAR-10585-1] c02 N76-22154
WHITE, A. R.
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c31 N72-25842
WHITE, E. C.
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c15 N71-29018
Pressurized panel
[NASA-CASE-XLA-08916-2] c14 N73-28487
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c02 N74-10034
WHITE, F. A.
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c14 N72-17328
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428
WHITE, J. A.
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c14 N70-34820
WHITE, M. H.
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
WHITE, P. R.
Solar tracking system
[NASA-CASE-MFS-23999-1] c44 N79-28667
WHITE, W. F.
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c14 N71-26137
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
WHITE, W. T.
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238
WHITEHEAD, A. B.
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334
WHITEHEAD, C. W.
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900
WHITFIELD, C. E.
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c15 N71-24047
WHITMORE, F. C.
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
WHITT, W. D.
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c12 N79-26075
WHITTEN, D. E.
Dual stage check valve
[NASA-CASE-MSC-13587-1] c15 N73-30459
WHITTENBERGER, J. D.
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
WIBERG, R. E.
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375
WIEBE, E. A.
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c23 N71-15467
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c23 N72-25619
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N78-25256
WIECH, R. E.
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c14 N71-23226

WIKER, G. A.
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N79-24652
WILEN, R. T.
Natural turbulence electrical power generator
[NASA-CASE-LAR-11551-1] c44 N80-29834
WILEY, P. L.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c14 N71-28958
WILEY, P. H.
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339
WILGUS, D. S.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
WILHELM, H. E.
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148
WILHITE, W. F.
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c06 N69-39936
WILKEY, J. W., JR.
Velocity package Patent
[NASA-CASE-XLA-01339] c31 N71-15692
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
WILKINS, J. R.
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c35 N75-12272
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
Electrochemical detection device
[NASA-CASE-LAR-11922-1] c25 N79-24073
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c51 N80-11756
WILL, H. A.
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
WILL, R. W.
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c21 N71-21708
WILLIAMS, B. A.
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
WILLIAMS, D. D.
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c31 N71-29050
WILLIAMS, D. M.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743
WILLIAMS, E. F.
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
WILLIAMS, J. G.
Light regulator
[NASA-CASE-LAR-10836-1] c26 N72-27784
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c32 N73-20740
WILLIAMS, J. R.
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c16 N73-30476
WILLIAMS, L. A.
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c37 N80-14395
WILLIAMS, L. A., JR.
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359
WILLIAMS, M. D.
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c23 N71-23976
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307
WILLIAMS, M. L.
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N78-24515
WILLIAMS, S. B.
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744
WILLIAMS, T. E.
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c51 N79-10694
WILLIAMS, W. F.
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524
WILLIS, A. E.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XNF-00663] c08 N71-18752
WILLNER, K.
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
WILNER, B. M.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
WILSON, A. M.
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N79-10420
WILSON, D. J.
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753
WILSON, E. M.
Wind tunnel
[NASA-CASE-LAR-10135-1] c09 N79-21083
WILSON, I. J.
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N78-24333
WILSON, J. C.
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c34 N76-18364
WILSON, L. R.
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
WILSON, M. L.
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c17 N73-12547
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c17 N73-27446
WILSON, M. M., JR.
Space simulator Patent
[NASA-CASE-XNP-00459] c11 N70-38675
WILSON, R. E.
Automatic pump Patent
[NASA-CASE-XNP-04731] c15 N71-24042
WILSON, R. L.
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
WILSON, T. G.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
WILSON, T. L.
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c35 N79-27479
WILSON, W. A.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686
WILSON, W. O.
Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c14 N69-27503
WIMBER, R. T.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040

WINBLADE, R. L.
Energy management system for glider type vehicle Patent
[NASA-CASE-IPR-00756] c02 N71-13421
WING, L. D.
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c34 N80-18338
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c33 N80-21671
WINGFIELD, G. A.
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
WINIARSKI, F. J.
Wabble gear drive mechanism
[NASA-CASE-WOO-00625] c37 N78-17385
WINITZ, M.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
WINKELSTEIN, R. A.
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c08 N71-24891
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408
WINKLER, C. E.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c08 N71-18752
WINKLER, H. B.
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c25 N79-23167
WINKLER, T.
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c10 N71-15910
WINN, L. E.
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c14 N71-21079
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c15 N72-21489
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
WIRTH, H. H.
Selective data segment monitoring system
[NASA-CASE-ARC-10899-1] c60 N77-19760
WISE, R. C.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012
WISE, T. R.
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c33 N79-28416
WITHEROW, H. K.
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440
WITTE, R. S.
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366
WITTMANN, A. E.
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c09 N71-20705
WITTROCK, E. P.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
WITZKE, W. R.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
WOBIG, O. A.
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722
WOELLER, P. H.
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
WOJTASINSKI, R. J.
Lightning tracking system
[NASA-CASE-KSC-10729-1] c09 N73-32110
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c33 N74-27862
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
WOLCZOK, J. H.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
WOLF, C. B.
Method of producing silicon
[NASA-CASE-NPO-14382-1] c31 N80-18231
WOLF, F. T.
Air bearing
[NASA-CASE-WLP-10002] c15 N72-17451
WOLFE, J. F.
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
WOLFF, J. H.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544
WOLLER, J. A.
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c15 N71-23256
WOLOWICZ, C. H.
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c05 N79-12061
WOLTHUIS, R. A.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
WONG, R. Y.
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201
Television signal processing system Patent
[NASA-CASE-NPO-10140] c07 N71-24742
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c07 N71-27341
WONG, W. J.
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
WOO, K. E.
High impact antenna Patent
[NASA-CASE-NPO-10231] c07 N71-26101
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
WOO, R. T.
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
WOOD, A. D.
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c33 N71-15641
WOOD, C. E.
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366
WOOD, G. E.
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
WOOD, G. H., JR.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
WOOD, G. P.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
WOOD, J. W.
Broadband video process with very high input impedance
[NASA-CASE-NPO-10199] c09 N72-17156

WOOD, K. E.
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c35 N80-19468
WOOD, L. L.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
WOOD, P. C.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326
WOOD, R. A.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c17 N71-20743
WOOD, R. C.
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c14 N73-27376
WOODBURY, E. C.
Noise limiter Patent
[NASA-CASE-NPO-10169] c10 N71-24844
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
WOODGATE, B. E.
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c76 N80-18951
WOODIE, P. E.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
WOODS, G. J.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
WOODS, G. M., JR.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c10 N71-19421
A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428
WOODS, J. M.
Powerplexer
[NASA-CASE-MSC-12396-1] c03 N73-31988
WOOLPSON, M. G.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c09 N70-41675
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c09 N71-23270
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c09 N71-28926
WOOLLAM, J. A.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N78-24365
Atomic hydrogen storage
[NASA-CASE-LEW-12081-2] c28 N80-20402
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103
WORNOM, D. E.
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c01 N71-23497
WORTMAN, J. J.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
WRIGHT, D. B.
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122
WRIGHT, D. E.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c27 N71-16348
WRIGHT, E. E.
A system for sterilizing objects
[NASA-CASE-KSC-11085-1] c54 N79-33848
WRIGHT, L. E.
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c05 N71-27234
WRIGHT, W. H.
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c10 N71-26626
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296
WRINKLE, W. W.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
WU, C.
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278
WUENSCHER, H. F.
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c31 N70-34176
Serpentuator Patent
[NASA-CASE-XMF-05344] c31 N71-16345
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c15 N71-19214
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c15 N72-11387
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c09 N72-22195
WUERKER, R. F.
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Microbalance
[NASA-CASE-MSC-11242] c35 N78-17358
WYBLE, C. W.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
WYDEVEN, T.
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N79-14214
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326
WYDEVEN, T. J.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c33 N79-15245
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052
Reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N80-23452
WYDEVEN, T. J., JR.
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
WYLIE, G. M.
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c03 N71-11051
WYMAN, C. L.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865
WYNVEEN, R. A.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784
WYSOCKI, J. J.
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c09 N71-12513

Y

YAGER, S. P.
Piping arrangement through a double chamber

structure
[NASA-CASE-XNP-08882] c15 N69-39935
YAMAKAWA, K. A.
A method for producing a solidified body of silicon
[NASA-CASE-NPO-15250-1] c25 N81-16174
YANAGITA, H.
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c74 N81-16882
YANG, L. C.
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679
Underwater seismic source
[NASA-CASE-NPO-14255-1] c46 N79-23555
Portable heatable container
[NASA-CASE-NPO-14237-1] c44 N80-20808
Method and device for destructive detection of a substance
[NASA-CASE-NPO-14940-1] c35 N80-21723
YANG, P. H.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
YASUI, R. K.
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c03 N71-11056
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c03 N71-19545
Solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c03 N73-20040
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
YEAGER, P. H.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c14 N71-18481
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
YEH, C.
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
YEH, Y. C. H.
Schottky barrier solar cell and method of fabrication
[NASA-CASE-NPO-13689-2] c44 N80-12549
YEH, H. C.
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584
YEH, S. P. S.
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
YIH, L. I.
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c74 N79-20857
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635
YOSHINO, S. Y.
Bonding or repairing process
[NASA-CASE-MSC-12357] c15 N73-12489
YOST, W. H.
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c15 N71-15607
YOST, W. T.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
YOUNG, A. L.
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c12 N71-18615
YOUNG, D. L.
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c37 N79-14388
YOUNG, D. R.
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
YOUNG, H.
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c07 N71-19436
YOUNG, L. R.
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154
YOUNG, R. H.
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c09 N70-34559
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c10 N71-13545
Independent power generator
[NASA-CASE-LAR-11208-1] c44 N78-32539
Electrochemical detection device
[NASA-CASE-LAR-11922-1] c25 N79-24073
YOUNG, S. G.
A silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343-1] c24 N80-26389
YOUNG, W. J.
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c14 N71-22993
YOUNG, W. R.
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c35 N79-18296
YOUNGBLUTH, O., JR.
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c09 N72-23172
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c35 N79-14349
YOUNGHANS, J. L.
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999
YU, I. P.
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c32 N80-32604

Z


ZABOWER, H. R.
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
ZAHLAVA, B. A.
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c14 N73-30395
ZAPLATINSKY, I.
Castable high temperature refractory materials
[NASA-CASE-LEW-13080-1] c27 N80-29496
ZAREMBA, J. G.
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c15 N71-24694
ZARETSKY, E. V.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
ZAVADA, R. J.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850
ZAVIANTSEFF, V.
Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
ZAWAH, H. W.
Filtering device
[NASA-CASE-NFS-22729-1] c32 N76-21366
ZEBROWSKI, Z. R.
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c31 N71-24750

ZEBUS, P. P.
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N78-17383
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
ZEIGER, R. J.
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
ZELLNER, G. J.
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c33 N71-15568
ZEMAN, J. R.
Lamp modulator
[NASA-CASE-KSC-10565] c09 N72-25250
ZERGER, R. S.
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c33 N71-29051
ZERLAUT, G. A.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
ZIEMER, M. C.
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c33 N71-29051
ZIMMERMAN, B. G.
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-IGS-01159] c21 N71-10678
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c35 N74-28097
ZIMMERMAN, E. P.
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019
ZIMMERMAN, J. E.
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
ZIMMERMAN, P. A.
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467
ZIMMERMAN, R. L.
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c28 N70-41922
ZIOLKOWSKI, A. J.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-IGS-00809] c21 N70-35427
ZLATKIS, A.
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c23 N77-17161
ZMUDA, L. J.
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
ZMUIDZINAS, J. S.
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826
ZOHAR, S.
Counting digital filters
[NASA-CASE-NPO-11821-1] c08 N73-26175
ZOOK, H. A.
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
ZORUNSKI, W. E.
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c03 N71-12259
Noise suppressor
[NASA-CASE-LAR-11141-1] c07 N74-32418
ZOTTARELLI, L. J.
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c08 N71-18694
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c10 N71-23033
Current steering switch Patent
[NASA-CASE-XNP-08567] c09 N71-26000
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c10 N71-26434
ZRUBEK, W. E.
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c09 N69-39885
ZUCCARO, J. J.
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c05 N71-11193
ZUCKERMAN, A. J.
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c71 N78-14867
High-temperature microphone system
[NASA-CASE-LAR-12375-1] c32 N79-24203
ZURASKY, J. L.
Monitoring deposition of films
[NASA-CASE-MFS-20675] c26 N73-26751
ZWIENER, J. M.
Real time reflectometer
[NASA-CASE-MFS-23118-1] c35 N77-31465
ZYGIELBAUM, A. I.
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c08 N73-25206
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267

Page intentionally left blank

Page intentionally left blank

Typical Source Index Listing



Listings in this index are arranged alphabetically by source. The title of the document provides the user with a brief description of the subject matter. The NASA Case Number is the prime access point to patent documents. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. The titles are arranged under each source in ascending accession number order.

A

AEROFLEX LABS., INC., PLAINVIEW, N. Y.
Rotary actuator
[NASA-CASE-NPO-10244] c15 N72-26371

AEROJET-GENERAL CORP., EL MONTE, CALIF.
High-speed infrared furnace
[NASA-CASE-XLE-10466] c17 N69-25147
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c27 N71-14090
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c28 N71-24321
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c03 N71-24605
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c31 N71-24750
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c15 N71-24834
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c15 N71-26346
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c14 N71-27186
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563

AEROJET-GENERAL CORP., GLENDALE, CALIF.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c15 N71-26294

AEROJET-GENERAL CORP., SACRAMENTO, CALIF.
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c23 N71-16212

AERONAUTICAL RESEARCH ASSOCIATES OF PRINCETON, INC., N. J.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930

AIR PRODUCTS AND CHEMICALS, INC., PHILADELPHIA, PA.
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225

AIRBORNE INSTRUMENTS LAB., DEER PARK, N. Y.
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c09 N73-26195

AIRTRONICS, INC., WASHINGTON, D.C.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c10 N71-25950

AMERICAN AIR FILTER CO., INC., ST. LOUIS, MO.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c14 N72-23457

AMERICAN OPTICAL CO., PITTSBURGH, PA.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c14 N71-18699

AMERICAN OPTICAL CO., SOUTHBRIDGE, MASS.
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c11 N69-24321

AMERICAN SCIENCE AND ENGINEERING, INC., CAMBRIDGE, MASS.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c14 N70-40240

AMPEX CORP., REDWOOD CITY, CALIF.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032

ANOCUT ENGINEERING CO., CHICAGO, ILL.
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c37 N80-14395

APPLIED MAGNETICS CORP., GOLETA, CALIF.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c08 N71-27210

APPLIED PHYSICS LAB., JOHNS HOPKINS UNIV., LAUREL, MD.
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375

APPLIED PHYSICS LAB., JOHNS HOPKINS UNIV., SILVER SPRING, MD.
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
High speed, glitch-free digital to analog converter
[NASA-CASE-GSC-12319-1] c60 N79-32852

APPLIED SPACE PRODUCTS, INC., PALO ALTO, CALIF.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c18 N71-15469

ASTRO RESEARCH CORP., CARPINTERIA, CALIF.
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425

ASTRO-SPACE LABS., INC., HUNTSVILLE, ALA.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c14 N71-22752

ATLANTIC RESEARCH CORP., ALEXANDRIA, VA.
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c28 N70-35381

AUBURN RESEARCH FOUNDATION, INC., ALA.
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c12 N71-17578
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c16 N72-12440

AUBURN UNIV., ALA.
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351

AUTONETICS, ANAHEIM, CALIF.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920

AVCO CORP., NEW YORK.
Signal multiplexer
[NASA-CASE-XGS-01110] c07 N69-24334

AVCO CORP., WILMINGTON, MASS.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c33 N71-20834

SOURCE

B

BALDWIN ELECTRONICS, INC., LITTLE ROCK, ARK.
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
BALDWIN-LIMA-HAMILTON CORP., SAN FRANCISCO, CALIF.
Valve actuator Patent
[NASA-CASE-XHQ-01208] c15 N70-35409
BALL AEROSPACE SYSTEMS DIV., BOULDER, COLO.
Microwave switching power divider
[NASA-CASE-GSC-12420-1] c33 N80-21670
BALL BROS. RESEARCH CORP., BOULDER, COLO.
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
BARNES ENGINEERING CO., STAMFORD, CONN.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c21 N70-35427
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c14 N71-21088
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c14 N72-21408
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c35 N79-33449
BATTELLE COLUMBUS LABS., OHIO.
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c35 N80-20560
BATTELLE MEMORIAL INST., COLUMBUS, OHIO.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XNP-06409] c06 N71-23230
Process for preparation of high-molecular-weight polyaryloxysilanes Patent
[NASA-CASE-XNP-08674] c06 N71-28807
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c06 N72-17095
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c09 N73-32108
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c44 N74-19692
BATTELLE MEMORIAL INST., RICHLAND, WASH.
Low temperature aluminum alloy Patent
[NASA-CASE-XNP-02786] c17 N71-20743
BATTELLE NORTHWEST LABS., RICHLAND, WASH.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c06 N72-17093
BAUSCH AND LOMB, INC., ROCHESTER, N. Y.
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c23 N71-30027
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c23 N71-30292
BAYLOR UNIV., HOUSTON, TEX.
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c05 N71-24729
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c05 N72-27103
BECKMAN INSTRUMENTS, INC., ANAHEIM, CALIF.
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487
BECKMAN INSTRUMENTS, INC., FULLERTON, CALIF.
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XNP-06531] c14 N71-17575
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c09 N71-19480
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c10 N71-28960
Gas operated actuator
[NASA-CASE-NPO-11340] c15 N72-33477
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
BECKMAN INSTRUMENTS, INC., SOUTH PASADENA, CALIF.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c03 N69-21469
BECTON, DICKINSON AND CO., RUTHERFORD, N. J.
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c14 N73-30395
BELL AEROSPACE CO., BUFFALO, N. Y.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243
BELL AEROSYSTEMS CO., BUFFALO, N. Y.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c31 N70-34966
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c31 N71-24035
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c28 N72-17843
Flight control system
[NASA-CASE-MSC-13397-1] c21 N72-25595
BELL AND HOWELL CO., CHICAGO, ILL.
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c27 N78-31233
Process for producing a well-adhered durable optical coating on an optical plastic substrate
[NASA-CASE-ARC-11039-1] c74 N78-32854
BELLCOMM, INC., WASHINGTON, D. C.
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
BENDIX CORP., ANN ARBOR, MICH.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c09 N71-29008
BENDIX CORP., COLUMBIA, MD.
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c33 N79-28416
BENDIX CORP., DAVENPORT, IOWA.
Dual stage check valve
[NASA-CASE-MSC-13587-1] c15 N73-30459
BENDIX CORP., DETROIT, MICH.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c31 N71-18611
BENDIX CORP., HUNTSVILLE, ALA.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c14 N73-19421
BENDIX CORP., KENNEDY SPACE CENTER, FLA.
Color perception tester
[NASA-CASE-KSC-10278] c05 N72-16015
BENDIX CORP., TETERBORO, N. J.
Evacuation valve
[NASA-CASE-LAR-10061-1] c15 N72-31483
BENDIX RESEARCH LABS., SOUTHFIELD, MICH.
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
BIONETICS CORP., HAMPTON, VA.
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c35 N80-11400
BOEING AEROSPACE CO., HOUSTON, TEX.
Fluid sample collection and distribution system
[NASA-CASE-MSC-16841-1] c34 N79-24285
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067
BOEING AEROSPACE CO., SEATTLE, WASH.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
BOEING CO., COCOA BEACH, FLA.
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c15 N72-23497
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c37 N75-13265
BOEING CO., HOUSTON, TEX.
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714
BOEING CO., HUNTSVILLE, ALA.
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c14 N72-25412
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c14 N72-32452
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
BOEING CO., PASADENA, TEX.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
BOEING CO., SEATTLE, WASH.
Strain gage Patent Application
[NASA-CASE-FRC-10053] c14 N70-35587

Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c17 N71-16393
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c14 N71-17657
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c15 N72-12408
Solar cell assembly test method
[NASA-CASE-NPO-10401] c03 N72-20033
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c15 N72-22487
Extrusion can
[NASA-CASE-NPO-10812] c15 N73-13464
Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c08 N73-30135
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N78-27913
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c33 N79-33392

BOEING COMMERCIAL AIRPLANE CO., SEATTLE, WASH.
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045
Improved tire/wheel concept
[NASA-CASE-LAR-11695-2] c37 N80-18402

BORG-WARNER CORP., CHICAGO, ILL.
Data transfer system Patent
[NASA-CASE-NPO-12107] c08 N71-27255

BROWN AND ROOT-NORTHROP, HOUSTON, TEX.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834

BROWN ENGINEERING CO., INC., HUNTSVILLE, ALA.
Air bearing Patent
[NASA-CASE-XMF-01887] c15 N71-10617
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c28 N71-16224
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c14 N71-17658
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c12 N71-20815
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c21 N71-21688
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c15 N71-23023
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c28 N71-27095
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c28 N72-11708

C

CALIFORNIA COMPUTER PRODUCTS, INC., ANAHEIM.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c14 N71-28958

CALIFORNIA INST. OF TECH., PASADENA.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c31 N70-41855

CALIFORNIA UNIV., BERKELEY.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c23 N71-29123
Infrared detectors
[NASA-CASE-LAR-10728-1] c14 N73-12445
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N78-14104
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c25 N79-14169

CALIFORNIA UNIV., LOS ANGELES.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416

CARBORUNDUM CO., NIAGARA FALLS, N. Y.
Ceramic fiber insulating material and method of producing same
[NASA-CASE-MSC-14795-2] c24 N78-25138

CATHOLIC UNIV. OF AMERICA, WASHINGTON, D.C.
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c09 N73-32109

CHANCE VOUGHT CORP., DALLAS, TEX.
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c33 N70-36846
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c15 N71-22723
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c15 N71-22874

CHEMSOIL CORP., BAKERSFIELD, CALIF.
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668

CHRYSLER CORP., DETROIT, MICH.
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c33 N71-24858
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c33 N71-29051

CHRYSLER CORP., HUNTSVILLE, ALA.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c15 N69-27502

CLEMSON UNIV., S.C.
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237

COLLINS RADIO CO., CEDAR RAPIDS, IOWA.
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c10 N71-33129
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467

COLLINS RADIO CO., DALLAS, TEX.
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c07 N71-28430
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c33 N71-29052
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c10 N72-28241

COLORADO STATE UNIV., FORT COLLINS.
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148

COMPREHENSIVE DESIGNERS, INC., SHERMAN OAKS, CALIF.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238

COMPUTER CONTROL CO., INC., FRAMINGHAM, MASS.
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c09 N69-21926
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c15 N71-15606
Counter Patent
[NASA-CASE-XNP-06234] c10 N71-27137

COMPUTER SCIENCES CORP., FALLS CHURCH, VA.
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667

CONRAC CORP., PASADENA, CALIF.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c27 N71-16348

CONSOLIDATED CONTROLS CORP., EL SEGUNDO, CALIF.
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c33 N80-14338

CORNELL UNIV., ITHACA, N. Y.
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c09 N70-40123

CRANE CO., BURBANK, CALIF.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c15 N71-30028

CURTISS-WRIGHT CORP., WOOD-RIDGE, N.J.
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c28 N71-20330

CUTLER-HAMMER, INC., MELVILLE, N.Y.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346

D

DELAWARE UNIV., NEWARK.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088

DENVER UNIV., COLO.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c15 N73-30460
DEPARTMENT OF TRANSPORTATION, CAMBRIDGE, MASS.
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c74 N76-31998
DORNE AND MARGOLIN, INC., BOHEMIA, N.Y.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c07 N71-22984
DOUGLAS AIRCRAFT CO., INC., SANTA MONICA, CALIF.
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XNP-01973] c31 N70-41588
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c10 N70-42032
Split nut separation system Patent
[NASA-CASE-XNP-06914] c15 N71-21489
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c31 N71-21881
Portable superclean air column device Patent
[NASA-CASE-XNP-03212] c15 N71-22721
Energy absorption device Patent
[NASA-CASE-XNP-01848] c15 N71-28959
Collapsible pistons
[NASA-CASE-MSC-13789-1] c11 N73-32152
DUKE UNIV., DURHAM, N. C.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c33 N74-11049
DUMONT ELECTRON TUBES, CLIFTON, N. J.
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c09 N72-20206

E

ECHO SCIENCE CORP., MOUNTAIN VIEW, CALIF.
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c33 N79-21265
EITEL-MCCULLOUGH, INC., SAN CARLOS, CALIF.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c15 N71-26312
ELECTRAC, INC., ANAHEIM, CALIF.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c07 N71-23098
ELECTRIC STORAGE BATTERY CO., RALEIGH, N.C.
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c03 N71-29129
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
ELECTRIC STORAGE BATTERY CO., YARDLEY, PA.
Electric storage battery
[NASA-CASE-NPO-11021] c03 N72-20032
ELECTRO-OPTICAL SYSTEMS, INC., PASADENA, CALIF.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c09 N71-10618
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c03 N71-11052
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c17 N71-15468
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c15 N71-20440
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c14 N71-22990
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c10 N71-23271
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c28 N71-23293
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c15 N72-22483
ELECTRONIC IMAGE SYSTEMS CORP., CAMBRIDGE, MASS.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c14 N73-28489
EWEN KNIGHT CORP., EAST NATICK, MASS.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c14 N71-26774

F

FAIRCHILD HILLER CORP., GERMANTOWN, MD.
Two axis flurgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c14 N71-27325
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c14 N71-30026
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c31 N73-30829
FAIRCHILD REPUBLIC CO., FARMINGDALE, N. Y.
Surface conforming thermal/pressure seal
[NASA-CASE-MSC-18422-1] c37 N80-14400
FARADAY LABS., INC., LA JOLLA, CALIF.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
FEDERAL-MOGUL CORP., LOS ALAMITOS, CALIF.
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c06 N71-22975
FLORIDA UNIV., GAINESVILLE.
Safety flywheel
[NASA-CASE-HQN-10888-1] c44 N79-14527
FMC CORP., NEW YORK.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c28 N70-38504
FOOTHILL COLLEGE, LOS ALTOS HILLS, CALIF.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
FORD MOTOR CO., DEARBORN, MICH.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c14 N71-30265

G

GARRETT CORP., LOS ANGELES, CALIF.
Relief valve
[NASA-CASE-XMS-05894-1] c15 N69-21924
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c05 N71-11203
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c09 N71-23191
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c03 N71-24718
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c32 N72-25877
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c06 N72-31140
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c35 N78-10428
Wind tunnel
[NASA-CASE-LAR-10135-1] c09 N79-21083
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345
GCA CORP., BEDFORD, MASS.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c06 N71-13461
GENERAL DYNAMICS/ASTRONAUTICS, SAN DIEGO, CALIF.
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c15 N71-18613
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c14 N71-23036
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c17 N71-24830
GENERAL DYNAMICS/CONVAIR, SAN DIEGO, CALIF.
Signal generator
[NASA-CASE-XNP-05612] c09 N69-21468
Separation nut Patent
[NASA-CASE-XGS-01971] c15 N71-15922
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c15 N71-15968
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c25 N74-12813
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
GENERAL DYNAMICS CORP., SAN DIEGO, CALIF.
Light radiation direction indicator with a baffle of two parallel grids

[NASA-CASE-XNP-03930] c14 N69-24331
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c05 N71-26293
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c09 N73-30181
GENERAL ELECTRIC CO., CINCINNATI, OHIO.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c07 N78-17056
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c37 N79-11403
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c07 N79-14097
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c71 N79-14871
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116
GENERAL ELECTRIC CO., CLEVELAND, OHIO.
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
GENERAL ELECTRIC CO., PHILADELPHIA, PA.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c15 N69-21922
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c03 N71-10608
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c15 N71-20739
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c05 N72-15098
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c05 N72-25122
Reaction tester
[NASA-CASE-MSC-13604-1] c05 N73-13114
Air conditioned suit
[NASA-CASE-LAR-10076-1] c05 N73-20137
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c14 N73-30392
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090

Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Solar cell module
[NASA-CASE-NPO-14467-1] c44 N79-31753
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c33 N80-18286
GENERAL ELECTRIC CO., PLEASANTON, CALIF.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c18 N71-28729
GENERAL ELECTRIC CO., SCHENECTADY, N. Y.
Superconductive accelerometer Patent
[NASA-CASE-XMF-01099] c14 N71-15969
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
GENERAL ELECTRIC CO., UTICA, N. Y.
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c37 N75-26372
GENERAL MOTORS CORP., DETROIT, MICH.
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c15 N71-26243
GENERAL MOTORS CORP., MILWAUKEE, WIS.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c15 N71-15918
GENERAL MOTORS CORP., SANTA BARBARA, CALIF.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c15 N71-27091
GENERAL PRECISION, INC., LITTLE FALLS, N.J.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c10 N71-18724
GENERAL PRECISION, INC., SUNNYVALE, CALIF.
Broadband video process with very high input impedance
[NASA-CASE-NPO-10199] c09 N72-17156
GENERAL PRECISION SYSTEMS, INC., LITTLE FALLS, N.J.
Fluidic-thermochromic display device Patent
[NASA-CASE-EBC-10031] c12 N71-18603
GENERAL TECHNOLOGIES CORP., RESTON, VA.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
GEOPHYSICS CORP. OF AMERICA, BEDFORD, MASS.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c31 N71-16081
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450
GEOPHYSICS CORP. OF AMERICA, BOSTON, MASS.
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c03 N70-35408
GEORGE WASHINGTON UNIV., WASHINGTON, D.C.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c14 N73-13435
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
GIANNINI SCIENTIFIC CORP., SANTA ANA, CALIF.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c37 N75-29426
GINEN, INC., WALTHAM, MASS.
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487
GLOBE-UNION, INC., MILWAUKEE, WIS.
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c03 N72-24037
GOODYEAR AEROSPACE CORP., AKRON, OHIO.
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c03 N70-41580

Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c15 N71-17651
Filament wound container Patent
[NASA-CASE-XLE-03803] c15 N71-23816
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c33 N71-25351
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c18 N71-26155
Compression test assembly
[NASA-CASE-LAR-10440-1] c14 N73-32323
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540

GRACE (W. R.) AND CO., CLARKSVILLE, MD.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c06 N71-27363

GRUMMAN AIRCRAFT ENGINEERING CORP., BETHPAGE, N. Y.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c09 N71-18600
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c10 N71-15417

GULF GENERAL ATOMIC, SAN DIEGO, CALIF.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c10 N71-27365

GULTON INDUSTRIES, INC., ALBUQUERQUE, N.MEX.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c08 N72-22163

GUSTINCIC (J. J.) CONSULTING ENGINEER, MARINA DEL REY, CALIF.
Microwave limb sounder
[NASA-CASE-NPO-14544-1] c74 N79-34014

H

HAMILTON STANDARD, WINDSOR LOCKS, CONN.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c05 N71-26333
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
Cell and method for electrolysis of water and anode therefor
[NASA-CASE-MSC-16394-1] c25 N80-26406

HAMILTON STANDARD DIV., UNITED AIRCRAFT CORP., WINDSOR LOCKS, CONN.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139

HARRIS CORP., FORT LAUDERDALE, FLA.
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154

HARRIS CORP., MELBOURNE, FLA.
Telescoping columns
[NASA-CASE-LAR-12195-1] c37 N78-33446

HAYES INTERNATIONAL CORP., BIRMINGHAM, ALA.
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c31 N70-36845
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c15 N71-15486

HAYES INTERNATIONAL CORP., HUNTSVILLE, ALA.
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c15 N71-17628
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c14 N71-17656
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c07 N71-19433

HAZLETON LABS., FALLS CHURCH, VA.
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c04 N69-27487
Light detection instrument Patent
[NASA-CASE-XGS-05534] c23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c06 N71-17705
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c15 N72-21465

HERCULES, INC., WILMINGTON, DEL.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001

HOFFMAN ELECTRONICS CORP., EL MONTE, CALIF.
Method for producing a solar cell having an integral protective covering
[NASA-CASE-XGS-04531] c03 N69-24267

HONEYWELL, INC., HOPKINS, MINN.
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c10 N71-19418

HONEYWELL, INC., MINNEAPOLIS, MINN.
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c09 N69-39987
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c09 N71-13531
Static inverter Patent
[NASA-CASE-XGS-05289] c09 N71-19470
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c09 N71-20569
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c15 N71-20813
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c26 N71-21824
Controllers Patent
[NASA-CASE-XMS-07487] c15 N71-23255
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c15 N71-23811
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c10 N71-27366
Voice operated controlier Patent
[NASA-CASE-XLA-04063] c31 N71-33160
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c09 N72-25249
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482

HONEYWELL, INC., ST. PETERSBURG, FLA.
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c60 N80-30050

HOUSTON UNIV., TEX.
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c23 N77-17161

HOWARD UNIV., WASHINGTON, D. C.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694

HUGHES AIRCRAFT CO., CULVER CITY, CALIF.
Varactor high level mixer
[NASA-CASE-XGS-02171] c09 N69-24324
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c15 N70-35407
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c14 N70-40203
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c16 N70-41578
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c21 N71-10771
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c07 N71-12396
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c09 N71-12518
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c14 N71-15621
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c15 N71-15966
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c15 N71-15967
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c07 N71-22750
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c17 N71-23046
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c28 N71-23081
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c18 N71-23088

Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c18 N71-24184
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c07 N71-28809
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c09 N71-26810
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c28 N71-28850
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c31 N71-29050
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c17 N71-29137
Ion thruster
[NASA-CASE-LEW-10770-1] c28 N72-22770
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160

HUGHES AIRCRAFT CO., LOS ANGELES, CALIF.
Power control circuit
[NASA-CASE-XNP-02713] c10 N69-39888
Thermal switch Patent
[NASA-CASE-XNP-00463] c33 N70-36847
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c28 N70-41922
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c15 N70-42034
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c09 N71-12516
Difference circuit Patent
[NASA-CASE-XNP-08274] c10 N71-13537
Gas regulator Patent
[NASA-CASE-NPO-10298] c12 N71-17661
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c10 N71-19469
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-19687
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c24 N71-20518
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c07 N71-24583
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c18 N71-25881
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c10 N71-26142
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c07 N71-26579
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c03 N71-26726
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c17 N71-26773
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
Conical reflector antenna
[NASA-CASE-NPO-10303] c07 N72-22127
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c15 N73-27406
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N78-32340
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N79-20296
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179

HUGHES RESEARCH LABS., MALIBU, CALIF.
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c14 N71-20429

I

IIT RESEARCH INST., CHICAGO, ILL.
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c15 N71-15871
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c18 N71-16124
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c18 N72-17532
Junction range finder
[NASA-CASE-KSC-10108] c14 N73-25461
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237

IMAGE INFORMATION, INC., DANBURY, CONN.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831

INCA ENGINEERING CORP., SAN GABRIEL, CALIF.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730

INSTITUTE FOR RESEARCH, INC., HOUSTON, TEX.
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c05 N72-25120

INSTITUTE OF RESEARCH AND INSTRUMENTATION, HOUSTON, TEX.
Pressed disc type sensing electrodes with ion-screening means Patent
[NASA-CASE-XMS-04212-1] c05 N71-12346

INTERNATIONAL BUSINESS MACHINES CORP., HOPEWELL JUNCTION, N. Y.
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798

INTERNATIONAL BUSINESS MACHINES CORP., NEW YORK.
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c09 N69-39734
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c15 N71-10809
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c10 N71-29135

INTERNATIONAL BUSINESS MACHINES CORP., POUGHKEEPSIE, N.Y.
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c76 N80-32245

INTERNATIONAL HARVESTER CO., SAN DIEGO, CALIF.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c18 N71-29040

INTERNATIONAL LATEX CORP., DOVER, DEL.
Space suit
[NASA-CASE-MSC-12609-1] c05 N73-32012

ISOMET CORP., PALISADES PARK, N.J.
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c52 N79-21750

ITT CORP., NUTLEY, N.J.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c07 N71-19773
Tracking receiver Patent
[NASA-CASE-XGS-08679] c10 N71-21473
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c07 N72-11149

J

JAMES AND ASSOCIATES, LANCASTER, CALIF.
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation

[NASA-CASE-PRC-11005-1] c06 N79-24988

JET PROPULSION LAB., CALIFORNIA INST. OF TECH., PASADENA.

Pressure variable capacitor
[NASA-CASE-XNP-09752] c14 N69-21541
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c14 N69-21923
Data compression system
[NASA-CASE-XNP-09785] c08 N69-21928
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c25 N69-21929
Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185
Refrigeration apparatus
[NASA-CASE-NPO-10309] c15 N69-23190
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c15 N69-24319
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Telemetry word forming unit
[NASA-CASE-XNP-09225] c09 N69-24333
Solid state switch
[NASA-CASE-XNP-09228] c09 N69-27500
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c15 N69-27504
Trifunctional alcohol
[NASA-CASE-NPO-10714] c06 N69-31244
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c07 N69-39736
Coating process
[NASA-CASE-XNP-06508] c18 N69-39895
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c09 N69-39929
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c15 N69-39935
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c06 N69-39936
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c14 N69-39937
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c03 N70-34646
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c08 N70-34675
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c14 N70-34697
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c15 N70-34699
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c06 N70-34946
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c15 N70-34967
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c21 N70-35089
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c09 N70-35219
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c14 N70-35220
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c09 N70-35382
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c14 N70-35394
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c21 N70-35395
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c08 N70-35423
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c09 N70-35425
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c14 N70-35666
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c03 N70-36803
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c14 N70-36907
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c15 N70-36908
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c28 N70-36910
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c07 N70-36911
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c21 N70-36938
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c15 N70-36947
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c28 N70-38181
Expulsion bladder-equipped storage tank structure Patent
[NASA-CASE-XNP-00612] c11 N70-38182
High-voltage cable Patent
[NASA-CASE-XNP-00738] c09 N70-38201
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c11 N70-38202
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c15 N70-38225
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c28 N70-38249
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c15 N70-38603
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c15 N70-38620
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c28 N70-38645
Space simulator Patent
[NASA-CASE-XNP-00459] c11 N70-38675
Ejection unit Patent
[NASA-CASE-XNP-00676] c15 N70-38996
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c09 N70-38998
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c28 N70-39931
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c14 N70-40273
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c28 N70-41275
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c15 N70-41310
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c28 N70-41311
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c32 N70-41370
High pressure filter Patent
[NASA-CASE-XNP-00732] c28 N70-41447
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c07 N70-41680
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c14 N70-41807
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c15 N70-41811
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c21 N70-41856
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c27 N70-41897
Solenoid construction Patent
[NASA-CASE-XNP-01951] c09 N70-41929
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c21 N70-41930
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c15 N70-41960
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c08 N70-41961
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c10 N70-41991
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c09 N71-10659
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c07 N71-10676
Method for determining the state of charge of batteries by the use of tracers Patent

[NASA-CASE-XNP-01464] c03 N71-10728
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c15 N71-10778
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c03 N71-11050
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c03 N71-11051
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c03 N71-11056
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c07 N71-11267
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c07 N71-11281
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c07 N71-11285
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c03 N71-12255
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c03 N71-12260
Binary number sorter Patent
[NASA-CASE-NPO-10112] c08 N71-12502
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c08 N71-12503
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c08 N71-12505
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c08 N71-12506
Magnetic counter Patent
[NASA-CASE-XNP-08836] c09 N71-12515
Operational integrator Patent
[NASA-CASE-NPO-10230] c09 N71-12520
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c09 N71-12540
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c10 N71-12554
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c09 N71-13530
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c23 N71-15467
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c14 N71-15599
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c14 N71-15604
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c15 N71-15608
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c14 N71-15622
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c18 N71-15688
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c15 N71-15906
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c07 N71-15907
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c11 N71-15960
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c10 N71-16057
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c23 N71-16101
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c18 N71-16210
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c33 N71-16357
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c23 N71-16365
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c14 N71-17584
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c32 N71-17645
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c14 N71-17655
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c14 N71-17662
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c15 N71-17685
Sealed separable connection Patent
[NASA-CASE-NPO-10064] c15 N71-17693
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c15 N71-17694
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c14 N71-17701
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c14 N71-18465
Ranging system Patent
[NASA-CASE-NPO-10066] c09 N71-18598
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c14 N71-18625
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c08 N71-18694
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c03 N71-18698
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c10 N71-18723
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843
Data compression processor Patent
[NASA-CASE-NPO-10068] c08 N71-19288
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c09 N71-19516
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c03 N71-19545
Electrical switching device Patent
[NASA-CASE-NPO-10037] c09 N71-19610
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c08 N71-19687
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c03 N71-20273
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c03 N71-20407
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c15 N71-20440
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c09 N71-20445
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c10 N71-20448
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c14 N71-20461
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c07 N71-20791
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c07 N71-20814
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c09 N71-20851
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c15 N71-21078
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c14 N71-21091
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c15 N71-21311
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c07 N71-21476
Split nut separation system Patent
[NASA-CASE-XNP-06914] c15 N71-21489
Light position locating system Patent
[NASA-CASE-XNP-01059] c23 N71-21821
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c28 N71-21822
Data compressor Patent
[NASA-CASE-XNP-04067] c08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c08 N71-22749
Counter and shift register Patent
[NASA-CASE-XNP-01753] c08 N71-22897
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c14 N71-22995

Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c15 N71-22997
Filler valve Patent
[NASA-CASE-XNP-01747] c15 N71-23024
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c15 N71-23025
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c07 N71-23026
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c11 N71-23030
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c10 N71-23033
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c14 N71-23040
Time of flight mass spectrometer with feedback means from the detector to the low source and a specific counter Patent
[NASA-CASE-XNP-01056] c14 N71-23041
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c14 N71-23087
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c09 N71-23097
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c10 N71-23099
Impact testing machine Patent
[NASA-CASE-XNP-04817] c14 N71-23225
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c14 N71-23226
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c08 N71-23295
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c06 N71-23499
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c06 N71-23500
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c09 N71-23548
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c30 N71-23723
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c14 N71-23797
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c09 N71-24596
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c06 N71-24607
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c07 N71-24613
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c07 N71-24622
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c08 N71-24633
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c08 N71-24650
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c15 N71-24695
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c15 N71-24696
Decoder system Patent
[NASA-CASE-NPO-10118] c07 N71-24741
Television signal processing system Patent
[NASA-CASE-NPO-10140] c07 N71-24742
Switching circuit Patent
[NASA-CASE-XNP-06505] c10 N71-24799
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c09 N71-24803
Remodulator filter Patent
[NASA-CASE-NPO-10198] c09 N71-24806
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c09 N71-24808
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c14 N71-24809
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c16 N71-24831
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c15 N71-24835
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c07 N71-24840
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c09 N71-24841
Noise limiter Patent
[NASA-CASE-NPO-10169] c10 N71-24844
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c08 N71-24891
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c09 N71-24892
Space simulator Patent
[NASA-CASE-NPO-10141] c11 N71-24964
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c24 N71-25555
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c10 N71-25917
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c06 N71-25929
Current steering switch Patent
[NASA-CASE-XNP-08567] c09 N71-26000
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c09 N71-26092
High impact antenna Patent
[NASA-CASE-NPO-10231] c07 N71-26101
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c07 N71-26102
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c10 N71-26103
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c10 N71-26142
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c09 N71-26182
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c14 N71-26199
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c14 N71-26266
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c10 N71-26326
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c10 N71-26331
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c10 N71-26415
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c10 N71-26434
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c14 N71-26475
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c10 N71-26544
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c10 N71-26577
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c23 N71-26654
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c09 N71-26701
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c06 N71-26754
Material handling device Patent
[NASA-CASE-XNP-09770-3] c11 N71-27036
Pressure seal Patent
[NASA-CASE-NPO-10796] c15 N71-27068
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c15 N71-27084
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c14 N71-27185
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c09 N71-27232
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c14 N71-27323
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c07 N71-27341
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c15 N71-27432
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c09 N71-28421
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c15 N71-28467

Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c06 N71-28620
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c17 N71-28747
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c11 N71-28779
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c06 N71-28808
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c08 N71-28925
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c08 N71-29034
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c23 N71-29125
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-NPO-10468] c23 N71-33229
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c10 N71-33407
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c07 N71-33606
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c07 N71-33613
Solar cell matrix
[NASA-CASE-NPO-11190] c03 N71-34044
Manually actuated heat pump
[NASA-CASE-NPO-10677] c05 N72-11084
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c07 N72-11148
System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c07 N72-11150
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c08 N72-11171
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c14 N72-11364
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c15 N72-11391
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c28 N72-11709
Thermostatic actuator
[NASA-CASE-NPO-10637] c15 N72-12409
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c09 N72-17155
Reference voltage switching unit
[NASA-CASE-NPO-11253] c09 N72-17157
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c15 N72-17453
Expansible support means
[NASA-CASE-NPO-11059] c15 N72-17454
Breakaway connector
[NASA-CASE-NPO-11140] c15 N72-17455
Modular encoder
[NASA-CASE-NPO-10629] c08 N72-18184
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c07 N72-20140
Data compression system
[NASA-CASE-NPO-11243] c07 N72-20154
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c08 N72-20176
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c08 N72-20177
Flow rate switch
[NASA-CASE-NPO-10722] c09 N72-20199
Electrical connector
[NASA-CASE-NPO-10694] c09 N72-20200
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c10 N72-20223
Signal phase estimator
[NASA-CASE-NPO-11203] c10 N72-20224
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c11 N72-20244
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c15 N72-20443
Torsional disconnect unit
[NASA-CASE-NPO-10704] c15 N72-20445
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c28 N72-20758
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c33 N72-20915
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c07 N72-21118
Current steering commutator
[NASA-CASE-NPO-10743] c08 N72-21199
Automated equipotential plotter
[NASA-CASE-NPO-11134] c09 N72-21246
Pressure transducer
[NASA-CASE-NPO-10832] c14 N72-21405
Positioning mechanism
[NASA-CASE-NPO-10679] c15 N72-21462
Solid state matrices
[NASA-CASE-NPO-10591] c03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c03 N72-22042
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c08 N72-22162
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c08 N72-22164
Digital function generator
[NASA-CASE-NPO-11104] c08 N72-22165
Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c08 N72-22166
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c08 N72-22167
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c11 N72-22247
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c14 N72-22441
Ionene membrane separator
[NASA-CASE-NPO-11091] c18 N72-22567
Deployable solar cell array
[NASA-CASE-NPO-10883] c31 N72-22874
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c03 N72-23048
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
Bipropellant injector
[NASA-CASE-XNP-09461] c28 N72-23809
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c28 N72-23810
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c06 N72-25146
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c07 N72-25172
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c07 N72-25174
Communications link for computers
[NASA-CASE-NPO-11161] c08 N72-25207
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c08 N72-25208
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c08 N72-25209
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c08 N72-25210
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c09 N72-25248
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c09 N72-25254
Thermal motor
[NASA-CASE-NPO-11283] c09 N72-25260
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c12 N72-25292
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c13 N72-25323
Light sensor
[NASA-CASE-NPO-11311] c14 N72-25414
Quick disconnect coupling
[NASA-CASE-NPO-11202] c15 N72-25450
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c15 N72-25455
Ball screw linear actuator
[NASA-CASE-NPO-11222] c15 N72-25456

Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c23 N72-25619
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c09 N72-27228
Audio frequency marker system
[NASA-CASE-NPO-11147] c14 N72-27408
Light direction sensor
[NASA-CASE-NPO-11201] c14 N72-27409
Adjustable support
[NASA-CASE-NPO-10721] c15 N72-27484
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c03 N72-28025
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c16 N72-28521
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c26 N72-28761
Circularly polarized antenna
[NASA-CASE-ERC-10214] c09 N72-31235
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c07 N72-32169
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c08 N72-33172
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c09 N72-33204
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c08 N73-12175
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c08 N73-12177
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c09 N73-12214
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c10 N73-12244
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c14 N73-12446
Irradiance measuring device
[NASA-CASE-NPO-11493] c14 N73-12447
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c15 N73-12495
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c07 N73-13149
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c14 N73-13420
Gas flow control device
[NASA-CASE-NPO-11479] c15 N73-13462
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c15 N73-13467
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c21 N73-13644
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c07 N73-14130
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c14 N73-14427
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c14 N73-14428
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c14 N73-14429
Rotary actuator
[NASA-CASE-NPO-10680] c31 N73-14855
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c09 N73-15235
Multichannel telemetry system
[NASA-CASE-NPO-11572] c07 N73-16121
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c10 N73-16205
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c03 N73-20040
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c10 N73-20254
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c15 N73-20514
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c07 N73-22076
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c07 N73-24176
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c15 N73-24513
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c28 N73-24783
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c28 N73-24784
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c07 N73-25161
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c08 N73-25206
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c14 N73-25462
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c07 N73-26118
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c07 N73-26119
Counting digital filters
[NASA-CASE-NPO-11821-1] c08 N73-26175
Automated attendance accounting system
[NASA-CASE-NPO-11456] c08 N73-26176
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c10 N73-26229
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c11 N73-26238
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c14 N73-26430
Disconnect unit
[NASA-CASE-NPO-11330] c33 N73-26958
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c10 N73-27171
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c07 N73-28012
Analog-to-digital converter
[NASA-CASE-XNP-00477] c08 N73-28045
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c09 N73-28084
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c14 N73-28486
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c14 N73-28491
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c15 N73-28516
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c17 N73-28573
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c26 N73-28710
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c07 N73-30113
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c09 N73-30185
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c10 N73-30205
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c14 N73-30388
Event sequence detector
[NASA-CASE-NPO-11703-1] c10 N73-32144
Soil penetrometer
[NASA-CASE-XNP-05530] c14 N73-32321
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c14 N73-32325
Magnetic-flux pump
[NASA-CASE-XNP-01188] c15 N73-32361
Burrowing apparatus
[NASA-CASE-XNP-07169] c15 N73-32362
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c33 N73-32818
Method and apparatus for a single channel digital communications system

[NASA-CASE-NPO-11302-2] c32 N74-10132
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c33 N74-10194
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c32 N74-11000
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c35 N74-11283
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c35 N74-11284
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c33 N74-12887
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c32 N74-12912
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c36 N74-13205
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c35 N74-15094
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c36 N74-15145
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Thin film gauge
[NASA-CASE-NPO-10617-1] c35 N74-22095
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c31 N74-23065
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c71 N74-31148
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Geneva mechanism
[NASA-CASE-NPO-13281-1] c37 N75-13266
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-18573
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Motor run-up system
[NASA-CASE-NPO-13374-1] c33 N75-19524
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c35 N75-23910
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c32 N75-26195
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c27 N76-15311
Dichroic plate
[NASA-CASE-NPO-13506-1] c35 N76-15435
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401

Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Priority interrupt system
[NASA-CASE-NPO-13067-1] c60 N76-18800
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c36 N76-31512
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Furlable antenna
[NASA-CASE-NPO-13553-1] c33 N76-32457
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c73 N77-18891
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
Penetrometer
[NASA-CASE-NPO-11103-1] c35 N77-27367
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
Combustion engine
[NASA-CASE-NPO-13671-1] c37 N77-31497
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N78-10377
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N78-10429
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N78-10493
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N78-10554
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N78-10837

High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N78-13526
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N78-15461
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N78-16369
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c27 N78-17214
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238
Pressure transducer
[NASA-CASE-NPO-11150] c35 N78-17359
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c38 N78-17395
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c38 N78-17396
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N78-17460
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c74 N78-17867
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c32 N78-18266
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N78-18391
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c35 N78-18395
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N78-18410
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c27 N78-19302
Microwave power converter
[NASA-CASE-NPO-14068-1] c44 N78-19609
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c31 N78-24387
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c32 N78-24391
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N78-25256
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N78-25319
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N78-25391
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c37 N78-25431
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N78-28594
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c73 N78-28913
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c35 N78-29421
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N78-31255
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c32 N78-31321
Solar pond
[NASA-CASE-NPO-13581-2] c44 N78-31525
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N78-31526
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c27 N78-33228

Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c25 N79-10163
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c32 N79-10262
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c35 N79-10391
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N79-10420
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513
Combustor
[NASA-CASE-NPO-13958-1] c25 N79-11151
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N79-11231
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c33 N79-11314
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N79-11471
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c76 N79-11920
An improved suspension system for a wheel rolling on a flat track
[NASA-CASE-NPO-14395-1] c37 N79-12446
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c44 N79-12541
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N79-13214
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c27 N79-14213
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c28 N79-14228
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c32 N79-14268
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c35 N79-14348
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c37 N79-14388
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N79-14526
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c44 N79-14529
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c60 N79-14797
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c76 N79-14908

Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c33 N79-17134
Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c43 N79-17288
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N79-18443
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c34 N79-20335
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c54 N79-20746
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c74 N79-20856
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-1] c37 N79-23431
Underwater seismic source
[NASA-CASE-NPO-14255-1] c46 N79-23555
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c71 N79-23753
Interferometer
[NASA-CASE-NPO-14448-1] c74 N79-23777
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N79-24210
Module failure isolation circuit for paralleled inverters
[NASA-CASE-NPO-14000-1] c33 N79-24254
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N79-24652
A general logic structure for custom LSI circuits
[NASA-CASE-NPO-14410-1] c33 N79-25314
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c44 N79-25482
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253
Low current linearization of magnetic amplifier for dc transformer
[NASA-CASE-NPO-14617-1] c33 N79-26311
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c25 N79-28253
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c28 N79-28342
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c35 N79-28527
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c74 N79-34011
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c39 N80-10507
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c46 N80-10709
Method for shaping and aiming narrow beams
[NASA-CASE-NPO-14632-1] c32 N80-12256
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c35 N80-12383
Schottky barrier solar cell and method of fabrication
[NASA-CASE-NPO-13689-2] c44 N80-12549
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c32 N80-14281
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c33 N80-14330
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
Dialysis system
[NASA-CASE-NPO-14101-1] c52 N80-14687
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877
Strong thin membrane structure
[NASA-CASE-NPO-14021-2] c27 N80-16163
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c32 N80-16261
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c35 N80-16313
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c32 N80-18252
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c32 N80-18253
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c33 N80-18285
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c35 N80-18357
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c35 N80-18364
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c36 N80-18381
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-2] c37 N80-18397
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c44 N80-18551
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334
Thermal reactor and process
[NASA-CASE-NPO-14369-1] c25 N80-20338
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c35 N80-20563
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c36 N80-20574
Portable heatable container
[NASA-CASE-NPO-14237-1] c44 N80-20808

Method and device for destructive detection of a substance
[NASA-CASE-NPO-14940-1] c35 N80-21723
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c44 N80-24741
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
Geological assessment probe
[NASA-CASE-NPO-14558-1] c46 N80-24906
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c37 N80-25660
Autocatalytic coal liquefaction process
[NASA-CASE-NPO-14876-1] c28 N80-26460
Cooled echelle grating spectrometer
[NASA-CASE-NPO-14372-1] c35 N80-26635
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660
An improved head for high speed spinner having a vacuum chuck
[NASA-CASE-NPO-15227-1] c37 N80-26661
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c47 N80-26992
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c28 N80-28536
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c37 N80-29703
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183] c44 N80-29843
Interferometric locating system
[NASA-CASE-NPO-14173-1] c04 N80-32359
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c32 N80-32605
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607
Improving the efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c44 N80-32850
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c33 N80-33679
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
Frequency translating phase conjugation circuit for active retrodirective antenna array
[NASA-CASE-NPO-14536-1] c32 N81-14185
Precise RF timing signal distribution to remote stations
[NASA-CASE-NPO-14749-1] c32 N81-14186
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220
Low cost cryostat
[NASA-CASE-NPO-14513-1] c35 N81-14287
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350
Speed control device for a heavy duty shaft
[NASA-CASE-NPO-14170-1] c37 N81-15364
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c60 N81-15706
A method for producing a solidified body of silicon
[NASA-CASE-NPO-15250-1] c25 N81-16174
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c31 N81-16328
An improved solid electrolyte cell
[NASA-CASE-NPO-15269-1] c33 N81-16385
Tactile sensing system
[NASA-CASE-NPO-15094-1] c33 N81-16386
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187
Molten salt pyrolysis of latex
[NASA-CASE-NPO-14315-1] c27 N81-17261
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c74 N81-17886
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887
Interferometer
[NASA-CASE-NPO-14502-1] c74 N81-17888
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
A cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c31 N81-19344
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558
System and method for character recognition
[NASA-CASE-NPO-11337-1] c74 N81-19896
X-ray position detector
[NASA-CASE-NPO-12087-1] c74 N81-19898
Optical signature generating and correlating apparatus
[NASA-CASE-NPO-15226-1] c74 N81-19899
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944

Controller for computer control of brushless dc motors
[NASA-CASE-NPO-13970-1] c33 N81-20352
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703

K

KELSEY-HAYES CO., ROMULUS, MICH.
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c28 N70-36802
KELTEC INDUSTRIES, INC., ALEXANDRIA, VA.
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c07 N71-26979
KINELOGIC CORP., PASADENA, CALIF.
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c09 N69-24329
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c08 N71-19420
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c08 N71-22710
KOLLSMAN INSTRUMENT CORP., ELMHURST, N. Y.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c23 N71-24857
KOLLSMAN INSTRUMENT CORP., SYOSSET, N. Y.
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c08 N71-29138
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c14 N73-30393
KONIGSBERG INSTRUMENTS, INC., PASADENA, CALIF.
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347
KORAD CORP., NEW YORK.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400

L

LIFE SYSTEMS, INC., BEACHWOOD, OHIO.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784
LING-TEMCO-VOUGHT, INC., DALLAS, TEX.
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c15 N71-24897
LITTLE (ARTHUR D.), INC., CAMBRIDGE, MASS.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c14 N71-15992
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Flame retardant formulations and products produced therefrom
[NASA-CASE-MSC-16307-1] c25 N78-27232
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N78-32262
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
LITTON INDUSTRIES, BEVERLY HILLS, CALIF.
Life support system
[NASA-CASE-MSC-12411-1] c05 N72-20096
LITTON INDUSTRIES, COLLEGE PARK, MD.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c15 N70-35087
LITTON INDUSTRIES, SAN CARLOS, CALIF.
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c33 N75-27250
LITTON SYSTEMS, INC., MINNEAPOLIS, MINN.
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c14 N73-27376
LOCKHEED AIRCRAFT CORP., BURBANK, CALIF.
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c31 N71-17679
LOCKHEED-CALIFORNIA CO., BURBANK.
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c28 N71-15563
Multistage aerospace craft
[NASA-CASE-XNP-02263] c05 N74-10907
LOCKHEED ELECTRONICS CO., HOUSTON, TEX.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c07 N71-11300
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c10 N71-19468
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c14 N71-26244
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c10 N71-28860
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c14 N72-27411
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c60 N74-12888
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
Secure communication system
[NASA-CASE-MSC-16462-1] c32 N78-25274
Phased array antenna control
[NASA-CASE-MSC-14939-1] c32 N79-11264
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c32 N80-32604
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210
LOCKHEED MISSILES AND SPACE CO., SUNNYVALE, CALIF.
Device for handling heavy loads
[NASA-CASE-XNP-04969] c11 N69-27466
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c33 N71-15641
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c23 N71-24725
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c18 N71-27397
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c31 N72-18859
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c21 N72-31637
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c09 N73-32112
Whole body measurement systems
[NASA-CASE-MSC-13972-1] c52 N74-10975
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c27 N76-14264
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
Process of forming catalytic surfaces for wet oxidation reactions

[NASA-CASE-MSC-14831-1] c25 N78-10225
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N79-14891
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550
LOCKHEED PROPULSION CO., REDLANDS, CALIF.
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c27 N70-35534
LTV AEROSPACE CORP., DALLAS, TEX.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455

M

MACON-RUST CO., LEXINGTON, KY.
Stretcher Patent
[NASA-CASE-XMF-06589] c05 N71-23159
MARLIN-ROCKWELL CORP., JAMESTOWN, N. Y.
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
MARQUARDT CORP., VAN NUYS, CALIF.
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c28 N71-14058
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c28 N71-20942
Tube sealing device Patent
[NASA-CASE-NPO-10431] c15 N71-25132
MARTIN MARIETTA AEROSPACE, DENVER, COLO.
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c52 N80-23969
MARTIN MARIETTA CORP., BALTIMORE, MD.
Landing gear Patent
[NASA-CASE-XMF-01174] c02 N70-41589
Emergency escape system Patent
[NASA-CASE-XKS-02342] c05 N71-11199
MARTIN MARIETTA CORP., DENVER, COLO.
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c15 N72-22485
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c10 N73-26230
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N78-10375
Urine collection device
[NASA-CASE-MSC-16433-1] c52 N78-27750
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N79-11402
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c52 N79-23657
MARYLAND UNIV., COLLEGE PARK.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c23 N71-26722
MASSACHUSETTS INST. OF TECH., CAMBRIDGE.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c15 N69-21471
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c15 N71-10658
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c09 N71-10798
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c16 N71-18614
Power supply Patent
[NASA-CASE-XMS-02159] c10 N71-22961
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c07 N71-26291

Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c16 N71-27183
Compact spectroradiometer
[NASA-CASE-HQN-10683] c14 N71-34389
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c23 N72-23695
Display research collision warning system
[NASA-CASE-HQN-10703] c21 N73-13643
Transparent switchboard
[NASA-CASE-MSC-13746-1] c10 N73-32143
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c25 N75-29192
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Solar power satellite system
[NASA-CASE-HQN-10949-1] c44 N81-16530
MB ASSOCIATES, SAN RAMON, CALIF.
Hypervelocity gun
[NASA-CASE-XLE-03186-1] c09 N79-21084
MCDONNELL AIRCRAFT CO., ST. LOUIS, MO.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c15 N69-24322
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c14 N69-27459
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c12 N71-21089
Power supply circuit Patent
[NASA-CASE-XMS-00913] c10 N71-23543
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
Fused switch
[NASA-CASE-XMS-01244-1] c33 N79-33393
MCDONNELL-DOUGLAS ASTRONAUTICS CO., HUNTINGTON BEACH, CALIF.
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
MCDONNELL-DOUGLAS ASTRONAUTICS CO., SANTA MONICA, CALIF.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c06 N70-11252
MCDONNELL-DOUGLAS ASTRONAUTICS CO., ST. LOUIS, MO.
Passive propellant system
[NASA-CASE-MFS-23642-2] c20 N78-27176
MCDONNELL-DOUGLAS CORP., HUNTINGTON BEACH, CALIF.
Variable direction force coupler
[NASA-CASE-MFS-20317] c15 N73-13463
Potable water dispenser
[NASA-CASE-MFS-21115-1] c54 N74-12779
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c18 N74-27397
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-29410
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c33 N75-13139
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
Latching device
[NASA-CASE-MFS-21606-1] c37 N75-19685
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c14 N75-24794
MCDONNELL-DOUGLAS CORP., NEWPORT BEACH, CALIF.
Method of making membranes

[NASA-CASE-XNP-04264] c03 N69-21337
MCDONNELL-DOUGLAS CORP., SANTA MONICA, CALIF.
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c31 N71-15643
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c06 N72-22107
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c06 N72-25152
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c24 N76-14203
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
MCDONNELL-DOUGLAS CORP., ST. LOUIS, MO.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c06 N72-21105
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
MEDICAL SCIENCES RESEARCH FOUNDATION, SAN FRANCISCO, CALIF.
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
MELLON INST., PITTSBURGH, PA.
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c14 N71-10781
MELPAR, INC., FALLS CHURCH, VA.
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c09 N71-15449
Compact solar still Patent
[NASA-CASE-XMS-04533] c15 N71-23086
METCOM, INC., SALEM, MASS.
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c09 N71-24841
METHODIST HOSPITAL, HOUSTON, TEX.
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
MICROWAVE ELECTRONICS CORP., PALO ALTO, CALIF.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c23 N71-29049
MICROWAVE RESEARCH CORP., NORTH ANDOVER, MASS.
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Multifrequency broadband horn antenna
[NASA-CASE-NPO-14588-1] c32 N79-17067
MIDWEST RESEARCH INST., KANSAS CITY, MO.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c06 N71-11237
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c15 N71-21403
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c06 N73-30098
MILLIKEN (D. B.) CO., ARCADIA, CALIF.
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c14 N71-28935
MINNEAPOLIS-HONEYWELL REGULATOR CO., MINN.
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c10 N71-28783
MODERN MACHINE AND TOOL CO., NEWPORT NEWS, VA.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865
MONSANTO CO., ST. LOUIS, MO.
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
MONSANTO RESEARCH CORP., DAYTON, OHIO.
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
MOTOROLA, INC., PHOENIX, ARIZ.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c10 N71-19467
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c33 N79-18224
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
Quartz ball value
[NASA-CASE-NPO-14473-1] c37 N80-23654
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c33 N81-15192
MOTOROLA, INC., SCOTTSDALE, ARIZ.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c09 N71-18600
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c08 N71-18692
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c07 N71-28429
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c33 N78-32338

N

NATIONAL ACADEMY OF SCIENCES - NATIONAL RESEARCH COUNCIL, ARLINGTON, VA.
An improved synthesis of 2, 4, 8, 10-textroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
NATIONAL ACADEMY OF SCIENCES - NATIONAL RESEARCH COUNCIL, WASHINGTON, D. C.
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c09 N73-20232
Suppression of flutter
[NASA-CASE-LAR-10682-1] c02 N73-26004
Optical data processing using paraboloidal mirror segments
[NASA-CASE-GSC-11296-1] c23 N73-30666
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c16 N73-32391
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c35 N74-32878
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c33 N75-30428
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454

Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c24 N77-27187
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c73 N78-32848
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N79-10418
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c60 N79-27864
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c37 N79-28549
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c52 N81-14612
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348
Autonomous navigation system
[NASA-CASE-ARC-11257-1] c04 N81-21047

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION, WASHINGTON, D. C.

Optical spin compensator
[NASA-CASE-XGS-02401] c14 N69-27485
Waveguide mixer
[NASA-CASE-ERC-10179] c07 N72-20141
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c08 N72-21198
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c26 N72-21701
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c09 N72-22199
Two color horizon sensor
[NASA-CASE-ERC-10174] c14 N72-25409
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c14 N72-25428
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c16 N72-25485
Clear air turbulence detector
[NASA-CASE-ERC-10081] c14 N72-28437
Head-up attitude display
[NASA-CASE-ERC-10392] c21 N73-14692
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c14 N73-16483
Aircraft control system
[NASA-CASE-ERC-10439] c02 N73-19004
Display system
[NASA-CASE-ERC-10350] c14 N73-20474
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c14 N73-26432
Doppler shift system
[NASA-CASE-HQN-10740-1] c72 N74-19310
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c71 N74-21014
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c74 N75-25706
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c25 N75-29192
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c33 N76-27473
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c44 N76-29699
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c17 N78-17140
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c73 N78-19920
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c54 N78-32721
Safety flywheel
[NASA-CASE-HQN-10888-1] c44 N79-14527
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468
Solar power satellite system
[NASA-CASE-HQN-10949-1] c44 N81-16530

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. AMES RESEARCH CENTER, MOFFETT FIELD, CALIF.

Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c09 N69-21313
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c05 N69-21473
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c14 N69-27423
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c14 N69-27486
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c14 N69-39896
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c09 N69-39897
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c09 N70-33182
Two-plane balance Patent
[NASA-CASE-XAC-00073] c14 N70-34813
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c11 N70-34815
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c14 N70-34816
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c15 N70-34817
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c14 N70-34820
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c02 N70-34856
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c09 N70-35440
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c09 N70-39915
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c08 N70-40125
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c15 N70-40180
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c14 N70-40400
Three-axis controller Patent
[NASA-CASE-XAC-01404] c05 N70-41581
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c25 N70-41628
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c14 N70-41681
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c05 N70-41819
Proportional controller Patent
[NASA-CASE-XAC-03392] c03 N70-41954
Force transducer Patent
[NASA-CASE-XAC-01101] c14 N70-41957
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c05 N71-11193
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c05 N71-12342
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c09 N71-12517
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c09 N71-12521
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c14 N71-15598
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c10 N71-15909
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c30 N71-15990
High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c10 N71-16042
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c25 N71-16073
Flight craft Patent
[NASA-CASE-XAC-02058] c02 N71-16087

Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c09 N71-16089
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c24 N71-16095
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c23 N71-16098
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c15 N71-17653
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c31 N71-17729
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c15 N71-17822
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c11 N71-18578
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c08 N71-18594
Demodulation system Patent
[NASA-CASE-XAC-04030] c10 N71-19472
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c08 N71-19763
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c14 N71-20439
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c02 N71-20570
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c09 N71-20816
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c14 N71-21072
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c15 N71-21177
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c11 N71-22875
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c09 N71-23021
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c14 N71-23037
Transfer valve Patent
[NASA-CASE-XAC-01158] c15 N71-23051
Hard space suit Patent
[NASA-CASE-XAC-07043] c05 N71-23161
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c04 N71-23185
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c10 N71-23669
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c14 N71-23790
Control device Patent
[NASA-CASE-XAC-10019] c15 N71-23809
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c32 N71-23971
Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c14 N71-24232
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c09 N71-24597
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c05 N71-24738
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c06 N71-24739
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c31 N71-24813
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c16 N71-24828
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c09 N71-25866
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c14 N71-26135
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c15 N71-26673
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c15 N71-27754
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c09 N71-28468
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c05 N71-28619
Line following servosystem Patent
[NASA-CASE-XAC-00001] c15 N71-28952
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c02 N71-29128
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c09 N71-33109
Solar cell Patent
[NASA-CASE-ARC-10050] c03 N71-33409
Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c10 N72-16172
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c09 N72-17152
Telemetry actuated switch
[NASA-CASE-ARC-10105] c09 N72-17153
Active RC networks
[NASA-CASE-ARC-10020] c10 N72-17172
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c30 N72-17873
Flexible fire retardant foam
[NASA-CASE-ARC-10180-1] c28 N72-20767
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c15 N72-21464
Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c05 N72-22092
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c09 N72-22202
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c14 N72-22438
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c14 N72-22440
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c21 N72-22619
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c28 N72-22769
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c14 N72-24477
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c06 N72-25147
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c23 N72-27728
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c10 N72-28240
Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c14 N72-29464
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c06 N72-31141
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c15 N73-12488
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c18 N73-13562
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c09 N73-14214
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c09 N73-20231
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c14 N73-20477
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c23 N73-20741
Intruder detection system
[NASA-CASE-ARC-10097-2] c07 N73-25160
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c14 N73-25463
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c02 N73-26005
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c05 N73-26071
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c05 N73-26072
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c18 N73-26572

Infrared tunable laser
[NASA-CASE-ARC-10463-1] c09 N73-32111
Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c14 N73-32326
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c14 N73-33361
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c16 N73-33397
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c27 N74-12812
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c27 N74-12814
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c35 N74-15093
Bimetallic fluid displacement apparatus
[NASA-CASE-ARC-10441-1] c35 N74-15126
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c51 N74-15778
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c33 N74-17929
Ultrasonic biomedical measuring and recording apparatus
[NASA-CASE-ARC-10597-1] c52 N74-20726
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c27 N74-21156
High speed shutter
[NASA-CASE-ARC-10516-1] c70 N74-21300
Bio-isolated dc operational amplifier
[NASA-CASE-ARC-10596-1] c33 N74-21851
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c52 N74-22771
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c25 N74-26947
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c27 N74-27037
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof
[NASA-CASE-ARC-10593-1] c33 N74-27682
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806] c06 N74-27872
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c37 N74-27901
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c75 N74-30156
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c07 N74-33218
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c44 N74-33379
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c25 N75-12086
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c25 N75-12087
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c74 N75-12732
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c05 N75-12930
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c09 N75-12969
Water purification process
[NASA-CASE-ARC-10643-2] c51 N75-13506
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c60 N75-13539
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c35 N75-16783
Signal conditioning circuit apparatus
[NASA-CASE-ARC-10348-1] c33 N75-19518
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c33 N75-19520
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c07 N75-24736
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c33 N75-25041
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c51 N75-25503
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c05 N75-25915
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c35 N75-26334
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c54 N75-27760
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c33 N75-29318
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c35 N75-29381
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c35 N75-30502
Diatomic infrared gasdynamic laser
[NASA-CASE-ARC-10370-1] c36 N75-31426
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c37 N75-32465
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c36 N76-14447
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c27 N76-15310
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c27 N76-16230
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c35 N76-18403
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c33 N76-19339
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector
[NASA-CASE-ARC-10631-1] c74 N76-20958
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c33 N76-21390
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c25 N76-22323
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c27 N76-22376
Optical alignment device
[NASA-CASE-ARC-10932-1] c74 N76-22993
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c09 N76-24280
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c35 N76-24525
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c34 N76-27517
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c05 N76-29217
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c17 N76-29347
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c52 N76-29894
Visual examination apparatus
[US-PATENT-RE-28,921] c52 N76-30793
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c31 N76-31365
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c27 N76-32315
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c52 N76-33835
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c52 N77-10780
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c04 N77-12031
Smoke generator
[NASA-CASE-ARC-10905-1] c37 N77-13418
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c35 N77-14408
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c52 N77-14736
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c05 N77-17029
The engine air intake system
[NASA-CASE-ARC-10761-1] c07 N77-18154
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c35 N77-18417
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c09 N77-19076

Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c34 N77-19353
Selective data segment monitoring system
[NASA-CASE-ARC-10899-1] c60 N77-19760
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c35 N77-20399
Metallic hot wire anemometer
[NASA-CASE-ARC-10911-1] c35 N77-20400
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c74 N77-22950
Abrasion resistant coatings for plastic surfaces
[NASA-CASE-ARC-10915-3] c24 N77-24200
Sampling video compression system
[NASA-CASE-ARC-10984-1] c32 N77-24328
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c35 N77-24454
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c36 N77-25501
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c33 N77-31404
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c54 N77-32721
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c52 N78-10686
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c52 N78-11692
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c35 N78-13400
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c24 N78-14096
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c25 N78-14104
Flow separation detector
[NASA-CASE-ARC-11046-1] c35 N78-14364
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c24 N78-15180
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c34 N78-17337
Walking boot assembly
[NASA-CASE-ARC-11101-1] c54 N78-17675
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c09 N78-18083
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c35 N78-19465
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c35 N78-19466
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c54 N78-22720
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c24 N78-27180
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-2] c24 N78-27184
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c37 N78-27425
Tread drum for animals
[NASA-CASE-ARC-10917-1] c51 N78-27733
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c27 N78-31233
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c54 N78-31736
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Angle detector
[NASA-CASE-ARC-11036-1] c35 N78-32395
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c37 N78-32434
Process for producing a well-adhered durable optical coating on an optical plastic substrate
[NASA-CASE-ARC-11039-1] c74 N78-32854
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c25 N79-10162
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c52 N79-10724
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c27 N79-11215
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c25 N79-14169
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c27 N79-14214
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c33 N79-15245
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c24 N79-16915
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c05 N79-17847
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c27 N79-18052
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c52 N79-18580
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c27 N79-22300
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c37 N79-23432
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c24 N79-24062
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c54 N79-24651
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c15 N79-26100
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c52 N79-26771
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c37 N79-28551
An improved synthesis of 2, 4, 8, 10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-1] c27 N79-30375
Improved synthesis of polyformals
[NASA-CASE-ARC-11244-1] c27 N79-30376
Spine immobilization method and apparatus
[NASA-CASE-ARC-11167-1] c52 N79-30921
Electrical short locator
[NASA-CASE-ARC-11116-1] c33 N79-31498
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c09 N79-33220
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c33 N80-11326
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c05 N80-14107
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c25 N80-16116
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c37 N80-18393
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c52 N80-18691
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c25 N80-21464
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c27 N80-21533
Method for making patterns for resin matrix composites
[NASA-CASE-ARC-11246-1] c24 N80-22410

Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
Reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c27 N80-23452
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c27 N80-23454
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c07 N80-26298
Preparation of perfluorinated imidoylamidoximes
[NASA-CASE-ARC-11267-1] c23 N80-26386
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c25 N80-26407
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c54 N80-30043
An improved synthesis of 2,4,8,10-tetroxaspiro (5.5) undecane
[NASA-CASE-ARC-11243-2] c23 N80-31472
Synthesis of dawsonites
[NASA-CASE-ARC-113261-1] c25 N80-31490
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c27 N80-31551
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c07 N80-32392
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c52 N80-33081
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c24 N81-13999
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c51 N81-14605
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c52 N81-14612
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c74 N81-16882
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c27 N81-17259
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c27 N81-17262
Pressure control valve
[NASA-CASE-ARC-11251-1] c37 N81-17433
Intrusion detection method and apparatus
[NASA-CASE-ARC-11317-1] c35 N81-19430
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c36 N81-19439
Autonomous navigation system
[NASA-CASE-ARC-11257-1] c04 N81-21047

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. HUGH L. DRYDEN FLIGHT RESEARCH CENTER, EDWARDS, CALIF.

Fifth wheel
[NASA-CASE-FRC-10081-1] c37 N77-14477
Window comparator
[NASA-CASE-FRC-10090-1] c33 N78-18308
Wire stripper
[NASA-CASE-FRC-10111-1] c37 N79-10419
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c05 N79-12061
Voltage regulator for battery power source
[NASA-CASE-FRC-10116-1] c33 N79-23345
An annular wing
[NASA-CASE-FRC-11007-2] c02 N79-24959
A system for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c06 N79-24988
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c39 N79-25424
Power converter
[NASA-CASE-FRC-11014-1] c33 N79-27395
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c60 N80-17723
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c06 N80-18036
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c35 N80-19469

Improved Sun-sensing guidance system for high-altitude aircraft
[NASA-CASE-FRC-11052-1] c04 N80-20249
Apparatus for damping operator induced oscillations of a controlled system
[NASA-CASE-FRC-11041-1] c33 N80-20488
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c35 N80-20560
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c37 N80-20589
Electrical servo actuator bracket
[NASA-CASE-FRC-11044-1] c07 N80-21327
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c52 N80-23969
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c33 N80-26599
System for use in conducting wake investigation for a wing in flight
[NASA-CASE-FRC-11024-1] c02 N80-28300
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c33 N80-29583
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c07 N80-32393
Improved low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c85 N80-33312
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c06 N81-17057
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c43 N81-17499

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. ELECTRONICS RESEARCH CENTER, CAMBRIDGE, MASS.

Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c16 N69-31343
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c26 N69-33482
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c15 N70-10867
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c09 N70-11148
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c09 N71-12539
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c26 N71-14354
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c16 N71-15567
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c14 N71-18483
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c09 N71-18721
Array phasing device Patent
[NASA-CASE-ERC-10046] c10 N71-18722
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c09 N71-23598
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c09 N71-24800
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c16 N71-24832
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c23 N71-24868
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c09 N71-24893
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c15 N71-24896
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c15 N71-24910
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c21 N71-24948

Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c26 N71-25490
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c10 N71-25900
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c16 N71-26154
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c15 N71-26635
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c14 N71-26672
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c09 N71-26678
Voltage regulator Patent
[NASA-CASE-ERC-10113] c09 N71-27053
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c14 N71-27090
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c14 N71-27334
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c09 N71-27364
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c15 N71-28465
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c09 N71-28618
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c14 N71-28863
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c14 N71-28992
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c14 N71-28994
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c07 N71-29065
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c16 N71-29131
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c09 N71-33519
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c14 N72-17323
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c23 N72-17747
Improved satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419] c21 N72-21631
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c09 N72-23173
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c10 N72-27246

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. FLIGHT RESEARCH CENTER, EDWARDS, CALIF.

Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c14 N69-27503
Three axis controller Patent
[NASA-CASE-XFR-00181] c21 N70-33279
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c15 N70-36901
Two-axis controller Patent
[NASA-CASE-XFR-04104] c03 N70-42073
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c11 N71-10748
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c05 N71-11189
Lifting body Patent Application
[NASA-CASE-FRC-10063] c01 N71-12217
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c02 N71-13421
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c15 N71-22994
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c33 N71-23085
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c15 N71-23254
Traversing probe Patent
[NASA-CASE-XFR-02007] c12 N71-24692
Layout tool Patent
[NASA-CASE-FRC-10005] c15 N71-26145
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c09 N72-22200
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c14 N73-27379
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c35 N74-13129
Terminal guidance system
[NASA-CASE-FRC-10049-1] c04 N74-13420
Full wave modulator-demodulator amplifier apparatus
[NASA-CASE-FRC-10072-1] c33 N74-14939
Rotating raster generator
[NASA-CASE-FRC-10071-1] c32 N74-20813

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. GODDARD INST. FOR SPACE STUDIES, NEW YORK.

Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c35 N77-20410
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c51 N77-22794
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c35 N77-24455
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c36 N77-25499
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c33 N77-26386
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c52 N77-26796
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c74 N77-26942
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c35 N77-27366
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c37 N77-27400
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c52 N77-27694
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c32 N77-28346
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c74 N77-28932
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c32 N77-30308
Speech analyzer
[NASA-CASE-GSC-11898-1] c32 N77-30309
Automatic transponder
[NASA-CASE-GSC-12075-1] c32 N77-31350
An interleaving device
[NASA-CASE-GSC-12111-2] c60 N77-31800
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c27 N77-32308
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
Fluid sampling device
[NASA-CASE-GSC-12143-1] c35 N77-32456
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c60 N77-32731
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c43 N78-10529
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c60 N78-10709

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. GODDARD SPACE FLIGHT CENTER, GREENBELT, MD.

Regulated dc to dc converter
[NASA-CASE-XGS-03429] c03 N69-21330
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c14 N69-21363
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c15 N69-21472
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c09 N69-21543

Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c09 N69-24317
Spacecraft battery seals
[NASA-CASE-XGS-03864] c15 N69-24320
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c14 N69-27432
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c07 N69-27460
Ring counter
[NASA-CASE-XGS-03095] c09 N69-27463
Retrodirective optical system
[NASA-CASE-XGS-04480] c16 N69-27491
Time division multiplex system
[NASA-CASE-XGS-05918] c07 N69-39974
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c07 N69-35978
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c18 N69-35979
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c14 N69-39982
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c14 N70-34158
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c21 N70-34297
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c08 N70-34743
Full binary adder Patent
[NASA-CASE-XGS-00689] c08 N70-34787
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c09 N70-34819
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c31 N70-37924
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c09 N70-38604
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c03 N70-38713
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c09 N70-38995
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c30 N70-40016
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c32 N70-41367
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c15 N70-41629
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c14 N70-41647
Apparatus for producing three-dimensional recordings of flouresсence spectra Patent
[NASA-CASE-XGS-01231] c14 N70-41676
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c07 N70-41678
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c03 N70-41864
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c10 N70-41964
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c07 N71-10609
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c09 N71-10673
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c09 N71-10677
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c21 N71-10678
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c03 N71-11053
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c03 N71-11058
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c07 N71-11282
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c07 N71-12392
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c08 N71-12494
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c21 N71-13958
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c18 N71-14014
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c28 N71-14044
Attitude control system Patent
[NASA-CASE-XGS-04393] c21 N71-14159
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c14 N71-15605
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c21 N71-15642
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c31 N71-15676
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c14 N71-15962
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c23 N71-15978
Method for etching copper Patent
[NASA-CASE-XGS-06306] c17 N71-16044
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c18 N71-16046
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c07 N71-16088
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c30 N71-16090
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c23 N71-16099
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c23 N71-16100
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c31 N71-16102
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c24 N71-16213
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c23 N71-16341
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c14 N71-17585
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c14 N71-17627
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c30 N71-17788
Method of making tubes Patent
[NASA-CASE-XGS-04175] c15 N71-18579
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c08 N71-18595
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c08 N71-18602
Computing apparatus Patent
[NASA-CASE-XGS-04765] c08 N71-18693
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c10 N71-18772
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c02 N71-19287
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c14 N71-19431
Synchronous counter Patent
[NASA-CASE-XGS-02440] c08 N71-19432
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c08 N71-19435
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c08 N71-19437
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c03 N71-19438
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c09 N71-19466
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c07 N71-19854
Electrochemical coulometer and method of forming same Patent

[NASA-CASE-XGS-05434] c03 N71-20491
Display for binary characters Patent
[NASA-CASE-XGS-04987] c08 N71-20571
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c10 N71-20782
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c10 N71-20841
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c10 N71-20852
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c09 N71-20864
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c08 N71-21042
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c31 N71-21064
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c14 N71-21082
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c15 N71-21529
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c15 N71-21744
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c15 N71-22705
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c14 N71-22965
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c03 N71-22974
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c09 N71-22988
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c14 N71-22992
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c14 N71-22996
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c18 N71-22998
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c07 N71-23001
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c03 N71-23006
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c31 N71-23009
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c09 N71-23015
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c10 N71-23029
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c14 N71-23174
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c03 N71-23187
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c09 N71-23311
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c03 N71-23336
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c09 N71-23525
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c09 N71-23573
Apparatus for phase stability determination Patent
[NASA-CASE-XGS-01118] c10 N71-23662
Tape recorder Patent
[NASA-CASE-XGS-08259] c14 N71-23698
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c14 N71-23725
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c15 N71-24045
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c15 N71-24047
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c18 N71-24183
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c14 N71-24233
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c09 N71-24595
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c15 N71-24600
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c07 N71-24621
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c07 N71-24624
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c03 N71-24719
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c09 N71-24804
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c28 N71-25213
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c10 N71-25882
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c09 N71-25999
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c10 N71-26085
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c10 N71-26374
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c10 N71-26418
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c10 N71-26531
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c10 N71-26626
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c19 N71-26674
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c09 N71-27016
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c28 N71-27094
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c10 N71-27136
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c07 N71-27233
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c21 N71-27324
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c16 N71-28554
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c07 N71-28965
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c08 N71-29033
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c08 N71-33110
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c14 N72-10375
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c08 N72-11172
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c09 N72-11224
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c23 N72-11568
Position location system and method
[NASA-CASE-GSC-10087-3] c07 N72-12080
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c07 N72-12081
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c03 N72-15986
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c14 N72-16283
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c15 N72-18477
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c28 N72-18766
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c03 N72-20031
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c10 N72-20221

Roll alignment detector
[NASA-CASE-GSC-10514-1] c14 N72-20379
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c14 N72-20381
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c15 N72-20442
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c10 N72-22236
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c15 N72-22489
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c15 N72-22491
Optical system support apparatus
[NASA-CASE-XER-07896-2] c23 N72-22673
SCR lamp driver
[NASA-CASE-GSC-10221-1] c09 N72-23171
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c18 N72-23581
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c03 N72-25020
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c06 N72-25149
Location identification system
[NASA-CASE-ERC-10324] c07 N72-25173
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c09 N72-25253
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c09 N72-25259
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c14 N72-25413
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c18 N72-25541
Gunn-type solid state devices
[NASA-CASE-XER-07895] c26 N72-25679
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c03 N72-27053
Active tuned circuit
[NASA-CASE-GSC-11340-1] c10 N72-33230
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c15 N72-33476
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c25 N72-33696
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c14 N73-12444
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c02 N73-13008
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c06 N73-13128
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c08 N73-13187
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c14 N73-13416
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c31 N73-14853
Plural beam antenna
[NASA-CASE-GSC-11013-1] c09 N73-19234
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c21 N73-19630
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c03 N73-20039
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c07 N73-20174
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c10 N73-25241
Nutation damper
[NASA-CASE-GSC-11205-1] c15 N73-25513
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c06 N73-26100
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c04 N73-27052
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c06 N73-27086
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c09 N73-28083
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c14 N73-28490
Microscope multi-angle, reflection, viewing adaptor and photographic recording system
[NASA-CASE-GSC-11690-1] c14 N73-28499
Fastener stretcher
[NASA-CASE-GSC-11149-1] c15 N73-30457
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c21 N73-30640
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c05 N73-32011
Star tracking reticles
[NASA-CASE-GSC-11188-1] c14 N73-32320
Peen plating
[NASA-CASE-GSC-11163-1] c15 N73-32360
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c35 N74-15831
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c44 N74-19692
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c74 N74-20008
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-1] c76 N74-20329
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c33 N74-20862
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c32 N74-20863
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c32 N74-20864
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c35 N74-21019
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c36 N74-21091
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c74 N74-21304
Image tube
[NASA-CASE-GSC-11602-1] c33 N74-21850
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c34 N74-23039
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c52 N74-27566
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c31 N74-27902
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c35 N74-28097
Star scanner
[NASA-CASE-GSC-11569-1] c89 N74-30886
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
Structural heat pipe
[NASA-CASE-GSC-11619-1] c34 N75-12222
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c37 N75-15992
Magnetic bearing
[NASA-CASE-GSC-11079-1] c37 N75-18574
Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c33 N75-19516
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c33 N75-19517
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c33 N75-19522

Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c36 N75-19654
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c77 N75-20140
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c09 N75-24758
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c32 N75-24981
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c33 N75-25040
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c76 N75-25730
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c33 N75-26243
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c37 N75-26371
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c35 N75-27331
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c32 N76-15329
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c35 N76-15433
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c35 N76-15436
High voltage distributor
[NASA-CASE-GSC-11849-1] c33 N76-16332
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c35 N76-16393
Variable beamwidth antenna
[NASA-CASE-GSC-11862-1] c32 N76-18295
Automatic character skew and spacing checking network
[NASA-CASE-GSC-11925-1] c33 N76-18353
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c37 N76-18459
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c74 N76-18913
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c17 N76-22245
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c54 N76-22914
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c24 N76-24363
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c33 N76-27472
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c44 N76-28635
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c51 N76-29891
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c74 N76-30053
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c35 N76-31489
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c62 N76-31946
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c33 N77-10429
Inrush current limiter
[NASA-CASE-GSC-11789-1] c33 N77-14333
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c33 N77-14334
Reel safety brake
[NASA-CASE-GSC-11960-1] c37 N77-14479
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c60 N77-14751
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c37 N77-17464
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c38 N77-17495
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c37 N77-19458
The 2 deg/90 deg laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c74 N78-13874
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c33 N78-17295
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c60 N78-17691
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c74 N78-18905
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c51 N78-22585
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c44 N78-24608
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N78-24609
Actuator mechanism
[NASA-CASE-GSC-11883-2] c37 N78-31426
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c33 N78-32338
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c33 N78-32340
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c73 N78-32848
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c33 N79-10338
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c51 N79-10694
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c32 N79-11265
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c33 N79-12321
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c33 N79-13261
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c24 N79-14156
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c36 N79-14362
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c74 N79-14891
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c20 N79-15151
Thermal compensator for closed-cycle helium refrigerator
[NASA-CASE-GSC-12168-1] c31 N79-17029
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c44 N79-19447
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c32 N79-20296
Rotary electric device
[NASA-CASE-GSC-12138-1] c33 N79-20314
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c74 N79-20857
Inductorless narrow-band filter/amplifier
[NASA-CASE-GSC-12410-1] c33 N79-24260
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c24 N79-25143
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c60 N79-27864
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c33 N79-28416
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c37 N79-28549
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c37 N79-28550
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c24 N79-31347
Thermal control canister
[NASA-CASE-GSC-12253-1] c34 N79-31523
High speed, glitch-free digital to analog converter
[NASA-CASE-GSC-12319-1] c60 N79-32852
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c35 N79-33449
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c35 N79-33450

Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c37 N79-33469
Method of making V-MOS field effect transistors
[NASA-CASE-GSC-12515-1] c33 N80-12281
Antenna deployment mechanism for use with a spacecraft
[NASA-CASE-GSC-12331-1] c18 N80-14183
Laser apparatus
[NASA-CASE-GSC-12237-1] c36 N80-14384
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c37 N80-14398
A fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c32 N80-18261
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c33 N80-18286
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c34 N80-18338
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c35 N80-18359
Laser measuring system for incremental assemblies
[NASA-CASE-GSC-12321-1] c36 N80-18380
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c76 N80-18951
A linear magnetic motor/generator
[NASA-CASE-GSC-12518-1] c33 N80-19424
Memory-based frame synchronizer
[NASA-CASE-GSC-12430-1] c32 N80-20453
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c35 N80-20565
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c74 N80-21140
Microwave switching power divider
[NASA-CASE-GSC-12420-1] c33 N80-21670
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c33 N80-21671
Active nutation controller
[NASA-CASE-GSC-12273-1] c35 N80-21719
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-1] c60 N80-21987
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c37 N80-23655
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c74 N80-24149
JFET oscillator
[NASA-CASE-GSC-12555-1] c33 N80-26601
An implantable electrical device
[NASA-CASE-GSC-12560-1] c52 N80-27073
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c32 N80-28578
Low intensity X-ray and gamma-ray imaging spectrometer
[NASA-CASE-GSC-12587-1] c35 N80-29635
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c37 N80-29705
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c76 N80-32246
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c31 N80-32583
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c37 N80-32717
Method of and apparatus for damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c18 N81-12156
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c33 N81-12331
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c35 N81-12386
Multiprism collimator
[NASA-CASE-GSC-12608-1] c35 N81-12387
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c33 N81-14221
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c37 N81-14320

Linear magnetic bearings
[NASA-CASE-GSC-12582-1] c37 N81-16469
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c37 N81-16470
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c31 N81-19343
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c33 N81-19392

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LYNDON B. JOHNSON SPACE CENTER, HOUSTON, TEX.

Coupling device
[NASA-CASE-XMS-07846-1] c09 N69-21927
Flow test device
[NASA-CASE-XMS-04917] c14 N69-24257
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c31 N69-27499
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c09 N69-39885
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c09 N69-39986
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c07 N70-12616
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c15 N70-22192
Heat shield Patent
[NASA-CASE-XMS-00486] c33 N70-33344
Life raft Patent
[NASA-CASE-XMS-00863] c05 N70-34857
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c05 N70-35152
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c15 N70-35679
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c18 N70-36400
Life preserver Patent
[NASA-CASE-XMS-00864] c05 N70-36493
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c05 N70-39922
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c07 N70-40063
Measuring device Patent
[NASA-CASE-XMS-01546] c14 N70-40233
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c05 N70-41297
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c05 N70-41329
Radial module space station Patent
[NASA-CASE-XMS-01906] c31 N70-41373
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c31 N70-41631
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c14 N70-41682
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c15 N70-41808
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c14 N70-41812
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c31 N70-41871
Mass measuring system Patent
[NASA-CASE-XMS-03371] c05 N70-42000
Line cutter Patent
[NASA-CASE-XMS-04072] c15 N70-42017
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c31 N70-42075
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c10 N71-10578
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c11 N71-10746
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c02 N71-11039
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c05 N71-11190
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c05 N71-12335
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c05 N71-12336
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c05 N71-12344
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c05 N71-12345
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c07 N71-12391
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c09 N71-12526

High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c09 N71-13518
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c18 N71-15545
Ablation structures Patent
[NASA-CASE-XMS-01816] c33 N71-15623
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c12 N71-16031
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c31 N71-16080
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c33 N71-16277
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c12 N71-17569
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c05 N71-17599
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c15 N71-17648
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c15 N71-17803
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c09 N71-18720
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c05 N71-19439
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c09 N71-19479
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c14 N71-19568
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c11 N71-21474
Shock absorber Patent
[NASA-CASE-XMS-03722] c15 N71-21530
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c15 N71-22722
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c05 N71-22748
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c15 N71-22798
Tension measurement device Patent
[NASA-CASE-XMS-04545] c15 N71-22878
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c16 N71-22895
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c05 N71-22896
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c14 N71-22993
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c11 N71-23042
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c05 N71-23096
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c05 N71-23317
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMP-04367] c09 N71-23545
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c15 N71-24599
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c07 N71-24625
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c05 N71-24728
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c09 N71-24842
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c15 N71-25975
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c09 N71-26002
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c07 N71-26181
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c18 N71-26285
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c07 N71-27056
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c14 N71-27058
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c15 N71-27147
Orbital escape device Patent
[NASA-CASE-XMS-06162] c31 N71-28851
Inflatable tether Patent
[NASA-CASE-XMS-10993] c15 N71-28936
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c03 N71-29044
Color television system
[NASA-CASE-MSC-12146-1] c07 N72-17109
Current dependent filter inductance
[NASA-CASE-ERC-10139] c09 N72-17154
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c15 N72-17450
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c33 N72-17947
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c14 N72-21409
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c05 N72-22093
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c09 N72-25257
Foldable construction block
[NASA-CASE-MSC-12233-1] c15 N72-25454
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c15 N72-25457
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c31 N72-25842
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c33 N72-25913
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c07 N72-33146
Altitude measuring system
[NASA-CASE-ERC-10412-1] c09 N73-12211
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c30 N73-12884
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c23 N73-13661
Foldable construction block
[NASA-CASE-MSC-12233-2] c32 N73-13921
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c31 N73-14854
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c10 N73-25240
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c02 N73-26006
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c14 N73-26431
Powerplexer
[NASA-CASE-MSC-12396-1] c03 N73-31988
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c05 N73-32014
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c08 N73-32081
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c08 N74-10942
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c46 N74-13011
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c62 N74-14920
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Optical instruments
[NASA-CASE-MSC-14096-1] c74 N74-15095
Multifunction audio digitizer
[NASA-CASE-MSC-13855-1] c35 N74-17885
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c24 N74-19769
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c32 N74-20810
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c32 N74-26654
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c32 N74-27612

Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c33 N74-27705
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c35 N74-27860
Latch mechanism
[NASA-CASE-MSC-12549-1] c37 N74-27903
Digital communication system
[NASA-CASE-MSC-13912-1] c32 N74-30524
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c54 N74-32546
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c32 N74-32598
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c33 N74-32711
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c35 N74-32879
Anti-fog composition
[NASA-CASE-MSC-13530-2] c23 N75-14834
Four phase logic systems
[NASA-CASE-MSC-14240-1] c33 N75-14957
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c33 N75-18479
Random pulse generator
[NASA-CASE-MSC-14131-1] c33 N75-19515
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c77 N75-20139
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c32 N75-21486
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c18 N75-27041
Multiple circuit protector device
[NASA-CASE-XMS-02744] c33 N75-27249
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c37 N75-27376
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c54 N75-27759
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c35 N75-30504
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c34 N75-33342
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c18 N76-14186
Reconstituted asbestos matrix
[NASA-CASE-MSC-12568-1] c24 N76-14204
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c27 N76-14264
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c52 N76-14757
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c54 N76-14804
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c12 N76-15189
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c32 N76-16249
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
Space vehicle system
[NASA-CASE-MSC-12561-1] c18 N76-17185
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c37 N76-18455
Auger attachment method for insulation
[NASA-CASE-MSC-12615-1] c37 N76-19437
Position determination systems
[NASA-CASE-MSC-12593-1] c17 N76-21250
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c27 N76-23426
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c60 N76-23850
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c27 N76-24405
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900
A logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c52 N76-27839
Sun angle calculator
[NASA-CASE-MSC-12617-1] c35 N76-29552
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c91 N76-30131
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c74 N76-31998
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c32 N77-12239
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c33 N77-13338
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c23 N77-17161
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c74 N77-18893
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c35 N77-19385
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c32 N77-24331
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c33 N77-24375
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c35 N77-27368
Surface finishing
[NASA-CASE-MSC-12631-1] c24 N77-28225
Pressure modulating value
[NASA-CASE-MSC-14905-1] c37 N77-28487
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c52 N77-28717
Process for removing sulfur dioxide from gas streams
[NASA-CASE-MSC-16299-1] c45 N77-31668
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c54 N77-32722
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c25 N78-10225
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c33 N78-10375
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c35 N78-10428
Reciprocating engines
[NASA-CASE-MSC-16239-1] c37 N78-11399
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c35 N78-12390
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c54 N78-14784
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c27 N78-17213
Temperature compensated current source
[NASA-CASE-MSC-11235] c33 N78-17294
Microbalance
[NASA-CASE-MSC-11242] c35 N78-17358
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N78-17383
Restraining mechanism
[NASA-CASE-MSC-13054] c54 N78-17677
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678
Protective garment ventilation system
[NASA-CASE-XMS-04928] c54 N78-17679

Helmet feedport
[NASA-CASE-XMS-09653] c54 N78-17680
Optical conversion method
[NASA-CASE-MSC-12618-1] c74 N78-17865
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c54 N78-18761
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c18 N78-22146
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N78-24333
Stator rotor tools
[NASA-CASE-MSC-16000-1] c37 N78-24544
High visibility air sea rescue panel
[NASA-CASE-MSC-12564-2] c03 N78-25070
Ceramic fiber insulating material and method of producing same
[NASA-CASE-MSC-14795-2] c24 N78-25138
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c34 N78-25350
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c37 N78-25426
Flame retardant formulations and products produced therefrom
[NASA-CASE-MSC-16307-1] c25 N78-27232
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
Urine collection device
[NASA-CASE-MSC-16433-1] c52 N78-27750
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N78-32256
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c54 N78-32720
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c32 N79-10263
Phased array antenna control
[NASA-CASE-MSC-14939-1] c32 N79-11264
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c33 N79-11313
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c37 N79-11402
Thermal insulation attaching means
[NASA-CASE-MSC-12619-2] c27 N79-12221
Lightweight electrically-powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c33 N79-12331
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c45 N79-12584
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c38 N79-14398
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c32 N79-20297
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N79-20377
Water separator
[NASA-CASE-XMS-01295-1] c37 N79-21345
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c52 N79-21750
Diced tile thermal protection for spacecraft
[NASA-CASE-MSC-16366-1] c24 N79-23142
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c25 N79-23167
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c52 N79-23657
Fluid sample collection and distribution system
[NASA-CASE-MSC-16841-1] c34 N79-24285
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c24 N79-25142
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c33 N79-28415
Fused switch
[NASA-CASE-XMS-01244-1] c33 N79-33393
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c37 N79-33467
Compound oxidized styrylphosphine
[NASA-CASE-MSC-14903-2] c27 N80-10358
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N80-10799
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c33 N80-14338
Surface conforming thermal/pressure seal
[NASA-CASE-MSC-18422-1] c37 N80-14400
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c51 N80-16714
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-1] c26 N80-19237
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c35 N80-19468
Open ended ratchet type tubing cutter
[NASA-CASE-MSC-18538-1] c37 N80-22703
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c27 N80-24440
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c32 N80-24511
Cell and method for electrolysis of water and anode therefor
[NASA-CASE-MSC-16394-1] c25 N80-26406
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N80-26446
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c51 N80-27067
Complementary cross-slot phased array antenna
[NASA-CASE-MSC-18532-1] c32 N80-29543
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c60 N80-30050
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c32 N80-32604
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c74 N80-33210
Surface finishing
[NASA-CASE-MSC-12631-3] c27 N81-14077
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c32 N81-15179
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c37 N81-15363
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c54 N81-15699
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c74 N81-15818
Improved attachment system for silica tiles
[NASA-CASE-MSC-18741-1] c16 N81-16110
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-1] c24 N81-16127
Receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c32 N81-16338
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-2] c37 N81-16468
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. JOHN F. KENNEDY SPACE CENTER, COCOA BEACH, FLA.

Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c14 N69-39785

Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c15 N71-10782
Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c09 N71-13521
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c31 N71-15566
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c14 N71-15600
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c07 N71-19493
Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c15 N71-21234
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c09 N71-22796
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c14 N71-23175
Separation simulator Patent
[NASA-CASE-XKS-04631] c10 N71-23663
Controlled release device Patent
[NASA-CASE-XKS-03338] c15 N71-24043
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c05 N71-24606
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c07 N71-24614
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c08 N71-24890
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c11 N71-24985
Video sync processor Patent
[NASA-CASE-KSC-10002] c10 N71-25865
Weld preparation machine Patent
[NASA-CASE-XKS-07953] c15 N71-26134
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c07 N71-26292
Internal work light Patent
[NASA-CASE-XKS-05932] c09 N71-26787
Emergency escape system Patent
[NASA-CASE-XKS-07814] c15 N71-27067
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c10 N71-27338
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c11 N71-28629
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c07 N71-33108
Ripple indicator
[NASA-CASE-KSC-10162] c09 N72-11225
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c14 N72-18411
High speed direct binary-to-binary coded decimal converter
[NASA-CASE-KSC-10326] c08 N72-21197
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c09 N72-21247
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c31 N72-21893
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c15 N72-22486
Buffered analog converter
[NASA-CASE-KSC-10397] c08 N72-25206
Lamp modulator
[NASA-CASE-KSC-10565] c09 N72-25250
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c15 N72-25453
Pressurized lighting system
[NASA-CASE-KSC-10644] c09 N72-27227
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c08 N73-12176
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c15 N73-12486
Electronic video editor
[NASA-CASE-KSC-10003] c10 N73-13235
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c07 N73-26117
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c15 N73-26472
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c14 N73-27378
Television multiplexing system
[NASA-CASE-KSC-10654-1] c07 N73-30115

Lightning tracking system
[NASA-CASE-KSC-10729-1] c09 N73-32110
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c14 N73-32318
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c33 N74-27862
Digital servo controller
[NASA-CASE-KSC-10769-1] c33 N74-29556
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c35 N75-12270
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c37 N75-13265
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c33 N75-19521
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c33 N75-26246
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c33 N75-30431
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c33 N76-14371
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c52 N77-14738
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c52 N77-25772
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c54 N77-30749
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c74 N78-14889
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c35 N78-28411
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c44 N78-32542
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c33 N79-10337
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c33 N79-11315
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c74 N79-12890
Lightning current detector
[NASA-CASE-KSC-11057-1] c33 N79-14305
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c33 N79-18193
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c33 N79-22373
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
Common data buffer system
[NASA-CASE-KSC-11048-1] c60 N79-23674
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c33 N79-25313
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c52 N79-26772
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c35 N79-27479
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c60 N79-27865
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c32 N79-28383
A system for sterilizing objects
[NASA-CASE-KSC-11085-1] c54 N79-33848
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c74 N81-12862
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c31 N81-14137
System for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c02 N81-14967

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LANGLEY RESEARCH CENTER, HAMPTON, VA.

Jet shoes
[NASA-CASE-XLA-08491] c05 N69-21380
Condenser - Separator
[NASA-CASE-XLA-08645] c15 N69-21465
Connector - Electrical
[NASA-CASE-XLA-01288] c09 N69-21470
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c11 N69-21540
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c14 N69-27461

Evaporant holder
[NASA-CASE-XLA-03105] c15 N69-27483
Compensating radiometer
[NASA-CASE-XLA-04556] c14 N69-27484
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c15 N69-27490
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c15 N69-27505
Ablation sensor
[NASA-CASE-XLA-01781] c14 N69-39975
Aeroflexible structures
[NASA-CASE-XLA-06095] c01 N69-39981
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c09 N69-39984
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c15 N70-26819
Folding apparatus Patent
[NASA-CASE-XLA-00137] c15 N70-33180
Infrared scanner Patent
[NASA-CASE-XLA-00120] c21 N70-33181
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c31 N70-33242
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c14 N70-33254
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c02 N70-33255
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c02 N70-33266
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c25 N70-33267
Survival couch Patent
[NASA-CASE-XLA-00118] c05 N70-33285
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c02 N70-33286
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c11 N70-33287
Hydrofoil Patent
[NASA-CASE-XLA-00229] c12 N70-33305
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c09 N70-33312
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c14 N70-33322
Runway light Patent
[NASA-CASE-XLA-00119] c11 N70-33329
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c28 N70-33331
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c02 N70-33332
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c03 N70-33343
Nozzle Patent
[NASA-CASE-XLA-00154] c28 N70-33374
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c14 N70-33386
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c31 N70-34135
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c02 N70-34160
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c14 N70-34161
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c02 N70-34178
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c21 N70-34295
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c31 N70-34296
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c33 N70-34540
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c09 N70-34559
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c25 N70-34661
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c03 N70-34667
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c08 N70-34778
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c27 N70-34783
Impact simulator Patent
[NASA-CASE-XLA-00493] c11 N70-34786
Accelerometer with PM output Patent
[NASA-CASE-XLA-00492] c14 N70-34799
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c15 N70-34850
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c02 N70-34858
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c15 N70-36409
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c32 N70-36536
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c33 N70-36617
Foam generator Patent
[NASA-CASE-XLA-00838] c03 N70-36778
Parachute glider Patent
[NASA-CASE-XLA-00898] c02 N70-36804
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c26 N70-36805
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c14 N70-36807
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c14 N70-36824
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c02 N70-36825
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c21 N70-36943
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c25 N70-36946
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c15 N70-37925
Space capsule Patent
[NASA-CASE-XLA-00149] c31 N70-37938
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c33 N70-37979
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c31 N70-37981
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c31 N70-37986
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c02 N70-38009
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c31 N70-38010
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c07 N70-38200
Despin weight release Patent
[NASA-CASE-XLA-00679] c15 N70-38601
Manned space station Patent
[NASA-CASE-XLA-00258] c31 N70-38676
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c03 N70-39930
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c26 N70-40015
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c15 N70-40156
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c14 N70-40157
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c14 N70-40239
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c30 N70-40309
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c07 N70-41331
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c14 N70-41332
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c14 N70-41366
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c07 N70-41372
Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c15 N70-41679
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c02 N70-41863
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c28 N70-41967
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c32 N70-42003
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c31 N70-42015
Double hinged flap Patent
[NASA-CASE-XLA-01290] c02 N70-42016
Spacecraft separation system for spinning vehicles and/or payloads Patent

[NASA-CASE-XLA-02132] c31 N71-10582
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c15 N71-10672
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c14 N71-10773
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c14 N71-10774
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c07 N71-10775
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c11 N71-10776
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c28 N71-10780
All-directional fastener Patent
[NASA-CASE-XLA-01807] c15 N71-10799
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c02 N71-11037
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c02 N71-11038
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c02 N71-11041
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c02 N71-11043
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c05 N71-11195
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c05 N71-11207
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c06 N71-11235
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c06 N71-11238
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c07 N71-11266
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c07 N71-11284
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c21 N71-11766
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c02 N71-12243
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c03 N71-12258
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c03 N71-12259
Backpack carrier Patent
[NASA-CASE-LAR-10056] c05 N71-12351
Optical communications system Patent
[NASA-CASE-XLA-01090] c07 N71-12389
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c08 N71-12501
Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c08 N71-12507
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c09 N71-12514
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c01 N71-13411
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c02 N71-13422
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c10 N71-13545
Quick release connector Patent
[NASA-CASE-XLA-01141] c15 N71-13789
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c21 N71-14132
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c14 N71-14996
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c25 N71-15562
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c15 N71-15571
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c21 N71-15582
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c14 N71-15620
Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c31 N71-15663
Space capsule Patent
[NASA-CASE-XLA-01332] c31 N71-15664
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c31 N71-15674
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c31 N71-15687
Velocity package Patent
[NASA-CASE-XLA-01339] c31 N71-15692
File card marker Patent
[NASA-CASE-XLA-02705] c08 N71-15908
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c11 N71-15925
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c11 N71-15926
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c11 N71-16028
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c15 N71-16077
Separator Patent
[NASA-CASE-XLA-00415] c15 N71-16079
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c31 N71-16085
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c32 N71-16103
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c32 N71-16106
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c31 N71-16221
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c20 N71-16281
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c32 N71-16428
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c12 N71-16894
Leak detector Patent
[NASA-CASE-LAR-10323-1] c12 N71-17573
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c12 N71-17579
Contour surveying system Patent
[NASA-CASE-XLA-08646] c14 N71-17586
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c32 N71-17609
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c33 N71-17610
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c14 N71-17626
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c31 N71-17680
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c31 N71-17691
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c15 N71-17696
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c33 N71-17897
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c14 N71-18481
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c14 N71-18482
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c09 N71-18599
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c15 N71-18616
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c08 N71-18751
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c15 N71-19569
G conditioning suit Patent
[NASA-CASE-XLA-02898] c05 N71-20268
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c14 N71-20430
Flow field simulation Patent
[NASA-CASE-LAR-11138] c12 N71-20436
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c09 N71-20447
Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c25 N71-20563

Null device for hand controller Patent
[NASA-CASE-XLA-01808] c15 N71-20740
Event recorder Patent
[NASA-CASE-XLA-01832] c14 N71-21006
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c32 N71-21045
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c15 N71-21060
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c14 N71-21079
Random function tracer Patent
[NASA-CASE-XLA-01401] c15 N71-21179
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c15 N71-21404
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c11 N71-21475
Multilegged support system Patent
[NASA-CASE-XLA-01326] c11 N71-21481
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c28 N71-21493
Canister closing device Patent
[NASA-CASE-XLA-01446] c15 N71-21528
Ablation sensor Patent
[NASA-CASE-XLA-01794] c33 N71-21586
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c25 N71-21693
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c21 N71-21708
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c15 N71-22713
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c14 N71-22765
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c33 N71-22792
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c21 N71-22880
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c09 N71-22888
Thermal control panel Patent
[NASA-CASE-XLA-07728] c33 N71-22890
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c31 N71-22968
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c31 N71-22969
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c15 N71-22982
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c14 N71-22989
Ablation sensor Patent
[NASA-CASE-XLA-01791] c14 N71-22991
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c09 N71-22999
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c31 N71-23008
Thermal control coating Patent
[NASA-CASE-XLA-01995] c18 N71-23047
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c15 N71-23052
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c10 N71-23084
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c14 N71-23092
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c14 N71-23240
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c14 N71-23268
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c14 N71-23269
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c10 N71-23315
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c01 N71-23497
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c23 N71-23976
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c16 N71-24074
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c16 N71-24170
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c33 N71-24276
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c31 N71-24315
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c15 N71-24875
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c15 N71-24895
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c32 N71-25360
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c14 N71-25892
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c14 N71-25901
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c17 N71-25903
Laser calibrator Patent
[NASA-CASE-XLA-03410] c16 N71-25914
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c18 N71-26100
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c02 N71-26110
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c14 N71-26136
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c14 N71-26137
Resilience testing device Patent
[NASA-CASE-XLA-08254] c14 N71-26161
Precipitation detector Patent
[NASA-CASE-XLA-02619] c10 N71-26334
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c12 N71-26387
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c32 N71-26681
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c15 N71-26721
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c28 N71-26779
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c15 N71-27006
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c08 N71-27057
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c02 N71-27088
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c15 N71-27146
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c15 N71-27169
Soldering device Patent
[NASA-CASE-XLA-08911] c15 N71-27214
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c14 N71-27215
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c10 N71-27271
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c10 N71-27272
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c15 N71-28740
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c33 N71-28903
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c14 N71-28933
Optical communications system Patent
[NASA-CASE-XLA-01090] c16 N71-28963
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c07 N71-28980
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c14 N71-28991
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c15 N71-29018
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c14 N71-29041
Two component bearing Patent
[NASA-CASE-XLA-00013] c15 N71-29136

Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c09 N71-29139
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c25 N71-29184
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c15 N71-33518
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c11 N71-33612
Variable geometry rotor system
[NASA-CASE-LAR-10557] c02 N72-11018
Flared tube strainer
[NASA-CASE-XLA-05056] c15 N72-11389
Impact measuring technique
[NASA-CASE-LAR-10913] c14 N72-16282
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c15 N72-16329
Tube fabricating process
[NASA-CASE-LAR-10203-1] c15 N72-16330
Air bearing
[NASA-CASE-WLP-10002] c15 N72-17451
Extensometer frame
[NASA-CASE-XLA-10322] c15 N72-17452
Split range transducer
[NASA-CASE-XLA-11189] c10 N72-20222
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c14 N72-20380
Radar calibration sphere
[NASA-CASE-XLA-11154] c07 N72-21117
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c07 N72-21119
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c09 N72-21244
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c09 N72-21248
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c15 N72-21489
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c09 N72-22204
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c11 N72-22246
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c14 N72-22437
Star image motion compensator
[NASA-CASE-LAR-10523-1] c14 N72-22444
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c14 N72-22445
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c15 N72-22484
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c16 N72-22520
One hand backpack harness
[NASA-CASE-LAR-10102-1] c05 N72-23085
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c09 N72-23172
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c09 N72-25247
Hall effect transducer
[NASA-CASE-LAR-10620-1] c09 N72-25255
Radio frequency filter device
[NASA-CASE-XLA-02609] c09 N72-25256
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c09 N72-25258
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c11 N72-25284
Low mass truss structure
[NASA-CASE-LAR-10546-1] c11 N72-25287
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c05 N72-27102
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c15 N72-27485
Light regulator
[NASA-CASE-LAR-10836-1] c26 N72-27784
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c33 N72-27959
Spherical measurement device
[NASA-CASE-XLA-06683] c14 N72-28436
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c14 N72-28438
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c26 N72-28762
Deposition apparatus
[NASA-CASE-LAR-10541-1] c15 N72-32487
Lift balancing device
[NASA-CASE-LAR-10348-1] c11 N73-12264
Air removal device
[NASA-CASE-XLA-8914] c15 N73-12492
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c17 N73-12547
Logical function generator
[NASA-CASE-XLA-05099] c09 N73-13209
Ferry system
[NASA-CASE-LAR-10574-1] c11 N73-13257
Flow velocity and directional instrument
[NASA-CASE-LAR-10655-1] c14 N73-13415
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c31 N73-13898
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c15 N73-14468
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c06 N73-16106
Combustion detector
[NASA-CASE-LAR-10739-1] c14 N73-16484
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c16 N73-16536
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c14 N73-19419
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c15 N73-19458
Rate data encoder
[NASA-CASE-LAR-10128-1] c08 N73-20217
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c10 N73-20253
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c14 N73-20475
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c32 N73-20740
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c12 N73-25262
Cable restraint
[NASA-CASE-LAR-10129-1] c15 N73-25512
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c32 N73-26910
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c17 N73-27446
Ablation article and method
[NASA-CASE-LAR-10439-1] c33 N73-27796
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c12 N73-28144
Pressurized panel
[NASA-CASE-XLA-08916-2] c14 N73-28487
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c21 N73-30641
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c14 N73-32322
Meteoroid detector
[NASA-CASE-LAR-10483-1] c14 N73-32327
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c02 N74-10034
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c33 N74-10223
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c33 N74-11050
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c37 N74-11301
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c35 N74-13132
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c31 N74-13177
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c37 N74-13178
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c70 N74-13436
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c31 N74-14133
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c54 N74-14845

Attitude sensor
[NASA-CASE-LAR-10586-1] c19 N74-15089
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c35 N74-15091
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c35 N74-15092
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c34 N74-15652
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c35 N74-16135
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c09 N74-17955
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c35 N74-18088
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c31 N74-18089
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c31 N74-18124
Method for determining thermo-physical properties of specimens
[NASA-CASE-LAR-11053-1] c25 N74-18551
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c09 N74-15528
Reefing system
[NASA-CASE-LAR-10129-2] c37 N74-20063
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c60 N74-20836
Orbital and entry tracking accessory for globes
[NASA-CASE-LAR-10626-1] c19 N74-21015
Digital controller for a Baum folding machine
[NASA-CASE-LAR-10688-1] c37 N74-21056
Totally confined explosive welding
[NASA-CASE-LAR-10941-1] c37 N74-21057
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c31 N74-21059
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c35 N74-21062
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c33 N74-22865
Bonded joint and method
[NASA-CASE-LAR-10900-1] c37 N74-23064
Light shield and cooling apparatus
[NASA-CASE-LAR-10089-1] c34 N74-23066
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c24 N74-27035
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c31 N74-27900
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c37 N74-27905
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c24 N74-30001
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c08 N74-30421
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c09 N74-30597
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c34 N74-30608
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c07 N74-31270
Noise suppressor
[NASA-CASE-LAR-11141-1] c07 N74-32418
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c35 N74-32877
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c35 N74-32878
Molding apparatus
[NASA-CASE-LAR-10489-2] c31 N74-32920
Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c25 N74-33378
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c85 N74-34672
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c35 N74-34857
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c35 N75-12272
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c37 N75-12326
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c76 N75-12810
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c24 N75-13032
Evacuated, displacement compression mold
[NASA-CASE-LAR-10782-2] c31 N75-13111
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c51 N75-13502
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c35 N75-15014
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c09 N75-15662
Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c33 N75-18477
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c35 N75-19611
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c35 N75-19612
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c35 N75-19613
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c36 N75-19655
High lift aircraft
[NASA-CASE-LAR-11252-1] c05 N75-25914
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c25 N75-26043
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c33 N75-26245
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c34 N75-26282
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c33 N75-27252
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c35 N75-27330
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c27 N75-29263
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c24 N75-30260
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c35 N75-33367
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c35 N75-33368
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c35 N75-33369
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c15 N76-14158
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c32 N76-14321
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c33 N76-14372
Static pressure probe
[NASA-CASE-LAR-11552-1] c35 N76-14429
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c35 N76-15432
Deploy/release system
[NASA-CASE-LAR-11575-1] c02 N76-16014
Clock setter
[NASA-CASE-LAR-11458-1] c35 N76-16392
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c34 N76-17317
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c45 N76-17656
Cascade plug nozzle
[NASA-CASE-LAR-11674-1] c07 N76-18117
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c34 N76-18364
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c35 N76-18400

Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c37 N76-18456
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c52 N76-19785
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c04 N76-20114
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Airfoil shape for flight at subsonic speeds
[NASA-CASE-LAR-10585-1] c02 N76-22154
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c35 N76-22509
Air removal device
[NASA-CASE-XLA-8914-2] c34 N76-23522
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c35 N76-24523
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c37 N76-24575
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
Connector
[NASA-CASE-LAR-11709-1] c37 N76-27567
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c45 N76-31714
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c02 N77-10001
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c32 N77-10392
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c32 N77-14292
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c35 N77-14407
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c37 N77-14478
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-1349] c20 N77-17143
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c34 N77-18382
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c04 N77-19056
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c74 N77-20882
Method of locating persons in distress
[NASA-CASE-LAR-11390-1] c32 N77-21267
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c35 N77-22449
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c37 N77-23482
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c34 N77-24423
Process for control of cell division
[NASA-CASE-LAR-10773-3] c51 N77-25769
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c33 N77-26387
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c09 N77-27131
Lightweight structural columns
[NASA-CASE-LAR-12095-1] c39 N77-27432
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c51 N77-27677
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c07 N77-28118
Variable dihedral shuttle orbiter
[NASA-CASE-LAR-10706-2] c05 N77-31132
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c24 N78-10214
Differential sound level meter
[NASA-CASE-LAR-12106-1] c71 N78-14867
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c25 N78-15210
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c39 N78-15512
Solar heating system
[NASA-CASE-LAR-12009-1] c44 N78-15560
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c74 N78-15879
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c39 N78-16387
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c24 N78-17149
Composite lamination method
[NASA-CASE-LAR-12019-1] c24 N78-17150
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c27 N78-17205
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206
Optical scanner
[NASA-CASE-LAR-11711-1] c74 N78-17866
Fuselage structure using advanced technology metal matrix fiber reinforced composites
[NASA-CASE-LAR-11688-1] c05 N78-18045
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c20 N78-24275
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c35 N78-24515
Small air breathing launch vehicle
[NASA-CASE-LAR-12250-1] c15 N78-25120
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c07 N78-27121
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c35 N78-27384
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c37 N78-27424
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c74 N78-27904
Supersonic transport
[NASA-CASE-LAR-11932-1] c05 N78-32086
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c15 N78-32168
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c27 N78-32261
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c35 N78-32397
Independent power generator
[NASA-CASE-LAR-11208-1] c44 N78-32539
Telescoping columns
[NASA-CASE-LAR-12195-1] c37 N78-33446
Pseudo continuous wave instrument
[NASA-CASE-LAR-12260-1] c35 N79-10390
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c31 N79-11246
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c34 N79-12359
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c37 N79-13364
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c08 N79-14108
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c35 N79-14347
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c35 N79-14349
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382
Chromatically corrected virtual image display
[NASA-CASE-LAR-12251-1] c74 N79-14892
Adaptive polarization separation experiments
[NASA-CASE-LAR-12196-1] c32 N79-18154
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c35 N79-18296
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c36 N79-18307
A pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c08 N79-20135
A velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c08 N79-20136
Wind tunnel
[NASA-CASE-LAR-10135-1] c09 N79-21083
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c39 N79-22537

Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c08 N79-23097
Electrochemical detection device
[NASA-CASE-LAR-11922-1] c25 N79-24073
High-temperature microphone system
[NASA-CASE-LAR-12375-1] c32 N79-24203
Helicopter rotor airfoil
[NASA-CASE-LAR-12396-1] c02 N79-24958
A cooling system for an aircraft having a cruise range from Mach 2 to Mach 8
[NASA-CASE-LAR-12406-1] c05 N79-24980
Foldable beam
[NASA-CASE-LAR-12077-1] c39 N79-25425
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c54 N79-25761
Rotary target V-block
[NASA-CASE-LAR-12007-2] c74 N79-25876
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c35 N79-26372
Large volume multiple path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c36 N79-26385
Direction sensitive laser velocimeter
[NASA-CASE-LAR-12177-1] c36 N79-26532
Solar engine
[NASA-CASE-LAR-12148-1] c44 N79-29608
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c09 N79-31228
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c27 N79-33316
A hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c05 N80-11065
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c35 N80-11400
Induction heating gun
[NASA-CASE-LAR-12540-1] c37 N80-11468
One step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c37 N80-11469
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c51 N80-11756
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c24 N80-12117
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c74 N80-12866
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c35 N80-14371
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c05 N80-16055
Crystalline polyimides
[NASA-CASE-LAR-12099-1] c27 N80-16158
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c27 N80-16164
Laser Doppler velocity simulator
[NASA-CASE-LAR-12176-1] c36 N80-16321
Continuous self-locking spiral wound seal
[NASA-CASE-LAR-12315-1] c37 N80-16339
Precision reciprocating filament chopper
[NASA-CASE-LAR-12564-1] c37 N80-17468
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c04 N80-18019
Tackifier for addition polyimides
[NASA-CASE-LAR-12642-1] c27 N80-18179
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c35 N80-18358
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c35 N80-18363
Moving body velocity arresting line
[NASA-CASE-LAR-12372-1] c37 N80-18399
Improved tire/wheel concept
[NASA-CASE-LAR-11695-2] c37 N80-18402
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c43 N80-18498
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c44 N80-18552
Automated syringe sampler
[NASA-CASE-LAR-12308-1] c45 N80-19664
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface
[NASA-CASE-LAR-12261-1] c02 N80-20224
CDS solid state phase insensitive ultrasonic transducer
[NASA-CASE-LAR-12304-1] c35 N80-20559
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c44 N80-20810
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c74 N80-21138
Decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c08 N80-22359
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c09 N80-22369
An image readout device with electrically variable spatial resolution
[NASA-CASE-LAR-12633-1] c35 N80-22661
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c37 N80-22704
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c09 N80-24334
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
Heating and cooling system
[NASA-CASE-LAR-12393-1] c39 N80-25693
Frequency tracked pulse technique for ultrasonic analysis
[NASA-CASE-LAR-12697-1] c32 N80-26571
Chromatically corrected virtual image visual display
[NASA-CASE-LAR-12251-1] c74 N80-27185
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c33 N80-28635
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c35 N80-28686
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c35 N80-28687
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c32 N80-29539
Natural turbulence electrical power generator
[NASA-CASE-LAR-11551-1] c44 N80-29834
Digital demodulator
[NASA-CASE-LAR-12659-1] c33 N80-31731
Film advance indicator
[NASA-CASE-LAR-12474-1] c35 N80-31774
Process for preparing high temperature polyimide film laminates
[NASA-CASE-LAR-12742-1] c24 N81-12174
Heat pipe honeycomb panel
[NASA-CASE-LAR-12637-1] c34 N81-12362
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c35 N81-12388
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c35 N81-12389
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c35 N81-12390
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c37 N81-12422
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c52 N81-12724
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c24 N81-14000
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c27 N81-14078
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c37 N81-14319
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968
Thermoset-thermoplastic aromatic polyamides
[NASA-CASE-LAR-12723-1] c27 N81-15107
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c33 N81-15195
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-2] c24 N81-16128
Leading edge vortex flaps for drag reduction
[NASA-CASE-LAR-12750-1] c02 N81-19016
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c05 N81-19087
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c08 N81-19130

A low energy electron magnetometer
[NASA-CASE-LAR-12706-1] c35 N81-19428
Fixture for environmental exposure of structural materials under compression
[NASA-CASE-LAR-12602-1] c35 N81-19429

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. LEWIS RESEARCH CENTER, CLEVELAND, OHIO.

Foil seal
[NASA-CASE-XLE-05130] c15 N69-21362
Fluid jet amplifier
[NASA-CASE-XLE-03512] c12 N69-21466
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c09 N69-21542
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c14 N69-23191
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c25 N69-39884
Ion thrustor cathode
[NASA-CASE-XLE-07087] c06 N69-39889
Superconducting alternator
[NASA-CASE-XLE-02824] c03 N69-39890
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c03 N69-39898
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c03 N69-39983
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c12 N69-39988
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c15 N70-33226
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c28 N70-33241
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c15 N70-33264
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c28 N70-33265
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c11 N70-33278
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c17 N70-33283
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c28 N70-33284
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c17 N70-33288
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c15 N70-33311
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c15 N70-33330
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c28 N70-33356
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c28 N70-33372
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c28 N70-33375
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c15 N70-33376
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c15 N70-33382
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c03 N70-34134
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c14 N70-34156
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c28 N70-34175
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c15 N70-34247
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c28 N70-34294
High temperature heat source Patent
[NASA-CASE-XLE-00490] c33 N70-34545
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c28 N70-34788
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c33 N70-34812
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c14 N70-34818

Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c11 N70-34844
Conical valve plug Patent
[NASA-CASE-XLE-00715] c15 N70-34859
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c28 N70-34860
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c15 N70-34861
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c14 N70-35368
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c28 N70-35422
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c15 N70-36411
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c15 N70-36412
Fluid coupling Patent
[NASA-CASE-XLE-00397] c15 N70-36492
Injector-valve device Patent
[NASA-CASE-XLE-00303] c15 N70-36535
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c17 N70-36616
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c14 N70-36618
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c28 N70-36806
Ion rocket Patent
[NASA-CASE-XLE-00376] c28 N70-37245
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c02 N70-37939
Rocket engine Patent
[NASA-CASE-XLE-00342] c28 N70-37980
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c02 N70-38011
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c15 N70-38020
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c28 N70-38197
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c17 N70-38198
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c28 N70-38199
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c17 N70-38490
Rocket motor system Patent
[NASA-CASE-XLE-00323] c28 N70-38505
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c14 N70-38602
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c28 N70-38711
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c28 N70-39895
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c18 N70-39897
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c28 N70-39899
High temperature spark plug Patent
[NASA-CASE-XLE-00660] c28 N70-39925
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c12 N70-40124
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c14 N70-40201
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c09 N70-40234
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c28 N70-40367
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c28 N70-41576
Foldable conduit Patent
[NASA-CASE-XLE-00620] c32 N70-41579
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c15 N70-41646
Method of making a regeneratively cooled combustion chamber Patent

[NASA-CASE-XLE-00150] c28 N70-41818
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c14 N70-41946
Small rocket engine Patent
[NASA-CASE-XLE-00685] c28 N70-41992
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c15 N70-41993
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c14 N70-42074
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c14 N71-10500
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c24 N71-10560
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c28 N71-10574
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c15 N71-10577
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c26 N71-10607
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c18 N71-10772
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c11 N71-10777
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c14 N71-10797
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c09 N71-13522
Capillary radiator Patent
[NASA-CASE-XLE-03307] c33 N71-14035
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c28 N71-14043
Split welding chamber Patent
[NASA-CASE-LEW-11531] c15 N71-14932
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c15 N71-15597
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c15 N71-15610
Black-body furnace Patent
[NASA-CASE-XLE-01399] c33 N71-15625
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c27 N71-15634
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c27 N71-15635
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c31 N71-15637
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c17 N71-15644
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c28 N71-15659
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c28 N71-15661
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c17 N71-16025
Nickel-base alloy containing Mo-W-Al-Cr-Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c17 N71-16026
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c15 N71-16052
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c15 N71-16076
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c33 N71-16104
Method of making self lubricating fluoride-metal composite materials Patent
[NASA-CASE-XLE-08511-2] c18 N71-16105
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c31 N71-17629
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c15 N71-17652
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c15 N71-17688
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c23 N71-17802
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c10 N71-19471
Foil seal Patent
[NASA-CASE-XLE-05130-2] c15 N71-19570
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c09 N71-20446
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c03 N71-20492
Small plasma probe Patent
[NASA-CASE-XLE-02578] c25 N71-20747
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c03 N71-20904
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c14 N71-21090
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c33 N71-21507
High voltage divider system Patent
[NASA-CASE-XLE-02008] c09 N71-21583
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c25 N71-21694
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c27 N71-21819
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c15 N71-22797
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c23 N71-22881
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c18 N71-22894
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c14 N71-22964
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c09 N71-22987
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c05 N71-23080
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c14 N71-23093
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c09 N71-23190
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c17 N71-23248
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c14 N71-23267
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c26 N71-23292
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c03 N71-23354
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c09 N71-23443
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c03 N71-23449
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c06 N71-23527
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c22 N71-23599
Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c26 N71-23654
Insulation system Patent
[NASA-CASE-XLE-02647] c18 N71-23658
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c18 N71-23710
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c15 N71-23810
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c15 N71-23817
Combustion chamber Patent
[NASA-CASE-XLE-04857] c28 N71-23968
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c15 N71-24046

Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c17 N71-24142
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c33 N71-24145
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c03 N71-24681
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c28 N71-24736
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c10 N71-24798
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c15 N71-24836
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c14 N71-24864
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c17 N71-24911
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c10 N71-25899
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c03 N71-26084
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c18 N71-26153
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c28 N71-26173
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c15 N71-26189
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c28 N71-26642
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c28 N71-26781
Heat activated cell Patent
[NASA-CASE-LEW-11359] c03 N71-28579
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c15 N71-28582
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c12 N71-28741
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c22 N71-28759
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c28 N71-28915
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c09 N71-29035
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c33 N71-29151
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c33 N71-29152
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c28 N71-29154
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c17 N71-33408
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c09 N72-12136
Sensing probe
[NASA-CASE-LEW-10281-1] c14 N72-17327
Method of making emf cell
[NASA-CASE-LEW-11359-2] c03 N72-20034
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c22 N72-20597
Switching regulator
[NASA-CASE-LEW-11005-1] c09 N72-21243
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c09 N72-22196
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c09 N72-22197
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c09 N72-22201
Load-insensitive electrical device
[NASA-CASE-XER-11046] c09 N72-22203
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c15 N72-22490
Production of metal powders
[NASA-CASE-XLE-06461] c17 N72-22530
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c17 N72-22535
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c28 N72-22771
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c06 N72-25150
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c09 N72-25251
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c09 N72-25252
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c14 N72-25410
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c15 N72-25447
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c15 N72-25448
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c15 N72-25452
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c18 N72-25539
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c26 N72-25680
Ablative system
[NASA-CASE-LEW-10359] c33 N72-25911
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c09 N72-27226
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c14 N72-27410
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c17 N72-28535
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c17 N72-28536
Spiral groove seal
[NASA-CASE-XLE-10326-2] c15 N72-29488
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c24 N72-33681
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c09 N73-13208
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c14 N73-13417
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c15 N73-13465
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c28 N73-13773
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c28 N73-19793
Thermocouple tape
[NASA-CASE-LEW-11072-1] c14 N73-24472
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c17 N73-24569
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c25 N73-25760
Ablative system
[NASA-CASE-LEW-10359-2] c33 N73-25952
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c10 N73-26228
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c26 N73-26752
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c05 N73-27062
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c28 N73-27699
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c06 N73-27980
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c14 N73-28488
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c15 N73-28515
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c15 N73-30458
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c23 N73-30665
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c15 N73-32358
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c15 N73-32359
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c17 N73-32414
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c17 N73-32415
Nuclear fuel elements
[NASA-CASE-XLE-00209] c22 N73-32528
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c26 N73-32571

Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c31 N73-32750
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c15 N73-33383
Electron beam controller
[NASA-CASE-LEW-11617-1] c33 N74-10195
Spiral groove seal
[NASA-CASE-LEW-10326-3] c37 N74-10474
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c26 N74-10521
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c37 N74-11300
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c33 N74-12913
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c37 N74-13179
Deposition of alloy films
[NASA-CASE-LEW-11262-1] c27 N74-13270
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c20 N74-13502
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c44 N74-14784
Spiral groove seal
[NASA-CASE-XLE-10326-4] c37 N74-15125
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c37 N74-15128
Gas turbine exhaust nozzle
[NASA-CASE-LEW-11569-1] c07 N74-15453
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c37 N74-18128
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c02 N74-20646
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c33 N74-20859
Electromagnetic flow rate meter
[NASA-CASE-LEW-10981-1] c35 N74-21018
Diffusion welding
[NASA-CASE-LEW-11388-2] c37 N74-21055
Journal bearings
[NASA-CASE-LEW-11076-1] c37 N74-21061
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c37 N74-21064
Low level signal limiter
[NASA-CASE-XLE-04791] c32 N74-22096
Load insensitive electrical device
[NASA-CASE-XER-11046-2] c33 N74-22864
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c07 N74-27490
High current electrical lead
[NASA-CASE-LEW-10950-1] c33 N74-27683
Magnetocaloric pump
[NASA-CASE-LEW-11672-1] c37 N74-27904
Supersonic fan blading
[NASA-CASE-LEW-11402-1] c07 N74-28226
Production of pure metals
[NASA-CASE-LEW-10906-1] c25 N74-30502
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c20 N74-31269
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c20 N74-32919
Journal Bearings
[NASA-CASE-LEW-11076-2] c37 N74-32921
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c35 N75-13213
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c37 N75-13261
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c54 N75-13531
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c20 N75-18310
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c26 N75-19408
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c37 N75-21631
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c36 N75-27364
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c37 N75-29426
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c35 N75-30503
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c37 N75-30562
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c73 N75-30876
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c37 N75-31446
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c24 N75-33181
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c52 N75-33640
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c20 N76-14190
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c20 N76-14191
Shock position sensor for supersonic inlets
[NASA-CASE-LEW-11915-1] c35 N76-14431
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c37 N76-14461
Covered silicon solar cells and method of manufacture
[NASA-CASE-LEW-11065-2] c44 N76-14600
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c33 N76-15373
Thermocouple tape
[NASA-CASE-LEW-11072-2] c35 N76-15434
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c37 N76-15461
Deuterium pass through target
[NASA-CASE-LEW-11866-1] c72 N76-15860
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c27 N76-16229
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c37 N76-18458
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c20 N76-21276
Bearing material
[NASA-CASE-LEW-11930-1] c24 N76-22309
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c37 N76-22541
Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c37 N76-23570
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c76 N76-25049
Method of producing I-123
[NASA-CASE-LEW-11390-2] c25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c25 N76-29379
Thrust bearing
[NASA-CASE-LEW-11949-1] c37 N76-29588
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c20 N77-10148
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c07 N77-14025
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c44 N77-14580
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c44 N77-14581
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c07 N77-17059
Electronic analog divider
[NASA-CASE-LEW-11881-1] c33 N77-17354
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c24 N77-19170
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c24 N77-19171
Solar cell assembly
[NASA-CASE-LEW-11549-1] c44 N77-19571
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c20 N77-20162
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c26 N77-20201
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c44 N77-22606
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c07 N77-23106
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-1] c26 N77-24254
Process for preparing liquid metal electrical contact device

[NASA-CASE-LEW-11978-1] c33 N77-26385
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c07 N77-27116
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c24 N77-27188
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c26 N77-28265
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c33 N77-28385
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c37 N77-28486
Corneal seal device
[NASA-CASE-LEW-12258-1] c52 N77-28716
Solar cell shingle
[NASA-CASE-LEW-12587-1] c44 N77-31601
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c07 N77-32148
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c26 N77-32279
Nickel base alloy
[NASA-CASE-LEW-12270-1] c26 N77-32280
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c35 N77-32454
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c37 N77-32501
Fuel combustor
[NASA-CASE-LEW-12137-1] c25 N78-10224
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c37 N78-10467
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c37 N78-10468
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c37 N78-13436
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c43 N78-14452
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c44 N78-14625
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c52 N78-14773
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c27 N78-15276
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c07 N78-17055
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c07 N78-17056
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c31 N78-17237
Particle parameter analyzing system
[NASA-CASE-XLE-06094] c33 N78-17293
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c34 N78-17335
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c37 N78-17384
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c07 N78-18066
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c07 N78-18067
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c26 N78-18182
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c26 N78-18183
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c34 N78-18355
Selective coating for solar panels
[NASA-CASE-LEW-12159-1] c44 N78-19599
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c28 N78-24365
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c37 N78-24545
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c07 N78-25089
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c07 N78-25090
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c25 N78-25148
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c25 N78-25149
Liquid metal slip ring
[NASA-CASE-LEW-12277-2] c33 N78-25323
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c34 N78-25351
Solar cell collector
[NASA-CASE-LEW-12552-1] c44 N78-25527
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c44 N78-25528
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c44 N78-25529
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c44 N78-25530
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-1] c44 N78-25553
Cesium thermionic converters having improved electrodes
[NASA-CASE-LEW-12038-3] c44 N78-25555
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c07 N78-27122
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c25 N78-27226
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c34 N78-27357
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c33 N78-32341
Redundant disc
[NASA-CASE-LEW-12496-1] c07 N78-33101
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c07 N79-10057
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c33 N79-10339
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c37 N79-10418
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c37 N79-11403
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c44 N79-11467
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c44 N79-11468
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c44 N79-11472
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c37 N79-12445
Heat exchanger
[NASA-CASE-LEW-12252-1] c34 N79-13288
Heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c34 N79-13289
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c07 N79-14095
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c07 N79-14096
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c07 N79-14097
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c35 N79-14345
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c35 N79-14346
Back wall solar cell
[NASA-CASE-LEW-12236-2] c44 N79-14528
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c71 N79-14871
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c35 N79-17192
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-1] c44 N79-17313
Method of making bearing materials
[NASA-CASE-LEW-11930-4] c24 N79-17916
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-1] c37 N79-18318
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c44 N79-18444
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c20 N79-20179
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c34 N79-20336

Hypervelocity gun
[NASA-CASE-XLE-03186-1] c09 N79-21084
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c31 N79-21225
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c76 N79-21910
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N79-22235
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c26 N79-22271
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c37 N79-22475
A heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c34 N79-23383
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c05 N79-24976
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c44 N79-25481
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c44 N79-26474
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c27 N79-28307
Multistage depressed collector for dual mode operation
[NASA-CASE-LEW-13282-1] c33 N79-32463
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c24 N80-11142
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c37 N80-12414
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c20 N80-14188
Improved refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c26 N80-14232
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c44 N80-14472
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c52 N80-14684
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c07 N80-18039
Liquid metal slip ring
[NASA-CASE-LEW-12277-3] c33 N80-18300
Gas path seal
[NASA-CASE-NPO-12131-3] c37 N80-18400
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c37 N80-18401
Flexible formulated plastic separators for alkaline batteries
[NASA-CASE-LEW-12363-4] c44 N80-18555
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c44 N80-18557
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c52 N80-18690
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c33 N80-19425
Atomic hydrogen storage
[NASA-CASE-LEW-12081-2] c28 N80-20402
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c33 N80-20487
Modification of the electrical and optical properties of polymers
[NASA-CASE-LEW-13027-1] c27 N80-24437
Heat exchanger and method of making
[NASA-CASE-LEW-12441-2] c34 N80-24573
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c37 N80-24619
A silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343-1] c24 N80-26389
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-1] c27 N80-26447
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c37 N80-26658
Diesel engine catalytic combustor system
[NASA-CASE-LEW-12995-1] c37 N80-26659
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c37 N80-28711
Castable high temperature refractory materials
[NASA-CASE-LEW-13080-1] c27 N80-29496
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c37 N80-31790
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c26 N80-32484
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c27 N80-32516
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c72 N80-33186
Method of making bearing material
[NASA-CASE-LEW-11930-3] c24 N80-33482
Toroidal cell and battery
[NASA-CASE-LEW-12918-1] c44 N80-33857
NiCrAl ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c26 N81-12211
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c34 N81-12363
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c44 N81-12542
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c28 N81-14103
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c07 N81-14999
Improved refractory coatings
[NASA-CASE-LEW-23169-2] c26 N81-16209
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c31 N81-16327
Mechanical bonding of metal
[NASA-CASE-LEW-12941-1] c31 N81-16329
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c33 N81-16384
High voltage planar multijunction
[NASA-CASE-LEW-13400-1] c44 N81-16528
High voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c44 N81-16529
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c24 N81-17170
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c27 N81-17260
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c07 N81-19115
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c07 N81-19116
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c25 N81-19245
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c27 N81-19296
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c37 N81-19455
Improved thermionic energy converters
[NASA-CASE-LEW-12443-1] c44 N81-19561

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. MANNED SPACECRAFT CENTER, CAPE CANAVERAL, FLA.

Electrode for biological recording
[NASA-CASE-XMS-02872] c05 N69-21925

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. MANNED SPACECRAFT CENTER, LANGLEY STATION, VA.

Plural recorder system
[NASA-CASE-XMS-06949] c09 N69-21467

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. MARSHALL SPACE FLIGHT CENTER, HUNTSVILLE, ALA.

Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c14 N69-27431
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c06 N69-39733
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c09 N70-20737
Angular measurement system Patent
[NASA-CASE-XMF-00447] c14 N70-33179
Insulating structure Patent
[NASA-CASE-XMF-00341] c15 N70-33323
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c03 N70-34157

Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c31 N70-34159
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c28 N70-34162
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c31 N70-34176
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c15 N70-34249
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c14 N70-34298
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c09 N70-34502
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c21 N70-34539
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c09 N70-34596
Externally pressurized fluid bearing Patent
[NASA-CASE-XMF-00515] c15 N70-34664
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c14 N70-34705
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c14 N70-34794
Electric arc welding Patent
[NASA-CASE-XMF-00392] c15 N70-34814
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c31 N70-36410
Printed cable connector Patent
[NASA-CASE-XMF-00369] c09 N70-36494
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c31 N70-36654
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c11 N70-36913
Gravity device Patent
[NASA-CASE-XMF-00424] c11 N70-38196
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c28 N70-38710
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c09 N70-38712
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c12 N70-38997
Air bearing Patent
[NASA-CASE-XMF-00339] c15 N70-39896
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c14 N70-39898
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c15 N70-39924
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c07 N70-40202
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c15 N70-40204
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c14 N70-40238
Missile launch release system Patent
[NASA-CASE-XMF-03198] c30 N70-40353
Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c15 N70-40354
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c15 N70-41371
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c28 N70-41582
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c18 N70-41583
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c09 N70-41655
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c11 N70-41677
Locking device with rolling detents Patent
[NASA-CASE-XMF-01371] c15 N70-41829
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c31 N70-41948
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c14 N70-41994
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c11 N71-10604
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c14 N71-10616
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c31 N71-10747
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c03 N71-11055
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c06 N71-11240
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c07 N71-11298
Harness assembly Patent
[NASA-CASE-MFS-14671] c05 N71-12341
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c08 N71-12504
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c09 N71-12519
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c09 N71-13486
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c16 N71-15565
Reactance control system Patent
[NASA-CASE-XMF-01598] c21 N71-15583
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c15 N71-15607
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c15 N71-15609
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c28 N71-15660
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c31 N71-15675
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c31 N71-15689
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c15 N71-15986
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c10 N71-16030
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c10 N71-16058
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c31 N71-16222
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c27 N71-16223
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c20 N71-16340
Serpentuator Patent
[NASA-CASE-XMF-05344] c31 N71-16345
Gravimeter Patent
[NASA-CASE-XMF-05844] c14 N71-17587
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c14 N71-17588
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c11 N71-17600
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c15 N71-17647
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c15 N71-17649
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c15 N71-17650
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c14 N71-17659
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c15 N71-17692
Multi-mission module Patent
[NASA-CASE-XMF-01543] c31 N71-17730
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c15 N71-17805
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c26 N71-17818
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c15 N71-18132
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c08 N71-18752
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c11 N71-18773
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c15 N71-19214
Extensometer Patent
[NASA-CASE-XMF-04680] c15 N71-19489
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c11 N71-19494
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c15 N71-20393

Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c15 N71-20395
Satellite despin device Patent
[NASA-CASE-XMF-08523] c31 N71-20396
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c09 N71-20705
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c06 N71-20717
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c06 N71-20905
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c18 N71-21651
Portable milling tool Patent
[NASA-CASE-XMF-03511] c15 N71-22799
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c15 N71-22877
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c28 N71-22983
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c10 N71-22986
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c02 N71-23007
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c15 N71-23049
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c15 N71-23050
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c09 N71-23188
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c14 N71-23227
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c03 N71-23239
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c15 N71-23256
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c21 N71-23289
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c14 N71-23699
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c14 N71-23726
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c14 N71-23755
Electric welding torch Patent
[NASA-CASE-XMF-02330] c15 N71-23798
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c15 N71-23812
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c15 N71-23815
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c31 N71-23912
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c15 N71-24044
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c14 N71-24234
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c32 N71-24285
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c14 N71-24693
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c09 N71-24717
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c09 N71-24805
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c09 N71-24807
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c15 N71-24833
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c09 N71-24843
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c10 N71-24861
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c10 N71-24863
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c15 N71-24865
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c15 N71-24903
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c09 N71-24904
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c15 N71-24984
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c10 N71-25139
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c33 N71-25353
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c09 N71-26133
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c15 N71-26148
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c15 N71-26185
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c14 N71-26474
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c14 N71-27005
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c28 N71-27585
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c33 N71-27862
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c09 N71-28691
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c09 N71-28886
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c33 N71-28892
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c15 N71-29032
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c14 N71-29134
Current regulating voltage divider
[NASA-CASE-MFS-20935] c09 N71-34212
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c14 N72-11365
Fine adjustment mount
[NASA-CASE-MFS-20249] c15 N72-11386
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c15 N72-11387
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c15 N72-11388
Stud-bonding gun
[NASA-CASE-MFS-20299] c15 N72-11392
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c24 N72-11595
Wind tunnel test section
[NASA-CASE-MFS-20509] c11 N72-17183
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c14 N72-17324
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c26 N72-17820
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c05 N72-20097
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c15 N72-20446
An airlock
[NASA-CASE-MFS-20922] c31 N72-20840
Photoetching of metal-oxide layers
[NASA-CASE-EBC-10108] c06 N72-21094
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c12 N72-21310
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c14 N72-21407
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c15 N72-21463
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c09 N72-22195
Shielded flat cable
[NASA-CASE-MFS-13687-2] c09 N72-22198
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c14 N72-22439
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c15 N72-22492
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c18 N72-22566
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c11 N72-23215
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c06 N72-25148

Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c06 N72-25151
Emergency lunar communications system
[NASA-CASE-MFS-21042] c07 N72-25171
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c09 N72-25261
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c11 N72-25288
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c11 N72-27262
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c14 N72-27412
Electrical connector
[NASA-CASE-MFS-20757] c09 N72-28225
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c15 N72-28495
Thermal compensating structural member
[NASA-CASE-MFS-20433] c15 N72-28496
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c14 N72-31446
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c25 N72-32688
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c04 N72-33072
Adjustable force probe
[NASA-CASE-MFS-20760] c14 N72-33377
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c18 N73-12604
Differential pressure control
[NASA-CASE-MFS-14216] c14 N73-13418
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c15 N73-13466
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c23 N73-13662
Process for making diamonds
[NASA-CASE-MFS-20698-2] c15 N73-19457
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c11 N73-20267
Material fatigue testing system
[NASA-CASE-MFS-20673] c14 N73-20476
Ratemeter
[NASA-CASE-MFS-20418] c14 N73-24473
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c05 N73-25125
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c14 N73-25460
Monitoring deposition of films
[NASA-CASE-MFS-20675] c26 N73-26751
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c31 N73-26876
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c09 N73-27150
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c14 N73-27377
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c15 N73-27405
Ergometer
[NASA-CASE-MFS-21109-1] c05 N73-27941
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c05 N73-30078
Measurement system
[NASA-CASE-MFS-20658-1] c14 N73-30386
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c14 N73-30389
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c16 N73-30476
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c18 N73-30532
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c06 N73-32030
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c09 N73-32107
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c10 N73-32145
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c18 N73-32437
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c35 N74-10415
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c52 N74-12778
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c33 N74-12951
Vee-notching device
[NASA-CASE-MFS-20730-1] c39 N74-13131
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c38 N74-15130
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c35 N74-15146
Method and apparatus for nondestructive testing
[NASA-CASE-MFS-21233-1] c38 N74-15395
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c35 N74-17153
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c27 N74-17283
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c54 N74-17853
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c37 N74-18125
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c37 N74-18126
Manual actuator
[NASA-CASE-MFS-21481-1] c37 N74-18127
Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c35 N74-18323
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c32 N74-19790
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c44 N74-19870
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c54 N74-20725
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c52 N74-20728
Automatic quadrature control and measuring system
[NASA-CASE-MFS-21660-1] c35 N74-21017
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c37 N74-21058
Airlock
[NASA-CASE-MFS-20922-1] c18 N74-22136
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c33 N74-22885
Two speed drive system
[NASA-CASE-MFS-20645-1] c37 N74-23070
Insert facing tool
[NASA-CASE-MFS-21485-1] c37 N74-25968
LC-oscillator with automatic stabilized amplitude via bias current control
[NASA-CASE-MFS-21698-1] c33 N74-26732
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c35 N74-26945
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c35 N74-26946
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c25 N74-26948
Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c37 N74-26976
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c33 N74-26977
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c18 N74-27397
Battery testing device
[NASA-CASE-MFS-20761-1] c44 N74-27519
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c34 N74-27730
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c34 N74-27744
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c34 N74-27861
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c52 N74-27864
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c35 N74-27865

Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c74 N74-27866
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c19 N74-25410
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c33 N74-34638
System for depositing thin films
[NASA-CASE-MFS-20775-1] c31 N75-12161
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c35 N75-12271
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c35 N75-12273
Orthotic arm joint
[NASA-CASE-MFS-21611-1] c54 N75-12616
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c09 N75-12968
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c33 N75-13139
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c75 N75-13625
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c33 N75-15874
Leak detector
[NASA-CASE-MFS-21761-1] c35 N75-15931
Ergometer calibrator
[NASA-CASE-MFS-21045-1] c35 N75-15932
Space vehicle
[NASA-CASE-MFS-22734-1] c18 N75-19329
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c35 N75-19615
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c35 N75-19616
Latching device
[NASA-CASE-MFS-21606-1] c37 N75-19685
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c37 N75-19686
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c35 N75-21582
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c14 N75-24794
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c35 N75-25124
Hole cutter
[NASA-CASE-MFS-22649-1] c37 N75-25186
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c33 N75-26244
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c37 N75-26372
Anti-gravity device
[NASA-CASE-MFS-22758-1] c70 N75-26789
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c27 N75-27160
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c35 N75-27328
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c24 N75-28135
Carbon monoxide monitor
[NASA-CASE-MFS-22060-1] c35 N75-29380
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c23 N75-30256
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c33 N75-30428
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c33 N75-30429
Solar energy power system
[NASA-CASE-MFS-21628-1] c44 N75-32581
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c37 N76-14463
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c44 N76-14595
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c44 N76-14601
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c75 N76-14931
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c23 N76-15268
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c37 N76-15460
Thermoelectric power system
[NASA-CASE-MFS-22002-1] c44 N76-16612
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c75 N76-17951
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c26 N76-18257
Heat transfer device
[NASA-CASE-MFS-22938-1] c34 N76-18374
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c35 N76-18402
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c37 N76-18454
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c37 N76-19436
Traffic survey system
[NASA-CASE-MFS-22631-1] c66 N76-19888
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c74 N76-19935
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c20 N76-21275
Filtering device
[NASA-CASE-MFS-22729-1] c32 N76-21366
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c19 N76-22284
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c37 N76-22540
Solar energy absorber
[NASA-CASE-MFS-22743-1] c44 N76-22657
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c09 N76-23273
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-1] c33 N76-23483
Solar energy power system
[NASA-CASE-MFS-21628-2] c44 N76-23675
Solar energy trap
[NASA-CASE-MFS-22744-1] c44 N76-24696
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c04 N76-26175
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c44 N76-27664
Thermal energy storage system
[NASA-CASE-MFS-23167-1] c44 N76-31667
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c15 N77-10112
Attitude control system
[NASA-CASE-MFS-22787-1] c15 N77-10113
Heat exchanger
[NASA-CASE-MFS-22991-1] c34 N77-10463
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c35 N77-10493
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Wind measurement system
[NASA-CASE-MFS-23362-1] c47 N77-10753

Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c37 N77-12402
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c52 N77-14735
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c33 N77-17351
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c35 N77-17426
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c37 N77-19457
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c35 N77-20401
Emergency descent device
[NASA-CASE-MFS-23074-1] c54 N77-21844
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c35 N77-22450
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c37 N77-23483
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c24 N77-27187
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c39 N77-28511
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c26 N77-29260
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c27 N77-30237
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
Tachometer
[NASA-CASE-MFS-23175-1] c35 N77-30436
Real time reflectometer
[NASA-CASE-MFS-23118-1] c35 N77-31465
Stainless steel panel for selective absorption of solar energy and the method of producing said panel
[NASA-CASE-MFS-23518-2] c44 N77-31611
Method of crystallization
[NASA-CASE-MFS-23001-1] c76 N77-32919
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c33 N78-10376
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c33 N78-13320
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c74 N78-15880
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c35 N78-17357
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c54 N78-17676
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c35 N78-18390
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c24 N78-24290
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c15 N78-25119
Charge injection method and apparatus of producing large area electrets
[NASA-CASE-MFS-23186-2] c24 N78-25137
Secure communication system
[NASA-CASE-MSC-16462-1] c32 N78-25274
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c44 N78-25531
Passive propellant system
[NASA-CASE-MFS-23642-2] c20 N78-27176
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c24 N78-27182
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c33 N78-27326
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c75 N78-27913
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c27 N78-32262
Velocity measurement system
[NASA-CASE-MFS-23363-1] c35 N78-32396
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c38 N78-32447
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c54 N78-32724
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c35 N79-10389
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c37 N79-10421
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c37 N79-10422
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c89 N79-10969
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c18 N79-11108
Spherical bearing
[NASA-CASE-MFS-23447-1] c37 N79-11404
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c44 N79-11469
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c74 N79-11865
A system for concurrently delivering a stream of powdered fuel and a stream of powdered oxidizer to a combustion chamber for a reaction motor
[NASA-CASE-MFS-23904-1] c20 N79-13077
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c74 N79-13855
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c52 N79-14756
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c76 N79-14906
Direct current transformer
[NASA-CASE-MFS-23659-1] c33 N79-17133
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c20 N79-21123
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c20 N79-21124
Rocket injector head
[NASA-CASE-XMF-04592-1] c20 N79-21125
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c27 N79-21190
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c27 N79-21191
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c31 N79-21227
Stable superconducting magnet
[NASA-CASE-XMF-05373-1] c33 N79-21264
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c37 N79-22474
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c44 N79-23481
Improved power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c33 N79-25315
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c43 N79-25443
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c12 N79-26075
Contour measurement system
[NASA-CASE-MFS-23726-1] c43 N79-26439
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c44 N79-26475

Thickness measurement system
[NASA-CASE-MFS-23721-1] c31 N79-26370
Solar tracking system
[NASA-CASE-MFS-23999-1] c44 N79-28667
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c43 N79-31706
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c33 N79-33392
Passive propellant system
[NASA-CASE-MFS-23642-1] c20 N80-10278
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c37 N80-14397
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c43 N80-14423
Solar concentrator
[NASA-CASE-MFS-23727-1] c44 N80-14473
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c44 N80-16452
Method for separating biological cells
[NASA-CASE-MFS-23883-1] c51 N80-16715
Magnetic field control
[NASA-CASE-MFS-23828-1] c33 N80-17359
Multi-channel temperature measurement amplification system
[NASA-CASE-MFS-23775-1] c35 N80-17421
Solar energy control system
[NASA-CASE-MFS-25287-1] c44 N80-17544
Method of and means for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c35 N80-18362
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c48 N80-18667
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c34 N80-20528
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c44 N80-21828
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c44 N80-21831
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c26 N80-23419
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c43 N80-23711
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c14 N80-24342
Photoelectric detection system
[NASA-CASE-MFS-23776-1] c74 N80-25134
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c24 N80-26388
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846] c37 N80-29704
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c31 N80-32585
Electrical self-aligning connector
[NASA-CASE-MFS-25211-1] c33 N80-32651
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c37 N80-32716
Collimated beam manifold and method for using the same
[NASA-CASE-MFS-25312-1] c74 N80-34251
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c31 N81-12283
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c33 N81-12330
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c71 N81-15767
Method of bonding plasticized elastomer to metal and article produced thereby
[NASA-CASE-MFS-25181-1] c27 N81-16238
Containerless melting and rapid solidification apparatus and method
[NASA-CASE-MFS-25305-1] c35 N81-16427
Microvave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c33 N81-17348
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c25 N81-19242
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c33 N81-19394
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c35 N81-19426
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c36 N81-19440

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. PASADENA OFFICE, CALIF.

Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-EEC-10285] c10 N73-16206
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c27 N73-22710
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c14 N73-32317
Expandable space frames
[NASA-CASE-EEC-10365-1] c31 N73-32749
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c35 N74-15090
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c35 N74-15094
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c35 N74-15127
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c36 N74-15145
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c33 N74-17927
Banded transformer cores
[NASA-CASE-NPO-11966-1] c33 N74-17928
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c35 N74-18090
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c44 N74-19693
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c36 N74-20009
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c32 N74-20811
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c37 N74-21060
Flow control valve
[NASA-CASE-NPO-11951-1] c37 N74-21065
Thin film gauge
[NASA-CASE-NPO-10617-1] c35 N74-22095
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c33 N74-22814
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c35 N74-23040
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c31 N74-23065
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c52 N74-26625
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c73 N74-26767
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c28 N74-27425
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c32 N74-30523
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c71 N74-31148
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c33 N74-32712
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c31 N74-32917
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c37 N74-32918
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c28 N74-33209
Geneva mechanism
[NASA-CASE-NPO-13281-1] c37 N75-13266
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844

Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c36 N75-15029
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c37 N75-15050
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c52 N75-15270
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c32 N75-15854
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c37 N75-16573
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c33 N75-19519
Motor run-up system
[NASA-CASE-NPO-13374-1] c33 N75-15524
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c36 N75-19652
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c37 N75-19684
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c35 N75-23910
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c20 N75-24837
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c32 N75-24982
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c35 N75-25122
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c35 N75-25123
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c32 N75-26194
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c32 N75-26195
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c33 N75-27250
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c45 N75-27585
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c54 N75-27758
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c54 N75-27761
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c03 N75-30132
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c33 N75-30430
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c36 N75-30524
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c33 N75-31329
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c33 N75-31330
Stored charge transistor
[NASA-CASE-NPO-11156-2] c33 N75-31331
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c33 N75-31332
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c36 N75-31427
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c36 N75-32441
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c24 N76-14203
Helium refrigerator
[NASA-CASE-NPO-13435-1] c31 N76-14284
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c33 N76-14373
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c35 N76-14430
Forward-scatter polarimeter for determining the gaseous depolarization factor in the presence of polluting polydispersed particles
[NASA-CASE-NPO-13756-1] c35 N76-14434
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c44 N76-14602
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c60 N76-14818
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c27 N76-15311
Dichroic plate
[NASA-CASE-NPO-13506-1] c35 N76-15435
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c27 N76-16228
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c35 N76-16390
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c35 N76-16391
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c37 N76-16446
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c25 N76-18245
Analog to digital converter
[NASA-CASE-NPO-13385-1] c33 N76-18345
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c35 N76-18401
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c36 N76-18427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c36 N76-18428
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c37 N76-18457
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c44 N76-18642
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c44 N76-18643
Priority interrupt system
[NASA-CASE-NPO-13067-1] c60 N76-18800
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c33 N76-19338
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c37 N76-20480
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c76 N76-20994
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c32 N76-21365
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c45 N76-21742
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c60 N76-21914
Wind sensor
[NASA-CASE-NPO-13462-1] c35 N76-24524
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c36 N76-24553
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c38 N76-28563
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c36 N76-29575
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c37 N76-29590
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c44 N76-29700
Solar-powered pump
[NASA-CASE-NPO-13567-1] c44 N76-29701
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c44 N76-29704
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c52 N76-29896

Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c32 N76-31372
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c35 N76-31490
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c36 N76-31512
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c37 N76-31524
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c44 N76-31666
Furlable antenna
[NASA-CASE-NPO-13553-1] c33 N76-32457
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c09 N77-10071
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c31 N77-10229
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c33 N77-10428
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c35 N77-10492
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c44 N77-10636
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c32 N77-12240
Computer interface system
[NASA-CASE-NPO-13428-1] c60 N77-12721
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c27 N77-13217
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c33 N77-13315
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c35 N77-14406
Thermocouple installation
[NASA-CASE-NPO-13540-1] c35 N77-14409
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c35 N77-14411
Improved nozzle for use with abrasive and/or corrosive materials
[NASA-CASE-NPO-13823-1] c37 N77-17466
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c73 N77-18891
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c36 N77-19416
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c32 N77-20289
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c33 N77-21314
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c33 N77-21316
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c35 N77-21392
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c35 N77-21393
Uniform variable light source
[NASA-CASE-NPO-11429-1] c74 N77-21941
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c33 N77-22386
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c37 N77-22479
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c37 N77-22480
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c44 N77-22607
Sun direction detection system
[NASA-CASE-NPO-13722-1] c74 N77-22951
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c36 N77-25502
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c36 N77-26477
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c71 N77-26919
Penetrometer
[NASA-CASE-NPO-11103-1] c35 N77-27367
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c74 N77-28933
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c27 N77-30236
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c33 N77-30365
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c27 N77-31308
Combustion engine
[NASA-CASE-NPO-13671-1] c37 N77-31497
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c25 N77-32255
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c32 N77-32342
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c35 N77-32455
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c44 N77-32580
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c44 N77-32583
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c33 N78-10377
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c35 N78-10429
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c39 N78-10493
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c44 N78-10554
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c71 N78-10837
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c44 N78-13526
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c27 N78-14164
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c32 N78-15323
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c35 N78-15461
Motion restraining device
[NASA-CASE-NPO-13619-1] c37 N78-16369
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c04 N78-17031
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c27 N78-17214
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c27 N78-17215
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c31 N78-17238
Pressure transducer
[NASA-CASE-NPO-11150] c35 N78-17359
Wabble gear drive mechanism
[NASA-CASE-MOO-00625] c37 N78-17385
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c38 N78-17395
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c38 N78-17396
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c44 N78-17460
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c74 N78-17867
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c32 N78-18266

Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c35 N78-18391
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c35 N78-18395
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c36 N78-18410
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c27 N78-19302
Microwave power converter
[NASA-CASE-NPO-14068-1] c44 N78-19609
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c31 N78-24387
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c32 N78-24391
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c31 N78-25256
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c33 N78-25319
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c35 N78-25391
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c37 N78-25431
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c36 N78-27402
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c44 N78-27515
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c44 N78-28594
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c73 N78-28913
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c35 N78-29421
Nitramine propellants
[NASA-CASE-NPO-14103-1] c28 N78-31255
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c32 N78-31321
Solar pond
[NASA-CASE-NPO-13581-2] c44 N78-31525
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c44 N78-31526
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c44 N78-31527
Solid propellant motor
[NASA-CASE-NPO-11458A] c20 N78-32179
Coal desulfurization
[NASA-CASE-NPO-14272-1] c25 N78-33164
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c27 N78-33228
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c44 N78-33526
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c74 N78-33913
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c25 N79-10163
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c32 N79-10262
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c35 N79-10391
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c37 N79-10420
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c44 N79-10513
Combuster
[NASA-CASE-NPO-13958-1] c25 N79-11151
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c25 N79-11152
Electroexplosive device
[NASA-CASE-NPO-13858-1] c28 N79-11231
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c33 N79-11314
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c37 N79-11405
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c44 N79-11470
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c44 N79-11471
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c76 N79-11920
An improved suspension system for a wheel rolling on a flat track
[NASA-CASE-NPO-14395-1] c37 N79-12446
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c44 N79-12541
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c52 N79-12694
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c32 N79-13214
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c72 N79-13826
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c27 N79-14213
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c28 N79-14228
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c32 N79-14267
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c32 N79-14268
Discriminator aided phase look acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c32 N79-14276
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c32 N79-14278
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c35 N79-14348
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c37 N79-14383
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c37 N79-14388
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c44 N79-14526
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c44 N79-14529
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c52 N79-14749
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c52 N79-14751
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c60 N79-14797
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c76 N79-14908
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c76 N79-16678
Multifrequency broadband horn antenna
[NASA-CASE-NPO-14588-1] c32 N79-17067
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c33 N79-17134
Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c43 N79-17288
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c44 N79-17314
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c85 N79-17747
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c33 N79-18224
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c44 N79-18443
Electromagnetic radiation energy arrangement
[NASA-CASE-MOO-00428-1] c32 N79-19186
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c32 N79-19195
Method and turbine for extracting kinetic energy from a stream of two-phase fluid

[NASA-CASE-NPO-14130-1] c34 N79-20335
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c54 N79-20746
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c60 N79-20751
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c71 N79-20827
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c74 N79-20856
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c33 N79-21265
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c36 N79-21336
Seismic vibration source
[NASA-CASE-NPO-14112-1] c46 N79-22679
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-1] c37 N79-23431
Underwater seismic source
[NASA-CASE-NPO-14255-1] c46 N79-23555
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c71 N79-23753
Interferometer
[NASA-CASE-NPO-14448-1] c74 N79-23777
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c76 N79-23798
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c31 N79-24197
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c32 N79-24210
Module failure isolation circuit for paralleled inverters
[NASA-CASE-NPO-14000-1] c33 N79-24254
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c33 N79-24257
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c44 N79-24431
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c44 N79-24433
Compact artificial hand
[NASA-CASE-NPO-13906-1] c54 N79-24652
A general logic structure for custom LSI circuits
[NASA-CASE-NPO-14410-1] c33 N79-25314
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c44 N79-25482
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c32 N79-26253
Low current linearization of magnetic amplifier for dc transformer
[NASA-CASE-NPO-14617-1] c33 N79-26311
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c33 N79-26312
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c52 N79-27836
Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c25 N79-28253
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c28 N79-28342
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c35 N79-28527
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c44 N79-31752
Solar cell module
[NASA-CASE-NPO-14467-1] c44 N79-31753
Baseband signal combiner for antenna array
[NASA-CASE-NPO-14641-1] c32 N79-32408
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c74 N79-34011
Microwave limb sounder
[NASA-CASE-NPO-14544-1] c74 N79-34014
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c28 N80-10374
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c37 N80-10494
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c39 N80-10507
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c46 N80-10709
Method for shaping and aiming narrow beams
[NASA-CASE-NPO-14632-1] c32 N80-12256
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c35 N80-12383
Schottky barrier solar cell and method of fabrication
[NASA-CASE-NPO-13689-2] c44 N80-12549
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c26 N80-14229
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c32 N80-14281
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c33 N80-14330
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c33 N80-14332
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c37 N80-14395
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c44 N80-14474
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c45 N80-14579
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c46 N80-14603
Dialysis system
[NASA-CASE-NPO-14101-1] c52 N80-14687
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c72 N80-14877
Strong thin membrane structure
[NASA-CASE-NPO-14021-2] c27 N80-16163
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c32 N80-16261
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c35 N80-16313
Apparatus for endoscopic examination
[NASA-CASE-NPO-14092-1] c52 N80-16725
Method of producing silicon
[NASA-CASE-NPO-14382-1] c31 N80-18231
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c32 N80-18252
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c32 N80-18253
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c33 N80-18285
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c33 N80-18287
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c35 N80-18357
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c35 N80-18364
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c36 N80-18372
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c36 N80-18381
Internal combustion engine with electrostatic discharging fuels
[NASA-CASE-NPO-13798-2] c37 N80-18397
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c44 N80-18550
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c44 N80-18551
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c25 N80-20334
Thermal reactor and process
[NASA-CASE-NPO-14369-1] c25 N80-20338
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c32 N80-20448
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c35 N80-20563
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser

[NASA-CASE-NPO-15021-1] c36 N80-20574
Portable heatable container
[NASA-CASE-NPO-14237-1] c44 N80-20808
Method and device for destructive detection of a substance
[NASA-CASE-NPO-14940-1] c35 N80-21723
Potential heat exchange fluids for use in sulfuric acid vaporizers
[NASA-CASE-NPO-15015-1] c25 N80-23394
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c32 N80-23524
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c33 N80-23559
Quartz ball value
[NASA-CASE-NPO-14473-1] c37 N80-23654
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c74 N80-24152
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c32 N80-24510
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c36 N80-24602
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c44 N80-24741
Solar-heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c44 N80-24747
Geological assessment probe
[NASA-CASE-NPO-14558-1] c46 N80-24906
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c33 N80-25538
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c37 N80-25660
Autocatalytic coal liquefaction process
[NASA-CASE-NPO-14876-1] c28 N80-26460
Cooled echelle grating spectrometer
[NASA-CASE-NPO-14372-1] c35 N80-26635
Improved method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-1] c37 N80-26660
An improved head for high speed spinner having a vacuum chuck
[NASA-CASE-NPO-15227-1] c37 N80-26661
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c47 N80-26992
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c52 N80-27072
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c72 N80-27163
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c28 N80-28536
Superconducting gyrocon for high power high efficiency microwave generator/amplifier application
[NASA-CASE-NPO-14975-1] c33 N80-29584
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c37 N80-29703
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c44 N80-29835
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183] c44 N80-29843
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c76 N80-32245
Interferometric locating system
[NASA-CASE-NPO-14173-1] c04 N80-32359
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c27 N80-32515
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c31 N80-32584
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c32 N80-32605
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c32 N80-32607
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c33 N80-32650
Improving the efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c44 N80-32850
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c33 N80-33679
A fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c74 N80-34250
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c25 N81-14015
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c27 N81-14076
Frequency translating phase conjugation circuit for active retrodirective antenna array
[NASA-CASE-NPO-14536-1] c32 N81-14185
Precise RF timing signal distribution to remote stations
[NASA-CASE-NPO-14749-1] c32 N81-14186
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c33 N81-14220
Low cost cryostat
[NASA-CASE-NPO-14513-1] c35 N81-14287
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c37 N81-14318
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c44 N81-14389
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c27 N81-15104
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c31 N81-15154
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c33 N81-15192
An electro-optical Doppler tracker means and method for optical correlation of synthetic aperture radar data
[NASA-CASE-NPO-14998-1] c33 N81-15194
Tunable injection-locked pulsed CO2 laser
[NASA-CASE-NPO-14984-1] c36 N81-15350
Speed control device for a heavy duty shaft
[NASA-CASE-NPO-14170-1] c37 N81-15364
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c60 N81-15706
A method for producing a solidified body of silicon
[NASA-CASE-NPO-15250-1] c25 N81-16174
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c31 N81-16328
An improved solid electrolyte cell
[NASA-CASE-NPO-15269-1] c33 N81-16385
Tactile sensing system
[NASA-CASE-NPO-15094-1] c33 N81-16386
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c47 N81-16677
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c25 N81-17187
Molten salt pyrolysis of latex
[NASA-CASE-NPO-14315-1] c27 N81-17261
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c37 N81-17432
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c44 N81-17518
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c74 N81-17886
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c74 N81-17887

Interferometer
[NASA-CASE-NPO-14502-1] c74 N81-17888
Fiberglass/epoxy composite automotive door structure including a glass-reinforced intrusion strip
[NASA-CASE-NPO-15057-1] c24 N81-19230
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c25 N81-19244
A cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c31 N81-19344
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c33 N81-19393
Antenna grout replacement system
[NASA-CASE-NPO-15205-1] c37 N81-19457
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c44 N81-19558
System and method for character recognition
[NASA-CASE-NPO-11337-1] c74 N81-19896
X-ray position detector
[NASA-CASE-NPO-12087-1] c74 N81-19898
Optical signature generating and correlating apparatus
[NASA-CASE-NPO-15226-1] c74 N81-19899
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c76 N81-19944
Controller for computer control of brushless dc motors
[NASA-CASE-NPO-13970-1] c33 N81-20352
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c52 N81-20703

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. WESTERN OPERATIONS OFFICE, SANTA MONICA, CALIF.
Automatic pump Patent
[NASA-CASE-XNP-04731] c15 N71-24042

NATIONAL BUREAU OF STANDARDS, BOULDER, COLO.
Densitometer Patent
[NASA-CASE-XLE-00688] c14 N70-41330

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, BOULDER, COLO.
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c07 N73-20175

NATIONAL RESEARCH CORP., CAMBRIDGE, MASS.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c14 N73-30390
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c14 N73-30391
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c14 N73-30394
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c14 N73-32324
Rock sampling
[NASA-CASE-XNP-10007-1] c46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c46 N74-23069

NATIONAL SCIENCE FOUNDATION, WASHINGTON, D. C.
Laser apparatus
[NASA-CASE-GSC-12237-1] c36 N80-14384

NEW ENGLAND MEDICAL CENTER HOSPITALS, BOSTON, MASS.
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c52 N79-14750

NORTH AMERICAN AVIATION, INC., CANOGA PARK, CALIF.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c15 N71-20443
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c10 N71-26339
Safety-type locking pin
[NASA-CASE-MFS-18495] c15 N72-11385
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c10 N72-17173

NORTH AMERICAN AVIATION, INC., DOWNEY, CALIF.
Heat shield oven
[NASA-CASE-XMS-04318] c15 N69-27871
Extensible cable support Patent
[NASA-CASE-XMF-07587] c15 N71-18701
High pressure air valve Patent
[NASA-CASE-MSC-11010] c15 N71-19485
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c15 N71-20441
Optical projector system Patent
[NASA-CASE-XNP-03853] c23 N71-21882
Brazing alloy Patent
[NASA-CASE-XNP-03063] c17 N71-23365
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c05 N71-27234

NORTH AMERICAN AVIATION, INC., EL SEGUNDO, CALIF.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c31 N71-15647
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c31 N71-16346
Radio frequency shielded enclosure Patent
[NASA-CASE-XNF-09422] c07 N71-19436
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c09 N71-20569
Latching mechanism Patent
[NASA-CASE-XMS-03745] c15 N71-21076
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c15 N71-21536
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c15 N71-22706
Etching of aluminum for bonding Patent
[NASA-CASE-XNF-02303] c17 N71-23828
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c33 N71-24876
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c28 N71-28849
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c33 N71-28852
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c27 N71-28929
Spherical shield Patent
[NASA-CASE-XNP-01855] c15 N71-28937
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c15 N71-28951
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c33 N71-29053

NORTH AMERICAN AVIATION, INC., LOS ANGELES, CALIF.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c05 N71-11202

NORTH AMERICAN AVIATION, INC., TORRANCE, CALIF.
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XNF-02307] c14 N71-10779

NORTH AMERICAN AVIATION, INC., WOODLAND HILLS, CALIF.
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c37 N79-33469

NORTH AMERICAN PHILIPS CO., INC., TARRYTOWN, N.Y.
Linear magnetic bearings
[NASA-CASE-GSC-12582-1] c37 N81-16469

NORTH AMERICAN ROCKWELL CORP., CANOGA PARK, CALIF.
Noncontaminating swabs
[NASA-CASE-MFS-18100] c15 N72-11390
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c11 N73-12265
Droplet monitoring probe
[NASA-CASE-NPO-10985] c14 N73-20478
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c10 N73-25243
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c34 N74-27859

NORTH AMERICAN ROCKWELL CORP., DOWNEY, CALIF.
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c31 N71-25434
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c15 N71-26162
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c18 N71-27170
Frangible link
[NASA-CASE-MSC-11849-1] c15 N72-22488
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c14 N72-25411
Bonding or repairing process
[NASA-CASE-MSC-12357] c15 N73-12489
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c33 N73-16916
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c33 N74-14956
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c37 N74-18123
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c37 N75-19683

NORTH AMERICAN ROCKWELL CORP., EL SEGUNDO, CALIF.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c14 N72-17325
NORTH AMERICAN ROCKWELL CORP., LOS ANGELES, CALIF.
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c05 N73-32013
NORTH CAROLINA STATE UNIV., RALEIGH.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c27 N78-17206
NORTHEASTERN UNIV., BOSTON, MASS.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c07 N71-12390
NORTHROP CORP., HAWTHORNE, CALIF.
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c11 N72-22245
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c18 N75-27040
NORTHROP NORTRONICS, PALOS VERDES PENINSULA, CALIF.
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c05 N72-25121
Valve seat
[NASA-CASE-NPO-10606] c15 N72-25451
NORTHROP SPACE LABS., HAWTHORNE, CALIF.
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c18 N71-24934
NORTRONICS, PALOS VERDES PENINSULA, CALIF.
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c09 N71-24618
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c12 N71-26546
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c15 N72-20444
NOTRE DAME UNIV., IND.
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c06 N71-11243
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c06 N71-24740

O

OAKLAND UNIV., ROCHESTER, MICH.
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c43 N77-10584
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c32 N79-20297
OCCIDENTAL RESEARCH CORP., LA VERNE, CALIF.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c26 N78-32229
OHIO STATE UNIV., COLUMBUS.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c32 N76-15330
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c35 N80-18359
OLD DOMINION UNIV., NORFOLK, VA.
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c71 N78-14867
High-temperature microphone system
[NASA-CASE-LAR-12375-1] c32 N79-24203
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c27 N80-16164
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c02 N81-14968
Leading edge vortex flaps for drag reduction
[NASA-CASE-LAR-12750-1] c02 N81-19016
OREGON UNIV., PORTLAND.
Method for separating biological cells
[NASA-CASE-MFS-23883-1] c51 N80-16715
ORGANON DIAGNOSTICS, EL MONTE, CALIF.
Water system virus detection
[NASA-CASE-MSC-16098-1] c51 N79-10693

P

PACKARD-BELL ELECTRONICS CORP., NEWBURY PARK, CALIF.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c14 N70-41955
PANAURA CORP., PENNSAUKEN, N. J.
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c15 N73-12487
PCR, INC., GAINESVILLE, FLA.
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c25 N81-14016
PENINSULAR CHEMRESEARCH, INC., GAINESVILLE, FLA.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c06 N73-33076
PHILCO-FORD CORP., HOUSTON, TEX.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c07 N71-33696
PHILCO-FORD CORP., NEWPORT BEACH, CALIF.
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c03 N72-25021
PHILCO-FORD CORP., PALO ALTO, CALIF.
Composite antenna feed
[NASA-CASE-GSC-11046-1] c07 N73-28013
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
PHOENIX CORP., MCLEAN, VA.
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c36 N79-14362
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c36 N81-12407
PITTSBURG UNIV., PA.
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c25 N79-22235
PLANNING RESEARCH CORP., MCLEAN, VA.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c32 N79-23310
PRATT AND WHITNEY AIRCRAFT, EAST HARTFORD, CONN.
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c15 N70-40062
Vibration damping system Patent
[NASA-CASE-XMS-01620] c23 N71-15673
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c14 N71-20741
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c15 N71-23022

Q

QUANTUM DYNAMICS, TARZANA, CALIF.
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c05 N73-32015

R

RADIATION, INC., MELBOURNE, FLA.
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c15 N75-13007
RADIATION INSTRUMENT DEVELOPMENT LAB., INC., MELROSE PARK, ILL.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c08 N71-19544
RADIATION SYSTEMS, INC., MCLEAN, VA.
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c10 N71-21483
RADIO CORP. OF AMERICA, LANCASTER, PA.
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c15 N69-39735

RADIO CORP. OF AMERICA, NEW YORK.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c15 N69-24266
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c09 N69-24318
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c07 N69-24323
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c09 N71-12513
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c26 N71-18064
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c14 N71-23039
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c09 N71-23189
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c10 N71-28739
RADIO CORP. OF AMERICA, PRINCETON, N. J.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c03 N69-21539
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c03 N71-11049
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c09 N71-20658
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c09 N71-23027
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c26 N71-23043
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c15 N71-27184
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c14 N71-27407
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c26 N71-29156
Radial heat flux transformer
[NASA-CASE-NPO-10828] c33 N72-17948
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c10 N72-22235
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c06 N73-13129
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c15 N73-14469
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c28 N73-32606
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c33 N74-20861
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c33 N76-16331
RAND CORP., SANTA MONICA, CALIF.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c07 N71-28900
RAYMOND ENGINEERING LAB., INC., MIDDLETOWN, CONN.
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c10 N71-20448
RAYTHEON CO., SUDBURY, MASS.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c21 N71-15212
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c36 N75-15028
RCA CORP., PRINCETON, N. J.
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c33 N81-19389
RCA LABS., PRINCETON, N. J.
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c44 N79-31752
RCA SERVICE CO., INC., CAMDEN, N. J.
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c14 N71-26788
RENSSELAER POLYTECHNIC INST., TROY, N. Y.
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c14 N72-17328
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c35 N80-28686
RESEARCH TRIANGLE INST., DURHAM, N. C.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c09 N69-27422
ROCHESTER UNIV., N. Y.
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c14 N70-40003
ROCKETDYNE, CANOGA PARK, CALIF.
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c08 N71-12500
Load cell protection device Patent
[NASA-CASE-XMS-06782] c32 N71-15974
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c33 N71-16356
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c12 N71-17631
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c15 N71-19213
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c14 N71-20442
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c15 N71-24679
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c15 N71-27372
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c28 N71-28928
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c16 N71-33410
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c27 N73-16764
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c06 N73-32029
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c37 N75-19686
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c26 N75-29236
Thrust measurement
[NASA-CASE-XMS-05731] c35 N75-29382
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c20 N76-22296
ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CALIF.
Brazing alloy binder
[NASA-CASE-XMF-05868] c26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c26 N75-27127
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c35 N75-27329
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c37 N76-14460
Accumulator
[NASA-CASE-MFS-19287-1] c34 N77-30399
Laser extensometer
[NASA-CASE-MFS-19259-1] c36 N78-14380
Stable superconducting magnet
[NASA-CASE-XMF-05373-1] c33 N79-21264
ROCKWELL INTERNATIONAL CORP., DOWNEY, CALIF.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c37 N76-21554
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c39 N76-31562
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c03 N76-32140
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c74 N77-10899
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c37 N77-22482
Non-floating universal joint
[NASA-CASE-MSC-19546-1] c37 N77-25536
Load regulating latch
[NASA-CASE-MSC-19535-1] c37 N77-32499
Adjustable securing base
[NASA-CASE-MSC-19666-1] c37 N78-17383

Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c26 N78-24333
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c34 N78-25350
Variable contour securing system
[NASA-CASE-MSC-16270-1] c37 N78-27423
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c09 N78-31129
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c37 N79-20377
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c33 N79-28415
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c31 N80-17292
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c20 N80-18097
Thermal barrier seal
[NASA-CASE-MSC-18390-1] c37 N80-18398
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c35 N80-19468
Floating nut retention system
[NASA-CASE-MSC-16938-1] c37 N80-23653
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c32 N80-24511
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c26 N80-28492
Complementary cross-slot phased array antenna
[NASA-CASE-MSC-18532-1] c32 N80-29543
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c32 N81-14187
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c37 N81-14317
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c37 N81-15363
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-2] c37 N81-16468

ROCKWELL INTERNATIONAL CORP., LOS ANGELES, CALIF.
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c38 N79-14398

ROHR CORP., CHULA VISTA, CALIF.
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c15 N72-24522

ROYAL AIRCRAFT ESTABLISHMENT, FARNBOROUGH (ENGLAND).
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c05 N71-24147

RYAN AERONAUTICAL CO., SAN DIEGO, CALIF.
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c02 N70-41630
Masking device Patent
[NASA-CASE-XNP-02092] c15 N70-42033

S

SAN JOSE STATE UNIV., CALIF.
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c25 N80-23383
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c52 N81-14613

SANDERS ASSOCIATES, INC., NASHUA, N. H.
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c09 N71-23316

SANTA BARBARA RESEARCH CENTER, GOLETA, CALIF.
Camera arrangement
[NASA-CASE-GSC-12032-2] c35 N76-19408

SANTA CLARA UNIV., CALIF.
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c07 N75-24736
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c07 N76-18131
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c34 N77-27345

SCHJELDAHL (G. T.) CO., NORTHFIELD, MINN.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c15 N71-17687
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c15 N71-24164

SCIENCE APPLICATIONS, INC., LA JOLLA, CALIF.
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c27 N80-26446

SCOTT AVIATION CORP., LANCASTER, N. Y.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c54 N76-24900

SERV-AIR, INC., EDWARDS, CALIF.
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c33 N80-26599

SERV-AIR, INC., HOUSTON, TEX.
Stator rotor tools
[NASA-CASE-MSC-16000-1] c37 N78-24544

SHELDAHL CO., NORTHFIELD, MINN.
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c31 N79-21227

SIKORSKY AIRCRAFT, STRATFORD, CONN.
Locking redundant link
[NASA-CASE-LAR-11900-1] c37 N79-14382

SINGER-GENERAL PRECISION, INC., BINGHAMTON, N. Y.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c10 N72-31273

SMITH ELECTRONICS, INC., CLEVELAND, OHIO.
Phase detector assembly Patent
[NASA-CASE-XNP-00701] c09 N70-40272

SMITHSONIAN ASTROPHYSICAL OBSERVATORY, CAMBRIDGE, MASS.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c36 N74-11313

SOLID STATE RADIATIONS, INC., LOS ANGELES, CALIF.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c05 N71-19440

SOUTHERN METHODIST UNIV., DALLAS, TEX.
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c44 N78-24609

SOUTHERN RESEARCH INST., BIRMINGHAM, ALA.
Infusible silazane polymer and process for producing same
[NASA-CASE-XNP-02526-1] c27 N79-21190

SPACE SCIENCES, INC., WALTHAM, MASS.
Doppler shift system
[NASA-CASE-HQN-10740-1] c72 N74-19310

SPACE TECHNOLOGY LABS., INC., REDONDO BEACH, CALIF.
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c10 N71-15910
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c14 N71-16014
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c15 N71-16078
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c09 N71-16086
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c03 N71-20895
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c18 N71-21068
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c10 N71-22962
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c15 N71-23048
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c10 N71-28859

SPACELABS, INC., VAN NUYS, CALIF.
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c10 N71-24862
Respiration monitor
[NASA-CASE-FRC-10012] c14 N72-17329

SPACO, INC., HUNTSVILLE, ALA.
Sight switch using an infrared source and sensor

Patent
[NASA-CASE-XMP-03934] c09 N71-22985
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c14 N71-28993

SPECTRA-PHYSICS, INC., MOUNTAIN VIEW, CALIF.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c14 N71-20428

SPECTROLAB, INC., SYLMAR, CALIF.
Ultraviolet filter
[NASA-CASE-XNP-02340] c23 N69-24332
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c15 N71-21531
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c03 N72-25019

SPERRY GYROSCOPE CO., GREAT NECK, N. Y.
Automatic gain control system
[NASA-CASE-XMS-05307] c09 N69-24330

SPERRY RAND CORP., BLUE BELL, PA.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c10 N71-19547

SPERRY RAND CORP., HUNTSVILLE, ALA.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c14 N71-26627
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c07 N71-27191
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c15 N71-29133
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c07 N73-20176
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c33 N74-26977
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c37 N75-33395
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c37 N76-15457
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c44 N77-10635
Notch filter
[NASA-CASE-MFS-23303-1] c32 N77-18307
FM/CW radar system
[NASA-CASE-MFS-22234-1] c32 N79-10264
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c89 N79-10969

SPERRY RAND CORP., PHOENIX, ARIZ.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c15 N72-22482

STANFORD RESEARCH INST., MENLO PARK, CALIF.
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c09 N71-18843
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c12 N71-20896
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c09 N71-24803
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c06 N72-17094

STANFORD UNIV., CALIF.
Active RC networks
[NASA-CASE-ARC-10042-2] c10 N72-11256
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c09 N72-21245
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c21 N72-21624
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c36 N75-19653
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c33 N75-27251
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c27 N78-32260
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c24 N79-24062
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c37 N79-28551

STANFORD UNIV., PALO ALTO, CALIF.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c10 N72-17171

STATE UNIV. OF IOWA, IOWA CITY.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c18 N71-20742

SYLVANIA ELECTRONIC SYSTEMS-CENTRAL, WILLIAMSVILLE, N. Y.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c16 N72-13437
Altitude sensing device
[NASA-CASE-XMS-01994-1] c14 N72-17326

T

TAAG DESIGNS, INC., COLLEGE PARK, MD.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c03 N72-11062
Phototropic composition of matter
[NASA-CASE-XGS-03736] c14 N72-22443

TAFT BROADCASTING CORP., HOUSTON, TEX.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c32 N75-21485

TALLADEGA COLL., ALA.
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-1] c23 N78-22154
Synthesis of multifunction triaryltrifluoroethanes
[NASA-CASE-ARC-11097-2] c23 N78-22155

TAMARACK SCIENTIFIC CO., INC., ORANGE, CALIF.
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c35 N76-29551

TECHNICOLOR, INC., PARAMUS, N.J.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c14 N73-32319

TECHNIDYNE, INC., WEST CHESTER, PA.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c15 N71-17686

TECHNION - ISRAEL INST. OF TECH., HAIFA.
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c37 N80-12414

TECHNION RESEARCH AND DEVELOPMENT FOUNDATION LTD., HAIFA (ISRAEL).
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c37 N79-12445

TECHNOLOGY, INC., HOUSTON, TEX.
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c52 N74-26626

TECHNOLOGY, INC., SAN ANTONIO, TEX.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c10 N72-20225
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c05 N72-33096

TELEDYNE BROWN ENGINEERING, HUNTSVILLE, ALA.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c14 N73-19420

TEMPLE UNIV. RESEARCH INST., PHILADELPHIA, PA.
Barium release system
[NASA-CASE-LAR-10670-1] c06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c15 N74-27360

TEXAS A&M UNIV., COLLEGE STATION.
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c76 N78-24950

TEXAS INSTRUMENTS, INC., DALLAS.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c09 N72-33205
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c33 N80-32650

TEXAS TECHNOLOGICAL UNIV., LUBBOCK.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c05 N75-24716

THIOKOL CHEMICAL CORP., BRISTOL, PA.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c28 N77-10213

THIOKOL CORP., BRIGHAM CITY, UTAH.
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c28 N80-23471
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c28 N81-15119

THOMPSON RAMO WOOLDRIDGE, INC., CLEVELAND, OHIO.
Electromagnetic radiation energy arrangement
[NASA-CASE-WOO-00426-1] c32 N79-19186

TISDALE (HENRY F., SR.), OAKHURST, N. J.
A velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c08 N79-20136
TRANS-SONICS, INC., LEXINGTON, MASS.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c14 N72-22442
TRIDENT ENGINEERING ASSOCIATES, INC., ANNAPOLIS, MD.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c23 N71-26206
TRW DEFENSE AND SPACE SYSTEMS GROUP, REDONDO BEACH, CALIF.
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c74 N81-15818
TRW EQUIPMENT LABS., CLEVELAND, OHIO.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c03 N71-11057
TRW, INC., REDONDO BEACH, CALIF.
Method of and device for determining the characteristics and flux distribution of micrometeorites
[NASA-CASE-NPO-12127-1] c91 N74-13130
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c27 N74-23125
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c37 N76-27568
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c04 N78-17031
Particle parameter analyzing system
[NASA-CASE-XLE-06094] c33 N78-17293
Temperature compensated current source
[NASA-CASE-MSC-11235] c33 N78-17294
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c33 N78-17296
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c34 N78-17337
Microbalance
[NASA-CASE-MSC-11242] c35 N78-17358
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c36 N78-17366
Wabble gear drive mechanism
[NASA-CASE-NOO-00625] c37 N78-17385
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c37 N78-17386
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c44 N79-15447
TRW SYSTEMS, REDONDO BEACH, CALIF.
Electromechanical actuator
[NASA-CASE-XNP-05975] c15 N69-23185
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c15 N71-17654
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c15 N71-18580
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c12 N71-18615
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c12 N71-27332
TRW SYSTEMS GROUP, REDONDO BEACH, CALIF.
Ablative resin Patent
[NASA-CASE-XLE-05913] c33 N71-14032
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c15 N71-24694
Multiple varactor frequency doubler Patent
[NASA-CASE-XNP-04958-1] c10 N71-26414
Booster tank system Patent
[NASA-CASE-MSC-12390] c27 N71-29155
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c14 N72-11363
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c08 N72-21200
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c28 N72-22772
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c09 N72-25262
Digital control and information system
[NASA-CASE-NPO-11016] c08 N72-31226
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c37 N75-25185

Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c35 N76-15431
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c37 N77-11397
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c34 N77-32413
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c36 N77-32478
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c33 N81-17349
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c35 N81-19427
TYCO LABS., INC., WALTHAM, MASS.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c26 N71-16037
Electrocatalyst for oxygen reduction
[NASA-CASE-HQN-10537-1] c06 N72-10138

U

ULTRASYSTEMS, INC., IRVINE, CALIF.
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c27 N78-32256
Compound oxidized styrylphosphine
[NASA-CASE-MSC-14903-2] c27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c27 N80-24438
UNIFIED SCIENCE ASSOCIATES, INC., PASADENA, CALIF.
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c15 N72-21466
UNION CARBIDE CORP., NEW YORK.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c16 N71-20400
UNITED AIRCRAFT CORP., EAST HARTFORD, CONN.
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c11 N70-35383
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c14 N71-21007
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c05 N71-24623
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c05 N71-24730
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c28 N71-29153
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c05 N72-25119
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c33 N78-17295
Restraining mechanism
[NASA-CASE-MSC-13054] c54 N78-17677
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c54 N78-17678
Protective garment ventilation system
[NASA-CASE-XMS-04928] c54 N78-17679
Helmet feedport
[NASA-CASE-XMS-09653] c54 N78-17680
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c54 N78-18761
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c37 N79-33468
UNITED AIRCRAFT CORP., STRATFORD, CONN.
Bonded joint and method
[NASA-CASE-LAR-10900-1] c37 N74-23064
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c05 N81-19087
UNITED AIRCRAFT CORP., SUNNYVALE, CALIF.
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c37 N81-14319
UNITED AIRCRAFT CORP., WEST PALM BEACH, FLA.
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c33 N74-14935
UNITED AIRCRAFT CORP., WINDSOR LOCKS, CONN.
Water separating system Patent
[NASA-CASE-XMS-13052] c14 N71-20427
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c05 N72-20098
UNITED STATES RADIUM CORP., PARSIPPANY, N. J.
Method for applying photographic resists to

otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c35 N79-19319
UNITED TECHNOLOGIES CORP., EAST HARTFORD, CONN.
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c20 N79-21123
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c20 N79-21124
Rocket injector head
[NASA-CASE-XMF-04592-1] c20 N79-21125
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c37 N79-22474
Portable breathing system
[NASA-CASE-MSC-16182-1] c54 N80-10799
UNITED TECHNOLOGIES CORP., WINDSOR LOCKS, CONN.
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c07 N79-14095
UNITED TECHNOLOGY CENTER, SUNNYVALE, CALIF.
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c27 N71-16392

V

VAPOR CORP., CHICAGO, ILL.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c33 N71-16278
VARIAN ASSOCIATES, PALO ALTO, CALIF.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c09 N71-20842
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c33 N76-31409
VIRGINIA POLYTECHNIC INST. AND STATE UNIV., BLACKSBURG.
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c33 N78-32339
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c33 N80-24549
VIRGINIA UNIV., CHARLOTTESVILLE.
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XKS-04614] c15 N69-21460
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c09 N72-29172
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c35 N78-19465
VIVONEX CORP., MOUNTAIN VIEW, CALIF.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c25 N75-14844

W

WEBER AIRCRAFT CORP., BURBANK, CALIF.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c05 N71-12343
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c05 N71-20718
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c05 N72-11085
WESTINGHOUSE ELECTRIC CORP., BALTIMORE, MD.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c07 N69-27462
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c07 N69-39980
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c33 N77-14335
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c33 N79-13262
WESTINGHOUSE ELECTRIC CORP., HUNTSVILLE, ALA.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c07 N71-24612
Phototransistor
[NASA-CASE-MFS-20407] c09 N73-19235
WESTINGHOUSE ELECTRIC CORP., LIMA, OHIO.
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c10 N71-27126
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c09 N70-41675
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c09 N70-41717
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c33 N71-15568
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c14 N71-17574
Regulated power supply Patent
[NASA-CASE-XMS-01991] c09 N71-21449
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c09 N71-23270
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c14 N71-23401
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c07 N71-23405
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c10 N71-23544
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c31 N71-26537
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c09 N71-28926
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c33 N71-29046
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c03 N72-26031
Phototransistor imaging system
[NASA-CASE-MFS-20809] c23 N73-13660
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c33 N74-17930
Heat transfer device
[NASA-CASE-NPO-11120-1] c34 N74-18552
Amplitude steered array
[NASA-CASE-GSC-11446-1] c33 N74-20860
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c37 N74-21063
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c33 N74-32660
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c34 N76-27515
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c74 N78-18905
WESTINGHOUSE ELECTRIC CORP., TRAFFORD, PA.
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c37 N80-10494
Method of producing silicon
[NASA-CASE-NPO-14382-1] c31 N80-18231
WESTON INSTRUMENTS, INC., COLLEGE PARK, MD.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c09 N71-27001
WHIRLPOOL CORP., ST. JOSEPH, MICH.
Relief container
[NASA-CASE-XMS-06761] c05 N69-23192
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c14 N71-20435
WHITTAKER CORP., LOS ANGELES, CALIF.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c06 N73-30099
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c06 N73-30100
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c06 N73-30102
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c06 N73-30103
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c27 N79-21191
WHITTAKER CORP., SAN DIEGO, CALIF.
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c37 N74-18126
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c27 N78-31232
WISCONSIN UNIV., MADISON.
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c35 N74-26949
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c52 N77-14737

Y


YOUNGSTOWN STATE UNIV., OHIO.
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c35 N75-19614

Page intentionally left blank

Page intentionally left blank

NASA PATENT ABSTRACTS BIBLIOGRAPHY JULY 1981
Section 2

Typical Number Index Listing



Listings in this index are arranged alphanumerically by "patent" number. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category.

JPL-CASE-13756 c35 N76-14434

NASA-CASE-ARC-10003-1 c09 N71-25866
NASA-CASE-ARC-10009-1 c15 N71-17822
NASA-CASE-ARC-10017-1 c14 N72-29464
NASA-CASE-ARC-10020 c10 N72-17172
NASA-CASE-ARC-10030 c09 N71-12521
NASA-CASE-ARC-10042-2 c10 N72-11256
NASA-CASE-ARC-10043-1 c05 N71-11193
NASA-CASE-ARC-10050 c03 N71-33409
NASA-CASE-ARC-10097-2 c07 N73-25160
NASA-CASE-ARC-10098-1 c06 N71-24739
NASA-CASE-ARC-10099-1 c18 N71-15469
NASA-CASE-ARC-10100-1 c05 N71-24738
NASA-CASE-ARC-10101-1 c09 N71-33109
NASA-CASE-ARC-10105 c09 N72-17153
NASA-CASE-ARC-10106-1 c28 N72-22769
NASA-CASE-ARC-10131-1 c15 N71-27754
NASA-CASE-ARC-10132-1 c09 N71-24597
NASA-CASE-ARC-10134 c30 N72-17873
NASA-CASE-ARC-10136-1 c09 N72-22202
NASA-CASE-ARC-10137-1 c09 N71-28468
NASA-CASE-ARC-10138-1 c14 N72-24477
NASA-CASE-ARC-10140-1 c15 N71-17653
NASA-CASE-ARC-10153 c05 N71-28619
NASA-CASE-ARC-10154-1 c14 N72-22440
NASA-CASE-ARC-10160-1 c23 N72-27728
NASA-CASE-ARC-10176-1 c15 N72-21464
NASA-CASE-ARC-10178-1 c09 N72-17152
NASA-CASE-ARC-10179-1 c21 N72-22619
NASA-CASE-ARC-10180-1 c28 N72-20767
NASA-CASE-ARC-10180-1 c27 N74-12814
NASA-CASE-ARC-10192 c09 N72-21245
NASA-CASE-ARC-10194-1 c23 N73-20741
NASA-CASE-ARC-10196-1 c18 N73-13562
NASA-CASE-ARC-10197-1 c33 N74-17929
NASA-CASE-ARC-10198 c34 N78-17336
NASA-CASE-ARC-10199 c34 N78-17337
NASA-CASE-ARC-10263-1 c14 N72-22438
NASA-CASE-ARC-10264-1 c09 N73-20231
NASA-CASE-ARC-10265-1 c10 N72-28240
NASA-CASE-ARC-10266-1 c33 N75-29318
NASA-CASE-ARC-10269-1 c10 N72-16172
NASA-CASE-ARC-10275-1 c05 N72-22092
NASA-CASE-ARC-10278-1 c14 N73-25463
NASA-CASE-ARC-10302-1 c51 N74-15778
NASA-CASE-ARC-10304-1 c18 N73-26572
NASA-CASE-ARC-10304-2 c27 N74-27037
NASA-CASE-ARC-10308-1 c06 N72-31141
NASA-CASE-ARC-10322-1 c35 N76-18403
NASA-CASE-ARC-10325 c06 N72-25147
NASA-CASE-ARC-10329-1 c05 N73-26072
NASA-CASE-ARC-10330-1 c09 N73-32112
NASA-CASE-ARC-10344-2 c35 N75-26334
NASA-CASE-ARC-10345-1 c15 N73-12488
NASA-CASE-ARC-10348-1 c33 N75-19518
NASA-CASE-ARC-10362-1 c14 N73-32326
NASA-CASE-ARC-10364-2 c33 N75-25041
NASA-CASE-ARC-10364-3 c33 N75-19520
NASA-CASE-ARC-10370-1 c36 N75-31426
NASA-CASE-ARC-10441-1 c35 N74-15126
NASA-CASE-ARC-10442-1 c35 N74-15093
NASA-CASE-ARC-10443-1 c14 N73-20477
NASA-CASE-ARC-10444-1 c16 N73-33397
NASA-CASE-ARC-10445-1 c31 N76-31365
NASA-CASE-ARC-10447-1 c52 N74-22771
NASA-CASE-ARC-10448-2 c74 N75-12732
NASA-CASE-ARC-10448-3 c35 N77-14408
NASA-CASE-ARC-10456-1 c05 N75-12930
NASA-CASE-ARC-10461-1 c44 N74-33379
NASA-CASE-ARC-10462-1 c37 N74-27901
NASA-CASE-ARC-10463-1 c09 N73-32111
NASA-CASE-ARC-10464-1 c27 N74-12812
NASA-CASE-ARC-10466-1 c60 N75-13539
NASA-CASE-ARC-10467-1 c09 N73-14214
NASA-CASE-ARC-10468-1 c14 N73-33361
NASA-CASE-ARC-10469-1 c25 N75-12086
NASA-CASE-ARC-10470-1 c02 N73-26005
NASA-CASE-ARC-10470-3 c05 N76-29217
NASA-CASE-ARC-10516-1 c70 N74-21300
NASA-CASE-ARC-10519-2 c05 N75-25915
NASA-CASE-ARC-10583-1 c52 N76-29894
NASA-CASE-ARC-10592-1 c27 N74-21156
NASA-CASE-ARC-10592-2 c27 N76-32315
NASA-CASE-ARC-10593-1 c33 N74-27682
NASA-CASE-ARC-10596-1 c33 N74-21851
NASA-CASE-ARC-10597-1 c52 N74-20726
NASA-CASE-ARC-10598-1 c75 N74-30156
NASA-CASE-ARC-10599-1 c05 N73-26071
NASA-CASE-ARC-10631-1 c74 N76-20958
NASA-CASE-ARC-10633-1 c25 N74-26947
NASA-CASE-ARC-10637-1 c35 N75-16783
NASA-CASE-ARC-10639-1 c35 N78-13400
NASA-CASE-ARC-10642-1 c36 N76-14447
NASA-CASE-ARC-10643-1 c25 N75-12087
NASA-CASE-ARC-10643-2 c51 N75-13506
NASA-CASE-ARC-10710-1 c09 N75-12969
NASA-CASE-ARC-10711-2 c33 N76-21390
NASA-CASE-ARC-10712-1 c07 N74-33218
NASA-CASE-ARC-10714-1 c27 N76-15310
NASA-CASE-ARC-10716-1 c35 N77-20399
NASA-CASE-ARC-10721-1 c27 N76-22376
NASA-CASE-ARC-10722-1 c51 N75-25503
NASA-CASE-ARC-10753-1 c54 N75-27760
NASA-CASE-ARC-10754-1 c07 N75-24736
NASA-CASE-ARC-10755-2 c34 N76-27517
NASA-CASE-ARC-10756-1 c54 N77-32721
NASA-CASE-ARC-10760-1 c25 N76-22323
NASA-CASE-ARC-10761-1 c07 N77-18154
NASA-CASE-ARC-10802-1 c35 N75-30502
NASA-CASE-ARC-10806 c06 N74-27872
NASA-CASE-ARC-10806-1 c35 N75-29381
NASA-CASE-ARC-10807-1 c05 N77-17029
NASA-CASE-ARC-10808-1 c09 N76-24280
NASA-CASE-ARC-10810-1 c33 N76-19339
NASA-CASE-ARC-10812-1 c07 N76-18131
NASA-CASE-ARC-10813-1 c27 N76-16230
NASA-CASE-ARC-10814-2 c07 N80-26298
NASA-CASE-ARC-10816-1 c35 N76-24525
NASA-CASE-ARC-10820-1 c35 N78-19466
NASA-CASE-ARC-10849-1 c17 N76-29347
NASA-CASE-ARC-10855-1 c52 N77-10780
NASA-CASE-ARC-10892-2 c27 N79-14214
NASA-CASE-ARC-10896-1 c35 N78-19465
NASA-CASE-ARC-10897-1 c33 N77-31404
NASA-CASE-ARC-10898-1 c35 N77-18417
NASA-CASE-ARC-10899-1 c60 N77-19760
NASA-CASE-ARC-10900-1 c35 N77-24454
NASA-CASE-ARC-10903-1 c09 N78-18083
NASA-CASE-ARC-10905-1 c37 N77-13418
NASA-CASE-ARC-10907-1 c37 N75-32465
NASA-CASE-ARC-10911-1 c35 N77-20400
NASA-CASE-ARC-10912-1 c34 N77-19353
NASA-CASE-ARC-10913-1 c24 N78-15180
NASA-CASE-ARC-10915-2 c27 N79-18052
NASA-CASE-ARC-10915-3 c24 N77-24200
NASA-CASE-ARC-10916-1 c52 N78-10686

NASA-CASE-ARC-10917-1 c51 N78-27733
NASA-CASE-ARC-10932-1 c74 N76-22993
NASA-CASE-ARC-10970-1 c36 N77-25501
NASA-CASE-ARC-10974-1 c34 N77-27345
NASA-CASE-ARC-10975-1 c33 N79-15245
NASA-CASE-ARC-10976-1 c74 N77-22950
NASA-CASE-ARC-10977-1 c07 N80-32392
NASA-CASE-ARC-10979-1 c09 N77-19076
NASA-CASE-ARC-10980-1 c27 N80-23452
NASA-CASE-ARC-10981-1 c37 N78-27425
NASA-CASE-ARC-10984-1 c32 N77-24328
NASA-CASE-ARC-10985-1 c52 N79-10724
NASA-CASE-ARC-10990-1 c04 N77-12031
NASA-CASE-ARC-10991-1 c25 N78-14104
NASA-CASE-ARC-10992-1 c26 N78-32229
NASA-CASE-ARC-10994-1 c52 N76-33835
NASA-CASE-ARC-10994-2 c52 N79-26771
NASA-CASE-ARC-11007-1 c52 N77-14736
NASA-CASE-ARC-11008-1 c27 N78-31232
NASA-CASE-ARC-11031-1 c54 N78-22720
NASA-CASE-ARC-11035-1 c52 N79-18580
NASA-CASE-ARC-11036-1 c35 N78-32395
NASA-CASE-ARC-11039-1 c74 N78-32854
NASA-CASE-ARC-11040-1 c24 N79-16915
NASA-CASE-ARC-11040-2 c24 N78-27184
NASA-CASE-ARC-11042-1 c24 N78-14096
NASA-CASE-ARC-11043-1 c24 N78-27180
NASA-CASE-ARC-11045-1 c05 N79-17847
NASA-CASE-ARC-11046-1 c35 N78-14364
NASA-CASE-ARC-11051-1 c27 N78-32260
NASA-CASE-ARC-11052-1 c37 N79-28551
NASA-CASE-ARC-11053-1 c25 N79-10162
NASA-CASE-ARC-11057-1 c27 N78-31233
NASA-CASE-ARC-11058-1 c54 N78-31735
NASA-CASE-ARC-11058-2 c54 N79-24651
NASA-CASE-ARC-11059-1 c54 N78-32721
NASA-CASE-ARC-11060-1 c27 N79-22300
NASA-CASE-ARC-11097-1 c23 N78-22154
NASA-CASE-ARC-11097-2 c23 N78-22155
NASA-CASE-ARC-11100-1 c54 N78-31736
NASA-CASE-ARC-11101-1 c54 N78-17675
NASA-CASE-ARC-11104-1 c15 N79-26100
NASA-CASE-ARC-11106-1 c05 N80-14107
NASA-CASE-ARC-11107-1 c25 N80-16116
NASA-CASE-ARC-11110-1 c37 N78-32434
NASA-CASE-ARC-11114-1 c51 N81-14605
NASA-CASE-ARC-11116-1 c33 N79-31498
NASA-CASE-ARC-11117-1 c52 N81-14612
NASA-CASE-ARC-11118-1 c52 N78-11692
NASA-CASE-ARC-11118-2 c52 N81-14613
NASA-CASE-ARC-11120-1 c52 N80-18691
NASA-CASE-ARC-11121-1 c25 N79-14169
NASA-CASE-ARC-11154-1 c25 N80-23383
NASA-CASE-ARC-11157-1 c37 N80-18393
NASA-CASE-ARC-11158-1 c09 N79-33220
NASA-CASE-ARC-11167-1 c52 N79-30921
NASA-CASE-ARC-11169-1 c24 N79-24062
NASA-CASE-ARC-11170-1 c27 N79-11215
NASA-CASE-ARC-11174-1 c24 N81-13999
NASA-CASE-ARC-11176-1 c27 N80-21533
NASA-CASE-ARC-11176-2 c25 N80-21464
NASA-CASE-ARC-11241-1 c25 N81-14016
NASA-CASE-ARC-11243-1 c27 N79-30375
NASA-CASE-ARC-11243-2 c23 N80-31472
NASA-CASE-ARC-11244-1 c27 N79-30376
NASA-CASE-ARC-11245-1 c33 N80-11326
NASA-CASE-ARC-11246-1 c24 N80-22410
NASA-CASE-ARC-11248-1 c27 N81-17259
NASA-CASE-ARC-11251-1 c37 N81-17433
NASA-CASE-ARC-11253-1 c27 N81-17262
NASA-CASE-ARC-11256-1 c37 N79-23432
NASA-CASE-ARC-11257-1 c04 N81-21047
NASA-CASE-ARC-11258-1 c52 N80-33081
NASA-CASE-ARC-11267-1 c23 N80-26386
NASA-CASE-ARC-11267-2 c25 N80-26407
NASA-CASE-ARC-11310-1 c27 N80-23454
NASA-CASE-ARC-11311-1 c74 N81-16882
NASA-CASE-ARC-11312-1 c36 N81-19439
NASA-CASE-ARC-11314-1 c54 N80-30043
NASA-CASE-ARC-11317-1 c35 N81-19430
NASA-CASE-ARC-11321-1 c27 N80-31551
NASA-CASE-ARC-113261-1 c25 N80-31490

NASA-CASE-ERC-10001 c23 N71-24868
NASA-CASE-ERC-10011 c07 N71-29065
NASA-CASE-ERC-10013 c09 N71-26678
NASA-CASE-ERC-10014 c14 N71-28863
NASA-CASE-ERC-10015-2 c10 N72-27246
NASA-CASE-ERC-10017 c16 N71-15567
NASA-CASE-ERC-10019 c16 N71-15551
NASA-CASE-ERC-10020 c16 N71-26154
NASA-CASE-ERC-10022 c15 N71-26635
NASA-CASE-ERC-10031 c12 N71-18603
NASA-CASE-ERC-10032 c10 N71-25900
NASA-CASE-ERC-10033 c14 N71-26672
NASA-CASE-ERC-10034 c15 N71-24896
NASA-CASE-ERC-10041 c08 N71-29138
NASA-CASE-ERC-10044-1 c14 N71-27090
NASA-CASE-ERC-10045 c15 N71-24910
NASA-CASE-ERC-10046 c10 N71-18722
NASA-CASE-ERC-10048 c09 N72-25251
NASA-CASE-ERC-10065 c09 N71-27364
NASA-CASE-ERC-10072 c09 N70-11148
NASA-CASE-ERC-10073-1 c24 N74-19769
NASA-CASE-ERC-10075 c09 N71-24800
NASA-CASE-ERC-10075-2 c09 N72-22196
NASA-CASE-ERC-10081 c14 N72-28437
NASA-CASE-ERC-10087 c14 N71-27334
NASA-CASE-ERC-10087-2 c14 N72-31446
NASA-CASE-ERC-10088 c26 N71-25490
NASA-CASE-ERC-10089 c23 N72-17747
NASA-CASE-ERC-10090 c21 N71-24948
NASA-CASE-ERC-10097 c15 N71-28465
NASA-CASE-ERC-10098 c09 N71-28618
NASA-CASE-ERC-10100 c09 N71-33519
NASA-CASE-ERC-10108 c06 N72-21094
NASA-CASE-ERC-10112 c07 N72-21119
NASA-CASE-ERC-10113 c09 N71-27053
NASA-CASE-ERC-10119 c26 N72-21701
NASA-CASE-ERC-10120 c26 N69-33482
NASA-CASE-ERC-10125 c09 N71-24893
NASA-CASE-ERC-10138 c26 N71-14354
NASA-CASE-ERC-10139 c09 N72-17154
NASA-CASE-ERC-10150 c14 N71-28992
NASA-CASE-ERC-10151 c16 N71-29131
NASA-CASE-ERC-10174 c14 N72-25409
NASA-CASE-ERC-10178 c16 N71-24832
NASA-CASE-ERC-10179 c07 N72-20141
NASA-CASE-ERC-10180-1 c60 N74-20836
NASA-CASE-ERC-10187 c16 N69-31343
NASA-CASE-ERC-10208 c15 N70-10867
NASA-CASE-ERC-10214 c09 N72-31235
NASA-CASE-ERC-10222 c09 N72-22199
NASA-CASE-ERC-10224 c09 N72-25261
NASA-CASE-ERC-10224-2 c09 N73-27150
NASA-CASE-ERC-10226-1 c14 N73-16483
NASA-CASE-ERC-10248 c14 N72-17323
NASA-CASE-ERC-10267 c09 N72-23173
NASA-CASE-ERC-10268 c09 N72-25252
NASA-CASE-ERC-10275 c26 N72-25680
NASA-CASE-ERC-10276 c14 N73-26432
NASA-CASE-ERC-10283 c16 N72-25485
NASA-CASE-ERC-10285 c10 N73-16206
NASA-CASE-ERC-10292 c14 N72-25410
NASA-CASE-ERC-10307 c08 N72-21198
NASA-CASE-ERC-10324 c07 N72-25173
NASA-CASE-ERC-10325 c15 N72-25457
NASA-CASE-ERC-10338 c04 N72-33072
NASA-CASE-ERC-10339-1 c18 N73-30532
NASA-CASE-ERC-10350 c14 N73-20474
NASA-CASE-ERC-10363 c18 N72-25541
NASA-CASE-ERC-10364 c18 N72-25540
NASA-CASE-ERC-10365-1 c31 N73-32749
NASA-CASE-ERC-10392 c21 N73-14692
NASA-CASE-ERC-10403-1 c10 N73-26228
NASA-CASE-ERC-10412-1 c09 N73-12211
NASA-CASE-ERC-10419 c21 N72-21631
NASA-CASE-ERC-10419-1 c03 N75-30132
NASA-CASE-ERC-10439 c02 N73-19004
NASA-CASE-ERC-10468 c09 N72-20206
NASA-CASE-ERC-10552 c09 N71-12539
NASA-CASE-ERC-11020 c14 N71-26774

NASA-CASE-FRC-10005 c15 N71-26145
NASA-CASE-FRC-10010 c10 N71-24862
NASA-CASE-FRC-10012 c14 N72-17329
NASA-CASE-FRC-10019 c15 N73-12487
NASA-CASE-FRC-10022 c12 N71-26546
NASA-CASE-FRC-10029 c09 N71-24618
NASA-CASE-FRC-10029-2 c05 N72-25121
NASA-CASE-FRC-10036 c09 N72-22200
NASA-CASE-FRC-10038 c15 N72-20444
NASA-CASE-FRC-10049-1 c04 N74-13420
NASA-CASE-FRC-10051-1 c35 N74-13129
NASA-CASE-FRC-10053 c14 N70-35587
NASA-CASE-FRC-10060-1 c14 N73-27379
NASA-CASE-FRC-10063 c01 N71-12217
NASA-CASE-FRC-10071-1 c32 N74-20813

NASA-CASE-FRC-10072-1 c33 N74-14939
NASA-CASE-FRC-10081-1 c37 N77-14477
NASA-CASE-FRC-10090-1 c33 N78-18308
NASA-CASE-FRC-10092-1 c05 N79-12061
NASA-CASE-FRC-10093-1 c35 N80-20560
NASA-CASE-FRC-10111-1 c37 N79-10419
NASA-CASE-FRC-10112-1 c35 N80-19469
NASA-CASE-FRC-10113-1 c33 N80-26599
NASA-CASE-FRC-10116-1 c33 N79-23345
NASA-CASE-FRC-11005-1 c06 N79-24988
NASA-CASE-FRC-11007-2 c02 N79-24559
NASA-CASE-FRC-11009-1 c06 N80-18036
NASA-CASE-FRC-11012-1 c52 N80-23969
NASA-CASE-FRC-11013-1 c43 N81-17499
NASA-CASE-FRC-11014-1 c33 N79-27395
NASA-CASE-FRC-11024-1 c02 N80-28300
NASA-CASE-FRC-11025-1 c60 N80-17723
NASA-CASE-FRC-11026-1 c39 N79-25424
NASA-CASE-FRC-11029-1 c06 N81-17057
NASA-CASE-FRC-11041-1 c33 N80-20488
NASA-CASE-FRC-11042-1 c37 N80-20589
NASA-CASE-FRC-11044-1 c07 N80-21327
NASA-CASE-FRC-11052-1 c04 N80-20249
NASA-CASE-FRC-11055-1 c33 N80-29583
NASA-CASE-FRC-11058-1 c85 N80-33312
NASA-CASE-FRC-11062-1 c07 N80-32393

NASA-CASE-GSC-10007 c18 N71-16046
NASA-CASE-GSC-10021-1 c09 N71-24595
NASA-CASE-GSC-10022-1 c10 N71-25882
NASA-CASE-GSC-10041-1 c10 N71-19418
NASA-CASE-GSC-10062 c14 N71-15605
NASA-CASE-GSC-10064-1 c10 N72-22235
NASA-CASE-GSC-10065-1 c10 N71-27136
NASA-CASE-GSC-10072 c18 N71-14014
NASA-CASE-GSC-10082-1 c10 N72-20221
NASA-CASE-GSC-10083-1 c30 N71-16090
NASA-CASE-GSC-10087-1 c02 N71-19287
NASA-CASE-GSC-10087-2 c21 N71-13958
NASA-CASE-GSC-10087-3 c07 N72-12080
NASA-CASE-GSC-10087-4 c07 N73-20174
NASA-CASE-GSC-10097-1 c08 N71-27210
NASA-CASE-GSC-10114-1 c10 N71-27366
NASA-CASE-GSC-10118-1 c07 N71-24621
NASA-CASE-GSC-10131-1 c07 N71-24624
NASA-CASE-GSC-10135 c33 N78-17296
NASA-CASE-GSC-10185-1 c07 N72-12081
NASA-CASE-GSC-10186 c08 N71-33110
NASA-CASE-GSC-10188-1 c23 N71-24725
NASA-CASE-GSC-10216-1 c23 N71-26722
NASA-CASE-GSC-10218-1 c15 N72-21465
NASA-CASE-GSC-10220-1 c07 N71-27233
NASA-CASE-GSC-10221-1 c09 N72-23171
NASA-CASE-GSC-10225-1 c06 N73-27086
NASA-CASE-GSC-10299-1 c09 N71-24804
NASA-CASE-GSC-10303 c15 N72-22487
NASA-CASE-GSC-10306-1 c15 N71-24694
NASA-CASE-GSC-10344-1 c03 N72-27053
NASA-CASE-GSC-10361-1 c18 N72-23581
NASA-CASE-GSC-10366-1 c10 N71-18772
NASA-CASE-GSC-10373-1 c07 N71-19773
NASA-CASE-GSC-10376-1 c14 N71-27407
NASA-CASE-GSC-10390-1 c07 N72-11149
NASA-CASE-GSC-10413 c10 N71-26531
NASA-CASE-GSC-10441-1 c14 N71-27325
NASA-CASE-GSC-10452 c07 N71-12396
NASA-CASE-GSC-10487-1 c03 N71-24719
NASA-CASE-GSC-10503-1 c14 N72-20381
NASA-CASE-GSC-10514-1 c14 N72-20379
NASA-CASE-GSC-10518-1 c15 N72-22489
NASA-CASE-GSC-10553-1 c07 N71-19854
NASA-CASE-GSC-10554-1 c08 N71-29033
NASA-CASE-GSC-10555-1 c21 N71-27324
NASA-CASE-GSC-10556-1 c31 N71-26537
NASA-CASE-GSC-10557-1 c31 N71-26537
NASA-CASE-GSC-10564 c10 N71-29135
NASA-CASE-GSC-10565-1 c06 N72-25149
NASA-CASE-GSC-10566-1 c15 N72-18477
NASA-CASE-GSC-10590-1 c31 N73-14653
NASA-CASE-GSC-10607-1 c15 N72-20442
NASA-CASE-GSC-10614-1 c09 N72-11224
NASA-CASE-GSC-10640-1 c28 N72-18766
NASA-CASE-GSC-10656-1 c09 N72-25249
NASA-CASE-GSC-10667-1 c10 N71-33129
NASA-CASE-GSC-10668-1 c07 N71-28430
NASA-CASE-GSC-10669-1 c03 N72-20031
NASA-CASE-GSC-10695-1 c09 N72-25259
NASA-CASE-GSC-10700 c23 N71-30027
NASA-CASE-GSC-10709-1 c28 N71-25213
NASA-CASE-GSC-10710-1 c28 N71-27094
NASA-CASE-GSC-10735-1 c10 N71-26085
NASA-CASE-GSC-10780-1 c14 N72-16283
NASA-CASE-GSC-10786-1 c10 N72-28241
NASA-CASE-GSC-10791-1 c15 N73-14469
NASA-CASE-GSC-10814-1 c03 N73-20039
NASA-CASE-GSC-10835-1 c09 N72-33205
NASA-CASE-GSC-10878-1 c10 N72-22236
NASA-CASE-GSC-10879-1 c14 N72-25413
NASA-CASE-GSC-10880-1 c08 N72-11172
NASA-CASE-GSC-10890-1 c21 N73-30640
NASA-CASE-GSC-10891-1 c10 N71-26626
NASA-CASE-GSC-10903-1 c14 N73-12444
NASA-CASE-GSC-10913 c15 N72-22491
NASA-CASE-GSC-10945-1 c21 N72-31637
NASA-CASE-GSC-10949-1 c07 N71-28965
NASA-CASE-GSC-10975-1 c08 N73-13187
NASA-CASE-GSC-10984-1 c37 N75-26371
NASA-CASE-GSC-10990-1 c09 N73-26195
NASA-CASE-GSC-11013-1 c09 N73-19234
NASA-CASE-GSC-11018-1 c31 N73-30829
NASA-CASE-GSC-11046-1 c07 N73-28013
NASA-CASE-GSC-11063-1 c37 N77-27400
NASA-CASE-GSC-11074-1 c14 N73-28489
NASA-CASE-GSC-11077-1 c02 N73-13008
NASA-CASE-GSC-11079-1 c37 N75-18574
NASA-CASE-GSC-11092-2 c04 N73-27052
NASA-CASE-GSC-11095-1 c14 N72-10375
NASA-CASE-GSC-11126-1 c09 N72-25253
NASA-CASE-GSC-11127-1 c09 N75-24758
NASA-CASE-GSC-11133-1 c23 N72-11568
NASA-CASE-GSC-11139 c09 N71-27016
NASA-CASE-GSC-11149-1 c15 N73-30457
NASA-CASE-GSC-11163-1 c15 N73-32360
NASA-CASE-GSC-11169-2 c05 N73-32011
NASA-CASE-GSC-11182-1 c15 N75-13007
NASA-CASE-GSC-11188-1 c14 N73-32320
NASA-CASE-GSC-11188-2 c21 N73-19630
NASA-CASE-GSC-11188-3 c74 N74-20008
NASA-CASE-GSC-11205-1 c15 N73-25513
NASA-CASE-GSC-11211-1 c03 N72-25020
NASA-CASE-GSC-11214-1 c06 N73-13128
NASA-CASE-GSC-11215-1 c09 N73-28083
NASA-CASE-GSC-11222-1 c16 N73-32391
NASA-CASE-GSC-11239-1 c10 N73-25241
NASA-CASE-GSC-11262-1 c36 N74-21091
NASA-CASE-GSC-11291-1 c25 N72-33696
NASA-CASE-GSC-11296-1 c23 N73-30666
NASA-CASE-GSC-11302-1 c14 N73-13416
NASA-CASE-GSC-11304-1 c06 N72-21105
NASA-CASE-GSC-11340-1 c10 N72-33230
NASA-CASE-GSC-11353-1 c74 N74-21304
NASA-CASE-GSC-11358-1 c06 N73-26100
NASA-CASE-GSC-11367 c10 N71-26374
NASA-CASE-GSC-11367-1 c44 N74-19692
NASA-CASE-GSC-11368-1 c09 N73-32108
NASA-CASE-GSC-11394-1 c09 N73-32109
NASA-CASE-GSC-11425-1 c76 N74-20329
NASA-CASE-GSC-11425-2 c76 N75-25730
NASA-CASE-GSC-11428-1 c32 N74-20864
NASA-CASE-GSC-11434-1 c34 N74-27859
NASA-CASE-GSC-11444-1 c14 N73-28490
NASA-CASE-GSC-11445-1 c31 N74-27902
NASA-CASE-GSC-11446-1 c33 N74-20860
NASA-CASE-GSC-11479-1 c35 N74-28097
NASA-CASE-GSC-11487-1 c14 N73-30393
NASA-CASE-GSC-11492-1 c35 N74-26949
NASA-CASE-GSC-11513-1 c33 N74-20862
NASA-CASE-GSC-11514-1 c03 N72-24037
NASA-CASE-GSC-11531-1 c52 N74-27566
NASA-CASE-GSC-11533-1 c14 N73-13435
NASA-CASE-GSC-11551-1 c37 N76-18459
NASA-CASE-GSC-11553-1 c35 N74-15831
NASA-CASE-GSC-11560-1 c33 N74-20861
NASA-CASE-GSC-11569-1 c89 N74-30886
NASA-CASE-GSC-11571-1 c36 N77-25499
NASA-CASE-GSC-11577-1 c37 N75-15992
NASA-CASE-GSC-11577-3 c24 N79-25143
NASA-CASE-GSC-11582-1 c33 N75-19517
NASA-CASE-GSC-11600-1 c35 N74-21019
NASA-CASE-GSC-11602-1 c33 N74-21850
NASA-CASE-GSC-11617-1 c33 N74-32660
NASA-CASE-GSC-11619-1 c34 N75-12222
NASA-CASE-GSC-11620-1 c34 N74-23039
NASA-CASE-GSC-11623-1 c33 N75-25040
NASA-CASE-GSC-11690-1 c14 N73-28499
NASA-CASE-GSC-11743-1 c32 N75-24981
NASA-CASE-GSC-11744-1 c33 N75-26243
NASA-CASE-GSC-11746-1 c36 N75-19654

NASA-CASE-GSC-11752-1 c77 N75-20140
NASA-CASE-GSC-11760-1 c33 N75-19516
NASA-CASE-GSC-11782-1 c74 N76-30053
NASA-CASE-GSC-11783-1 c33 N75-19516
NASA-CASE-GSC-11786-1 c24 N76-24363
NASA-CASE-GSC-11789-1 c33 N77-14333
NASA-CASE-GSC-11824-1 c33 N77-26386
NASA-CASE-GSC-11829-1 c35 N75-27331
NASA-CASE-GSC-11839-1 c60 N77-14751
NASA-CASE-GSC-11839-2 c60 N78-10709
NASA-CASE-GSC-11839-3 c60 N77-32731
NASA-CASE-GSC-11844-1 c33 N75-19522
NASA-CASE-GSC-11849-1 c33 N76-16332
NASA-CASE-GSC-11862-1 c32 N76-18295
NASA-CASE-GSC-11868-1 c17 N76-22245
NASA-CASE-GSC-11877-1 c74 N76-18913
NASA-CASE-GSC-11883-1 c37 N77-19458
NASA-CASE-GSC-11883-2 c37 N78-31426
NASA-CASE-GSC-11889-1 c35 N76-16393
NASA-CASE-GSC-11892-1 c35 N76-15433
NASA-CASE-GSC-11893-1 c35 N76-31489
NASA-CASE-GSC-11895-1 c35 N76-15436
NASA-CASE-GSC-11898-1 c32 N77-30309
NASA-CASE-GSC-11902-1 c38 N77-17495
NASA-CASE-GSC-11909 c32 N74-20863
NASA-CASE-GSC-11917-2 c51 N76-29691
NASA-CASE-GSC-11924-1 c33 N76-27472
NASA-CASE-GSC-11925-1 c33 N76-18353
NASA-CASE-GSC-11960-1 c37 N77-14479
NASA-CASE-GSC-11963-1 c33 N77-10429
NASA-CASE-GSC-11968-1 c32 N76-15329
NASA-CASE-GSC-11974-1 c37 N77-19458
NASA-CASE-GSC-11975-1 c37 N77-19458
NASA-CASE-GSC-11976-1 c43 N78-10529
NASA-CASE-GSC-11978-1 c37 N77-17464
NASA-CASE-GSC-11989-1 c74 N77-28932
NASA-CASE-GSC-11998-1 c34 N77-32413
NASA-CASE-GSC-12010-1 c74 N78-18905
NASA-CASE-GSC-12017-1 c32 N77-30308
NASA-CASE-GSC-12018-1 c33 N77-14334
NASA-CASE-GSC-12022-1 c44 N76-28635
NASA-CASE-GSC-12022-2 c44 N78-24609
NASA-CASE-GSC-12023-1 c44 N76-28635
NASA-CASE-GSC-12030-1 c44 N78-24608
NASA-CASE-GSC-12032-2 c35 N76-19408
NASA-CASE-GSC-12039-1 c51 N77-22794
NASA-CASE-GSC-12044-1 c60 N78-17691
NASA-CASE-GSC-12046-1 c52 N79-14750
NASA-CASE-GSC-12053-1 c32 N77-28346
NASA-CASE-GSC-12058-1 c74 N77-26942
NASA-CASE-GSC-12059-1 c35 N77-27366
NASA-CASE-GSC-12075-1 c32 N77-31350
NASA-CASE-GSC-12077-1 c35 N77-24455
NASA-CASE-GSC-12081-2 c52 N77-26796
NASA-CASE-GSC-12082-1 c54 N76-22914
NASA-CASE-GSC-12082-2 c52 N77-27694
NASA-CASE-GSC-12083-1 c73 N78-32848
NASA-CASE-GSC-12088-1 c74 N78-13874
NASA-CASE-GSC-12110-1 c27 N77-32308
NASA-CASE-GSC-12111-2 c60 N77-31800
NASA-CASE-GSC-12115-1 c62 N76-31946
NASA-CASE-GSC-12137-1 c33 N78-32338
NASA-CASE-GSC-12138-1 c33 N79-20314
NASA-CASE-GSC-12143-1 c35 N77-32456
NASA-CASE-GSC-12145-1 c33 N78-32339
NASA-CASE-GSC-12146-1 c33 N78-32340
NASA-CASE-GSC-12147-1 c35 N77-20410
NASA-CASE-GSC-12148-1 c32 N79-20296
NASA-CASE-GSC-12150-1 c32 N79-11265
NASA-CASE-GSC-12158-1 c51 N78-22585
NASA-CASE-GSC-12168-1 c31 N79-17029
NASA-CASE-GSC-12171-1 c33 N79-28416
NASA-CASE-GSC-12173-1 c51 N79-10694
NASA-CASE-GSC-12190-1 c33 N79-12321
NASA-CASE-GSC-12191-1 c31 N80-32583
NASA-CASE-GSC-12194-2 c20 N79-15151
NASA-CASE-GSC-12207-1 c24 N79-14156
NASA-CASE-GSC-12219-1 c35 N80-18359
NASA-CASE-GSC-12223-1 c60 N79-27864
NASA-CASE-GSC-12225-1 c74 N79-14891
NASA-CASE-GSC-12228-1 c33 N79-10338
NASA-CASE-GSC-12237-1 c36 N80-14384
NASA-CASE-GSC-12253-1 c34 N79-31523
NASA-CASE-GSC-12263-1 c74 N79-20657
NASA-CASE-GSC-12273-1 c35 N80-21719
NASA-CASE-GSC-12274-1 c37 N79-28550
NASA-CASE-GSC-12289-1 c37 N80-32717
NASA-CASE-GSC-12291-1 c76 N80-18951
NASA-CASE-GSC-12297-1 c37 N79-28549
NASA-CASE-GSC-12303-1 c24 N79-31347
NASA-CASE-GSC-12318-1 c37 N80-23655
NASA-CASE-GSC-12319-1 c60 N79-32852
NASA-CASE-GSC-12321-1 c36 N80-18380
NASA-CASE-GSC-12322-1 c37 N80-14398
NASA-CASE-GSC-12324-1 c33 N79-13262
NASA-CASE-GSC-12331-1 c18 N80-14183
NASA-CASE-GSC-12334-1 c36 N79-14362
NASA-CASE-GSC-12347-1 c33 N80-18286
NASA-CASE-GSC-12348-1 c74 N80-24149
NASA-CASE-GSC-12354-1 c35 N80-20565
NASA-CASE-GSC-12357-1 c74 N80-21140
NASA-CASE-GSC-12360-1 c33 N81-19392
NASA-CASE-GSC-12365-1 c32 N80-28578
NASA-CASE-GSC-12399-1 c33 N79-13261
NASA-CASE-GSC-12410-1 c33 N79-24260
NASA-CASE-GSC-12411-1 c33 N81-14221
NASA-CASE-GSC-12415-1 c34 N80-18338
NASA-CASE-GSC-12420-1 c33 N80-21670
NASA-CASE-GSC-12429-1 c37 N81-14320
NASA-CASE-GSC-12430-1 c32 N80-20453
NASA-CASE-GSC-12447-1 c60 N80-21987
NASA-CASE-GSC-12513-1 c31 N81-19343
NASA-CASE-GSC-12515-1 c33 N80-12281
NASA-CASE-GSC-12518-1 c33 N80-19424
NASA-CASE-GSC-12528-1 c32 N80-18261
NASA-CASE-GSC-12551-1 c18 N81-12156
NASA-CASE-GSC-12553-1 c33 N80-21671
NASA-CASE-GSC-12555-1 c33 N80-26601
NASA-CASE-GSC-12560-1 c52 N80-27073
NASA-CASE-GSC-12582-1 c37 N81-16469
NASA-CASE-GSC-12584-1 c76 N80-32246
NASA-CASE-GSC-12587-1 c35 N80-29635
NASA-CASE-GSC-12592-1 c36 N81-12407
NASA-CASE-GSC-12595-1 c33 N81-12331
NASA-CASE-GSC-12608-1 c35 N81-12387
NASA-CASE-GSC-12614-1 c35 N81-12386
NASA-CASE-GSC-12619-1 c37 N81-16470
NASA-CASE-GSC-12636-1 c37 N80-29705

NASA-CASE-HQN-00573-1 c37 N79-33468
NASA-CASE-HQN-00936 c31 N71-29050
NASA-CASE-HQN-00937 c07 N71-28979
NASA-CASE-HQN-00938 c33 N71-29053
NASA-CASE-HQN-10037-1 c14 N73-27376
NASA-CASE-HQN-10069 c33 N75-27251
NASA-CASE-HQN-10364 c06 N71-27363
NASA-CASE-HQN-10439 c21 N72-21624
NASA-CASE-HQN-10462 c25 N75-29192
NASA-CASE-HQN-10537-1 c06 N72-10138
NASA-CASE-HQN-10541-1 c07 N71-26291
NASA-CASE-HQN-10541-2 c15 N71-27135
NASA-CASE-HQN-10541-3 c23 N72-23695
NASA-CASE-HQN-10541-4 c16 N71-27183
NASA-CASE-HQN-10542-1 c74 N75-25706
NASA-CASE-HQN-10638-1 c15 N73-30460
NASA-CASE-HQN-10654-1 c16 N73-13489
NASA-CASE-HQN-10683 c14 N71-34389
NASA-CASE-HQN-10703 c21 N73-13643
NASA-CASE-HQN-10740-1 c72 N74-19310
NASA-CASE-HQN-10756-1 c14 N72-25428
NASA-CASE-HQN-10780 c14 N71-30265
NASA-CASE-HQN-10781 c23 N71-30292
NASA-CASE-HQN-10790-1 c36 N74-11313
NASA-CASE-HQN-10792-1 c33 N74-11049
NASA-CASE-HQN-10832-1 c71 N74-21014
NASA-CASE-HQN-10841-1 c73 N78-19920
NASA-CASE-HQN-10844-1 c36 N75-19653
NASA-CASE-HQN-10862-1 c44 N76-29699
NASA-CASE-HQN-10876-1 c33 N76-27473
NASA-CASE-HQN-10880-1 c17 N78-17140
NASA-CASE-HQN-10888-1 c44 N79-14527
NASA-CASE-HQN-10949-1 c44 N81-16530

NASA-CASE-KSC-10002 c10 N71-25865
NASA-CASE-KSC-10003 c10 N73-13235
NASA-CASE-KSC-10020 c10 N71-27338
NASA-CASE-KSC-10031 c15 N72-22486
NASA-CASE-KSC-10108 c14 N73-25461
NASA-CASE-KSC-10126 c11 N71-24985
NASA-CASE-KSC-10162 c09 N72-11225
NASA-CASE-KSC-10164 c07 N71-33108
NASA-CASE-KSC-10198 c11 N71-28629
NASA-CASE-KSC-10242 c15 N72-23497
NASA-CASE-KSC-10278 c05 N72-16015
NASA-CASE-KSC-10294 c14 N72-18411
NASA-CASE-KSC-10326 c08 N72-21197
NASA-CASE-KSC-10392 c07 N73-26117
NASA-CASE-KSC-10393 c09 N72-21247

NASA-CASE-KSC-10397 c08 N72-25206
NASA-CASE-KSC-10513 c15 N72-25453
NASA-CASE-KSC-10521 c07 N73-20176
NASA-CASE-KSC-10565 c09 N72-25250
NASA-CASE-KSC-10595 c08 N73-12176
NASA-CASE-KSC-10615 c15 N73-12486
NASA-CASE-KSC-10622-1 c31 N72-21893
NASA-CASE-KSC-10626 c14 N73-27378
NASA-CASE-KSC-10639 c15 N73-26472
NASA-CASE-KSC-10644 c09 N72-27227
NASA-CASE-KSC-10647-1 c10 N72-31273
NASA-CASE-KSC-10654-1 c07 N73-30115
NASA-CASE-KSC-10698 c07 N73-20175
NASA-CASE-KSC-10723-1 c37 N75-13265
NASA-CASE-KSC-10728-1 c14 N73-32319
NASA-CASE-KSC-10729-1 c09 N73-32110
NASA-CASE-KSC-10730-1 c14 N73-32318
NASA-CASE-KSC-10731-1 c33 N74-27862
NASA-CASE-KSC-10736-1 c33 N75-19521
NASA-CASE-KSC-10750-1 c35 N75-12270
NASA-CASE-KSC-10769-1 c33 N74-29556
NASA-CASE-KSC-10782-1 c33 N75-30431
NASA-CASE-KSC-10807-1 c33 N75-26246
NASA-CASE-KSC-10834-1 c33 N76-14371
NASA-CASE-KSC-10849-1 c52 N77-14738
NASA-CASE-KSC-10899-1 c33 N79-18193
NASA-CASE-KSC-11004-1 c54 N77-30749
NASA-CASE-KSC-11008-1 c33 N79-22373
NASA-CASE-KSC-11010-1 c74 N79-12890
NASA-CASE-KSC-11018-1 c33 N79-10337
NASA-CASE-KSC-11023-1 c32 N79-23310
NASA-CASE-KSC-11025-1 c32 N79-28383
NASA-CASE-KSC-11030-1 c52 N77-25772
NASA-CASE-KSC-11031-1 c33 N79-11315
NASA-CASE-KSC-11034-1 c44 N78-32542
NASA-CASE-KSC-11035-1 c35 N78-28411
NASA-CASE-KSC-11042-1 c02 N81-14967
NASA-CASE-KSC-11047-1 c74 N78-14889
NASA-CASE-KSC-11048-1 c60 N79-23674
NASA-CASE-KSC-11057-1 c33 N79-14305
NASA-CASE-KSC-11064-1 c31 N81-14137
NASA-CASE-KSC-11065-1 c60 N79-27665
NASA-CASE-KSC-11069-1 c52 N79-26772
NASA-CASE-KSC-11076-1 c35 N79-27479
NASA-CASE-KSC-11085-1 c54 N79-33648
NASA-CASE-KSC-11099-1 c33 N79-25313
NASA-CASE-KSC-11104-1 c74 N81-12862

NASA-CASE-LAR-02743 c14 N73-32324
NASA-CASE-LAR-10000 c14 N73-30394
NASA-CASE-LAR-10007-1 c05 N71-11195
NASA-CASE-LAR-10031 c15 N72-22484
NASA-CASE-LAR-10056 c05 N71-12351
NASA-CASE-LAR-10061-1 c15 N72-31483
NASA-CASE-LAR-10073-1 c37 N76-24575
NASA-CASE-LAR-10076-1 c05 N73-20137
NASA-CASE-LAR-10083-1 c15 N71-27006
NASA-CASE-LAR-10089-1 c34 N74-23066
NASA-CASE-LAR-10098 c32 N71-26681
NASA-CASE-LAR-10102-1 c05 N72-23085
NASA-CASE-LAR-10103-1 c15 N73-14468
NASA-CASE-LAR-10105-1 c34 N74-15652
NASA-CASE-LAR-10106-1 c15 N71-27169
NASA-CASE-LAR-10121-1 c15 N71-26721
NASA-CASE-LAR-10128-1 c08 N73-20217
NASA-CASE-LAR-10129-1 c15 N73-25512
NASA-CASE-LAR-10129-2 c37 N74-20063
NASA-CASE-LAR-10135-1 c09 N79-21083
NASA-CASE-LAR-10137-1 c09 N72-22204
NASA-CASE-LAR-10163-1 c09 N72-25247
NASA-CASE-LAR-10168-1 c33 N74-22865
NASA-CASE-LAR-10170-1 c37 N74-11301
NASA-CASE-LAR-10173-1 c27 N71-14090
NASA-CASE-LAR-10176-1 c14 N72-20380
NASA-CASE-LAR-10180-1 c06 N71-13461
NASA-CASE-LAR-10184 c14 N72-22445
NASA-CASE-LAR-10193-1 c15 N71-27146
NASA-CASE-LAR-10194-1 c34 N74-30608
NASA-CASE-LAR-10195-1 c15 N73-19458
NASA-CASE-LAR-10203-1 c15 N72-16330
NASA-CASE-LAR-10204 c14 N71-27215
NASA-CASE-LAR-10208-1 c35 N76-18400
NASA-CASE-LAR-10218-1 c09 N70-34559
NASA-CASE-LAR-10226-1 c14 N73-19419
NASA-CASE-LAR-10241-1 c54 N74-14845
NASA-CASE-LAR-10249-1 c02 N71-26110
NASA-CASE-LAR-10253-1 c09 N72-25258
NASA-CASE-LAR-10256-1 c85 N74-34672
NASA-CASE-LAR-10270-1 c32 N72-25877

NASA-CASE-LAR-10274-1 c14 N71-17626
NASA-CASE-LAR-10276-1 c09 N75-15662
NASA-CASE-LAR-10294-1 c26 N72-28762
NASA-CASE-LAR-10295-1 c35 N74-21062
NASA-CASE-LAR-10305 c14 N71-26137
NASA-CASE-LAR-10310-1 c10 N73-20253
NASA-CASE-LAR-10311-1 c16 N73-16536
NASA-CASE-LAR-10317-1 c32 N71-16103
NASA-CASE-LAR-10318-1 c31 N74-18089
NASA-CASE-LAR-10319-1 c14 N73-32322
NASA-CASE-LAR-10320-1 c09 N72-23172
NASA-CASE-LAR-10323-1 c12 N71-17573
NASA-CASE-LAR-10337-1 c24 N75-30260
NASA-CASE-LAR-10348-1 c11 N73-12264
NASA-CASE-LAR-10365-1 c05 N72-27102
NASA-CASE-LAR-10372 c09 N71-18599
NASA-CASE-LAR-10373-1 c18 N71-26155
NASA-CASE-LAR-10385-2 c70 N74-13436
NASA-CASE-LAR-10385-3 c74 N78-15879
NASA-CASE-LAR-10403 c21 N71-11766
NASA-CASE-LAR-10409-1 c31 N74-21059
NASA-CASE-LAR-10416-1 c24 N74-30001
NASA-CASE-LAR-10426-1 c09 N74-19528
NASA-CASE-LAR-10439-1 c33 N73-27796
NASA-CASE-LAR-10440-1 c14 N73-32323
NASA-CASE-LAR-10450-1 c37 N74-27905
NASA-CASE-LAR-10483-1 c14 N73-32327
NASA-CASE-LAR-10489-1 c31 N74-18124
NASA-CASE-LAR-10489-2 c31 N74-32920
NASA-CASE-LAR-10496-1 c14 N72-22437
NASA-CASE-LAR-10503-1 c09 N72-21248
NASA-CASE-LAR-10507-1 c11 N72-25284
NASA-CASE-LAR-10511-1 c09 N72-29172
NASA-CASE-LAR-10513-1 c07 N72-25170
NASA-CASE-LAR-10523-1 c14 N72-22444
NASA-CASE-LAR-10539-1 c17 N73-12547
NASA-CASE-LAR-10541-1 c15 N72-32487
NASA-CASE-LAR-10544-1 c37 N74-13178
NASA-CASE-LAR-10545-1 c09 N72-21244
NASA-CASE-LAR-10546-1 c11 N72-25287
NASA-CASE-LAR-10547-1 c31 N74-13177
NASA-CASE-LAR-10549-1 c31 N73-13898
NASA-CASE-LAR-10550-1 c09 N74-30597
NASA-CASE-LAR-10551-1 c25 N74-12813
NASA-CASE-LAR-10557 c02 N72-11018
NASA-CASE-LAR-10574-1 c11 N73-13257
NASA-CASE-LAR-10578-1 c12 N73-25262
NASA-CASE-LAR-10585-1 c02 N76-22154
NASA-CASE-LAR-10586-1 c19 N74-15089
NASA-CASE-LAR-10590-1 c15 N70-26819
NASA-CASE-LAR-10595-1 c35 N74-16135
NASA-CASE-LAR-10612-1 c12 N73-28144
NASA-CASE-LAR-10620-1 c09 N72-25255
NASA-CASE-LAR-10623-1 c14 N73-30395
NASA-CASE-LAR-10626-1 c19 N74-21015
NASA-CASE-LAR-10629-1 c35 N75-33367
NASA-CASE-LAR-10634-1 c37 N74-18123
NASA-CASE-LAR-10642-1 c07 N74-31270
NASA-CASE-LAR-10668-1 c06 N73-16106
NASA-CASE-LAR-10670-1 c06 N73-30097
NASA-CASE-LAR-10670-2 c15 N74-27360
NASA-CASE-LAR-10682-1 c02 N73-26004
NASA-CASE-LAR-10686 c14 N71-28935
NASA-CASE-LAR-10688-1 c37 N74-21056
NASA-CASE-LAR-10706-2 c05 N77-31132
NASA-CASE-LAR-10717-1 c21 N73-30641
NASA-CASE-LAR-10726-1 c14 N73-20475
NASA-CASE-LAR-10728-1 c14 N73-12445
NASA-CASE-LAR-10730-1 c33 N74-10223
NASA-CASE-LAR-10739-1 c14 N73-16484
NASA-CASE-LAR-10753-1 c08 N74-30421
NASA-CASE-LAR-10756-1 c32 N73-26910
NASA-CASE-LAR-10765-1 c32 N73-20740
NASA-CASE-LAR-10773-3 c51 N77-25769
NASA-CASE-LAR-10774 c10 N71-13545
NASA-CASE-LAR-10776-1 c02 N74-10034
NASA-CASE-LAR-10782-1 c31 N74-14133
NASA-CASE-LAR-10782-2 c31 N75-13111
NASA-CASE-LAR-10799-2 c34 N76-17317
NASA-CASE-LAR-10800-1 c33 N72-27959
NASA-CASE-LAR-10805-2 c34 N77-18382
NASA-CASE-LAR-10806-1 c35 N74-32877
NASA-CASE-LAR-10812-1 c09 N74-17955
NASA-CASE-LAR-10815-1 c16 N72-22520
NASA-CASE-LAR-10836-1 c26 N72-27784
NASA-CASE-LAR-10841-1 c31 N74-27900
NASA-CASE-LAR-10855-1 c14 N73-13415
NASA-CASE-LAR-10862-1 c35 N74-15092
NASA-CASE-LAR-10868-1 c33 N74-11050

NASA-CASE-LAR-10894-1 c18 N73-14584
NASA-CASE-LAR-10900-1 c37 N74-23064
NASA-CASE-LAR-10907-1 c35 N76-29551
NASA-CASE-LAR-10910-1 c35 N74-13132
NASA-CASE-LAR-10913 c14 N72-16282
NASA-CASE-LAR-10941-1 c37 N74-21057
NASA-CASE-LAR-10941-2 c37 N79-13364
NASA-CASE-LAR-10953-1 c17 N73-27446
NASA-CASE-LAR-10970-1 c33 N76-14372
NASA-CASE-LAR-10994-1 c24 N75-13032
NASA-CASE-LAR-11021-1 c32 N76-14321
NASA-CASE-LAR-11027-1 c35 N74-18088
NASA-CASE-LAR-11042-1 c33 N75-27252
NASA-CASE-LAR-11051-1 c15 N76-14158
NASA-CASE-LAR-11053-1 c25 N74-18551
NASA-CASE-LAR-11059-1 c76 N75-12810
NASA-CASE-LAR-11069-1 c35 N75-12272
NASA-CASE-LAR-11071-1 c35 N75-19611
NASA-CASE-LAR-11074-1 c51 N75-13502
NASA-CASE-LAR-11110-1 c34 N75-26282
NASA-CASE-LAR-11112-1 c32 N76-15330
NASA-CASE-LAR-11138 c12 N71-20436
NASA-CASE-LAR-11139-1 c35 N74-32878
NASA-CASE-LAR-11141-1 c07 N74-32418
NASA-CASE-LAR-11144-1 c25 N75-26043
NASA-CASE-LAR-11155-1 c35 N74-15091
NASA-CASE-LAR-11173-1 c35 N75-19614
NASA-CASE-LAR-11201-1 c35 N78-24515
NASA-CASE-LAR-11207-1 c35 N75-19613
NASA-CASE-LAR-11208-1 c44 N78-32539
NASA-CASE-LAR-11211-1 c37 N75-12326
NASA-CASE-LAR-11213-1 c35 N75-15014
NASA-CASE-LAR-11224-1 c37 N76-18456
NASA-CASE-LAR-11237-1 c35 N75-19612
NASA-CASE-LAR-11252-1 c05 N75-25914
NASA-CASE-LAR-11263-1 c35 N75-33369
NASA-CASE-LAR-11310-1 c07 N77-28118
NASA-CASE-LAR-11326-1 c35 N75-33368
NASA-CASE-LAR-11341-1 c36 N75-19655
NASA-CASE-LAR-11352-1 c33 N75-26245
NASA-CASE-LAR-11354-1 c35 N75-27330
NASA-CASE-LAR-11361-1 c44 N77-22607
NASA-CASE-LAR-11370-1 c35 N80-28686
NASA-CASE-LAR-11387-1 c04 N76-20114
NASA-CASE-LAR-11387-2 c04 N77-19056
NASA-CASE-LAR-11389-1 c33 N77-26387
NASA-CASE-LAR-11390-1 c32 N77-21267
NASA-CASE-LAR-11397-1 c27 N75-29263
NASA-CASE-LAR-11405-1 c45 N76-31714
NASA-CASE-LAR-11428-1 c35 N74-34857
NASA-CASE-LAR-11434-1 c35 N76-22509
NASA-CASE-LAR-11435-1 c35 N76-15432
NASA-CASE-LAR-11458-1 c35 N76-16392
NASA-CASE-LAR-11465-1 c37 N76-21554
NASA-CASE-LAR-11476-1 c07 N76-27232
NASA-CASE-LAR-11490-1 c39 N78-16387
NASA-CASE-LAR-11500-1 c35 N76-24523
NASA-CASE-LAR-11549-1 c37 N77-11397
NASA-CASE-LAR-11551-1 c44 N80-29834
NASA-CASE-LAR-11552-1 c35 N76-14429
NASA-CASE-LAR-11563-1 c37 N77-23482
NASA-CASE-LAR-11570-1 c34 N76-18364
NASA-CASE-LAR-11575-1 c02 N76-16014
NASA-CASE-LAR-11607-1 c32 N77-14292
NASA-CASE-LAR-11617-2 c35 N78-32397
NASA-CASE-LAR-11645-1 c02 N77-10001
NASA-CASE-LAR-11648-1 c35 N77-14407
NASA-CASE-LAR-11649-1 c51 N77-27677
NASA-CASE-LAR-11658-1 c37 N77-14478
NASA-CASE-LAR-11667-1 c52 N76-19785
NASA-CASE-LAR-11674-1 c07 N76-18117
NASA-CASE-LAR-11675-1 c45 N76-17656
NASA-CASE-LAR-11688-1 c05 N78-18045
NASA-CASE-LAR-11690-1 c35 N80-14371
NASA-CASE-LAR-11695-2 c37 N80-18402
NASA-CASE-LAR-11709-1 c37 N76-27567
NASA-CASE-LAR-11711-1 c74 N78-17866
NASA-CASE-LAR-11726-1 c37 N76-27568
NASA-CASE-LAR-11729-1 c34 N79-12359
NASA-CASE-LAR-11745-1 c32 N80-29539
NASA-CASE-LAR-11782-1 c74 N77-20882
NASA-CASE-LAR-11797-1 c05 N81-19087
NASA-CASE-LAR-11821-1 c26 N80-28492
NASA-CASE-LAR-11825-1 c35 N77-22449
NASA-CASE-LAR-11827-1 c32 N77-10392
NASA-CASE-LAR-11828-1 c27 N78-32261
NASA-CASE-LAR-11855-1 c37 N81-14319
NASA-CASE-LAR-11859-1 c35 N79-14349
NASA-CASE-LAR-11868-2 c08 N79-14108
NASA-CASE-LAR-11869-1 c74 N78-27904
NASA-CASE-LAR-11883-1 c09 N77-27131
NASA-CASE-LAR-11889-1 c35 N79-26372
NASA-CASE-LAR-11889-2 c37 N78-27424
NASA-CASE-LAR-11898-1 c24 N78-10214
NASA-CASE-LAR-11898-2 c24 N78-17149
NASA-CASE-LAR-11900-1 c37 N79-14382
NASA-CASE-LAR-11902-1 c27 N78-17206
NASA-CASE-LAR-11919-1 c07 N78-27121
NASA-CASE-LAR-11922-1 c25 N79-24073
NASA-CASE-LAR-11932-1 c05 N78-32086
NASA-CASE-LAR-11970-2 c08 N81-19130
NASA-CASE-LAR-11973-1 c35 N78-27384
NASA-CASE-LAR-11995-1 c28 N77-10213
NASA-CASE-LAR-11999-1 c44 N80-18552
NASA-CASE-LAR-12007-2 c74 N79-25876
NASA-CASE-LAR-12009-1 c44 N78-15560
NASA-CASE-LAR-12016-1 c39 N78-15512
NASA-CASE-LAR-12018-1 c20 N78-24275
NASA-CASE-LAR-12019-1 c24 N78-17150
NASA-CASE-LAR-12027-1 c39 N79-22537
NASA-CASE-LAR-12045-1 c34 N77-24423
NASA-CASE-LAR-12046-1 c25 N78-15210
NASA-CASE-LAR-12052-1 c04 N80-18019
NASA-CASE-LAR-12054-1 c27 N79-33316
NASA-CASE-LAR-12054-2 c27 N81-14078
NASA-CASE-LAR-12065-1 c24 N81-14000
NASA-CASE-LAR-12065-2 c24 N81-16128
NASA-CASE-LAR-12077-1 c39 N79-25425
NASA-CASE-LAR-12095-1 c39 N77-27432
NASA-CASE-LAR-12099-1 c27 N80-16158
NASA-CASE-LAR-12106-1 c71 N78-14867
NASA-CASE-LAR-12147-1 c31 N79-11246
NASA-CASE-LAR-12148-1 c44 N79-29608
NASA-CASE-LAR-12149-2 c09 N79-31228
NASA-CASE-LAR-12175-1 c05 N80-16055
NASA-CASE-LAR-12176-1 c36 N80-16321
NASA-CASE-LAR-12177-1 c36 N79-28532
NASA-CASE-LAR-12178-1 c74 N80-21138
NASA-CASE-LAR-12181-1 c27 N78-17205
NASA-CASE-LAR-12183-1 c36 N79-18307
NASA-CASE-LAR-12195-1 c37 N78-33446
NASA-CASE-LAR-12196-1 c32 N79-18154
NASA-CASE-LAR-12205-1 c44 N80-20810
NASA-CASE-LAR-12215-1 c08 N79-23097
NASA-CASE-LAR-12230-1 c35 N79-14347
NASA-CASE-LAR-12250-1 c15 N78-25120
NASA-CASE-LAR-12251-1 c74 N79-14892
NASA-CASE-LAR-12251-1 c74 N80-27185
NASA-CASE-LAR-12260-1 c35 N79-10390
NASA-CASE-LAR-12261-1 c02 N80-20224
NASA-CASE-LAR-12264-1 c15 N78-32168
NASA-CASE-LAR-12268-1 c08 N79-20136
NASA-CASE-LAR-12269-1 c35 N80-18358
NASA-CASE-LAR-12275-1 c35 N79-18296
NASA-CASE-LAR-12285-1 c35 N80-28687
NASA-CASE-LAR-12304-1 c35 N80-20559
NASA-CASE-LAR-12308-1 c45 N80-19664
NASA-CASE-LAR-12315-1 c37 N80-16339
NASA-CASE-LAR-12320-1 c54 N79-25761
NASA-CASE-LAR-12321-1 c35 N81-12390
NASA-CASE-LAR-12326-1 c02 N81-14968
NASA-CASE-LAR-12328-1 c74 N80-12866
NASA-CASE-LAR-12344-1 c43 N80-18498
NASA-CASE-LAR-12361-1 c37 N81-12422
NASA-CASE-LAR-12363-1 c35 N81-12389
NASA-CASE-LAR-12372-1 c37 N80-18399
NASA-CASE-LAR-12375-1 c32 N79-24203
NASA-CASE-LAR-12393-1 c39 N80-25693
NASA-CASE-LAR-12396-1 c02 N79-24958
NASA-CASE-LAR-12406-1 c05 N79-24980
NASA-CASE-LAR-12412-1 c05 N80-11065
NASA-CASE-LAR-12441-1 c09 N80-24334
NASA-CASE-LAR-12465-1 c35 N80-18363
NASA-CASE-LAR-12468-1 c08 N80-22359
NASA-CASE-LAR-12469-1 c35 N81-12388
NASA-CASE-LAR-12471-1 c52 N81-12724
NASA-CASE-LAR-12474-1 c35 N80-31774
NASA-CASE-LAR-12482-1 c37 N80-22704
NASA-CASE-LAR-12513-1 c33 N80-28635
NASA-CASE-LAR-12520-1 c51 N80-11756
NASA-CASE-LAR-12532-1 c09 N80-22369
NASA-CASE-LAR-12540-1 c37 N80-11468
NASA-CASE-LAR-12552-1 c35 N80-11400
NASA-CASE-LAR-12562-1 c08 N79-20135
NASA-CASE-LAR-12564-1 c37 N80-17468
NASA-CASE-LAR-12592-1 c36 N79-26385
NASA-CASE-LAR-12595-1 c37 N80-11469
NASA-CASE-LAR-12602-1 c35 N81-19429

NASA-CASE-LAR-12620-1 c24 N80-12117
NASA-CASE-LAR-12633-1 c35 N80-22661
NASA-CASE-LAR-12637-1 c34 N81-12362
NASA-CASE-LAR-12640-1 c27 N80-16164
NASA-CASE-LAR-12642-1 c27 N80-18179
NASA-CASE-LAR-12659-1 c33 N80-31731
NASA-CASE-LAR-12697-1 c32 N80-26571
NASA-CASE-LAR-12705-1 c33 N80-24549
NASA-CASE-LAR-12706-1 c35 N81-19428
NASA-CASE-LAR-12723-1 c27 N81-15107
NASA-CASE-LAR-12742-1 c24 N81-12174
NASA-CASE-LAR-12750-1 c02 N81-19016
NASA-CASE-LAR-12772-1 c33 N81-15195

NASA-CASE-LEW-10106-1 c28 N71-26642
NASA-CASE-LEW-10155-1 c09 N71-29035
NASA-CASE-LEW-10199-1 c27 N74-23125
NASA-CASE-LEW-10210-1 c28 N71-26781
NASA-CASE-LEW-10219-1 c18 N71-28729
NASA-CASE-LEW-10233 c10 N71-27126
NASA-CASE-LEW-10250-1 c22 N71-28759
NASA-CASE-LEW-10278-1 c15 N71-28582
NASA-CASE-LEW-10281-1 c14 N72-17327
NASA-CASE-LEW-10286-1 c28 N71-28915
NASA-CASE-LEW-10326-3 c37 N74-10474
NASA-CASE-LEW-10327 c17 N71-33408
NASA-CASE-LEW-10330-1 c09 N72-27226
NASA-CASE-LEW-10345-1 c10 N71-25899
NASA-CASE-LEW-10359 c33 N72-25911
NASA-CASE-LEW-10359-2 c33 N73-25952
NASA-CASE-LEW-10364-1 c09 N71-13522
NASA-CASE-LEW-10374-1 c28 N73-13773
NASA-CASE-LEW-10387 c09 N72-22201
NASA-CASE-LEW-10393-1 c17 N71-15468
NASA-CASE-LEW-10424-2-2 c18 N72-25539
NASA-CASE-LEW-10433-1 c09 N72-22197
NASA-CASE-LEW-10436-1 c17 N73-32415
NASA-CASE-LEW-10450-1 c15 N72-25448
NASA-CASE-LEW-10489-1 c15 N72-25447
NASA-CASE-LEW-10518-1 c24 N72-33681
NASA-CASE-LEW-10518-3 c25 N78-27226
NASA-CASE-LEW-10533-1 c15 N73-28515
NASA-CASE-LEW-10533-2 c37 N74-11300
NASA-CASE-LEW-10689-1 c28 N71-26173
NASA-CASE-LEW-10698-1 c37 N74-21063
NASA-CASE-LEW-10770-1 c28 N72-22770
NASA-CASE-LEW-10794-1 c06 N72-17093
NASA-CASE-LEW-10805-1 c15 N73-13465
NASA-CASE-LEW-10805-2 c37 N74-13179
NASA-CASE-LEW-10805-3 c26 N74-10521
NASA-CASE-LEW-10814-1 c28 N70-35422
NASA-CASE-LEW-10835-1 c28 N72-22771
NASA-CASE-LEW-10856-1 c15 N72-22490
NASA-CASE-LEW-10874-1 c17 N72-22535
NASA-CASE-LEW-10906-1 c25 N74-30502
NASA-CASE-LEW-10920-1 c17 N73-24569
NASA-CASE-LEW-10950-1 c33 N74-27683
NASA-CASE-LEW-10965-1 c15 N72-25452
NASA-CASE-LEW-10981-1 c35 N74-21018
NASA-CASE-LEW-11005-1 c09 N72-21243
NASA-CASE-LEW-11015 c26 N73-32571
NASA-CASE-LEW-11026-1 c15 N73-33383
NASA-CASE-LEW-11058-1 c20 N74-13502
NASA-CASE-LEW-11065-2 c44 N76-14600
NASA-CASE-LEW-11069-1 c44 N74-14784
NASA-CASE-LEW-11072-1 c14 N73-24472
NASA-CASE-LEW-11072-2 c35 N76-15434
NASA-CASE-LEW-11076-1 c37 N74-21061
NASA-CASE-LEW-11076-2 c37 N74-32921
NASA-CASE-LEW-11076-3 c37 N75-30562
NASA-CASE-LEW-11076-4 c37 N76-15461
NASA-CASE-LEW-11087-1 c15 N73-30458
NASA-CASE-LEW-11087-2 c37 N74-15128
NASA-CASE-LEW-11087-3 c37 N74-21064
NASA-CASE-LEW-11101-1 c31 N73-32750
NASA-CASE-LEW-11118-1 c20 N74-32919
NASA-CASE-LEW-11118-2 c20 N76-14191
NASA-CASE-LEW-11152-1 c15 N73-32359
NASA-CASE-LEW-11158-1 c37 N77-28486
NASA-CASE-LEW-11159-1 c14 N73-28488
NASA-CASE-LEW-11162-1 c33 N74-12913
NASA-CASE-LEW-11169-1 c37 N76-23570
NASA-CASE-LEW-11179-1 c27 N76-16229
NASA-CASE-LEW-11180-1 c25 N73-25760
NASA-CASE-LEW-11187-1 c28 N73-19793
NASA-CASE-LEW-11188-1 c02 N74-20646
NASA-CASE-LEW-11192-1 c09 N73-13208
NASA-CASE-LEW-11227-1 c73 N75-30876
NASA-CASE-LEW-11262-1 c27 N74-13270

NASA-CASE-LEW-11267-1 c17 N73-32414
NASA-CASE-LEW-11274-1 c37 N75-21631
NASA-CASE-LEW-11286-1 c07 N74-27490
NASA-CASE-LEW-11325-1 c06 N73-27980
NASA-CASE-LEW-11326-1 c23 N73-30665
NASA-CASE-LEW-11358 c03 N71-26084
NASA-CASE-LEW-11359 c03 N71-28579
NASA-CASE-LEW-11359-2 c03 N72-20034
NASA-CASE-LEW-11387-1 c37 N74-18128
NASA-CASE-LEW-11388-1 c15 N73-32358
NASA-CASE-LEW-11388-2 c37 N74-21055
NASA-CASE-LEW-11390-2 c25 N76-27383
NASA-CASE-LEW-11390-3 c25 N76-29379
NASA-CASE-LEW-11402-1 c07 N74-28226
NASA-CASE-LEW-11484-1 c24 N75-33181
NASA-CASE-LEW-11496-1 c44 N77-14580
NASA-CASE-LEW-11531 c15 N71-14932
NASA-CASE-LEW-11549-1 c44 N77-19571
NASA-CASE-LEW-11569-1 c07 N74-15453
NASA-CASE-LEW-11573-1 c26 N77-28265
NASA-CASE-LEW-11581-1 c54 N75-13531
NASA-CASE-LEW-11583-1 c35 N79-17192
NASA-CASE-LEW-11593-1 c20 N76-14190
NASA-CASE-LEW-11617-1 c33 N74-10195
NASA-CASE-LEW-11632-2 c35 N75-13213
NASA-CASE-LEW-11646-1 c20 N74-31269
NASA-CASE-LEW-11669-1 c05 N73-27062
NASA-CASE-LEW-11672-1 c37 N74-27904
NASA-CASE-LEW-11676-1 c37 N76-22541
NASA-CASE-LEW-11694-1 c20 N75-18310
NASA-CASE-LEW-11694-2 c37 N76-14461
NASA-CASE-LEW-11696-1 c37 N75-13261
NASA-CASE-LEW-11696-2 c26 N75-19408
NASA-CASE-LEW-11726-1 c26 N73-26752
NASA-CASE-LEW-11855-1 c07 N78-25090
NASA-CASE-LEW-11860-1 c37 N76-18458
NASA-CASE-LEW-11866-1 c72 N76-15860
NASA-CASE-LEW-11873-1 c37 N79-22475
NASA-CASE-LEW-11876-1 c20 N76-21276
NASA-CASE-LEW-11877-1 c34 N78-27357
NASA-CASE-LEW-11881-1 c33 N77-17354
NASA-CASE-LEW-11890-1 c05 N79-24976
NASA-CASE-LEW-11915-1 c35 N76-14431
NASA-CASE-LEW-11925-1 c37 N75-31446
NASA-CASE-LEW-11930-1 c24 N76-22309
NASA-CASE-LEW-11930-3 c24 N80-33482
NASA-CASE-LEW-11930-4 c24 N79-17916
NASA-CASE-LEW-11938-1 c33 N76-15373
NASA-CASE-LEW-11949-1 c37 N76-29588
NASA-CASE-LEW-11978-1 c33 N77-26385
NASA-CASE-LEW-11981-1 c31 N78-17237
NASA-CASE-LEW-11981-2 c34 N79-20336
NASA-CASE-LEW-12013-1 c33 N79-10339
NASA-CASE-LEW-12038-3 c44 N78-25555
NASA-CASE-LEW-12039-1 c44 N78-14625
NASA-CASE-LEW-12048-1 c20 N77-20162
NASA-CASE-LEW-12050-1 c35 N77-32454
NASA-CASE-LEW-12051-1 c52 N75-33640
NASA-CASE-LEW-12053-1 c27 N78-15276
NASA-CASE-LEW-12053-2 c27 N79-28307
NASA-CASE-LEW-12078-1 c35 N75-30503
NASA-CASE-LEW-12081-1 c28 N78-24365
NASA-CASE-LEW-12081-2 c28 N80-20402
NASA-CASE-LEW-12081-3 c28 N81-14103
NASA-CASE-LEW-12082-1 c20 N77-10148
NASA-CASE-LEW-12083-1 c37 N78-13436
NASA-CASE-LEW-12094-1 c76 N76-25049
NASA-CASE-LEW-12095-1 c26 N78-18182
NASA-CASE-LEW-12118-1 c24 N77-27188
NASA-CASE-LEW-12119-1 c37 N80-28711
NASA-CASE-LEW-12119-2 c37 N80-18401
NASA-CASE-LEW-12131-1 c37 N79-18318
NASA-CASE-LEW-12131-2 c37 N80-26658
NASA-CASE-LEW-12137-1 c25 N78-10224
NASA-CASE-LEW-12159-1 c44 N78-19599
NASA-CASE-LEW-12164-1 c36 N77-32478
NASA-CASE-LEW-12174-2 c35 N79-14346
NASA-CASE-LEW-12185-1 c44 N78-25528
NASA-CASE-LEW-12217-1 c43 N78-14452
NASA-CASE-LEW-12220-1 c44 N77-14581
NASA-CASE-LEW-12232-1 c07 N79-10057
NASA-CASE-LEW-12236-2 c44 N79-14528
NASA-CASE-LEW-12245-1 c26 N77-20201
NASA-CASE-LEW-12252-1 c34 N79-13288
NASA-CASE-LEW-12258-1 c52 N77-28716
NASA-CASE-LEW-12270-1 c26 N77-32280
NASA-CASE-LEW-12274-1 c37 N80-31790
NASA-CASE-LEW-12277-2 c33 N78-25323
NASA-CASE-LEW-12277-3 c33 N80-18300

NASA-CASE-LEW-12296-1 c33 N80-19425
NASA-CASE-LEW-12312-1 c07 N77-32148
NASA-CASE-LEW-12313-1 c37 N78-10468
NASA-CASE-LEW-12317-1 c07 N78-17055
NASA-CASE-LEW-12321-1 c37 N78-10467
NASA-CASE-LEW-12358-1 c44 N79-17313
NASA-CASE-LEW-12358-2 c25 N78-25149
NASA-CASE-LEW-12363-4 c44 N80-18555
NASA-CASE-LEW-12364-1 c44 N77-22606
NASA-CASE-LEW-12378-1 c07 N79-14097
NASA-CASE-LEW-12389-2 c07 N78-18066
NASA-CASE-LEW-12389-3 c07 N79-14096
NASA-CASE-LEW-12390-1 c07 N78-17056
NASA-CASE-LEW-12419-1 c07 N77-14025
NASA-CASE-LEW-12441-1 c34 N79-13289
NASA-CASE-LEW-12441-2 c34 N80-24573
NASA-CASE-LEW-12441-3 c34 N79-23383
NASA-CASE-LEW-12443-1 c44 N81-19561
NASA-CASE-LEW-12444-1 c33 N77-28385
NASA-CASE-LEW-12452-1 c07 N78-25089
NASA-CASE-LEW-12465-1 c25 N78-25148
NASA-CASE-LEW-12477-1 c37 N77-32501
NASA-CASE-LEW-12493-1 c24 N81-17170
NASA-CASE-LEW-12496-1 c07 N78-33101
NASA-CASE-LEW-12508-1 c34 N78-17335
NASA-CASE-LEW-12513-1 c25 N79-22235
NASA-CASE-LEW-12527-1 c37 N77-32500
NASA-CASE-LEW-12541-1 c44 N78-25529
NASA-CASE-LEW-12542-1 c26 N77-24254
NASA-CASE-LEW-12542-2 c26 N79-22271
NASA-CASE-LEW-12542-3 c26 N80-32484
NASA-CASE-LEW-12550-1 c24 N77-19170
NASA-CASE-LEW-12552-1 c44 N78-25527
NASA-CASE-LEW-12552-2 c44 N79-11472
NASA-CASE-LEW-12554-1 c34 N78-18355
NASA-CASE-LEW-12569-1 c37 N79-10418
NASA-CASE-LEW-12586-1 c44 N80-14472
NASA-CASE-LEW-12587-1 c44 N77-31601
NASA-CASE-LEW-12590-1 c25 N81-19245
NASA-CASE-LEW-12594-2 c07 N81-19116
NASA-CASE-LEW-12608-1 c07 N77-27116
NASA-CASE-LEW-12619-1 c24 N77-19171
NASA-CASE-LEW-12649-1 c44 N78-25530
NASA-CASE-LEW-12658-1 c71 N79-14871
NASA-CASE-LEW-12661-1 c35 N79-14345
NASA-CASE-LEW-12668-1 c52 N78-14773
NASA-CASE-LEW-12718-1 c34 N78-25351
NASA-CASE-LEW-12723-1 c52 N80-18690
NASA-CASE-LEW-12760-1 c07 N77-17059
NASA-CASE-LEW-12775-1 c44 N79-11468
NASA-CASE-LEW-12780-1 c20 N79-20179
NASA-CASE-LEW-12785-1 c37 N78-24545
NASA-CASE-LEW-12791-1 c33 N78-32341
NASA-CASE-LEW-12793-1 c37 N79-11403
NASA-CASE-LEW-12806-1 c44 N78-25553
NASA-CASE-LEW-12806-2 c44 N81-12542
NASA-CASE-LEW-12819-1 c44 N79-11467
NASA-CASE-LEW-12819-2 c44 N79-18444
NASA-CASE-LEW-12830-1 c07 N77-23106
NASA-CASE-LEW-12876-1 c27 N80-26447
NASA-CASE-LEW-12905-1 c26 N78-18183
NASA-CASE-LEW-12906-1 c26 N77-32279
NASA-CASE-LEW-12907-2 c07 N81-19115
NASA-CASE-LEW-12916-1 c37 N78-17384
NASA-CASE-LEW-12917-1 c07 N78-18067
NASA-CASE-LEW-12918-1 c44 N80-33857
NASA-CASE-LEW-12933-1 c27 N81-19296
NASA-CASE-LEW-12940-1 c72 N80-33186
NASA-CASE-LEW-12941-1 c31 N81-16329
NASA-CASE-LEW-12955-1 c52 N80-14684
NASA-CASE-LEW-12971-1 c07 N80-18039
NASA-CASE-LEW-12972-1 c44 N79-25481
NASA-CASE-LEW-12982-1 c37 N81-19455
NASA-CASE-LEW-12989-1 c37 N80-12414
NASA-CASE-LEW-12990-1 c07 N78-27122
NASA-CASE-LEW-12991-1 c37 N79-12445
NASA-CASE-LEW-12995-1 c37 N80-26659
NASA-CASE-LEW-13027-1 c27 N80-24437
NASA-CASE-LEW-13050-1 c07 N79-14095
NASA-CASE-LEW-13080-1 c27 N80-29496
NASA-CASE-LEW-13088-1 c24 N80-11142
NASA-CASE-LEW-13103-1 c27 N80-32516
NASA-CASE-LEW-13120-1 c31 N81-16327
NASA-CASE-LEW-13148-1 c33 N80-20487
NASA-CASE-LEW-13148-2 c44 N80-18557
NASA-CASE-LEW-13150-1 c44 N79-26474
NASA-CASE-LEW-13169-1 c26 N80-14232
NASA-CASE-LEW-13174-1 c34 N81-12363
NASA-CASE-LEW-13201-1 c07 N81-14999
NASA-CASE-LEW-13226-1 c27 N81-17260
NASA-CASE-LEW-13268-1 c37 N80-24619
NASA-CASE-LEW-13282-1 c33 N79-32463
NASA-CASE-LEW-13339-1 c26 N81-12211
NASA-CASE-LEW-13343-1 c24 N80-26389
NASA-CASE-LEW-13400-1 c44 N81-16528
NASA-CASE-LEW-13401-1 c44 N81-16529
NASA-CASE-LEW-13429-1 c33 N81-16384
NASA-CASE-LEW-23169-2 c26 N81-16209

NASA-CASE-MFS-06074 c15 N71-20393
NASA-CASE-MFS-07369 c15 N71-20443
NASA-CASE-MFS-10068 c10 N71-25139
NASA-CASE-MFS-10340 c15 N71-17628
NASA-CASE-MFS-10412 c12 N71-17578
NASA-CASE-MFS-10506 c06 N73-30100
NASA-CASE-MFS-10507 c06 N73-30101
NASA-CASE-MFS-10509 c06 N73-30103
NASA-CASE-MFS-10512 c06 N73-30099
NASA-CASE-MFS-10555 c11 N71-19494
NASA-CASE-MFS-10946-1 c31 N79-21226
NASA-CASE-MFS-11132 c15 N71-17649
NASA-CASE-MFS-11133 c31 N71-16222
NASA-CASE-MFS-11204 c14 N71-29134
NASA-CASE-MFS-11279 c16 N71-20400
NASA-CASE-MFS-11492 c06 N73-30102
NASA-CASE-MFS-11497 c28 N71-16224
NASA-CASE-MFS-11537 c14 N71-20442
NASA-CASE-MFS-12750 c27 N71-16223
NASA-CASE-MFS-12805 c15 N71-17805
NASA-CASE-MFS-12806 c14 N71-17588
NASA-CASE-MFS-12827 c14 N71-17656
NASA-CASE-MFS-12915 c11 N71-17600
NASA-CASE-MFS-13046 c07 N71-19433
NASA-CASE-MFS-13130 c10 N72-17173
NASA-CASE-MFS-13532 c18 N72-17532
NASA-CASE-MFS-13686 c15 N71-18132
NASA-CASE-MFS-13687 c09 N71-28691
NASA-CASE-MFS-13687-2 c09 N72-22198
NASA-CASE-MFS-13929 c15 N71-27091
NASA-CASE-MFS-13994-1 c06 N71-11240
NASA-CASE-MFS-13994-2 c06 N72-25148
NASA-CASE-MFS-14017 c14 N71-26627
NASA-CASE-MFS-14023 c33 N71-25351
NASA-CASE-MFS-14114 c33 N71-27862
NASA-CASE-MFS-14114-2 c09 N71-24807
NASA-CASE-MFS-14216 c14 N73-13418
NASA-CASE-MFS-14253 c33 N71-24858
NASA-CASE-MFS-14259 c15 N71-19213
NASA-CASE-MFS-14322 c08 N71-18692
NASA-CASE-MFS-14405 c15 N72-28495
NASA-CASE-MFS-14610 c09 N71-28886
NASA-CASE-MFS-14671 c05 N71-12341
NASA-CASE-MFS-14685 c31 N71-15689
NASA-CASE-MFS-14710 c09 N72-22195
NASA-CASE-MFS-14711 c15 N71-26185
NASA-CASE-MFS-14741 c09 N70-20737
NASA-CASE-MFS-14772 c15 N71-17692
NASA-CASE-MFS-14971 c15 N71-24984
NASA-CASE-MFS-15063 c14 N72-25412
NASA-CASE-MFS-15162 c14 N72-32452
NASA-CASE-MFS-15218-1 c37 N77-19457
NASA-CASE-MFS-16570-1 c05 N73-32013
NASA-CASE-MFS-16609-3 c03 N76-32140
NASA-CASE-MFS-18100 c15 N72-11390
NASA-CASE-MFS-18495 c15 N72-11385
NASA-CASE-MFS-19193-1 c37 N75-19686
NASA-CASE-MFS-19194-1 c37 N76-14460
NASA-CASE-MFS-19220-1 c20 N76-22296
NASA-CASE-MFS-19259-1 c36 N78-14380
NASA-CASE-MFS-19287-1 c34 N77-30399
NASA-CASE-MFS-20011 c18 N72-22566
NASA-CASE-MFS-20044 c14 N71-28993
NASA-CASE-MFS-20068 c07 N71-27191
NASA-CASE-MFS-20074 c16 N71-15565
NASA-CASE-MFS-20075 c09 N71-26133
NASA-CASE-MFS-20095 c24 N72-11595
NASA-CASE-MFS-20096 c14 N71-30026
NASA-CASE-MFS-20125 c16 N72-13437
NASA-CASE-MFS-20130 c28 N71-27585
NASA-CASE-MFS-20180 c16 N72-12440
NASA-CASE-MFS-20207-1 c09 N73-32107
NASA-CASE-MFS-20240 c14 N71-26788
NASA-CASE-MFS-20242 c14 N73-19421
NASA-CASE-MFS-20243 c23 N73-13662
NASA-CASE-MFS-20249 c15 N72-11386
NASA-CASE-MFS-20261 c14 N71-27005
NASA-CASE-MFS-20284-1 c52 N74-12778
NASA-CASE-MFS-20299 c15 N72-11392

NASA-CASE-MFS-20317 c15 N73-13463
NASA-CASE-MFS-20325 c28 N71-27095
NASA-CASE-MFS-20332 c05 N72-20097
NASA-CASE-MFS-20332-2 c05 N73-25125
NASA-CASE-MFS-20333 c09 N71-13486
NASA-CASE-MFS-20335-1 c35 N74-10415
NASA-CASE-MFS-20355 c33 N71-25353
NASA-CASE-MFS-20385 c09 N71-24904
NASA-CASE-MFS-20386 c21 N71-19212
NASA-CASE-MFS-20395 c15 N71-24903
NASA-CASE-MFS-20400 c31 N71-18611
NASA-CASE-MFS-20407 c09 N73-19235
NASA-CASE-MFS-20408 c18 N73-12604
NASA-CASE-MFS-20410 c15 N71-19214
NASA-CASE-MFS-20413 c15 N72-21463
NASA-CASE-MFS-20418 c14 N73-24473
NASA-CASE-MFS-20423 c15 N72-11388
NASA-CASE-MFS-20433 c15 N72-28496
NASA-CASE-MFS-20434 c11 N72-25288
NASA-CASE-MFS-20453 c15 N71-29133
NASA-CASE-MFS-20482 c15 N72-22492
NASA-CASE-MFS-20485 c14 N72-11365
NASA-CASE-MFS-20486-2 c27 N74-17283
NASA-CASE-MFS-20506-1 c35 N75-12273
NASA-CASE-MFS-20509 c11 N72-17183
NASA-CASE-MFS-20523 c14 N72-27412
NASA-CASE-MFS-20546-2 c14 N73-30389
NASA-CASE-MFS-20586 c15 N71-17686
NASA-CASE-MFS-20589 c25 N72-32688
NASA-CASE-MFS-20596 c14 N72-17324
NASA-CASE-MFS-20607-1 c37 N76-19436
NASA-CASE-MFS-20619 c28 N72-11708
NASA-CASE-MFS-20620 c11 N72-27262
NASA-CASE-MFS-20642 c14 N72-21407
NASA-CASE-MFS-20645-1 c37 N74-23070
NASA-CASE-MFS-20658-1 c14 N73-30386
NASA-CASE-MFS-20673 c14 N73-20476
NASA-CASE-MFS-20675 c26 N73-26751
NASA-CASE-MFS-20698 c15 N72-20446
NASA-CASE-MFS-20698-2 c15 N73-19457
NASA-CASE-MFS-20710 c11 N72-23215
NASA-CASE-MFS-20730-1 c39 N74-13131
NASA-CASE-MFS-20757 c09 N72-28225
NASA-CASE-MFS-20760 c14 N72-33377
NASA-CASE-MFS-20761-1 c44 N74-27519
NASA-CASE-MFS-20767-1 c38 N74-15130
NASA-CASE-MFS-20774 c14 N73-19420
NASA-CASE-MFS-20775-1 c31 N75-12161
NASA-CASE-MFS-20809 c23 N73-13660
NASA-CASE-MFS-20823-1 c16 N73-30476
NASA-CASE-MFS-20829 c12 N72-21310
NASA-CASE-MFS-20830 c15 N71-30028
NASA-CASE-MFS-20831 c28 N71-29153
NASA-CASE-MFS-20855 c15 N73-27405
NASA-CASE-MFS-20855-1 c15 N77-10112
NASA-CASE-MFS-20861-1 c18 N73-32437
NASA-CASE-MFS-20863 c31 N73-26876
NASA-CASE-MFS-20890 c14 N72-22439
NASA-CASE-MFS-20916 c14 N73-25460
NASA-CASE-MFS-20922 c31 N72-20840
NASA-CASE-MFS-20922-1 c18 N74-22136
NASA-CASE-MFS-20932-1 c35 N75-19616
NASA-CASE-MFS-20935 c09 N71-34212
NASA-CASE-MFS-20944 c15 N73-13466
NASA-CASE-MFS-20979 c06 N72-25151
NASA-CASE-MFS-20979-2 c06 N73-32030
NASA-CASE-MFS-20994-1 c35 N75-12271
NASA-CASE-MFS-21010-1 c05 N73-30078
NASA-CASE-MFS-21040-1 c06 N73-30098
NASA-CASE-MFS-21042 c07 N72-25171
NASA-CASE-MFS-21045-1 c35 N75-15932
NASA-CASE-MFS-21046-1 c14 N73-27377
NASA-CASE-MFS-21049-1 c52 N74-27864
NASA-CASE-MFS-21077-1 c24 N75-28135
NASA-CASE-MFS-21087-1 c35 N74-17153
NASA-CASE-MFS-21108-1 c34 N74-27861
NASA-CASE-MFS-21109-1 c05 N73-27941
NASA-CASE-MFS-21115-1 c54 N74-12779
NASA-CASE-MFS-21136-1 c35 N74-18323
NASA-CASE-MFS-21163-1 c54 N74-17853
NASA-CASE-MFS-21214-1 c09 N73-30181
NASA-CASE-MFS-21233-1 c38 N74-15395
NASA-CASE-MFS-21244-1 c36 N75-15028
NASA-CASE-MFS-21309-1 c37 N74-18125
NASA-CASE-MFS-21311-1 c20 N76-21275
NASA-CASE-MFS-21362 c11 N73-20267
NASA-CASE-MFS-21364-1 c37 N74-18126
NASA-CASE-MFS-21372-1 c74 N74-27866
NASA-CASE-MFS-21374-1 c33 N74-12951
NASA-CASE-MFS-21394-1 c34 N74-27744
NASA-CASE-MFS-21395-1 c25 N74-26948
NASA-CASE-MFS-21415-1 c52 N74-20728
NASA-CASE-MFS-21424-1 c34 N74-27730
NASA-CASE-MFS-21433 c09 N73-20232
NASA-CASE-MFS-21441-1 c14 N73-30392
NASA-CASE-MFS-21455-1 c35 N74-15146
NASA-CASE-MFS-21462-1 c33 N74-14935
NASA-CASE-MFS-21465-1 c10 N73-32145
NASA-CASE-MFS-21470-1 c44 N74-19870
NASA-CASE-MFS-21481-1 c37 N74-18127
NASA-CASE-MFS-21485-1 c37 N74-25968
NASA-CASE-MFS-21488-1 c14 N75-24794
NASA-CASE-MFS-21540-1 c32 N74-19790
NASA-CASE-MFS-21556-1 c35 N74-26945
NASA-CASE-MFS-21577-1 c19 N74-29410
NASA-CASE-MFS-21606-1 c37 N75-19685
NASA-CASE-MFS-21611-1 c54 N75-12616
NASA-CASE-MFS-21616-1 c33 N75-30429
NASA-CASE-MFS-21628-1 c44 N75-32581
NASA-CASE-MFS-21628-2 c44 N76-23675
NASA-CASE-MFS-21629 c14 N72-22442
NASA-CASE-MFS-21660-1 c35 N74-21017
NASA-CASE-MFS-21671-1 c33 N74-22885
NASA-CASE-MFS-21672-1 c74 N76-19935
NASA-CASE-MFS-21675-1 c25 N74-33378
NASA-CASE-MFS-21680-1 c18 N74-27397
NASA-CASE-MFS-21681-1 c18 N74-27397
NASA-CASE-MFS-21698-1 c33 N74-26732
NASA-CASE-MFS-21704-1 c35 N75-25124
NASA-CASE-MFS-21728-1 c35 N74-27865
NASA-CASE-MFS-21761-1 c35 N75-15931
NASA-CASE-MFS-21846-1 c37 N74-26976
NASA-CASE-MFS-21919-1 c10 N73-25243
NASA-CASE-MFS-21931-1 c37 N75-26372
NASA-CASE-MFS-22002-1 c44 N76-16612
NASA-CASE-MFS-22022-1 c37 N76-15460
NASA-CASE-MFS-22039-1 c09 N75-12968
NASA-CASE-MFS-22040-1 c35 N74-26946
NASA-CASE-MFS-22060-1 c35 N75-29380
NASA-CASE-MFS-22073-1 c33 N75-13139
NASA-CASE-MFS-22088-1 c33 N75-15874
NASA-CASE-MFS-22102-1 c54 N74-20725
NASA-CASE-MFS-22129-1 c33 N75-18477
NASA-CASE-MFS-22133-1 c33 N74-26977
NASA-CASE-MFS-22145-1 c75 N75-13625
NASA-CASE-MFS-22145-2 c75 N76-17951
NASA-CASE-MFS-22189-1 c35 N75-19615
NASA-CASE-MFS-22208-1 c33 N75-26244
NASA-CASE-MFS-22234-1 c32 N79-10264
NASA-CASE-MFS-22283-1 c37 N75-33395
NASA-CASE-MFS-22287-1 c75 N76-14931
NASA-CASE-MFS-22323-1 c37 N76-14463
NASA-CASE-MFS-22324-1 c27 N75-27160
NASA-CASE-MFS-22342-1 c33 N75-30428
NASA-CASE-MFS-22343-1 c33 N74-34638
NASA-CASE-MFS-22355-1 c23 N76-15268
NASA-CASE-MFS-22356-1 c23 N75-30256
NASA-CASE-MFS-22409-2 c74 N78-15880
NASA-CASE-MFS-22411-1 c37 N74-21058
NASA-CASE-MFS-22458-1 c44 N77-10635
NASA-CASE-MFS-22517-1 c35 N76-18402
NASA-CASE-MFS-22537-1 c35 N75-27328
NASA-CASE-MFS-22560-1 c33 N77-14335
NASA-CASE-MFS-22562-1 c44 N76-14595
NASA-CASE-MFS-22597 c36 N78-17366
NASA-CASE-MFS-22631-1 c66 N76-19888
NASA-CASE-MFS-22636-1 c37 N76-22540
NASA-CASE-MFS-22649-1 c37 N75-25186
NASA-CASE-MFS-22671-1 c35 N75-21582
NASA-CASE-MFS-22671-2 c35 N77-17426
NASA-CASE-MFS-22707-1 c37 N76-15457
NASA-CASE-MFS-22729-1 c32 N76-21366
NASA-CASE-MFS-22734-1 c18 N75-19329
NASA-CASE-MFS-22743-1 c44 N76-22657
NASA-CASE-MFS-22744-1 c44 N76-24696
NASA-CASE-MFS-22749-1 c44 N76-14601
NASA-CASE-MFS-22758-1 c70 N75-26789
NASA-CASE-MFS-22787-1 c15 N77-10113
NASA-CASE-MFS-22905-1 c19 N76-22284
NASA-CASE-MFS-22906-1 c75 N78-27913
NASA-CASE-MFS-22907-1 c26 N76-18257
NASA-CASE-MFS-22926-1 c24 N77-27187
NASA-CASE-MFS-22938-1 c34 N76-18374
NASA-CASE-MFS-22991-1 c34 N77-10463
NASA-CASE-MFS-23001-1 c76 N77-32919
NASA-CASE-MFS-23008-1 c35 N78-18390
NASA-CASE-MFS-23047-1 c37 N76-18454
NASA-CASE-MFS-23051-1 c37 N79-10422

NASA-CASE-MFS-23052-2 c74 N79-13855
NASA-CASE-MFS-23059-1 c44 N76-27664
NASA-CASE-MFS-23062-1 c37 N77-12402
NASA-CASE-MFS-23074-1 c54 N77-21844
NASA-CASE-MFS-23088-1 c37 N77-23483
NASA-CASE-MFS-23099-1 c09 N76-23273
NASA-CASE-MFS-23114-1 c38 N78-32447
NASA-CASE-MFS-23118-1 c35 N77-31465
NASA-CASE-MFS-23167-1 c44 N76-31667
NASA-CASE-MFS-23175-1 c35 N77-30436
NASA-CASE-MFS-23178-1 c35 N77-10493
NASA-CASE-MFS-23181-1 c33 N77-17351
NASA-CASE-MFS-23186-1 c33 N76-23483
NASA-CASE-MFS-23186-2 c24 N78-25137
NASA-CASE-MFS-23194-1 c35 N78-17357
NASA-CASE-MFS-23225-1 c52 N77-14735
NASA-CASE-MFS-23250-1 c35 N80-18362
NASA-CASE-MFS-23267-1 c35 N77-20401
NASA-CASE-MFS-23270-1 c44 N78-25531
NASA-CASE-MFS-23274-1 c33 N78-13320
NASA-CASE-MFS-23280-1 c33 N78-10376
NASA-CASE-MFS-23281-1 c35 N77-22450
NASA-CASE-MFS-23284-1 c37 N80-14397
NASA-CASE-MFS-23299-1 c39 N77-28511
NASA-CASE-MFS-23303-1 c32 N77-18307
NASA-CASE-MFS-23311-1 c54 N78-17676
NASA-CASE-MFS-23312-1 c33 N78-27326
NASA-CASE-MFS-23315-1 c76 N78-24950
NASA-CASE-MFS-23345-1 c27 N77-30237
NASA-CASE-MFS-23349-1 c44 N79-23481
NASA-CASE-MFS-23362-1 c47 N77-10753
NASA-CASE-MFS-23363-1 c35 N78-32396
NASA-CASE-MFS-23405-1 c26 N77-29260
NASA-CASE-MFS-23447-1 c37 N79-11404
NASA-CASE-MFS-23460-1 c12 N79-26075
NASA-CASE-MFS-23461-1 c35 N79-10389
NASA-CASE-MFS-23506-1 c24 N78-24290
NASA-CASE-MFS-23513-1 c74 N79-11865
NASA-CASE-MFS-23515-1 c44 N80-21828
NASA-CASE-MFS-23518-1 c44 N79-11469
NASA-CASE-MFS-23518-2 c44 N77-31611
NASA-CASE-MFS-23518-3 c44 N80-16452
NASA-CASE-MFS-23540-1 c44 N79-26475
NASA-CASE-MFS-23541-1 c76 N79-14906
NASA-CASE-MFS-23551-1 c04 N76-26175
NASA-CASE-MFS-23564-1 c15 N78-25119
NASA-CASE-MFS-23579-1 c18 N79-11108
NASA-CASE-MFS-23620-1 c37 N79-10421
NASA-CASE-MFS-23626-1 c24 N80-26388
NASA-CASE-MFS-23642-1 c20 N80-10278
NASA-CASE-MFS-23642-2 c20 N78-27176
NASA-CASE-MFS-23646-1 c37 N79-22474
NASA-CASE-MFS-23659-1 c33 N79-17133
NASA-CASE-MFS-23674-1 c24 N78-27182
NASA-CASE-MFS-23675-1 c89 N79-10969
NASA-CASE-MFS-23696-1 c54 N78-32724
NASA-CASE-MFS-23717-1 c52 N79-14756
NASA-CASE-MFS-23720-1 c43 N80-23711
NASA-CASE-MFS-23720-2 c43 N80-14423
NASA-CASE-MFS-23720-3 c43 N79-25443
NASA-CASE-MFS-23721-1 c31 N79-28370
NASA-CASE-MFS-23725-1 c43 N79-31706
NASA-CASE-MFS-23726-1 c43 N79-26439
NASA-CASE-MFS-23727-1 c44 N80-14473
NASA-CASE-MFS-23775-1 c35 N80-17421
NASA-CASE-MFS-23776-1 c74 N80-25134
NASA-CASE-MFS-23777-1 c37 N80-32716
NASA-CASE-MFS-23816-1 c26 N80-23419
NASA-CASE-MFS-23825-1 c14 N80-24342
NASA-CASE-MFS-23828-1 c33 N80-17359
NASA-CASE-MFS-23830-1 c44 N80-21831
NASA-CASE-MFS-23845-1 c33 N81-17348
NASA-CASE-MFS-23846 c37 N80-29704
NASA-CASE-MFS-23862-1 c48 N80-18667
NASA-CASE-MFS-23883-1 c51 N80-16715
NASA-CASE-MFS-23904-1 c20 N79-13077
NASA-CASE-MFS-23923-1 c35 N81-19426
NASA-CASE-MFS-23981-1 c33 N81-19394
NASA-CASE-MFS-23988-1 c33 N79-25315
NASA-CASE-MFS-23999-1 c44 N79-28667
NASA-CASE-MFS-25000-1 c25 N81-19242
NASA-CASE-MFS-25050-1 c71 N81-15767
NASA-CASE-MFS-25134-1 c31 N81-12283
NASA-CASE-MFS-25139-1 c34 N80-20528
NASA-CASE-MFS-25181-1 c27 N81-16238
NASA-CASE-MFS-25211-1 c33 N80-32651
NASA-CASE-MFS-25287-1 c44 N80-17504
NASA-CASE-MFS-25305-1 c35 N81-16427
NASA-CASE-MFS-25312-1 c74 N80-34251
NASA-CASE-MFS-25315-1 c36 N81-19440
NASA-CASE-MFS-25363-1 c31 N80-32585
NASA-CASE-MFS-25535-1 c33 N81-12330

NASA-CASE-MSC-10954-1 c54 N78-18761
NASA-CASE-MSC-10959 c15 N71-26243
NASA-CASE-MSC-10960-1 c03 N71-24718
NASA-CASE-MSC-10966 c14 N71-19568
NASA-CASE-MSC-11010 c15 N71-19485
NASA-CASE-MSC-11072 c54 N74-32546
NASA-CASE-MSC-11235 c33 N78-17294
NASA-CASE-MSC-11242 c35 N78-17358
NASA-CASE-MSC-11253 c05 N71-12343
NASA-CASE-MSC-11277 c09 N71-29008
NASA-CASE-MSC-11561-1 c05 N73-32014
NASA-CASE-MSC-11817-1 c15 N71-26611
NASA-CASE-MSC-11847-1 c14 N72-11363
NASA-CASE-MSC-11849-1 c15 N72-22488
NASA-CASE-MSC-12033-1 c09 N71-13531
NASA-CASE-MSC-12049 c31 N71-16080
NASA-CASE-MSC-12052-1 c15 N71-24599
NASA-CASE-MSC-12084-1 c12 N71-17569
NASA-CASE-MSC-12086-1 c05 N71-12345
NASA-CASE-MSC-12101 c09 N71-18720
NASA-CASE-MSC-12105-1 c14 N72-21409
NASA-CASE-MSC-12109 c18 N71-26285
NASA-CASE-MSC-12111-1 c02 N71-11039
NASA-CASE-MSC-12116-1 c15 N71-17648
NASA-CASE-MSC-12121-1 c15 N71-27147
NASA-CASE-MSC-12135-1 c09 N71-12526
NASA-CASE-MSC-12139-1 c28 N71-14058
NASA-CASE-MSC-12143-1 c33 N72-17947
NASA-CASE-MSC-12146-1 c07 N72-17109
NASA-CASE-MSC-12165-1 c07 N71-33696
NASA-CASE-MSC-12168-1 c09 N71-18600
NASA-CASE-MSC-12178-1 c09 N71-13518
NASA-CASE-MSC-12205-1 c07 N71-27056
NASA-CASE-MSC-12206-1 c05 N71-17599
NASA-CASE-MSC-12209 c09 N71-24842
NASA-CASE-MSC-12223-1 c07 N71-26181
NASA-CASE-MSC-12233-1 c15 N72-25454
NASA-CASE-MSC-12233-2 c32 N73-13921
NASA-CASE-MSC-12239-1 c52 N79-21750
NASA-CASE-MSC-12243-1 c05 N71-24728
NASA-CASE-MSC-12259-1 c07 N70-12616
NASA-CASE-MSC-12259-2 c07 N72-33146
NASA-CASE-MSC-12279 c15 N72-17450
NASA-CASE-MSC-12279-1 c15 N70-35679
NASA-CASE-MSC-12280 c27 N71-16348
NASA-CASE-MSC-12293-1 c14 N72-27411
NASA-CASE-MSC-12297 c14 N72-23457
NASA-CASE-MSC-12324-1 c05 N72-22093
NASA-CASE-MSC-12327-1 c35 N77-27368
NASA-CASE-MSC-12357 c15 N73-12489
NASA-CASE-MSC-12363-1 c14 N73-26431
NASA-CASE-MSC-12372-1 c31 N72-25842
NASA-CASE-MSC-12389 c33 N71-29052
NASA-CASE-MSC-12390 c27 N71-29155
NASA-CASE-MSC-12391 c30 N73-12884
NASA-CASE-MSC-12393-1 c02 N73-26006
NASA-CASE-MSC-12394-1 c08 N74-10942
NASA-CASE-MSC-12395 c09 N72-25257
NASA-CASE-MSC-12396-1 c03 N73-31988
NASA-CASE-MSC-12397-1 c05 N72-25119
NASA-CASE-MSC-12398 c05 N72-20098
NASA-CASE-MSC-12404-1 c23 N73-13661
NASA-CASE-MSC-12408-1 c46 N74-13011
NASA-CASE-MSC-12411-1 c05 N72-20096
NASA-CASE-MSC-12423-1 c91 N76-30131
NASA-CASE-MSC-12428-1 c10 N73-25240
NASA-CASE-MSC-12433 c31 N73-14854
NASA-CASE-MSC-12458-1 c08 N73-32081
NASA-CASE-MSC-12462-1 c32 N74-20809
NASA-CASE-MSC-12494-1 c32 N74-20810
NASA-CASE-MSC-12506-1 c32 N77-12239
NASA-CASE-MSC-12531-1 c35 N75-30504
NASA-CASE-MSC-12549-1 c37 N74-27903
NASA-CASE-MSC-12559-1 c18 N76-14186
NASA-CASE-MSC-12561-1 c18 N76-17185
NASA-CASE-MSC-12564-2 c03 N78-25070
NASA-CASE-MSC-12568-1 c24 N76-14204
NASA-CASE-MSC-12593-1 c17 N76-21250
NASA-CASE-MSC-12607-1 c32 N75-21485
NASA-CASE-MSC-12609-1 c05 N73-32012
NASA-CASE-MSC-12611-1 c12 N76-15189
NASA-CASE-MSC-12615-1 c37 N76-19437
NASA-CASE-MSC-12617-1 c35 N76-29552
NASA-CASE-MSC-12618-1 c74 N78-17865
NASA-CASE-MSC-12619-2 c27 N79-12221

NASA-CASE-MSC-12631-1 c24 N77-28225
NASA-CASE-MSC-12631-3 c27 N81-14077
NASA-CASE-MSC-12640-1 c74 N76-31598
NASA-CASE-MSC-12662-1 c33 N79-12331
NASA-CASE-MSC-12709-1 c33 N77-24375
NASA-CASE-MSC-12731-1 c37 N78-25426
NASA-CASE-MSC-12737-1 c24 N79-25142
NASA-CASE-MSC-12743-1 c32 N79-10263
NASA-CASE-MSC-12745-1 c33 N77-13338
NASA-CASE-MSC-13047-1 c31 N71-25434
NASA-CASE-MSC-13054 c54 N78-17677
NASA-CASE-MSC-13110-1 c08 N72-22163
NASA-CASE-MSC-13112 c03 N71-11057
NASA-CASE-MSC-13140 c05 N72-11085
NASA-CASE-MSC-13201-1 c07 N71-28429
NASA-CASE-MSC-13276-1 c14 N71-27058
NASA-CASE-MSC-13281 c31 N72-18859
NASA-CASE-MSC-13282-1 c05 N71-24729
NASA-CASE-MSC-13332-1 c14 N72-21408
NASA-CASE-MSC-13335-1 c06 N72-31140
NASA-CASE-MSC-13397-1 c21 N72-25595
NASA-CASE-MSC-13407-1 c10 N72-20225
NASA-CASE-MSC-13436-1 c05 N73-32015
NASA-CASE-MSC-13492-1 c10 N71-28860
NASA-CASE-MSC-13512-1 c15 N72-22485
NASA-CASE-MSC-13530-2 c23 N75-14834
NASA-CASE-MSC-13540-1 c05 N72-33096
NASA-CASE-MSC-13587-1 c15 N73-30459
NASA-CASE-MSC-13601-2 c54 N75-27759
NASA-CASE-MSC-13604-1 c05 N73-13114
NASA-CASE-MSC-13609-1 c05 N72-25122
NASA-CASE-MSC-13648 c05 N72-27103
NASA-CASE-MSC-13746-1 c10 N73-32143
NASA-CASE-MSC-13789-1 c11 N73-32152
NASA-CASE-MSC-13802-2 c35 N76-15431
NASA-CASE-MSC-13855-1 c35 N74-17885
NASA-CASE-MSC-13907-1 c10 N73-26230
NASA-CASE-MSC-13912-1 c32 N74-30524
NASA-CASE-MSC-13917-1 c05 N72-15098
NASA-CASE-MSC-13932-1 c62 N74-14920
NASA-CASE-MSC-13972-1 c52 N74-10975
NASA-CASE-MSC-13999-1 c52 N74-26626
NASA-CASE-MSC-14053-1 c60 N74-12888
NASA-CASE-MSC-14065-1 c32 N74-26654
NASA-CASE-MSC-14066-1 c33 N74-27705
NASA-CASE-MSC-14070-1 c32 N74-32598
NASA-CASE-MSC-14081-1 c35 N74-27860
NASA-CASE-MSC-14082-1 c60 N76-23850
NASA-CASE-MSC-14096-1 c74 N74-15095
NASA-CASE-MSC-14129-1 c33 N75-18479
NASA-CASE-MSC-14130-1 c33 N74-32711
NASA-CASE-MSC-14131-1 c33 N75-19515
NASA-CASE-MSC-14143-1 c77 N75-20139
NASA-CASE-MSC-14180-1 c52 N76-14757
NASA-CASE-MSC-14182-1 c27 N76-14264
NASA-CASE-MSC-14187-1 c35 N74-32879
NASA-CASE-MSC-14219-1 c32 N74-27612
NASA-CASE-MSC-14240-1 c33 N75-14957
NASA-CASE-MSC-14245-1 c18 N75-27041
NASA-CASE-MSC-14270-1 c27 N76-22377
NASA-CASE-MSC-14270-2 c27 N76-23426
NASA-CASE-MSC-14273-1 c34 N75-33342
NASA-CASE-MSC-14276-1 c52 N77-14737
NASA-CASE-MSC-14331-1 c27 N76-24405
NASA-CASE-MSC-14331-2 c27 N78-17213
NASA-CASE-MSC-14331-3 c27 N78-32262
NASA-CASE-MSC-14339-1 c05 N75-24716
NASA-CASE-MSC-14428-1 c23 N77-17161
NASA-CASE-MSC-14435-1 c37 N76-18455
NASA-CASE-MSC-14472-1 c43 N77-10584
NASA-CASE-MSC-14557-1 c32 N76-16249
NASA-CASE-MSC-14558-1 c32 N75-21486
NASA-CASE-MSC-14623-1 c52 N77-28717
NASA-CASE-MSC-14632-1 c54 N78-14784
NASA-CASE-MSC-14640-1 c54 N76-14804
NASA-CASE-MSC-14649-1 c33 N76-16331
NASA-CASE-MSC-14653-1 c35 N77-19385
NASA-CASE-MSC-14683-1 c74 N77-18893
NASA-CASE-MSC-14733-1 c54 N76-24900
NASA-CASE-MSC-14735-1 c54 N76-24900
NASA-CASE-MSC-14757-1 c35 N78-10428
NASA-CASE-MSC-14771-1 c54 N77-32722
NASA-CASE-MSC-14773-1 c35 N78-12390
NASA-CASE-MSC-14795-2 c24 N78-25138
NASA-CASE-MSC-14805-1 c54 N78-32720
NASA-CASE-MSC-14831-1 c25 N78-10225
NASA-CASE-MSC-14836-1 c52 N76-27839
NASA-CASE-MSC-14840-1 c32 N77-24331
NASA-CASE-MSC-14903-1 c27 N78-32256
NASA-CASE-MSC-14903-2 c27 N80-10358
NASA-CASE-MSC-14903-3 c27 N80-24438
NASA-CASE-MSC-14905-1 c37 N77-28487
NASA-CASE-MSC-14916-1 c33 N78-10375
NASA-CASE-MSC-14939-1 c32 N79-11264
NASA-CASE-MSC-15158-1 c14 N72-17325
NASA-CASE-MSC-15474-1 c15 N71-26162
NASA-CASE-MSC-15567-1 c33 N73-16918
NASA-CASE-MSC-15626-1 c14 N72-25411
NASA-CASE-MSC-16000-1 c37 N78-24504
NASA-CASE-MSC-16043-1 c37 N79-11402
NASA-CASE-MSC-16074-1 c27 N80-26446
NASA-CASE-MSC-16098-1 c51 N79-10693
NASA-CASE-MSC-16170-2 c32 N81-16338
NASA-CASE-MSC-16182-1 c54 N80-10799
NASA-CASE-MSC-16217-1 c18 N78-22146
NASA-CASE-MSC-16239-1 c37 N78-11399
NASA-CASE-MSC-16253-1 c32 N79-20297
NASA-CASE-MSC-16258-1 c45 N79-12584
NASA-CASE-MSC-16260-1 c51 N80-16714
NASA-CASE-MSC-16270-1 c37 N78-27423
NASA-CASE-MSC-16299-1 c45 N77-31668
NASA-CASE-MSC-16307-1 c25 N78-27232
NASA-CASE-MSC-16366-1 c24 N79-23142
NASA-CASE-MSC-16370-1 c35 N81-19427
NASA-CASE-MSC-16394-1 c25 N80-26406
NASA-CASE-MSC-16433-1 c52 N78-27750
NASA-CASE-MSC-16461-1 c33 N79-11313
NASA-CASE-MSC-16462-1 c32 N78-25274
NASA-CASE-MSC-16497-1 c25 N79-23167
NASA-CASE-MSC-16697-1 c33 N79-28415
NASA-CASE-MSC-16747-1 c33 N81-17349
NASA-CASE-MSC-16777-1 c51 N80-27067
NASA-CASE-MSC-16800-1 c32 N81-14187
NASA-CASE-MSC-16841-1 c34 N79-24285
NASA-CASE-MSC-16934-2 c37 N81-16468
NASA-CASE-MSC-16938-1 c37 N80-23653
NASA-CASE-MSC-16973-1 c37 N81-14317
NASA-CASE-MSC-17832-1 c33 N74-14956
NASA-CASE-MSC-18035-1 c32 N81-15179
NASA-CASE-MSC-18106-1 c33 N80-14338
NASA-CASE-MSC-18107-1 c35 N79-19319
NASA-CASE-MSC-18134-1 c37 N81-15363
NASA-CASE-MSC-18172-1 c26 N80-19237
NASA-CASE-MSC-18179-1 c20 N80-18097
NASA-CASE-MSC-18223-1 c24 N81-16127
NASA-CASE-MSC-18255-1 c74 N80-33210
NASA-CASE-MSC-18334-1 c32 N80-32604
NASA-CASE-MSC-18381-1 c52 N79-23657
NASA-CASE-MSC-18382-1 c27 N80-24440
NASA-CASE-MSC-18390-1 c37 N80-18398
NASA-CASE-MSC-18422-1 c37 N80-14400
NASA-CASE-MSC-18430-1 c31 N80-17292
NASA-CASE-MSC-18498-1 c60 N80-30050
NASA-CASE-MSC-18526-1 c35 N80-19468
NASA-CASE-MSC-18532-1 c32 N80-29543
NASA-CASE-MSC-18538-1 c37 N80-22703
NASA-CASE-MSC-18606-1 c32 N80-24511
NASA-CASE-MSC-18627-1 c74 N81-15818
NASA-CASE-MSC-18741-1 c16 N81-16110
NASA-CASE-MSC-18929-1 c54 N81-15699
NASA-CASE-MSC-19095-1 c37 N75-19683
NASA-CASE-MSC-19372-1 c39 N76-31562
NASA-CASE-MSC-19442-1 c74 N77-10899
NASA-CASE-MSC-19514-1 c37 N79-20377
NASA-CASE-MSC-19535-1 c37 N77-32499
NASA-CASE-MSC-19536-1 c37 N77-22482
NASA-CASE-MSC-19546-1 c37 N77-25536
NASA-CASE-MSC-19568-1 c34 N78-25350
NASA-CASE-MSC-19666-1 c37 N78-17383
NASA-CASE-MSC-19672-1 c38 N79-14398
NASA-CASE-MSC-19693-1 c26 N78-24333
NASA-CASE-MSC-19706-1 c09 N78-31129
NASA-CASE-MSC-90153-2 c05 N72-25120

NASA-CASE-NPO-08835-1 c27 N78-33228
NASA-CASE-NPO-10003 c10 N71-26415
NASA-CASE-NPO-10034 c15 N71-17685
NASA-CASE-NPO-10037 c09 N71-19610
NASA-CASE-NPO-10046 c28 N72-17843
NASA-CASE-NPO-10051 c18 N71-24934
NASA-CASE-NPO-10064 c15 N71-17693
NASA-CASE-NPO-10066 c09 N71-18598
NASA-CASE-NPO-10068 c08 N71-19288
NASA-CASE-NPO-10070 c15 N71-27372
NASA-CASE-NPO-10096 c07 N71-24583
NASA-CASE-NPO-10109 c03 N71-11049
NASA-CASE-NPO-10112 c08 N71-12502
NASA-CASE-NPO-10117 c15 N71-15608

NASA-CASE-NPO-10118 c07 N71-24741
NASA-CASE-NPO-10122 c12 N71-17631
NASA-CASE-NPO-10123 c15 N71-24835
NASA-CASE-NPO-10138 c33 N71-16357
NASA-CASE-NPO-10140 c07 N71-24742
NASA-CASE-NPO-10141 c11 N71-24964
NASA-CASE-NPO-10143 c10 N71-26326
NASA-CASE-NPO-10144 c14 N71-17701
NASA-CASE-NPO-10150 c08 N71-24650
NASA-CASE-NPO-10151 c37 N78-17386
NASA-CASE-NPO-10158 c33 N71-16356
NASA-CASE-NPO-10166-1 c07 N73-22076
NASA-CASE-NPO-10166-2 c35 N76-16391
NASA-CASE-NPO-10169 c10 N71-24844
NASA-CASE-NPO-10173 c15 N71-24696
NASA-CASE-NPO-10174 c14 N71-18465
NASA-CASE-NPO-10175 c14 N71-18625
NASA-CASE-NPO-10185 c10 N71-26339
NASA-CASE-NPO-10188 c03 N71-20273
NASA-CASE-NPO-10189-1 c33 N77-21314
NASA-CASE-NPO-10194 c03 N71-20407
NASA-CASE-NPO-10198 c09 N71-24806
NASA-CASE-NPO-10199 c09 N72-17156
NASA-CASE-NPO-10201 c08 N71-18694
NASA-CASE-NPO-10214 c10 N71-26577
NASA-CASE-NPO-10230 c09 N71-12520
NASA-CASE-NPO-10231 c07 N71-26101
NASA-CASE-NPO-10233-1 c14 N78-33913
NASA-CASE-NPO-10234 c06 N72-17094
NASA-CASE-NPO-10242 c09 N71-24803
NASA-CASE-NPO-10244 c15 N72-26371
NASA-CASE-NPO-10250 c23 N71-16212
NASA-CASE-NPO-10251 c10 N71-27365
NASA-CASE-NPO-10271 c17 N71-16393
NASA-CASE-NPO-10298 c12 N71-17661
NASA-CASE-NPO-10300 c14 N71-17662
NASA-CASE-NPO-10301 c07 N72-11148
NASA-CASE-NPO-10302 c10 N71-26142
NASA-CASE-NPO-10303 c07 N72-22127
NASA-CASE-NPO-10309 c15 N69-23190
NASA-CASE-NPO-10311 c31 N71-15643
NASA-CASE-NPO-10316-1 c37 N77-22479
NASA-CASE-NPO-10320 c14 N71-17655
NASA-CASE-NPO-10331 c09 N71-26701
NASA-CASE-NPO-10337 c14 N71-15604
NASA-CASE-NPO-10342 c10 N71-33407
NASA-CASE-NPO-10343 c07 N71-27341
NASA-CASE-NPO-10344 c10 N71-26544
NASA-CASE-NPO-10348 c10 N71-12554
NASA-CASE-NPO-10351 c08 N71-12503
NASA-CASE-NPO-10373 c03 N71-18698
NASA-CASE-NPO-10388 c07 N71-24622
NASA-CASE-NPO-10401 c03 N72-20033
NASA-CASE-NPO-10404 c03 N71-12255
NASA-CASE-NPO-10412 c09 N71-28421
NASA-CASE-NPO-10416 c12 N71-27332
NASA-CASE-NPO-10417 c16 N71-33410
NASA-CASE-NPO-10431 c15 N71-29132
NASA-CASE-NPO-10440 c15 N72-21466
NASA-CASE-NPO-10447 c06 N70-11252
NASA-CASE-NPO-10467 c23 N71-26654
NASA-CASE-NPO-10468 c23 N71-33229
NASA-CASE-NPO-10539 c07 N71-11285
NASA-CASE-NPO-10542 c09 N72-27228
NASA-CASE-NPO-10548 c16 N71-24831
NASA-CASE-NPO-10556 c14 N71-27185
NASA-CASE-NPO-10557 c27 N78-17214
NASA-CASE-NPO-10560 c08 N72-22166
NASA-CASE-NPO-10567 c08 N71-24633
NASA-CASE-NPO-10575 c03 N72-25019
NASA-CASE-NPO-10591 c03 N72-22041
NASA-CASE-NPO-10595 c10 N71-25917
NASA-CASE-NPO-10596 c06 N71-25929
NASA-CASE-NPO-10606 c15 N72-25451
NASA-CASE-NPO-10607 c09 N71-27232
NASA-CASE-NPO-10617-1 c35 N74-22095
NASA-CASE-NPO-10619-1 c35 N77-21393
NASA-CASE-NPO-10625 c09 N71-26182
NASA-CASE-NPO-10629 c08 N72-18184
NASA-CASE-NPO-10633 c03 N72-28025
NASA-CASE-NPO-10634 c23 N72-25619
NASA-CASE-NPO-10636 c08 N72-25210
NASA-CASE-NPO-10637 c15 N72-12409
NASA-CASE-NPO-10646 c15 N71-28467
NASA-CASE-NPO-10649 c07 N71-24840
NASA-CASE-NPO-10671 c15 N72-20443
NASA-CASE-NPO-10677 c05 N72-11084
NASA-CASE-NPO-10679 c15 N72-21462
NASA-CASE-NPO-10680 c31 N73-14855
NASA-CASE-NPO-10682 c15 N70-34699
NASA-CASE-NPO-10691 c14 N71-26199
NASA-CASE-NPO-10694 c09 N72-20200
NASA-CASE-NPO-10700 c07 N71-33613
NASA-CASE-NPO-10701 c06 N71-28620
NASA-CASE-NPO-10704 c15 N72-20445
NASA-CASE-NPO-10711-1 c35 N77-21392
NASA-CASE-NPO-10714 c06 N69-31244
NASA-CASE-NPO-10716 c09 N71-24892
NASA-CASE-NPO-10721 c15 N72-27484
NASA-CASE-NPO-10722 c09 N72-20199
NASA-CASE-NPO-10737 c28 N72-11709
NASA-CASE-NPO-10743 c08 N72-21199
NASA-CASE-NPO-10745 c08 N72-22164
NASA-CASE-NPO-10747 c03 N72-22042
NASA-CASE-NPO-10748 c08 N72-20177
NASA-CASE-NPO-10753 c03 N72-26031
NASA-CASE-NPO-10755 c15 N71-27084
NASA-CASE-NPO-10758 c14 N73-14427
NASA-CASE-NPO-10760 c09 N72-25254
NASA-CASE-NPO-10764-1 c14 N73-14428
NASA-CASE-NPO-10764-2 c35 N75-25122
NASA-CASE-NPO-10765 c06 N72-20121
NASA-CASE-NPO-10767-1 c06 N73-33076
NASA-CASE-NPO-10767-2 c06 N72-27151
NASA-CASE-NPO-10768 c06 N71-27254
NASA-CASE-NPO-10768-2 c06 N72-27144
NASA-CASE-NPO-10769 c08 N72-11171
NASA-CASE-NPO-10774 c06 N72-17095
NASA-CASE-NPO-10778 c14 N72-11364
NASA-CASE-NPO-10781-1 c33 N77-21314
NASA-CASE-NPO-10790-1 c33 N77-21316
NASA-CASE-NPO-10796 c15 N71-27068
NASA-CASE-NPO-10808 c15 N71-27432
NASA-CASE-NPO-10810 c14 N71-27323
NASA-CASE-NPO-10812 c15 N73-13464
NASA-CASE-NPO-10817-1 c08 N73-30135
NASA-CASE-NPO-10821 c03 N71-19545
NASA-CASE-NPO-10828 c33 N72-17948
NASA-CASE-NPO-10830-1 c27 N81-15104
NASA-CASE-NPO-10831 c33 N72-20915
NASA-CASE-NPO-10832 c14 N72-21405
NASA-CASE-NPO-10844 c07 N72-20140
NASA-CASE-NPO-10851 c07 N71-24613
NASA-CASE-NPO-10857-1 c33 N80-14330
NASA-CASE-NPO-10862 c06 N72-22107
NASA-CASE-NPO-10863 c06 N70-11251
NASA-CASE-NPO-10863-2 c06 N72-25152
NASA-CASE-NPO-10866-1 c28 N79-14228
NASA-CASE-NPO-10870-1 c33 N77-22386
NASA-CASE-NPO-10872-1 c35 N79-16246
NASA-CASE-NPO-10883 c31 N72-22874
NASA-CASE-NPO-10890 c11 N73-12265
NASA-CASE-NPO-10893 c27 N73-22710
NASA-CASE-NPO-10985 c14 N73-20478
NASA-CASE-NPO-10998-1 c06 N73-32029
NASA-CASE-NPO-10999-1 c06 N73-32029
NASA-CASE-NPO-11001 c07 N72-21118
NASA-CASE-NPO-11002 c14 N72-22441
NASA-CASE-NPO-11012 c15 N72-11391
NASA-CASE-NPO-11013 c11 N72-22247
NASA-CASE-NPO-11016 c08 N72-31226
NASA-CASE-NPO-11018 c08 N72-21200
NASA-CASE-NPO-11021 c03 N72-20032
NASA-CASE-NPO-11023 c09 N72-17155
NASA-CASE-NPO-11031 c07 N71-33606
NASA-CASE-NPO-11036 c15 N72-24522
NASA-CASE-NPO-11059 c15 N72-17454
NASA-CASE-NPO-11064 c07 N72-11150
NASA-CASE-NPO-11078 c09 N72-25262
NASA-CASE-NPO-11082 c08 N72-22167
NASA-CASE-NPO-11087 c23 N71-29125
NASA-CASE-NPO-11088 c08 N71-29034
NASA-CASE-NPO-11091 c18 N72-22567
NASA-CASE-NPO-11095 c15 N72-25455
NASA-CASE-NPO-11103-1 c35 N77-27367
NASA-CASE-NPO-11104 c08 N72-22165
NASA-CASE-NPO-11106 c14 N70-34697
NASA-CASE-NPO-11118 c03 N72-25021
NASA-CASE-NPO-11120-1 c34 N74-18552
NASA-CASE-NPO-11129 c09 N72-33204
NASA-CASE-NPO-11130 c08 N72-20176
NASA-CASE-NPO-11133 c10 N72-20223
NASA-CASE-NPO-11134 c09 N72-21246
NASA-CASE-NPO-11138 c03 N70-34646
NASA-CASE-NPO-11140 c15 N72-17455
NASA-CASE-NPO-11147 c14 N72-27408
NASA-CASE-NPO-11150 c35 N78-17359
NASA-CASE-NPO-11156-2 c33 N75-31331

NASA-CASE-NPO-11161 c08 N72-25207
NASA-CASE-NPO-11177 c15 N72-17453
NASA-CASE-NPO-11190 c03 N71-34044
NASA-CASE-NPO-11191-1 c33 N77-22386
NASA-CASE-NPO-11194 c08 N72-25209
NASA-CASE-NPO-11201 c14 N72-27409
NASA-CASE-NPO-11202 c15 N72-25450
NASA-CASE-NPO-11203 c10 N72-20224
NASA-CASE-NPO-11210 c11 N72-20244
NASA-CASE-NPO-11213 c15 N73-20514
NASA-CASE-NPO-11222 c15 N72-25456
NASA-CASE-NPO-11239 c14 N73-12446
NASA-CASE-NPO-11243 c07 N72-20154
NASA-CASE-NPO-11253 c09 N72-17157
NASA-CASE-NPO-11264 c07 N72-25174
NASA-CASE-NPO-11282 c10 N73-16205
NASA-CASE-NPO-11283 c09 N72-25260
NASA-CASE-NPO-11291-1 c14 N73-30388
NASA-CASE-NPO-11302-1 c07 N73-13149
NASA-CASE-NPO-11302-2 c32 N74-10132
NASA-CASE-NPO-11304 c14 N73-26430
NASA-CASE-NPO-11307-1 c10 N73-30205
NASA-CASE-NPO-11311 c14 N72-25414
NASA-CASE-NPO-11317-2 c36 N74-13205
NASA-CASE-NPO-11322 c06 N72-25146
NASA-CASE-NPO-11330 c33 N73-26958
NASA-CASE-NPO-11333 c08 N72-22162
NASA-CASE-NPO-11336-1 c76 N79-16678
NASA-CASE-NPO-11337-1 c74 N81-19896
NASA-CASE-NPO-11338 c08 N72-25208
NASA-CASE-NPO-11340 c15 N72-33477
NASA-CASE-NPO-11342 c09 N72-25248
NASA-CASE-NPO-11358 c07 N72-25172
NASA-CASE-NPO-11361 c07 N72-32169
NASA-CASE-NPO-11366 c11 N73-26238
NASA-CASE-NPO-11369 c15 N73-13467
NASA-CASE-NPO-11371 c08 N73-12177
NASA-CASE-NPO-11373 c13 N72-25323
NASA-CASE-NPO-11377 c15 N73-27406
NASA-CASE-NPO-11387 c14 N73-14429
NASA-CASE-NPO-11388 c03 N72-23048
NASA-CASE-NPO-11403-1 c33 N77-22386
NASA-CASE-NPO-11406 c08 N73-12175
NASA-CASE-NPO-11417 c15 N73-24513
NASA-CASE-NPO-11418-1 c14 N73-13420
NASA-CASE-NPO-11426 c07 N73-26119
NASA-CASE-NPO-11429-1 c74 N77-21941
NASA-CASE-NPO-11432-2 c35 N74-15090
NASA-CASE-NPO-11437 c16 N72-28521
NASA-CASE-NPO-11456 c08 N73-26176
NASA-CASE-NPO-11458 c28 N72-23810
NASA-CASE-NPO-11458A c20 N78-32179
NASA-CASE-NPO-11479 c15 N73-13462
NASA-CASE-NPO-11481 c21 N73-13644
NASA-CASE-NPO-11493 c14 N73-12447
NASA-CASE-NPO-11497 c08 N73-25206
NASA-CASE-NPO-11510-1 c33 N77-21315
NASA-CASE-NPO-11515-1 c33 N77-13315
NASA-CASE-NPO-11548 c07 N73-26118
NASA-CASE-NPO-11556 c12 N72-25292
NASA-CASE-NPO-11559 c28 N73-24784
NASA-CASE-NPO-11569 c10 N73-26229
NASA-CASE-NPO-11572 c07 N73-16121
NASA-CASE-NPO-11575-1 c74 N81-19896
NASA-CASE-NPO-11593-1 c07 N73-28012
NASA-CASE-NPO-11609-2 c27 N77-31308
NASA-CASE-NPO-11623-1 c71 N74-31148
NASA-CASE-NPO-11628-1 c07 N73-30113
NASA-CASE-NPO-11630 c08 N72-33172
NASA-CASE-NPO-11631 c10 N73-12244
NASA-CASE-NPO-11659-1 c35 N74-11283
NASA-CASE-NPO-11661 c07 N73-14130
NASA-CASE-NPO-11682-1 c35 N74-15127
NASA-CASE-NPO-11686 c14 N73-25462
NASA-CASE-NPO-11703-1 c10 N73-32144
NASA-CASE-NPO-11707 c07 N73-25161
NASA-CASE-NPO-11738-1 c09 N73-30185
NASA-CASE-NPO-11743-1 c28 N74-27425
NASA-CASE-NPO-11749 c14 N73-28486
NASA-CASE-NPO-11751 c07 N73-24176
NASA-CASE-NPO-11758-1 c31 N74-23065
NASA-CASE-NPO-11771 c03 N73-20040
NASA-CASE-NPO-11775 c26 N72-28761
NASA-CASE-NPO-11806-1 c44 N74-19693
NASA-CASE-NPO-11820-1 c32 N74-19788
NASA-CASE-NPO-11821-1 c08 N73-26175
NASA-CASE-NPO-11850-1 c32 N74-12912
NASA-CASE-NPO-11856-1 c36 N74-15145
NASA-CASE-NPO-11861-1 c36 N74-20009
NASA-CASE-NPO-11868 c10 N73-20254
NASA-CASE-NPO-11880 c28 N73-24783
NASA-CASE-NPO-11905-1 c33 N74-12887
NASA-CASE-NPO-11919-1 c35 N74-11284
NASA-CASE-NPO-11921-1 c32 N74-30523
NASA-CASE-NPO-11932-1 c35 N74-23040
NASA-CASE-NPO-11941-1 c10 N73-27171
NASA-CASE-NPO-11942-1 c33 N73-32818
NASA-CASE-NPO-11945-1 c36 N76-18427
NASA-CASE-NPO-11948-1 c33 N74-32712
NASA-CASE-NPO-11951-1 c37 N74-21065
NASA-CASE-NPO-11954-1 c35 N78-29421
NASA-CASE-NPO-11961-1 c44 N76-18643
NASA-CASE-NPO-11962-1 c33 N74-10194
NASA-CASE-NPO-11966-1 c33 N74-17928
NASA-CASE-NPO-11975-1 c28 N74-33209
NASA-CASE-NPO-11978 c31 N78-17238
NASA-CASE-NPO-12000 c27 N72-25699
NASA-CASE-NPO-12015 c27 N73-16764
NASA-CASE-NPO-12061-1 c27 N76-16228
NASA-CASE-NPO-12070-1 c28 N73-32606
NASA-CASE-NPO-12072 c28 N72-22772
NASA-CASE-NPO-12087-1 c74 N81-19898
NASA-CASE-NPO-12106 c09 N73-15235
NASA-CASE-NPO-12107 c08 N71-27255
NASA-CASE-NPO-12109 c11 N72-22245
NASA-CASE-NPO-12119-1 c52 N75-15270
NASA-CASE-NPO-12122-1 c24 N76-14203
NASA-CASE-NPO-12127-1 c91 N74-13130
NASA-CASE-NPO-12128-1 c14 N73-32317
NASA-CASE-NPO-12130-1 c25 N75-14844
NASA-CASE-NPO-12131-3 c37 N80-18400
NASA-CASE-NPO-12134-1 c33 N76-31409
NASA-CASE-NPO-12142-1 c38 N76-28563
NASA-CASE-NPO-12148-1 c44 N78-27515
NASA-CASE-NPO-13044-1 c35 N74-15094
NASA-CASE-NPO-13050-1 c36 N75-15029
NASA-CASE-NPO-13058-1 c37 N77-22480
NASA-CASE-NPO-13059-1 c37 N76-20480
NASA-CASE-NPO-13063-1 c25 N76-18245
NASA-CASE-NPO-13064-1 c33 N79-11314
NASA-CASE-NPO-13065-1 c52 N74-26625
NASA-CASE-NPO-13067-1 c60 N76-18800
NASA-CASE-NPO-13081-1 c33 N74-22814
NASA-CASE-NPO-13086-1 c15 N73-12495
NASA-CASE-NPO-13087-2 c44 N76-31666
NASA-CASE-NPO-13091-1 c09 N73-12214
NASA-CASE-NPO-13096-1 c37 N77-22480
NASA-CASE-NPO-13103-1 c32 N74-20811
NASA-CASE-NPO-13105-1 c37 N74-21060
NASA-CASE-NPO-13112-1 c73 N74-26767
NASA-CASE-NPO-13114-2 c73 N78-28913
NASA-CASE-NPO-13120-1 c27 N76-15311
NASA-CASE-NPO-13121-1 c73 N77-18891
NASA-CASE-NPO-13125-1 c33 N75-19519
NASA-CASE-NPO-13127-1 c35 N74-23040
NASA-CASE-NPO-13131-1 c36 N75-19652
NASA-CASE-NPO-13137-1 c27 N80-32514
NASA-CASE-NPO-13138-1 c33 N74-17927
NASA-CASE-NPO-13139-1 c60 N76-21914
NASA-CASE-NPO-13140-1 c32 N75-24982
NASA-CASE-NPO-13147-1 c36 N77-25502
NASA-CASE-NPO-13157-1 c37 N74-32918
NASA-CASE-NPO-13159-1 c33 N74-17928
NASA-CASE-NPO-13160-1 c35 N74-18090
NASA-CASE-NPO-13170-1 c35 N76-14430
NASA-CASE-NPO-13171-1 c32 N74-11000
NASA-CASE-NPO-13175-1 c36 N75-31427
NASA-CASE-NPO-13201-1 c37 N75-15050
NASA-CASE-NPO-13205-1 c31 N74-32917
NASA-CASE-NPO-13214-1 c35 N75-25123
NASA-CASE-NPO-13215-1 c35 N75-25123
NASA-CASE-NPO-13217-1 c32 N75-26194
NASA-CASE-NPO-13231-1 c45 N75-27585
NASA-CASE-NPO-13237-1 c44 N76-18641
NASA-CASE-NPO-13247-1 c76 N79-16678
NASA-CASE-NPO-13253-1 c37 N75-18573
NASA-CASE-NPO-13263-1 c12 N75-24774
NASA-CASE-NPO-13274-1 c25 N79-10163
NASA-CASE-NPO-13281-1 c37 N75-13266
NASA-CASE-NPO-13282 c38 N78-17396
NASA-CASE-NPO-13283 c38 N78-17395
NASA-CASE-NPO-13292-1 c32 N75-15854
NASA-CASE-NPO-13303-1 c20 N75-24837
NASA-CASE-NPO-13308-1 c36 N75-30524
NASA-CASE-NPO-13309-1 c25 N81-19244
NASA-CASE-NPO-13313-1 c54 N75-27761
NASA-CASE-NPO-13321-1 c32 N75-26195
NASA-CASE-NPO-13327-1 c35 N75-23910

NASA-CASE-NPO-13342-1 c37 N76-16446
NASA-CASE-NPO-13342-2 c44 N76-29700
NASA-CASE-NPO-13345-1 c37 N75-19684
NASA-CASE-NPO-13346-1 c36 N76-29575
NASA-CASE-NPO-13348-1 c33 N75-31332
NASA-CASE-NPO-13360-1 c37 N75-25185
NASA-CASE-NPO-13374-1 c33 N75-19524
NASA-CASE-NPO-13385-1 c33 N76-18345
NASA-CASE-NPO-13386-1 c54 N75-27758
NASA-CASE-NPO-13388-1 c35 N76-16390
NASA-CASE-NPO-13391-1 c34 N76-27515
NASA-CASE-NPO-13396-1 c35 N76-18401
NASA-CASE-NPO-13402-1 c37 N76-18457
NASA-CASE-NPO-13422-1 c60 N76-14818
NASA-CASE-NPO-13423-1 c33 N75-31329
NASA-CASE-NPO-13426-1 c33 N75-31330
NASA-CASE-NPO-13428-1 c60 N77-12721
NASA-CASE-NPO-13435-1 c31 N76-14284
NASA-CASE-NPO-13436-1 c37 N76-20480
NASA-CASE-NPO-13443-1 c76 N76-20994
NASA-CASE-NPO-13447-1 c60 N77-12721
NASA-CASE-NPO-13449-1 c36 N75-32441
NASA-CASE-NPO-13451-1 c33 N76-14373
NASA-CASE-NPO-13459-1 c31 N77-10229
NASA-CASE-NPO-13462-1 c35 N76-24524
NASA-CASE-NPO-13464-1 c44 N76-18642
NASA-CASE-NPO-13464-2 c44 N76-29704
NASA-CASE-NPO-13465-1 c32 N76-31372
NASA-CASE-NPO-13474-1 c45 N76-21742
NASA-CASE-NPO-13479-1 c35 N77-10492
NASA-CASE-NPO-13482-1 c44 N78-13526
NASA-CASE-NPO-13490-1 c36 N76-31512
NASA-CASE-NPO-13497-1 c44 N76-14602
NASA-CASE-NPO-13504-1 c33 N75-30430
NASA-CASE-NPO-13506-1 c35 N76-15435
NASA-CASE-NPO-13510-1 c44 N77-32581
NASA-CASE-NPO-13512-1 c33 N77-10428
NASA-CASE-NPO-13519-1 c33 N76-19338
NASA-CASE-NPO-13528-1 c09 N77-10071
NASA-CASE-NPO-13530-1 c25 N81-17187
NASA-CASE-NPO-13531-1 c36 N76-24553
NASA-CASE-NPO-13535-1 c37 N76-31524
NASA-CASE-NPO-13540-1 c35 N77-14409
NASA-CASE-NPO-13541-1 c37 N79-14383
NASA-CASE-NPO-13543-1 c32 N77-12240
NASA-CASE-NPO-13544-1 c36 N76-18428
NASA-CASE-NPO-13545-1 c32 N77-12240
NASA-CASE-NPO-13550-1 c36 N77-26477
NASA-CASE-NPO-13553-1 c33 N76-32457
NASA-CASE-NPO-13560-1 c44 N77-10636
NASA-CASE-NPO-13561-1 c44 N77-10636
NASA-CASE-NPO-13566-1 c25 N77-32255
NASA-CASE-NPO-13567-1 c44 N76-29701
NASA-CASE-NPO-13568-1 c32 N76-21365
NASA-CASE-NPO-13569-2 c35 N79-14348
NASA-CASE-NPO-13579-1 c44 N78-17460
NASA-CASE-NPO-13579-2 c44 N79-24433
NASA-CASE-NPO-13579-3 c44 N79-24432
NASA-CASE-NPO-13579-4 c44 N79-14529
NASA-CASE-NPO-13581-2 c44 N78-31525
NASA-CASE-NPO-13587-1 c32 N77-32342
NASA-CASE-NPO-13604-1 c35 N76-31490
NASA-CASE-NPO-13606-2 c35 N80-18364
NASA-CASE-NPO-13613-1 c37 N76-29590
NASA-CASE-NPO-13619-1 c37 N78-16369
NASA-CASE-NPO-13620-1 c27 N77-30236
NASA-CASE-NPO-13641-1 c32 N79-24210
NASA-CASE-NPO-13643-1 c52 N76-29896
NASA-CASE-NPO-13644-1 c52 N76-29895
NASA-CASE-NPO-13650-1 c25 N79-28253
NASA-CASE-NPO-13652-1 c44 N79-17314
NASA-CASE-NPO-13652-2 c44 N79-24431
NASA-CASE-NPO-13652-3 c44 N80-14474
NASA-CASE-NPO-13663-1 c35 N77-14406
NASA-CASE-NPO-13666-1 c27 N77-13217
NASA-CASE-NPO-13671-1 c37 N77-31497
NASA-CASE-NPO-13673-1 c71 N77-26519
NASA-CASE-NPO-13675-1 c44 N77-32580
NASA-CASE-NPO-13676-1 c60 N79-20751
NASA-CASE-NPO-13683-1 c35 N77-14411
NASA-CASE-NPO-13687-1 c35 N78-18391
NASA-CASE-NPO-13689-2 c44 N80-12549
NASA-CASE-NPO-13690-1 c27 N78-19302
NASA-CASE-NPO-13690-2 c27 N79-14213
NASA-CASE-NPO-13691-1 c43 N79-17288
NASA-CASE-NPO-13707-1 c74 N77-28933
NASA-CASE-NPO-13722-1 c74 N77-22951
NASA-CASE-NPO-13731-1 c39 N78-10493
NASA-CASE-NPO-13732-1 c44 N79-10513
NASA-CASE-NPO-13734-1 c44 N78-10554
NASA-CASE-NPO-13736-1 c44 N77-32583
NASA-CASE-NPO-13753-1 c32 N77-20289
NASA-CASE-NPO-13756-1 c35 N76-14434
NASA-CASE-NPO-13758-2 c31 N81-15154
NASA-CASE-NPO-13759-1 c74 N78-17867
NASA-CASE-NPO-13763-1 c44 N78-33526
NASA-CASE-NPO-13764-1 c27 N78-17215
NASA-CASE-NPO-13772-1 c35 N78-10429
NASA-CASE-NPO-13786-1 c44 N80-29835
NASA-CASE-NPO-13792-1 c35 N77-32455
NASA-CASE-NPO-13798-2 c37 N80-18397
NASA-CASE-NPO-13801-1 c36 N78-18410
NASA-CASE-NPO-13802-1 c71 N78-10837
NASA-CASE-NPO-13804-1 c33 N80-23559
NASA-CASE-NPO-13808-1 c35 N78-15461
NASA-CASE-NPO-13810-1 c44 N77-32582
NASA-CASE-NPO-13812-1 c33 N77-30365
NASA-CASE-NPO-13813-1 c44 N78-31526
NASA-CASE-NPO-13817-1 c44 N79-11471
NASA-CASE-NPO-13821-1 c44 N78-28594
NASA-CASE-NPO-13823-1 c37 N77-17466
NASA-CASE-NPO-13828-1 c37 N79-11405
NASA-CASE-NPO-13830-1 c32 N80-14281
NASA-CASE-NPO-13836-1 c32 N78-15323
NASA-CASE-NPO-13839-1 c31 N78-25256
NASA-CASE-NPO-13847-2 c85 N79-17747
NASA-CASE-NPO-13848-2 c85 N79-17747
NASA-CASE-NPO-13849-1 c28 N80-10374
NASA-CASE-NPO-13858-1 c28 N79-11231
NASA-CASE-NPO-13859-1 c28 N79-11231
NASA-CASE-NPO-13862-1 c35 N79-10391
NASA-CASE-NPO-13867-1 c27 N78-14164
NASA-CASE-NPO-13872-1 c33 N78-10377
NASA-CASE-NPO-13886-1 c32 N78-24391
NASA-CASE-NPO-13899-1 c27 N80-32515
NASA-CASE-NPO-13904-1 c25 N79-11152
NASA-CASE-NPO-13906-1 c54 N79-24652
NASA-CASE-NPO-13907-1 c28 N80-10374
NASA-CASE-NPO-13909-1 c33 N78-25319
NASA-CASE-NPO-13910-1 c52 N79-27836
NASA-CASE-NPO-13913-1 c52 N79-12694
NASA-CASE-NPO-13914-1 c44 N78-31526
NASA-CASE-NPO-13918-1 c76 N79-11920
NASA-CASE-NPO-13921-1 c44 N79-14526
NASA-CASE-NPO-13930-1 c52 N79-14749
NASA-CASE-NPO-13935-1 c52 N79-14751
NASA-CASE-NPO-13937-1 c44 N78-31527
NASA-CASE-NPO-13941-1 c32 N79-10262
NASA-CASE-NPO-13944-1 c52 N79-14751
NASA-CASE-NPO-13945-1 c36 N78-27402
NASA-CASE-NPO-13948-1 c35 N78-25391
NASA-CASE-NPO-13953-1 c35 N79-28527
NASA-CASE-NPO-13958-1 c25 N79-11151
NASA-CASE-NPO-13969-1 c76 N79-23798
NASA-CASE-NPO-13970-1 c33 N81-20352
NASA-CASE-NPO-13982-1 c32 N79-14267
NASA-CASE-NPO-13993-1 c72 N79-13826
NASA-CASE-NPO-13999-1 c35 N78-18395
NASA-CASE-NPO-14000-1 c33 N79-24254
NASA-CASE-NPO-14001-1 c27 N81-14076
NASA-CASE-NPO-14005-1 c71 N79-20827
NASA-CASE-NPO-14009-1 c32 N79-13214
NASA-CASE-NPO-14014-1 c37 N79-10420
NASA-CASE-NPO-14019-1 c32 N79-14268
NASA-CASE-NPO-14021-2 c27 N80-16163
NASA-CASE-NPO-14022-1 c32 N78-31321
NASA-CASE-NPO-14035-1 c32 N78-18266
NASA-CASE-NPO-14054-1 c32 N79-14278
NASA-CASE-NPO-14056-1 c33 N79-24257
NASA-CASE-NPO-14058-1 c44 N79-18443
NASA-CASE-NPO-14066-1 c74 N79-34011
NASA-CASE-NPO-14068-1 c44 N78-19609
NASA-CASE-NPO-14078-1 c72 N80-14877
NASA-CASE-NPO-14079-1 c25 N80-20334
NASA-CASE-NPO-14092-1 c52 N80-16725
NASA-CASE-NPO-14093-1 c35 N80-20563
NASA-CASE-NPO-14096-1 c44 N80-18551
NASA-CASE-NPO-14100-1 c44 N79-12541
NASA-CASE-NPO-14101-1 c52 N80-14687
NASA-CASE-NPO-14103-1 c28 N78-31255
NASA-CASE-NPO-14109-1 c28 N80-23471
NASA-CASE-NPO-14110-1 c28 N81-15119
NASA-CASE-NPO-14112-1 c46 N79-22679
NASA-CASE-NPO-14124-1 c46 N80-14603
NASA-CASE-NPO-14126-1 c44 N79-11470
NASA-CASE-NPO-14130-1 c34 N79-20335
NASA-CASE-NPO-14134-1 c71 N79-23753
NASA-CASE-NPO-14140-1 c31 N78-24387

NASA-CASE-NPO-14143-1 c25 N81-14015
NASA-CASE-NPO-14152-1 c32 N80-18252
NASA-CASE-NPO-14162-1 c60 N81-15706
NASA-CASE-NPO-14163-1 c33 N81-14220
NASA-CASE-NPO-14167-1 c60 N81-15706
NASA-CASE-NPO-14169-1 c60 N81-15706
NASA-CASE-NPO-14170-1 c37 N81-15364
NASA-CASE-NPO-14173-1 c04 N80-32359
NASA-CASE-NPO-14174-1 c74 N79-20856
NASA-CASE-NPO-14191-1 c31 N80-32584
NASA-CASE-NPO-14192-1 c39 N80-10507
NASA-CASE-NPO-14199-1 c44 N79-25482
NASA-CASE-NPO-14200-1 c44 N79-25482
NASA-CASE-NPO-14205-1 c44 N79-31752
NASA-CASE-NPO-14212-1 c52 N80-27072
NASA-CASE-NPO-14219-1 c74 N81-17886
NASA-CASE-NPO-14220-1 c37 N81-14318
NASA-CASE-NPO-14221-1 c37 N78-25431
NASA-CASE-NPO-14224-1 c33 N80-18287
NASA-CASE-NPO-14229-1 c33 N80-18285
NASA-CASE-NPO-14231-1 c46 N80-10709
NASA-CASE-NPO-14237-1 c44 N80-20808
NASA-CASE-NPO-14253-1 c32 N80-32605
NASA-CASE-NPO-14254-1 c36 N80-18372
NASA-CASE-NPO-14255-1 c46 N79-23555
NASA-CASE-NPO-14258-1 c35 N80-12383
NASA-CASE-NPO-14260-1 c28 N79-28342
NASA-CASE-NPO-14272-1 c25 N78-33164
NASA-CASE-NPO-14273-1 c37 N79-14388
NASA-CASE-NPO-14295-1 c76 N80-32245
NASA-CASE-NPO-14297-1 c33 N81-19389
NASA-CASE-NPO-14298-1 c76 N80-32244
NASA-CASE-NPO-14303-1 c44 N80-18550
NASA-CASE-NPO-14305-1 c44 N80-18550
NASA-CASE-NPO-14311-1 c32 N79-14276
NASA-CASE-NPO-14315-1 c27 N81-17261
NASA-CASE-NPO-14316-1 c33 N79-26312
NASA-CASE-NPO-14324-1 c72 N80-27163
NASA-CASE-NPO-14328-1 c32 N80-18253
NASA-CASE-NPO-14329-1 c52 N81-20703
NASA-CASE-NPO-14340-1 c45 N80-14579
NASA-CASE-NPO-14350-1 c33 N80-14332
NASA-CASE-NPO-14361-1 c32 N79-26253
NASA-CASE-NPO-14362-1 c32 N80-16261
NASA-CASE-NPO-14363-1 c76 N79-14908
NASA-CASE-NPO-14369-1 c25 N80-20338
NASA-CASE-NPO-14372-1 c35 N80-26635
NASA-CASE-NPO-14381-1 c31 N78-24387
NASA-CASE-NPO-14382-1 c31 N80-18231
NASA-CASE-NPO-14384-1 c37 N80-10494
NASA-CASE-NPO-14388-1 c37 N81-17432
NASA-CASE-NPO-14395-1 c37 N79-12446
NASA-CASE-NPO-14406-1 c37 N80-29703
NASA-CASE-NPO-14410-1 c33 N79-25314
NASA-CASE-NPO-14416-1 c44 N81-14389
NASA-CASE-NPO-14424-1 c33 N80-32650
NASA-CASE-NPO-14426-1 c33 N79-17134
NASA-CASE-NPO-14430-1 c33 N80-32650
NASA-CASE-NPO-14435-1 c33 N79-18224
NASA-CASE-NPO-14444-1 c33 N81-15192
NASA-CASE-NPO-14448-1 c74 N79-23777
NASA-CASE-NPO-14467-1 c44 N79-31753
NASA-CASE-NPO-14473-1 c37 N80-23654
NASA-CASE-NPO-14474-1 c26 N80-14229
NASA-CASE-NPO-14477-1 c28 N80-28536
NASA-CASE-NPO-14480-1 c32 N80-20448
NASA-CASE-NPO-14501-1 c35 N80-18357
NASA-CASE-NPO-14502-1 c74 N81-17888
NASA-CASE-NPO-14505-1 c33 N81-19393
NASA-CASE-NPO-14513-1 c35 N81-14287
NASA-CASE-NPO-14519-1 c32 N80-23524
NASA-CASE-NPO-14521-1 c54 N79-20746
NASA-CASE-NPO-14524-1 c32 N80-24510
NASA-CASE-NPO-14525-1 c32 N79-19195
NASA-CASE-NPO-14525-2 c32 N80-32607
NASA-CASE-NPO-14527-1 c32 N80-24510
NASA-CASE-NPO-14536-1 c32 N81-14185
NASA-CASE-NPO-14544-1 c74 N79-34014
NASA-CASE-NPO-14545-1 c74 N79-34014
NASA-CASE-NPO-14546-1 c74 N79-34014
NASA-CASE-NPO-14547-1 c74 N79-34014
NASA-CASE-NPO-14554-1 c60 N79-14797
NASA-CASE-NPO-14556-1 c36 N79-21336
NASA-CASE-NPO-14558-1 c46 N80-24906
NASA-CASE-NPO-14579-1 c32 N80-18253
NASA-CASE-NPO-14588-1 c32 N79-17067
NASA-CASE-NPO-14590-1 c32 N80-18253
NASA-CASE-NPO-14596-1 c31 N79-24197
NASA-CASE-NPO-14597-1 c37 N79-23431

NASA-CASE-NPO-14617-1 c33 N79-26311
NASA-CASE-NPO-14619-1 c44 N81-17518
NASA-CASE-NPO-14632-1 c32 N80-12256
NASA-CASE-NPO-14635-1 c44 N80-24741
NASA-CASE-NPO-14640-1 c32 N80-32605
NASA-CASE-NPO-14641-1 c32 N79-32408
NASA-CASE-NPO-14657-1 c74 N81-17887
NASA-CASE-NPO-14670-1 c44 N81-19558
NASA-CASE-NPO-14749-1 c32 N81-14186
NASA-CASE-NPO-14782-1 c36 N80-18381
NASA-CASE-NPO-14813-1 c74 N80-24152
NASA-CASE-NPO-14831-1 c76 N81-19944
NASA-CASE-NPO-14839-1 c35 N80-16313
NASA-CASE-NPO-14845-1 c31 N81-16328
NASA-CASE-NPO-14876-1 c28 N80-26460
NASA-CASE-NPO-14936-1 c47 N80-26992
NASA-CASE-NPO-14940-1 c35 N80-21723
NASA-CASE-NPO-14975-1 c33 N80-29584
NASA-CASE-NPO-14984-1 c36 N81-15350
NASA-CASE-NPO-14998-1 c33 N81-15194
NASA-CASE-NPO-15015-1 c25 N80-23394
NASA-CASE-NPO-15021-1 c36 N80-20574
NASA-CASE-NPO-15036-1 c74 N80-34250
NASA-CASE-NPO-15037-1 c37 N80-26660
NASA-CASE-NPO-15057-1 c24 N81-19230
NASA-CASE-NPO-15066-1 c33 N80-33679
NASA-CASE-NPO-15071-1 c44 N80-24747
NASA-CASE-NPO-15094-1 c33 N81-16386
NASA-CASE-NPO-15102-1 c33 N80-25538
NASA-CASE-NPO-15111-1 c36 N80-24602
NASA-CASE-NPO-15115-1 c37 N80-25660
NASA-CASE-NPO-15179-1 c44 N80-32850
NASA-CASE-NPO-15183 c44 N80-29843
NASA-CASE-NPO-15205-1 c37 N81-19457
NASA-CASE-NPO-15226-1 c74 N81-19899
NASA-CASE-NPO-15227-1 c37 N80-26661
NASA-CASE-NPO-15250-1 c25 N81-16174
NASA-CASE-NPO-15251-1 c31 N81-19344
NASA-CASE-NPO-15254-1 c31 N81-19344
NASA-CASE-NPO-15269-1 c33 N81-16385
NASA-CASE-NPO-15351-1 c47 N81-16677

NASA-CASE-NUC-10107-1 c33 N74-17930

NASA-CASE-WLP-10002 c15 N72-17451

NASA-CASE-WOO-00428-1 c32 N79-19186
NASA-CASE-WOO-00625 c37 N78-17385

NASA-CASE-XAC-00001 c15 N71-28952
NASA-CASE-XAC-00030 c14 N70-34820
NASA-CASE-XAC-00042 c14 N70-34816
NASA-CASE-XAC-00048 c02 N71-29128
NASA-CASE-XAC-00060 c09 N70-39915
NASA-CASE-XAC-00073 c14 N70-34813
NASA-CASE-XAC-00074 c15 N70-34817
NASA-CASE-XAC-00086 c09 N70-33182
NASA-CASE-XAC-00139 c02 N70-34856
NASA-CASE-XAC-00319 c25 N70-41628
NASA-CASE-XAC-00399 c11 N70-34815
NASA-CASE-XAC-00404 c08 N70-40125
NASA-CASE-XAC-00405 c05 N70-41819
NASA-CASE-XAC-00435 c09 N70-35440
NASA-CASE-XAC-00472 c15 N70-40180
NASA-CASE-XAC-00648 c14 N70-40400
NASA-CASE-XAC-00731 c11 N71-15960
NASA-CASE-XAC-00812 c14 N71-15598
NASA-CASE-XAC-00942 c10 N71-16042
NASA-CASE-XAC-01101 c14 N70-41957
NASA-CASE-XAC-01158 c15 N71-23051
NASA-CASE-XAC-01404 c05 N70-41581
NASA-CASE-XAC-01591 c31 N71-17729
NASA-CASE-XAC-01662 c14 N71-23037
NASA-CASE-XAC-01677 c09 N71-20816
NASA-CASE-XAC-02058 c02 N71-16087
NASA-CASE-XAC-02405 c09 N71-16089
NASA-CASE-XAC-02407 c14 N69-27423
NASA-CASE-XAC-02807 c09 N71-23021
NASA-CASE-XAC-02877 c14 N70-41681
NASA-CASE-XAC-02970 c14 N69-39896
NASA-CASE-XAC-02981 c14 N71-21072
NASA-CASE-XAC-03107 c23 N71-16098
NASA-CASE-XAC-03392 c03 N70-41954
NASA-CASE-XAC-03740 c14 N71-26135
NASA-CASE-XAC-03777 c10 N71-15909
NASA-CASE-XAC-04030 c10 N71-19472
NASA-CASE-XAC-04031 c08 N71-18594
NASA-CASE-XAC-04458 c14 N71-24232
NASA-CASE-XAC-04885 c14 N71-23790

NASA-CASE-XAC-04886-1 c14 N71-20439
NASA-CASE-XAC-05333 c11 N71-22875
NASA-CASE-XAC-05422 c04 N71-23185
NASA-CASE-XAC-05462-2 c10 N72-17171
NASA-CASE-XAC-05506-1 c24 N71-16095
NASA-CASE-XAC-05632 c32 N71-23971
NASA-CASE-XAC-05695 c25 N71-16073
NASA-CASE-XAC-05706 c05 N71-12342
NASA-CASE-XAC-05902 c11 N71-18578
NASA-CASE-XAC-06029-1 c31 N71-24813
NASA-CASE-XAC-06302 c08 N71-19763
NASA-CASE-XAC-06956 c15 N71-21177
NASA-CASE-XAC-07043 c05 N71-23161
NASA-CASE-XAC-08494 c30 N71-15990
NASA-CASE-XAC-08972 c02 N71-20570
NASA-CASE-XAC-08981 c09 N69-39697
NASA-CASE-XAC-09489-1 c15 N71-26673
NASA-CASE-XAC-10019 c15 N71-23809
NASA-CASE-XAC-10607 c10 N71-23669
NASA-CASE-XAC-10608-1 c09 N71-12517
NASA-CASE-XAC-10768 c09 N71-18830
NASA-CASE-XAC-10770-1 c16 N71-24628
NASA-CASE-XAC-11225 c14 N69-27486

NASA-CASE-XAR-01547 c05 N69-21473
NASA-CASE-XAR-03786 c09 N69-21313

NASA-CASE-XER-07894 c09 N71-18721
NASA-CASE-XER-07895 c26 N72-25679
NASA-CASE-XER-07896-2 c23 N72-22673
NASA-CASE-XER-08476-1 c26 N72-17820
NASA-CASE-XER-09213 c07 N71-12390
NASA-CASE-XER-09519 c14 N71-18483
NASA-CASE-XER-09521 c09 N72-12136
NASA-CASE-XER-11019 c09 N71-23598
NASA-CASE-XER-11046 c09 N72-22203
NASA-CASE-XER-11046-2 c33 N74-22864
NASA-CASE-XER-11203 c14 N71-28994

NASA-CASE-XFR-00181 c21 N70-33279
NASA-CASE-XFR-00756 c02 N71-13421
NASA-CASE-XFR-00811 c15 N70-36901
NASA-CASE-XFR-00929 c31 N70-34966
NASA-CASE-XFR-02007 c12 N71-24692
NASA-CASE-XFR-03107 c09 N71-19449
NASA-CASE-XFR-03802 c33 N71-23085
NASA-CASE-XFR-04104 c03 N70-42073
NASA-CASE-XFR-04147 c11 N71-10748
NASA-CASE-XFR-05302 c15 N71-23254
NASA-CASE-XFR-05421 c15 N71-22994
NASA-CASE-XFR-05637 c09 N71-19480
NASA-CASE-XFR-07172 c05 N71-27234
NASA-CASE-XFR-07658-1 c05 N71-26293
NASA-CASE-XFR-08403 c05 N71-11202
NASA-CASE-XFR-09479 c14 N69-27503
NASA-CASE-XFR-10856 c05 N71-11189

NASA-CASE-XGS-00131 c09 N70-38995
NASA-CASE-XGS-00174 c08 N70-34743
NASA-CASE-XGS-00260 c31 N70-37924
NASA-CASE-XGS-00359 c14 N70-34158
NASA-CASE-XGS-00373 c23 N71-15978
NASA-CASE-XGS-00381 c09 N70-34819
NASA-CASE-XGS-00458 c09 N70-38604
NASA-CASE-XGS-00466 c21 N70-34297
NASA-CASE-XGS-00473 c03 N70-38713
NASA-CASE-XGS-00587 c15 N70-35087
NASA-CASE-XGS-00619 c30 N70-40016
NASA-CASE-XGS-00689 c08 N70-34787
NASA-CASE-XGS-00740 c07 N71-23098
NASA-CASE-XGS-00769 c14 N70-41647
NASA-CASE-XGS-00783 c30 N71-17788
NASA-CASE-XGS-00809 c21 N70-35427
NASA-CASE-XGS-00823 c10 N71-15910
NASA-CASE-XGS-00824 c15 N71-16078
NASA-CASE-XGS-00829-1 c44 N79-19447
NASA-CASE-XGS-00886 c03 N71-11053
NASA-CASE-XGS-00938 c32 N70-41367
NASA-CASE-XGS-00963 c15 N69-39735
NASA-CASE-XGS-01013 c14 N71-23725
NASA-CASE-XGS-01021 c08 N71-21042
NASA-CASE-XGS-01022 c07 N71-16088
NASA-CASE-XGS-01023 c14 N71-22992
NASA-CASE-XGS-01036 c14 N70-40003
NASA-CASE-XGS-01052 c14 N71-15992
NASA-CASE-XGS-01110 c07 N69-24334
NASA-CASE-XGS-01118 c10 N71-23662
NASA-CASE-XGS-01143 c31 N71-15647
NASA-CASE-XGS-01155 c10 N71-21483

NASA-CASE-XGS-01159 c21 N71-10678
NASA-CASE-XGS-01222 c10 N71-20841
NASA-CASE-XGS-01223 c07 N71-10609
NASA-CASE-XGS-01230 c08 N71-19544
NASA-CASE-XGS-01231 c14 N70-41676
NASA-CASE-XGS-01245-1 c35 N79-33449
NASA-CASE-XGS-01286-1 c37 N79-33469
NASA-CASE-XGS-01293-1 c35 N79-33450
NASA-CASE-XGS-01331 c14 N71-22996
NASA-CASE-XGS-01395 c03 N69-21539
NASA-CASE-XGS-01418 c09 N71-23573
NASA-CASE-XGS-01419 c03 N70-41864
NASA-CASE-XGS-01451 c09 N71-10677
NASA-CASE-XGS-01473 c09 N71-10673
NASA-CASE-XGS-01475 c03 N71-11058
NASA-CASE-XGS-01504 c16 N70-41578
NASA-CASE-XGS-01513 c03 N71-23336
NASA-CASE-XGS-01537 c07 N71-23405
NASA-CASE-XGS-01587 c14 N71-15962
NASA-CASE-XGS-01590 c07 N71-12392
NASA-CASE-XGS-01593 c03 N70-35408
NASA-CASE-XGS-01654 c31 N71-24750
NASA-CASE-XGS-01674 c03 N71-29129
NASA-CASE-XGS-01725 c14 N69-39982
NASA-CASE-XGS-01784 c10 N71-20782
NASA-CASE-XGS-01812 c07 N71-23001
NASA-CASE-XGS-01881 c09 N70-40123
NASA-CASE-XGS-01971 c15 N71-15922
NASA-CASE-XGS-01983 c10 N70-41964
NASA-CASE-XGS-02011 c15 N71-20739
NASA-CASE-XGS-02171 c09 N69-24324
NASA-CASE-XGS-02290 c07 N71-28809
NASA-CASE-XGS-02317 c09 N71-23525
NASA-CASE-XGS-02319 c14 N71-22965
NASA-CASE-XGS-02401 c14 N69-27485
NASA-CASE-XGS-02422 c15 N71-21529
NASA-CASE-XGS-02435 c18 N71-22998
NASA-CASE-XGS-02437 c15 N69-21472
NASA-CASE-XGS-02439 c14 N71-19431
NASA-CASE-XGS-02440 c08 N71-19432
NASA-CASE-XGS-02441 c15 N70-41629
NASA-CASE-XGS-02554 c31 N71-21064
NASA-CASE-XGS-02607 c31 N71-23009
NASA-CASE-XGS-02608 c07 N70-41678
NASA-CASE-XGS-02610 c14 N71-23174
NASA-CASE-XGS-02612 c08 N71-19435
NASA-CASE-XGS-02629 c14 N71-21082
NASA-CASE-XGS-02630 c03 N71-22974
NASA-CASE-XGS-02631 c03 N71-23006
NASA-CASE-XGS-02749 c07 N69-39978
NASA-CASE-XGS-02751 c09 N71-23015
NASA-CASE-XGS-02812 c09 N71-19466
NASA-CASE-XGS-02816 c07 N69-24323
NASA-CASE-XGS-02884 c15 N71-22705
NASA-CASE-XGS-02889 c07 N71-11282
NASA-CASE-XGS-03058 c10 N71-19547
NASA-CASE-XGS-03095 c09 N69-27463
NASA-CASE-XGS-03120 c15 N71-24047
NASA-CASE-XGS-03230 c14 N71-23401
NASA-CASE-XGS-03303 c08 N71-18595
NASA-CASE-XGS-03304 c09 N71-22988
NASA-CASE-XGS-03351 c31 N71-16081
NASA-CASE-XGS-03390 c03 N71-23187
NASA-CASE-XGS-03427 c10 N71-23029
NASA-CASE-XGS-03429 c03 N69-21330
NASA-CASE-XGS-03431 c21 N71-15642
NASA-CASE-XGS-03501 c09 N71-20864
NASA-CASE-XGS-03502 c10 N71-20852
NASA-CASE-XGS-03505 c03 N71-10608
NASA-CASE-XGS-03532 c14 N71-17627
NASA-CASE-XGS-03556 c27 N70-35534
NASA-CASE-XGS-03632 c09 N71-23311
NASA-CASE-XGS-03644 c16 N71-18614
NASA-CASE-XGS-03736 c14 N72-22443
NASA-CASE-XGS-03864 c15 N69-24320
NASA-CASE-XGS-03865 c14 N69-21363
NASA-CASE-XGS-04047-2 c03 N72-11062
NASA-CASE-XGS-04119 c18 N69-39979
NASA-CASE-XGS-04173 c19 N71-26674
NASA-CASE-XGS-04175 c15 N71-18579
NASA-CASE-XGS-04224 c10 N71-26418
NASA-CASE-XGS-04227 c15 N71-21744
NASA-CASE-XGS-04393 c21 N71-14159
NASA-CASE-XGS-04478 c14 N71-24233
NASA-CASE-XGS-04480 c16 N69-27491
NASA-CASE-XGS-04531 c03 N69-24267
NASA-CASE-XGS-04548 c15 N71-24045
NASA-CASE-XGS-04554 c15 N69-39786
NASA-CASE-XGS-04765 c08 N71-18693

NASA-CASE-XGS-04766 c08 N71-18602
NASA-CASE-XGS-04767 c08 N71-12494
NASA-CASE-XGS-04768 c08 N71-19437
NASA-CASE-XGS-04799 c18 N71-24183
NASA-CASE-XGS-04808 c03 N69-25146
NASA-CASE-XGS-04879 c14 N71-20428
NASA-CASE-XGS-04987 c08 N71-20571
NASA-CASE-XGS-04993 c14 N71-17574
NASA-CASE-XGS-04994 c09 N69-21543
NASA-CASE-XGS-04999 c09 N69-24317
NASA-CASE-XGS-05003 c09 N69-24318
NASA-CASE-XGS-05180 c18 N71-25881
NASA-CASE-XGS-05211 c07 N69-39980
NASA-CASE-XGS-05289 c09 N71-19470
NASA-CASE-XGS-05290 c09 N71-25999
NASA-CASE-XGS-05291 c23 N71-16341
NASA-CASE-XGS-05432 c03 N71-19438
NASA-CASE-XGS-05434 c03 N71-20491
NASA-CASE-XGS-05441 c10 N71-22962
NASA-CASE-XGS-05532 c06 N71-17705
NASA-CASE-XGS-05533 c04 N69-27487
NASA-CASE-XGS-05534 c23 N71-16355
NASA-CASE-XGS-05579 c31 N71-15676
NASA-CASE-XGS-05582 c07 N69-27460
NASA-CASE-XGS-05680 c14 N71-17585
NASA-CASE-XGS-05715 c23 N71-16100
NASA-CASE-XGS-05718 c26 N71-16037
NASA-CASE-XGS-05918 c07 N69-39974
NASA-CASE-XGS-06226 c10 N71-25950
NASA-CASE-XGS-06306 c17 N71-16044
NASA-CASE-XGS-06628 c24 N71-16213
NASA-CASE-XGS-07514 c23 N71-16099
NASA-CASE-XGS-07752 c14 N73-30390
NASA-CASE-XGS-07801 c09 N71-12513
NASA-CASE-XGS-07805 c15 N72-33476
NASA-CASE-XGS-08259 c14 N71-23698
NASA-CASE-XGS-08266 c14 N69-27432
NASA-CASE-XGS-08269 c23 N71-26206
NASA-CASE-XGS-08679 c10 N71-21473
NASA-CASE-XGS-08718 c15 N71-24600
NASA-CASE-XGS-08729 c28 N71-14044
NASA-CASE-XGS-09186 c33 N78-17295
NASA-CASE-XGS-09190 c31 N71-16102
NASA-CASE-XGS-10010 c03 N72-15986
NASA-CASE-XGS-10518 c16 N71-28554
NASA-CASE-XGS-11177 c09 N71-27001

NASA-CASE-XHQ-01208 c15 N70-35409
NASA-CASE-XHQ-01897 c28 N70-35381
NASA-CASE-XHQ-02146 c18 N75-27040
NASA-CASE-XHQ-03673 c33 N71-29046
NASA-CASE-XHQ-03903 c15 N69-21922
NASA-CASE-XHQ-04106 c14 N70-40240

NASA-CASE-XKS-01985 c15 N71-10782
NASA-CASE-XKS-02342 c05 N71-11199
NASA-CASE-XKS-02582 c15 N71-21234
NASA-CASE-XKS-03338 c15 N71-24043
NASA-CASE-XKS-03381 c09 N71-22796
NASA-CASE-XKS-03495 c14 N69-39785
NASA-CASE-XKS-03509 c14 N71-23175
NASA-CASE-XKS-04614 c15 N69-21460
NASA-CASE-XKS-04631 c10 N71-23663
NASA-CASE-XKS-05932 c09 N71-26787
NASA-CASE-XKS-06167 c08 N71-24890
NASA-CASE-XKS-06250 c14 N71-15600
NASA-CASE-XKS-07814 c15 N71-27067
NASA-CASE-XKS-07953 c15 N71-26134
NASA-CASE-XKS-08012-2 c31 N71-15566
NASA-CASE-XKS-08485 c07 N71-19493
NASA-CASE-XKS-09340 c07 N71-24614
NASA-CASE-XKS-09348 c09 N71-13521
NASA-CASE-XKS-10543 c07 N71-26292
NASA-CASE-XKS-10804 c05 N71-24606

NASA-CASE-XLA-1349 c20 N77-17143
NASA-CASE-XLA-8914 c15 N73-12492
NASA-CASE-XLA-8914-2 c34 N76-23522
NASA-CASE-XLA-00013 c15 N71-29136
NASA-CASE-XLA-00062 c14 N70-33254
NASA-CASE-XLA-00087 c02 N70-33332
NASA-CASE-XLA-00100 c14 N70-36807
NASA-CASE-XLA-00105 c28 N70-33331
NASA-CASE-XLA-00112 c11 N70-33287
NASA-CASE-XLA-00113 c14 N70-33386
NASA-CASE-XLA-00115 c03 N70-33343
NASA-CASE-XLA-00117 c31 N71-17680
NASA-CASE-XLA-00118 c05 N70-33285
NASA-CASE-XLA-00119 c11 N70-33329

NASA-CASE-XLA-00120 c21 N70-33181
NASA-CASE-XLA-00128 c15 N70-37925
NASA-CASE-XLA-00135 c14 N70-33322
NASA-CASE-XLA-00137 c15 N70-33180
NASA-CASE-XLA-00138 c31 N70-37981
NASA-CASE-XLA-00141 c09 N70-33312
NASA-CASE-XLA-00142 c02 N70-33286
NASA-CASE-XLA-00147 c25 N70-34661
NASA-CASE-XLA-00149 c31 N70-37938
NASA-CASE-XLA-00154 c28 N70-33374
NASA-CASE-XLA-00158 c26 N70-36805
NASA-CASE-XLA-00165 c31 N70-33242
NASA-CASE-XLA-00166 c02 N70-34178
NASA-CASE-XLA-00183 c14 N70-40239
NASA-CASE-XLA-00188 c15 N71-22874
NASA-CASE-XLA-00189 c33 N70-36846
NASA-CASE-XLA-00195 c02 N70-38009
NASA-CASE-XLA-00203 c14 N70-34161
NASA-CASE-XLA-00204 c32 N70-36536
NASA-CASE-XLA-00210 c30 N70-40309
NASA-CASE-XLA-00221 c02 N70-33266
NASA-CASE-XLA-00229 c12 N70-33305
NASA-CASE-XLA-00230 c02 N70-33255
NASA-CASE-XLA-00241 c31 N70-37986
NASA-CASE-XLA-00256 c31 N71-15663
NASA-CASE-XLA-00258 c31 N70-38676
NASA-CASE-XLA-00281 c21 N70-36943
NASA-CASE-XLA-00284 c15 N71-16075
NASA-CASE-XLA-00302 c15 N71-16077
NASA-CASE-XLA-00304 c27 N70-34783
NASA-CASE-XLA-00326 c03 N70-34667
NASA-CASE-XLA-00327 c25 N71-29184
NASA-CASE-XLA-00330 c33 N70-34540
NASA-CASE-XLA-00349 c33 N70-37979
NASA-CASE-XLA-00350 c02 N70-38011
NASA-CASE-XLA-00377 c33 N71-17610
NASA-CASE-XLA-00378 c11 N71-15925
NASA-CASE-XLA-00414 c07 N70-38200
NASA-CASE-XLA-00415 c15 N71-16079
NASA-CASE-XLA-00471 c08 N70-34778
NASA-CASE-XLA-00481 c14 N70-36824
NASA-CASE-XLA-00482 c15 N70-36409
NASA-CASE-XLA-00487 c14 N70-40157
NASA-CASE-XLA-00492 c14 N70-34799
NASA-CASE-XLA-00493 c11 N70-34786
NASA-CASE-XLA-00495 c14 N70-41332
NASA-CASE-XLA-00670 c08 N71-12501
NASA-CASE-XLA-00675 c25 N70-33267
NASA-CASE-XLA-00678 c37 N70-34296
NASA-CASE-XLA-00679 c15 N70-38601
NASA-CASE-XLA-00686 c31 N70-34135
NASA-CASE-XLA-00711 c03 N71-12258
NASA-CASE-XLA-00754 c15 N70-34850
NASA-CASE-XLA-00755 c01 N71-13410
NASA-CASE-XLA-00781 c09 N71-22999
NASA-CASE-XLA-00791 c03 N70-39930
NASA-CASE-XLA-00793 c21 N71-22880
NASA-CASE-XLA-00805 c31 N70-38010
NASA-CASE-XLA-00806 c02 N70-34858
NASA-CASE-XLA-00838 c03 N70-36778
NASA-CASE-XLA-00892 c33 N71-17897
NASA-CASE-XLA-00898 c02 N70-36804
NASA-CASE-XLA-00901 c07 N71-10775
NASA-CASE-XLA-00934 c14 N71-22765
NASA-CASE-XLA-00936 c14 N71-14996
NASA-CASE-XLA-00937 c31 N71-17691
NASA-CASE-XLA-00939 c11 N71-15926
NASA-CASE-XLA-00941 c14 N71-23240
NASA-CASE-XLA-01019 c15 N70-40156
NASA-CASE-XLA-01027 c31 N71-24035
NASA-CASE-XLA-01043 c28 N71-10780
NASA-CASE-XLA-01090 c07 N71-12389
NASA-CASE-XLA-01090 c16 N71-28963
NASA-CASE-XLA-01091 c15 N71-10672
NASA-CASE-XLA-01127 c07 N70-41372
NASA-CASE-XLA-01131 c14 N71-10774
NASA-CASE-XLA-01141 c15 N71-13789
NASA-CASE-XLA-01163 c21 N71-15582
NASA-CASE-XLA-01219 c10 N71-23084
NASA-CASE-XLA-01220 c02 N70-41863
NASA-CASE-XLA-01243 c33 N71-22792
NASA-CASE-XLA-01262 c15 N71-21404
NASA-CASE-XLA-01288 c09 N69-21470
NASA-CASE-XLA-01290 c02 N70-42016
NASA-CASE-XLA-01291 c33 N70-36617
NASA-CASE-XLA-01326 c11 N71-21481
NASA-CASE-XLA-01332 c31 N71-15664
NASA-CASE-XLA-01339 c31 N71-15692
NASA-CASE-XLA-01353 c14 N70-41366

NASA-CASE-XLA-01354 c25 N70-36946
NASA-CASE-XLA-01396 c03 N71-12259
NASA-CASE-XLA-01400 c07 N70-41331
NASA-CASE-XLA-01401 c15 N71-21179
NASA-CASE-XLA-01441 c15 N70-41679
NASA-CASE-XLA-01446 c15 N71-21528
NASA-CASE-XLA-01486 c01 N71-23497
NASA-CASE-XLA-01494 c15 N71-24164
NASA-CASE-XLA-01530 c14 N71-23092
NASA-CASE-XLA-01551 c14 N71-22989
NASA-CASE-XLA-01552 c07 N71-11284
NASA-CASE-XLA-01583 c02 N70-36625
NASA-CASE-XLA-01584 c14 N71-23269
NASA-CASE-XLA-01731 c32 N71-21045
NASA-CASE-XLA-01745 c33 N71-28903
NASA-CASE-XLA-01781 c14 N69-39975
NASA-CASE-XLA-01782 c14 N71-26136
NASA-CASE-XLA-01787 c11 N71-16028
NASA-CASE-XLA-01791 c14 N71-22991
NASA-CASE-XLA-01794 c33 N71-21586
NASA-CASE-XLA-01804 c02 N70-34160
NASA-CASE-XLA-01807 c15 N71-10799
NASA-CASE-XLA-01808 c15 N71-20740
NASA-CASE-XLA-01832 c14 N71-21006
NASA-CASE-XLA-01907 c14 N71-23268
NASA-CASE-XLA-01926 c14 N71-15620
NASA-CASE-XLA-01952 c08 N71-12507
NASA-CASE-XLA-01967 c31 N70-42015
NASA-CASE-XLA-01987 c23 N71-23976
NASA-CASE-XLA-01989 c21 N70-34295
NASA-CASE-XLA-01995 c18 N71-23047
NASA-CASE-XLA-02050 c31 N71-22568
NASA-CASE-XLA-02057 c26 N70-40015
NASA-CASE-XLA-02059 c33 N71-24276
NASA-CASE-XLA-02079 c12 N71-16894
NASA-CASE-XLA-02081 c20 N71-16281
NASA-CASE-XLA-02131 c32 N70-42003
NASA-CASE-XLA-02132 c31 N71-10582
NASA-CASE-XLA-02332 c32 N71-17609
NASA-CASE-XLA-02551 c21 N71-21708
NASA-CASE-XLA-02605 c14 N71-10773
NASA-CASE-XLA-02609 c09 N72-25256
NASA-CASE-XLA-02619 c10 N71-26334
NASA-CASE-XLA-02651 c28 N70-41967
NASA-CASE-XLA-02704 c11 N69-21540
NASA-CASE-XLA-02705 c08 N71-15908
NASA-CASE-XLA-02758 c14 N71-18481
NASA-CASE-XLA-02809 c15 N71-22982
NASA-CASE-XLA-02810 c14 N71-25901
NASA-CASE-XLA-02850 c09 N71-20447
NASA-CASE-XLA-02854 c15 N69-27490
NASA-CASE-XLA-02865 c28 N71-15563
NASA-CASE-XLA-02898 c05 N71-20268
NASA-CASE-XLA-03076 c07 N71-11266
NASA-CASE-XLA-03102 c14 N71-21079
NASA-CASE-XLA-03103 c25 N71-21693
NASA-CASE-XLA-03104 c06 N71-11235
NASA-CASE-XLA-03105 c15 N69-27483
NASA-CASE-XLA-03114 c09 N71-22888
NASA-CASE-XLA-03127 c11 N71-10776
NASA-CASE-XLA-03132 c31 N71-22969
NASA-CASE-XLA-03135 c32 N71-16428
NASA-CASE-XLA-03213 c05 N71-11207
NASA-CASE-XLA-03271 c11 N69-24321
NASA-CASE-XLA-03273 c14 N71-18699
NASA-CASE-XLA-03356 c10 N71-23315
NASA-CASE-XLA-03374 c25 N71-15562
NASA-CASE-XLA-03375 c16 N71-24074
NASA-CASE-XLA-03410 c16 N71-25914
NASA-CASE-XLA-03492 c15 N71-22713
NASA-CASE-XLA-03497 c15 N71-23052
NASA-CASE-XLA-03538 c15 N71-24697
NASA-CASE-XLA-03645 c14 N71-20430
NASA-CASE-XLA-03659 c02 N71-11041
NASA-CASE-XLA-03660 c15 N71-21060
NASA-CASE-XLA-03661 c15 N71-33518
NASA-CASE-XLA-03691 c31 N71-15674
NASA-CASE-XLA-03724 c14 N69-27461
NASA-CASE-XLA-03893 c10 N71-27271
NASA-CASE-XLA-04063 c31 N71-33160
NASA-CASE-XLA-04126 c28 N71-26779
NASA-CASE-XLA-04143 c15 N71-17687
NASA-CASE-XLA-04251 c18 N71-26100
NASA-CASE-XLA-04295 c16 N71-24170
NASA-CASE-XLA-04451 c02 N71-12263
NASA-CASE-XLA-04555-1 c14 N71-25892
NASA-CASE-XLA-04556 c14 N69-27484
NASA-CASE-XLA-04605 c32 N71-16106
NASA-CASE-XLA-04622 c03 N70-41580
NASA-CASE-XLA-04804 c31 N71-23008
NASA-CASE-XLA-04897 c15 N72-22482
NASA-CASE-XLA-04901 c31 N71-24315
NASA-CASE-XLA-04980 c09 N69-27422
NASA-CASE-XLA-04980-2 c14 N72-28438
NASA-CASE-XLA-05056 c15 N72-11389
NASA-CASE-XLA-05087 c14 N73-30391
NASA-CASE-XLA-05099 c09 N73-13209
NASA-CASE-XLA-05100 c15 N71-17696
NASA-CASE-XLA-05332 c05 N71-11194
NASA-CASE-XLA-05369 c31 N71-15687
NASA-CASE-XLA-05378 c11 N71-21475
NASA-CASE-XLA-05464 c21 N71-14132
NASA-CASE-XLA-05541 c12 N71-26387
NASA-CASE-XLA-05749 c15 N71-19569
NASA-CASE-XLA-05828 c01 N71-13411
NASA-CASE-XLA-05906 c31 N71-16221
NASA-CASE-XLA-05966 c15 N72-12408
NASA-CASE-XLA-06095 c01 N69-39981
NASA-CASE-XLA-06199 c15 N71-24875
NASA-CASE-XLA-06232 c25 N71-20563
NASA-CASE-XLA-06339 c02 N71-13422
NASA-CASE-XLA-06683 c14 N72-28436
NASA-CASE-XLA-06713 c14 N71-28991
NASA-CASE-XLA-06824-2 c02 N71-11037
NASA-CASE-XLA-06958 c02 N71-11038
NASA-CASE-XLA-07390 c15 N71-18616
NASA-CASE-XLA-07391 c12 N71-17579
NASA-CASE-XLA-07424 c14 N71-18482
NASA-CASE-XLA-07430 c11 N72-22246
NASA-CASE-XLA-07473 c15 N71-24895
NASA-CASE-XLA-07497 c09 N71-12514
NASA-CASE-XLA-07728 c33 N71-22890
NASA-CASE-XLA-07732 c08 N71-18751
NASA-CASE-XLA-07788 c09 N71-29139
NASA-CASE-XLA-07813 c14 N72-17328
NASA-CASE-XLA-07828 c08 N71-27057
NASA-CASE-XLA-07829 c15 N72-16329
NASA-CASE-XLA-07911 c15 N71-15571
NASA-CASE-XLA-08254 c14 N71-26161
NASA-CASE-XLA-08491 c05 N69-21380
NASA-CASE-XLA-08493 c10 N71-19421
NASA-CASE-XLA-08507 c09 N69-39984
NASA-CASE-XLA-08530 c32 N71-25360
NASA-CASE-XLA-08645 c15 N69-21465
NASA-CASE-XLA-08646 c14 N71-17586
NASA-CASE-XLA-08799 c10 N71-27272
NASA-CASE-XLA-08801-1 c02 N71-11043
NASA-CASE-XLA-08802 c06 N71-11238
NASA-CASE-XLA-08911 c15 N71-27214
NASA-CASE-XLA-08913 c14 N71-28933
NASA-CASE-XLA-08916 c15 N71-29018
NASA-CASE-XLA-08916-2 c14 N73-28487
NASA-CASE-XLA-08966-1 c17 N71-25903
NASA-CASE-XLA-08967 c02 N71-27088
NASA-CASE-XLA-09122 c15 N69-27505
NASA-CASE-XLA-09346 c15 N71-28740
NASA-CASE-XLA-09371 c10 N71-18724
NASA-CASE-XLA-09480 c11 N71-33612
NASA-CASE-XLA-09843 c15 N72-27485
NASA-CASE-XLA-09881 c31 N71-16085
NASA-CASE-XLA-10322 c15 N72-17452
NASA-CASE-XLA-10402 c14 N71-29041
NASA-CASE-XLA-10450 c28 N71-21493
NASA-CASE-XLA-10470 c15 N72-21489
NASA-CASE-XLA-10772 c07 N71-28980
NASA-CASE-XLA-11028-1 c24 N74-27035
NASA-CASE-XLA-11154 c07 N72-21117
NASA-CASE-XLA-11189 c10 N72-20222

NASA-CASE-XLE-2529-2 c36 N75-27364
NASA-CASE-XLE-2529-3 c33 N74-20859
NASA-CASE-XLE-00005 c28 N70-39899
NASA-CASE-XLE-00010 c15 N70-33382
NASA-CASE-XLE-00011 c14 N70-41946
NASA-CASE-XLE-00020 c15 N70-33226
NASA-CASE-XLE-00023 c15 N70-33330
NASA-CASE-XLE-00027 c33 N71-29152
NASA-CASE-XLE-00035 c33 N71-29151
NASA-CASE-XLE-00037 c28 N70-33372
NASA-CASE-XLE-00046 c15 N70-33311
NASA-CASE-XLE-00057 c28 N70-38711
NASA-CASE-XLE-00078 c28 N70-33284
NASA-CASE-XLE-00085 c28 N70-39895
NASA-CASE-XLE-00092 c15 N70-33264
NASA-CASE-XLE-00101 c15 N70-33376
NASA-CASE-XLE-00103 c28 N70-33241
NASA-CASE-XLE-00106 c15 N71-16076
NASA-CASE-XLE-00111 c28 N70-38199

NASA-CASE-XLE-00143 c14 N70-36618
NASA-CASE-XLE-00144 c28 N70-34860
NASA-CASE-XLE-00145 c28 N70-36806
NASA-CASE-XLE-00150 c28 N70-41818
NASA-CASE-XLE-00151 c17 N70-33283
NASA-CASE-XLE-00155 c28 N71-29154
NASA-CASE-XLE-00164 c15 N70-36411
NASA-CASE-XLE-00168 c11 N70-33278
NASA-CASE-XLE-00170 c15 N70-36412
NASA-CASE-XLE-00177 c28 N70-40367
NASA-CASE-XLE-00207 c28 N70-33375
NASA-CASE-XLE-00208 c28 N70-34294
NASA-CASE-XLE-00209 c22 N73-32528
NASA-CASE-XLE-00212 c03 N70-34134
NASA-CASE-XLE-00222 c02 N70-37939
NASA-CASE-XLE-00228 c17 N70-38490
NASA-CASE-XLE-00231 c17 N70-38198
NASA-CASE-XLE-00243 c14 N70-38602
NASA-CASE-XLE-00252 c11 N70-34844
NASA-CASE-XLE-00266 c14 N70-34156
NASA-CASE-XLE-00267 c28 N70-33356
NASA-CASE-XLE-00283 c17 N70-36616
NASA-CASE-XLE-00288 c15 N70-34247
NASA-CASE-XLE-00303 c15 N70-36535
NASA-CASE-XLE-00323 c28 N70-38505
NASA-CASE-XLE-00335 c14 N70-35368
NASA-CASE-XLE-00342 c28 N70-37980
NASA-CASE-XLE-00345 c15 N70-38020
NASA-CASE-XLE-00353 c18 N70-39897
NASA-CASE-XLE-00376 c28 N70-37245
NASA-CASE-XLE-00387 c33 N70-34812
NASA-CASE-XLE-00388 c28 N70-34788
NASA-CASE-XLE-00397 c15 N70-36492
NASA-CASE-XLE-00409 c28 N71-15658
NASA-CASE-XLE-00454 c23 N71-17802
NASA-CASE-XLE-00455 c28 N70-38197
NASA-CASE-XLE-00490 c33 N70-34545
NASA-CASE-XLE-00503 c14 N70-34818
NASA-CASE-XLE-00519 c28 N70-41576
NASA-CASE-XLE-00586 c15 N71-15968
NASA-CASE-XLE-00620 c32 N70-41579
NASA-CASE-XLE-00660 c28 N70-39925
NASA-CASE-XLE-00685 c28 N70-41592
NASA-CASE-XLE-00688 c14 N70-41330
NASA-CASE-XLE-00690 c25 N69-39884
NASA-CASE-XLE-00702 c14 N70-40203
NASA-CASE-XLE-00703 c15 N71-15967
NASA-CASE-XLE-00715 c15 N70-34859
NASA-CASE-XLE-00720 c14 N70-40201
NASA-CASE-XLE-00726 c17 N71-15644
NASA-CASE-XLE-00785 c33 N71-16104
NASA-CASE-XLE-00787 c14 N71-21090
NASA-CASE-XLE-00808 c24 N71-10560
NASA-CASE-XLE-00810 c15 N70-34861
NASA-CASE-XLE-00815 c15 N70-35407
NASA-CASE-XLE-00817 c28 N70-33265
NASA-CASE-XLE-00820 c14 N71-16014
NASA-CASE-XLE-00953 c15 N71-15966
NASA-CASE-XLE-01015 c03 N69-39898
NASA-CASE-XLE-01092 c15 N71-22797
NASA-CASE-XLE-01124 c28 N71-14043
NASA-CASE-XLE-01182 c27 N71-15635
NASA-CASE-XLE-01246 c14 N71-10797
NASA-CASE-XLE-01300 c15 N70-41993
NASA-CASE-XLE-01399 c33 N71-15625
NASA-CASE-XLE-01449 c15 N70-41646
NASA-CASE-XLE-01481 c14 N71-10781
NASA-CASE-XLE-01512 c12 N70-40124
NASA-CASE-XLE-01533 c11 N71-10777
NASA-CASE-XLE-01604-2 c15 N71-15610
NASA-CASE-XLE-01609 c14 N71-10500
NASA-CASE-XLE-01640 c31 N71-15637
NASA-CASE-XLE-01645 c03 N71-20904
NASA-CASE-XLE-01716 c09 N70-40234
NASA-CASE-XLE-01765 c18 N71-10772
NASA-CASE-XLE-01783 c28 N70-34175
NASA-CASE-XLE-01902 c28 N71-10574
NASA-CASE-XLE-01903 c22 N71-23599
NASA-CASE-XLE-01988 c27 N71-15634
NASA-CASE-XLE-01997 c06 N71-23527
NASA-CASE-XLE-02008 c09 N71-21583
NASA-CASE-XLE-02024 c14 N71-22964
NASA-CASE-XLE-02038 c09 N71-16086
NASA-CASE-XLE-02062-1 c20 N80-14188
NASA-CASE-XLE-02066 c28 N71-15661
NASA-CASE-XLE-02082 c17 N71-16026
NASA-CASE-XLE-02083 c03 N69-39983
NASA-CASE-XLE-02367-1 c31 N79-21225
NASA-CASE-XLE-02428 c17 N70-33288
NASA-CASE-XLE-02531 c05 N71-23080
NASA-CASE-XLE-02545-1 c76 N79-21910
NASA-CASE-XLE-02578 c25 N71-20747
NASA-CASE-XLE-02624 c12 N69-39988
NASA-CASE-XLE-02647 c18 N71-23658
NASA-CASE-XLE-02792 c26 N71-10607
NASA-CASE-XLE-02798 c26 N71-23654
NASA-CASE-XLE-02823 c09 N71-23443
NASA-CASE-XLE-02824 c03 N69-39890
NASA-CASE-XLE-02902 c25 N71-21694
NASA-CASE-XLE-02991 c17 N71-16025
NASA-CASE-XLE-02998 c14 N70-42074
NASA-CASE-XLE-02999 c15 N71-16052
NASA-CASE-XLE-03061-1 c10 N71-24798
NASA-CASE-XLE-03157 c28 N71-24736
NASA-CASE-XLE-03186-1 c09 N79-21084
NASA-CASE-XLE-03280 c14 N71-23093
NASA-CASE-XLE-03307 c33 N71-14035
NASA-CASE-XLE-03432 c33 N71-24145
NASA-CASE-XLE-03494 c27 N71-21819
NASA-CASE-XLE-03512 c12 N69-21466
NASA-CASE-XLE-03583 c31 N71-17629
NASA-CASE-XLE-03629 c17 N71-23248
NASA-CASE-XLE-03778 c09 N69-21542
NASA-CASE-XLE-03803 c15 N71-23816
NASA-CASE-XLE-03803-2 c15 N71-17651
NASA-CASE-XLE-03804 c10 N71-19471
NASA-CASE-XLE-03925 c18 N71-22894
NASA-CASE-XLE-03940 c18 N71-26153
NASA-CASE-XLE-03940-2 c17 N72-28536
NASA-CASE-XLE-04026 c14 N71-23267
NASA-CASE-XLE-04222 c23 N71-22881
NASA-CASE-XLE-04250 c09 N71-20446
NASA-CASE-XLE-04501 c09 N71-23190
NASA-CASE-XLE-04503 c14 N71-24864
NASA-CASE-XLE-04526 c03 N71-11052
NASA-CASE-XLE-04535 c03 N71-23354
NASA-CASE-XLE-04599 c22 N72-20597
NASA-CASE-XLE-04603 c33 N71-21507
NASA-CASE-XLE-04677 c15 N71-10577
NASA-CASE-XLE-04787 c03 N71-20492
NASA-CASE-XLE-04788 c09 N71-22987
NASA-CASE-XLE-04791 c32 N74-22096
NASA-CASE-XLE-04857 c28 N71-23968
NASA-CASE-XLE-04946 c17 N71-24911
NASA-CASE-XLE-05033 c15 N71-23810
NASA-CASE-XLE-05079 c15 N71-17652
NASA-CASE-XLE-05130 c15 N69-21362
NASA-CASE-XLE-05130-2 c15 N71-19570
NASA-CASE-XLE-05230 c14 N72-27410
NASA-CASE-XLE-05230-2 c14 N73-13417
NASA-CASE-XLE-05260 c14 N71-20429
NASA-CASE-XLE-05641-1 c15 N71-26346
NASA-CASE-XLE-05689 c28 N71-15659
NASA-CASE-XLE-05913 c33 N71-14032
NASA-CASE-XLE-06094 c33 N78-17293
NASA-CASE-XLE-06461 c17 N72-22530
NASA-CASE-XLE-06461-2 c17 N72-28535
NASA-CASE-XLE-06773 c15 N71-23817
NASA-CASE-XLE-06774-2 c06 N72-25150
NASA-CASE-XLE-06969 c17 N71-24142
NASA-CASE-XLE-07087 c06 N69-39889
NASA-CASE-XLE-08511 c18 N71-23710
NASA-CASE-XLE-08511-2 c18 N71-16105
NASA-CASE-XLE-08569 c03 N71-23449
NASA-CASE-XLE-08569-2 c03 N71-24681
NASA-CASE-XLE-08917 c15 N71-15597
NASA-CASE-XLE-08917-2 c15 N71-24836
NASA-CASE-XLE-09341 c12 N71-28741
NASA-CASE-XLE-09475-1 c33 N71-15568
NASA-CASE-XLE-09527 c15 N71-17688
NASA-CASE-XLE-09527-2 c15 N71-26189
NASA-CASE-XLE-10326-2 c15 N72-29488
NASA-CASE-XLE-10326-4 c37 N74-15125
NASA-CASE-XLE-10337 c15 N71-24046
NASA-CASE-XLE-10453-2 c28 N73-27699
NASA-CASE-XLE-10466 c17 N69-25147
NASA-CASE-XLE-10529 c14 N69-23191
NASA-CASE-XLE-10715 c26 N71-23292
NASA-CASE-XLE-10717 c37 N75-29426
NASA-CASE-XLE-10910 c18 N71-29040
NASA-CASE-XLE-103477-1 c28 N71-20330

NASA-CASE-XMF-00148 c28 N70-38710
NASA-CASE-XMF-00185 c21 N70-34539
NASA-CASE-XMF-00324 c09 N70-34596
NASA-CASE-XMF-00339 c15 N70-39896
NASA-CASE-XMF-00341 c15 N70-33323
NASA-CASE-XMF-00369 c09 N70-36494

NASA-CASE-XMF-00375 c15 N70-34249
NASA-CASE-XMF-00389 c31 N70-34176
NASA-CASE-XMF-00392 c15 N70-34814
NASA-CASE-XMF-00411 c11 N70-36913
NASA-CASE-XMF-00421 c09 N70-34502
NASA-CASE-XMF-00424 c11 N70-38196
NASA-CASE-XMF-00437 c07 N70-40202
NASA-CASE-XMF-00442 c31 N71-10747
NASA-CASE-XMF-00447 c14 N70-33179
NASA-CASE-XMF-00456 c14 N70-34705
NASA-CASE-XMF-00462 c14 N70-34298
NASA-CASE-XMF-00479 c14 N70-34794
NASA-CASE-XMF-00480 c14 N70-39898
NASA-CASE-XMF-00515 c15 N70-34664
NASA-CASE-XMF-00517 c03 N70-34157
NASA-CASE-XMF-00580 c11 N70-35383
NASA-CASE-XMF-00640 c15 N70-39924
NASA-CASE-XMF-00641 c31 N70-36410
NASA-CASE-XMF-00658 c12 N70-38997
NASA-CASE-XMF-00663 c08 N71-18752
NASA-CASE-XMF-00684 c21 N71-21688
NASA-CASE-XMF-00701 c09 N70-40272
NASA-CASE-XMF-00722 c15 N70-40204
NASA-CASE-XMF-00906 c09 N70-41655
NASA-CASE-XMF-00908 c14 N70-40238
NASA-CASE-XMF-00923 c28 N70-36802
NASA-CASE-XMF-00968 c28 N71-15660
NASA-CASE-XMF-01016 c26 N71-17818
NASA-CASE-XMF-01030 c18 N70-41583
NASA-CASE-XMF-01045 c15 N70-40354
NASA-CASE-XMF-01049 c15 N71-23049
NASA-CASE-XMF-01083 c15 N71-22723
NASA-CASE-XMF-01096 c10 N71-16030
NASA-CASE-XMF-01097 c10 N71-16058
NASA-CASE-XMF-01099 c14 N71-15969
NASA-CASE-XMF-01129 c09 N70-38712
NASA-CASE-XMF-01160 c07 N71-11298
NASA-CASE-XMF-01174 c02 N70-41589
NASA-CASE-XMF-01371 c15 N70-41829
NASA-CASE-XMF-01402 c18 N71-21651
NASA-CASE-XMF-01452 c15 N70-41371
NASA-CASE-XMF-01483 c14 N69-27431
NASA-CASE-XMF-01543 c31 N71-17730
NASA-CASE-XMF-01544 c28 N70-34162
NASA-CASE-XMF-01598 c21 N71-15583
NASA-CASE-XMF-01599 c09 N71-20705
NASA-CASE-XMF-01667 c15 N71-17647
NASA-CASE-XMF-01669 c21 N71-23289
NASA-CASE-XMF-01730 c15 N71-23050
NASA-CASE-XMF-01772 c11 N70-41677
NASA-CASE-XMF-01779 c12 N71-20815
NASA-CASE-XMF-01813 c28 N70-41582
NASA-CASE-XMF-01887 c15 N71-10617
NASA-CASE-XMF-01892 c10 N71-22586
NASA-CASE-XMF-01899 c31 N70-41948
NASA-CASE-XMF-01973 c31 N70-41588
NASA-CASE-XMF-01974 c14 N71-22752
NASA-CASE-XMF-02039 c15 N71-15871
NASA-CASE-XMF-02107 c15 N71-10809
NASA-CASE-XMF-02108 c31 N70-36645
NASA-CASE-XMF-02221 c18 N71-27170
NASA-CASE-XMF-02263 c05 N74-10907
NASA-CASE-XMF-02303 c17 N71-23828
NASA-CASE-XMF-02307 c14 N71-10779
NASA-CASE-XMF-02330 c15 N71-23798
NASA-CASE-XMF-02392 c32 N71-24285
NASA-CASE-XMF-02433 c14 N71-10616
NASA-CASE-XMF-02526-1 c27 N79-21190
NASA-CASE-XMF-02527-1 c27 N79-21190
NASA-CASE-XMF-02584 c06 N71-20905
NASA-CASE-XMF-02783-1 c27 N79-21190
NASA-CASE-XMF-02786 c17 N71-20743
NASA-CASE-XMF-02822 c14 N70-41994
NASA-CASE-XMF-02853 c31 N70-36654
NASA-CASE-XMF-02964 c14 N71-17659
NASA-CASE-XMF-02966 c10 N71-24663
NASA-CASE-XMF-03074 c06 N71-24740
NASA-CASE-XMF-03169 c31 N71-15675
NASA-CASE-XMF-03198 c30 N70-40353
NASA-CASE-XMF-03212 c15 N71-22721
NASA-CASE-XMF-03248 c11 N71-10604
NASA-CASE-XMF-03287 c15 N71-15607
NASA-CASE-XMF-03290 c15 N71-23256
NASA-CASE-XMF-03498 c15 N71-15986
NASA-CASE-XMF-03511 c15 N71-22799
NASA-CASE-XMF-03793 c15 N71-24833
NASA-CASE-XMF-03844-1 c14 N71-26474
NASA-CASE-XMF-03856 c31 N70-34159
NASA-CASE-XMF-03873 c06 N69-39733
NASA-CASE-XMF-03934 c09 N71-22985
NASA-CASE-XMF-03968 c14 N71-27186
NASA-CASE-XMF-03988 c15 N71-21403
NASA-CASE-XMF-04042 c15 N71-23023
NASA-CASE-XMF-04132 c15 N69-27502
NASA-CASE-XMF-04133 c06 N71-20717
NASA-CASE-XMF-04134 c14 N71-23755
NASA-CASE-XMF-04163 c02 N71-23007
NASA-CASE-XMF-04208 c33 N71-29051
NASA-CASE-XMF-04237 c33 N71-16278
NASA-CASE-XMF-04238 c09 N69-39734
NASA-CASE-XMF-04367 c09 N71-23545
NASA-CASE-XMF-04415 c14 N71-24693
NASA-CASE-XMF-04494-1 c33 N79-33392
NASA-CASE-XMF-04592-1 c20 N79-21125
NASA-CASE-XMF-04593-1 c20 N79-21125
NASA-CASE-XMF-04680 c15 N71-19489
NASA-CASE-XMF-04709 c15 N71-15609
NASA-CASE-XMF-04958-1 c10 N71-26414
NASA-CASE-XMF-04966 c14 N71-17658
NASA-CASE-XMF-05046 c33 N71-28892
NASA-CASE-XMF-05114 c15 N71-17650
NASA-CASE-XMF-05114-2 c15 N71-26148
NASA-CASE-XMF-05114-3 c15 N71-24865
NASA-CASE-XMF-05195 c10 N71-24861
NASA-CASE-XMF-05224 c14 N71-23726
NASA-CASE-XMF-05279 c18 N71-16124
NASA-CASE-XMF-05344 c31 N71-16345
NASA-CASE-XMF-05373-1 c33 N79-21264
NASA-CASE-XMF-05757-1 c31 N79-21227
NASA-CASE-XMF-05835 c08 N71-12504
NASA-CASE-XMF-05843 c03 N71-11055
NASA-CASE-XMF-05844 c14 N71-17587
NASA-CASE-XMF-05868 c26 N75-27125
NASA-CASE-XMF-05882 c35 N75-27329
NASA-CASE-XMF-05941 c31 N71-23912
NASA-CASE-XMF-05964-1 c20 N79-21124
NASA-CASE-XMF-05999 c15 N71-29032
NASA-CASE-XMF-06053 c26 N75-27126
NASA-CASE-XMF-06065 c15 N71-20395
NASA-CASE-XMF-06092 c07 N71-24612
NASA-CASE-XMF-06409 c06 N71-23230
NASA-CASE-XMF-06515 c14 N71-23227
NASA-CASE-XMF-06519 c09 N71-12519
NASA-CASE-XMF-06531 c14 N71-17575
NASA-CASE-XMF-06589 c05 N71-23159
NASA-CASE-XMF-06617 c09 N71-24843
NASA-CASE-XMF-06884-1 c20 N79-21123
NASA-CASE-XMF-06888 c15 N71-24044
NASA-CASE-XMF-06892 c09 N71-24805
NASA-CASE-XMF-06900-1 c27 N79-21191
NASA-CASE-XMF-06926 c28 N71-22983
NASA-CASE-XMF-07069 c15 N71-23815
NASA-CASE-XMF-07488 c11 N71-18773
NASA-CASE-XMF-07587 c15 N71-18701
NASA-CASE-XMF-07770-2 c18 N71-26772
NASA-CASE-XMF-07808 c15 N71-23812
NASA-CASE-XMF-08217 c03 N71-23239
NASA-CASE-XMF-08522 c15 N71-19486
NASA-CASE-XMF-08523 c31 N71-20396
NASA-CASE-XMF-08651 c06 N71-11236
NASA-CASE-XMF-08652 c06 N71-11243
NASA-CASE-XMF-08655 c06 N71-11239
NASA-CASE-XMF-08656 c06 N71-11242
NASA-CASE-XMF-08665 c10 N71-19467
NASA-CASE-XMF-08674 c06 N71-28807
NASA-CASE-XMF-08804 c09 N71-24717
NASA-CASE-XMF-09422 c07 N71-19436
NASA-CASE-XMF-09902 c15 N72-11387
NASA-CASE-XMF-10040 c15 N71-22877
NASA-CASE-XMF-10289 c14 N71-23699
NASA-CASE-XMF-10753 c06 N71-11237
NASA-CASE-XMF-10968 c14 N71-24234
NASA-CASE-XMF-14032 c20 N71-16340
NASA-CASE-XMF-14301 c09 N71-23188

NASA-CASE-XMS-00259 c18 N70-36400
NASA-CASE-XMS-00486 c33 N70-33344
NASA-CASE-XMS-00583 c28 N70-38504
NASA-CASE-XMS-00784 c05 N71-12335
NASA-CASE-XMS-00863 c05 N70-34857
NASA-CASE-XMS-00864 c05 N70-36493
NASA-CASE-XMS-00893 c07 N70-40063
NASA-CASE-XMS-00907 c02 N70-41630
NASA-CASE-XMS-00913 c10 N71-23543
NASA-CASE-XMS-00945 c09 N71-10798
NASA-CASE-XMS-01077-1 c37 N79-33467
NASA-CASE-XMS-01108 c15 N69-24322
NASA-CASE-XMS-01115 c05 N70-39922

NASA-CASE-XMS-01177 c05 N71-19440
NASA-CASE-XMS-01240 c05 N70-35152
NASA-CASE-XMS-01244-1 c33 N79-33393
NASA-CASE-XMS-01295-1 c37 N79-21345
NASA-CASE-XMS-01315 c09 N70-41675
NASA-CASE-XMS-01330 c37 N75-27376
NASA-CASE-XMS-01445 c12 N71-16031
NASA-CASE-XMS-01492 c05 N70-41297
NASA-CASE-XMS-01546 c14 N70-40233
NASA-CASE-XMS-01554 c10 N71-10578
NASA-CASE-XMS-01615 c05 N70-41329
NASA-CASE-XMS-01618 c14 N71-20741
NASA-CASE-XMS-01620 c23 N71-15673
NASA-CASE-XMS-01624 c15 N70-40062
NASA-CASE-XMS-01625 c15 N71-23022
NASA-CASE-XMS-01816 c33 N71-15623
NASA-CASE-XMS-01905 c12 N71-21089
NASA-CASE-XMS-01906 c31 N70-41373
NASA-CASE-XMS-01991 c09 N71-21449
NASA-CASE-XMS-01994-1 c14 N72-17326
NASA-CASE-XMS-02009 c33 N71-20834
NASA-CASE-XMS-02063 c03 N71-29044
NASA-CASE-XMS-02087 c09 N70-41717
NASA-CASE-XMS-02159 c10 N71-22961
NASA-CASE-XMS-02182 c10 N71-28783
NASA-CASE-XMS-02184 c15 N71-20613
NASA-CASE-XMS-02383 c15 N71-15918
NASA-CASE-XMS-02399 c05 N71-22896
NASA-CASE-XMS-02532 c15 N70-41608
NASA-CASE-XMS-02677 c31 N70-42075
NASA-CASE-XMS-02744 c33 N75-27249
NASA-CASE-XMS-02872 c05 N69-21925
NASA-CASE-XMS-02930 c11 N71-23042
NASA-CASE-XMS-02952 c18 N71-20742
NASA-CASE-XMS-02977 c11 N71-10746
NASA-CASE-XMS-03252 c15 N71-10658
NASA-CASE-XMS-03371 c05 N70-42000
NASA-CASE-XMS-03454 c09 N71-20658
NASA-CASE-XMS-03537 c15 N69-21471
NASA-CASE-XMS-03542 c09 N71-28926
NASA-CASE-XMS-03613 c31 N71-16346
NASA-CASE-XMS-03700 c15 N69-24266
NASA-CASE-XMS-03722 c15 N71-21530
NASA-CASE-XMS-03745 c15 N71-21076
NASA-CASE-XMS-03792 c14 N70-41812
NASA-CASE-XMS-04061-1 c09 N69-39885
NASA-CASE-XMS-04072 c15 N70-42017
NASA-CASE-XMS-04142 c31 N70-41631
NASA-CASE-XMS-04170 c05 N71-22748
NASA-CASE-XMS-04178 c15 N71-22798
NASA-CASE-XMS-04201 c14 N71-22990
NASA-CASE-XMS-04212-1 c05 N71-12346
NASA-CASE-XMS-04213-1 c09 N71-26002
NASA-CASE-XMS-04215-1 c09 N69-39987
NASA-CASE-XMS-04268 c33 N71-16277
NASA-CASE-XMS-04269 c16 N71-22895
NASA-CASE-XMS-04292 c15 N71-22722
NASA-CASE-XMS-04300 c09 N71-19479
NASA-CASE-XMS-04312 c07 N71-22984
NASA-CASE-XMS-04318 c15 N69-27871
NASA-CASE-XMS-04390 c31 N70-41671
NASA-CASE-XMS-04533 c15 N71-23086
NASA-CASE-XMS-04545 c15 N71-22878
NASA-CASE-XMS-04625 c05 N71-20718
NASA-CASE-XMS-04670 c54 N78-17678
NASA-CASE-XMS-04798 c11 N71-21474
NASA-CASE-XMS-04826 c28 N71-28849
NASA-CASE-XMS-04843 c03 N69-21469
NASA-CASE-XMS-04890-1 c15 N70-22192
NASA-CASE-XMS-04917 c14 N69-24257
NASA-CASE-XMS-04919 c09 N71-23270
NASA-CASE-XMS-04928 c54 N78-17679
NASA-CASE-XMS-04935 c05 N71-11190
NASA-CASE-XMS-05303 c07 N69-27462
NASA-CASE-XMS-05304 c05 N71-12336
NASA-CASE-XMS-05307 c09 N69-24330
NASA-CASE-XMS-05365 c14 N71-22993
NASA-CASE-XMS-05454-1 c07 N71-12391
NASA-CASE-XMS-05516 c15 N71-17803
NASA-CASE-XMS-05562-1 c09 N69-39986
NASA-CASE-XMS-05605-1 c10 N71-19468
NASA-CASE-XMS-05731 c35 N75-29382
NASA-CASE-XMS-05890 c09 N71-23191
NASA-CASE-XMS-05894-1 c15 N69-21924
NASA-CASE-XMS-05909-1 c14 N69-27459
NASA-CASE-XMS-05936 c14 N70-41682
NASA-CASE-XMS-06056-1 c23 N71-24857
NASA-CASE-XMS-06061 c05 N71-23317
NASA-CASE-XMS-06064 c05 N71-23096
NASA-CASE-XMS-06162 c31 N71-28851
NASA-CASE-XMS-06236 c14 N71-21007
NASA-CASE-XMS-06329-1 c15 N71-20441
NASA-CASE-XMS-06497 c14 N71-26244
NASA-CASE-XMS-06740-1 c07 N71-26579
NASA-CASE-XMS-06761 c05 N69-23192
NASA-CASE-XMS-06767-1 c14 N71-20435
NASA-CASE-XMS-06782 c32 N71-15974
NASA-CASE-XMS-06876 c15 N71-21536
NASA-CASE-XMS-06949 c09 N69-21467
NASA-CASE-XMS-07168 c07 N71-11300
NASA-CASE-XMS-07487 c15 N71-23255
NASA-CASE-XMS-07846-1 c09 N69-21927
NASA-CASE-XMS-08589-1 c09 N71-20569
NASA-CASE-XMS-09310 c15 N71-22706
NASA-CASE-XMS-09352 c09 N71-23316
NASA-CASE-XMS-09571 c05 N71-19439
NASA-CASE-XMS-09610 c07 N71-24625
NASA-CASE-XMS-09632-1 c05 N71-11203
NASA-CASE-XMS-09635 c05 N71-24623
NASA-CASE-XMS-09636 c05 N71-12344
NASA-CASE-XMS-09637-1 c05 N71-24730
NASA-CASE-XMS-09652-1 c05 N71-26333
NASA-CASE-XMS-09653 c54 N78-17680
NASA-CASE-XMS-09690 c33 N72-25913
NASA-CASE-XMS-09691-1 c18 N71-15545
NASA-CASE-XMS-10269 c05 N71-24147
NASA-CASE-XMS-10660-1 c15 N71-25975
NASA-CASE-XMS-10984-1 c10 N71-19417
NASA-CASE-XMS-10993 c15 N71-28936
NASA-CASE-XMS-12158-1 c31 N69-27499
NASA-CASE-XMS-13052 c14 N71-20427

NASA-CASE-XNP-00214 c15 N70-36908
NASA-CASE-XNP-00217 c28 N70-38181
NASA-CASE-XNP-00234 c28 N70-38645
NASA-CASE-XNP-00249 c28 N70-38249
NASA-CASE-XNP-00250 c11 N71-28779
NASA-CASE-XNP-00294 c21 N70-36938
NASA-CASE-XNP-00384 c09 N71-13530
NASA-CASE-XNP-00416 c15 N70-36947
NASA-CASE-XNP-00425 c11 N70-38202
NASA-CASE-XNP-00431 c09 N70-38998
NASA-CASE-XNP-00432 c08 N70-35423
NASA-CASE-XNP-00438 c21 N70-35089
NASA-CASE-XNP-00449 c14 N70-35220
NASA-CASE-XNP-00450 c15 N70-38603
NASA-CASE-XNP-00459 c11 N70-38675
NASA-CASE-XNP-00463 c33 N70-36847
NASA-CASE-XNP-00465 c21 N70-35395
NASA-CASE-XNP-00476 c15 N70-38620
NASA-CASE-XNP-00477 c08 N73-28045
NASA-CASE-XNP-00540 c09 N70-35382
NASA-CASE-XNP-00595 c15 N70-34967
NASA-CASE-XNP-00597 c18 N71-23088
NASA-CASE-XNP-00610 c28 N70-36910
NASA-CASE-XNP-00611 c09 N70-35219
NASA-CASE-XNP-00612 c11 N70-38182
NASA-CASE-XNP-00614 c14 N70-36907
NASA-CASE-XNP-00637 c14 N70-40273
NASA-CASE-XNP-00644 c03 N70-36803
NASA-CASE-XNP-00646 c14 N70-35666
NASA-CASE-XNP-00650 c27 N71-28929
NASA-CASE-XNP-00676 c15 N70-38996
NASA-CASE-XNP-00683 c09 N70-35425
NASA-CASE-XNP-00708 c14 N70-35394
NASA-CASE-XNP-00710 c15 N71-10778
NASA-CASE-XNP-00732 c28 N70-41447
NASA-CASE-XNP-00733 c06 N70-34946
NASA-CASE-XNP-00738 c09 N70-38201
NASA-CASE-XNP-00745 c10 N71-28960
NASA-CASE-XNP-00746 c07 N71-21476
NASA-CASE-XNP-00748 c07 N70-36911
NASA-CASE-XNP-00777 c10 N71-19469
NASA-CASE-XNP-00816 c28 N71-28928
NASA-CASE-XNP-00826 c03 N71-20895
NASA-CASE-XNP-00840 c15 N70-38225
NASA-CASE-XNP-00876 c28 N70-41311
NASA-CASE-XNP-00911 c08 N70-41961
NASA-CASE-XNP-00920 c15 N71-15906
NASA-CASE-XNP-00952 c10 N71-23271
NASA-CASE-XNP-01012 c08 N71-28925
NASA-CASE-XNP-01020 c03 N71-12260
NASA-CASE-XNP-01056 c14 N71-23041
NASA-CASE-XNP-01057 c07 N71-15907
NASA-CASE-XNP-01058 c09 N71-12540
NASA-CASE-XNP-01059 c23 N71-21821
NASA-CASE-XNP-01068 c10 N71-28739
NASA-CASE-XNP-01104 c28 N70-39931

NASA-CASE-XNP-01107 c10 N71-28859
NASA-CASE-XNP-01152 c15 N70-41611
NASA-CASE-XNP-01153 c32 N71-17645
NASA-CASE-XNP-01185 c26 N73-28710
NASA-CASE-XNP-01187 c15 N73-28516
NASA-CASE-XNP-01188 c15 N73-32361
NASA-CASE-XNP-01193 c10 N71-16057
NASA-CASE-XNP-01263-2 c15 N71-26312
NASA-CASE-XNP-01296 c33 N75-27250
NASA-CASE-XNP-01306 c07 N71-20814
NASA-CASE-XNP-01306-2 c09 N71-24596
NASA-CASE-XNP-01307 c21 N70-41656
NASA-CASE-XNP-01310 c33 N71-28852
NASA-CASE-XNP-01311 c26 N75-29236
NASA-CASE-XNP-01318 c10 N71-23033
NASA-CASE-XNP-01328 c26 N71-18064
NASA-CASE-XNP-01383 c09 N71-10659
NASA-CASE-XNP-01390 c28 N70-41275
NASA-CASE-XNP-01412 c15 N70-42034
NASA-CASE-XNP-01458 c04 N78-17031
NASA-CASE-XNP-01464 c03 N71-10728
NASA-CASE-XNP-01466 c10 N71-26434
NASA-CASE-XNP-01472 c14 N70-41807
NASA-CASE-XNP-01501 c21 N70-41930
NASA-CASE-XNP-01567 c15 N70-41310
NASA-CASE-XNP-01641 c15 N71-22997
NASA-CASE-XNP-01659 c14 N71-23039
NASA-CASE-XNP-01660 c14 N71-23036
NASA-CASE-XNP-01735 c07 N71-22750
NASA-CASE-XNP-01747 c15 N71-23024
NASA-CASE-XNP-01749 c27 N70-41697
NASA-CASE-XNP-01753 c08 N71-22897
NASA-CASE-XNP-01848 c15 N71-28959
NASA-CASE-XNP-01855 c15 N71-28937
NASA-CASE-XNP-01951 c09 N70-41929
NASA-CASE-XNP-01954 c28 N71-28850
NASA-CASE-XNP-01959 c26 N71-23043
NASA-CASE-XNP-01960 c09 N71-23027
NASA-CASE-XNP-01961 c26 N71-29156
NASA-CASE-XNP-01962 c32 N70-41370
NASA-CASE-XNP-02029 c14 N70-41955
NASA-CASE-XNP-02092 c15 N70-42033
NASA-CASE-XNP-02139 c18 N71-24184
NASA-CASE-XNP-02140 c09 N71-23097
NASA-CASE-XNP-02251 c12 N71-20896
NASA-CASE-XNP-02278 c15 N71-28951
NASA-CASE-XNP-02340 c23 N69-24332
NASA-CASE-XNP-02341 c15 N71-21531
NASA-CASE-XNP-02389 c07 N71-28900
NASA-CASE-XNP-02500 c18 N71-27397
NASA-CASE-XNP-02507 c31 N71-17679
NASA-CASE-XNP-02588 c15 N71-18613
NASA-CASE-XNP-02592 c24 N71-20518
NASA-CASE-XNP-02595 c31 N71-21881
NASA-CASE-XNP-02654 c10 N70-42032
NASA-CASE-XNP-02713 c10 N69-39888
NASA-CASE-XNP-02723 c07 N70-41680
NASA-CASE-XNP-02748 c08 N71-22749
NASA-CASE-XNP-02778 c08 N71-22710
NASA-CASE-XNP-02791 c07 N71-23026
NASA-CASE-XNP-02792 c14 N71-28558
NASA-CASE-XNP-02839 c28 N70-41922
NASA-CASE-XNP-02862-1 c15 N71-26294
NASA-CASE-XNP-02888 c18 N71-21068
NASA-CASE-XNP-02899-1 c33 N79-21265
NASA-CASE-XNP-02923 c28 N71-23081
NASA-CASE-XNP-02982 c31 N70-41855
NASA-CASE-XNP-02983 c14 N71-21091
NASA-CASE-XNP-03063 c17 N71-23365
NASA-CASE-XNP-03128 c10 N70-41991
NASA-CASE-XNP-03134 c07 N71-10676
NASA-CASE-XNP-03250 c06 N71-23500
NASA-CASE-XNP-03263 c09 N71-18843
NASA-CASE-XNP-03282 c28 N72-20758
NASA-CASE-XNP-03332 c09 N71-10618
NASA-CASE-XNP-03378 c03 N71-11051
NASA-CASE-XNP-03413 c03 N71-26726
NASA-CASE-XNP-03459 c15 N71-21078
NASA-CASE-XNP-03459-2 c18 N71-15688
NASA-CASE-XNP-03578 c11 N71-23030
NASA-CASE-XNP-03623 c09 N73-28084
NASA-CASE-XNP-03637 c15 N71-21311
NASA-CASE-XNP-03692 c28 N71-24321
NASA-CASE-XNP-03744 c10 N71-20448
NASA-CASE-XNP-03796 c23 N71-15467
NASA-CASE-XNP-03835 c06 N71-23499
NASA-CASE-XNP-03853 c23 N71-21882
NASA-CASE-XNP-03878 c26 N75-27127
NASA-CASE-XNP-03914 c21 N71-10771
NASA-CASE-XNP-03916 c09 N71-28810
NASA-CASE-XNP-03918 c14 N71-23087
NASA-CASE-XNP-03930 c14 N69-24331
NASA-CASE-XNP-03972 c15 N71-23048
NASA-CASE-XNP-04023 c06 N71-28808
NASA-CASE-XNP-04067 c08 N71-22707
NASA-CASE-XNP-04111 c14 N71-15622
NASA-CASE-XNP-04124 c28 N71-21822
NASA-CASE-XNP-04148 c17 N71-24830
NASA-CASE-XNP-04161 c14 N71-15599
NASA-CASE-XNP-04162-1 c08 N70-34675
NASA-CASE-XNP-04167-2 c25 N72-24753
NASA-CASE-XNP-04167-3 c36 N77-19416
NASA-CASE-XNP-04180 c07 N69-39736
NASA-CASE-XNP-04183 c09 N69-24329
NASA-CASE-XNP-04231 c14 N73-32325
NASA-CASE-XNP-04262-2 c17 N71-26773
NASA-CASE-XNP-04264 c03 N69-21337
NASA-CASE-XNP-04338 c17 N71-23046
NASA-CASE-XNP-04339 c17 N71-29137
NASA-CASE-XNP-04389 c28 N71-20942
NASA-CASE-XNP-04623 c10 N71-26103
NASA-CASE-XNP-04731 c15 N71-24042
NASA-CASE-XNP-04732 c09 N71-20851
NASA-CASE-XNP-04758 c03 N71-24605
NASA-CASE-XNP-04780 c08 N71-19687
NASA-CASE-XNP-04816 c06 N69-39936
NASA-CASE-XNP-04817 c14 N71-23225
NASA-CASE-XNP-04819 c08 N71-23295
NASA-CASE-XNP-04969 c11 N69-27466
NASA-CASE-XNP-05082 c15 N70-41960
NASA-CASE-XNP-05219 c16 N71-15550
NASA-CASE-XNP-05231 c14 N73-28491
NASA-CASE-XNP-05254 c07 N71-20791
NASA-CASE-XNP-05297 c15 N71-23811
NASA-CASE-XNP-05381 c09 N71-20842
NASA-CASE-XNP-05382 c10 N71-23544
NASA-CASE-XNP-05415 c08 N71-12505
NASA-CASE-XNP-05429 c26 N71-21824
NASA-CASE-XNP-05524 c33 N71-24876
NASA-CASE-XNP-05530 c14 N73-32321
NASA-CASE-XNP-05535 c14 N71-23040
NASA-CASE-XNP-05612 c09 N69-21468
NASA-CASE-XNP-05634 c15 N71-24834
NASA-CASE-XNP-05821 c03 N71-11056
NASA-CASE-XNP-05975 c15 N69-23185
NASA-CASE-XNP-06028 c09 N71-23189
NASA-CASE-XNP-06031 c15 N71-15606
NASA-CASE-XNP-06032 c09 N69-21926
NASA-CASE-XNP-06234 c10 N71-27137
NASA-CASE-XNP-06503 c23 N71-29049
NASA-CASE-XNP-06505 c10 N71-24799
NASA-CASE-XNP-06506 c03 N71-11050
NASA-CASE-XNP-06507 c09 N71-23548
NASA-CASE-XNP-06508 c18 N69-39895
NASA-CASE-XNP-06509 c14 N71-23226
NASA-CASE-XNP-06510 c14 N71-23797
NASA-CASE-XNP-06611 c07 N71-26102
NASA-CASE-XNP-06914 c15 N71-21489
NASA-CASE-XNP-06933 c14 N73-32321
NASA-CASE-XNP-06936 c15 N71-24695
NASA-CASE-XNP-06937 c09 N71-19516
NASA-CASE-XNP-06942 c28 N71-23293
NASA-CASE-XNP-06957 c14 N71-21088
NASA-CASE-XNP-07040 c08 N71-12500
NASA-CASE-XNP-07169 c15 N73-32362
NASA-CASE-XNP-07477 c09 N71-26092
NASA-CASE-XNP-07478 c14 N69-21923
NASA-CASE-XNP-07481 c25 N69-21929
NASA-CASE-XNP-07659 c06 N71-22975
NASA-CASE-XNP-08124 c15 N71-27184
NASA-CASE-XNP-08124-2 c06 N73-13129
NASA-CASE-XNP-08274 c10 N71-13537
NASA-CASE-XNP-08567 c09 N71-26000
NASA-CASE-XNP-08680 c14 N71-22995
NASA-CASE-XNP-08832 c08 N71-12506
NASA-CASE-XNP-08835-1 c37 N80-14395
NASA-CASE-XNP-08836 c09 N71-12515
NASA-CASE-XNP-08837 c18 N71-16210
NASA-CASE-XNP-08840 c23 N71-16365
NASA-CASE-XNP-08875 c10 N71-23099
NASA-CASE-XNP-08876 c17 N73-28573
NASA-CASE-XNP-08877 c15 N71-23025
NASA-CASE-XNP-08880 c09 N71-24808
NASA-CASE-XNP-08881 c17 N71-28747
NASA-CASE-XNP-08882 c15 N69-39935
NASA-CASE-XNP-08883 c23 N71-16101
NASA-CASE-XNP-08897 c15 N71-17694
NASA-CASE-XNP-08907 c23 N71-29123

NASA-CASE-XNP-08961 c14 N71-24809
NASA-CASE-XNP-09205 c14 N71-17657
NASA-CASE-XNP-09225 c09 N69-24333
NASA-CASE-XNP-09227 c15 N69-24319
NASA-CASE-XNP-09228 c09 N69-27500
NASA-CASE-XNP-09450 c10 N71-18723
NASA-CASE-XNP-09451 c06 N71-26754
NASA-CASE-XNP-09452 c15 N69-27504
NASA-CASE-XNP-09453 c08 N71-19420
NASA-CASE-XNP-09461 c28 N72-23809
NASA-CASE-XNP-09462 c14 N71-17584
NASA-CASE-XNP-09469 c24 N71-25555
NASA-CASE-XNP-09572 c14 N71-15621
NASA-CASE-XNP-09698 c15 N71-18580
NASA-CASE-XNP-09699 c06 N71-24607
NASA-CASE-XNP-09701 c14 N71-26475
NASA-CASE-XNP-09702 c15 N71-17654
NASA-CASE-XNP-09704 c12 N71-18615
NASA-CASE-XNP-09744 c27 N71-16392
NASA-CASE-XNP-09750 c14 N69-39937
NASA-CASE-XNP-09752 c14 N69-21541
NASA-CASE-XNP-09755 c46 N74-23069
NASA-CASE-XNP-09759 c08 N71-24891
NASA-CASE-XNP-09763 c14 N71-20461
NASA-CASE-XNP-09768 c09 N71-12516
NASA-CASE-XNP-09770 c15 N71-20440
NASA-CASE-XNP-09770-2 c15 N72-22483
NASA-CASE-XNP-09770-3 c11 N71-27036
NASA-CASE-XNP-09771 c09 N71-24841
NASA-CASE-XNP-09775 c09 N71-20445
NASA-CASE-XNP-09776 c09 N69-39929
NASA-CASE-XNP-09785 c08 N69-21928
NASA-CASE-XNP-09802 c33 N71-15641
NASA-CASE-XNP-09808 c09 N71-12518
NASA-CASE-XNP-09830 c14 N71-26266
NASA-CASE-XNP-09832 c30 N71-23723
NASA-CASE-XNP-10007-1 c46 N74-23068
NASA-CASE-XNP-10475 c15 N71-24679
NASA-CASE-XNP-10830 c07 N71-11281
NASA-CASE-XNP-10843 c07 N71-11267
NASA-CASE-XNP-10854 c10 N71-26331

US-PATENT-APPL-SN-0914 c28 N70-38711
US-PATENT-APPL-SN-2792 c14 N70-33386
US-PATENT-APPL-SN-3151 c05 N72-27102
US-PATENT-APPL-SN-3417 c15 N72-22490
US-PATENT-APPL-SN-3418 c15 N72-20446
US-PATENT-APPL-SN-3418 c15 N73-19457
US-PATENT-APPL-SN-3654 c35 N77-27367
US-PATENT-APPL-SN-3696 c10 N72-20224
US-PATENT-APPL-SN-5114 c06 N72-25150
US-PATENT-APPL-SN-6610 c15 N72-22492
US-PATENT-APPL-SN-6615 c03 N72-25019
US-PATENT-APPL-SN-6616 c03 N72-22042
US-PATENT-APPL-SN-6617 c15 N72-22488
US-PATENT-APPL-SN-7668 c15 N71-26611
US-PATENT-APPL-SN-7669 c31 N72-18859
US-PATENT-APPL-SN-7867 c14 N72-17324
US-PATENT-APPL-SN-7868 c10 N72-17173
US-PATENT-APPL-SN-8203 c15 N70-33180
US-PATENT-APPL-SN-8204 c31 N70-37981
US-PATENT-APPL-SN-8497 c14 N72-11363
US-PATENT-APPL-SN-8498 c05 N71-24729
US-PATENT-APPL-SN-8636 c15 N72-25451
US-PATENT-APPL-SN-8650 c03 N72-25021
US-PATENT-APPL-SN-9251 c03 N70-34646
US-PATENT-APPL-SN-10161 c33 N72-20915
US-PATENT-APPL-SN-10329 c09 N72-25251
US-PATENT-APPL-SN-10812 c28 N70-40367
US-PATENT-APPL-SN-10827 c14 N72-28436
US-PATENT-APPL-SN-11220 c14 N73-30389
US-PATENT-APPL-SN-11853 c15 N71-28951
US-PATENT-APPL-SN-12661 c14 N72-22437
US-PATENT-APPL-SN-13266 c05 N72-23085
US-PATENT-APPL-SN-14488 c09 N70-38995
US-PATENT-APPL-SN-15019 c15 N72-17455
US-PATENT-APPL-SN-15020 c14 N70-34697
US-PATENT-APPL-SN-15022 c15 N72-21465
US-PATENT-APPL-SN-15023 c15 N70-34699
US-PATENT-APPL-SN-15024 c09 N72-21245
US-PATENT-APPL-SN-15025 c03 N72-20033
US-PATENT-APPL-SN-15222 c18 N72-25539
US-PATENT-APPL-SN-16808 c14 N72-22445
US-PATENT-APPL-SN-17101 c28 N72-18766
US-PATENT-APPL-SN-18427 c09 N72-23172
US-PATENT-APPL-SN-18776 c28 N70-33284
US-PATENT-APPL-SN-18780 c12 N70-33305
US-PATENT-APPL-SN-18982 c28 N72-11708
US-PATENT-APPL-SN-19572 c35 N77-27368
US-PATENT-APPL-SN-19585 c15 N72-25455
US-PATENT-APPL-SN-19971 c09 N70-33312
US-PATENT-APPL-SN-20370 c33 N79-33393
US-PATENT-APPL-SN-20960 c15 N72-17453
US-PATENT-APPL-SN-21263 c01 N71-12217
US-PATENT-APPL-SN-21508 c08 N72-20176
US-PATENT-APPL-SN-21644 c05 N72-22092
US-PATENT-APPL-SN-21732 c15 N70-26819
US-PATENT-APPL-SN-21906 c09 N72-17157
US-PATENT-APPL-SN-22265 c14 N72-21405
US-PATENT-APPL-SN-22320 c14 N72-11365
US-PATENT-APPL-SN-23132 c08 N72-22163
US-PATENT-APPL-SN-23532 c07 N72-21117
US-PATENT-APPL-SN-24154 c15 N70-35679
US-PATENT-APPL-SN-24154 c15 N72-17450
US-PATENT-APPL-SN-24155 c14 N73-26432
US-PATENT-APPL-SN-24224 c09 N72-20200
US-PATENT-APPL-SN-25175 c28 N70-39895
US-PATENT-APPL-SN-25487 c08 N72-21197
US-PATENT-APPL-SN-25488 c08 N72-25206
US-PATENT-APPL-SN-26375 c02 N70-33286
US-PATENT-APPL-SN-26375 c02 N70-34858
US-PATENT-APPL-SN-26573 c31 N72-22874
US-PATENT-APPL-SN-27340 c15 N72-20442
US-PATENT-APPL-SN-28175 c21 N70-33279
US-PATENT-APPL-SN-28235 c10 N72-17171
US-PATENT-APPL-SN-29917 c15 N73-13465
US-PATENT-APPL-SN-29917 c26 N74-10521
US-PATENT-APPL-SN-29917 c37 N74-13179
US-PATENT-APPL-SN-29979 c09 N75-15662
US-PATENT-APPL-SN-30498 c37 N74-21063
US-PATENT-APPL-SN-31242 c28 N70-33374
US-PATENT-APPL-SN-31702 c16 N73-16536
US-PATENT-APPL-SN-31703 c09 N72-21244
US-PATENT-APPL-SN-31885 c10 N72-17172
US-PATENT-APPL-SN-32306 c33 N79-24260
US-PATENT-APPL-SN-32496 c15 N70-37925
US-PATENT-APPL-SN-32664 c11 N72-25287
US-PATENT-APPL-SN-32665 c14 N72-22444
US-PATENT-APPL-SN-33159 c10 N72-11256
US-PATENT-APPL-SN-33398 c14 N70-35587
US-PATENT-APPL-SN-33535 c06 N72-17093
US-PATENT-APPL-SN-34989 c36 N74-13205
US-PATENT-APPL-SN-36531 c07 N72-25174
US-PATENT-APPL-SN-36534 c21 N73-14692
US-PATENT-APPL-SN-36819 c23 N72-22673
US-PATENT-APPL-SN-36926 c28 N72-23810
US-PATENT-APPL-SN-37050 c33 N74-26732
US-PATENT-APPL-SN-38262 c28 N70-35422
US-PATENT-APPL-SN-38814 c15 N72-11385
US-PATENT-APPL-SN-38816 c70 N74-13436
US-PATENT-APPL-SN-38816 c74 N78-15879
US-PATENT-APPL-SN-39185 c16 N72-25485
US-PATENT-APPL-SN-39342 c09 N72-25252
US-PATENT-APPL-SN-39343 c34 N74-18552
US-PATENT-APPL-SN-39344 c14 N72-25409
US-PATENT-APPL-SN-39755 c08 N72-21198
US-PATENT-APPL-SN-41345 c09 N72-29172
US-PATENT-APPL-SN-41346 c15 N72-24522
US-PATENT-APPL-SN-41347 c09 N72-25256
US-PATENT-APPL-SN-41348 c09 N72-23173
US-PATENT-APPL-SN-41404 c03 N73-20039
US-PATENT-APPL-SN-41430 c10 N72-20221
US-PATENT-APPL-SN-41431 c37 N77-27400
US-PATENT-APPL-SN-41455 c02 N70-33255
US-PATENT-APPL-SN-42022 c15 N70-35409
US-PATENT-APPL-SN-42088 c34 N78-17336
US-PATENT-APPL-SN-43327 c15 N72-26371
US-PATENT-APPL-SN-43883 c18 N73-30532
US-PATENT-APPL-SN-43884 c15 N72-25457
US-PATENT-APPL-SN-45053 c33 N75-31330
US-PATENT-APPL-SN-45519 c14 N72-25410
US-PATENT-APPL-SN-45549 c27 N76-16228
US-PATENT-APPL-SN-47061 c26 N72-25680
US-PATENT-APPL-SN-47062 c15 N72-17451
US-PATENT-APPL-SN-47063 c33 N72-25911
US-PATENT-APPL-SN-47063 c33 N73-25952
US-PATENT-APPL-SN-47120 c31 N70-33242
US-PATENT-APPL-SN-47121 c09 N70-39915
US-PATENT-APPL-SN-47122 c14 N70-34813
US-PATENT-APPL-SN-47123 c15 N70-34817
US-PATENT-APPL-SN-47440 c07 N73-20174
US-PATENT-APPL-SN-47441 c09 N70-34559
US-PATENT-APPL-SN-47443 c09 N72-17152
US-PATENT-APPL-SN-48621 c20 N78-32179
US-PATENT-APPL-SN-50206 c07 N72-17109
US-PATENT-APPL-SN-50207 c07 N72-20141
US-PATENT-APPL-SN-50208 c14 N73-13418
US-PATENT-APPL-SN-50339 c04 N72-33072

US-PATENT-APPL-SN-51317 c14 N73-30389
US-PATENT-APPL-SN-51473 c02 N70-33266
US-PATENT-APPL-SN-51477 c14 N72-25412
US-PATENT-APPL-SN-53156 c10 N71-28860
US-PATENT-APPL-SN-54270 c07 N72-25173
US-PATENT-APPL-SN-54271 c02 N73-19004
US-PATENT-APPL-SN-54540 c15 N72-29488
US-PATENT-APPL-SN-54540 c37 N74-15125
US-PATENT-APPL-SN-54552 c27 N70-34783
US-PATENT-APPL-SN-54552 c20 N77-17143
US-PATENT-APPL-SN-55333 c10 N73-16206
US-PATENT-APPL-SN-55534 c11 N72-25288
US-PATENT-APPL-SN-55535 c14 N73-20474
US-PATENT-APPL-SN-55536 c14 N72-29464
US-PATENT-APPL-SN-55537 c18 N72-25540
US-PATENT-APPL-SN-55806 c06 N72-31140
US-PATENT-APPL-SN-56791 c10 N72-16172
US-PATENT-APPL-SN-57252 c14 N72-25414
US-PATENT-APPL-SN-57253 c18 N72-25541
US-PATENT-APPL-SN-57399 c03 N72-20034
US-PATENT-APPL-SN-58147 c28 N70-33356
US-PATENT-APPL-SN-59892 c06 N73-30097
US-PATENT-APPL-SN-59892 c15 N74-27360
US-PATENT-APPL-SN-59893 c15 N72-25456
US-PATENT-APPL-SN-59894 c23 N73-13662
US-PATENT-APPL-SN-59895 c15 N72-20445
US-PATENT-APPL-SN-59956 c14 N72-27411
US-PATENT-APPL-SN-59966 c21 N72-25595
US-PATENT-APPL-SN-59968 c15 N72-27484
US-PATENT-APPL-SN-59969 c09 N72-25249
US-PATENT-APPL-SN-60276 c22 N73-32528
US-PATENT-APPL-SN-60531 c28 N70-37980
US-PATENT-APPL-SN-60536 c02 N70-38009
US-PATENT-APPL-SN-60876 c15 N72-27485
US-PATENT-APPL-SN-60881 c32 N72-25877
US-PATENT-APPL-SN-60882 c05 N73-32011
US-PATENT-APPL-SN-60883 c10 N73-13235
US-PATENT-APPL-SN-60950 c04 N73-27052
US-PATENT-APPL-SN-61329 c31 N70-37986
US-PATENT-APPL-SN-61535 c15 N72-25453
US-PATENT-APPL-SN-61894 c12 N72-21310
US-PATENT-APPL-SN-61895 c07 N72-33146
US-PATENT-APPL-SN-63144 c16 N72-28521
US-PATENT-APPL-SN-63195 c14 N72-27408
US-PATENT-APPL-SN-63383 c08 N72-20177
US-PATENT-APPL-SN-63384 c05 N72-22093
US-PATENT-APPL-SN-63532 c08 N72-25209
US-PATENT-APPL-SN-63610 c06 N72-25147
US-PATENT-APPL-SN-64224 c17 N70-38490
US-PATENT-APPL-SN-64226 c17 N70-38198
US-PATENT-APPL-SN-64391 c31 N72-25842
US-PATENT-APPL-SN-64709 c10 N72-28240
US-PATENT-APPL-SN-64723 c07 N72-25170
US-PATENT-APPL-SN-65548 c18 N70-39697
US-PATENT-APPL-SN-65840 c10 N72-20225
US-PATENT-APPL-SN-66004 c15 N72-25450
US-PATENT-APPL-SN-66206 c11 N73-13257
US-PATENT-APPL-SN-67730 c15 N73-13463
US-PATENT-APPL-SN-67815 c28 N72-22771
US-PATENT-APPL-SN-68023 c05 N72-33096
US-PATENT-APPL-SN-68024 c17 N72-22535
US-PATENT-APPL-SN-69209 c15 N72-21463
US-PATENT-APPL-SN-69488 c23 N75-14834
US-PATENT-APPL-SN-70032 c11 N73-12264
US-PATENT-APPL-SN-70967 c07 N73-13149
US-PATENT-APPL-SN-70967 c32 N74-10132
US-PATENT-APPL-SN-71047 c09 N72-21247
US-PATENT-APPL-SN-71048 c18 N73-12604
US-PATENT-APPL-SN-72024 c09 N73-12211
US-PATENT-APPL-SN-73283 c15 N72-28495
US-PATENT-APPL-SN-73310 c09 N72-25247
US-PATENT-APPL-SN-73367 c14 N71-15969
US-PATENT-APPL-SN-73422 c15 N72-25454
US-PATENT-APPL-SN-73834 c15 N72-23497
US-PATENT-APPL-SN-73922 c14 N73-25461
US-PATENT-APPL-SN-73932 c15 N72-22485
US-PATENT-APPL-SN-74759 c14 N73-20478
US-PATENT-APPL-SN-74861 c27 N72-25699
US-PATENT-APPL-SN-74862 c27 N73-16764
US-PATENT-APPL-SN-75431 c21 N72-31637
US-PATENT-APPL-SN-76899 c09 N72-22201
US-PATENT-APPL-SN-77169 c14 N72-21408
US-PATENT-APPL-SN-77220 c14 N72-27409
US-PATENT-APPL-SN-77221 c08 N72-25210
US-PATENT-APPL-SN-77251 c25 N70-41628
US-PATENT-APPL-SN-77252 c02 N70-37539
US-PATENT-APPL-SN-77256 c15 N70-33323
US-PATENT-APPL-SN-77786 c14 N72-27412
US-PATENT-APPL-SN-77869 c37 N79-21345
US-PATENT-APPL-SN-78065 c08 N72-22162
US-PATENT-APPL-SN-78703 c15 N73-20514
US-PATENT-APPL-SN-78704 c05 N72-25121
US-PATENT-APPL-SN-78717 c05 N73-13114
US-PATENT-APPL-SN-78766 c05 N74-10907
US-PATENT-APPL-SN-80029 c14 N73-32320
US-PATENT-APPL-SN-80029 c74 N74-20008
US-PATENT-APPL-SN-80368 c09 N73-20231
US-PATENT-APPL-SN-80369 c09 N72-22198
US-PATENT-APPL-SN-81095 c13 N72-25323
US-PATENT-APPL-SN-81096 c14 N73-14427
US-PATENT-APPL-SN-82279 c03 N76-32140
US-PATENT-APPL-SN-82280 c09 N72-25262
US-PATENT-APPL-SN-82647 c28 N72-22772
US-PATENT-APPL-SN-82648 c12 N72-25292
US-PATENT-APPL-SN-82649 c08 N73-30135
US-PATENT-APPL-SN-82658 c30 N70-40309
US-PATENT-APPL-SN-83816 c44 N74-14784
US-PATENT-APPL-SN-84002 c08 N73-20217
US-PATENT-APPL-SN-84212 c27 N74-17283
US-PATENT-APPL-SN-84289 c15 N73-14469
US-PATENT-APPL-SN-84290 c05 N73-20137
US-PATENT-APPL-SN-84961 c02 N70-34178
US-PATENT-APPL-SN-84962 c21 N70-36943
US-PATENT-APPL-SN-85585 c21 N70-35427
US-PATENT-APPL-SN-86018 c23 N71-30292
US-PATENT-APPL-SN-86417 c07 N72-25171
US-PATENT-APPL-SN-86548 c09 N72-21243
US-PATENT-APPL-SN-87222 c05 N72-27103
US-PATENT-APPL-SN-87550 c06 N72-25146
US-PATENT-APPL-SN-87551 c33 N73-16918
US-PATENT-APPL-SN-87597 c33 N74-22864
US-PATENT-APPL-SN-88435 c35 N74-15090
US-PATENT-APPL-SN-89209 c09 N72-25248
US-PATENT-APPL-SN-89210 c07 N73-26119
US-PATENT-APPL-SN-89211 c14 N73-12446
US-PATENT-APPL-SN-89212 c08 N72-25208
US-PATENT-APPL-SN-90595 c03 N72-20031
US-PATENT-APPL-SN-91180 c14 N70-40240
US-PATENT-APPL-SN-91642 c14 N72-31446
US-PATENT-APPL-SN-93329 c09 N73-26195
US-PATENT-APPL-SN-94049 c14 N73-20476
US-PATENT-APPL-SN-94259 c27 N70-35534
US-PATENT-APPL-SN-94347 c05 N72-25122
US-PATENT-APPL-SN-94369 c07 N71-28965
US-PATENT-APPL-SN-94374 c14 N72-25411
US-PATENT-APPL-SN-94952 c14 N70-34158
US-PATENT-APPL-SN-95183 c08 N73-12175
US-PATENT-APPL-SN-95189 c74 N77-21941
US-PATENT-APPL-SN-97112 c21 N70-34539
US-PATENT-APPL-SN-97343 c10 N72-27246
US-PATENT-APPL-SN-97472 c14 N73-28487
US-PATENT-APPL-SN-97829 c06 N73-13129
US-PATENT-APPL-SN-98517 c09 N72-25250
US-PATENT-APPL-SN-98640 c09 N72-25253
US-PATENT-APPL-SN-98772 c08 N73-12176
US-PATENT-APPL-SN-98773 c15 N72-22486
US-PATENT-APPL-SN-98774 c14 N73-19419
US-PATENT-APPL-SN-98798 c09 N73-13209
US-PATENT-APPL-SN-99174 c14 N72-33377
US-PATENT-APPL-SN-99175 c09 N72-25258
US-PATENT-APPL-SN-99198 c31 N73-32749
US-PATENT-APPL-SN-99201 c15 N73-25512
US-PATENT-APPL-SN-99201 c37 N74-20063
US-PATENT-APPL-SN-99524 c06 N72-27144
US-PATENT-APPL-SN-99901 c37 N74-10474
US-PATENT-APPL-SN-99903 c11 N73-12265
US-PATENT-APPL-SN-003693 c52 N81-14612
US-PATENT-APPL-SN-006952 c27 N81-14077
US-PATENT-APPL-SN-007083 c26 N80-32484
US-PATENT-APPL-SN-008207 c32 N80-23524
US-PATENT-APPL-SN-008208 c37 N81-17432
US-PATENT-APPL-SN-008209 c32 N79-17067
US-PATENT-APPL-SN-008210 c05 N79-24980
US-PATENT-APPL-SN-008211 c74 N81-17887
US-PATENT-APPL-SN-008212 c44 N80-24741
US-PATENT-APPL-SN-009886 c31 N80-32583
US-PATENT-APPL-SN-009887 c28 N81-14103
US-PATENT-APPL-SN-009888 c37 N81-14320
US-PATENT-APPL-SN-009889 c33 N79-17134
US-PATENT-APPL-SN-011737 c27 N81-14078
US-PATENT-APPL-SN-014663 c39 N79-25425
US-PATENT-APPL-SN-014664 c44 N81-14389
US-PATENT-APPL-SN-015983 c02 N80-28300
US-PATENT-APPL-SN-015995 c08 N79-20135
US-PATENT-APPL-SN-015996 c08 N79-20136
US-PATENT-APPL-SN-017885 c32 N79-19195
US-PATENT-APPL-SN-017886 c33 N79-18224
US-PATENT-APPL-SN-017887 c32 N79-18154

US-PATENT-APPL-SN-017888 c51 N80-16715
US-PATENT-APPL-SN-017889 c02 N79-24958
US-PATENT-APPL-SN-017890 c33 N81-15192
US-PATENT-APPL-SN-019541 c02 N81-14568
US-PATENT-APPL-SN-023436 c07 N80-32392
US-PATENT-APPL-SN-023437 c60 N79-23674
US-PATENT-APPL-SN-023439 c54 N79-20746
US-PATENT-APPL-SN-023484 c33 N81-20352
US-PATENT-APPL-SN-023485 c36 N79-21336
US-PATENT-APPL-SN-023501 c26 N80-28492
US-PATENT-APPL-SN-025162 c35 N81-14287
US-PATENT-APPL-SN-025163 c74 N80-33210
US-PATENT-APPL-SN-027557 c27 N81-19296
US-PATENT-APPL-SN-027558 c36 N79-28532
US-PATENT-APPL-SN-027559 c44 N81-17518
US-PATENT-APPL-SN-028300 c27 N81-17259
US-PATENT-APPL-SN-028301 c27 N81-17262
US-PATENT-APPL-SN-030964 c74 N79-25876
US-PATENT-APPL-SN-032305 c37 N79-23432
US-PATENT-APPL-SN-032307 c34 N79-23383
US-PATENT-APPL-SN-034104 c08 N81-19130
US-PATENT-APPL-SN-034529 c24 N79-23142
US-PATENT-APPL-SN-034531 c52 N79-23657
US-PATENT-APPL-SN-037066 c25 N81-14016
US-PATENT-APPL-SN-037072 c31 N79-24197
US-PATENT-APPL-SN-037194 c37 N79-23431
US-PATENT-APPL-SN-037560 c74 N79-23777
US-PATENT-APPL-SN-038980 c07 N81-14999
US-PATENT-APPL-SN-039031 c32 N80-28578
US-PATENT-APPL-SN-041141 c36 N79-26385
US-PATENT-APPL-SN-041142 c32 N81-15179
US-PATENT-APPL-SN-041143 c60 N79-27864
US-PATENT-APPL-SN-041145 c25 N79-23167
US-PATENT-APPL-SN-041164 c33 N81-19392
US-PATENT-APPL-SN-043911 c02 N79-24959
US-PATENT-APPL-SN-043912 c43 N81-17499
US-PATENT-APPL-SN-043913 c54 N79-25761
US-PATENT-APPL-SN-043941 c44 N81-19558
US-PATENT-APPL-SN-043942 c06 N79-24988
US-PATENT-APPL-SN-043943 c34 N80-18338
US-PATENT-APPL-SN-043944 c39 N79-25424
US-PATENT-APPL-SN-043945 c33 N79-25313
US-PATENT-APPL-SN-044429 c33 N79-25314
US-PATENT-APPL-SN-044431 c33 N79-25315
US-PATENT-APPL-SN-044432 c52 N81-20703
US-PATENT-APPL-SN-046739 c54 N79-33848
US-PATENT-APPL-SN-051269 c33 N79-26311
US-PATENT-APPL-SN-051270 c32 N80-32604
US-PATENT-APPL-SN-051271 c60 N79-27865
US-PATENT-APPL-SN-051274 c35 N79-27479
US-PATENT-APPL-SN-051275 c44 N79-29608
US-PATENT-APPL-SN-051276 c33 N79-26312
US-PATENT-APPL-SN-053566 c09 N79-33220
US-PATENT-APPL-SN-053569 c35 N81-19426
US-PATENT-APPL-SN-053571 c31 N81-19343
US-PATENT-APPL-SN-053572 c32 N79-26253
US-PATENT-APPL-SN-053652 c33 N79-27395
US-PATENT-APPL-SN-054501 c27 N79-30376
US-PATENT-APPL-SN-054502 c27 N79-30375
US-PATENT-APPL-SN-054538 c60 N79-32852
US-PATENT-APPL-SN-057465 c37 N81-17433
US-PATENT-APPL-SN-057466 c71 N81-15767
US-PATENT-APPL-SN-057526 c52 N79-30521
US-PATENT-APPL-SN-060435 c44 N79-28667
US-PATENT-APPL-SN-061327 c32 N79-28383
US-PATENT-APPL-SN-061555 c44 N80-18557
US-PATENT-APPL-SN-061556 c35 N81-19427
US-PATENT-APPL-SN-065676 c35 N80-18364
US-PATENT-APPL-SN-065676 c44 N81-12542
US-PATENT-APPL-SN-067595 c05 N80-11065
US-PATENT-APPL-SN-067596 c51 N80-11756
US-PATENT-APPL-SN-069429 c37 N80-11468
US-PATENT-APPL-SN-069485 c33 N79-31498
US-PATENT-APPL-SN-070366 c35 N80-11400
US-PATENT-APPL-SN-070771 c27 N81-17260
US-PATENT-APPL-SN-070774 c37 N80-11469
US-PATENT-APPL-SN-072727 c33 N80-12281
US-PATENT-APPL-SN-072857 c24 N80-12117
US-PATENT-APPL-SN-073477 c74 N80-12866
US-PATENT-APPL-SN-073579 c33 N79-32463
US-PATENT-APPL-SN-076635 c37 N80-18397
US-PATENT-APPL-SN-076643 c32 N79-32408
US-PATENT-APPL-SN-078521 c32 N81-14186
US-PATENT-APPL-SN-078611 c04 N81-21C47
US-PATENT-APPL-SN-078612 c74 N79-34014
US-PATENT-APPL-SN-079913 c05 N80-16055
US-PATENT-APPL-SN-079914 c44 N80-18555
US-PATENT-APPL-SN-088663 c33 N80-11326
US-PATENT-APPL-SN-089779 c24 N80-11142
US-PATENT-APPL-SN-090584 c74 N81-19896
US-PATENT-APPL-SN-092141 c27 N80-18179
US-PATENT-APPL-SN-092142 c27 N80-16164
US-PATENT-APPL-SN-092143 c32 N80-12256
US-PATENT-APPL-SN-092145 c37 N80-12414
US-PATENT-APPL-SN-092170 c37 N80-18398
US-PATENT-APPL-SN-093714 c44 N80-12549
US-PATENT-APPL-SN-095217 c74 N81-19898
US-PATENT-APPL-SN-096255 c37 N80-18400
US-PATENT-APPL-SN-096257 c37 N80-16339
US-PATENT-APPL-SN-098567 c37 N80-17468
US-PATENT-APPL-SN-098568 c33 N80-14338
US-PATENT-APPL-SN-098569 c35 N80-17421
US-PATENT-APPL-SN-098570 c44 N80-17544
US-PATENT-APPL-SN-100611 c37 N80-22704
US-PATENT-APPL-SN-100637 c37 N75-18574
US-PATENT-APPL-SN-100639 c14 N72-32452
US-PATENT-APPL-SN-100774 c06 N72-25151
US-PATENT-APPL-SN-100774 c06 N73-32030
US-PATENT-APPL-SN-100996 c08 N73-13187
US-PATENT-APPL-SN-101029 c31 N70-38676
US-PATENT-APPL-SN-101214 c14 N73-26430
US-PATENT-APPL-SN-101354 c10 N73-16205
US-PATENT-APPL-SN-102001 c36 N80-18380
US-PATENT-APPL-SN-102002 c04 N80-18019
US-PATENT-APPL-SN-102003 c26 N80-14232
US-PATENT-APPL-SN-102004 c37 N80-18401
US-PATENT-APPL-SN-102412 c25 N72-33696
US-PATENT-APPL-SN-102593 c37 N80-14400
US-PATENT-APPL-SN-103077 c25 N72-32688
US-PATENT-APPL-SN-103078 c15 N73-12486
US-PATENT-APPL-SN-103091 c37 N74-23070
US-PATENT-APPL-SN-103229 c14 N72-22439
US-PATENT-APPL-SN-103230 c15 N73-14468
US-PATENT-APPL-SN-103551 c31 N73-14854
US-PATENT-APPL-SN-103836 c37 N80-18402
US-PATENT-APPL-SN-104047 c15 N72-31483
US-PATENT-APPL-SN-104048 c31 N73-14855
US-PATENT-APPL-SN-104187 c14 N70-36618
US-PATENT-APPL-SN-104188 c09 N70-34819
US-PATENT-APPL-SN-104346 c14 N73-28488
US-PATENT-APPL-SN-104884 c15 N72-33476
US-PATENT-APPL-SN-104885 c14 N73-24472
US-PATENT-APPL-SN-105518 c23 N71-15978
US-PATENT-APPL-SN-106106 c91 N74-13130
US-PATENT-APPL-SN-106118 c32 N80-16261
US-PATENT-APPL-SN-106119 c35 N80-16313
US-PATENT-APPL-SN-106135 c28 N70-34294
US-PATENT-APPL-SN-106136 c35 N80-18363
US-PATENT-APPL-SN-106188 c27 N80-16163
US-PATENT-APPL-SN-106190 c33 N80-18300
US-PATENT-APPL-SN-106192 c33 N80-21671
US-PATENT-APPL-SN-106424 c17 N73-24569
US-PATENT-APPL-SN-106465 c30 N73-12884
US-PATENT-APPL-SN-107298 c32 N73-13921
US-PATENT-APPL-SN-107376 c15 N73-25513
US-PATENT-APPL-SN-107379 c10 N72-33230
US-PATENT-APPL-SN-107380 c28 N73-13773
US-PATENT-APPL-SN-107659 c23 N73-20741
US-PATENT-APPL-SN-107866 c17 N70-36616
US-PATENT-APPL-SN-107870 c15 N70-36411
US-PATENT-APPL-SN-108107 c37 N80-18399
US-PATENT-APPL-SN-108810 c33 N77-22386
US-PATENT-APPL-SN-108824 c31 N73-13898
US-PATENT-APPL-SN-109789 c09 N70-34596
US-PATENT-APPL-SN-110402 c09 N72-27226
US-PATENT-APPL-SN-110591 c15 N70-39896
US-PATENT-APPL-SN-111436 c33 N80-17359
US-PATENT-APPL-SN-111438 c45 N80-19664
US-PATENT-APPL-SN-111439 c32 N80-18261
US-PATENT-APPL-SN-111998 c21 N73-30640
US-PATENT-APPL-SN-112366 c06 N72-10138
US-PATENT-APPL-SN-112988 c07 N72-32169
US-PATENT-APPL-SN-112998 c14 N73-12445
US-PATENT-APPL-SN-112999 c23 N72-25619
US-PATENT-APPL-SN-112999 c32 N79-19186
US-PATENT-APPL-SN-113015 c31 N80-17292
US-PATENT-APPL-SN-114772 c04 N76-26175
US-PATENT-APPL-SN-114846 c14 N73-12444
US-PATENT-APPL-SN-114847 c15 N72-28496
US-PATENT-APPL-SN-114848 c11 N72-23215
US-PATENT-APPL-SN-114849 c09 N72-27227
US-PATENT-APPL-SN-114873 c09 N73-28083
US-PATENT-APPL-SN-115082 c18 N73-13562
US-PATENT-APPL-SN-115083 c07 N73-25160
US-PATENT-APPL-SN-115134 c06 N73-13128
US-PATENT-APPL-SN-115536 c60 N80-17723
US-PATENT-APPL-SN-115944 c03 N71-34044
US-PATENT-APPL-SN-116310 c28 N80-26460

US-PATENT-APPL-SN-116777 c09 N73-19235
US-PATENT-APPL-SN-116778 c09 N72-33205
US-PATENT-APPL-SN-116786 c07 N72-25172
US-PATENT-APPL-SN-116790 c14 N73-30388
US-PATENT-APPL-SN-117575 c08 N73-12177
US-PATENT-APPL-SN-118169 c14 N70-35220
US-PATENT-APPL-SN-118200 c15 N70-34247
US-PATENT-APPL-SN-118202 c28 N70-38710
US-PATENT-APPL-SN-118203 c14 N70-38602
US-PATENT-APPL-SN-118269 c33 N73-26958
US-PATENT-APPL-SN-118270 c09 N72-25260
US-PATENT-APPL-SN-119282 c03 N72-23048
US-PATENT-APPL-SN-119334 c26 N80-19237
US-PATENT-APPL-SN-119335 c35 N80-19468
US-PATENT-APPL-SN-119336 c33 N80-19424
US-PATENT-APPL-SN-119337 c24 N81-16128
US-PATENT-APPL-SN-119339 c36 N80-18381
US-PATENT-APPL-SN-119340 c35 N80-18362
US-PATENT-APPL-SN-120241 c15 N73-24513
US-PATENT-APPL-SN-120795 c07 N70-40202
US-PATENT-APPL-SN-120797 c14 N70-36624
US-PATENT-APPL-SN-120803 c08 N70-34743
US-PATENT-APPL-SN-121328 c23 N72-11568
US-PATENT-APPL-SN-122965 c35 N80-19469
US-PATENT-APPL-SN-122966 c33 N80-19425
US-PATENT-APPL-SN-123253 c10 N73-12244
US-PATENT-APPL-SN-123597 c21 N70-34297
US-PATENT-APPL-SN-124909 c14 N73-16483
US-PATENT-APPL-SN-125234 c07 N73-16121
US-PATENT-APPL-SN-125235 c51 N77-25769
US-PATENT-APPL-SN-125236 c14 N73-26431
US-PATENT-APPL-SN-125979 c09 N72-25255
US-PATENT-APPL-SN-126063 c25 N80-20338
US-PATENT-APPL-SN-126064 c33 N80-20488
US-PATENT-APPL-SN-126138 c34 N80-20528
US-PATENT-APPL-SN-127234 c08 N70-35423
US-PATENT-APPL-SN-127480 c37 N75-26371
US-PATENT-APPL-SN-127481 c24 N75-28135
US-PATENT-APPL-SN-127618 c02 N73-13008
US-PATENT-APPL-SN-127647 c15 N73-27405
US-PATENT-APPL-SN-127915 c02 N73-26004
US-PATENT-APPL-SN-127984 c33 N75-27250
US-PATENT-APPL-SN-128229 c35 N80-20565
US-PATENT-APPL-SN-128230 c60 N80-21987
US-PATENT-APPL-SN-128419 c14 N73-20477
US-PATENT-APPL-SN-129071 c09 N72-25254
US-PATENT-APPL-SN-129072 c15 N73-13467
US-PATENT-APPL-SN-129073 c15 N73-13464
US-PATENT-APPL-SN-129379 c37 N79-33468
US-PATENT-APPL-SN-129579 c28 N70-35381
US-PATENT-APPL-SN-129778 c37 N80-20589
US-PATENT-APPL-SN-129779 c32 N80-20453
US-PATENT-APPL-SN-129780 c44 N80-21831
US-PATENT-APPL-SN-129783 c04 N80-20249
US-PATENT-APPL-SN-129793 c33 N80-21670
US-PATENT-APPL-SN-129798 c25 N80-21464
US-PATENT-APPL-SN-129799 c27 N80-21533
US-PATENT-APPL-SN-130353 c31 N73-14853
US-PATENT-APPL-SN-130496 c36 N80-20574
US-PATENT-APPL-SN-134479 c14 N70-33179
US-PATENT-APPL-SN-134481 c11 N70-34815
US-PATENT-APPL-SN-134567 c14 N73-16484
US-PATENT-APPL-SN-134568 c06 N72-31141
US-PATENT-APPL-SN-134571 c21 N73-13644
US-PATENT-APPL-SN-134573 c09 N72-25257
US-PATENT-APPL-SN-134619 c35 N79-33449
US-PATENT-APPL-SN-134658 c15 N73-28515
US-PATENT-APPL-SN-134782 c09 N70-36494
US-PATENT-APPL-SN-134855 c44 N80-33857
US-PATENT-APPL-SN-135038 c35 N80-21723
US-PATENT-APPL-SN-135039 c35 N80-22661
US-PATENT-APPL-SN-135040 c09 N80-22369
US-PATENT-APPL-SN-135056 c07 N80-21327
US-PATENT-APPL-SN-135057 c08 N80-22359
US-PATENT-APPL-SN-135058 c33 N80-24549
US-PATENT-APPL-SN-136006 c09 N72-28225
US-PATENT-APPL-SN-136007 c09 N71-34212
US-PATENT-APPL-SN-136008 c27 N74-13270
US-PATENT-APPL-SN-136085 c17 N73-12547
US-PATENT-APPL-SN-136086 c15 N73-19457
US-PATENT-APPL-SN-136253 c28 N72-20767
US-PATENT-APPL-SN-136253 c27 N74-12814
US-PATENT-APPL-SN-136660 c24 N80-22410
US-PATENT-APPL-SN-137391 c36 N75-31426
US-PATENT-APPL-SN-137912 c06 N72-21105
US-PATENT-APPL-SN-138227 c26 N72-27784
US-PATENT-APPL-SN-138229 c15 N72-32487
US-PATENT-APPL-SN-138230 c32 N73-20740
US-PATENT-APPL-SN-138944 c37 N80-22703
US-PATENT-APPL-SN-139006 c09 N70-38604
US-PATENT-APPL-SN-139007 c28 N70-37245
US-PATENT-APPL-SN-139012 c03 N70-38713
US-PATENT-APPL-SN-139094 c05 N73-32011
US-PATENT-APPL-SN-139250 c04 N73-27052
US-PATENT-APPL-SN-139528 c03 N72-25020
US-PATENT-APPL-SN-139596 c33 N77-13315
US-PATENT-APPL-SN-140439 c33 N75-19518
US-PATENT-APPL-SN-140443 c09 N70-35219
US-PATENT-APPL-SN-140509 c09 N70-35382
US-PATENT-APPL-SN-140946 c18 N73-26572
US-PATENT-APPL-SN-140946 c27 N74-27037
US-PATENT-APPL-SN-141220 c33 N70-37979
US-PATENT-APPL-SN-142583 c37 N79-33469
US-PATENT-APPL-SN-142662 c23 N73-13661
US-PATENT-APPL-SN-142719 c14 N73-14429
US-PATENT-APPL-SN-143078 c08 N72-33172
US-PATENT-APPL-SN-143508 c33 N74-12913
US-PATENT-APPL-SN-144139 c11 N73-26238
US-PATENT-APPL-SN-144803 c11 N70-34844
US-PATENT-APPL-SN-144804 c14 N70-39898
US-PATENT-APPL-SN-144958 c09 N72-20206
US-PATENT-APPL-SN-145007 c18 N70-36400
US-PATENT-APPL-SN-145026 c06 N72-25152
US-PATENT-APPL-SN-145027 c06 N73-32029
US-PATENT-APPL-SN-145107 c27 N80-24440
US-PATENT-APPL-SN-145206 c32 N80-24511
US-PATENT-APPL-SN-145207 c25 N80-23394
US-PATENT-APPL-SN-145208 c39 N80-25693
US-PATENT-APPL-SN-145209 c37 N80-24619
US-PATENT-APPL-SN-145210 c09 N80-24334
US-PATENT-APPL-SN-145272 c74 N80-25134
US-PATENT-APPL-SN-145273 c14 N80-24342
US-PATENT-APPL-SN-145282 c74 N80-24152
US-PATENT-APPL-SN-146217 c14 N71-34389
US-PATENT-APPL-SN-146935 c14 N73-20475
US-PATENT-APPL-SN-146939 c73 N75-30876
US-PATENT-APPL-SN-146940 c05 N73-32014
US-PATENT-APPL-SN-147099 c14 N73-13417
US-PATENT-APPL-SN-147103 c10 N73-20253
US-PATENT-APPL-SN-147695 c32 N81-16338
US-PATENT-APPL-SN-147700 c27 N80-23454
US-PATENT-APPL-SN-147922 c28 N73-19793
US-PATENT-APPL-SN-147940 c14 N72-10375
US-PATENT-APPL-SN-147996 c28 N73-24784
US-PATENT-APPL-SN-147997 c15 N72-33477
US-PATENT-APPL-SN-148001 c14 N70-34298
US-PATENT-APPL-SN-148756 c15 N73-13466
US-PATENT-APPL-SN-149283 c35 N74-17153
US-PATENT-APPL-SN-149983 c31 N72-21893
US-PATENT-APPL-SN-150040 c36 N80-24602
US-PATENT-APPL-SN-150115 c44 N80-24747
US-PATENT-APPL-SN-150215 c33 N73-25952
US-PATENT-APPL-SN-150690 c35 N79-33450
US-PATENT-APPL-SN-151112 c15 N70-34814
US-PATENT-APPL-SN-151114 c31 N70-34176
US-PATENT-APPL-SN-151411 c07 N73-26118
US-PATENT-APPL-SN-151412 c09 N73-32112
US-PATENT-APPL-SN-151413 c14 N73-12447
US-PATENT-APPL-SN-151598 c03 N70-34134
US-PATENT-APPL-SN-152328 c02 N74-20646
US-PATENT-APPL-SN-152849 c15 N73-30457
US-PATENT-APPL-SN-153240 c33 N80-26601
US-PATENT-APPL-SN-153245 c74 N81-12862
US-PATENT-APPL-SN-153246 c52 N80-27073
US-PATENT-APPL-SN-153266 c02 N70-38011
US-PATENT-APPL-SN-153542 c28 N73-32606
US-PATENT-APPL-SN-153543 c08 N73-26176
US-PATENT-APPL-SN-153624 c37 N75-27376
US-PATENT-APPL-SN-154094 c33 N72-27959
US-PATENT-APPL-SN-154725 c37 N80-25660
US-PATENT-APPL-SN-154726 c33 N80-25538
US-PATENT-APPL-SN-154930 c44 N76-14600
US-PATENT-APPL-SN-154933 c14 N73-25463
US-PATENT-APPL-SN-154935 c11 N72-27262
US-PATENT-APPL-SN-155565 c08 N73-25206
US-PATENT-APPL-SN-155584 c09 N70-40123
US-PATENT-APPL-SN-155595 c26 N73-28710
US-PATENT-APPL-SN-155596 c15 N73-32361
US-PATENT-APPL-SN-155598 c15 N73-28516
US-PATENT-APPL-SN-156724 c21 N73-13643
US-PATENT-APPL-SN-156725 c14 N73-27377
US-PATENT-APPL-SN-156778 c17 N72-28535
US-PATENT-APPL-SN-157150 c37 N80-26659
US-PATENT-APPL-SN-158183 c32 N80-26571
US-PATENT-APPL-SN-158914 c11 N70-36913
US-PATENT-APPL-SN-158916 c05 N70-41819
US-PATENT-APPL-SN-159804 c11 N70-38196
US-PATENT-APPL-SN-159857 c05 N73-26072

US-PATENT-APPL-SN-159966 c31 N73-26876
US-PATENT-APPL-SN-160093 c04 N78-17031
US-PATENT-APPL-SN-160859 c32 N73-26910
US-PATENT-APPL-SN-160860 c18 N73-32437
US-PATENT-APPL-SN-161028 c14 N73-19420
US-PATENT-APPL-SN-161253 c27 N80-26447
US-PATENT-APPL-SN-161254 c24 N80-26389
US-PATENT-APPL-SN-161255 c25 N80-26406
US-PATENT-APPL-SN-161256 c33 N80-28635
US-PATENT-APPL-SN-161257 c37 N80-26660
US-PATENT-APPL-SN-162100 c33 N74-14939
US-PATENT-APPL-SN-162101 c14 N73-24473
US-PATENT-APPL-SN-162230 c26 N72-28761
US-PATENT-APPL-SN-162380 c36 N74-21091
US-PATENT-APPL-SN-163151 c74 N75-25706
US-PATENT-APPL-SN-163152 c17 N73-27446
US-PATENT-APPL-SN-163837 c47 N80-26992
US-PATENT-APPL-SN-163838 c25 N80-26407
US-PATENT-APPL-SN-163839 c23 N80-26386
US-PATENT-APPL-SN-163840 c37 N80-26661
US-PATENT-APPL-SN-164428 c09 N70-35440
US-PATENT-APPL-SN-164617 c06 N81-17057
US-PATENT-APPL-SN-165910 c32 N80-32607
US-PATENT-APPL-SN-166487 c11 N73-32152
US-PATENT-APPL-SN-166541 c14 N73-13415
US-PATENT-APPL-SN-166969 c15 N70-34249
US-PATENT-APPL-SN-166970 c15 N70-36409
US-PATENT-APPL-SN-167719 c16 N73-33397
US-PATENT-APPL-SN-168560 c02 N70-34856
US-PATENT-APPL-SN-168650 c14 N73-13416
US-PATENT-APPL-SN-168943 c54 N80-30043
US-PATENT-APPL-SN-168944 c37 N80-29704
US-PATENT-APPL-SN-168995 c33 N80-32651
US-PATENT-APPL-SN-169671 c10 N73-30205
US-PATENT-APPL-SN-169962 c34 N74-30608
US-PATENT-APPL-SN-169977 c14 N70-34794
US-PATENT-APPL-SN-170440 c15 N73-13462
US-PATENT-APPL-SN-170544 c36 N77-19416
US-PATENT-APPL-SN-170680 c34 N74-15652
US-PATENT-APPL-SN-170681 c10 N73-25240
US-PATENT-APPL-SN-171927 c33 N80-29584
US-PATENT-APPL-SN-171928 c33 N80-31731
US-PATENT-APPL-SN-171933 c31 N80-32585
US-PATENT-APPL-SN-171934 c35 N80-31774
US-PATENT-APPL-SN-172098 c33 N80-29583
US-PATENT-APPL-SN-172099 c32 N80-29543
US-PATENT-APPL-SN-172459 c06 N73-16106
US-PATENT-APPL-SN-172807 c07 N73-28012
US-PATENT-APPL-SN-173081 c28 N70-36806
US-PATENT-APPL-SN-173178 c33 N77-21315
US-PATENT-APPL-SN-173185 c23 N73-13660
US-PATENT-APPL-SN-173190 c05 N73-32015
US-PATENT-APPL-SN-173518 c60 N80-30050
US-PATENT-APPL-SN-173519 c44 N80-29843
US-PATENT-APPL-SN-173520 c37 N80-29705
US-PATENT-APPL-SN-173521 c27 N80-29496
US-PATENT-APPL-SN-173524 c35 N80-29635
US-PATENT-APPL-SN-173981 c14 N70-35666
US-PATENT-APPL-SN-174684 c33 N75-31331
US-PATENT-APPL-SN-175267 c14 N73-28486
US-PATENT-APPL-SN-175452 c27 N80-31551
US-PATENT-APPL-SN-175453 c85 N80-33312
US-PATENT-APPL-SN-175497 c08 N73-28045
US-PATENT-APPL-SN-175852 c25 N73-25760
US-PATENT-APPL-SN-175881 c09 N73-15235
US-PATENT-APPL-SN-175981 c16 N73-30476
US-PATENT-APPL-SN-175983 c31 N73-32750
US-PATENT-APPL-SN-177684 c28 N70-34860
US-PATENT-APPL-SN-177753 c07 N72-20154
US-PATENT-APPL-SN-177985 c35 N74-15631
US-PATENT-APPL-SN-178192 c25 N80-31490
US-PATENT-APPL-SN-178193 c52 N81-12724
US-PATENT-APPL-SN-178195 c35 N81-12390
US-PATENT-APPL-SN-178213 c25 N70-33267
US-PATENT-APPL-SN-178215 c25 N70-34661
US-PATENT-APPL-SN-178721 c03 N70-35408
US-PATENT-APPL-SN-178771 c23 N75-14834
US-PATENT-APPL-SN-180370 c28 N70-33375
US-PATENT-APPL-SN-180374 c28 N70-38181
US-PATENT-APPL-SN-180377 c15 N70-36908
US-PATENT-APPL-SN-180379 c21 N70-35395
US-PATENT-APPL-SN-180380 c09 N70-38998
US-PATENT-APPL-SN-180381 c21 N70-35089
US-PATENT-APPL-SN-180382 c28 N70-38645
US-PATENT-APPL-SN-180384 c11 N70-38675
US-PATENT-APPL-SN-180391 c28 N70-38249
US-PATENT-APPL-SN-180392 c09 N71-13530
US-PATENT-APPL-SN-180394 c15 N70-38603
US-PATENT-APPL-SN-180395 c15 N70-36947
US-PATENT-APPL-SN-180396 c11 N70-38202
US-PATENT-APPL-SN-180473 c28 N73-27699
US-PATENT-APPL-SN-180683 c10 N73-25241
US-PATENT-APPL-SN-180963 c14 N73-27378
US-PATENT-APPL-SN-181023 c15 N73-26472
US-PATENT-APPL-SN-181024 c07 N73-26117
US-PATENT-APPL-SN-181828 c02 N70-34858
US-PATENT-APPL-SN-181829 c31 N70-38010
US-PATENT-APPL-SN-182033 c33 N73-27796
US-PATENT-APPL-SN-182399 c07 N73-28013
US-PATENT-APPL-SN-182692 c15 N70-36535
US-PATENT-APPL-SN-182696 c21 N70-36938
US-PATENT-APPL-SN-182698 c15 N70-38620
US-PATENT-APPL-SN-182699 c28 N70-38504
US-PATENT-APPL-SN-182879 c76 N80-32246
US-PATENT-APPL-SN-182880 c37 N81-12422
US-PATENT-APPL-SN-182881 c18 N81-12156
US-PATENT-APPL-SN-182977 c39 N74-13131
US-PATENT-APPL-SN-182978 c16 N73-13489
US-PATENT-APPL-SN-183240 c06 N73-30098
US-PATENT-APPL-SN-183706 c34 N81-12362
US-PATENT-APPL-SN-183707 c23 N80-31472
US-PATENT-APPL-SN-183977 c28 N70-38505
US-PATENT-APPL-SN-183978 c15 N70-38020
US-PATENT-APPL-SN-184090 c14 N73-32327
US-PATENT-APPL-SN-184649 c07 N70-36911
US-PATENT-APPL-SN-184960 c06 N73-27980
US-PATENT-APPL-SN-185865 c52 N80-33081
US-PATENT-APPL-SN-185867 c44 N80-32850
US-PATENT-APPL-SN-185868 c37 N81-16468
US-PATENT-APPL-SN-185869 c07 N80-32393
US-PATENT-APPL-SN-186700 c32 N74-12912
US-PATENT-APPL-SN-186881 c74 N81-15818
US-PATENT-APPL-SN-187106 c74 N80-34251
US-PATENT-APPL-SN-187143 c36 N74-13205
US-PATENT-APPL-SN-187262 c15 N73-27406
US-PATENT-APPL-SN-187365 c35 N74-15127
US-PATENT-APPL-SN-187446 c31 N70-37924
US-PATENT-APPL-SN-188160 c74 N80-34250
US-PATENT-APPL-SN-188594 c15 N70-34967
US-PATENT-APPL-SN-188836 c35 N74-34857
US-PATENT-APPL-SN-188927 c08 N73-32081
US-PATENT-APPL-SN-188928 c37 N74-13178
US-PATENT-APPL-SN-189234 c24 N81-12174
US-PATENT-APPL-SN-189290 c14 N73-27379
US-PATENT-APPL-SN-189375 c18 N73-14584
US-PATENT-APPL-SN-189438 c35 N76-15431
US-PATENT-APPL-SN-189648 c32 N70-36536
US-PATENT-APPL-SN-190316 c17 N73-32414
US-PATENT-APPL-SN-191301 c25 N74-12813
US-PATENT-APPL-SN-191744 c33 N80-33679
US-PATENT-APPL-SN-191746 c26 N81-16209
US-PATENT-APPL-SN-191747 c44 N81-16530
US-PATENT-APPL-SN-191748 c35 N81-12389
US-PATENT-APPL-SN-192016 c03 N70-36778
US-PATENT-APPL-SN-192101 c10 N73-20254
US-PATENT-APPL-SN-192141 c07 N73-24176
US-PATENT-APPL-SN-192803 c07 N73-22076
US-PATENT-APPL-SN-192803 c35 N76-16391
US-PATENT-APPL-SN-192970 c23 N73-30665
US-PATENT-APPL-SN-193456 c10 N73-25243
US-PATENT-APPL-SN-193671 c15 N73-12488
US-PATENT-APPL-SN-193672 c54 N74-14845
US-PATENT-APPL-SN-193814 c14 N73-30393
US-PATENT-APPL-SN-193947 c14 N73-13420
US-PATENT-APPL-SN-193980 c31 N74-13177
US-PATENT-APPL-SN-195061 c05 N73-25125
US-PATENT-APPL-SN-195223 c35 N81-12388
US-PATENT-APPL-SN-195226 c31 N81-12283
US-PATENT-APPL-SN-195227 c35 N81-12386
US-PATENT-APPL-SN-195228 c35 N81-12387
US-PATENT-APPL-SN-195346 c15 N70-36492
US-PATENT-APPL-SN-195347 c31 N70-34135
US-PATENT-APPL-SN-195547 c33 N81-15194
US-PATENT-APPL-SN-196399 c07 N73-25161
US-PATENT-APPL-SN-196898 c38 N74-15130
US-PATENT-APPL-SN-196931 c35 N74-17885
US-PATENT-APPL-SN-196970 c15 N73-33383
US-PATENT-APPL-SN-197183 c02 N76-22154
US-PATENT-APPL-SN-197548 c09 N70-34502
US-PATENT-APPL-SN-197551 c31 N70-34296
US-PATENT-APPL-SN-197553 c08 N70-34778
US-PATENT-APPL-SN-197554 c14 N70-35368
US-PATENT-APPL-SN-197689 c31 N74-14133
US-PATENT-APPL-SN-197689 c31 N75-13111
US-PATENT-APPL-SN-197870 c14 N73-32322
US-PATENT-APPL-SN-198093 c54 N81-15699
US-PATENT-APPL-SN-198285 c09 N73-13208
US-PATENT-APPL-SN-198289 c14 N73-32326

US-PATENT-APPL-SN-198355 c05 N72-15098
US-PATENT-APPL-SN-198362 c14 N73-28489
US-PATENT-APPL-SN-198379 c15 N73-32359
US-PATENT-APPL-SN-198472 c27 N74-12812
US-PATENT-APPL-SN-198763 c31 N74-18124
US-PATENT-APPL-SN-198763 c31 N74-32920
US-PATENT-APPL-SN-198885 c05 N73-27062
US-PATENT-APPL-SN-199199 c25 N71-29184
US-PATENT-APPL-SN-199202 c14 N70-40239
US-PATENT-APPL-SN-199765 c33 N81-12330
US-PATENT-APPL-SN-199766 c36 N81-12407
US-PATENT-APPL-SN-199767 c33 N81-15195
US-PATENT-APPL-SN-199768 c27 N81-15107
US-PATENT-APPL-SN-199769 c26 N81-12211
US-PATENT-APPL-SN-199957 c10 N73-26229
US-PATENT-APPL-SN-200040 c52 N74-10975
US-PATENT-APPL-SN-200085 c26 N73-26751
US-PATENT-APPL-SN-200634 c34 N81-12363
US-PATENT-APPL-SN-200682 c07 N73-14130
US-PATENT-APPL-SN-200717 c09 N73-19234
US-PATENT-APPL-SN-200762 c03 N73-20040
US-PATENT-APPL-SN-200770 c09 N79-21084
US-PATENT-APPL-SN-201700 c33 N74-17930
US-PATENT-APPL-SN-201782 c15 N73-19458
US-PATENT-APPL-SN-201904 c15 N73-30458
US-PATENT-APPL-SN-201904 c37 N74-15128
US-PATENT-APPL-SN-201904 c37 N74-21064
US-PATENT-APPL-SN-202024 c14 N70-34156
US-PATENT-APPL-SN-202029 c11 N70-34786
US-PATENT-APPL-SN-202030 c31 N71-10747
US-PATENT-APPL-SN-202750 c19 N74-21015
US-PATENT-APPL-SN-202769 c05 N73-27941
US-PATENT-APPL-SN-203271 c51 N74-15778
US-PATENT-APPL-SN-203405 c02 N73-26006
US-PATENT-APPL-SN-203409 c28 N70-38197
US-PATENT-APPL-SN-203411 c33 N70-34812
US-PATENT-APPL-SN-204015 c09 N70-38201
US-PATENT-APPL-SN-205047 c15 N73-32360
US-PATENT-APPL-SN-205470 c08 N71-18752
US-PATENT-APPL-SN-205675 c14 N73-30386
US-PATENT-APPL-SN-206266 c76 N74-20329
US-PATENT-APPL-SN-206266 c76 N75-25730
US-PATENT-APPL-SN-206279 c02 N73-26005
US-PATENT-APPL-SN-206279 c05 N76-29217
US-PATENT-APPL-SN-206506 c33 N81-12331
US-PATENT-APPL-SN-206698 c15 N73-30459
US-PATENT-APPL-SN-207211 c07 N73-30113
US-PATENT-APPL-SN-209478 c07 N70-38200
US-PATENT-APPL-SN-209479 c15 N70-34850
US-PATENT-APPL-SN-209535 c28 N73-24783
US-PATENT-APPL-SN-209618 c33 N75-19520
US-PATENT-APPL-SN-209618 c33 N75-25041
US-PATENT-APPL-SN-209801 c08 N70-40125
US-PATENT-APPL-SN-210490 c36 N81-15350
US-PATENT-APPL-SN-210491 c02 N81-19016
US-PATENT-APPL-SN-210498 c35 N81-19428
US-PATENT-APPL-SN-210506 c35 N81-19429
US-PATENT-APPL-SN-210632 c31 N81-16329
US-PATENT-APPL-SN-211332 c02 N74-10034
US-PATENT-APPL-SN-211411 c11 N73-20267
US-PATENT-APPL-SN-211464 c28 N70-36910
US-PATENT-APPL-SN-212028 c09 N73-14214
US-PATENT-APPL-SN-212165 c14 N73-25460
US-PATENT-APPL-SN-212173 c02 N71-13421
US-PATENT-APPL-SN-212174 c15 N70-34859
US-PATENT-APPL-SN-212496 c03 N70-36803
US-PATENT-APPL-SN-212497 c11 N71-28779
US-PATENT-APPL-SN-212900 c14 N73-25462
US-PATENT-APPL-SN-212921 c07 N73-20176
US-PATENT-APPL-SN-212977 c15 N73-30460
US-PATENT-APPL-SN-213004 c14 N73-19421
US-PATENT-APPL-SN-213836 c15 N70-38601
US-PATENT-APPL-SN-213949 c07 N73-20175
US-PATENT-APPL-SN-214006 c37 N74-18126
US-PATENT-APPL-SN-214084 c37 N74-18123
US-PATENT-APPL-SN-214086 c14 N73-30395
US-PATENT-APPL-SN-214089 c35 N74-21018
US-PATENT-APPL-SN-214360 c35 N81-16427
US-PATENT-APPL-SN-216710 c12 N70-38997
US-PATENT-APPL-SN-216711 c03 N70-34157
US-PATENT-APPL-SN-216939 c14 N70-40400
US-PATENT-APPL-SN-217213 c37 N74-11301
US-PATENT-APPL-SN-217336 c16 N81-16110
US-PATENT-APPL-SN-218585 c27 N81-16238
US-PATENT-APPL-SN-218587 c31 N81-16327
US-PATENT-APPL-SN-218965 c10 N73-32145
US-PATENT-APPL-SN-219435 c24 N74-27035
US-PATENT-APPL-SN-219436 c15 N72-21489
US-PATENT-APPL-SN-219590 c06 N73-32030
US-PATENT-APPL-SN-219639 c25 N81-16174
US-PATENT-APPL-SN-219640 c74 N81-16882
US-PATENT-APPL-SN-219677 c44 N81-16528
US-PATENT-APPL-SN-219678 c44 N81-16529
US-PATENT-APPL-SN-219680 c31 N81-16328
US-PATENT-APPL-SN-219681 c24 N81-16127
US-PATENT-APPL-SN-219722 c21 N72-21631
US-PATENT-APPL-SN-219722 c03 N75-30132
US-PATENT-APPL-SN-219806 c07 N74-28226
US-PATENT-APPL-SN-220212 c33 N81-16384
US-PATENT-APPL-SN-220213 c37 N81-16469
US-PATENT-APPL-SN-220214 c33 N81-16385
US-PATENT-APPL-SN-220251 c37 N74-15125
US-PATENT-APPL-SN-220274 c31 N72-20840
US-PATENT-APPL-SN-220274 c18 N74-22136
US-PATENT-APPL-SN-220785 c85 N74-34672
US-PATENT-APPL-SN-221093 c17 N73-32415
US-PATENT-APPL-SN-221276 c14 N70-41955
US-PATENT-APPL-SN-221634 c05 N70-34857
US-PATENT-APPL-SN-221637 c26 N70-36805
US-PATENT-APPL-SN-221670 c35 N77-14408
US-PATENT-APPL-SN-221685 c35 N74-21062
US-PATENT-APPL-SN-221714 c09 N73-32110
US-PATENT-APPL-SN-221833 c09 N73-27150
US-PATENT-APPL-SN-221945 c31 N70-36410
US-PATENT-APPL-SN-223003 c33 N70-36846
US-PATENT-APPL-SN-223560 c10 N73-32144
US-PATENT-APPL-SN-224231 c47 N81-16677
US-PATENT-APPL-SN-224232 c36 N81-19440
US-PATENT-APPL-SN-224489 c31 N74-18089
US-PATENT-APPL-SN-225499 c37 N81-16470
US-PATENT-APPL-SN-225500 c33 N81-16386
US-PATENT-APPL-SN-226476 c10 N73-32143
US-PATENT-APPL-SN-226477 c74 N74-27866
US-PATENT-APPL-SN-226551 c06 N73-26100
US-PATENT-APPL-SN-227682 c14 N70-34161
US-PATENT-APPL-SN-227683 c02 N70-36804
US-PATENT-APPL-SN-227692 c14 N70-40003
US-PATENT-APPL-SN-227977 c25 N76-18245
US-PATENT-APPL-SN-228049 c37 N79-33467
US-PATENT-APPL-SN-228150 c05 N73-32013
US-PATENT-APPL-SN-228163 c44 N74-19693
US-PATENT-APPL-SN-228189 c35 N74-11283
US-PATENT-APPL-SN-228190 c23 N73-30666
US-PATENT-APPL-SN-228229 c27 N77-31308
US-PATENT-APPL-SN-228507 c11 N70-38182
US-PATENT-APPL-SN-228569 c14 N71-16014
US-PATENT-APPL-SN-229128 c14 N73-28490
US-PATENT-APPL-SN-229143 c09 N72-21248
US-PATENT-APPL-SN-229143 c33 N77-26387
US-PATENT-APPL-SN-229231 c35 N81-19430
US-PATENT-APPL-SN-229239 c31 N81-19344
US-PATENT-APPL-SN-229286 c33 N71-29052
US-PATENT-APPL-SN-229287 c35 N78-29421
US-PATENT-APPL-SN-229354 c62 N74-14920
US-PATENT-APPL-SN-229413 c14 N73-32323
US-PATENT-APPL-SN-229693 c25 N81-19245
US-PATENT-APPL-SN-229916 c46 N74-13011
US-PATENT-APPL-SN-231520 c27 N71-29155
US-PATENT-APPL-SN-231543 c33 N81-19394
US-PATENT-APPL-SN-231604 c28 N70-39925
US-PATENT-APPL-SN-231662 c14 N73-30392
US-PATENT-APPL-SN-232021 c04 N74-13420
US-PATENT-APPL-SN-232318 c11 N71-15960
US-PATENT-APPL-SN-232914 c15 N70-36412
US-PATENT-APPL-SN-233098 c12 N73-25262
US-PATENT-APPL-SN-233173 c12 N73-28144
US-PATENT-APPL-SN-233269 c76 N81-19944
US-PATENT-APPL-SN-233271 c37 N81-19457
US-PATENT-APPL-SN-233274 c74 N81-19899
US-PATENT-APPL-SN-233519 c20 N74-13502
US-PATENT-APPL-SN-233587 c16 N72-22520
US-PATENT-APPL-SN-233743 c37 N74-13179
US-PATENT-APPL-SN-234244 c36 N81-19439
US-PATENT-APPL-SN-234568 c28 N70-34788
US-PATENT-APPL-SN-235162 c08 N71-12501
US-PATENT-APPL-SN-235266 c26 N73-32571
US-PATENT-APPL-SN-235268 c36 N74-15145
US-PATENT-APPL-SN-235269 c09 N73-30181
US-PATENT-APPL-SN-235295 c09 N73-30185
US-PATENT-APPL-SN-235338 c71 N74-31148
US-PATENT-APPL-SN-235588 c28 N71-28928
US-PATENT-APPL-SN-235797 c44 N81-19561
US-PATENT-APPL-SN-235867 c24 N81-19230
US-PATENT-APPL-SN-235957 c14 N73-27376
US-PATENT-APPL-SN-235962 c36 N74-11313
US-PATENT-APPL-SN-236052 c14 N72-25428
US-PATENT-APPL-SN-236281 c09 N73-20232
US-PATENT-APPL-SN-236285 c08 N73-26175

US-PATENT-APPL-SN-236748 c14 N70-40157
US-PATENT-APPL-SN-236749 c15 N70-40180
US-PATENT-APPL-SN-236985 c44 N74-19692
US-PATENT-APPL-SN-237029 c09 N73-32108
US-PATENT-APPL-SN-237491 c05 N75-12930
US-PATENT-APPL-SN-237694 c35 N74-11284
US-PATENT-APPL-SN-238047 c33 N74-12951
US-PATENT-APPL-SN-238263 c35 N74-10415
US-PATENT-APPL-SN-238264 c37 N74-21061
US-PATENT-APPL-SN-238264 c37 N74-32921
US-PATENT-APPL-SN-238264 c37 N76-15461
US-PATENT-APPL-SN-238421 c28 N71-29153
US-PATENT-APPL-SN-238826 c28 N77-10213
US-PATENT-APPL-SN-239573 c33 N74-10223
US-PATENT-APPL-SN-239574 c09 N73-32107
US-PATENT-APPL-SN-239575 c09 N74-19528
US-PATENT-APPL-SN-239576 c33 N74-14935
US-PATENT-APPL-SN-239577 c35 N74-13132
US-PATENT-APPL-SN-239803 c70 N74-13436
US-PATENT-APPL-SN-240760 c15 N71-16075
US-PATENT-APPL-SN-241061 c06 N72-27151
US-PATENT-APPL-SN-241061 c06 N73-33076
US-PATENT-APPL-SN-241085 c14 N70-40238
US-PATENT-APPL-SN-241614 c10 N73-27171
US-PATENT-APPL-SN-241615 c09 N73-32111
US-PATENT-APPL-SN-242027 c52 N74-12778
US-PATENT-APPL-SN-242028 c21 N73-30641
US-PATENT-APPL-SN-242662 c74 N74-15095
US-PATENT-APPL-SN-243374 c15 N77-10112
US-PATENT-APPL-SN-244158 c32 N74-20863
US-PATENT-APPL-SN-244440 c21 N73-19630
US-PATENT-APPL-SN-244440 c14 N73-32320
US-PATENT-APPL-SN-244519 c37 N74-18125
US-PATENT-APPL-SN-244523 c31 N73-30829
US-PATENT-APPL-SN-244566 c74 N74-20008
US-PATENT-APPL-SN-245063 c33 N74-11049
US-PATENT-APPL-SN-245279 c25 N74-30502
US-PATENT-APPL-SN-245941 c33 N71-17897
US-PATENT-APPL-SN-246056 c38 N74-15395
US-PATENT-APPL-SN-247055 c37 N74-11300
US-PATENT-APPL-SN-247090 c37 N74-18128
US-PATENT-APPL-SN-247136 c14 N71-30265
US-PATENT-APPL-SN-247419 c14 N70-36907
US-PATENT-APPL-SN-247423 c01 N71-13410
US-PATENT-APPL-SN-247434 c25 N76-27383
US-PATENT-APPL-SN-247434 c25 N76-29379
US-PATENT-APPL-SN-247481 c05 N73-26071
US-PATENT-APPL-SN-248469 c14 N73-32318
US-PATENT-APPL-SN-248471 c31 N74-27902
US-PATENT-APPL-SN-248761 c15 N74-27360
US-PATENT-APPL-SN-248985 c03 N71-29129
US-PATENT-APPL-SN-249537 c14 N71-10797
US-PATENT-APPL-SN-249539 c28 N71-15658
US-PATENT-APPL-SN-249540 c15 N70-34861
US-PATENT-APPL-SN-249542 c28 N70-41576
US-PATENT-APPL-SN-250451 c08 N70-34787
US-PATENT-APPL-SN-250567 c33 N71-24676
US-PATENT-APPL-SN-250766 c07 N73-30115
US-PATENT-APPL-SN-250974 c31 N71-15664
US-PATENT-APPL-SN-251449 c07 N70-40063
US-PATENT-APPL-SN-251451 c09 N70-35425
US-PATENT-APPL-SN-251609 c05 N73-30078
US-PATENT-APPL-SN-251621 c16 N73-32391
US-PATENT-APPL-SN-251752 c24 N74-30001
US-PATENT-APPL-SN-252259 c33 N70-34545
US-PATENT-APPL-SN-253249 c33 N74-11050
US-PATENT-APPL-SN-253405 c10 N73-26228
US-PATENT-APPL-SN-253725 c35 N74-13129
US-PATENT-APPL-SN-253774 c25 N70-36946
US-PATENT-APPL-SN-254173 c35 N75-13213
US-PATENT-APPL-SN-254177 c10 N73-26230
US-PATENT-APPL-SN-254323 c35 N76-15434
US-PATENT-APPL-SN-254847 c15 N71-22674
US-PATENT-APPL-SN-255132 c14 N71-15598
US-PATENT-APPL-SN-256317 c52 N74-26626
US-PATENT-APPL-SN-256484 c06 N70-34946
US-PATENT-APPL-SN-256493 c20 N77-17143
US-PATENT-APPL-SN-257346 c15 N70-36901
US-PATENT-APPL-SN-258152 c35 N74-15090
US-PATENT-APPL-SN-258171 c34 N74-27744
US-PATENT-APPL-SN-258331 c03 N73-31988
US-PATENT-APPL-SN-258931 c14 N70-40203
US-PATENT-APPL-SN-258932 c05 N70-36493
US-PATENT-APPL-SN-259487 c33 N70-36647
US-PATENT-APPL-SN-260087 c21 N71-21688
US-PATENT-APPL-SN-260093 c25 N74-26948
US-PATENT-APPL-SN-260241 c74 N74-21304
US-PATENT-APPL-SN-261183 c09 N74-30597
US-PATENT-APPL-SN-261912 c14 N70-34818
US-PATENT-APPL-SN-261917 c09 N70-40272
US-PATENT-APPL-SN-261918 c28 N70-41447
US-PATENT-APPL-SN-262430 c35 N74-18323
US-PATENT-APPL-SN-262596 c14 N71-28958
US-PATENT-APPL-SN-262596 c62 N76-31946
US-PATENT-APPL-SN-263230 c33 N74-20860
US-PATENT-APPL-SN-263498 c34 N74-27859
US-PATENT-APPL-SN-263815 c09 N74-17955
US-PATENT-APPL-SN-264268 c31 N78-17238
US-PATENT-APPL-SN-264728 c30 N70-40016
US-PATENT-APPL-SN-264729 c33 N70-34540
US-PATENT-APPL-SN-264731 c09 N70-41655
US-PATENT-APPL-SN-264735 c28 N70-33265
US-PATENT-APPL-SN-264736 c28 N70-36802
US-PATENT-APPL-SN-266107 c11 N71-15925
US-PATENT-APPL-SN-266771 c37 N74-18127
US-PATENT-APPL-SN-266820 c07 N74-31270
US-PATENT-APPL-SN-266822 c32 N74-10132
US-PATENT-APPL-SN-266832 c33 N74-10195
US-PATENT-APPL-SN-266866 c33 N73-32818
US-PATENT-APPL-SN-266899 c60 N74-12888
US-PATENT-APPL-SN-266911 c36 N74-20009
US-PATENT-APPL-SN-266912 c32 N74-19788
US-PATENT-APPL-SN-266913 c31 N74-23065
US-PATENT-APPL-SN-266925 c54 N74-17853
US-PATENT-APPL-SN-266928 c26 N74-10521
US-PATENT-APPL-SN-266930 c54 N74-12779
US-PATENT-APPL-SN-266940 c32 N74-32598
US-PATENT-APPL-SN-266943 c72 N74-19310
US-PATENT-APPL-SN-267572 c73 N74-26767
US-PATENT-APPL-SN-267768 c70 N74-21300
US-PATENT-APPL-SN-267862 c33 N74-21851
US-PATENT-APPL-SN-269073 c52 N74-26625
US-PATENT-APPL-SN-269212 c07 N71-10775
US-PATENT-APPL-SN-269215 c14 N70-41332
US-PATENT-APPL-SN-269222 c15 N70-38225
US-PATENT-APPL-SN-269450 c36 N76-18427
US-PATENT-APPL-SN-270118 c33 N71-17610
US-PATENT-APPL-SN-271821 c15 N71-10778
US-PATENT-APPL-SN-271822 c15 N71-15967
US-PATENT-APPL-SN-271823 c27 N71-28929
US-PATENT-APPL-SN-271824 c07 N71-21476
US-PATENT-APPL-SN-271951 c35 N74-15092
US-PATENT-APPL-SN-273222 c33 N74-27683
US-PATENT-APPL-SN-273240 c35 N74-16135
US-PATENT-APPL-SN-273519 c35 N75-25122
US-PATENT-APPL-SN-273534 c09 N70-38712
US-PATENT-APPL-SN-274065 c16 N71-28963
US-PATENT-APPL-SN-274348 c60 N76-18800
US-PATENT-APPL-SN-274360 c32 N74-20809
US-PATENT-APPL-SN-275118 c35 N74-18088
US-PATENT-APPL-SN-276599 c74 N81-19896
US-PATENT-APPL-SN-277404 c05 N70-39922
US-PATENT-APPL-SN-277436 c37 N74-25968
US-PATENT-APPL-SN-277833 c03 N70-41580
US-PATENT-APPL-SN-277904 c28 N74-27425
US-PATENT-APPL-SN-277961 c33 N70-36617
US-PATENT-APPL-SN-278790 c15 N70-34664
US-PATENT-APPL-SN-279646 c08 N71-21042
US-PATENT-APPL-SN-280029 c35 N74-15126
US-PATENT-APPL-SN-280031 c26 N73-26752
US-PATENT-APPL-SN-280032 c35 N74-15093
US-PATENT-APPL-SN-280305 c34 N74-23039
US-PATENT-APPL-SN-280362 c14 N71-28935
US-PATENT-APPL-SN-280390 c37 N74-15128
US-PATENT-APPL-SN-280580 c12 N71-21089
US-PATENT-APPL-SN-280776 c14 N70-40273
US-PATENT-APPL-SN-280777 c08 N70-41961
US-PATENT-APPL-SN-281069 c14 N70-35394
US-PATENT-APPL-SN-281875 c25 N74-18551
US-PATENT-APPL-SN-281876 c52 N74-20726
US-PATENT-APPL-SN-281877 c35 N74-15146
US-PATENT-APPL-SN-281908 c25 N75-12086
US-PATENT-APPL-SN-282817 c15 N70-40156
US-PATENT-APPL-SN-282818 c14 N71-14996
US-PATENT-APPL-SN-283502 c37 N74-21060
US-PATENT-APPL-SN-284245 c33 N74-17928
US-PATENT-APPL-SN-284265 c14 N70-34799
US-PATENT-APPL-SN-284266 c15 N71-16077
US-PATENT-APPL-SN-285705 c37 N74-21056
US-PATENT-APPL-SN-286620 c15 N71-30028
US-PATENT-APPL-SN-286824 c44 N79-19447
US-PATENT-APPL-SN-287149 c35 N74-32878
US-PATENT-APPL-SN-287150 c37 N74-21065
US-PATENT-APPL-SN-288847 c33 N74-27862
US-PATENT-APPL-SN-288856 c33 N74-20859
US-PATENT-APPL-SN-288857 c14 N73-33361
US-PATENT-APPL-SN-289017 c37 N74-27905
US-PATENT-APPL-SN-289018 c08 N74-30421

US-PATENT-APPL-SN-289033 c15 N73-32358
US-PATENT-APPL-SN-289033 c37 N74-21055
US-PATENT-APPL-SN-289048 c37 N74-21057
US-PATENT-APPL-SN-289049 c19 N74-15089
US-PATENT-APPL-SN-289050 c20 N74-32919
US-PATENT-APPL-SN-290021 c37 N74-23064
US-PATENT-APPL-SN-290022 c09 N73-12214
US-PATENT-APPL-SN-290030 c33 N74-12887
US-PATENT-APPL-SN-290043 c18 N75-27040
US-PATENT-APPL-SN-290867 c28 N70-39531
US-PATENT-APPL-SN-290868 c31 N70-34966
US-PATENT-APPL-SN-290870 c15 N70-38996
US-PATENT-APPL-SN-290873 c10 N71-16058
US-PATENT-APPL-SN-290915 c32 N74-11000
US-PATENT-APPL-SN-291845 c52 N74-27566
US-PATENT-APPL-SN-292340 c52 N79-21750
US-PATENT-APPL-SN-292382 c27 N74-17283
US-PATENT-APPL-SN-292477 c15 N73-12495
US-PATENT-APPL-SN-292596 c10 N71-29135
US-PATENT-APPL-SN-292681 c33 N74-10194
US-PATENT-APPL-SN-292682 c14 N73-32319
US-PATENT-APPL-SN-292685 c32 N74-20864
US-PATENT-APPL-SN-292686 c20 N74-31269
US-PATENT-APPL-SN-292698 c09 N73-32109
US-PATENT-APPL-SN-293725 c89 N74-30886
US-PATENT-APPL-SN-293726 c37 N74-21055
US-PATENT-APPL-SN-293727 c33 N74-14956
US-PATENT-APPL-SN-293739 c35 N74-28097
US-PATENT-APPL-SN-294727 c73 N77-18891
US-PATENT-APPL-SN-294738 c73 N78-28913
US-PATENT-APPL-SN-295855 c23 N71-17802
US-PATENT-APPL-SN-296622 c44 N76-31666
US-PATENT-APPL-SN-296879 c26 N71-18064
US-PATENT-APPL-SN-297127 c33 N74-27705
US-PATENT-APPL-SN-297128 c32 N74-26654
US-PATENT-APPL-SN-297436 c33 N79-11314
US-PATENT-APPL-SN-298156 c37 N75-13261
US-PATENT-APPL-SN-298156 c26 N75-19408
US-PATENT-APPL-SN-298157 c33 N74-21850
US-PATENT-APPL-SN-298799 c14 N71-15962
US-PATENT-APPL-SN-298800 c14 N70-34705
US-PATENT-APPL-SN-299042 c15 N71-15518
US-PATENT-APPL-SN-300113 c33 N70-33344
US-PATENT-APPL-SN-300712 c15 N70-35407
US-PATENT-APPL-SN-300957 c33 N71-29053
US-PATENT-APPL-SN-301039 c37 N74-27903
US-PATENT-APPL-SN-301417 c71 N74-21014
US-PATENT-APPL-SN-301418 c52 N76-29894
US-PATENT-APPL-SN-301419 c34 N76-17317
US-PATENT-APPL-SN-301683 c07 N71-15907
US-PATENT-APPL-SN-302681 c37 N75-12326
US-PATENT-APPL-SN-302749 c14 N70-40201
US-PATENT-APPL-SN-302913 c76 N79-16678
US-PATENT-APPL-SN-304430 c52 N74-27864
US-PATENT-APPL-SN-304698 c32 N70-41579
US-PATENT-APPL-SN-304705 c32 N74-20810
US-PATENT-APPL-SN-304749 c11 N71-16028
US-PATENT-APPL-SN-305012 c35 N74-15094
US-PATENT-APPL-SN-305013 c14 N73-13435
US-PATENT-APPL-SN-305020 c21 N70-34295
US-PATENT-APPL-SN-305638 c34 N74-23066
US-PATENT-APPL-SN-305639 c37 N74-27904
US-PATENT-APPL-SN-306652 c33 N74-32712
US-PATENT-APPL-SN-307269 c24 N71-10560
US-PATENT-APPL-SN-307270 c10 N71-16030
US-PATENT-APPL-SN-307271 c09 N71-22999
US-PATENT-APPL-SN-307714 c03 N76-32140
US-PATENT-APPL-SN-307727 c32 N74-20813
US-PATENT-APPL-SN-307728 c34 N74-27861
US-PATENT-APPL-SN-307729 c31 N74-27900
US-PATENT-APPL-SN-308918 c27 N71-15634
US-PATENT-APPL-SN-309354 c11 N71-15926
US-PATENT-APPL-SN-310034 c32 N74-30524
US-PATENT-APPL-SN-310193 c33 N74-27682
US-PATENT-APPL-SN-310506 c10 N71-16042
US-PATENT-APPL-SN-310507 c07 N71-11298
US-PATENT-APPL-SN-310615 c37 N74-27901
US-PATENT-APPL-SN-310616 c35 N74-21017
US-PATENT-APPL-SN-310624 c33 N74-17929
US-PATENT-APPL-SN-311175 c52 N74-22771
US-PATENT-APPL-SN-311234 c35 N74-23040
US-PATENT-APPL-SN-311387 c23 N71-30027
US-PATENT-APPL-SN-312269 c28 N71-14043
US-PATENT-APPL-SN-312443 c10 N71-21473
US-PATENT-APPL-SN-313132 c28 N70-34175
US-PATENT-APPL-SN-313135 c15 N70-35087
US-PATENT-APPL-SN-313136 c09 N71-12540
US-PATENT-APPL-SN-313381 c35 N74-15091
US-PATENT-APPL-SN-314074 c15 N71-16079
US-PATENT-APPL-SN-314570 c10 N71-28960
US-PATENT-APPL-SN-314572 c14 N71-15992
US-PATENT-APPL-SN-314656 c51 N77-25769
US-PATENT-APPL-SN-315048 c34 N74-27730
US-PATENT-APPL-SN-315069 c33 N74-20862
US-PATENT-APPL-SN-315070 c60 N76-23850
US-PATENT-APPL-SN-315096 c12 N70-40124
US-PATENT-APPL-SN-316477 c18 N71-10772
US-PATENT-APPL-SN-316618 c07 N74-15453
US-PATENT-APPL-SN-317310 c36 N77-25502
US-PATENT-APPL-SN-317389 c18 N70-41583
US-PATENT-APPL-SN-317391 c15 N71-15968
US-PATENT-APPL-SN-317567 c36 N75-15029
US-PATENT-APPL-SN-318151 c75 N74-30156
US-PATENT-APPL-SN-318152 c52 N74-20728
US-PATENT-APPL-SN-318357 c35 N74-21019
US-PATENT-APPL-SN-318358 c27 N74-27037
US-PATENT-APPL-SN-318443 c03 N70-34667
US-PATENT-APPL-SN-318848 c35 N77-14408
US-PATENT-APPL-SN-319150 c33 N75-19519
US-PATENT-APPL-SN-319410 c37 N74-20063
US-PATENT-APPL-SN-319892 c07 N71-10609
US-PATENT-APPL-SN-319893 c14 N70-41647
US-PATENT-APPL-SN-319894 c03 N71-11053
US-PATENT-APPL-SN-319905 c14 N71-10781
US-PATENT-APPL-SN-320233 c33 N71-15625
US-PATENT-APPL-SN-320595 c26 N70-40015
US-PATENT-APPL-SN-321179 c27 N74-21156
US-PATENT-APPL-SN-321180 c05 N76-29217
US-PATENT-APPL-SN-321656 c14 N70-41807
US-PATENT-APPL-SN-322545 c14 N71-10774
US-PATENT-APPL-SN-322565 c37 N75-27376
US-PATENT-APPL-SN-322997 c37 N75-15992
US-PATENT-APPL-SN-322997 c24 N79-25143
US-PATENT-APPL-SN-322998 c35 N74-32877
US-PATENT-APPL-SN-323182 c03 N70-41864
US-PATENT-APPL-SN-324029 c32 N74-27612
US-PATENT-APPL-SN-325784 c24 N76-14204
US-PATENT-APPL-SN-326198 c35 N75-12272
US-PATENT-APPL-SN-326298 c14 N71-22765
US-PATENT-APPL-SN-326299 c26 N71-17818
US-PATENT-APPL-SN-326326 c35 N74-32879
US-PATENT-APPL-SN-326327 c44 N74-27519
US-PATENT-APPL-SN-326364 c51 N75-13502
US-PATENT-APPL-SN-327163 c03 N71-20895
US-PATENT-APPL-SN-327565 c02 N70-36825
US-PATENT-APPL-SN-327921 c54 N75-13531
US-PATENT-APPL-SN-327969 c35 N75-13213
US-PATENT-APPL-SN-328140 c18 N71-21651
US-PATENT-APPL-SN-328792 c35 N75-12273
US-PATENT-APPL-SN-329237 c33 N74-34638
US-PATENT-APPL-SN-329243 c28 N74-33209
US-PATENT-APPL-SN-329331 c15 N71-15906
US-PATENT-APPL-SN-329595 c05 N70-41329
US-PATENT-APPL-SN-329958 c33 N74-22885
US-PATENT-APPL-SN-330209 c15 N70-41646
US-PATENT-APPL-SN-330210 c14 N71-21090
US-PATENT-APPL-SN-331323 c07 N71-16088
US-PATENT-APPL-SN-331324 c05 N70-35152
US-PATENT-APPL-SN-331759 c07 N76-18117
US-PATENT-APPL-SN-331760 c35 N74-27860
US-PATENT-APPL-SN-332123 c27 N80-32514
US-PATENT-APPL-SN-332313 c21 N71-10678
US-PATENT-APPL-SN-332339 c07 N71-11284
US-PATENT-APPL-SN-333766 c31 N71-15663
US-PATENT-APPL-SN-333770 c21 N71-15583
US-PATENT-APPL-SN-333912 c32 N74-19790
US-PATENT-APPL-SN-334349 c35 N75-19611
US-PATENT-APPL-SN-334672 c14 N70-41330
US-PATENT-APPL-SN-334678 c11 N71-10777
US-PATENT-APPL-SN-335201 c33 N74-17927
US-PATENT-APPL-SN-335441 c14 N71-23268
US-PATENT-APPL-SN-336103 c16 N71-15550
US-PATENT-APPL-SN-336319 c44 N74-33379
US-PATENT-APPL-SN-336320 c15 N71-15966
US-PATENT-APPL-SN-336607 c10 N71-15910
US-PATENT-APPL-SN-336608 c32 N71-17645
US-PATENT-APPL-SN-337487 c33 N74-26977
US-PATENT-APPL-SN-337816 c35 N75-15931
US-PATENT-APPL-SN-338484 c32 N74-20811
US-PATENT-APPL-SN-339040 c31 N70-41373
US-PATENT-APPL-SN-339806 c07 N74-27490
US-PATENT-APPL-SN-339821 c17 N70-33288
US-PATENT-APPL-SN-339825 c28 N71-15660
US-PATENT-APPL-SN-340113 c16 N70-41578
US-PATENT-APPL-SN-340791 c35 N74-26945
US-PATENT-APPL-SN-340862 c33 N77-26387
US-PATENT-APPL-SN-340863 c25 N76-27383
US-PATENT-APPL-SN-340864 c31 N74-21059

US-PATENT-APPL-SN-340871 c44 N74-19870
US-PATENT-APPL-SN-341467 c15 N70-39924
US-PATENT-APPL-SN-341621 c54 N74-20725
US-PATENT-APPL-SN-341662 c08 N74-10942
US-PATENT-APPL-SN-342572 c02 N71-16087
US-PATENT-APPL-SN-342574 c03 N71-20904
US-PATENT-APPL-SN-343308 c19 N74-29410
US-PATENT-APPL-SN-343425 c11 N70-35383
US-PATENT-APPL-SN-343426 c07 N71-20814
US-PATENT-APPL-SN-343607 c18 N74-27397
US-PATENT-APPL-SN-343760 c07 N71-28979
US-PATENT-APPL-SN-344410 c07 N74-33218
US-PATENT-APPL-SN-344793 c03 N71-11058
US-PATENT-APPL-SN-345372 c33 N74-22814
US-PATENT-APPL-SN-346356 c14 N70-41676
US-PATENT-APPL-SN-346361 c37 N74-21064
US-PATENT-APPL-SN-346372 c35 N75-12270
US-PATENT-APPL-SN-346483 c37 N74-32521
US-PATENT-APPL-SN-346483 c37 N76-15461
US-PATENT-APPL-SN-347101 c09 N70-41675
US-PATENT-APPL-SN-347626 c15 N70-40204
US-PATENT-APPL-SN-347952 c37 N75-13265
US-PATENT-APPL-SN-347953 c05 N75-24716
US-PATENT-APPL-SN-347960 c03 N70-39930
US-PATENT-APPL-SN-348422 c27 N76-15311
US-PATENT-APPL-SN-348600 c28 N71-29154
US-PATENT-APPL-SN-348787 c33 N75-19521
US-PATENT-APPL-SN-349778 c09 N70-40234
US-PATENT-APPL-SN-349781 c31 N71-15647
US-PATENT-APPL-SN-349782 c09 N71-16086
US-PATENT-APPL-SN-350249 c36 N75-15628
US-PATENT-APPL-SN-350250 c27 N75-27160
US-PATENT-APPL-SN-350300 c31 N74-32920
US-PATENT-APPL-SN-351259 c15 N71-10672
US-PATENT-APPL-SN-351929 c33 N75-14957
US-PATENT-APPL-SN-351950 c33 N75-27249
US-PATENT-APPL-SN-352381 c20 N75-18310
US-PATENT-APPL-SN-352381 c37 N76-14461
US-PATENT-APPL-SN-352382 c60 N75-13539
US-PATENT-APPL-SN-352383 c35 N75-16783
US-PATENT-APPL-SN-352400 c26 N71-10607
US-PATENT-APPL-SN-353162 c33 N75-26243
US-PATENT-APPL-SN-353632 c15 N71-13789
US-PATENT-APPL-SN-353634 c15 N70-41829
US-PATENT-APPL-SN-353637 c02 N70-34160
US-PATENT-APPL-SN-353644 c07 N71-23098
US-PATENT-APPL-SN-353645 c15 N71-15922
US-PATENT-APPL-SN-354060 c74 N76-19935
US-PATENT-APPL-SN-354182 c10 N71-20841
US-PATENT-APPL-SN-354406 c52 N76-14757
US-PATENT-APPL-SN-354407 c33 N74-22665
US-PATENT-APPL-SN-354408 c35 N75-19614
US-PATENT-APPL-SN-354611 c25 N74-26547
US-PATENT-APPL-SN-354612 c35 N75-30504
US-PATENT-APPL-SN-355126 c17 N71-15644
US-PATENT-APPL-SN-355129 c14 N70-41957
US-PATENT-APPL-SN-355130 c15 N70-40354
US-PATENT-APPL-SN-356488 c08 N71-19544
US-PATENT-APPL-SN-356554 c24 N75-33181
US-PATENT-APPL-SN-356555 c37 N75-19685
US-PATENT-APPL-SN-356664 c31 N75-12161
US-PATENT-APPL-SN-356692 c15 N70-41371
US-PATENT-APPL-SN-357126 c35 N74-34857
US-PATENT-APPL-SN-357312 c27 N76-16229
US-PATENT-APPL-SN-357334 c03 N71-12258
US-PATENT-APPL-SN-357336 c03 N71-12259
US-PATENT-APPL-SN-357337 c15 N71-10782
US-PATENT-APPL-SN-357340 c23 N71-15673
US-PATENT-APPL-SN-358127 c05 N71-12335
US-PATENT-APPL-SN-359039 c32 N74-30523
US-PATENT-APPL-SN-359156 c14 N75-24794
US-PATENT-APPL-SN-359157 c35 N74-18090
US-PATENT-APPL-SN-359532 c15 N71-28959
US-PATENT-APPL-SN-359957 c07 N74-32418
US-PATENT-APPL-SN-359958 c37 N74-26976
US-PATENT-APPL-SN-360180 c17 N71-16026
US-PATENT-APPL-SN-360182 c31 N70-36654
US-PATENT-APPL-SN-360878 c03 N71-11051
US-PATENT-APPL-SN-361666 c33 N75-30428
US-PATENT-APPL-SN-361906 c33 N74-20861
US-PATENT-APPL-SN-361907 c35 N74-27865
US-PATENT-APPL-SN-362145 c32 N75-26194
US-PATENT-APPL-SN-362146 c33 N75-18479
US-PATENT-APPL-SN-362261 c14 N73-32325
US-PATENT-APPL-SN-362278 c37 N76-17385
US-PATENT-APPL-SN-363130 c25 N81-19244
US-PATENT-APPL-SN-363348 c05 N70-41581
US-PATENT-APPL-SN-363653 c07 N70-41331
US-PATENT-APPL-SN-363654 c07 N70-41372
US-PATENT-APPL-SN-363691 c20 N76-14190
US-PATENT-APPL-SN-364867 c09 N71-10673
US-PATENT-APPL-SN-365244 c37 N78-17386
US-PATENT-APPL-SN-365644 c35 N74-26946
US-PATENT-APPL-SN-366226 c10 N71-16057
US-PATENT-APPL-SN-367268 c05 N75-25914
US-PATENT-APPL-SN-367293 c36 N75-19655
US-PATENT-APPL-SN-367294 c76 N75-12810
US-PATENT-APPL-SN-367606 c75 N75-13625
US-PATENT-APPL-SN-367606 c75 N76-17951
US-PATENT-APPL-SN-368123 c09 N71-10618
US-PATENT-APPL-SN-369334 c21 N71-22880
US-PATENT-APPL-SN-369336 c09 N71-10659
US-PATENT-APPL-SN-369337 c15 N70-41811
US-PATENT-APPL-SN-369338 c08 N71-28925
US-PATENT-APPL-SN-369640 c32 N70-41370
US-PATENT-APPL-SN-370134 c30 N70-40353
US-PATENT-APPL-SN-370135 c11 N70-41677
US-PATENT-APPL-SN-370255 c33 N75-18477
US-PATENT-APPL-SN-370271 c32 N75-24981
US-PATENT-APPL-SN-370582 c18 N76-14186
US-PATENT-APPL-SN-370872 c37 N74-32918
US-PATENT-APPL-SN-370989 c23 N71-29049
US-PATENT-APPL-SN-370999 c74 N78-15879
US-PATENT-APPL-SN-371322 c44 N76-14600
US-PATENT-APPL-SN-371856 c15 N70-42033
US-PATENT-APPL-SN-371857 c07 N70-41680
US-PATENT-APPL-SN-372148 c35 N74-26949
US-PATENT-APPL-SN-372149 c37 N75-15050
US-PATENT-APPL-SN-372438 c30 N71-17788
US-PATENT-APPL-SN-372648 c27 N71-16348
US-PATENT-APPL-SN-372727 c31 N70-36845
US-PATENT-APPL-SN-372730 c28 N71-28850
US-PATENT-APPL-SN-373587 c33 N74-32711
US-PATENT-APPL-SN-373588 c33 N75-19515
US-PATENT-APPL-SN-373591 c31 N71-15692
US-PATENT-APPL-SN-374421 c27 N76-24405
US-PATENT-APPL-SN-374422 c32 N75-24982
US-PATENT-APPL-SN-374423 c36 N75-31427
US-PATENT-APPL-SN-374424 c74 N75-12732
US-PATENT-APPL-SN-374441 c35 N75-19616
US-PATENT-APPL-SN-374583 c33 N74-29556
US-PATENT-APPL-SN-374810 c27 N80-32514
US-PATENT-APPL-SN-375401 c17 N71-16025
US-PATENT-APPL-SN-375405 c31 N71-15675
US-PATENT-APPL-SN-375674 c28 N70-41582
US-PATENT-APPL-SN-375680 c10 N71-28739
US-PATENT-APPL-SN-375682 c31 N70-41588
US-PATENT-APPL-SN-377146 c14 N71-23041
US-PATENT-APPL-SN-377777 c32 N70-42003
US-PATENT-APPL-SN-377780 c11 N71-10604
US-PATENT-APPL-SN-377784 c28 N70-41311
US-PATENT-APPL-SN-378080 c12 N71-24692
US-PATENT-APPL-SN-378126 c44 N76-18643
US-PATENT-APPL-SN-378127 c44 N76-18641
US-PATENT-APPL-SN-379019 c09 N75-12969
US-PATENT-APPL-SN-379049 c31 N75-13111
US-PATENT-APPL-SN-379072 c15 N71-16078
US-PATENT-APPL-SN-379290 c14 N73-28499
US-PATENT-APPL-SN-379417 c02 N70-41863
US-PATENT-APPL-SN-379768 c28 N71-10780
US-PATENT-APPL-SN-379771 c33 N71-28852
US-PATENT-APPL-SN-380046 c25 N76-29379
US-PATENT-APPL-SN-380630 c37 N75-21631
US-PATENT-APPL-SN-380960 c15 N70-41993
US-PATENT-APPL-SN-380965 c10 N71-23033
US-PATENT-APPL-SN-381940 c09 N71-20705
US-PATENT-APPL-SN-382261 c35 N76-14430
US-PATENT-APPL-SN-382262 c37 N74-21058
US-PATENT-APPL-SN-382976 c15 N71-21179
US-PATENT-APPL-SN-384010 c10 N71-28859
US-PATENT-APPL-SN-384773 c15 N76-14158
US-PATENT-APPL-SN-384811 c15 N71-10809
US-PATENT-APPL-SN-385013 c35 N75-19613
US-PATENT-APPL-SN-385059 c33 N77-21315
US-PATENT-APPL-SN-385520 c14 N71-23037
US-PATENT-APPL-SN-385522 c34 N75-33342
US-PATENT-APPL-SN-385526 c12 N71-16031
US-PATENT-APPL-SN-385527 c31 N71-17729
US-PATENT-APPL-SN-385530 c09 N71-10798
US-PATENT-APPL-SN-386467 c14 N70-40233
US-PATENT-APPL-SN-386789 c35 N75-12271
US-PATENT-APPL-SN-386790 c09 N75-12968
US-PATENT-APPL-SN-386793 c35 N75-25124
US-PATENT-APPL-SN-386800 c15 N71-21404
US-PATENT-APPL-SN-387094 c37 N77-19457
US-PATENT-APPL-SN-387095 c37 N75-33395
US-PATENT-APPL-SN-387266 c35 N75-27328
US-PATENT-APPL-SN-387332 c15 N70-33226

US-PATENT-APPL-SN-387342 c37 N76-18457
US-PATENT-APPL-SN-388023 c10 N70-41964
US-PATENT-APPL-SN-388024 c32 N71-17609
US-PATENT-APPL-SN-388966 c31 N70-41855
US-PATENT-APPL-SN-388967 c10 N71-23271
US-PATENT-APPL-SN-389916 c18 N75-27041
US-PATENT-APPL-SN-389929 c33 N75-25040
US-PATENT-APPL-SN-390049 c37 N76-16446
US-PATENT-APPL-SN-390049 c44 N76-29700
US-PATENT-APPL-SN-390250 c21 N70-41856
US-PATENT-APPL-SN-390251 c07 N71-23026
US-PATENT-APPL-SN-390466 c24 N75-13032
US-PATENT-APPL-SN-390468 c36 N75-19652
US-PATENT-APPL-SN-391343 c05 N69-21473
US-PATENT-APPL-SN-392823 c25 N74-33378
US-PATENT-APPL-SN-392965 c18 N71-22998
US-PATENT-APPL-SN-392969 c09 N71-23573
US-PATENT-APPL-SN-392970 c32 N70-41367
US-PATENT-APPL-SN-392973 c07 N71-23001
US-PATENT-APPL-SN-392992 c15 N71-23052
US-PATENT-APPL-SN-393451 c02 N70-42016
US-PATENT-APPL-SN-393461 c31 N71-17691
US-PATENT-APPL-SN-393464 c23 N71-21821
US-PATENT-APPL-SN-393523 c12 N75-24774
US-PATENT-APPL-SN-393524 c60 N76-21914
US-PATENT-APPL-SN-393525 c31 N74-32917
US-PATENT-APPL-SN-393526 c77 N75-20139
US-PATENT-APPL-SN-393527 c15 N75-13007
US-PATENT-APPL-SN-393528 c36 N75-19654
US-PATENT-APPL-SN-394149 c35 N75-25123
US-PATENT-APPL-SN-394206 c76 N75-25730
US-PATENT-APPL-SN-394207 c25 N78-27226
US-PATENT-APPL-SN-394638 c28 N70-34162
US-PATENT-APPL-SN-394898 c07 N77-28118
US-PATENT-APPL-SN-395348 c15 N71-22713
US-PATENT-APPL-SN-395493 c37 N79-13364
US-PATENT-APPL-SN-395495 c54 N75-27759
US-PATENT-APPL-SN-395687 c37 N75-18573
US-PATENT-APPL-SN-395868 c33 N75-19516
US-PATENT-APPL-SN-395895 c36 N78-17366
US-PATENT-APPL-SN-396443 c15 N71-15986
US-PATENT-APPL-SN-396444 c10 N71-20782
US-PATENT-APPL-SN-397476 c34 N75-12222
US-PATENT-APPL-SN-397477 c33 N75-19517
US-PATENT-APPL-SN-397478 c52 N75-33640
US-PATENT-APPL-SN-397665 c10 N70-41991
US-PATENT-APPL-SN-398131 c05 N70-41297
US-PATENT-APPL-SN-398132 c15 N70-41808
US-PATENT-APPL-SN-398885 c27 N76-15310
US-PATENT-APPL-SN-398886 c07 N75-24736
US-PATENT-APPL-SN-398901 c37 N75-25186
US-PATENT-APPL-SN-399419 c21 N71-23289
US-PATENT-APPL-SN-400467 c33 N75-30431
US-PATENT-APPL-SN-400613 c15 N71-21528
US-PATENT-APPL-SN-400617 c31 N71-17629
US-PATENT-APPL-SN-400857 c31 N79-21225
US-PATENT-APPL-SN-401224 c38 N78-17396
US-PATENT-APPL-SN-401225 c38 N78-17395
US-PATENT-APPL-SN-401466 c09 N75-24758
US-PATENT-APPL-SN-401919 c24 N76-24363
US-PATENT-APPL-SN-401920 c37 N75-25185
US-PATENT-APPL-SN-401921 c24 N76-14203
US-PATENT-APPL-SN-402365 c31 N71-17730
US-PATENT-APPL-SN-402865 c33 N74-32660
US-PATENT-APPL-SN-402867 c35 N75-33367
US-PATENT-APPL-SN-402868 c35 N75-19612
US-PATENT-APPL-SN-402978 c10 N71-23084
US-PATENT-APPL-SN-403154 c37 N77-22480
US-PATENT-APPL-SN-403694 c54 N75-12616
US-PATENT-APPL-SN-403695 c35 N77-20399
US-PATENT-APPL-SN-403959 c14 N70-41994
US-PATENT-APPL-SN-403960 c14 N70-41366
US-PATENT-APPL-SN-404212 c14 N73-32324
US-PATENT-APPL-SN-405341 c37 N76-15460
US-PATENT-APPL-SN-405342 c35 N75-19615
US-PATENT-APPL-SN-405346 c37 N75-30562
US-PATENT-APPL-SN-405629 c09 N71-10677
US-PATENT-APPL-SN-405630 c14 N71-10616
US-PATENT-APPL-SN-405632 c21 N71-15582
US-PATENT-APPL-SN-406097 c14 N71-21088
US-PATENT-APPL-SN-406296 c25 N79-10163
US-PATENT-APPL-SN-406715 c35 N75-15014
US-PATENT-APPL-SN-407323 c32 N75-21485
US-PATENT-APPL-SN-407595 c28 N70-41992
US-PATENT-APPL-SN-407599 c14 N71-21091
US-PATENT-APPL-SN-407603 c05 N71-11199
US-PATENT-APPL-SN-408435 c15 N71-28937
US-PATENT-APPL-SN-408438 c07 N71-22750
US-PATENT-APPL-SN-408442 c10 N71-23662
US-PATENT-APPL-SN-409126 c18 N71-21068
US-PATENT-APPL-SN-409990 c35 N75-27330
US-PATENT-APPL-SN-409991 c33 N75-13139
US-PATENT-APPL-SN-410325 c18 N71-23088
US-PATENT-APPL-SN-410326 c09 N71-21449
US-PATENT-APPL-SN-410330 c26 N71-23043
US-PATENT-APPL-SN-410331 c02 N70-41589
US-PATENT-APPL-SN-410332 c14 N71-23039
US-PATENT-APPL-SN-411572 c35 N75-15932
US-PATENT-APPL-SN-411944 c15 N70-41629
US-PATENT-APPL-SN-411945 c18 N71-23047
US-PATENT-APPL-SN-411949 c27 N71-15635
US-PATENT-APPL-SN-412079 c37 N75-13266
US-PATENT-APPL-SN-412080 c36 N75-19653
US-PATENT-APPL-SN-412379 c32 N77-10392
US-PATENT-APPL-SN-413661 c15 N71-23024
US-PATENT-APPL-SN-413662 c09 N70-41929
US-PATENT-APPL-SN-414042 c35 N79-17192
US-PATENT-APPL-SN-414043 c27 N76-32315
US-PATENT-APPL-SN-414482 c10 N71-10578
US-PATENT-APPL-SN-415486 c37 N75-19683
US-PATENT-APPL-SN-416135 c32 N75-15854
US-PATENT-APPL-SN-416938 c11 N71-10746
US-PATENT-APPL-SN-416940 c21 N71-21708
US-PATENT-APPL-SN-416941 c31 N70-34159
US-PATENT-APPL-SN-416943 c14 N71-23269
US-PATENT-APPL-SN-416945 c10 N71-23543
US-PATENT-APPL-SN-416946 c28 N71-15563
US-PATENT-APPL-SN-417253 c11 N71-23042
US-PATENT-APPL-SN-418362 c14 N71-20741
US-PATENT-APPL-SN-418931 c05 N70-42000
US-PATENT-APPL-SN-418933 c15 N71-23022
US-PATENT-APPL-SN-419319 c34 N76-17317
US-PATENT-APPL-SN-419747 c17 N76-21250
US-PATENT-APPL-SN-419748 c27 N76-14264
US-PATENT-APPL-SN-419831 c35 N75-21582
US-PATENT-APPL-SN-419831 c35 N77-17426
US-PATENT-APPL-SN-420245 c08 N71-22749
US-PATENT-APPL-SN-420250 c15 N71-23051
US-PATENT-APPL-SN-420424 c34 N75-26282
US-PATENT-APPL-SN-420466 c14 N71-23092
US-PATENT-APPL-SN-420813 c36 N75-32441
US-PATENT-APPL-SN-421702 c44 N75-32581
US-PATENT-APPL-SN-421702 c44 N76-23675
US-PATENT-APPL-SN-422092 c14 N71-22989
US-PATENT-APPL-SN-422095 c07 N71-10676
US-PATENT-APPL-SN-422096 c03 N71-29044
US-PATENT-APPL-SN-422097 c11 N71-21481
US-PATENT-APPL-SN-422098 c15 N71-22797
US-PATENT-APPL-SN-422099 c14 N71-22964
US-PATENT-APPL-SN-422864 c05 N69-21925
US-PATENT-APPL-SN-422865 c31 N70-41631
US-PATENT-APPL-SN-422867 c15 N70-40062
US-PATENT-APPL-SN-422868 c15 N71-10617
US-PATENT-APPL-SN-422869 c14 N71-10779
US-PATENT-APPL-SN-423412 c08 N71-22897
US-PATENT-APPL-SN-424013 c34 N76-27517
US-PATENT-APPL-SN-424038 c24 N75-30260
US-PATENT-APPL-SN-424153 c15 N71-21234
US-PATENT-APPL-SN-424156 c02 N71-23007
US-PATENT-APPL-SN-424157 c28 N70-41275
US-PATENT-APPL-SN-425096 c05 N71-23080
US-PATENT-APPL-SN-425362 c15 N71-10658
US-PATENT-APPL-SN-425363 c09 N71-20658
US-PATENT-APPL-SN-425364 c33 N71-15623
US-PATENT-APPL-SN-425365 c32 N71-21045
US-PATENT-APPL-SN-425972 c03 N71-23006
US-PATENT-APPL-SN-426155 c33 N75-15874
US-PATENT-APPL-SN-426405 c25 N75-26043
US-PATENT-APPL-SN-426455 c28 N71-15661
US-PATENT-APPL-SN-426702 c15 N70-42034
US-PATENT-APPL-SN-427395 c54 N75-27760
US-PATENT-APPL-SN-427775 c27 N76-22376
US-PATENT-APPL-SN-427990 c06 N71-23527
US-PATENT-APPL-SN-428444 c44 N76-18642
US-PATENT-APPL-SN-428444 c44 N76-29704
US-PATENT-APPL-SN-428882 c31 N70-41948
US-PATENT-APPL-SN-428887 c33 N71-29051
US-PATENT-APPL-SN-428890 c02 N70-41630
US-PATENT-APPL-SN-428992 c34 N77-18382
US-PATENT-APPL-SN-428993 c45 N75-27585
US-PATENT-APPL-SN-428994 c32 N75-21486
US-PATENT-APPL-SN-428994 c32 N76-16249
US-PATENT-APPL-SN-428995 c51 N75-25503
US-PATENT-APPL-SN-429437 c35 N75-23910
US-PATENT-APPL-SN-429932 c05 N71-20268
US-PATENT-APPL-SN-430192 c18 N71-27170
US-PATENT-APPL-SN-430226 c18 N71-23658
US-PATENT-APPL-SN-430496 c26 N75-29236

US-PATENT-APPL-SN-430748 c76 N79-21910
US-PATENT-APPL-SN-430776 c03 N70-41954
US-PATENT-APPL-SN-430777 c18 N71-24184
US-PATENT-APPL-SN-430778 c03 N71-10728
US-PATENT-APPL-SN-430780 c03 N71-12260
US-PATENT-APPL-SN-431235 c15 N71-16052
US-PATENT-APPL-SN-432025 c15 N71-21531
US-PATENT-APPL-SN-432026 c07 N71-23405
US-PATENT-APPL-SN-432027 c21 N70-41930
US-PATENT-APPL-SN-432028 c15 N71-22723
US-PATENT-APPL-SN-432030 c12 N71-20896
US-PATENT-APPL-SN-432032 c15 N69-24322
US-PATENT-APPL-SN-432433 c15 N71-22705
US-PATENT-APPL-SN-433821 c09 N71-16089
US-PATENT-APPL-SN-433968 c33 N75-25041
US-PATENT-APPL-SN-434143 c15 N71-15871
US-PATENT-APPL-SN-434148 c31 N71-24750
US-PATENT-APPL-SN-435387 c10 N70-42032
US-PATENT-APPL-SN-435433 c14 N71-30026
US-PATENT-APPL-SN-435756 c12 N71-16894
US-PATENT-APPL-SN-436313 c54 N77-32721
US-PATENT-APPL-SN-436315 c26 N75-19408
US-PATENT-APPL-SN-436316 c20 N76-14191
US-PATENT-APPL-SN-436317 c37 N76-24575
US-PATENT-APPL-SN-437556 c27 N76-16230
US-PATENT-APPL-SN-437611 c09 N71-22796
US-PATENT-APPL-SN-438135 c09 N71-23027
US-PATENT-APPL-SN-438147 c75 N76-14531
US-PATENT-APPL-SN-438797 c14 N71-10500
US-PATENT-APPL-SN-439489 c09 N70-41717
US-PATENT-APPL-SN-439490 c23 N69-24332
US-PATENT-APPL-SN-440033 c27 N70-41897
US-PATENT-APPL-SN-440036 c09 N71-23097
US-PATENT-APPL-SN-440039 c09 N71-22888
US-PATENT-APPL-SN-440916 c33 N75-27252
US-PATENT-APPL-SN-440917 c37 N76-18459
US-PATENT-APPL-SN-441279 c35 N75-29382
US-PATENT-APPL-SN-441936 c14 N69-39975
US-PATENT-APPL-SN-442558 c15 N71-10799
US-PATENT-APPL-SN-442835 c26 N71-29156
US-PATENT-APPL-SN-444087 c02 N71-11041
US-PATENT-APPL-SN-445178 c37 N76-15461
US-PATENT-APPL-SN-445292 c11 N71-23030
US-PATENT-APPL-SN-445398 c74 N78-15880
US-PATENT-APPL-SN-445807 c14 N71-22996
US-PATENT-APPL-SN-446131 c14 N71-22992
US-PATENT-APPL-SN-446560 c12 N76-15189
US-PATENT-APPL-SN-446562 c36 N76-14447
US-PATENT-APPL-SN-446564 c35 N75-26334
US-PATENT-APPL-SN-446567 c34 N76-27515
US-PATENT-APPL-SN-446568 c37 N76-23570
US-PATENT-APPL-SN-446569 c77 N75-20140
US-PATENT-APPL-SN-447124 c35 N75-30503
US-PATENT-APPL-SN-447927 c11 N71-10776
US-PATENT-APPL-SN-447928 c15 N71-10577
US-PATENT-APPL-SN-447930 c14 N69-39896
US-PATENT-APPL-SN-447933 c03 N69-21337
US-PATENT-APPL-SN-448320 c91 N76-30131
US-PATENT-APPL-SN-448321 c27 N78-32261
US-PATENT-APPL-SN-448323 c18 N76-17185
US-PATENT-APPL-SN-448325 c33 N75-26244
US-PATENT-APPL-SN-448365 c10 N71-26414
US-PATENT-APPL-SN-448898 c15 N70-41310
US-PATENT-APPL-SN-449118 c33 N75-19524
US-PATENT-APPL-SN-449153 c54 N75-27761
US-PATENT-APPL-SN-449901 c28 N70-41967
US-PATENT-APPL-SN-449902 c14 N70-41681
US-PATENT-APPL-SN-450500 c37 N76-18455
US-PATENT-APPL-SN-450502 c37 N76-18456
US-PATENT-APPL-SN-450504 c23 N77-17161
US-PATENT-APPL-SN-450505 c37 N75-31446
US-PATENT-APPL-SN-451596 c17 N71-29137
US-PATENT-APPL-SN-452761 c33 N75-19522
US-PATENT-APPL-SN-452767 c05 N75-25915
US-PATENT-APPL-SN-452768 c52 N76-30793
US-PATENT-APPL-SN-452769 c44 N76-16612
US-PATENT-APPL-SN-452770 c33 N75-31332
US-PATENT-APPL-SN-452944 c18 N71-24183
US-PATENT-APPL-SN-452945 c18 N69-39979
US-PATENT-APPL-SN-453115 c32 N76-14321
US-PATENT-APPL-SN-453225 c15 N71-24833
US-PATENT-APPL-SN-453227 c31 N71-10582
US-PATENT-APPL-SN-453229 c17 N71-23828
US-PATENT-APPL-SN-453231 c23 N71-15467
US-PATENT-APPL-SN-453232 c15 N71-21311
US-PATENT-APPL-SN-453232 c18 N75-19329
US-PATENT-APPL-SN-453241 c33 N75-29318
US-PATENT-APPL-SN-455163 c32 N75-26195
US-PATENT-APPL-SN-455165 c36 N75-30524
US-PATENT-APPL-SN-455352 c33 N71-20834
US-PATENT-APPL-SN-455477 c08 N71-19687
US-PATENT-APPL-SN-456578 c07 N70-41678
US-PATENT-APPL-SN-456581 c09 N71-23021
US-PATENT-APPL-SN-456874 c06 N71-23499
US-PATENT-APPL-SN-457295 c20 N75-24837
US-PATENT-APPL-SN-457874 c09 N71-23545
US-PATENT-APPL-SN-457875 c31 N70-42015
US-PATENT-APPL-SN-457876 c02 N71-12243
US-PATENT-APPL-SN-457879 c15 N71-21078
US-PATENT-APPL-SN-458484 c44 N76-14595
US-PATENT-APPL-SN-459138 c14 N71-10773
US-PATENT-APPL-SN-459407 c14 N73-30391
US-PATENT-APPL-SN-459736 c33 N75-26245
US-PATENT-APPL-SN-460876 c09 N69-21470
US-PATENT-APPL-SN-460877 c33 N71-23085
US-PATENT-APPL-SN-461073 c33 N75-26246
US-PATENT-APPL-SN-461477 c37 N75-19686
US-PATENT-APPL-SN-461765 c17 N71-23046
US-PATENT-APPL-SN-462341 c44 N76-31666
US-PATENT-APPL-SN-462424 c24 N77-19171
US-PATENT-APPL-SN-462705 c37 N75-19684
US-PATENT-APPL-SN-462762 c12 N69-21466
US-PATENT-APPL-SN-462763 c14 N71-22991
US-PATENT-APPL-SN-462844 c33 N75-19520
US-PATENT-APPL-SN-462903 c37 N76-14461
US-PATENT-APPL-SN-463925 c74 N76-30053
US-PATENT-APPL-SN-464720 c32 N76-16249
US-PATENT-APPL-SN-464721 c37 N75-26372
US-PATENT-APPL-SN-464722 c35 N76-22509
US-PATENT-APPL-SN-464723 c33 N75-30429
US-PATENT-APPL-SN-464878 c10 N71-22986
US-PATENT-APPL-SN-464879 c14 N71-21072
US-PATENT-APPL-SN-464880 c33 N71-21586
US-PATENT-APPL-SN-464885 c15 N71-22997
US-PATENT-APPL-SN-466390 c28 N71-20330
US-PATENT-APPL-SN-466868 c22 N71-23599
US-PATENT-APPL-SN-466873 c17 N71-20743
US-PATENT-APPL-SN-466875 c08 N71-22707
US-PATENT-APPL-SN-467820 c28 N71-26779
US-PATENT-APPL-SN-468614 c60 N77-14751
US-PATENT-APPL-SN-468614 c60 N77-32731
US-PATENT-APPL-SN-468614 c60 N78-10709
US-PATENT-APPL-SN-468647 c21 N71-10771
US-PATENT-APPL-SN-468655 c15 N69-21471
US-PATENT-APPL-SN-469011 c11 N69-21540
US-PATENT-APPL-SN-469012 c25 N71-20747
US-PATENT-APPL-SN-469013 c14 N69-27423
US-PATENT-APPL-SN-470428 c33 N76-16332
US-PATENT-APPL-SN-470429 c33 N75-31329
US-PATENT-APPL-SN-470902 c06 N71-28808
US-PATENT-APPL-SN-471154 c09 N73-28084
US-PATENT-APPL-SN-472066 c31 N70-42075
US-PATENT-APPL-SN-472372 c07 N71-20791
US-PATENT-APPL-SN-472643 c33 N79-21265
US-PATENT-APPL-SN-472747 c31 N71-16081
US-PATENT-APPL-SN-472775 c35 N75-33369
US-PATENT-APPL-SN-473535 c31 N71-15637
US-PATENT-APPL-SN-473537 c08 N71-15908
US-PATENT-APPL-SN-473973 c02 N77-10001
US-PATENT-APPL-SN-474531 c31 N71-23009
US-PATENT-APPL-SN-474744 c35 N76-14431
US-PATENT-APPL-SN-474745 c37 N76-14463
US-PATENT-APPL-SN-474815 c33 N79-21264
US-PATENT-APPL-SN-475299 c31 N71-17679
US-PATENT-APPL-SN-475336 c54 N75-27758
US-PATENT-APPL-SN-475337 c51 N76-29891
US-PATENT-APPL-SN-475338 c35 N76-15431
US-PATENT-APPL-SN-476759 c03 N70-42073
US-PATENT-APPL-SN-476761 c11 N71-10748
US-PATENT-APPL-SN-476763 c09 N69-21313
US-PATENT-APPL-SN-477333 c28 N70-41922
US-PATENT-APPL-SN-478491 c14 N69-21363
US-PATENT-APPL-SN-478800 c37 N76-19436
US-PATENT-APPL-SN-478802 c06 N74-27872
US-PATENT-APPL-SN-478802 c35 N75-29381
US-PATENT-APPL-SN-478803 c31 N76-14284
US-PATENT-APPL-SN-479353 c15 N71-23256
US-PATENT-APPL-SN-479357 c36 N77-19416
US-PATENT-APPL-SN-480210 c11 N71-21474
US-PATENT-APPL-SN-480211 c14 N71-26135
US-PATENT-APPL-SN-482104 c27 N76-22377
US-PATENT-APPL-SN-482105 c27 N76-23426
US-PATENT-APPL-SN-482307 c15 N71-21060
US-PATENT-APPL-SN-482311 c05 N71-22748
US-PATENT-APPL-SN-482313 c11 N69-24321
US-PATENT-APPL-SN-482670 c14 N71-21007
US-PATENT-APPL-SN-482952 c09 N71-28926
US-PATENT-APPL-SN-482953 c74 N76-18913

US-PATENT-APPL-SN-482967 c34 N76-18364
US-PATENT-APPL-SN-483301 c36 N77-26477
US-PATENT-APPL-SN-483817 c27 N79-21190
US-PATENT-APPL-SN-483850 c37 N76-14460
US-PATENT-APPL-SN-483851 c35 N76-15435
US-PATENT-APPL-SN-483852 c33 N75-30430
US-PATENT-APPL-SN-483857 c44 N76-14601
US-PATENT-APPL-SN-483858 c35 N76-18400
US-PATENT-APPL-SN-483885 c04 N71-23185
US-PATENT-APPL-SN-483886 c09 N71-22988
US-PATENT-APPL-SN-483891 c14 N69-39982
US-PATENT-APPL-SN-484156 c11 N71-21475
US-PATENT-APPL-SN-484208 c35 N75-30502
US-PATENT-APPL-SN-484209 c35 N76-18403
US-PATENT-APPL-SN-484485 c01 N71-23497
US-PATENT-APPL-SN-484489 c10 N71-15909
US-PATENT-APPL-SN-484490 c24 N71-20518
US-PATENT-APPL-SN-484855 c09 N71-19480
US-PATENT-APPL-SN-485058 c06 N71-23500
US-PATENT-APPL-SN-485656 c28 N71-10574
US-PATENT-APPL-SN-485957 c25 N71-21694
US-PATENT-APPL-SN-485958 c15 N71-24047
US-PATENT-APPL-SN-485960 c15 N70-42017
US-PATENT-APPL-SN-486573 c10 N71-19469
US-PATENT-APPL-SN-486884 c15 N73-32362
US-PATENT-APPL-SN-487156 c44 N77-10636
US-PATENT-APPL-SN-487341 c14 N71-19431
US-PATENT-APPL-SN-487342 c09 N71-21583
US-PATENT-APPL-SN-487343 c03 N69-39890
US-PATENT-APPL-SN-487344 c15 N69-21472
US-PATENT-APPL-SN-487352 c14 N71-18699
US-PATENT-APPL-SN-487852 c23 N76-15268
US-PATENT-APPL-SN-487929 c33 N74-20859
US-PATENT-APPL-SN-487934 c15 N71-21530
US-PATENT-APPL-SN-487939 c14 N71-23040
US-PATENT-APPL-SN-487940 c10 N71-26434
US-PATENT-APPL-SN-488381 c14 N73-32321
US-PATENT-APPL-SN-488616 c07 N76-18117
US-PATENT-APPL-SN-488745 c26 N75-27127
US-PATENT-APPL-SN-489008 c23 N75-30256
US-PATENT-APPL-SN-489009 c33 N76-19339
US-PATENT-APPL-SN-489442 c25 N69-39884
US-PATENT-APPL-SN-491054 c14 N71-23174
US-PATENT-APPL-SN-491058 c09 N71-23443
US-PATENT-APPL-SN-491059 c09 N71-23015
US-PATENT-APPL-SN-491416 c35 N75-33368
US-PATENT-APPL-SN-491417 c37 N76-19437
US-PATENT-APPL-SN-491418 c31 N76-31365
US-PATENT-APPL-SN-491419 c32 N76-15330
US-PATENT-APPL-SN-491845 c28 N71-15659
US-PATENT-APPL-SN-492344 c05 N71-22896
US-PATENT-APPL-SN-493359 c20 N76-21275
US-PATENT-APPL-SN-493363 c33 N76-21390
US-PATENT-APPL-SN-493942 c14 N71-17659
US-PATENT-APPL-SN-493943 c15 N71-21529
US-PATENT-APPL-SN-494280 c28 N71-23081
US-PATENT-APPL-SN-494282 c15 N69-39735
US-PATENT-APPL-SN-494283 c31 N71-24035
US-PATENT-APPL-SN-494287 c03 N71-22974
US-PATENT-APPL-SN-494739 c07 N71-26291
US-PATENT-APPL-SN-495021 c44 N78-13526
US-PATENT-APPL-SN-495022 c60 N77-12721
US-PATENT-APPL-SN-496205 c14 N71-22965
US-PATENT-APPL-SN-496779 c05 N76-29217
US-PATENT-APPL-SN-498167 c03 N71-10608
US-PATENT-APPL-SN-498168 c28 N71-21822
US-PATENT-APPL-SN-499122 c15 N71-24164
US-PATENT-APPL-SN-500435 c14 N71-21082
US-PATENT-APPL-SN-500446 c10 N71-23029
US-PATENT-APPL-SN-500979 c32 N76-18295
US-PATENT-APPL-SN-500980 c72 N76-15860
US-PATENT-APPL-SN-500981 c35 N77-10492
US-PATENT-APPL-SN-500982 c75 N76-17951
US-PATENT-APPL-SN-501011 c33 N76-18345
US-PATENT-APPL-SN-501012 c33 N76-14373
US-PATENT-APPL-SN-502124 c35 N76-16393
US-PATENT-APPL-SN-502135 c35 N76-15433
US-PATENT-APPL-SN-502136 c35 N75-27331
US-PATENT-APPL-SN-502137 c37 N76-21554
US-PATENT-APPL-SN-502138 c43 N77-10584
US-PATENT-APPL-SN-502693 c15 N71-20739
US-PATENT-APPL-SN-502701 c08 N71-23295
US-PATENT-APPL-SN-502709 c31 N71-21881
US-PATENT-APPL-SN-502710 c15 N71-23048
US-PATENT-APPL-SN-502729 c31 N70-41871
US-PATENT-APPL-SN-502739 c09 N71-23311
US-PATENT-APPL-SN-502740 c14 N69-27485
US-PATENT-APPL-SN-502743 c08 N71-19435
US-PATENT-APPL-SN-502746 c03 N69-39898
US-PATENT-APPL-SN-502750 c09 N71-19466
US-PATENT-APPL-SN-502753 c07 N69-39978
US-PATENT-APPL-SN-502756 c03 N71-23336
US-PATENT-APPL-SN-504225 c35 N76-16392
US-PATENT-APPL-SN-504266 c31 N71-21064
US-PATENT-APPL-SN-505320 c16 N71-18614
US-PATENT-APPL-SN-505321 c10 N71-22962
US-PATENT-APPL-SN-505765 c15 N71-23816
US-PATENT-APPL-SN-505819 c33 N76-16331
US-PATENT-APPL-SN-505881 c09 N76-24280
US-PATENT-APPL-SN-506135 c06 N71-20905
US-PATENT-APPL-SN-506137 c15 N71-23049
US-PATENT-APPL-SN-506803 c24 N79-25143
US-PATENT-APPL-SN-506804 c35 N76-18402
US-PATENT-APPL-SN-506908 c09 N71-18843
US-PATENT-APPL-SN-507254 c14 N71-22990
US-PATENT-APPL-SN-507257 c09 N71-19409
US-PATENT-APPL-SN-508169 c18 N71-27397
US-PATENT-APPL-SN-508170 c08 N71-22710
US-PATENT-APPL-SN-508601 c15 N71-22878
US-PATENT-APPL-SN-508784 c76 N76-25049
US-PATENT-APPL-SN-508873 c14 N71-23240
US-PATENT-APPL-SN-509460 c01 N71-13411
US-PATENT-APPL-SN-510150 c10 N71-26103
US-PATENT-APPL-SN-510155 c06 N71-11235
US-PATENT-APPL-SN-510474 c15 N71-23810
US-PATENT-APPL-SN-510475 c14 N71-23087
US-PATENT-APPL-SN-510677 c44 N77-19571
US-PATENT-APPL-SN-511299 c15 N71-22798
US-PATENT-APPL-SN-511334 c36 N77-32478
US-PATENT-APPL-SN-511346 c15 N77-10113
US-PATENT-APPL-SN-511564 c09 N69-39885
US-PATENT-APPL-SN-511567 c05 N71-12336
US-PATENT-APPL-SN-511887 c35 N76-15436
US-PATENT-APPL-SN-511894 c03 N76-32140
US-PATENT-APPL-SN-512352 c15 N70-33330
US-PATENT-APPL-SN-512509 c26 N75-27125
US-PATENT-APPL-SN-512559 c23 N71-22881
US-PATENT-APPL-SN-512561 c16 N71-25914
US-PATENT-APPL-SN-512562 c16 N71-24074
US-PATENT-APPL-SN-512825 c32 N76-15329
US-PATENT-APPL-SN-513346 c07 N79-14095
US-PATENT-APPL-SN-513389 c25 N75-12087
US-PATENT-APPL-SN-513576 c35 N76-29552
US-PATENT-APPL-SN-513611 c24 N76-22309
US-PATENT-APPL-SN-513611 c24 N80-33482
US-PATENT-APPL-SN-513612 c05 N77-17029
US-PATENT-APPL-SN-513613 c27 N78-15276
US-PATENT-APPL-SN-513690 c37 N76-20480
US-PATENT-APPL-SN-514407 c18 N71-22894
US-PATENT-APPL-SN-514546 c74 N76-20958
US-PATENT-APPL-SN-515484 c14 N71-22993
US-PATENT-APPL-SN-516150 c05 N71-19440
US-PATENT-APPL-SN-516151 c15 N70-41679
US-PATENT-APPL-SN-516152 c14 N71-23225
US-PATENT-APPL-SN-516153 c10 N71-28783
US-PATENT-APPL-SN-516154 c09 N69-24330
US-PATENT-APPL-SN-516155 c09 N71-23270
US-PATENT-APPL-SN-516158 c09 N71-19479
US-PATENT-APPL-SN-516159 c14 N70-41812
US-PATENT-APPL-SN-516160 c33 N71-16277
US-PATENT-APPL-SN-516162 c07 N71-28900
US-PATENT-APPL-SN-516793 c16 N71-22895
US-PATENT-APPL-SN-516794 c14 N70-42074
US-PATENT-APPL-SN-517100 c28 N70-33241
US-PATENT-APPL-SN-517156 c14 N71-23093
US-PATENT-APPL-SN-517157 c15 N71-22722
US-PATENT-APPL-SN-517158 c14 N71-23401
US-PATENT-APPL-SN-517159 c15 N71-20740
US-PATENT-APPL-SN-517858 c14 N71-21006
US-PATENT-APPL-SN-517869 c15 N71-23050
US-PATENT-APPL-SN-517995 c39 N76-31562
US-PATENT-APPL-SN-518487 c05 N71-11190
US-PATENT-APPL-SN-518544 c44 N76-24696
US-PATENT-APPL-SN-518545 c19 N76-22284
US-PATENT-APPL-SN-518546 c26 N76-18257
US-PATENT-APPL-SN-518684 c44 N76-22657
US-PATENT-APPL-SN-518685 c35 N76-14429
US-PATENT-APPL-SN-519160 c18 N71-20742
US-PATENT-APPL-SN-519161 c05 N71-20718
US-PATENT-APPL-SN-519395 c09 N69-24317
US-PATENT-APPL-SN-520838 c08 N71-18595
US-PATENT-APPL-SN-520839 c10 N71-19472
US-PATENT-APPL-SN-521006 c34 N77-10463
US-PATENT-APPL-SN-521601 c60 N76-14818
US-PATENT-APPL-SN-521602 c37 N76-18454
US-PATENT-APPL-SN-521603 c35 N75-29380
US-PATENT-APPL-SN-521619 c51 N75-13506
US-PATENT-APPL-SN-521620 c09 N77-10071

US-PATENT-APPL-SN-521753 c15 N70-41960
US-PATENT-APPL-SN-521754 c07 N71-22984
US-PATENT-APPL-SN-521755 c28 N71-28849
US-PATENT-APPL-SN-521816 c35 N77-19385
US-PATENT-APPL-SN-521817 c45 N76-21742
US-PATENT-APPL-SN-521994 c17 N71-23365
US-PATENT-APPL-SN-521996 c15 N69-27871
US-PATENT-APPL-SN-521998 c07 N69-24323
US-PATENT-APPL-SN-521999 c12 N71-20815
US-PATENT-APPL-SN-522109 c07 N78-17056
US-PATENT-APPL-SN-522551 c76 N76-20994
US-PATENT-APPL-SN-522552 c35 N76-16390
US-PATENT-APPL-SN-522556 c35 N76-15432
US-PATENT-APPL-SN-522794 c09 N71-23190
US-PATENT-APPL-SN-522795 c20 N71-16281
US-PATENT-APPL-SN-522971 c54 N76-24900
US-PATENT-APPL-SN-523511 c28 N71-20942
US-PATENT-APPL-SN-523632 c33 N78-17293
US-PATENT-APPL-SN-524746 c14 N73-28491
US-PATENT-APPL-SN-526438 c25 N76-22323
US-PATENT-APPL-SN-526448 c44 N76-14602
US-PATENT-APPL-SN-526449 c54 N76-14804
US-PATENT-APPL-SN-526450 c35 N77-14409
US-PATENT-APPL-SN-526631 c10 N71-19471
US-PATENT-APPL-SN-526664 c07 N69-24334
US-PATENT-APPL-SN-526665 c14 N69-24331
US-PATENT-APPL-SN-527331 c17 N73-28573
US-PATENT-APPL-SN-527727 c02 N76-16014
US-PATENT-APPL-SN-527728 c37 N76-18458
US-PATENT-APPL-SN-527790 c33 N76-14372
US-PATENT-APPL-SN-528031 c10 N69-39888
US-PATENT-APPL-SN-529593 c27 N71-21819
US-PATENT-APPL-SN-529594 c15 N69-27483
US-PATENT-APPL-SN-529594 c33 N71-29152
US-PATENT-APPL-SN-529609 c09 N69-39986
US-PATENT-APPL-SN-529884 c54 N78-18761
US-PATENT-APPL-SN-530958 c09 N71-22985
US-PATENT-APPL-SN-531565 c36 N76-24553
US-PATENT-APPL-SN-531572 c66 N76-19888
US-PATENT-APPL-SN-531575 c32 N76-31372
US-PATENT-APPL-SN-531642 c25 N71-21693
US-PATENT-APPL-SN-531647 c04 N76-20114
US-PATENT-APPL-SN-531647 c04 N77-19056
US-PATENT-APPL-SN-532006 c23 N71-24857
US-PATENT-APPL-SN-532784 c27 N75-29263
US-PATENT-APPL-SN-532784 c27 N78-17205
US-PATENT-APPL-SN-533555 c36 N76-18428
US-PATENT-APPL-SN-533556 c36 N76-29575
US-PATENT-APPL-SN-533608 c32 N76-21366
US-PATENT-APPL-SN-533650 c35 N75-27329
US-PATENT-APPL-SN-533659 c14 N73-30390
US-PATENT-APPL-SN-533734 c33 N77-10428
US-PATENT-APPL-SN-534265 c32 N76-21365
US-PATENT-APPL-SN-534266 c35 N76-24523
US-PATENT-APPL-SN-534295 c15 N71-21076
US-PATENT-APPL-SN-534564 c10 N71-22961
US-PATENT-APPL-SN-534901 c14 N70-36807
US-PATENT-APPL-SN-534931 c37 N80-14395
US-PATENT-APPL-SN-534966 c15 N71-24042
US-PATENT-APPL-SN-534975 c14 N71-24232
US-PATENT-APPL-SN-535169 c54 N78-17678
US-PATENT-APPL-SN-535304 c09 N71-28810
US-PATENT-APPL-SN-535410 c37 N76-15457
US-PATENT-APPL-SN-536210 c17 N71-24830
US-PATENT-APPL-SN-536216 c10 N71-23315
US-PATENT-APPL-SN-536217 c10 N71-23544
US-PATENT-APPL-SN-536535 c33 N76-14371
US-PATENT-APPL-SN-536761 c33 N76-19338
US-PATENT-APPL-SN-536762 c37 N76-22540
US-PATENT-APPL-SN-536785 c33 N76-31409
US-PATENT-APPL-SN-536786 c44 N77-32581
US-PATENT-APPL-SN-537024 c44 N76-27664
US-PATENT-APPL-SN-537480 c45 N76-31714
US-PATENT-APPL-SN-537615 c28 N71-22983
US-PATENT-APPL-SN-537617 c09 N71-22987
US-PATENT-APPL-SN-537979 c37 N77-11397
US-PATENT-APPL-SN-538047 c37 N76-27568
US-PATENT-APPL-SN-538166 c15 N71-21177
US-PATENT-APPL-SN-538168 c23 N71-16098
US-PATENT-APPL-SN-538863 c54 N78-17680
US-PATENT-APPL-SN-538905 c08 N71-18594
US-PATENT-APPL-SN-538907 c33 N71-28903
US-PATENT-APPL-SN-538908 c33 N71-22890
US-PATENT-APPL-SN-538911 c33 N71-22792
US-PATENT-APPL-SN-538913 c14 N71-17627
US-PATENT-APPL-SN-538982 c33 N77-14333
US-PATENT-APPL-SN-538983 c33 N76-18353
US-PATENT-APPL-SN-539237 c33 N71-16278
US-PATENT-APPL-SN-539255 c18 N71-26153
US-PATENT-APPL-SN-539255 c17 N72-28536
US-PATENT-APPL-SN-540414 c15 N71-22799
US-PATENT-APPL-SN-540779 c33 N79-12331
US-PATENT-APPL-SN-541399 c14 N71-20428
US-PATENT-APPL-SN-542157 c20 N76-21276
US-PATENT-APPL-SN-542192 c26 N75-27126
US-PATENT-APPL-SN-542713 c23 N71-23976
US-PATENT-APPL-SN-542754 c34 N76-18374
US-PATENT-APPL-SN-543206 c05 N71-23159
US-PATENT-APPL-SN-543774 c06 N69-39733
US-PATENT-APPL-SN-544611 c33 N76-15373
US-PATENT-APPL-SN-544895 c07 N71-28809
US-PATENT-APPL-SN-544899 c09 N71-20569
US-PATENT-APPL-SN-545223 c03 N71-11056
US-PATENT-APPL-SN-545224 c15 N69-21362
US-PATENT-APPL-SN-545228 c07 N69-39736
US-PATENT-APPL-SN-545229 c03 N69-21469
US-PATENT-APPL-SN-545282 c35 N76-24524
US-PATENT-APPL-SN-545283 c32 N77-12239
US-PATENT-APPL-SN-545284 c34 N76-27517
US-PATENT-APPL-SN-545535 c03 N69-21539
US-PATENT-APPL-SN-545793 c20 N80-14188
US-PATENT-APPL-SN-545805 c15 N71-21744
US-PATENT-APPL-SN-546142 c09 N69-24329
US-PATENT-APPL-SN-546148 c11 N71-22875
US-PATENT-APPL-SN-546149 c16 N71-24170
US-PATENT-APPL-SN-547072 c15 N71-24043
US-PATENT-APPL-SN-547072 c35 N78-32397
US-PATENT-APPL-SN-547643 c33 N79-33392
US-PATENT-APPL-SN-547677 c10 N71-20448
US-PATENT-APPL-SN-548468 c37 N76-27567
US-PATENT-APPL-SN-548559 c44 N76-29700
US-PATENT-APPL-SN-548808 c14 N71-23227
US-PATENT-APPL-SN-549418 c36 N76-31512
US-PATENT-APPL-SN-549860 c03 N71-19438
US-PATENT-APPL-SN-550088 c07 N71-24612
US-PATENT-APPL-SN-551182 c03 N71-23187
US-PATENT-APPL-SN-551184 c37 N76-22541
US-PATENT-APPL-SN-551694 c31 N71-18611
US-PATENT-APPL-SN-551815 c02 N71-11038
US-PATENT-APPL-SN-551846 c03 N71-20492
US-PATENT-APPL-SN-551933 c33 N71-14032
US-PATENT-APPL-SN-551961 c15 N70-33376
US-PATENT-APPL-SN-552108 c07 N79-14096
US-PATENT-APPL-SN-552344 c09 N69-27463
US-PATENT-APPL-SN-552454 c35 N76-24525
US-PATENT-APPL-SN-553687 c44 N76-29704
US-PATENT-APPL-SN-553891 c23 N71-16341
US-PATENT-APPL-SN-554277 c07 N71-26579
US-PATENT-APPL-SN-554897 c15 N71-22982
US-PATENT-APPL-SN-554899 c15 N70-33382
US-PATENT-APPL-SN-554949 c06 N71-20717
US-PATENT-APPL-SN-554950 c17 N71-23248
US-PATENT-APPL-SN-554959 c27 N79-21191
US-PATENT-APPL-SN-555189 c08 N71-27255
US-PATENT-APPL-SN-555336 c33 N76-27473
US-PATENT-APPL-SN-555641 c51 N76-29891
US-PATENT-APPL-SN-555750 c27 N79-12221
US-PATENT-APPL-SN-556784 c09 N71-20447
US-PATENT-APPL-SN-556830 c15 N71-26294
US-PATENT-APPL-SN-557016 c15 N71-23086
US-PATENT-APPL-SN-557430 c52 N77-14737
US-PATENT-APPL-SN-557448 c45 N76-17656
US-PATENT-APPL-SN-557565 c24 N77-27187
US-PATENT-APPL-SN-557584 c09 N71-20851
US-PATENT-APPL-SN-557861 c03 N71-24605
US-PATENT-APPL-SN-557868 c14 N70-41682
US-PATENT-APPL-SN-557871 c10 N71-21483
US-PATENT-APPL-SN-558600 c74 N77-10899
US-PATENT-APPL-SN-559055 c33 N71-29046
US-PATENT-APPL-SN-559349 c33 N71-24145
US-PATENT-APPL-SN-559350 c33 N71-28892
US-PATENT-APPL-SN-559351 c14 N69-39785
US-PATENT-APPL-SN-559845 c35 N76-29551
US-PATENT-APPL-SN-559846 c34 N79-13289
US-PATENT-APPL-SN-559846 c34 N80-24573
US-PATENT-APPL-SN-559847 c34 N79-13288
US-PATENT-APPL-SN-560891 c73 N78-19920
US-PATENT-APPL-SN-560967 c15 N69-21922
US-PATENT-APPL-SN-560968 c10 N71-24863
US-PATENT-APPL-SN-560969 c14 N71-15622
US-PATENT-APPL-SN-561020 c44 N76-23675
US-PATENT-APPL-SN-561223 c14 N71-20427
US-PATENT-APPL-SN-561764 c32 N77-10392
US-PATENT-APPL-SN-561956 c35 N77-17426
US-PATENT-APPL-SN-562443 c09 N69-39734
US-PATENT-APPL-SN-562444 c14 N71-22995
US-PATENT-APPL-SN-562445 c14 N71-23797
US-PATENT-APPL-SN-562499 c32 N77-31350

US-PATENT-APPL-SN-562558 c31 N79-21227
US-PATENT-APPL-SN-562933 c10 N71-24799
US-PATENT-APPL-SN-562934 c09 N69-21468
US-PATENT-APPL-SN-562992 c27 N78-32261
US-PATENT-APPL-SN-563049 c17 N76-29347
US-PATENT-APPL-SN-563050 c37 N76-31524
US-PATENT-APPL-SN-563283 c35 N76-18401
US-PATENT-APPL-SN-563644 c15 N71-18613
US-PATENT-APPL-SN-563646 c05 N71-23096
US-PATENT-APPL-SN-563648 c15 N71-17803
US-PATENT-APPL-SN-563650 c25 N69-21929
US-PATENT-APPL-SN-563651 c28 N71-23293
US-PATENT-APPL-SN-564622 c37 N77-31497
US-PATENT-APPL-SN-564919 c09 N71-23316
US-PATENT-APPL-SN-565162 c35 N79-14348
US-PATENT-APPL-SN-565289 c38 N77-17495
US-PATENT-APPL-SN-565290 c17 N76-22245
US-PATENT-APPL-SN-566392 c14 N71-23175
US-PATENT-APPL-SN-566397 c05 N71-23161
US-PATENT-APPL-SN-566493 c44 N76-29701
US-PATENT-APPL-SN-566494 c32 N77-30309
US-PATENT-APPL-SN-566495 c33 N77-17351
US-PATENT-APPL-SN-566717 c14 N71-24233
US-PATENT-APPL-SN-567686 c15 N71-22994
US-PATENT-APPL-SN-567806 c06 N71-22975
US-PATENT-APPL-SN-568067 c31 N71-22968
US-PATENT-APPL-SN-568071 c14 N69-27461
US-PATENT-APPL-SN-568160 c10 N71-18724
US-PATENT-APPL-SN-568346 c04 N69-27487
US-PATENT-APPL-SN-568352 c09 N71-20842
US-PATENT-APPL-SN-568354 c14 N71-22752
US-PATENT-APPL-SN-568355 c32 N71-23971
US-PATENT-APPL-SN-568356 c14 N71-15599
US-PATENT-APPL-SN-568362 c03 N69-39983
US-PATENT-APPL-SN-568364 c10 N71-26418
US-PATENT-APPL-SN-568541 c24 N77-28225
US-PATENT-APPL-SN-568541 c27 N81-14077
US-PATENT-APPL-SN-568620 c10 N71-26626
US-PATENT-APPL-SN-568987 c10 N71-19547
US-PATENT-APPL-SN-569925 c07 N77-17C59
US-PATENT-APPL-SN-570093 c06 N71-17705
US-PATENT-APPL-SN-570095 c14 N71-23226
US-PATENT-APPL-SN-570097 c15 N69-23185
US-PATENT-APPL-SN-570678 c17 N71-25903
US-PATENT-APPL-SN-571458 c44 N77-10635
US-PATENT-APPL-SN-571459 c54 N78-14784
US-PATENT-APPL-SN-571821 c20 N76-22296
US-PATENT-APPL-SN-572990 c37 N78-16369
US-PATENT-APPL-SN-572991 c51 N77-22794
US-PATENT-APPL-SN-573029 c07 N79-14097
US-PATENT-APPL-SN-573432 c14 N71-23790
US-PATENT-APPL-SN-574208 c37 N76-29590
US-PATENT-APPL-SN-574218 c52 N76-29895
US-PATENT-APPL-SN-574219 c35 N76-31490
US-PATENT-APPL-SN-574280 c15 N69-21460
US-PATENT-APPL-SN-574282 c15 N69-23190
US-PATENT-APPL-SN-574282 c15 N71-23025
US-PATENT-APPL-SN-574283 c14 N69-24257
US-PATENT-APPL-SN-574284 c08 N71-19763
US-PATENT-APPL-SN-574290 c14 N71-20439
US-PATENT-APPL-SN-575291 c33 N71-29151
US-PATENT-APPL-SN-575475 c05 N69-23192
US-PATENT-APPL-SN-575930 c06 N71-23230
US-PATENT-APPL-SN-576182 c33 N71-24276
US-PATENT-APPL-SN-576183 c09 N71-23525
US-PATENT-APPL-SN-576195 c14 N71-21079
US-PATENT-APPL-SN-576488 c44 N76-28635
US-PATENT-APPL-SN-576521 c09 N71-20864
US-PATENT-APPL-SN-576774 c60 N77-19760
US-PATENT-APPL-SN-576792 c14 N71-26136
US-PATENT-APPL-SN-576797 c09 N69-24318
US-PATENT-APPL-SN-577114 c15 N69-24320
US-PATENT-APPL-SN-577115 c15 N71-17647
US-PATENT-APPL-SN-577545 c08 N71-18693
US-PATENT-APPL-SN-577546 c31 N71-23008
US-PATENT-APPL-SN-577548 c09 N69-27422
US-PATENT-APPL-SN-577548 c14 N72-28438
US-PATENT-APPL-SN-577549 c15 N71-22721
US-PATENT-APPL-SN-577775 c14 N71-17574
US-PATENT-APPL-SN-577778 c03 N71-11050
US-PATENT-APPL-SN-578240 c34 N77-18382
US-PATENT-APPL-SN-578241 c52 N76-29896
US-PATENT-APPL-SN-578397 c20 N79-21124
US-PATENT-APPL-SN-578700 c35 N76-19408
US-PATENT-APPL-SN-578916 c14 N71-23036
US-PATENT-APPL-SN-578923 c15 N71-21403
US-PATENT-APPL-SN-578925 c23 N71-16355
US-PATENT-APPL-SN-578926 c06 N69-39936
US-PATENT-APPL-SN-578928 c26 N71-21824
US-PATENT-APPL-SN-578931 c23 N71-21882
US-PATENT-APPL-SN-578932 c08 N71-12505
US-PATENT-APPL-SN-579121 c15 N71-29136
US-PATENT-APPL-SN-579300 c20 N79-21123
US-PATENT-APPL-SN-579375 c07 N77-14025
US-PATENT-APPL-SN-579376 c20 N79-21125
US-PATENT-APPL-SN-579989 c34 N77-32413
US-PATENT-APPL-SN-580365 c15 N71-23255
US-PATENT-APPL-SN-581514 c70 N75-26789
US-PATENT-APPL-SN-581750 c07 N78-17055
US-PATENT-APPL-SN-581751 c37 N78-10468
US-PATENT-APPL-SN-581843 c31 N79-21226
US-PATENT-APPL-SN-582171 c32 N71-16428
US-PATENT-APPL-SN-582213 c32 N74-22096
US-PATENT-APPL-SN-582318 c33 N76-27472
US-PATENT-APPL-SN-582609 c10 N71-19467
US-PATENT-APPL-SN-583055 c07 N78-18067
US-PATENT-APPL-SN-583056 c37 N78-17384
US-PATENT-APPL-SN-583485 c33 N77-28385
US-PATENT-APPL-SN-583486 c33 N77-26386
US-PATENT-APPL-SN-583487 c52 N76-19785
US-PATENT-APPL-SN-584015 c14 N71-26475
US-PATENT-APPL-SN-584066 c10 N71-20852
US-PATENT-APPL-SN-584067 c07 N71-12392
US-PATENT-APPL-SN-584070 c09 N69-27500
US-PATENT-APPL-SN-584071 c26 N71-16037
US-PATENT-APPL-SN-584072 c15 N69-39786
US-PATENT-APPL-SN-584094 c26 N77-20201
US-PATENT-APPL-SN-584914 c54 N78-17679
US-PATENT-APPL-SN-585217 c54 N78-17677
US-PATENT-APPL-SN-585420 c35 N76-31489
US-PATENT-APPL-SN-585988 c33 N75-29318
US-PATENT-APPL-SN-586324 c05 N71-26293
US-PATENT-APPL-SN-586325 c31 N71-24315
US-PATENT-APPL-SN-586329 c05 N71-24623
US-PATENT-APPL-SN-586330 c05 N71-12344
US-PATENT-APPL-SN-588635 c21 N71-15642
US-PATENT-APPL-SN-588651 c31 N71-24813
US-PATENT-APPL-SN-588671 c03 N71-23354
US-PATENT-APPL-SN-588721 c27 N78-33228
US-PATENT-APPL-SN-589119 c32 N77-32342
US-PATENT-APPL-SN-589172 c27 N79-14214
US-PATENT-APPL-SN-589173 c32 N77-12240
US-PATENT-APPL-SN-589233 c33 N77-14335
US-PATENT-APPL-SN-590141 c03 N69-24267
US-PATENT-APPL-SN-590144 c15 N71-15606
US-PATENT-APPL-SN-590145 c07 N69-39980
US-PATENT-APPL-SN-590146 c09 N69-21926
US-PATENT-APPL-SN-590147 c15 N71-21489
US-PATENT-APPL-SN-590158 c05 N71-24147
US-PATENT-APPL-SN-590159 c09 N69-24324
US-PATENT-APPL-SN-590182 c37 N76-29588
US-PATENT-APPL-SN-590183 c74 N79-13855
US-PATENT-APPL-SN-590975 c44 N78-31525
US-PATENT-APPL-SN-591000 c15 N71-24044
US-PATENT-APPL-SN-591004 c07 N71-11266
US-PATENT-APPL-SN-591007 c16 N69-27491
US-PATENT-APPL-SN-591014 c28 N71-24736
US-PATENT-APPL-SN-591568 c74 N76-31998
US-PATENT-APPL-SN-591569 c37 N77-12402
US-PATENT-APPL-SN-591930 c03 N69-21330
US-PATENT-APPL-SN-592159 c07 N76-27232
US-PATENT-APPL-SN-592680 c15 N71-22877
US-PATENT-APPL-SN-592694 c05 N71-12342
US-PATENT-APPL-SN-593142 c37 N77-17464
US-PATENT-APPL-SN-593593 c06 N71-11239
US-PATENT-APPL-SN-593594 c06 N71-11236
US-PATENT-APPL-SN-593595 c06 N71-24740
US-PATENT-APPL-SN-593604 c11 N69-27466
US-PATENT-APPL-SN-593605 c06 N71-11242
US-PATENT-APPL-SN-593606 c06 N71-11243
US-PATENT-APPL-SN-593607 c07 N71-26102
US-PATENT-APPL-SN-594584 c14 N71-25892
US-PATENT-APPL-SN-594587 c28 N71-21493
US-PATENT-APPL-SN-594633 c15 N71-24046
US-PATENT-APPL-SN-595197 c33 N77-10429
US-PATENT-APPL-SN-595254 c17 N78-17140
US-PATENT-APPL-SN-595745 c37 N77-32501
US-PATENT-APPL-SN-595747 c37 N77-32500
US-PATENT-APPL-SN-596338 c09 N71-20816
US-PATENT-APPL-SN-596641 c07 N77-23106
US-PATENT-APPL-SN-596641 c37 N78-10467
US-PATENT-APPL-SN-596733 c15 N72-11389
US-PATENT-APPL-SN-596735 c32 N71-24285
US-PATENT-APPL-SN-596787 c37 N77-19458
US-PATENT-APPL-SN-596787 c37 N78-31426
US-PATENT-APPL-SN-596788 c33 N76-21390
US-PATENT-APPL-SN-596905 c24 N77-19170
US-PATENT-APPL-SN-598118 c15 N69-27490

US-PATENT-APPL-SN-598119 c08 N71-19437
US-PATENT-APPL-SN-598120 c08 N71-18602
US-PATENT-APPL-SN-598504 c37 N77-14477
US-PATENT-APPL-SN-598967 c31 N77-10229
US-PATENT-APPL-SN-598968 c33 N77-17354
US-PATENT-APPL-SN-598969 c44 N78-17460
US-PATENT-APPL-SN-599284 c35 N77-14411
US-PATENT-APPL-SN-599975 c08 N69-21928
US-PATENT-APPL-SN-600266 c14 N71-20430
US-PATENT-APPL-SN-600682 c14 N71-20461
US-PATENT-APPL-SN-601228 c15 N71-17652
US-PATENT-APPL-SN-601229 c14 N71-26474
US-PATENT-APPL-SN-602617 c37 N77-23483
US-PATENT-APPL-SN-602618 c44 N76-31667
US-PATENT-APPL-SN-602828 c09 N71-13531
US-PATENT-APPL-SN-603396 c14 N69-23191
US-PATENT-APPL-SN-603397 c26 N71-23292
US-PATENT-APPL-SN-604374 c44 N76-29699
US-PATENT-APPL-SN-605090 c15 N71-19485
US-PATENT-APPL-SN-605091 c15 N71-26346
US-PATENT-APPL-SN-605092 c05 N71-23317
US-PATENT-APPL-SN-605093 c17 N71-24911
US-PATENT-APPL-SN-605094 c09 N71-24808
US-PATENT-APPL-SN-605095 c10 N71-19417
US-PATENT-APPL-SN-605096 c15 N71-24834
US-PATENT-APPL-SN-605097 c14 N69-21923
US-PATENT-APPL-SN-605098 c09 N71-26092
US-PATENT-APPL-SN-605099 c09 N71-23548
US-PATENT-APPL-SN-605100 c15 N71-21536
US-PATENT-APPL-SN-605102 c09 N69-39987
US-PATENT-APPL-SN-605518 c15 N71-23023
US-PATENT-APPL-SN-605964 c06 N73-30103
US-PATENT-APPL-SN-605994 c06 N73-30101
US-PATENT-APPL-SN-606027 c06 N73-30099
US-PATENT-APPL-SN-606036 c06 N73-30100
US-PATENT-APPL-SN-606462 c08 N71-24891
US-PATENT-APPL-SN-606463 c14 N71-24864
US-PATENT-APPL-SN-606464 c15 N71-18579
US-PATENT-APPL-SN-606891 c44 N77-14581
US-PATENT-APPL-SN-607461 c05 N71-12346
US-PATENT-APPL-SN-607484 c09 N71-26002
US-PATENT-APPL-SN-607608 c14 N69-27484
US-PATENT-APPL-SN-607969 c09 N76-23273
US-PATENT-APPL-SN-608247 c15 N71-20813
US-PATENT-APPL-SN-608482 c74 N77-20882
US-PATENT-APPL-SN-608483 c09 N77-19076
US-PATENT-APPL-SN-608944 c15 N71-23798
US-PATENT-APPL-SN-610723 c14 N71-23755
US-PATENT-APPL-SN-610724 c31 N71-28851
US-PATENT-APPL-SN-610728 c31 N71-22969
US-PATENT-APPL-SN-610801 c76 N77-32919
US-PATENT-APPL-SN-610802 c35 N77-20400
US-PATENT-APPL-SN-611414 c46 N74-23068
US-PATENT-APPL-SN-611414 c46 N74-23069
US-PATENT-APPL-SN-612265 c14 N72-22442
US-PATENT-APPL-SN-612568 c15 N71-28952
US-PATENT-APPL-SN-612740 c25 N71-20563
US-PATENT-APPL-SN-612899 c07 N77-18154
US-PATENT-APPL-SN-612964 c20 N77-10148
US-PATENT-APPL-SN-612965 c52 N77-14735
US-PATENT-APPL-SN-612966 c35 N78-12390
US-PATENT-APPL-SN-612967 c74 N77-18893
US-PATENT-APPL-SN-613004 c71 N77-26919
US-PATENT-APPL-SN-613235 c14 N73-30394
US-PATENT-APPL-SN-613734 c52 N77-14738
US-PATENT-APPL-SN-613979 c33 N71-14035
US-PATENT-APPL-SN-615030 c35 N78-19465
US-PATENT-APPL-SN-616332 c24 N77-27188
US-PATENT-APPL-SN-616333 c33 N76-32457
US-PATENT-APPL-SN-616472 c74 N77-22951
US-PATENT-APPL-SN-616528 c24 N80-33482
US-PATENT-APPL-SN-617021 c23 N71-16101
US-PATENT-APPL-SN-617022 c07 N69-27462
US-PATENT-APPL-SN-617202 c74 N77-28933
US-PATENT-APPL-SN-617612 c52 N77-10780
US-PATENT-APPL-SN-617770 c14 N71-23267
US-PATENT-APPL-SN-617774 c18 N71-16124
US-PATENT-APPL-SN-617775 c06 N71-28807
US-PATENT-APPL-SN-617776 c18 N69-39895
US-PATENT-APPL-SN-617778 c14 N71-26244
US-PATENT-APPL-SN-617779 c09 N69-39929
US-PATENT-APPL-SN-617783 c15 N69-24266
US-PATENT-APPL-SN-617895 c32 N77-14292
US-PATENT-APPL-SN-618594 c37 N77-13418
US-PATENT-APPL-SN-618969 c05 N71-26333
US-PATENT-APPL-SN-619519 c32 N71-16106
US-PATENT-APPL-SN-619520 c05 N69-21380
US-PATENT-APPL-SN-619521 c06 N69-39889
US-PATENT-APPL-SN-619903 c15 N69-27505
US-PATENT-APPL-SN-619907 c09 N69-21543
US-PATENT-APPL-SN-619908 c08 N71-20571
US-PATENT-APPL-SN-619986 c37 N75-32465
US-PATENT-APPL-SN-620675 c35 N78-19466
US-PATENT-APPL-SN-621098 c09 N71-20446
US-PATENT-APPL-SN-621714 c15 N71-19569
US-PATENT-APPL-SN-621715 c05 N71-11207
US-PATENT-APPL-SN-621742 c28 N71-23968
US-PATENT-APPL-SN-623156 c04 N77-19056
US-PATENT-APPL-SN-623187 c34 N77-19353
US-PATENT-APPL-SN-623188 c54 N77-21844
US-PATENT-APPL-SN-623238 c51 N77-25769
US-PATENT-APPL-SN-623389 c31 N81-15154
US-PATENT-APPL-SN-623536 c09 N78-18083
US-PATENT-APPL-SN-625732 c35 N77-18417
US-PATENT-APPL-SN-625733 c26 N77-28265
US-PATENT-APPL-SN-625734 c35 N78-10428
US-PATENT-APPL-SN-625759 c37 N77-14478
US-PATENT-APPL-SN-625781 c33 N77-31404
US-PATENT-APPL-SN-626376 c05 N71-11189
US-PATENT-APPL-SN-626942 c51 N77-27677
US-PATENT-APPL-SN-627257 c08 N71-12504
US-PATENT-APPL-SN-627599 c18 N71-16046
US-PATENT-APPL-SN-628094 c16 N71-20400
US-PATENT-APPL-SN-628221 c07 N78-18066
US-PATENT-APPL-SN-628246 c15 N71-17687
US-PATENT-APPL-SN-628247 c09 N69-21542
US-PATENT-APPL-SN-628248 c14 N69-27432
US-PATENT-APPL-SN-629456 c37 N77-14479
US-PATENT-APPL-SN-629457 c35 N77-32454
US-PATENT-APPL-SN-629458 c35 N78-17357
US-PATENT-APPL-SN-629759 c15 N71-16076
US-PATENT-APPL-SN-630579 c35 N77-24454
US-PATENT-APPL-SN-630583 c33 N77-24375
US-PATENT-APPL-SN-631341 c60 N78-17691
US-PATENT-APPL-SN-631848 c09 N71-12514
US-PATENT-APPL-SN-632104 c09 N71-19470
US-PATENT-APPL-SN-632111 c37 N79-10422
US-PATENT-APPL-SN-632112 c35 N77-22449
US-PATENT-APPL-SN-632152 c10 N71-24798
US-PATENT-APPL-SN-632154 c09 N69-39984
US-PATENT-APPL-SN-632162 c14 N69-39937
US-PATENT-APPL-SN-632163 c30 N71-23723
US-PATENT-APPL-SN-632164 c15 N69-24319
US-PATENT-APPL-SN-632165 c14 N71-26266
US-PATENT-APPL-SN-633876 c27 N78-19302
US-PATENT-APPL-SN-633877 c27 N77-13217
US-PATENT-APPL-SN-634038 c25 N71-16073
US-PATENT-APPL-SN-634040 c15 N71-19489
US-PATENT-APPL-SN-634060 c09 N69-39897
US-PATENT-APPL-SN-634205 c35 N77-14406
US-PATENT-APPL-SN-634214 c73 N78-28913
US-PATENT-APPL-SN-634304 c27 N79-18052
US-PATENT-APPL-SN-635325 c14 N69-27431
US-PATENT-APPL-SN-635326 c14 N71-18482
US-PATENT-APPL-SN-635327 c12 N69-39988
US-PATENT-APPL-SN-635328 c09 N69-21467
US-PATENT-APPL-SN-635519 c35 N77-24455
US-PATENT-APPL-SN-635531 c33 N77-14334
US-PATENT-APPL-SN-635970 c15 N69-21465
US-PATENT-APPL-SN-635972 c18 N71-23710
US-PATENT-APPL-SN-636193 c74 N78-15880
US-PATENT-APPL-SN-636796 c35 N78-17358
US-PATENT-APPL-SN-636878 c14 N71-20442
US-PATENT-APPL-SN-637247 c35 N77-10493
US-PATENT-APPL-SN-637249 c38 N76-28563
US-PATENT-APPL-SN-637268 c47 N77-10753
US-PATENT-APPL-SN-637269 c52 N77-28717
US-PATENT-APPL-SN-637882 c15 N71-17650
US-PATENT-APPL-SN-638192 c10 N71-26415
US-PATENT-APPL-SN-638194 c33 N71-21507
US-PATENT-APPL-SN-638707 c14 N69-27486
US-PATENT-APPL-SN-639589 c28 N70-33372
US-PATENT-APPL-SN-640154 c09 N71-18600
US-PATENT-APPL-SN-640447 c15 N71-19486
US-PATENT-APPL-SN-640448 c08 N71-19420
US-PATENT-APPL-SN-640449 c09 N71-19516
US-PATENT-APPL-SN-640450 c15 N71-17694
US-PATENT-APPL-SN-640452 c09 N71-12513
US-PATENT-APPL-SN-640453 c23 N71-16099
US-PATENT-APPL-SN-640454 c06 N71-11238
US-PATENT-APPL-SN-640455 c10 N71-23099
US-PATENT-APPL-SN-640456 c03 N71-26726
US-PATENT-APPL-SN-640457 c03 N71-11052
US-PATENT-APPL-SN-640458 c15 N71-23811
US-PATENT-APPL-SN-640459 c10 N71-18723
US-PATENT-APPL-SN-640460 c14 N69-21541
US-PATENT-APPL-SN-640462 c15 N71-20443
US-PATENT-APPL-SN-640781 c03 N69-25146

US-PATENT-APPL-SN-640783 c09 N71-26000
US-PATENT-APPL-SN-640784 c15 N69-39535
US-PATENT-APPL-SN-640785 c09 N69-24333
US-PATENT-APPL-SN-640786 c15 N71-24695
US-PATENT-APPL-SN-640787 c28 N71-24321
US-PATENT-APPL-SN-640788 c15 N69-27502
US-PATENT-APPL-SN-640789 c15 N69-27504
US-PATENT-APPL-SN-641420 c03 N71-23449
US-PATENT-APPL-SN-641431 c30 N71-16090
US-PATENT-APPL-SN-641441 c08 N71-18751
US-PATENT-APPL-SN-641784 c37 N77-32499
US-PATENT-APPL-SN-641801 c35 N76-14434
US-PATENT-APPL-SN-641802 c34 N77-30399
US-PATENT-APPL-SN-641803 c35 N78-18391
US-PATENT-APPL-SN-643041 c44 N78-19599
US-PATENT-APPL-SN-643043 c35 N78-13400
US-PATENT-APPL-SN-643332 c15 N71-14932
US-PATENT-APPL-SN-643897 c73 N78-32848
US-PATENT-APPL-SN-644444 c09 N71-18721
US-PATENT-APPL-SN-644446 c14 N71-24693
US-PATENT-APPL-SN-644447 c14 N71-24234
US-PATENT-APPL-SN-644448 c17 N69-25147
US-PATENT-APPL-SN-644799 c17 N71-15468
US-PATENT-APPL-SN-645500 c74 N77-28932
US-PATENT-APPL-SN-645502 c24 N79-25143
US-PATENT-APPL-SN-645507 c26 N77-32280
US-PATENT-APPL-SN-645508 c44 N77-14580
US-PATENT-APPL-SN-645510 c32 N77-30308
US-PATENT-APPL-SN-645563 c31 N71-20396
US-PATENT-APPL-SN-645571 c35 N77-14407
US-PATENT-APPL-SN-645573 c24 N71-25555
US-PATENT-APPL-SN-645584 c08 N71-12494
US-PATENT-APPL-SN-646124 c15 N71-23817
US-PATENT-APPL-SN-646333 c35 N80-26635
US-PATENT-APPL-SN-646424 c07 N69-27460
US-PATENT-APPL-SN-646704 c36 N77-25499
US-PATENT-APPL-SN-646934 c08 N71-18692
US-PATENT-APPL-SN-647298 c31 N71-16102
US-PATENT-APPL-SN-648034 c09 N79-21083
US-PATENT-APPL-SN-648700 c74 N78-13874
US-PATENT-APPL-SN-649075 c14 N71-15600
US-PATENT-APPL-SN-649076 c08 N71-24890
US-PATENT-APPL-SN-649078 c07 N71-19493
US-PATENT-APPL-SN-649356 c09 N71-23189
US-PATENT-APPL-SN-649357 c08 N71-12500
US-PATENT-APPL-SN-649358 c07 N71-11267
US-PATENT-APPL-SN-649359 c15 N71-18701
US-PATENT-APPL-SN-649360 c23 N71-16365
US-PATENT-APPL-SN-650166 c09 N71-23191
US-PATENT-APPL-SN-651002 c08 N79-14108
US-PATENT-APPL-SN-651007 c74 N78-17865
US-PATENT-APPL-SN-651009 c26 N78-18182
US-PATENT-APPL-SN-651627 c26 N72-25679
US-PATENT-APPL-SN-651972 c27 N74-23125
US-PATENT-APPL-SN-652948 c52 N77-14736
US-PATENT-APPL-SN-653277 c31 N71-23912
US-PATENT-APPL-SN-653278 c14 N69-27503
US-PATENT-APPL-SN-653316 c25 N77-32255
US-PATENT-APPL-SN-653422 c35 N77-20401
US-PATENT-APPL-SN-653682 c39 N78-10493
US-PATENT-APPL-SN-654787 c07 N77-32148
US-PATENT-APPL-SN-655149 c07 N77-23106
US-PATENT-APPL-SN-655675 c17 N71-24142
US-PATENT-APPL-SN-655677 c08 N71-19432
US-PATENT-APPL-SN-655724 c15 N71-22706
US-PATENT-APPL-SN-656952 c09 N71-12519
US-PATENT-APPL-SN-656953 c14 N71-17585
US-PATENT-APPL-SN-656993 c09 N71-24843
US-PATENT-APPL-SN-656995 c21 N71-14132
US-PATENT-APPL-SN-657742 c18 N71-26100
US-PATENT-APPL-SN-657903 c07 N76-18131
US-PATENT-APPL-SN-657907 c27 N78-17213
US-PATENT-APPL-SN-657995 c35 N77-22450
US-PATENT-APPL-SN-657996 c60 N78-10709
US-PATENT-APPL-SN-657997 c60 N77-32731
US-PATENT-APPL-SN-657998 c27 N78-32262
US-PATENT-APPL-SN-658132 c44 N77-32580
US-PATENT-APPL-SN-658133 c71 N78-10837
US-PATENT-APPL-SN-658449 c32 N77-20289
US-PATENT-APPL-SN-658450 c37 N77-22482
US-PATENT-APPL-SN-658487 c37 N77-17466
US-PATENT-APPL-SN-658955 c14 N71-15605
US-PATENT-APPL-SN-658956 c15 N71-15607
US-PATENT-APPL-SN-658957 c14 N71-17584
US-PATENT-APPL-SN-658964 c19 N71-26674
US-PATENT-APPL-SN-659882 c37 N78-13436
US-PATENT-APPL-SN-660571 c26 N71-23654
US-PATENT-APPL-SN-660572 c15 N71-15571
US-PATENT-APPL-SN-660573 c15 N71-28936
US-PATENT-APPL-SN-660841 c14 N71-15621
US-PATENT-APPL-SN-660842 c14 N71-23726
US-PATENT-APPL-SN-660843 c08 N71-24650
US-PATENT-APPL-SN-661170 c14 N71-24809
US-PATENT-APPL-SN-662175 c09 N77-27131
US-PATENT-APPL-SN-662176 c32 N77-21267
US-PATENT-APPL-SN-662181 c34 N76-23522
US-PATENT-APPL-SN-662182 c37 N78-27424
US-PATENT-APPL-SN-662182 c35 N79-26372
US-PATENT-APPL-SN-662763 c15 N73-12489
US-PATENT-APPL-SN-662828 c11 N71-18578
US-PATENT-APPL-SN-662829 c15 N71-15597
US-PATENT-APPL-SN-663008 c37 N77-28486
US-PATENT-APPL-SN-663180 c10 N71-23663
US-PATENT-APPL-SN-664091 c43 N79-17288
US-PATENT-APPL-SN-665032 c74 N77-22950
US-PATENT-APPL-SN-665033 c20 N77-20162
US-PATENT-APPL-SN-665209 c14 N71-23725
US-PATENT-APPL-SN-665676 c14 N71-19568
US-PATENT-APPL-SN-665679 c15 N71-20395
US-PATENT-APPL-SN-665680 c24 N71-16213
US-PATENT-APPL-SN-665681 c15 N71-18616
US-PATENT-APPL-SN-665734 c35 N78-18390
US-PATENT-APPL-SN-666551 c14 N71-23698
US-PATENT-APPL-SN-666553 c03 N71-11055
US-PATENT-APPL-SN-666554 c33 N71-16104
US-PATENT-APPL-SN-666555 c07 N71-24614
US-PATENT-APPL-SN-666992 c27 N77-30236
US-PATENT-APPL-SN-667010 c34 N77-27345
US-PATENT-APPL-SN-667625 c31 N71-15674
US-PATENT-APPL-SN-667636 c03 N71-20491
US-PATENT-APPL-SN-667637 c28 N71-14044
US-PATENT-APPL-SN-667928 c35 N77-30436
US-PATENT-APPL-SN-667929 c35 N79-14346
US-PATENT-APPL-SN-667930 c32 N77-28346
US-PATENT-APPL-SN-668116 c35 N76-16391
US-PATENT-APPL-SN-668238 c15 N71-15608
US-PATENT-APPL-SN-668241 c15 N71-17685
US-PATENT-APPL-SN-668242 c10 N71-27272
US-PATENT-APPL-SN-668247 c09 N71-20445
US-PATENT-APPL-SN-668248 c10 N71-26331
US-PATENT-APPL-SN-668249 c03 N71-20407
US-PATENT-APPL-SN-668257 c23 N71-16100
US-PATENT-APPL-SN-668302 c07 N71-12390
US-PATENT-APPL-SN-668751 c06 N71-11237
US-PATENT-APPL-SN-668755 c15 N71-17693
US-PATENT-APPL-SN-668771 c35 N78-32397
US-PATENT-APPL-SN-668783 c28 N80-10374
US-PATENT-APPL-SN-668968 c09 N71-12515
US-PATENT-APPL-SN-668969 c08 N71-19288
US-PATENT-APPL-SN-668971 c07 N78-33101
US-PATENT-APPL-SN-669336 c15 N71-17651
US-PATENT-APPL-SN-669911 c33 N78-17295
US-PATENT-APPL-SN-669928 c44 N77-22607
US-PATENT-APPL-SN-670814 c03 N71-19545
US-PATENT-APPL-SN-670829 c28 N72-23809
US-PATENT-APPL-SN-672210 c25 N78-10224
US-PATENT-APPL-SN-672219 c37 N80-28711
US-PATENT-APPL-SN-672220 c31 N78-17237
US-PATENT-APPL-SN-672221 c07 N78-27121
US-PATENT-APPL-SN-672222 c07 N78-25090
US-PATENT-APPL-SN-672223 c51 N78-27733
US-PATENT-APPL-SN-672382 c15 N71-23815
US-PATENT-APPL-SN-672383 c15 N71-24045
US-PATENT-APPL-SN-672384 c15 N71-27067
US-PATENT-APPL-SN-672388 c26 N72-17820
US-PATENT-APPL-SN-672636 c37 N79-11405
US-PATENT-APPL-SN-672695 c27 N78-17206
US-PATENT-APPL-SN-672815 c37 N77-23482
US-PATENT-APPL-SN-673226 c08 N71-12502
US-PATENT-APPL-SN-673227 c11 N71-24964
US-PATENT-APPL-SN-673228 c07 N71-19433
US-PATENT-APPL-SN-673229 c33 N71-15641
US-PATENT-APPL-SN-674194 c27 N78-17215
US-PATENT-APPL-SN-674195 c74 N78-17866
US-PATENT-APPL-SN-674355 c14 N71-20429
US-PATENT-APPL-SN-674356 c14 N71-23699
US-PATENT-APPL-SN-674357 c05 N71-12351
US-PATENT-APPL-SN-674700 c27 N77-31308
US-PATENT-APPL-SN-675238 c10 N71-26374
US-PATENT-APPL-SN-675328 c35 N78-15461
US-PATENT-APPL-SN-675351 c35 N78-10429
US-PATENT-APPL-SN-676012 c05 N71-11193
US-PATENT-APPL-SN-676375 c14 N71-18483
US-PATENT-APPL-SN-676386 c08 N71-12507
US-PATENT-APPL-SN-676387 c10 N71-25950
US-PATENT-APPL-SN-676391 c21 N71-11766
US-PATENT-APPL-SN-676432 c28 N78-24365
US-PATENT-APPL-SN-676432 c28 N80-20402

US-PATENT-APPL-SN-676432 c28 N81-14103
US-PATENT-APPL-SN-676433 c52 N77-28716
US-PATENT-APPL-SN-676957 c32 N77-18307
US-PATENT-APPL-SN-676958 c54 N76-22914
US-PATENT-APPL-SN-677351 c35 N77-32455
US-PATENT-APPL-SN-677352 c43 N78-10529
US-PATENT-APPL-SN-677353 c52 N78-14773
US-PATENT-APPL-SN-677475 c32 N71-26681
US-PATENT-APPL-SN-677476 c14 N71-17586
US-PATENT-APPL-SN-677505 c09 N71-13521
US-PATENT-APPL-SN-677506 c16 N71-15567
US-PATENT-APPL-SN-677508 c16 N71-15551
US-PATENT-APPL-SN-678520 c20 N78-24275
US-PATENT-APPL-SN-678700 c05 N71-19439
US-PATENT-APPL-SN-679055 c08 N71-24633
US-PATENT-APPL-SN-679862 c20 N71-16340
US-PATENT-APPL-SN-679885 c09 N71-12521
US-PATENT-APPL-SN-680015 c52 N79-14750
US-PATENT-APPL-SN-680067 c07 N77-27116
US-PATENT-APPL-SN-680938 c74 N77-26542
US-PATENT-APPL-SN-680939 c44 N78-10554
US-PATENT-APPL-SN-680957 c35 N77-27366
US-PATENT-APPL-SN-680958 c74 N78-18905
US-PATENT-APPL-SN-681000 c34 N78-25350
US-PATENT-APPL-SN-681001 c74 N76-22993
US-PATENT-APPL-SN-681017 c44 N77-32583
US-PATENT-APPL-SN-681096 c44 N77-32582
US-PATENT-APPL-SN-681687 c03 N71-20273
US-PATENT-APPL-SN-681692 c08 N71-12506
US-PATENT-APPL-SN-681693 c09 N71-18598
US-PATENT-APPL-SN-681942 c18 N71-15688
US-PATENT-APPL-SN-682416 c34 N77-24423
US-PATENT-APPL-SN-682435 c27 N77-32308
US-PATENT-APPL-SN-683507 c15 N71-15609
US-PATENT-APPL-SN-683606 c09 N71-24717
US-PATENT-APPL-SN-683612 c01 N69-39981
US-PATENT-APPL-SN-683613 c15 N71-15610
US-PATENT-APPL-SN-684045 c07 N80-26298
US-PATENT-APPL-SN-684083 c09 N71-24596
US-PATENT-APPL-SN-684171 c26 N78-18183
US-PATENT-APPL-SN-684178 c15 N71-23812
US-PATENT-APPL-SN-684209 c10 N71-19418
US-PATENT-APPL-SN-684807 c75 N78-27913
US-PATENT-APPL-SN-684810 c33 N76-23483
US-PATENT-APPL-SN-684894 c17 N71-26773
US-PATENT-APPL-SN-685027 c25 N78-10225
US-PATENT-APPL-SN-685463 c15 N71-23254
US-PATENT-APPL-SN-685473 c17 N71-16044
US-PATENT-APPL-SN-685497 c07 N69-39974
US-PATENT-APPL-SN-685748 c07 N71-11282
US-PATENT-APPL-SN-685750 c27 N71-16392
US-PATENT-APPL-SN-685764 c14 N69-27459
US-PATENT-APPL-SN-685766 c15 N69-21924
US-PATENT-APPL-SN-685787 c14 N71-18625
US-PATENT-APPL-SN-686209 c15 N71-23809
US-PATENT-APPL-SN-686248 c14 N71-26774
US-PATENT-APPL-SN-686296 c18 N71-14014
US-PATENT-APPL-SN-686331 c38 N78-32447
US-PATENT-APPL-SN-686344 c15 N71-17688
US-PATENT-APPL-SN-686449 c34 N78-18355
US-PATENT-APPL-SN-686796 c15 N70-33311
US-PATENT-APPL-SN-686933 c14 N71-17588
US-PATENT-APPL-SN-687251 c52 N79-12694
US-PATENT-APPL-SN-687822 c44 N78-14625
US-PATENT-APPL-SN-688742 c15 N71-20441
US-PATENT-APPL-SN-688743 c15 N71-20393
US-PATENT-APPL-SN-688805 c14 N71-17701
US-PATENT-APPL-SN-688807 c03 N71-23239
US-PATENT-APPL-SN-688852 c44 N78-28594
US-PATENT-APPL-SN-688854 c54 N77-32722
US-PATENT-APPL-SN-688856 c54 N78-32720
US-PATENT-APPL-SN-688868 c15 N71-17686
US-PATENT-APPL-SN-689455 c54 N74-32546
US-PATENT-APPL-SN-690163 c14 N71-18465
US-PATENT-APPL-SN-690172 c11 N72-22245
US-PATENT-APPL-SN-690815 c32 N77-24328
US-PATENT-APPL-SN-690816 c37 N78-25426
US-PATENT-APPL-SN-690997 c16 N71-24828
US-PATENT-APPL-SN-690998 c30 N71-15990
US-PATENT-APPL-SN-691046 c36 N77-25501
US-PATENT-APPL-SN-691256 c35 N77-31465
US-PATENT-APPL-SN-691647 c52 N76-27839
US-PATENT-APPL-SN-691735 c09 N71-12520
US-PATENT-APPL-SN-691736 c18 N71-16210
US-PATENT-APPL-SN-691737 c07 N71-24742
US-PATENT-APPL-SN-691738 c08 N71-18694
US-PATENT-APPL-SN-691739 c32 N71-15974
US-PATENT-APPL-SN-691909 c05 N71-24606
US-PATENT-APPL-SN-691936 c26 N77-32279

US-PATENT-APPL-SN-692284 c27 N78-14164
US-PATENT-APPL-SN-692331 c10 N71-26326
US-PATENT-APPL-SN-692332 c07 N71-11281
US-PATENT-APPL-SN-692413 c25 N78-25148
US-PATENT-APPL-SN-692414 c32 N77-24331
US-PATENT-APPL-SN-692471 c09 N71-12518
US-PATENT-APPL-SN-693074 c44 N78-24609
US-PATENT-APPL-SN-693419 c31 N71-16222
US-PATENT-APPL-SN-693420 c31 N71-16080
US-PATENT-APPL-SN-694246 c15 N71-26673
US-PATENT-APPL-SN-694247 c09 N69-21927
US-PATENT-APPL-SN-694317 c12 N71-20436
US-PATENT-APPL-SN-694340 c11 N71-17600
US-PATENT-APPL-SN-694345 c10 N71-23669
US-PATENT-APPL-SN-694406 c35 N79-10389
US-PATENT-APPL-SN-694407 c27 N80-23452
US-PATENT-APPL-SN-694855 c33 N77-30365
US-PATENT-APPL-SN-695513 c07 N78-25089
US-PATENT-APPL-SN-695973 c05 N71-12343
US-PATENT-APPL-SN-696374 c44 N80-29835
US-PATENT-APPL-SN-696679 c38 N79-14398
US-PATENT-APPL-SN-696989 c27 N77-30237
US-PATENT-APPL-SN-697075 c15 N71-27184
US-PATENT-APPL-SN-697341 c09 N71-23188
US-PATENT-APPL-SN-698239 c33 N78-17294
US-PATENT-APPL-SN-698592 c15 N71-18580
US-PATENT-APPL-SN-698629 c09 N71-12516
US-PATENT-APPL-SN-698630 c09 N71-24841
US-PATENT-APPL-SN-698646 c24 N78-15180
US-PATENT-APPL-SN-699002 c32 N78-15323
US-PATENT-APPL-SN-699012 c33 N78-27326
US-PATENT-APPL-SN-700040 c18 N72-23581
US-PATENT-APPL-SN-700120 c15 N71-20440
US-PATENT-APPL-SN-700142 c21 N71-14159
US-PATENT-APPL-SN-700174 c02 N71-20570
US-PATENT-APPL-SN-700467 c52 N79-14749
US-PATENT-APPL-SN-700541 c10 N71-25139
US-PATENT-APPL-SN-700586 c15 N71-19570
US-PATENT-APPL-SN-700673 c39 N77-28511
US-PATENT-APPL-SN-700984 c11 N71-19494
US-PATENT-APPL-SN-700985 c15 N69-23190
US-PATENT-APPL-SN-700986 c12 N71-26387
US-PATENT-APPL-SN-700987 c09 N71-19610
US-PATENT-APPL-SN-701244 c05 N72-20096
US-PATENT-APPL-SN-701448 c52 N78-10686
US-PATENT-APPL-SN-701635 c12 N71-17578
US-PATENT-APPL-SN-701654 c03 N71-11049
US-PATENT-APPL-SN-701679 c02 N71-19287
US-PATENT-APPL-SN-701679 c07 N73-20174
US-PATENT-APPL-SN-701732 c24 N71-16095
US-PATENT-APPL-SN-701733 c10 N71-24844
US-PATENT-APPL-SN-701744 c21 N71-13958
US-PATENT-APPL-SN-701767 c07 N71-26101
US-PATENT-APPL-SN-702115 c71 N79-14871
US-PATENT-APPL-SN-702396 c31 N71-16345
US-PATENT-APPL-SN-702911 c15 N71-24875
US-PATENT-APPL-SN-702967 c06 N71-24739
US-PATENT-APPL-SN-703107 c37 N77-22479
US-PATENT-APPL-SN-703905 c32 N80-14281
US-PATENT-APPL-SN-704180 c36 N78-27402
US-PATENT-APPL-SN-704224 c18 N71-15469
US-PATENT-APPL-SN-704299 c10 N71-26577
US-PATENT-APPL-SN-704420 c05 N71-11202
US-PATENT-APPL-SN-704446 c10 N71-33407
US-PATENT-APPL-SN-704465 c07 N71-24741
US-PATENT-APPL-SN-704468 c25 N79-28253
US-PATENT-APPL-SN-704668 c10 N71-12554
US-PATENT-APPL-SN-706013 c33 N71-27862
US-PATENT-APPL-SN-706073 c76 N79-11920
US-PATENT-APPL-SN-706424 c27 N78-32256
US-PATENT-APPL-SN-706424 c27 N80-10358
US-PATENT-APPL-SN-706424 c27 N80-24438
US-PATENT-APPL-SN-706425 c33 N78-10376
US-PATENT-APPL-SN-706564 c14 N71-17587
US-PATENT-APPL-SN-707124 c44 N77-22606
US-PATENT-APPL-SN-707125 c39 N78-16387
US-PATENT-APPL-SN-707440 c06 N73-30102
US-PATENT-APPL-SN-707495 c11 N71-18773
US-PATENT-APPL-SN-708658 c33 N77-26385
US-PATENT-APPL-SN-708660 c34 N78-27357
US-PATENT-APPL-SN-708771 c26 N78-24333
US-PATENT-APPL-SN-708795 c37 N77-28487
US-PATENT-APPL-SN-708796 c36 N78-18410
US-PATENT-APPL-SN-708800 c54 N78-17676
US-PATENT-APPL-SN-708951 c27 N78-31232
US-PATENT-APPL-SN-709398 c06 N71-13461
US-PATENT-APPL-SN-709399 c16 N71-26154
US-PATENT-APPL-SN-709415 c44 N78-27515
US-PATENT-APPL-SN-709622 c33 N71-24858

US-PATENT-APPL-SN-709849 c52 N77-25772
US-PATENT-APPL-SN-710032 c54 N77-30749
US-PATENT-APPL-SN-710035 c44 N78-24608
US-PATENT-APPL-SN-710036 c44 N78-32539
US-PATENT-APPL-SN-710533 c02 N71-11043
US-PATENT-APPL-SN-710561 c09 N71-12517
US-PATENT-APPL-SN-710562 c31 N71-16085
US-PATENT-APPL-SN-710621 c06 N73-27086
US-PATENT-APPL-SN-710798 c25 N78-27232
US-PATENT-APPL-SN-710945 c33 N71-15568
US-PATENT-APPL-SN-710949 c12 N71-17631
US-PATENT-APPL-SN-711898 c18 N71-24934
US-PATENT-APPL-SN-711903 c18 N71-26772
US-PATENT-APPL-SN-711921 c18 N71-16105
US-PATENT-APPL-SN-711970 c09 N71-18830
US-PATENT-APPL-SN-711971 c09 N71-23598
US-PATENT-APPL-SN-711972 c06 N71-24607
US-PATENT-APPL-SN-712065 c08 N71-12503
US-PATENT-APPL-SN-712099 c23 N71-24868
US-PATENT-APPL-SN-712270 c52 N79-27836
US-PATENT-APPL-SN-712419 c35 N78-14364
US-PATENT-APPL-SN-712658 c07 N71-19773
US-PATENT-APPL-SN-712981 c31 N78-25256
US-PATENT-APPL-SN-713027 c37 N79-10419
US-PATENT-APPL-SN-713162 c06 N71-26754
US-PATENT-APPL-SN-713188 c08 N71-33110
US-PATENT-APPL-SN-713616 c06 N71-27363
US-PATENT-APPL-SN-714158 c33 N78-13320
US-PATENT-APPL-SN-714296 c14 N71-15604
US-PATENT-APPL-SN-714595 c15 N71-17822
US-PATENT-APPL-SN-715485 c74 N78-14889
US-PATENT-APPL-SN-715975 c06 N71-11240
US-PATENT-APPL-SN-716183 c15 N71-18132
US-PATENT-APPL-SN-716734 c15 N71-17628
US-PATENT-APPL-SN-716795 c14 N71-20435
US-PATENT-APPL-SN-716885 c74 N78-33913
US-PATENT-APPL-SN-717052 c14 N71-17626
US-PATENT-APPL-SN-717319 c44 N77-31601
US-PATENT-APPL-SN-717320 c44 N78-15560
US-PATENT-APPL-SN-717822 c09 N71-25866
US-PATENT-APPL-SN-718095 c28 N70-39899
US-PATENT-APPL-SN-718137 c44 N78-31527
US-PATENT-APPL-SN-718244 c05 N78-32086
US-PATENT-APPL-SN-718266 c74 N78-17667
US-PATENT-APPL-SN-718267 c26 N77-29260
US-PATENT-APPL-SN-718268 c44 N78-33526
US-PATENT-APPL-SN-718279 c15 N71-26312
US-PATENT-APPL-SN-718689 c14 N71-17655
US-PATENT-APPL-SN-718752 c03 N71-18698
US-PATENT-APPL-SN-718769 c14 N71-17662
US-PATENT-APPL-SN-719029 c14 N71-27186
US-PATENT-APPL-SN-719173 c28 N70-33331
US-PATENT-APPL-SN-719869 c31 N71-15676
US-PATENT-APPL-SN-719870 c07 N71-26292
US-PATENT-APPL-SN-720041 c05 N71-27234
US-PATENT-APPL-SN-720125 c09 N71-12539
US-PATENT-APPL-SN-720521 c44 N78-25530
US-PATENT-APPL-SN-720546 c18 N72-17532
US-PATENT-APPL-SN-721150 c37 N78-17383
US-PATENT-APPL-SN-721607 c18 N71-25681
US-PATENT-APPL-SN-723264 c24 N78-10214
US-PATENT-APPL-SN-723264 c24 N78-17149
US-PATENT-APPL-SN-723465 c15 N72-29488
US-PATENT-APPL-SN-723465 c37 N74-15125
US-PATENT-APPL-SN-723476 c05 N71-12341
US-PATENT-APPL-SN-723488 c09 N71-28691
US-PATENT-APPL-SN-723804 c09 N71-24806
US-PATENT-APPL-SN-723805 c10 N71-26339
US-PATENT-APPL-SN-723827 c10 N71-27137
US-PATENT-APPL-SN-724551 c15 N71-17696
US-PATENT-APPL-SN-724874 c76 N78-24950
US-PATENT-APPL-SN-725405 c15 N71-26134
US-PATENT-APPL-SN-725432 c07 N71-24622
US-PATENT-APPL-SN-725475 c31 N71-15643
US-PATENT-APPL-SN-725719 c15 N71-26243
US-PATENT-APPL-SN-726898 c12 N71-17579
US-PATENT-APPL-SN-727444 c31 N81-15154
US-PATENT-APPL-SN-727480 c14 N71-17658
US-PATENT-APPL-SN-727503 c08 N81-19130
US-PATENT-APPL-SN-728234 c03 N71-12255
US-PATENT-APPL-SN-728369 c52 N76-33835
US-PATENT-APPL-SN-729299 c03 N72-15986
US-PATENT-APPL-SN-730045 c32 N78-24391
US-PATENT-APPL-SN-730046 c35 N78-32396
US-PATENT-APPL-SN-730162 c09 N71-18599
US-PATENT-APPL-SN-730468 c25 N79-11152
US-PATENT-APPL-SN-730700 c07 N71-24583
US-PATENT-APPL-SN-730701 c12 N71-18615
US-PATENT-APPL-SN-730702 c33 N71-16356
US-PATENT-APPL-SN-730703 c10 N71-13537
US-PATENT-APPL-SN-730733 c28 N71-16224
US-PATENT-APPL-SN-730734 c15 N71-17654
US-PATENT-APPL-SN-730778 c32 N79-10264
US-PATENT-APPL-SN-730780 c05 N77-31132
US-PATENT-APPL-SN-731388 c15 N71-24835
US-PATENT-APPL-SN-732455 c22 N71-28759
US-PATENT-APPL-SN-732630 c36 N78-14380
US-PATENT-APPL-SN-732917 c14 N71-17575
US-PATENT-APPL-SN-732921 c10 N71-26544
US-PATENT-APPL-SN-732922 c17 N71-28747
US-PATENT-APPL-SN-733039 c07 N72-12081
US-PATENT-APPL-SN-733825 c31 N79-11246
US-PATENT-APPL-SN-734805 c14 N70-34816
US-PATENT-APPL-SN-734901 c27 N78-17205
US-PATENT-APPL-SN-734902 c24 N78-14096
US-PATENT-APPL-SN-735911 c14 N70-41946
US-PATENT-APPL-SN-736286 c32 N79-11265
US-PATENT-APPL-SN-736848 c23 N71-16212
US-PATENT-APPL-SN-736909 c37 N79-11404
US-PATENT-APPL-SN-736910 c27 N78-32260
US-PATENT-APPL-SN-737974 c33 N78-18308
US-PATENT-APPL-SN-738119 c18 N71-15545
US-PATENT-APPL-SN-738218 c37 N78-27425
US-PATENT-APPL-SN-738314 c12 N71-17573
US-PATENT-APPL-SN-738315 c14 N71-27334
US-PATENT-APPL-SN-738315 c14 N72-31446
US-PATENT-APPL-SN-739072 c33 N75-27251
US-PATENT-APPL-SN-739391 c09 N72-17156
US-PATENT-APPL-SN-739908 c15 N78-25119
US-PATENT-APPL-SN-739909 c37 N78-24545
US-PATENT-APPL-SN-739914 c33 N78-10375
US-PATENT-APPL-SN-739915 c37 N78-24544
US-PATENT-APPL-SN-739927 c32 N71-16103
US-PATENT-APPL-SN-740153 c28 N79-11231
US-PATENT-APPL-SN-740155 c74 N78-27904
US-PATENT-APPL-SN-740156 c71 N78-14867
US-PATENT-APPL-SN-740457 c35 N78-32395
US-PATENT-APPL-SN-741056 c07 N81-19116
US-PATENT-APPL-SN-741461 c12 N71-18603
US-PATENT-APPL-SN-741749 c52 N79-14751
US-PATENT-APPL-SN-741824 c07 N71-12389
US-PATENT-APPL-SN-742034 c33 N78-10377
US-PATENT-APPL-SN-742816 c14 N71-17656
US-PATENT-APPL-SN-743249 c35 N77-32456
US-PATENT-APPL-SN-743429 c07 N71-11285
US-PATENT-APPL-SN-743525 c07 N71-28430
US-PATENT-APPL-SN-744477 c33 N78-25319
US-PATENT-APPL-SN-744522 c33 N77-21314
US-PATENT-APPL-SN-744573 c44 N78-25531
US-PATENT-APPL-SN-744574 c25 N78-14104
US-PATENT-APPL-SN-744577 c35 N79-10391
US-PATENT-APPL-SN-744910 c15 N71-17649
US-PATENT-APPL-SN-745337 c28 N72-20758
US-PATENT-APPL-SN-745384 c25 N79-11151
US-PATENT-APPL-SN-745766 c37 N79-11403
US-PATENT-APPL-SN-745852 c12 N71-17661
US-PATENT-APPL-SN-746269 c44 N78-25528
US-PATENT-APPL-SN-746578 c12 N79-26075
US-PATENT-APPL-SN-746579 c33 N77-13338
US-PATENT-APPL-SN-746580 c34 N78-17335
US-PATENT-APPL-SN-747674 c27 N80-26446
US-PATENT-APPL-SN-747675 c37 N78-31426
US-PATENT-APPL-SN-749121 c07 N72-11149
US-PATENT-APPL-SN-749148 c10 N71-19421
US-PATENT-APPL-SN-749149 c15 N71-24897
US-PATENT-APPL-SN-749181 c09 N71-24803
US-PATENT-APPL-SN-749320 c14 N72-22443
US-PATENT-APPL-SN-749420 c04 N77-12031
US-PATENT-APPL-SN-749548 c10 N71-33129
US-PATENT-APPL-SN-750031 c05 N73-32012
US-PATENT-APPL-SN-750235 c25 N75-14844
US-PATENT-APPL-SN-750655 c74 N78-32854
US-PATENT-APPL-SN-750786 c07 N71-27341
US-PATENT-APPL-SN-750787 c10 N71-27126
US-PATENT-APPL-SN-750792 c37 N79-11402
US-PATENT-APPL-SN-750798 c85 N79-17747
US-PATENT-APPL-SN-751061 c18 N71-29040
US-PATENT-APPL-SN-751198 c03 N71-24718
US-PATENT-APPL-SN-751215 c22 N72-20597
US-PATENT-APPL-SN-751266 c15 N71-33518
US-PATENT-APPL-SN-752050 c07 N81-19115
US-PATENT-APPL-SN-752729 c09 N71-26787
US-PATENT-APPL-SN-752748 c35 N78-25391
US-PATENT-APPL-SN-752946 c15 N71-29032
US-PATENT-APPL-SN-752947 c31 N71-15689
US-PATENT-APPL-SN-753103 c37 N80-14397
US-PATENT-APPL-SN-753452 c07 N79-14096
US-PATENT-APPL-SN-753964 c24 N78-27180

US-PATENT-APPL-SN-753965 c54 N78-31735
US-PATENT-APPL-SN-753965 c54 N79-24651
US-PATENT-APPL-SN-753974 c16 N71-33410
US-PATENT-APPL-SN-753976 c54 N78-17675
US-PATENT-APPL-SN-753977 c74 N79-12890
US-PATENT-APPL-SN-753978 c54 N78-32721
US-PATENT-APPL-SN-754019 c09 N71-25999
US-PATENT-APPL-SN-754020 c12 N71-27332
US-PATENT-APPL-SN-754055 c07 N71-24624
US-PATENT-APPL-SN-754066 c39 N78-15512
US-PATENT-APPL-SN-755310 c25 N78-15210
US-PATENT-APPL-SN-755323 c74 N79-11865
US-PATENT-APPL-SN-756260 c23 N71-26722
US-PATENT-APPL-SN-756266 c15 N71-26145
US-PATENT-APPL-SN-756381 c06 N71-25929
US-PATENT-APPL-SN-756511 c09 N71-27016
US-PATENT-APPL-SN-756834 c15 N72-21466
US-PATENT-APPL-SN-757017 c35 N77-21393
US-PATENT-APPL-SN-757625 c09 N71-26701
US-PATENT-APPL-SN-757857 c10 N71-25900
US-PATENT-APPL-SN-757861 c05 N71-11194
US-PATENT-APPL-SN-757875 c09 N71-24805
US-PATENT-APPL-SN-758082 c15 N71-17805
US-PATENT-APPL-SN-758390 c28 N71-26642
US-PATENT-APPL-SN-758540 c28 N73-27699
US-PATENT-APPL-SN-758721 c52 N79-18580
US-PATENT-APPL-SN-758942 c27 N71-14090
US-PATENT-APPL-SN-759220 c27 N78-17214
US-PATENT-APPL-SN-759256 c07 N71-27233
US-PATENT-APPL-SN-759457 c33 N71-16357
US-PATENT-APPL-SN-759460 c09 N71-24597
US-PATENT-APPL-SN-759665 c14 N71-18481
US-PATENT-APPL-SN-759965 c52 N79-26771
US-PATENT-APPL-SN-760057 c44 N79-14527
US-PATENT-APPL-SN-760114 c28 N72-11709
US-PATENT-APPL-SN-760389 c09 N71-24618
US-PATENT-APPL-SN-760771 c44 N79-14528
US-PATENT-APPL-SN-760809 c24 N78-24290
US-PATENT-APPL-SN-760810 c26 N78-32229
US-PATENT-APPL-SN-760819 c14 N70-34820
US-PATENT-APPL-SN-760927 c26 N71-25490
US-PATENT-APPL-SN-760928 c15 N71-28582
US-PATENT-APPL-SN-761007 c18 N71-26155
US-PATENT-APPL-SN-761252 c27 N80-32515
US-PATENT-APPL-SN-761404 c09 N71-12526
US-PATENT-APPL-SN-762362 c44 N79-24433
US-PATENT-APPL-SN-762363 c44 N79-24432
US-PATENT-APPL-SN-762438 c12 N71-17569
US-PATENT-APPL-SN-762935 c14 N71-29041
US-PATENT-APPL-SN-762936 c31 N69-27499
US-PATENT-APPL-SN-762956 c14 N71-26627
US-PATENT-APPL-SN-762957 c08 N71-27210
US-PATENT-APPL-SN-763040 c14 N72-28438
US-PATENT-APPL-SN-763355 c06 N71-28620
US-PATENT-APPL-SN-763684 c15 N72-16329
US-PATENT-APPL-SN-763685 c15 N71-24910
US-PATENT-APPL-SN-763705 c09 N71-18720
US-PATENT-APPL-SN-763706 c15 N71-24696
US-PATENT-APPL-SN-763729 c12 N71-26546
US-PATENT-APPL-SN-763743 c14 N72-21409
US-PATENT-APPL-SN-763744 c10 N72-27246
US-PATENT-APPL-SN-763753 c43 N78-14452
US-PATENT-APPL-SN-763868 c15 N71-24679
US-PATENT-APPL-SN-763869 c17 N71-16393
US-PATENT-APPL-SN-764245 c24 N80-33482
US-PATENT-APPL-SN-764252 c14 N71-25901
US-PATENT-APPL-SN-764470 c16 N71-28554
US-PATENT-APPL-SN-764812 c10 N71-19468
US-PATENT-APPL-SN-764823 c33 N78-17296
US-PATENT-APPL-SN-765123 c31 N71-15687
US-PATENT-APPL-SN-765138 c44 N79-10513
US-PATENT-APPL-SN-765139 c44 N78-31526
US-PATENT-APPL-SN-765165 c32 N79-11264
US-PATENT-APPL-SN-765167 c32 N79-10263
US-PATENT-APPL-SN-765264 c02 N71-29128
US-PATENT-APPL-SN-765738 c03 N71-11057
US-PATENT-APPL-SN-766170 c07 N71-24625
US-PATENT-APPL-SN-766244 c15 N71-26721
US-PATENT-APPL-SN-766245 c14 N71-27215
US-PATENT-APPL-SN-766697 c09 N71-33519
US-PATENT-APPL-SN-766999 c33 N80-23559
US-PATENT-APPL-SN-767741 c09 N72-27228
US-PATENT-APPL-SN-767911 c09 N78-31129
US-PATENT-APPL-SN-767912 c27 N79-14214
US-PATENT-APPL-SN-768336 c15 N71-17648
US-PATENT-APPL-SN-768470 c09 N71-28421
US-PATENT-APPL-SN-768473 c14 N71-17657
US-PATENT-APPL-SN-768662 c07 N73-25160
US-PATENT-APPL-SN-768795 c33 N79-10339
US-PATENT-APPL-SN-768942 c46 N74-23068
US-PATENT-APPL-SN-769148 c52 N79-10724
US-PATENT-APPL-SN-769149 c33 N78-32339
US-PATENT-APPL-SN-769592 c15 N72-16330
US-PATENT-APPL-SN-769665 c15 N72-11387
US-PATENT-APPL-SN-769788 c07 N71-11300
US-PATENT-APPL-SN-770203 c05 N71-11195
US-PATENT-APPL-SN-770209 c08 N71-27057
US-PATENT-APPL-SN-770371 c15 N71-24599
US-PATENT-APPL-SN-770398 c06 N71-27254
US-PATENT-APPL-SN-770398 c06 N72-27144
US-PATENT-APPL-SN-770417 c06 N73-33076
US-PATENT-APPL-SN-770425 c06 N72-20121
US-PATENT-APPL-SN-770869 c44 N78-25527
US-PATENT-APPL-SN-771216 c14 N72-17329
US-PATENT-APPL-SN-771245 c27 N81-14076
US-PATENT-APPL-SN-771523 c10 N71-18772
US-PATENT-APPL-SN-771530 c09 N72-12136
US-PATENT-APPL-SN-771759 c09 N71-29008
US-PATENT-APPL-SN-771760 c10 N71-25917
US-PATENT-APPL-SN-771803 c07 N71-12391
US-PATENT-APPL-SN-771937 c10 N71-24862
US-PATENT-APPL-SN-772006 c17 N71-33408
US-PATENT-APPL-SN-772165 c74 N79-13855
US-PATENT-APPL-SN-772167 c25 N79-22235
US-PATENT-APPL-SN-772168 c37 N79-20377
US-PATENT-APPL-SN-772434 c52 N80-14687
US-PATENT-APPL-SN-773029 c09 N71-24893
US-PATENT-APPL-SN-773072 c10 N72-28241
US-PATENT-APPL-SN-773530 c25 N75-29192
US-PATENT-APPL-SN-774151 c15 N71-17692
US-PATENT-APPL-SN-774265 c10 N71-27365
US-PATENT-APPL-SN-774266 c15 N71-26185
US-PATENT-APPL-SN-774384 c32 N79-10262
US-PATENT-APPL-SN-774691 c10 N72-31273
US-PATENT-APPL-SN-774733 c14 N72-24477
US-PATENT-APPL-SN-775072 c16 N71-24831
US-PATENT-APPL-SN-775239 c37 N79-14382
US-PATENT-APPL-SN-775870 c09 N71-24800
US-PATENT-APPL-SN-775870 c09 N72-22196
US-PATENT-APPL-SN-775877 c02 N71-11039
US-PATENT-APPL-SN-775966 c02 N71-11037
US-PATENT-APPL-SN-776029 c07 N79-10057
US-PATENT-APPL-SN-776146 c44 N79-17313
US-PATENT-APPL-SN-776185 c03 N72-22041
US-PATENT-APPL-SN-777764 c15 N71-27214
US-PATENT-APPL-SN-777765 c15 N71-29018
US-PATENT-APPL-SN-777765 c14 N73-28487
US-PATENT-APPL-SN-777766 c31 N71-16221
US-PATENT-APPL-SN-777818 c09 N71-27364
US-PATENT-APPL-SN-777983 c32 N79-24210
US-PATENT-APPL-SN-778195 c24 N79-16915
US-PATENT-APPL-SN-779024 c10 N71-27271
US-PATENT-APPL-SN-779025 c09 N72-23171
US-PATENT-APPL-SN-779160 c14 N72-16282
US-PATENT-APPL-SN-779169 c09 N71-28618
US-PATENT-APPL-SN-779415 c60 N79-20751
US-PATENT-APPL-SN-779428 c34 N78-25351
US-PATENT-APPL-SN-779429 c08 N79-14108
US-PATENT-APPL-SN-779847 c15 N71-27091
US-PATENT-APPL-SN-779871 c33 N79-20314
US-PATENT-APPL-SN-779883 c27 N79-18052
US-PATENT-APPL-SN-780064 c15 N71-27372
US-PATENT-APPL-SN-780065 c12 N71-28741
US-PATENT-APPL-SN-780569 c54 N78-31736
US-PATENT-APPL-SN-780728 c32 N78-31321
US-PATENT-APPL-SN-780729 c33 N79-22373
US-PATENT-APPL-SN-780873 c35 N77-20410
US-PATENT-APPL-SN-780874 c35 N78-28411
US-PATENT-APPL-SN-780938 c54 N80-10799
US-PATENT-APPL-SN-782462 c33 N79-17133
US-PATENT-APPL-SN-782463 c72 N79-13826
US-PATENT-APPL-SN-782464 c32 N79-14267
US-PATENT-APPL-SN-782480 c33 N78-32340
US-PATENT-APPL-SN-782481 c44 N78-32542
US-PATENT-APPL-SN-782482 c33 N79-11315
US-PATENT-APPL-SN-782544 c14 N71-27325
US-PATENT-APPL-SN-782693 c33 N79-10337
US-PATENT-APPL-SN-782955 c07 N71-33108
US-PATENT-APPL-SN-782956 c10 N71-25865
US-PATENT-APPL-SN-783374 c15 N71-27147
US-PATENT-APPL-SN-783375 c07 N71-24621
US-PATENT-APPL-SN-783377 c05 N71-28619
US-PATENT-APPL-SN-783378 c07 N71-19436
US-PATENT-APPL-SN-783379 c15 N71-17653
US-PATENT-APPL-SN-784055 c15 N72-11390
US-PATENT-APPL-SN-784521 c14 N71-15620
US-PATENT-APPL-SN-784544 c15 N72-12408
US-PATENT-APPL-SN-785078 c03 N72-27053

US-PATENT-APPL-SN-785257 c44 N79-14526
US-PATENT-APPL-SN-785279 c27 N81-14077
US-PATENT-APPL-SN-785546 c10 N71-25882
US-PATENT-APPL-SN-785595 c10 N71-24861
US-PATENT-APPL-SN-785611 c15 N71-24600
US-PATENT-APPL-SN-785613 c05 N72-25119
US-PATENT-APPL-SN-785615 c05 N72-20098
US-PATENT-APPL-SN-785620 c21 N71-27324
US-PATENT-APPL-SN-785710 c05 N71-24730
US-PATENT-APPL-SN-785780 c18 N71-28729
US-PATENT-APPL-SN-786322 c32 N79-20296
US-PATENT-APPL-SN-786913 c27 N79-12221
US-PATENT-APPL-SN-787393 c23 N71-26206
US-PATENT-APPL-SN-787410 c15 N71-19213
US-PATENT-APPL-SN-787846 c23 N71-33229
US-PATENT-APPL-SN-787906 c03 N71-26084
US-PATENT-APPL-SN-787911 c03 N71-28579
US-PATENT-APPL-SN-788045 c24 N79-25142
US-PATENT-APPL-SN-788705 c35 N78-24515
US-PATENT-APPL-SN-789043 c10 N71-26531
US-PATENT-APPL-SN-789044 c14 N72-20381
US-PATENT-APPL-SN-789045 c15 N72-22489
US-PATENT-APPL-SN-789278 c15 N71-24694
US-PATENT-APPL-SN-789903 c07 N71-28429
US-PATENT-APPL-SN-790420 c09 N71-24595
US-PATENT-APPL-SN-790637 c44 N78-25529
US-PATENT-APPL-SN-791267 c23 N72-17747
US-PATENT-APPL-SN-791268 c33 N72-17547
US-PATENT-APPL-SN-791288 c28 N71-25213
US-PATENT-APPL-SN-791364 c14 N72-17328
US-PATENT-APPL-SN-791693 c05 N71-11203
US-PATENT-APPL-SN-791888 c23 N71-24725
US-PATENT-APPL-SN-792067 c24 N78-17150
US-PATENT-APPL-SN-792068 c51 N79-10693
US-PATENT-APPL-SN-792069 c37 N79-10418
US-PATENT-APPL-SN-792623 c14 N72-23457
US-PATENT-APPL-SN-793657 c17 N72-28536
US-PATENT-APPL-SN-793670 c37 N77-25536
US-PATENT-APPL-SN-793770 c25 N71-15562
US-PATENT-APPL-SN-793771 c14 N72-22440
US-PATENT-APPL-SN-793772 c10 N71-18722
US-PATENT-APPL-SN-793823 c09 N71-33109
US-PATENT-APPL-SN-794530 c15 N72-11386
US-PATENT-APPL-SN-794968 c15 N71-27146
US-PATENT-APPL-SN-795182 c07 N71-24840
US-PATENT-APPL-SN-795217 c33 N71-25351
US-PATENT-APPL-SN-796256 c52 N80-18691
US-PATENT-APPL-SN-796258 c52 N77-26796
US-PATENT-APPL-SN-796263 c27 N79-28307
US-PATENT-APPL-SN-796358 c05 N72-11085
US-PATENT-APPL-SN-796360 c15 N71-24696
US-PATENT-APPL-SN-796370 c10 N71-27366
US-PATENT-APPL-SN-796405 c14 N71-27185
US-PATENT-APPL-SN-796685 c26 N72-28762
US-PATENT-APPL-SN-796690 c07 N72-21119
US-PATENT-APPL-SN-796691 c10 N71-26334
US-PATENT-APPL-SN-797056 c15 N71-25975
US-PATENT-APPL-SN-797057 c15 N70-22192
US-PATENT-APPL-SN-797058 c05 N71-24738
US-PATENT-APPL-SN-797059 c15 N71-28465
US-PATENT-APPL-SN-797210 c28 N78-31255
US-PATENT-APPL-SN-797217 c24 N77-24200
US-PATENT-APPL-SN-797219 c03 N71-33409
US-PATENT-APPL-SN-797794 c07 N71-12396
US-PATENT-APPL-SN-797795 c07 N71-27191
US-PATENT-APPL-SN-797796 c28 N71-14058
US-PATENT-APPL-SN-798277 c23 N71-26654
US-PATENT-APPL-SN-798976 c52 N77-27694
US-PATENT-APPL-SN-799013 c09 N71-28468
US-PATENT-APPL-SN-799023 c37 N79-10421
US-PATENT-APPL-SN-799024 c24 N78-17149
US-PATENT-APPL-SN-799025 c32 N80-29539
US-PATENT-APPL-SN-799026 c44 N79-11468
US-PATENT-APPL-SN-799353 c09 N71-27232
US-PATENT-APPL-SN-799832 c33 N79-15245
US-PATENT-APPL-SN-800204 c06 N72-17094
US-PATENT-APPL-SN-800973 c16 N71-24632
US-PATENT-APPL-SN-801290 c37 N79-18318
US-PATENT-APPL-SN-801290 c37 N80-26658
US-PATENT-APPL-SN-801312 c16 N71-15565
US-PATENT-APPL-SN-801336 c02 N71-13422
US-PATENT-APPL-SN-801432 c33 N78-32341
US-PATENT-APPL-SN-801452 c44 N79-11471
US-PATENT-APPL-SN-801660 c14 N71-26672
US-PATENT-APPL-SN-802812 c10 N72-22235
US-PATENT-APPL-SN-802813 c15 N72-22487
US-PATENT-APPL-SN-802816 c31 N71-16346
US-PATENT-APPL-SN-802818 c07 N71-29065
US-PATENT-APPL-SN-802820 c10 N71-13545
US-PATENT-APPL-SN-802948 c31 N71-33160
US-PATENT-APPL-SN-802972 c09 N71-26678
US-PATENT-APPL-SN-803822 c26 N77-24254
US-PATENT-APPL-SN-803822 c26 N79-22271
US-PATENT-APPL-SN-803822 c26 N80-32484
US-PATENT-APPL-SN-803823 c44 N79-11467
US-PATENT-APPL-SN-804035 c35 N79-14348
US-PATENT-APPL-SN-804172 c28 N71-26781
US-PATENT-APPL-SN-805298 c10 N71-25899
US-PATENT-APPL-SN-805405 c14 N71-27323
US-PATENT-APPL-SN-805406 c07 N71-24613
US-PATENT-APPL-SN-805549 c35 N79-16246
US-PATENT-APPL-SN-806149 c27 N71-16223
US-PATENT-APPL-SN-806226 c14 N71-27407
US-PATENT-APPL-SN-806440 c51 N79-10694
US-PATENT-APPL-SN-807597 c52 N80-16725
US-PATENT-APPL-SN-807703 c37 N78-27424
US-PATENT-APPL-SN-807762 c27 N78-31233
US-PATENT-APPL-SN-808192 c15 N71-27432
US-PATENT-APPL-SN-808193 c31 N71-26537
US-PATENT-APPL-SN-808462 c10 N71-27136
US-PATENT-APPL-SN-808510 c33 N78-32338
US-PATENT-APPL-SN-808576 c15 N71-27754
US-PATENT-APPL-SN-808577 c32 N71-25360
US-PATENT-APPL-SN-808822 c14 N73-16483
US-PATENT-APPL-SN-809822 c28 N71-27585
US-PATENT-APPL-SN-809890 c44 N79-17314
US-PATENT-APPL-SN-809890 c44 N80-14474
US-PATENT-APPL-SN-810575 c15 N71-27169
US-PATENT-APPL-SN-810576 c15 N73-12492
US-PATENT-APPL-SN-810579 c09 N72-22203
US-PATENT-APPL-SN-810579 c33 N74-22864
US-PATENT-APPL-SN-810815 c06 N72-22107
US-PATENT-APPL-SN-811037 c14 N71-26137
US-PATENT-APPL-SN-811038 c14 N72-20380
US-PATENT-APPL-SN-811401 c39 N77-27432
US-PATENT-APPL-SN-811509 c02 N70-33332
US-PATENT-APPL-SN-811542 c21 N71-24948
US-PATENT-APPL-SN-811815 c44 N78-31525
US-PATENT-APPL-SN-811892 c14 N71-27090
US-PATENT-APPL-SN-812447 c71 N79-20827
US-PATENT-APPL-SN-812998 c28 N72-22769
US-PATENT-APPL-SN-812999 c05 N71-12345
US-PATENT-APPL-SN-813338 c18 N72-22566
US-PATENT-APPL-SN-813488 c15 N71-28467
US-PATENT-APPL-SN-813494 c08 N72-11171
US-PATENT-APPL-SN-814004 c33 N79-18193
US-PATENT-APPL-SN-814005 c76 N79-14906
US-PATENT-APPL-SN-814006 c37 N79-22475
US-PATENT-APPL-SN-814212 c14 N72-17326
US-PATENT-APPL-SN-814378 c25 N79-10162
US-PATENT-APPL-SN-815366 c14 N71-28994
US-PATENT-APPL-SN-815367 c14 N71-28863
US-PATENT-APPL-SN-815760 c15 N71-27068
US-PATENT-APPL-SN-816733 c15 N71-27084
US-PATENT-APPL-SN-816988 c14 N71-26199
US-PATENT-APPL-SN-817413 c33 N79-12321
US-PATENT-APPL-SN-817415 c74 N79-20857
US-PATENT-APPL-SN-817481 c09 N72-11225
US-PATENT-APPL-SN-817482 c10 N71-27338
US-PATENT-APPL-SN-817569 c06 N69-31244
US-PATENT-APPL-SN-818349 c21 N71-19212
US-PATENT-APPL-SN-818916 c05 N79-17847
US-PATENT-APPL-SN-818917 c32 N79-13214
US-PATENT-APPL-SN-819599 c15 N71-19214
US-PATENT-APPL-SN-819898 c30 N72-17873
US-PATENT-APPL-SN-820453 c03 N72-24037
US-PATENT-APPL-SN-820498 c89 N79-10969
US-PATENT-APPL-SN-820499 c76 N79-23798
US-PATENT-APPL-SN-820963 c07 N71-19854
US-PATENT-APPL-SN-820964 c15 N71-28740
US-PATENT-APPL-SN-820965 c09 N71-13486
US-PATENT-APPL-SN-821586 c26 N71-14354
US-PATENT-APPL-SN-821681 c35 N78-27384
US-PATENT-APPL-SN-822039 c06 N72-25149
US-PATENT-APPL-SN-822088 c15 N71-27135
US-PATENT-APPL-SN-822089 c23 N72-23695
US-PATENT-APPL-SN-822090 c16 N71-27183
US-PATENT-APPL-SN-822518 c09 N71-13522
US-PATENT-APPL-SN-822519 c14 N71-28992
US-PATENT-APPL-SN-822534 c09 N72-11224
US-PATENT-APPL-SN-823061 c44 N79-23481
US-PATENT-APPL-SN-823566 c74 N79-14891
US-PATENT-APPL-SN-824024 c44 N79-18443
US-PATENT-APPL-SN-824042 c23 N71-29123
US-PATENT-APPL-SN-824628 c34 N78-17337
US-PATENT-APPL-SN-824755 c09 N70-33182
US-PATENT-APPL-SN-825253 c16 N69-31343
US-PATENT-APPL-SN-825258 c26 N72-21701

US-PATENT-APPL-SN-825259 c14 N71-26788
US-PATENT-APPL-SN-825489 c27 N81-15104
US-PATENT-APPL-SN-826202 c37 N79-28551
US-PATENT-APPL-SN-826203 c45 N77-31668
US-PATENT-APPL-SN-826204 c37 N79-10420
US-PATENT-APPL-SN-826326 c46 N79-22679
US-PATENT-APPL-SN-827464 c74 N79-34011
US-PATENT-APPL-SN-827579 c15 N71-24984
US-PATENT-APPL-SN-827597 c26 N69-33482
US-PATENT-APPL-SN-828262 c37 N79-14383
US-PATENT-APPL-SN-828909 c28 N71-27094
US-PATENT-APPL-SN-828920 c35 N74-22095
US-PATENT-APPL-SN-828921 c09 N71-27001
US-PATENT-APPL-SN-828983 c03 N71-24719
US-PATENT-APPL-SN-828984 c08 N71-29033
US-PATENT-APPL-SN-829314 c09 N79-31228
US-PATENT-APPL-SN-829315 c34 N79-20336
US-PATENT-APPL-SN-829316 c18 N79-11108
US-PATENT-APPL-SN-829317 c52 N80-18690
US-PATENT-APPL-SN-829318 c52 N80-14684
US-PATENT-APPL-SN-829390 c44 N79-11469
US-PATENT-APPL-SN-829390 c44 N80-16452
US-PATENT-APPL-SN-829825 c03 N71-24681
US-PATENT-APPL-SN-830272 c60 N77-31800
US-PATENT-APPL-SN-830366 c16 N72-13437
US-PATENT-APPL-SN-830382 c44 N77-31611
US-PATENT-APPL-SN-830458 c46 N79-23555
US-PATENT-APPL-SN-830562 c39 N80-10507
US-PATENT-APPL-SN-830715 c15 N71-24503
US-PATENT-APPL-SN-830846 c31 N80-32584
US-PATENT-APPL-SN-830978 c28 N71-26173
US-PATENT-APPL-SN-831118 c08 N72-11172
US-PATENT-APPL-SN-831631 c32 N79-20297
US-PATENT-APPL-SN-831632 c07 N80-26298
US-PATENT-APPL-SN-831633 c05 N80-14107
US-PATENT-APPL-SN-831634 c05 N79-12061
US-PATENT-APPL-SN-832603 c09 N72-22199
US-PATENT-APPL-SN-833049 c06 N72-21094
US-PATENT-APPL-SN-833637 c33 N79-24257
US-PATENT-APPL-SN-834257 c32 N80-14281
US-PATENT-APPL-SN-835058 c21 N72-22619
US-PATENT-APPL-SN-835059 c09 N71-26133
US-PATENT-APPL-SN-835060 c02 N71-26110
US-PATENT-APPL-SN-835146 c15 N70-33264
US-PATENT-APPL-SN-835152 c28 N70-38199
US-PATENT-APPL-SN-835153 c31 N71-17680
US-PATENT-APPL-SN-835419 c33 N80-18285
US-PATENT-APPL-SN-835544 c33 N79-14305
US-PATENT-APPL-SN-835628 c35 N79-14347
US-PATENT-APPL-SN-836280 c14 N73-14428
US-PATENT-APPL-SN-836280 c35 N75-25122
US-PATENT-APPL-SN-836367 c09 N71-24804
US-PATENT-APPL-SN-837259 c54 N79-24652
US-PATENT-APPL-SN-837260 c37 N78-27423
US-PATENT-APPL-SN-837377 c15 N71-26148
US-PATENT-APPL-SN-837378 c15 N71-24865
US-PATENT-APPL-SN-837794 c28 N80-20402
US-PATENT-APPL-SN-837794 c28 N81-14103
US-PATENT-APPL-SN-837795 c36 N80-14384
US-PATENT-APPL-SN-837796 c35 N79-14345
US-PATENT-APPL-SN-837825 c15 N71-27006
US-PATENT-APPL-SN-837830 c02 N71-27088
US-PATENT-APPL-SN-838278 c60 N74-20836
US-PATENT-APPL-SN-838308 c52 N80-27072
US-PATENT-APPL-SN-838336 c44 N79-11470
US-PATENT-APPL-SN-838337 c31 N79-17029
US-PATENT-APPL-SN-838630 c14 N71-28993
US-PATENT-APPL-SN-839934 c07 N72-20140
US-PATENT-APPL-SN-839935 c15 N71-24895
US-PATENT-APPL-SN-839941 c07 N71-26181
US-PATENT-APPL-SN-839963 c27 N79-33316
US-PATENT-APPL-SN-839963 c27 N81-14078
US-PATENT-APPL-SN-839994 c28 N71-28915
US-PATENT-APPL-SN-840176 c28 N71-27095
US-PATENT-APPL-SN-840308 c07 N71-33613
US-PATENT-APPL-SN-840359 c23 N71-29125
US-PATENT-APPL-SN-840870 c15 N71-26189
US-PATENT-APPL-SN-840983 c05 N70-33285
US-PATENT-APPL-SN-841278 c33 N77-21316
US-PATENT-APPL-SN-841845 c14 N73-32317
US-PATENT-APPL-SN-842170 c11 N70-33278
US-PATENT-APPL-SN-842171 c11 N70-33329
US-PATENT-APPL-SN-843022 c11 N70-33287
US-PATENT-APPL-SN-843032 c28 N70-41818
US-PATENT-APPL-SN-843090 c27 N79-22300
US-PATENT-APPL-SN-843251 c03 N72-11062
US-PATENT-APPL-SN-843308 c32 N79-14268
US-PATENT-APPL-SN-844225 c05 N72-25120
US-PATENT-APPL-SN-844243 c37 N75-29426
US-PATENT-APPL-SN-844315 c35 N77-21392
US-PATENT-APPL-SN-844344 c24 N79-14156
US-PATENT-APPL-SN-844346 c44 N79-11472
US-PATENT-APPL-SN-844355 c03 N72-26031
US-PATENT-APPL-SN-845365 c09 N71-13518
US-PATENT-APPL-SN-845584 c27 N73-22710
US-PATENT-APPL-SN-845807 c15 N72-11391
US-PATENT-APPL-SN-845971 c11 N71-28629
US-PATENT-APPL-SN-845972 c09 N70-11148
US-PATENT-APPL-SN-845973 c11 N71-24985
US-PATENT-APPL-SN-845974 c33 N71-25353
US-PATENT-APPL-SN-845990 c14 N71-27005
US-PATENT-APPL-SN-845991 c14 N71-29134
US-PATENT-APPL-SN-847023 c31 N70-37938
US-PATENT-APPL-SN-847027 c03 N70-33343
US-PATENT-APPL-SN-847276 c37 N78-11399
US-PATENT-APPL-SN-847277 c31 N79-28370
US-PATENT-APPL-SN-847278 c34 N79-20335
US-PATENT-APPL-SN-847596 c15 N70-10867
US-PATENT-APPL-SN-847815 c52 N75-15270
US-PATENT-APPL-SN-848282 c15 N72-21462
US-PATENT-APPL-SN-848325 c06 N70-11251
US-PATENT-APPL-SN-848351 c06 N70-11252
US-PATENT-APPL-SN-848403 c33 N74-20859
US-PATENT-APPL-SN-848403 c36 N75-27364
US-PATENT-APPL-SN-848418 c43 N79-26439
US-PATENT-APPL-SN-848419 c43 N80-23711
US-PATENT-APPL-SN-848420 c43 N79-25443
US-PATENT-APPL-SN-848421 c43 N80-14423
US-PATENT-APPL-SN-848428 c25 N78-25149
US-PATENT-APPL-SN-848481 c17 N70-33283
US-PATENT-APPL-SN-848776 c07 N72-22127
US-PATENT-APPL-SN-848793 c43 N79-31706
US-PATENT-APPL-SN-848794 c44 N79-24431
US-PATENT-APPL-SN-848805 c06 N72-17095
US-PATENT-APPL-SN-848810 c07 N72-11148
US-PATENT-APPL-SN-848811 c10 N71-26142
US-PATENT-APPL-SN-849106 c09 N72-22197
US-PATENT-APPL-SN-849274 c28 N79-14228
US-PATENT-APPL-SN-850504 c52 N78-11692
US-PATENT-APPL-SN-850504 c52 N81-14613
US-PATENT-APPL-SN-850507 c25 N79-14169
US-PATENT-APPL-SN-850586 c31 N71-25434
US-PATENT-APPL-SN-850587 c08 N72-21199
US-PATENT-APPL-SN-851298 c15 N72-12409
US-PATENT-APPL-SN-851394 c09 N71-24892
US-PATENT-APPL-SN-852131 c15 N71-24836
US-PATENT-APPL-SN-852843 c09 N72-22195
US-PATENT-APPL-SN-853641 c33 N72-25913
US-PATENT-APPL-SN-853677 c34 N79-31523
US-PATENT-APPL-SN-853679 c35 N79-14346
US-PATENT-APPL-SN-853705 c45 N79-12584
US-PATENT-APPL-SN-853716 c09 N71-24904
US-PATENT-APPL-SN-853746 c02 N72-11018
US-PATENT-APPL-SN-853763 c07 N70-12616
US-PATENT-APPL-SN-853763 c07 N72-33146
US-PATENT-APPL-SN-853855 c17 N72-22530
US-PATENT-APPL-SN-853855 c17 N72-28535
US-PATENT-APPL-SN-853856 c16 N71-29131
US-PATENT-APPL-SN-853983 c14 N70-33254
US-PATENT-APPL-SN-853984 c21 N70-33181
US-PATENT-APPL-SN-854815 c09 N71-24807
US-PATENT-APPL-SN-854920 c15 N79-26100
US-PATENT-APPL-SN-855004 c24 N72-11595
US-PATENT-APPL-SN-856253 c24 N74-19769
US-PATENT-APPL-SN-856258 c05 N71-17599
US-PATENT-APPL-SN-856279 c07 N72-21118
US-PATENT-APPL-SN-856282 c08 N72-22166
US-PATENT-APPL-SN-856327 c05 N72-16015
US-PATENT-APPL-SN-856328 c14 N72-22441
US-PATENT-APPL-SN-856415 c09 N71-26182
US-PATENT-APPL-SN-856460 c25 N79-24073
US-PATENT-APPL-SN-856461 c34 N79-12359
US-PATENT-APPL-SN-856462 c34 N80-24573
US-PATENT-APPL-SN-856464 c36 N79-14362
US-PATENT-APPL-SN-856465 c44 N80-14473
US-PATENT-APPL-SN-856466 c72 N80-14877
US-PATENT-APPL-SN-857241 c46 N74-23069
US-PATENT-APPL-SN-857445 c05 N71-24728
US-PATENT-APPL-SN-857967 c15 N72-20443
US-PATENT-APPL-SN-858596 c35 N78-18395
US-PATENT-APPL-SN-858695 c11 N72-22247
US-PATENT-APPL-SN-858762 c08 N79-23097
US-PATENT-APPL-SN-858764 c33 N79-10338
US-PATENT-APPL-SN-858765 c33 N79-11313
US-PATENT-APPL-SN-858766 c27 N79-14213
US-PATENT-APPL-SN-858767 c32 N78-18266
US-PATENT-APPL-SN-858769 c44 N78-19609
US-PATENT-APPL-SN-858936 c07 N80-18039

US-PATENT-APPL-SN-858950 c35 N78-17359
US-PATENT-APPL-SN-860404 c37 N81-15364
US-PATENT-APPL-SN-860405 c26 N79-22271
US-PATENT-APPL-SN-860406 c24 N79-17916
US-PATENT-APPL-SN-860492 c09 N72-20199
US-PATENT-APPL-SN-860493 c14 N72-16283
US-PATENT-APPL-SN-860635 c28 N72-17843
US-PATENT-APPL-SN-860750 c08 N72-22165
US-PATENT-APPL-SN-860751 c08 N72-18184
US-PATENT-APPL-SN-860781 c18 N72-22567
US-PATENT-APPL-SN-861152 c14 N70-33322
US-PATENT-APPL-SN-861389 c03 N78-25070
US-PATENT-APPL-SN-861390 c28 N79-28342
US-PATENT-APPL-SN-861391 c44 N79-12541
US-PATENT-APPL-SN-861392 c71 N79-23753
US-PATENT-APPL-SN-861396 c35 N79-14349
US-PATENT-APPL-SN-861649 c14 N72-17327
US-PATENT-APPL-SN-862878 c02 N81-14967
US-PATENT-APPL-SN-862880 c24 N79-31347
US-PATENT-APPL-SN-862921 c31 N71-29050
US-PATENT-APPL-SN-863024 c46 N80-14603
US-PATENT-APPL-SN-863276 c16 N72-12440
US-PATENT-APPL-SN-863280 c24 N72-33681
US-PATENT-APPL-SN-863770 c44 N79-18444
US-PATENT-APPL-SN-863773 c44 N79-26475
US-PATENT-APPL-SN-863913 c14 N71-28991
US-PATENT-APPL-SN-863914 c09 N72-31235
US-PATENT-APPL-SN-863963 c10 N71-26085
US-PATENT-APPL-SN-863967 c11 N71-27036
US-PATENT-APPL-SN-864020 c15 N72-17454
US-PATENT-APPL-SN-864039 c15 N72-22483
US-PATENT-APPL-SN-864097 c07 N71-33606
US-PATENT-APPL-SN-865106 c09 N72-22202
US-PATENT-APPL-SN-865109 c14 N71-28933
US-PATENT-APPL-SN-865274 c09 N72-17155
US-PATENT-APPL-SN-865298 c15 N72-11388
US-PATENT-APPL-SN-865329 c15 N71-29132
US-PATENT-APPL-SN-865811 c09 N71-27053
US-PATENT-APPL-SN-865909 c14 N72-11364
US-PATENT-APPL-SN-866442 c25 N72-24753
US-PATENT-APPL-SN-867841 c11 N72-22246
US-PATENT-APPL-SN-867842 c23 N72-27728
US-PATENT-APPL-SN-867843 c14 N71-26161
US-PATENT-APPL-SN-867851 c15 N72-22484
US-PATENT-APPL-SN-868249 c33 N80-18286
US-PATENT-APPL-SN-868445 c14 N72-17323
US-PATENT-APPL-SN-868529 c08 N72-22167
US-PATENT-APPL-SN-868530 c05 N72-11084
US-PATENT-APPL-SN-868775 c09 N72-25261
US-PATENT-APPL-SN-868775 c09 N73-27150
US-PATENT-APPL-SN-869260 c05 N72-20097
US-PATENT-APPL-SN-869260 c05 N73-25125
US-PATENT-APPL-SN-870689 c06 N72-25148
US-PATENT-APPL-SN-872602 c09 N72-22200
US-PATENT-APPL-SN-872664 c08 N70-34675
US-PATENT-APPL-SN-873045 c14 N72-20379
US-PATENT-APPL-SN-873259 c08 N72-21200
US-PATENT-APPL-SN-873260 c33 N72-17948
US-PATENT-APPL-SN-873793 c14 N72-21407
US-PATENT-APPL-SN-874177 c11 N72-25284
US-PATENT-APPL-SN-874435 c11 N71-33612
US-PATENT-APPL-SN-874732 c09 N71-29139
US-PATENT-APPL-SN-874733 c15 N71-26635
US-PATENT-APPL-SN-874958 c31 N71-15566
US-PATENT-APPL-SN-875849 c07 N71-33696
US-PATENT-APPL-SN-876299 c44 N80-18552
US-PATENT-APPL-SN-876431 c33 N79-24254
US-PATENT-APPL-SN-876432 c36 N80-18372
US-PATENT-APPL-SN-876438 c52 N79-26772
US-PATENT-APPL-SN-876440 c51 N80-16714
US-PATENT-APPL-SN-876441 c74 N79-20856
US-PATENT-APPL-SN-876588 c15 N72-25452
US-PATENT-APPL-SN-876588 c25 N74-30502
US-PATENT-APPL-SN-877717 c14 N72-27410
US-PATENT-APPL-SN-877717 c14 N73-13417
US-PATENT-APPL-SN-877990 c14 N72-28437
US-PATENT-APPL-SN-878253 c25 N78-33164
US-PATENT-APPL-SN-878539 c35 N80-20560
US-PATENT-APPL-SN-878540 c05 N78-18045
US-PATENT-APPL-SN-878541 c33 N81-14220
US-PATENT-APPL-SN-878542 c33 N79-28416
US-PATENT-APPL-SN-878730 c08 N72-22164
US-PATENT-APPL-SN-878731 c15 N71-26162
US-PATENT-APPL-SN-880246 c28 N72-22770
US-PATENT-APPL-SN-880247 c09 N70-20737
US-PATENT-APPL-SN-880248 c07 N72-11150
US-PATENT-APPL-SN-880249 c15 N72-22482
US-PATENT-APPL-SN-880250 c03 N72-20032
US-PATENT-APPL-SN-880271 c15 N72-25448
US-PATENT-APPL-SN-880272 c14 N71-27058
US-PATENT-APPL-SN-880398 c15 N73-12487
US-PATENT-APPL-SN-880726 c44 N80-21828
US-PATENT-APPL-SN-880727 c35 N79-28527
US-PATENT-APPL-SN-880728 c37 N80-10494
US-PATENT-APPL-SN-880729 c35 N80-20563
US-PATENT-APPL-SN-880831 c11 N72-20244
US-PATENT-APPL-SN-880838 c37 N79-28549
US-PATENT-APPL-SN-880885 c07 N72-12080
US-PATENT-APPL-SN-881039 c09 N71-24842
US-PATENT-APPL-SN-881041 c09 N72-22204
US-PATENT-APPL-SN-882122 c14 N72-22438
US-PATENT-APPL-SN-882577 c07 N71-27056
US-PATENT-APPL-SN-883090 c44 N80-29834
US-PATENT-APPL-SN-883094 c54 N79-24651
US-PATENT-APPL-SN-883523 c09 N72-33204
US-PATENT-APPL-SN-883524 c09 N72-21246
US-PATENT-APPL-SN-883961 c25 N80-16116
US-PATENT-APPL-SN-885049 c33 N79-23345
US-PATENT-APPL-SN-885065 c35 N79-18296
US-PATENT-APPL-SN-885066 c33 N80-26599
US-PATENT-APPL-SN-885067 c33 N79-28415
US-PATENT-APPL-SN-885521 c03 N72-28025
US-PATENT-APPL-SN-885571 c09 N71-28886
US-PATENT-APPL-SN-885594 c15 N71-29133
US-PATENT-APPL-SN-887685 c10 N72-20223
US-PATENT-APPL-SN-887698 c09 N72-17153
US-PATENT-APPL-SN-887699 c15 N72-17452
US-PATENT-APPL-SN-887700 c07 N71-28980
US-PATENT-APPL-SN-887701 c08 N71-29034
US-PATENT-APPL-SN-888362 c33 N80-14330
US-PATENT-APPL-SN-888432 c74 N81-17886
US-PATENT-APPL-SN-888434 c51 N78-22585
US-PATENT-APPL-SN-889374 c08 N72-25207
US-PATENT-APPL-SN-889375 c10 N72-20222
US-PATENT-APPL-SN-889376 c18 N71-26285
US-PATENT-APPL-SN-889387 c09 N71-29035
US-PATENT-APPL-SN-889420 c14 N72-25413
US-PATENT-APPL-SN-889422 c09 N72-25259
US-PATENT-APPL-SN-889423 c10 N72-22236
US-PATENT-APPL-SN-889437 c15 N72-11392
US-PATENT-APPL-SN-889438 c15 N72-18477
US-PATENT-APPL-SN-889478 c08 N71-29138
US-PATENT-APPL-SN-889479 c14 N72-17325
US-PATENT-APPL-SN-889551 c21 N72-21624
US-PATENT-APPL-SN-889554 c15 N72-20444
US-PATENT-APPL-SN-889555 c09 N72-17154
US-PATENT-APPL-SN-889556 c14 N72-18411
US-PATENT-APPL-SN-889557 c11 N72-17183
US-PATENT-APPL-SN-889558 c15 N72-22491
US-PATENT-APPL-SN-889583 c15 N72-21464
US-PATENT-APPL-SN-889584 c08 N72-31226
US-PATENT-APPL-SN-889670 c39 N79-22537
US-PATENT-APPL-SN-889671 c24 N81-14000
US-PATENT-APPL-SN-889682 c15 N72-25447
US-PATENT-APPL-SN-891243 c44 N79-25482
US-PATENT-APPL-SN-891244 c05 N79-24976
US-PATENT-APPL-SN-891356 c35 N80-18359
US-PATENT-APPL-SN-891358 c44 N80-14474
US-PATENT-APPL-SN-891370 c20 N79-20179
US-PATENT-APPL-SN-891372 c37 N79-22474
US-PATENT-APPL-SN-891373 c31 N80-18231
US-PATENT-APPL-SN-891872 c23 N78-22154
US-PATENT-APPL-SN-891875 c23 N78-22155
US-PATENT-APPL-SN-893382 c34 N79-24285
US-PATENT-APPL-SN-893383 c18 N78-22146
US-PATENT-APPL-SN-893657 c51 N80-27067
US-PATENT-APPL-SN-893857 c24 N81-17170
US-PATENT-APPL-SN-893903 c60 N81-15706
US-PATENT-APPL-SN-894213 c37 N80-23655
US-PATENT-APPL-SN-896955 c33 N78-25323
US-PATENT-APPL-SN-897828 c54 N78-22720
US-PATENT-APPL-SN-897829 c44 N79-25481
US-PATENT-APPL-SN-897830 c35 N80-21719
US-PATENT-APPL-SN-897831 c44 N80-20808
US-PATENT-APPL-SN-897832 c31 N78-24387
US-PATENT-APPL-SN-897840 c31 N81-14137
US-PATENT-APPL-SN-899123 c44 N79-14528
US-PATENT-APPL-SN-899828 c32 N80-18252
US-PATENT-APPL-SN-900659 c27 N81-17261
US-PATENT-APPL-SN-900832 c24 N78-25137
US-PATENT-APPL-SN-900841 c32 N78-25274
US-PATENT-APPL-SN-900842 c32 N79-24203
US-PATENT-APPL-SN-900843 c44 N80-20810
US-PATENT-APPL-SN-901055 c76 N80-32245
US-PATENT-APPL-SN-901892 c44 N78-25555
US-PATENT-APPL-SN-903019 c46 N80-10709
US-PATENT-APPL-SN-906297 c44 N79-14529
US-PATENT-APPL-SN-906298 c76 N80-18951

US-PATENT-APPL-SN-906299 c27 N80-16158
US-PATENT-APPL-SN-907421 c37 N81-14318
US-PATENT-APPL-SN-907431 c37 N78-25431
US-PATENT-APPL-SN-907435 c27 N80-10358
US-PATENT-APPL-SN-907436 c37 N80-14398
US-PATENT-APPL-SN-907479 c27 N80-24438
US-PATENT-APPL-SN-909100 c37 N79-28550
US-PATENT-APPL-SN-909235 c07 N81-19115
US-PATENT-APPL-SN-909608 c07 N81-19116
US-PATENT-APPL-SN-910707 c32 N80-20448
US-PATENT-APPL-SN-910708 c06 N80-18036
US-PATENT-APPL-SN-910793 c44 N80-16452
US-PATENT-APPL-SN-910794 c15 N78-25120
US-PATENT-APPL-SN-910992 c52 N78-27750
US-PATENT-APPL-SN-911747 c24 N78-25138
US-PATENT-APPL-SN-912276 c24 N78-27182
US-PATENT-APPL-SN-914260 c44 N79-26474
US-PATENT-APPL-SN-915050 c44 N78-25553
US-PATENT-APPL-SN-915050 c44 N81-12542
US-PATENT-APPL-SN-916654 c07 N78-27122
US-PATENT-APPL-SN-916655 c44 N80-14472
US-PATENT-APPL-SN-918533 c32 N79-23310
US-PATENT-APPL-SN-918534 c33 N80-32650
US-PATENT-APPL-SN-918535 c35 N80-18357
US-PATENT-APPL-SN-918537 c26 N80-14229
US-PATENT-APPL-SN-920878 c24 N78-27184
US-PATENT-APPL-SN-920879 c44 N79-31752
US-PATENT-APPL-SN-921626 c25 N80-23383
US-PATENT-APPL-SN-921627 c33 N80-14332
US-PATENT-APPL-SN-923758 c20 N78-27176
US-PATENT-APPL-SN-923758 c20 N80-10278
US-PATENT-APPL-SN-928128 c44 N80-18551
US-PATENT-APPL-SN-928129 c35 N80-14371
US-PATENT-APPL-SN-928130 c35 N80-20559
US-PATENT-APPL-SN-928131 c09 N79-31228
US-PATENT-APPL-SN-928133 c44 N80-18550
US-PATENT-APPL-SN-928137 c52 N80-23969
US-PATENT-APPL-SN-929083 c36 N80-16321
US-PATENT-APPL-SN-929084 c37 N81-19455
US-PATENT-APPL-SN-929086 c24 N81-13999
US-PATENT-APPL-SN-929087 c35 N80-28687
US-PATENT-APPL-SN-929088 c74 N80-24149
US-PATENT-APPL-SN-931090 c37 N80-26658
US-PATENT-APPL-SN-931217 c37 N80-32716
US-PATENT-APPL-SN-931218 c20 N80-18097
US-PATENT-APPL-SN-933186 c27 N80-32515
US-PATENT-APPL-SN-934576 c35 N80-18358
US-PATENT-APPL-SN-935827 c37 N80-18393
US-PATENT-APPL-SN-938293 c32 N80-32605
US-PATENT-APPL-SN-938297 c25 N81-14015
US-PATENT-APPL-SN-938298 c33 N81-17348
US-PATENT-APPL-SN-938299 c33 N81-19389
US-PATENT-APPL-SN-938300 c37 N80-23654
US-PATENT-APPL-SN-938579 c76 N80-32244
US-PATENT-APPL-SN-938581 c04 N80-32359
US-PATENT-APPL-SN-938582 c37 N80-23653
US-PATENT-APPL-SN-940688 c24 N79-24062
US-PATENT-APPL-SN-940689 c35 N80-28686
US-PATENT-APPL-SN-940970 c72 N80-27163
US-PATENT-APPL-SN-941711 c24 N80-26388
US-PATENT-APPL-SN-943086 c37 N80-32717
US-PATENT-APPL-SN-943087 c15 N78-32168
US-PATENT-APPL-SN-943088 c18 N80-14183
US-PATENT-APPL-SN-943089 c74 N80-21140
US-PATENT-APPL-SN-945040 c37 N78-32434
US-PATENT-APPL-SN-945041 c43 N80-18498
US-PATENT-APPL-SN-945043 c33 N79-13262
US-PATENT-APPL-SN-945044 c54 N78-32724
US-PATENT-APPL-SN-945436 c46 N80-24906
US-PATENT-APPL-SN-946990 c28 N80-23471
US-PATENT-APPL-SN-946991 c37 N78-33446
US-PATENT-APPL-SN-946992 c45 N80-14579
US-PATENT-APPL-SN-946994 c44 N79-31753
US-PATENT-APPL-SN-947000 c28 N81-15119
US-PATENT-APPL-SN-949886 c33 N80-18285
US-PATENT-APPL-SN-950876 c37 N80-31790
US-PATENT-APPL-SN-950877 c52 N79-14756
US-PATENT-APPL-SN-951422 c51 N81-14605
US-PATENT-APPL-SN-951423 c48 N80-18667
US-PATENT-APPL-SN-951828 c37 N80-29703
US-PATENT-APPL-SN-951829 c33 N80-18287
US-PATENT-APPL-SN-951830 c28 N80-28536
US-PATENT-APPL-SN-953313 c32 N81-14187
US-PATENT-APPL-SN-953314 c37 N81-14319
US-PATENT-APPL-SN-953389 c74 N79-14892
US-PATENT-APPL-SN-953389 c74 N80-27185
US-PATENT-APPL-SN-953390 c74 N80-21138
US-PATENT-APPL-SN-953391 c72 N80-33186
US-PATENT-APPL-SN-956160 c32 N80-18253
US-PATENT-APPL-SN-956161 c27 N79-11215
US-PATENT-APPL-SN-956166 c33 N81-19393
US-PATENT-APPL-SN-956168 c35 N79-19319
US-PATENT-APPL-SN-956529 c35 N80-26635
US-PATENT-APPL-SN-957452 c32 N80-24510
US-PATENT-APPL-SN-958573 c25 N80-20334
US-PATENT-APPL-SN-958575 c27 N80-24437
US-PATENT-APPL-SN-961831 c33 N79-13261
US-PATENT-APPL-SN-961832 c37 N79-12445
US-PATENT-APPL-SN-961833 c37 N79-12446
US-PATENT-APPL-SN-964009 c02 N80-20224
US-PATENT-APPL-SN-964754 c33 N80-20487
US-PATENT-APPL-SN-965367 c33 N81-14221
US-PATENT-APPL-SN-965368 c74 N81-17888
US-PATENT-APPL-SN-966549 c20 N79-13077
US-PATENT-APPL-SN-969755 c05 N81-19087
US-PATENT-APPL-SN-969756 c37 N81-14317
US-PATENT-APPL-SN-969759 c37 N79-14388
US-PATENT-APPL-SN-969760 c76 N79-14908
US-PATENT-APPL-SN-969761 c32 N79-14278
US-PATENT-APPL-SN-969762 c32 N79-14276
US-PATENT-APPL-SN-971474 c20 N79-15151
US-PATENT-APPL-SN-971596 c27 N80-32516
US-PATENT-APPL-SN-972252 c35 N80-12383
US-PATENT-APPL-SN-974292 c26 N80-23419
US-PATENT-APPL-SN-974471 c32 N81-14185
US-PATENT-APPL-SN-974472 c37 N81-15363
US-PATENT-APPL-SN-974473 c60 N79-14797
US-PATENT-APPL-SN-974474 c25 N81-19242
US-PATENT-APPL-SN-974475 c33 N81-17349
US-PATENT-APPL-SN-974476 c52 N81-14613

US-PATENT-CLASS-D12-76 c05 N75-25914
US-PATENT-CLASS-D71-1 c05 N74-10907

US-PATENT-CLASS-1 c14 N71-27005
US-PATENT-CLASS-2-2.1 c05 N71-11194
US-PATENT-CLASS-2-2.1 c05 N71-11195
US-PATENT-CLASS-2-2.1 c05 N71-12335
US-PATENT-CLASS-2-2.1 c05 N71-12344
US-PATENT-CLASS-2-2.1 c05 N71-23161
US-PATENT-CLASS-2-2.1 c05 N71-24623
US-PATENT-CLASS-2-2.1 c05 N71-24730
US-PATENT-CLASS-2-2.1 c05 N72-20096
US-PATENT-CLASS-2-2.1 c05 N72-20098
US-PATENT-CLASS-2-2.1 c05 N72-25119
US-PATENT-CLASS-2-2.1 c05 N73-26071
US-PATENT-CLASS-2-2.1 c34 N78-17337
US-PATENT-CLASS-2-2.1 c54 N78-17678
US-PATENT-CLASS-2-2.1 c54 N78-18761
US-PATENT-CLASS-2-2.1A c05 N72-22092
US-PATENT-CLASS-2-2.1A c05 N73-25125
US-PATENT-CLASS-2-2.1A c05 N73-32012
US-PATENT-CLASS-2-2.1A c54 N74-32546
US-PATENT-CLASS-2-2.1A c54 N77-32721
US-PATENT-CLASS-2-2.1A c54 N78-17675
US-PATENT-CLASS-2-2.1A c54 N78-31735
US-PATENT-CLASS-2-2.1A c54 N78-31736
US-PATENT-CLASS-2-2.1A c54 N79-24651
US-PATENT-CLASS-2-6 c05 N71-26333
US-PATENT-CLASS-2-6 c54 N78-17680
US-PATENT-CLASS-2-14 c05 N71-23096
US-PATENT-CLASS-2-81 c18 N71-26285
US-PATENT-CLASS-2-81 c05 N73-32012
US-PATENT-CLASS-2-82 c54 N74-32546
US-PATENT-CLASS-2-115 c05 N72-25119
US-PATENT-CLASS-2-161 c54 N78-17677
US-PATENT-CLASS-2-275 c18 N71-26285
US-PATENT-CLASS-3-1 c52 N77-25772
US-PATENT-CLASS-3-1.1 c05 N73-32013
US-PATENT-CLASS-3-1.1 c52 N77-14738
US-PATENT-CLASS-3-1.1 c54 N79-24652
US-PATENT-CLASS-3-1.2 c52 N77-14735
US-PATENT-CLASS-3-1.2 c52 N78-10686
US-PATENT-CLASS-3-1.9 c27 N78-17215
US-PATENT-CLASS-3-1.9 c52 N79-26772
US-PATENT-CLASS-3-2 c05 N73-32013
US-PATENT-CLASS-3-2 c54 N77-30749
US-PATENT-CLASS-3-2 c52 N79-26772
US-PATENT-CLASS-3-6 c05 N73-32013
US-PATENT-CLASS-3-12 c05 N73-32013
US-PATENT-CLASS-3-12 c52 N79-26772
US-PATENT-CLASS-3-12.5 c54 N78-17676
US-PATENT-CLASS-3-12.5 c54 N79-24652
US-PATENT-CLASS-3-14 c52 N77-14735
US-PATENT-CLASS-3-15 c52 N78-10686
US-PATENT-CLASS-3-21 c54 N77-30749
US-PATENT-CLASS-3-29 c52 N78-10686
US-PATENT-CLASS-4-10 c54 N74-20725

US-PATENT-CLASS-4-99 c05 N72-22093
US-PATENT-CLASS-4-110 c05 N72-22093
US-PATENT-CLASS-4-120 c54 N74-20725
US-PATENT-CLASS-5-69 c05 N72-11085
US-PATENT-CLASS-5-82 c05 N71-23159
US-PATENT-CLASS-5-345 c05 N70-33285
US-PATENT-CLASS-8-DIG.12 c27 N80-26446
US-PATENT-CLASS-8-DIG.18 c27 N80-26446
US-PATENT-CLASS-8-3 c51 N77-27677
US-PATENT-CLASS-8-94.11 c51 N77-27677
US-PATENT-CLASS-8-94.12 c18 N71-15545
US-PATENT-CLASS-8-115.5 c27 N80-26446
US-PATENT-CLASS-9-2A c02 N73-26006
US-PATENT-CLASS-9-3 c02 N73-26006
US-PATENT-CLASS-9-8 c03 N70-36778
US-PATENT-CLASS-9-9 c15 N71-24600
US-PATENT-CLASS-9-11 c05 N70-34857
US-PATENT-CLASS-9-11A c02 N73-26006
US-PATENT-CLASS-9-11A c54 N74-14845
US-PATENT-CLASS-9-312 c05 N71-22748
US-PATENT-CLASS-9-316 c05 N70-36493
US-PATENT-CLASS-13-20 c11 N72-23215
US-PATENT-CLASS-13-20 c12 N79-26075
US-PATENT-CLASS-13-22 c12 N79-26075
US-PATENT-CLASS-13-24 c12 N79-26075
US-PATENT-CLASS-13-26 c33 N71-15625
US-PATENT-CLASS-13-26 c14 N71-23267
US-PATENT-CLASS-13-31 c11 N72-23215
US-PATENT-CLASS-13-31 c31 N74-27900
US-PATENT-CLASS-13-35 c33 N71-24145
US-PATENT-CLASS-15-143 c15 N72-11390
US-PATENT-CLASS-15-210 c15 N72-11390
US-PATENT-CLASS-15-230.16 c37 N79-10422
US-PATENT-CLASS-15-230.17 c37 N79-10422
US-PATENT-CLASS-15-415 c14 N73-30395
US-PATENT-CLASS-18-6 c15 N71-26721
US-PATENT-CLASS-18-26 c06 N71-22975
US-PATENT-CLASS-18-39 c27 N70-34783
US-PATENT-CLASS-19-205 c37 N76-18456
US-PATENT-CLASS-21-207 c17 N71-16393
US-PATENT-CLASS-22-200 c15 N71-15966
US-PATENT-CLASS-22-203 c17 N70-38198
US-PATENT-CLASS-23-55 c06 N72-17093
US-PATENT-CLASS-23-88 c06 N72-17093
US-PATENT-CLASS-23-97 c06 N72-17093
US-PATENT-CLASS-23-109 c04 N72-33072
US-PATENT-CLASS-23-201 c06 N72-17095
US-PATENT-CLASS-23-208 c15 N69-21922
US-PATENT-CLASS-23-208 c26 N70-36805
US-PATENT-CLASS-23-209.1 c15 N72-20446
US-PATENT-CLASS-23-230 c06 N71-23527
US-PATENT-CLASS-23-230 c06 N72-17095
US-PATENT-CLASS-23-230B c25 N75-14844
US-PATENT-CLASS-23-230B c23 N77-17161
US-PATENT-CLASS-23-230B c25 N79-14169
US-PATENT-CLASS-23-230B c51 N80-27067
US-PATENT-CLASS-23-230L c35 N74-32879
US-PATENT-CLASS-23-230M c25 N76-18245
US-PATENT-CLASS-23-230N c23 N77-17161
US-PATENT-CLASS-23-230PC c25 N78-15210
US-PATENT-CLASS-23-230R c06 N72-17094
US-PATENT-CLASS-23-230R c17 N73-12547
US-PATENT-CLASS-23-230R c17 N73-27446
US-PATENT-CLASS-23-230R c25 N76-18245
US-PATENT-CLASS-23-230R c45 N76-31714
US-PATENT-CLASS-23-230R c23 N77-17161
US-PATENT-CLASS-23-231 c23 N77-17161
US-PATENT-CLASS-23-232C c06 N72-17094
US-PATENT-CLASS-23-232C c25 N76-18245
US-PATENT-CLASS-23-232C c23 N77-17161
US-PATENT-CLASS-23-232E c06 N73-16106
US-PATENT-CLASS-23-232E c45 N76-31714
US-PATENT-CLASS-23-232E c25 N78-15210
US-PATENT-CLASS-23-232R c06 N73-16106
US-PATENT-CLASS-23-232R c45 N76-31714
US-PATENT-CLASS-23-232R c23 N77-17161
US-PATENT-CLASS-23-232R c25 N78-15210
US-PATENT-CLASS-23-252R c25 N74-12813
US-PATENT-CLASS-23-252R c25 N79-10162
US-PATENT-CLASS-23-252R c25 N79-28253
US-PATENT-CLASS-23-253 c23 N71-16355
US-PATENT-CLASS-23-253 c06 N71-26754
US-PATENT-CLASS-23-253 c06 N72-17095
US-PATENT-CLASS-23-253A c51 N77-27677
US-PATENT-CLASS-23-253A c54 N78-14784
US-PATENT-CLASS-23-253PC c06 N72-17094
US-PATENT-CLASS-23-253PC c37 N74-18123
US-PATENT-CLASS-23-253R c15 N72-21465
US-PATENT-CLASS-23-253R c25 N75-14844
US-PATENT-CLASS-23-253R c25 N76-18245
US-PATENT-CLASS-23-254 c14 N71-20442
US-PATENT-CLASS-23-254E c06 N73-16106
US-PATENT-CLASS-23-254E c33 N75-26245
US-PATENT-CLASS-23-254E c35 N75-29380
US-PATENT-CLASS-23-254E c45 N76-21742
US-PATENT-CLASS-23-254EF c35 N76-18403
US-PATENT-CLASS-23-254R c06 N73-16106
US-PATENT-CLASS-23-254R c25 N76-18245
US-PATENT-CLASS-23-254R c23 N77-17161
US-PATENT-CLASS-23-255E c35 N75-29380
US-PATENT-CLASS-23-255R c25 N76-18245
US-PATENT-CLASS-23-259 c15 N71-27372
US-PATENT-CLASS-23-259 c15 N72-21465
US-PATENT-CLASS-23-259 c37 N74-18123
US-PATENT-CLASS-23-259 c51 N77-27677
US-PATENT-CLASS-23-277 c26 N70-40015
US-PATENT-CLASS-23-277C c25 N74-33378
US-PATENT-CLASS-23-277R c44 N77-22607
US-PATENT-CLASS-23-281 c28 N72-18766
US-PATENT-CLASS-23-281 c25 N74-12813
US-PATENT-CLASS-23-281 c44 N76-18642
US-PATENT-CLASS-23-281 c44 N76-29700
US-PATENT-CLASS-23-281 c44 N77-10636
US-PATENT-CLASS-23-281 c44 N77-22607
US-PATENT-CLASS-23-284 c35 N74-15127
US-PATENT-CLASS-23-288 c28 N72-18766
US-PATENT-CLASS-23-288F c25 N74-12813
US-PATENT-CLASS-23-288J c25 N74-12813
US-PATENT-CLASS-23-288R c28 N80-10374
US-PATENT-CLASS-23-292 c51 N77-27677
US-PATENT-CLASS-23-293R c28 N81-15119
US-PATENT-CLASS-23-300 c28 N80-23471
US-PATENT-CLASS-23-302A c28 N80-23471
US-PATENT-CLASS-23-302R c28 N80-23471
US-PATENT-CLASS-23-302T c28 N80-23471
US-PATENT-CLASS-23-927 c51 N80-16714
US-PATENT-CLASS-24-126 c15 N71-22994
US-PATENT-CLASS-24-134R c15 N73-25512
US-PATENT-CLASS-24-205.17 c15 N71-25975
US-PATENT-CLASS-24-211 c15 N71-17653
US-PATENT-CLASS-24-211H c15 N72-11385
US-PATENT-CLASS-24-263 c15 N71-21076
US-PATENT-CLASS-24-263 c15 N71-26162
US-PATENT-CLASS-25-156 c15 N71-16076
US-PATENT-CLASS-27-498 c15 N73-28515
US-PATENT-CLASS-29-DIG.1 c44 N81-14389
US-PATENT-CLASS-29-DIG.24 c24 N75-33181
US-PATENT-CLASS-29-DIG.35 c37 N77-23482
US-PATENT-CLASS-29-DIG.39 c24 N75-33181
US-PATENT-CLASS-29-23.5 c37 N78-24544
US-PATENT-CLASS-29-25.14 c05 N72-25121
US-PATENT-CLASS-29-25.18 c09 N71-26678
US-PATENT-CLASS-29-25.18 c05 N72-25121
US-PATENT-CLASS-29-25.18 c20 N75-18310
US-PATENT-CLASS-29-25.18 c20 N76-21276
US-PATENT-CLASS-29-25.35 c35 N80-20559
US-PATENT-CLASS-29-25.42 c26 N72-28762
US-PATENT-CLASS-29-26A c37 N75-33395
US-PATENT-CLASS-29-57-4 c44 N79-24431
US-PATENT-CLASS-29-81C c75 N78-27913
US-PATENT-CLASS-29-81D c37 N76-18454
US-PATENT-CLASS-29-125 c37 N79-10422
US-PATENT-CLASS-29-148.4 c15 N71-16052
US-PATENT-CLASS-29-148.4 c15 N71-17688
US-PATENT-CLASS-29-148.4A c37 N74-15128
US-PATENT-CLASS-29-148.4B c37 N74-15128
US-PATENT-CLASS-29-155.55 c15 N71-15986
US-PATENT-CLASS-29-156.8R c37 N78-24544
US-PATENT-CLASS-29-157 c28 N71-15658
US-PATENT-CLASS-29-157.3 c28 N70-41818
US-PATENT-CLASS-29-157.3R c34 N74-18552
US-PATENT-CLASS-29-182 c37 N74-13179
US-PATENT-CLASS-29-182 c34 N76-27515
US-PATENT-CLASS-29-182.1 c18 N71-23710
US-PATENT-CLASS-29-182.2 c17 N71-23046
US-PATENT-CLASS-29-182.2 c37 N75-26371
US-PATENT-CLASS-29-182.5 c17 N72-28536
US-PATENT-CLASS-29-182.5 c37 N75-26371
US-PATENT-CLASS-29-182.5 c27 N76-15311
US-PATENT-CLASS-29-182.5 c27 N77-13217
US-PATENT-CLASS-29-183.5 c17 N70-38490
US-PATENT-CLASS-29-193 c34 N76-27515
US-PATENT-CLASS-29-194 c26 N75-19408
US-PATENT-CLASS-29-194 c44 N76-14595
US-PATENT-CLASS-29-195 c44 N76-14595
US-PATENT-CLASS-29-195A c27 N76-16229
US-PATENT-CLASS-29-195Y c14 N73-32320
US-PATENT-CLASS-29-196.2 c17 N73-32414

US-PATENT-CLASS-29-196.2 c26 N75-19408
US-PATENT-CLASS-29-196.6 c17 N73-32414
US-PATENT-CLASS-29-196.6 c37 N75-13261
US-PATENT-CLASS-29-196.6 c26 N75-19408
US-PATENT-CLASS-29-197 c17 N73-32414
US-PATENT-CLASS-29-197 c37 N75-13261
US-PATENT-CLASS-29-197 c26 N75-19408
US-PATENT-CLASS-29-197 c44 N76-14595
US-PATENT-CLASS-29-198 c17 N70-33288
US-PATENT-CLASS-29-198 c09 N72-25259
US-PATENT-CLASS-29-203H c37 N74-32918
US-PATENT-CLASS-29-203MW c33 N74-26577
US-PATENT-CLASS-29-203V c15 N73-14468
US-PATENT-CLASS-29-234 c15 N70-36901
US-PATENT-CLASS-29-244 c37 N78-24544
US-PATENT-CLASS-29-252 c37 N78-24544
US-PATENT-CLASS-29-268 c37 N74-32918
US-PATENT-CLASS-29-271 c15 N70-41371
US-PATENT-CLASS-29-278R c15 N71-29133
US-PATENT-CLASS-29-400 c05 N71-12345
US-PATENT-CLASS-29-412 c15 N72-20444
US-PATENT-CLASS-29-419 c24 N75-28135
US-PATENT-CLASS-29-420 c24 N75-13032
US-PATENT-CLASS-29-420.5 c26 N74-10521
US-PATENT-CLASS-29-420.5 c37 N74-13179
US-PATENT-CLASS-29-420.5 c37 N75-26371
US-PATENT-CLASS-29-421 c15 N71-29018
US-PATENT-CLASS-29-421 c14 N72-22439
US-PATENT-CLASS-29-421 c37 N76-14461
US-PATENT-CLASS-29-421E c37 N79-13364
US-PATENT-CLASS-29-423 c15 N70-36409
US-PATENT-CLASS-29-423 c31 N74-21059
US-PATENT-CLASS-29-426 c15 N72-20444
US-PATENT-CLASS-29-428 c15 N71-17686
US-PATENT-CLASS-29-432 c37 N76-19437
US-PATENT-CLASS-29-433 c37 N76-19437
US-PATENT-CLASS-29-447 c37 N77-23482
US-PATENT-CLASS-29-452 c15 N73-30457
US-PATENT-CLASS-29-460 c37 N74-11301
US-PATENT-CLASS-29-460 c37 N75-13261
US-PATENT-CLASS-29-463 c07 N78-33101
US-PATENT-CLASS-29-467 c39 N76-31562
US-PATENT-CLASS-29-470.1 c37 N74-21057
US-PATENT-CLASS-29-470.1 c37 N75-12326
US-PATENT-CLASS-29-472.7 c37 N75-15992
US-PATENT-CLASS-29-472.9 c15 N69-39786
US-PATENT-CLASS-29-472.9 c26 N71-16037
US-PATENT-CLASS-29-472.9 c15 N72-22492
US-PATENT-CLASS-29-473.1 c15 N72-22487
US-PATENT-CLASS-29-473.1 c15 N72-22492
US-PATENT-CLASS-29-473.1 c37 N75-15992
US-PATENT-CLASS-29-475 c37 N75-12326
US-PATENT-CLASS-29-482 c05 N72-25121
US-PATENT-CLASS-29-482 c37 N74-18128
US-PATENT-CLASS-29-487 c15 N73-33383
US-PATENT-CLASS-29-487 c37 N74-21055
US-PATENT-CLASS-29-488 c15 N70-33311
US-PATENT-CLASS-29-488 c37 N74-18128
US-PATENT-CLASS-29-492 c15 N71-20443
US-PATENT-CLASS-29-492 c09 N72-25261
US-PATENT-CLASS-29-494 c15 N73-33383
US-PATENT-CLASS-29-494 c37 N74-21055
US-PATENT-CLASS-29-494 c37 N75-13261
US-PATENT-CLASS-29-495 c15 N71-21078
US-PATENT-CLASS-29-497 c09 N72-25261
US-PATENT-CLASS-29-497 c15 N73-32358
US-PATENT-CLASS-29-497 c37 N74-18128
US-PATENT-CLASS-29-497.5 c15 N73-28515
US-PATENT-CLASS-29-497.5 c15 N73-33383
US-PATENT-CLASS-29-497.5 c37 N74-11300
US-PATENT-CLASS-29-497.5 c37 N75-13261
US-PATENT-CLASS-29-498 c09 N72-25261
US-PATENT-CLASS-29-498 c15 N73-33383
US-PATENT-CLASS-29-498 c37 N74-11301
US-PATENT-CLASS-29-498 c37 N74-18128
US-PATENT-CLASS-29-498 c37 N74-21055
US-PATENT-CLASS-29-502 c09 N72-25261
US-PATENT-CLASS-29-503 c37 N74-11301
US-PATENT-CLASS-29-504 c37 N74-21055
US-PATENT-CLASS-29-504 c37 N75-13261
US-PATENT-CLASS-29-517 c15 N71-17650
US-PATENT-CLASS-29-526 c37 N76-19437
US-PATENT-CLASS-29-526 c39 N76-31562
US-PATENT-CLASS-29-527.2 c15 N72-20444
US-PATENT-CLASS-29-527.2 c15 N73-32360
US-PATENT-CLASS-29-527.2 c37 N74-11301
US-PATENT-CLASS-29-527.2 c24 N75-33181
US-PATENT-CLASS-29-527.2 c24 N77-19171
US-PATENT-CLASS-29-570 c26 N72-28761
US-PATENT-CLASS-29-571 c35 N75-13213
US-PATENT-CLASS-29-571 c33 N78-27326
US-PATENT-CLASS-29-572 c09 N71-23027
US-PATENT-CLASS-29-572 c03 N71-24681
US-PATENT-CLASS-29-572 c03 N72-22041
US-PATENT-CLASS-29-572 c44 N74-14784
US-PATENT-CLASS-29-572 c44 N76-14600
US-PATENT-CLASS-29-572 c44 N76-28635
US-PATENT-CLASS-29-572 c44 N77-10635
US-PATENT-CLASS-29-572 c44 N78-24609
US-PATENT-CLASS-29-572 c44 N78-25527
US-PATENT-CLASS-29-572 c44 N78-25528
US-PATENT-CLASS-29-572 c44 N78-25529
US-PATENT-CLASS-29-572 c44 N79-11468
US-PATENT-CLASS-29-572 c44 N79-11472
US-PATENT-CLASS-29-572 c44 N79-17314
US-PATENT-CLASS-29-572 c44 N79-18444
US-PATENT-CLASS-29-572 c44 N79-24431
US-PATENT-CLASS-29-572 c44 N79-26475
US-PATENT-CLASS-29-572 c44 N79-31752
US-PATENT-CLASS-29-572 c44 N80-14474
US-PATENT-CLASS-29-573 c14 N73-13417
US-PATENT-CLASS-29-577 c44 N79-26475
US-PATENT-CLASS-29-578 c26 N72-17820
US-PATENT-CLASS-29-578 c33 N78-27326
US-PATENT-CLASS-29-578 c44 N79-18444
US-PATENT-CLASS-29-578 c44 N79-26475
US-PATENT-CLASS-29-580 c09 N73-27150
US-PATENT-CLASS-29-580 c44 N79-26475
US-PATENT-CLASS-29-588 c14 N71-27334
US-PATENT-CLASS-29-588 c14 N72-31446
US-PATENT-CLASS-29-588 c44 N74-14784
US-PATENT-CLASS-29-588 c44 N80-14474
US-PATENT-CLASS-29-589 c26 N72-17820
US-PATENT-CLASS-29-589 c09 N72-25261
US-PATENT-CLASS-29-589 c15 N73-14469
US-PATENT-CLASS-29-589 c44 N79-31752
US-PATENT-CLASS-29-590 c09 N72-22199
US-PATENT-CLASS-29-591 c15 N73-14469
US-PATENT-CLASS-29-591 c44 N79-18444
US-PATENT-CLASS-29-592 c35 N75-13213
US-PATENT-CLASS-29-597 c33 N77-26385
US-PATENT-CLASS-29-599 c15 N72-25447
US-PATENT-CLASS-29-599 c26 N73-26752
US-PATENT-CLASS-29-599 c26 N73-32571
US-PATENT-CLASS-29-603 c08 N71-27210
US-PATENT-CLASS-29-604 c24 N75-13032
US-PATENT-CLASS-29-610 c24 N75-30260
US-PATENT-CLASS-29-613 c24 N75-30260
US-PATENT-CLASS-29-622 c33 N77-26385
US-PATENT-CLASS-29-624 c15 N72-20444
US-PATENT-CLASS-29-624 c14 N73-13417
US-PATENT-CLASS-29-627 c44 N80-14474
US-PATENT-CLASS-29-628 c15 N72-22491
US-PATENT-CLASS-29-628 c09 N72-25261
US-PATENT-CLASS-29-628 c09 N73-28083
US-PATENT-CLASS-29-628 c33 N77-26385
US-PATENT-CLASS-29-628 c44 N78-25528
US-PATENT-CLASS-29-629 c09 N73-28083
US-PATENT-CLASS-29-630 c09 N73-28083
US-PATENT-CLASS-29-630A c05 N72-25121
US-PATENT-CLASS-29-630A c09 N73-28083
US-PATENT-CLASS-29-630E c33 N77-26385
US-PATENT-CLASS-29-739 c44 N79-24431
US-PATENT-CLASS-29-809 c44 N79-24431
US-PATENT-CLASS-29-832 c44 N81-14389
US-PATENT-CLASS-30-90.6 c37 N79-10419
US-PATENT-CLASS-30-228 c15 N70-42017
US-PATENT-CLASS-32-28 c05 N73-27062
US-PATENT-CLASS-32-58 c05 N73-27062
US-PATENT-CLASS-33.8UB c27 N81-15104
US-PATENT-CLASS-33-DIG.13 c35 N75-12273
US-PATENT-CLASS-33-1 c14 N70-36907
US-PATENT-CLASS-33-1G c37 N76-21554
US-PATENT-CLASS-33-1H c35 N74-32877
US-PATENT-CLASS-33-1N c43 N79-26439
US-PATENT-CLASS-33-1Q c43 N79-26439
US-PATENT-CLASS-33-1SA c14 N72-28436
US-PATENT-CLASS-33-1SA c19 N74-21015
US-PATENT-CLASS-33-15A c08 N72-11172
US-PATENT-CLASS-33-23R c35 N74-32877
US-PATENT-CLASS-33-31 c14 N71-21079
US-PATENT-CLASS-33-46R c19 N74-21015
US-PATENT-CLASS-33-72 c15 N72-11386
US-PATENT-CLASS-33-75R c14 N72-28436
US-PATENT-CLASS-33-96 c33 N75-30430
US-PATENT-CLASS-33-125 c14 N72-11364
US-PATENT-CLASS-33-125R c52 N80-27072
US-PATENT-CLASS-33-147 c15 N71-19489

US-PATENT-CLASS-33-148D c35 N75-19615
US-PATENT-CLASS-33-149 c14 N71-17657
US-PATENT-CLASS-33-155R c33 N76-19338
US-PATENT-CLASS-33-174 c14 N69-21363
US-PATENT-CLASS-33-174 c14 N71-17658
US-PATENT-CLASS-33-174 c14 N71-24693
US-PATENT-CLASS-33-174B c37 N76-21554
US-PATENT-CLASS-33-174D c33 N76-19338
US-PATENT-CLASS-33-174L c43 N79-26439
US-PATENT-CLASS-33-174S c14 N72-22445
US-PATENT-CLASS-33-180R c35 N75-12273
US-PATENT-CLASS-33-189 c15 N71-26145
US-PATENT-CLASS-33-204C c08 N72-11172
US-PATENT-CLASS-33-207 c15 N71-15571
US-PATENT-CLASS-33-268 c89 N74-30886
US-PATENT-CLASS-33-285 c36 N74-21091
US-PATENT-CLASS-33-286 c18 N76-14186
US-PATENT-CLASS-33-356 c04 N76-20114
US-PATENT-CLASS-33-356 c04 N77-19056
US-PATENT-CLASS-33-366 c35 N78-32395
US-PATENT-CLASS-34-15 c28 N78-24365
US-PATENT-CLASS-34-155 c14 N73-28489
US-PATENT-CLASS-34-160 c14 N73-28489
US-PATENT-CLASS-34-162 c14 N73-28489
US-PATENT-CLASS-34-162 c35 N74-15831
US-PATENT-CLASS-35-8 c05 N72-16015
US-PATENT-CLASS-35-10.2 c14 N71-15621
US-PATENT-CLASS-35-12 c11 N70-34815
US-PATENT-CLASS-35-12 c31 N70-34966
US-PATENT-CLASS-35-12 c11 N71-10746
US-PATENT-CLASS-35-12 c11 N71-10748
US-PATENT-CLASS-35-12 c11 N71-10776
US-PATENT-CLASS-35-12 c11 N71-18773
US-PATENT-CLASS-35-12 c11 N71-19494
US-PATENT-CLASS-35-12 c11 N71-21474
US-PATENT-CLASS-35-12 c18 N76-14186
US-PATENT-CLASS-35-12C c14 N73-27377
US-PATENT-CLASS-35-12C c09 N75-15662
US-PATENT-CLASS-35-12C c74 N79-13855
US-PATENT-CLASS-35-12E c09 N74-30597
US-PATENT-CLASS-35-12E c09 N79-31228
US-PATENT-CLASS-35-12H c09 N79-31228
US-PATENT-CLASS-35-12N c09 N76-24280
US-PATENT-CLASS-35-12N c09 N78-18083
US-PATENT-CLASS-35-12N c74 N79-13855
US-PATENT-CLASS-35-17 c05 N71-24606
US-PATENT-CLASS-35-19 c10 N71-27365
US-PATENT-CLASS-35-22R c05 N73-13114
US-PATENT-CLASS-35-29 c11 N71-16028
US-PATENT-CLASS-35-29 c05 N71-28619
US-PATENT-CLASS-35-35A c71 N74-21014
US-PATENT-CLASS-35-45 c14 N70-35394
US-PATENT-CLASS-35-49 c12 N69-39988
US-PATENT-CLASS-36-92 c54 N78-17675
US-PATENT-CLASS-36-119 c54 N78-17675
US-PATENT-CLASS-37N c27 N81-15104
US-PATENT-CLASS-40-28 c12 N71-18603
US-PATENT-CLASS-41R c27 N81-15104
US-PATENT-CLASS-42-1F c11 N72-22247
US-PATENT-CLASS-42-215 c44 N76-29704
US-PATENT-CLASS-44-1R c44 N78-31527
US-PATENT-CLASS-44-2 c44 N78-31527
US-PATENT-CLASS-44-7R c28 N81-14103
US-PATENT-CLASS-44-50 c27 N81-17261
US-PATENT-CLASS-44-51 c25 N79-11152
US-PATENT-CLASS-44-62 c27 N81-17261
US-PATENT-CLASS-44-77 c06 N71-23499
US-PATENT-CLASS-47-1.2 c51 N75-25503
US-PATENT-CLASS-47-1.4 c31 N73-32750
US-PATENT-CLASS-47-17 c31 N73-32750
US-PATENT-CLASS-47-39 c51 N75-25503
US-PATENT-CLASS-47-58 c51 N75-25503
US-PATENT-CLASS-48-DIG.8 c28 N80-10374
US-PATENT-CLASS-48-10-3 c28 N80-10374
US-PATENT-CLASS-48-61 c44 N77-10636
US-PATENT-CLASS-48-61 c28 N80-10374
US-PATENT-CLASS-48-63 c44 N76-18642
US-PATENT-CLASS-48-75 c44 N76-18642
US-PATENT-CLASS-48-95 c44 N76-18642
US-PATENT-CLASS-48-95 c44 N76-29700
US-PATENT-CLASS-48-102A c28 N80-10374
US-PATENT-CLASS-48-107 c28 N80-10374
US-PATENT-CLASS-48-116 c44 N76-18642
US-PATENT-CLASS-48-116 c44 N77-10636
US-PATENT-CLASS-48-117 c44 N76-18642
US-PATENT-CLASS-48-117 c44 N77-10636
US-PATENT-CLASS-48-117 c28 N80-10374
US-PATENT-CLASS-48-197R c44 N76-29704
US-PATENT-CLASS-48-197R c44 N77-10636
US-PATENT-CLASS-48-212 c44 N77-10636
US-PATENT-CLASS-48-215 c44 N76-29700
US-PATENT-CLASS-49-DIG.1 c34 N78-25350
US-PATENT-CLASS-49-68 c18 N74-22136
US-PATENT-CLASS-49-171 c31 N81-19343
US-PATENT-CLASS-49-479 c34 N78-25350
US-PATENT-CLASS-49-485 c34 N78-25350
US-PATENT-CLASS-51-57 c15 N71-22705
US-PATENT-CLASS-51-97R c37 N74-27905
US-PATENT-CLASS-51-170 c15 N71-26134
US-PATENT-CLASS-51-216 c15 N72-20444
US-PATENT-CLASS-51-225 c37 N74-27905
US-PATENT-CLASS-51-234 c37 N74-27905
US-PATENT-CLASS-51-235 c37 N78-17383
US-PATENT-CLASS-51-235 c76 N80-18951
US-PATENT-CLASS-51-277 c74 N80-24149
US-PATENT-CLASS-51-283 c46 N74-23069
US-PATENT-CLASS-51-283R c74 N80-24149
US-PATENT-CLASS-51-320 c15 N72-20444
US-PATENT-CLASS-51-323 c15 N72-20444
US-PATENT-CLASS-52-DIG.10 c18 N72-25540
US-PATENT-CLASS-52-DIG.10 c18 N72-25541
US-PATENT-CLASS-52-1 c15 N72-28496
US-PATENT-CLASS-52-2 c32 N71-21045
US-PATENT-CLASS-52-2 c44 N77-32583
US-PATENT-CLASS-52-3 c31 N71-16080
US-PATENT-CLASS-52-51 c44 N77-31601
US-PATENT-CLASS-52-64 c31 N73-32749
US-PATENT-CLASS-52-71 c18 N75-27040
US-PATENT-CLASS-52-80 c18 N72-25540
US-PATENT-CLASS-52-80 c18 N72-25541
US-PATENT-CLASS-52-80 c31 N73-32749
US-PATENT-CLASS-52-108 c15 N72-18477
US-PATENT-CLASS-52-109 c31 N73-32749
US-PATENT-CLASS-52-117 c44 N77-32582
US-PATENT-CLASS-52-127 c15 N71-21531
US-PATENT-CLASS-52-169 c15 N72-25454
US-PATENT-CLASS-52-171 c11 N73-12265
US-PATENT-CLASS-52-173 c15 N72-25454
US-PATENT-CLASS-52-173R c44 N77-31601
US-PATENT-CLASS-52-232 c37 N81-14317
US-PATENT-CLASS-52-236 c39 N76-31562
US-PATENT-CLASS-52-249 c33 N71-25351
US-PATENT-CLASS-52-272 c31 N71-24035
US-PATENT-CLASS-52-284 c32 N73-13921
US-PATENT-CLASS-52-404 c33 N71-25351
US-PATENT-CLASS-52-573 c15 N72-28496
US-PATENT-CLASS-52-594 c15 N72-25454
US-PATENT-CLASS-52-594 c32 N73-13921
US-PATENT-CLASS-52-637 c39 N76-31562
US-PATENT-CLASS-52-646 c31 N73-32749
US-PATENT-CLASS-52-648 c11 N72-25287
US-PATENT-CLASS-52-648 c39 N76-31562
US-PATENT-CLASS-52-651 c39 N76-31562
US-PATENT-CLASS-52-655 c11 N72-25287
US-PATENT-CLASS-52-705 c37 N76-19437
US-PATENT-CLASS-52-726 c39 N76-31562
US-PATENT-CLASS-52-743 c37 N81-14317
US-PATENT-CLASS-52-745 c39 N76-31562
US-PATENT-CLASS-52-749 c39 N76-31562
US-PATENT-CLASS-52-758F c37 N76-19437
US-PATENT-CLASS-53-9 c37 N77-23482
US-PATENT-CLASS-53-22 c15 N71-23256
US-PATENT-CLASS-53-22A c15 N73-27405
US-PATENT-CLASS-53-102 c15 N71-21528
US-PATENT-CLASS-53-112A c15 N73-27405
US-PATENT-CLASS-55-DIG.35 c54 N75-27761
US-PATENT-CLASS-55-2 c25 N78-25148
US-PATENT-CLASS-55-2 c28 N81-14103
US-PATENT-CLASS-55-3 c35 N78-12390
US-PATENT-CLASS-55-15-8 c52 N79-14749
US-PATENT-CLASS-55-16 c06 N72-31140
US-PATENT-CLASS-55-26-9 c35 N78-12390
US-PATENT-CLASS-55-35 c05 N70-41297
US-PATENT-CLASS-55-43 c34 N74-30608
US-PATENT-CLASS-55-55 c06 N72-31140
US-PATENT-CLASS-55-66 c25 N80-23383
US-PATENT-CLASS-55-67 c23 N77-17161
US-PATENT-CLASS-55-67 c25 N80-23383
US-PATENT-CLASS-55-68 c25 N80-23383
US-PATENT-CLASS-55-72 c25 N80-23383
US-PATENT-CLASS-55-73 c45 N79-12584
US-PATENT-CLASS-55-74 c23 N77-17161
US-PATENT-CLASS-55-75 c15 N71-26185
US-PATENT-CLASS-55-100 c35 N78-12390
US-PATENT-CLASS-55-100 c25 N78-25148
US-PATENT-CLASS-55-101 c25 N78-25148
US-PATENT-CLASS-55-118 c35 N79-17192
US-PATENT-CLASS-55-122 c35 N79-17192

US-PATENT-CLASS-55-127 c35 N79-17192
US-PATENT-CLASS-55-155 c35 N79-17192
US-PATENT-CLASS-55-158 c18 N71-20742
US-PATENT-CLASS-55-158 c44 N77-22607
US-PATENT-CLASS-55-159 c34 N74-30608
US-PATENT-CLASS-55-159 c37 N79-21345
US-PATENT-CLASS-55-160 c15 N71-15968
US-PATENT-CLASS-55-179 c14 N71-17588
US-PATENT-CLASS-55-179 c54 N77-32722
US-PATENT-CLASS-55-197 c23 N77-17161
US-PATENT-CLASS-55-199 c34 N74-30608
US-PATENT-CLASS-55-204 c15 N71-23023
US-PATENT-CLASS-55-208 c14 N71-18483
US-PATENT-CLASS-55-241 c35 N79-17192
US-PATENT-CLASS-55-242 c35 N79-17192
US-PATENT-CLASS-55-261 c35 N76-18401
US-PATENT-CLASS-55-269 c54 N77-32722
US-PATENT-CLASS-55-306 c28 N70-34788
US-PATENT-CLASS-55-360 c35 N79-17192
US-PATENT-CLASS-55-386 c35 N75-26334
US-PATENT-CLASS-55-400 c11 N71-10777
US-PATENT-CLASS-55-407 c35 N79-17192
US-PATENT-CLASS-55-408 c15 N70-40062
US-PATENT-CLASS-55-418 c15 N71-22721
US-PATENT-CLASS-55-446 c15 N72-22489
US-PATENT-CLASS-55-464 c15 N72-22489
US-PATENT-CLASS-55-493 c14 N72-23457
US-PATENT-CLASS-55-498 c14 N72-23457
US-PATENT-CLASS-55-502 c14 N72-23457
US-PATENT-CLASS-55-510 c25 N74-12813
US-PATENT-CLASS-55-518 c25 N74-12813
US-PATENT-CLASS-55-521 c14 N72-23457
US-PATENT-CLASS-55-523 c34 N76-27515
US-PATENT-CLASS-55-526 c34 N76-27515
US-PATENT-CLASS-58-24 c10 N71-26326
US-PATENT-CLASS-60.39.08 c37 N79-11403
US-PATENT-CLASS-60-1 c15 N72-33477
US-PATENT-CLASS-60-1 c15 N73-13467
US-PATENT-CLASS-60-23 c09 N71-26182
US-PATENT-CLASS-60-23 c15 N72-12409
US-PATENT-CLASS-60-23 c21 N72-31637
US-PATENT-CLASS-60-23 c15 N73-13467
US-PATENT-CLASS-60-25 c15 N73-24513
US-PATENT-CLASS-60-25 c37 N74-21060
US-PATENT-CLASS-60-26 c21 N72-31637
US-PATENT-CLASS-60-26 c03 N73-20040
US-PATENT-CLASS-60-35.3 c28 N70-33265
US-PATENT-CLASS-60-35.3 c28 N70-40367
US-PATENT-CLASS-60-35.5 c28 N70-33356
US-PATENT-CLASS-60-35.5 c28 N70-34175
US-PATENT-CLASS-60-35.5 c28 N70-36802
US-PATENT-CLASS-60-35.5 c21 N70-36538
US-PATENT-CLASS-60-35.5 c25 N70-36946
US-PATENT-CLASS-60-35.5 c28 N70-37245
US-PATENT-CLASS-60-35.5 c28 N70-37980
US-PATENT-CLASS-60-35.5 c28 N71-14043
US-PATENT-CLASS-60-35.5 c28 N71-15661
US-PATENT-CLASS-60-35.6 c28 N70-33284
US-PATENT-CLASS-60-35.6 c28 N70-33331
US-PATENT-CLASS-60-35.6 c28 N70-33374
US-PATENT-CLASS-60-35.6 c28 N70-33375
US-PATENT-CLASS-60-35.6 c28 N70-34860
US-PATENT-CLASS-60-35.6 c28 N70-35381
US-PATENT-CLASS-60-35.6 c27 N70-35534
US-PATENT-CLASS-60-35.6 c15 N70-36535
US-PATENT-CLASS-60-35.6 c28 N70-36806
US-PATENT-CLASS-60-35.6 c28 N70-36910
US-PATENT-CLASS-60-35.6 c28 N70-38249
US-PATENT-CLASS-60-35.6 c28 N70-38504
US-PATENT-CLASS-60-35.6 c28 N70-38505
US-PATENT-CLASS-60-35.6 c28 N70-38710
US-PATENT-CLASS-60-35.6 c28 N70-39899
US-PATENT-CLASS-60-35.6 c33 N71-15623
US-PATENT-CLASS-60-35.6 c27 N71-15634
US-PATENT-CLASS-60-35.6 c31 N71-15637
US-PATENT-CLASS-60-35.6 c31 N71-15647
US-PATENT-CLASS-60-35.6 c28 N71-15660
US-PATENT-CLASS-60-35.6 c14 N71-27186
US-PATENT-CLASS-60-35.54 c28 N70-34294
US-PATENT-CLASS-60-35.54 c28 N70-38645
US-PATENT-CLASS-60-35.54 c28 N71-29153
US-PATENT-CLASS-60-35.55 c28 N70-34162
US-PATENT-CLASS-60-35.55 c28 N70-38711
US-PATENT-CLASS-60-35.55 c21 N71-15582
US-PATENT-CLASS-60-35.55 c15 N71-28951
US-PATENT-CLASS-60-35.60 c28 N71-15659
US-PATENT-CLASS-60-36 c15 N72-33477
US-PATENT-CLASS-60-37 c15 N73-13467
US-PATENT-CLASS-60-39.03 c07 N77-23106
US-PATENT-CLASS-60-39.03 c07 N80-18039
US-PATENT-CLASS-60-39.06 c07 N80-26298
US-PATENT-CLASS-60-39.07 c44 N78-32539
US-PATENT-CLASS-60-39.14 c44 N78-32539
US-PATENT-CLASS-60-39.14 c07 N79-10057
US-PATENT-CLASS-60-39.23 c20 N76-14190
US-PATENT-CLASS-60-39.24 c07 N81-19115
US-PATENT-CLASS-60-39.27 c07 N80-18039
US-PATENT-CLASS-60-39.28R c28 N73-19793
US-PATENT-CLASS-60-39.28R c07 N77-23106
US-PATENT-CLASS-60-39.28R c37 N78-10467
US-PATENT-CLASS-60-39.28R c37 N78-24545
US-PATENT-CLASS-60-39.28R c37 N79-11403
US-PATENT-CLASS-60-39.29 c20 N76-14190
US-PATENT-CLASS-60-39.29 c35 N76-14431
US-PATENT-CLASS-60-39.31 c07 N78-18066
US-PATENT-CLASS-60-39.31 c07 N79-14096
US-PATENT-CLASS-60-39.33 c44 N78-32539
US-PATENT-CLASS-60-39.36 c28 N71-20330
US-PATENT-CLASS-60-39.36 c28 N71-28915
US-PATENT-CLASS-60-39.46 c27 N71-15635
US-PATENT-CLASS-60-39.46 c15 N74-27360
US-PATENT-CLASS-60-39.47 c27 N71-16392
US-PATENT-CLASS-60-39.48 c28 N70-38199
US-PATENT-CLASS-60-39.48 c28 N70-39931
US-PATENT-CLASS-60-39.48 c27 N71-28929
US-PATENT-CLASS-60-39.51R c25 N78-10224
US-PATENT-CLASS-60-39.52 c07 N78-25089
US-PATENT-CLASS-60-39.65 c28 N71-28915
US-PATENT-CLASS-60-39.65 c23 N73-30665
US-PATENT-CLASS-60-39.65 c34 N78-27357
US-PATENT-CLASS-60-39.66 c15 N70-36411
US-PATENT-CLASS-60-39.66 c23 N73-30665
US-PATENT-CLASS-60-39.66 c07 N77-23106
US-PATENT-CLASS-60-39.66 c37 N78-10467
US-PATENT-CLASS-60-39.66 c37 N79-11403
US-PATENT-CLASS-60-39.69R c34 N78-27357
US-PATENT-CLASS-60-39.72 c23 N73-30665
US-PATENT-CLASS-60-39.74 c28 N70-33241
US-PATENT-CLASS-60-39.74 c28 N72-17843
US-PATENT-CLASS-60-39.74 c20 N79-21125
US-PATENT-CLASS-60-39.74A c15 N72-25455
US-PATENT-CLASS-60-39.74B c23 N73-30665
US-PATENT-CLASS-60-39.74B c20 N76-14190
US-PATENT-CLASS-60-39.82B c20 N78-24275
US-PATENT-CLASS-60-39-48 c28 N72-11709
US-PATENT-CLASS-60-51 c15 N71-27754
US-PATENT-CLASS-60-53 c37 N77-22479
US-PATENT-CLASS-60-54.5 c15 N71-10658
US-PATENT-CLASS-60-97 c03 N71-12260
US-PATENT-CLASS-60-108 c33 N71-16104
US-PATENT-CLASS-60-200 c28 N71-14044
US-PATENT-CLASS-60-200A c33 N72-25911
US-PATENT-CLASS-60-200A c33 N73-25952
US-PATENT-CLASS-60-200A c27 N78-17206
US-PATENT-CLASS-60-202 c28 N70-41922
US-PATENT-CLASS-60-202 c28 N71-10574
US-PATENT-CLASS-60-202 c25 N71-21694
US-PATENT-CLASS-60-202 c28 N71-21822
US-PATENT-CLASS-60-202 c28 N71-23081
US-PATENT-CLASS-60-202 c28 N71-23293
US-PATENT-CLASS-60-202 c28 N71-25213
US-PATENT-CLASS-60-202 c28 N71-26173
US-PATENT-CLASS-60-202 c28 N71-26642
US-PATENT-CLASS-60-202 c28 N71-26781
US-PATENT-CLASS-60-202 c28 N72-11709
US-PATENT-CLASS-60-202 c28 N72-22770
US-PATENT-CLASS-60-202 c28 N72-22771
US-PATENT-CLASS-60-202 c28 N73-24783
US-PATENT-CLASS-60-202 c25 N73-25760
US-PATENT-CLASS-60-202 c28 N73-27699
US-PATENT-CLASS-60-202 c20 N77-10148
US-PATENT-CLASS-60-202 c20 N77-20162
US-PATENT-CLASS-60-203 c20 N80-14188
US-PATENT-CLASS-60-204 c07 N78-17055
US-PATENT-CLASS-60-204 c07 N78-18067
US-PATENT-CLASS-60-211 c28 N73-13773
US-PATENT-CLASS-60-214 c15 N74-27360
US-PATENT-CLASS-60-215 c06 N73-30097
US-PATENT-CLASS-60-215 c15 N74-27360
US-PATENT-CLASS-60-217 c12 N71-17631
US-PATENT-CLASS-60-225 c28 N71-10780
US-PATENT-CLASS-60-226A c07 N77-17059
US-PATENT-CLASS-60-226A c07 N79-14096
US-PATENT-CLASS-60-226A c07 N79-14097
US-PATENT-CLASS-60-226B c07 N77-14025
US-PATENT-CLASS-60-226B c07 N77-28118
US-PATENT-CLASS-60-226B c07 N78-17055
US-PATENT-CLASS-60-226B c07 N78-17056

US-PATENT-CLASS-60-226R c07 N78-18066
US-PATENT-CLASS-60-226R c07 N78-25089
US-PATENT-CLASS-60-226R c07 N79-14096
US-PATENT-CLASS-60-226R c07 N81-19116
US-PATENT-CLASS-60-228 c07 N77-17059
US-PATENT-CLASS-60-230 c07 N78-27121
US-PATENT-CLASS-60-236 c07 N81-19116
US-PATENT-CLASS-60-238 c07 N81-19116
US-PATENT-CLASS-60-239 c07 N81-19116
US-PATENT-CLASS-60-240 c28 N71-24736
US-PATENT-CLASS-60-240 c28 N73-13773
US-PATENT-CLASS-60-240 c07 N80-18039
US-PATENT-CLASS-60-243 c33 N71-21507
US-PATENT-CLASS-60-243 c15 N71-27432
US-PATENT-CLASS-60-243 c28 N73-13773
US-PATENT-CLASS-60-243 c20 N79-21124
US-PATENT-CLASS-60-251 c28 N70-41311
US-PATENT-CLASS-60-251 c27 N71-21819
US-PATENT-CLASS-60-254 c28 N72-20758
US-PATENT-CLASS-60-254 c28 N73-24784
US-PATENT-CLASS-60-256 c28 N73-24784
US-PATENT-CLASS-60-257 c31 N70-41948
US-PATENT-CLASS-60-258 c15 N70-22192
US-PATENT-CLASS-60-258 c28 N71-22983
US-PATENT-CLASS-60-258 c28 N71-28849
US-PATENT-CLASS-60-258 c28 N72-17843
US-PATENT-CLASS-60-258 c15 N72-25455
US-PATENT-CLASS-60-258 c20 N74-13502
US-PATENT-CLASS-60-259 c28 N70-41275
US-PATENT-CLASS-60-259 c20 N74-13502
US-PATENT-CLASS-60-259 c34 N77-30399
US-PATENT-CLASS-60-259 c20 N80-14188
US-PATENT-CLASS-60-260 c28 N70-41992
US-PATENT-CLASS-60-260 c28 N72-18766
US-PATENT-CLASS-60-261 c37 N78-17384
US-PATENT-CLASS-60-262 c37 N78-17384
US-PATENT-CLASS-60-262 c07 N78-18067
US-PATENT-CLASS-60-263 c28 N71-24321
US-PATENT-CLASS-60-263 c07 N77-28118
US-PATENT-CLASS-60-264 c07 N80-32392
US-PATENT-CLASS-60-265 c28 N71-20942
US-PATENT-CLASS-60-265 c33 N72-25911
US-PATENT-CLASS-60-265 c33 N73-25952
US-PATENT-CLASS-60-265 c20 N76-14191
US-PATENT-CLASS-60-266 c33 N71-28852
US-PATENT-CLASS-60-266 c28 N72-23810
US-PATENT-CLASS-60-267 c33 N71-29053
US-PATENT-CLASS-60-267 c33 N72-25911
US-PATENT-CLASS-60-267 c33 N73-25952
US-PATENT-CLASS-60-267 c28 N73-32606
US-PATENT-CLASS-60-267 c20 N76-14191
US-PATENT-CLASS-60-267 c34 N79-13288
US-PATENT-CLASS-60-267 c34 N79-13289
US-PATENT-CLASS-60-267 c34 N80-24573
US-PATENT-CLASS-60-271 c28 N72-11708
US-PATENT-CLASS-60-271 c28 N72-23810
US-PATENT-CLASS-60-271 c07 N78-17055
US-PATENT-CLASS-60-271 c37 N78-17384
US-PATENT-CLASS-60-291 c31 N73-13898
US-PATENT-CLASS-60-300 c28 N80-10374
US-PATENT-CLASS-60-316 c34 N76-18364
US-PATENT-CLASS-60-508 c44 N79-18443
US-PATENT-CLASS-60-516 c20 N75-24837
US-PATENT-CLASS-60-517 c44 N76-29701
US-PATENT-CLASS-60-518 c37 N81-14318
US-PATENT-CLASS-60-518 c37 N81-17432
US-PATENT-CLASS-60-520 c37 N80-31790
US-PATENT-CLASS-60-524 c44 N81-17518
US-PATENT-CLASS-60-527 c44 N74-33379
US-PATENT-CLASS-60-527 c37 N77-12402
US-PATENT-CLASS-60-527 c37 N77-19458
US-PATENT-CLASS-60-527 c37 N78-31426
US-PATENT-CLASS-60-530 c20 N75-24837
US-PATENT-CLASS-60-560 c35 N78-10428
US-PATENT-CLASS-60-572 c44 N79-18443
US-PATENT-CLASS-60-574 c35 N78-10428
US-PATENT-CLASS-60-606 c28 N80-10374
US-PATENT-CLASS-60-632 c20 N80-18097
US-PATENT-CLASS-60-641 c44 N75-32581
US-PATENT-CLASS-60-641 c44 N77-32582
US-PATENT-CLASS-60-641 c44 N78-17460
US-PATENT-CLASS-60-641 c44 N78-32542
US-PATENT-CLASS-60-641 c44 N79-18443
US-PATENT-CLASS-60-641 c44 N81-17518
US-PATENT-CLASS-60-645 c34 N79-20335
US-PATENT-CLASS-60-649 c34 N79-20335
US-PATENT-CLASS-60-659 c44 N75-32581
US-PATENT-CLASS-60-659 c44 N76-31667
US-PATENT-CLASS-60-671 c44 N78-32542
US-PATENT-CLASS-60-721 c71 N79-20827
US-PATENT-CLASS-60-733 c07 N80-26298
US-PATENT-CLASS-60-746 c07 N80-26298
US-PATENT-CLASS-60-836 c24 N78-14096
US-PATENT-CLASS-61-83 c18 N74-22136
US-PATENT-CLASS-62-2 c15 N71-15906
US-PATENT-CLASS-62-3 c20 N75-24837
US-PATENT-CLASS-62-3 c34 N78-17335
US-PATENT-CLASS-62-4 c44 N77-32581
US-PATENT-CLASS-62-4 c44 N78-17460
US-PATENT-CLASS-62-6 c15 N69-23190
US-PATENT-CLASS-62-6 c23 N71-15467
US-PATENT-CLASS-62-6 c15 N71-23025
US-PATENT-CLASS-62-6 c23 N72-25619
US-PATENT-CLASS-62-6 c37 N76-29590
US-PATENT-CLASS-62-6 c44 N76-29701
US-PATENT-CLASS-62-7 c15 N73-12486
US-PATENT-CLASS-62-12 c28 N81-14103
US-PATENT-CLASS-62-15 c06 N70-34946
US-PATENT-CLASS-62-18 c28 N81-14103
US-PATENT-CLASS-62-40 c15 N71-24044
US-PATENT-CLASS-62-40 c28 N81-14103
US-PATENT-CLASS-62-45 c15 N70-33323
US-PATENT-CLASS-62-45 c31 N70-41871
US-PATENT-CLASS-62-45 c33 N71-25351
US-PATENT-CLASS-62-45 c33 N71-28892
US-PATENT-CLASS-62-45 c15 N73-12486
US-PATENT-CLASS-62-45 c35 N74-15093
US-PATENT-CLASS-62-47 c28 N81-14103
US-PATENT-CLASS-62-48 c28 N78-24365
US-PATENT-CLASS-62-49 c31 N76-14284
US-PATENT-CLASS-62-50 c15 N70-34247
US-PATENT-CLASS-62-50 c35 N78-12390
US-PATENT-CLASS-62-51 c15 N72-17453
US-PATENT-CLASS-62-55 c15 N70-38020
US-PATENT-CLASS-62-55 c34 N77-30399
US-PATENT-CLASS-62-55.5 c11 N71-24964
US-PATENT-CLASS-62-55.5 c15 N72-22484
US-PATENT-CLASS-62-56 c05 N72-11084
US-PATENT-CLASS-62-78 c51 N79-10694
US-PATENT-CLASS-62-80 c23 N72-25619
US-PATENT-CLASS-62-85 c23 N72-25619
US-PATENT-CLASS-62-89 c05 N73-26071
US-PATENT-CLASS-62-93 c15 N69-21465
US-PATENT-CLASS-62-93 c03 N72-28025
US-PATENT-CLASS-62-93 c77 N75-20139
US-PATENT-CLASS-62-100 c34 N77-19353
US-PATENT-CLASS-62-100 c28 N78-24365
US-PATENT-CLASS-62-121 c34 N77-19353
US-PATENT-CLASS-62-129 c31 N76-14284
US-PATENT-CLASS-62-176 c05 N73-26071
US-PATENT-CLASS-62-207 c05 N73-26071
US-PATENT-CLASS-62-209 c05 N73-26071
US-PATENT-CLASS-62-217 c31 N77-10229
US-PATENT-CLASS-62-259 c05 N73-20137
US-PATENT-CLASS-62-259 c05 N73-26071
US-PATENT-CLASS-62-259 c54 N78-32721
US-PATENT-CLASS-62-268 c14 N71-20427
US-PATENT-CLASS-62-268 c34 N79-20336
US-PATENT-CLASS-62-269 c34 N77-19353
US-PATENT-CLASS-62-285 c77 N75-20139
US-PATENT-CLASS-62-288 c77 N75-20139
US-PATENT-CLASS-62-289 c77 N75-20139
US-PATENT-CLASS-62-290 c77 N75-20139
US-PATENT-CLASS-62-315 c34 N77-19353
US-PATENT-CLASS-62-317 c77 N75-20139
US-PATENT-CLASS-62-376 c31 N78-17237
US-PATENT-CLASS-62-376 c34 N79-20336
US-PATENT-CLASS-62-384 c23 N71-24725
US-PATENT-CLASS-62-467 c33 N70-37979
US-PATENT-CLASS-62-467 c33 N71-17897
US-PATENT-CLASS-62-467 c05 N72-11084
US-PATENT-CLASS-62-467 c33 N72-25911
US-PATENT-CLASS-62-467 c33 N73-25952
US-PATENT-CLASS-62-467 c20 N75-24837
US-PATENT-CLASS-62-475 c23 N72-25619
US-PATENT-CLASS-62-514 c23 N71-26654
US-PATENT-CLASS-62-514JT c31 N77-10229
US-PATENT-CLASS-62-514R c35 N78-12390
US-PATENT-CLASS-62-514R c31 N78-17237
US-PATENT-CLASS-62-514R c31 N78-25256
US-PATENT-CLASS-62-514R c51 N79-10694
US-PATENT-CLASS-62-514R c31 N79-17029
US-PATENT-CLASS-62-514R c34 N79-20336
US-PATENT-CLASS-62-514R c35 N81-14287
US-PATENT-CLASS-64-18 c15 N71-28467
US-PATENT-CLASS-64-27 c15 N71-28959
US-PATENT-CLASS-64-28 c15 N69-27505
US-PATENT-CLASS-65-DIG.4 c71 N78-10837

US-PATENT-CLASS-65-DIG.7 c71 N78-10837
US-PATENT-CLASS-65-DIG.11 c37 N74-21063
US-PATENT-CLASS-65-2 c71 N78-10837
US-PATENT-CLASS-65-3 c37 N75-26371
US-PATENT-CLASS-65-4B c71 N78-10837
US-PATENT-CLASS-65-7 c18 N71-23088
US-PATENT-CLASS-65-30R c27 N78-32260
US-PATENT-CLASS-65-32 c71 N78-10837
US-PATENT-CLASS-65-43 c37 N75-15992
US-PATENT-CLASS-65-43 c24 N79-25143
US-PATENT-CLASS-65-59A c35 N77-24455
US-PATENT-CLASS-65-60D c27 N78-32260
US-PATENT-CLASS-65-61 c74 N80-24149
US-PATENT-CLASS-65-87 c71 N78-10837
US-PATENT-CLASS-65-102 c71 N78-10837
US-PATENT-CLASS-65-108 c35 N77-24455
US-PATENT-CLASS-68-3R c02 N81-14967
US-PATENT-CLASS-72-34 c15 N71-21536
US-PATENT-CLASS-72-46 c24 N75-33181
US-PATENT-CLASS-72-53 c15 N71-18616
US-PATENT-CLASS-72-53 c15 N73-32360
US-PATENT-CLASS-72-54 c37 N76-14461
US-PATENT-CLASS-72-56 c15 N70-34249
US-PATENT-CLASS-72-56 c15 N71-24833
US-PATENT-CLASS-72-56 c15 N71-24865
US-PATENT-CLASS-72-56 c15 N71-26148
US-PATENT-CLASS-72-60 c15 N71-24836
US-PATENT-CLASS-72-61 c15 N71-26346
US-PATENT-CLASS-72-63 c20 N75-18310
US-PATENT-CLASS-72-63 c37 N76-14461
US-PATENT-CLASS-72-83 c15 N71-22723
US-PATENT-CLASS-72-253 c15 N71-22797
US-PATENT-CLASS-72-258 c15 N73-13464
US-PATENT-CLASS-72-307 c15 N72-12408
US-PATENT-CLASS-72-354 c15 N71-23811
US-PATENT-CLASS-72-363 c37 N76-14461
US-PATENT-CLASS-72-364 c15 N71-18579
US-PATENT-CLASS-72-369 c15 N71-24679
US-PATENT-CLASS-72-436 c37 N79-28550
US-PATENT-CLASS-72-447 c15 N73-13463
US-PATENT-CLASS-72-451 c37 N79-28550
US-PATENT-CLASS-72-453 c37 N76-18454
US-PATENT-CLASS-72-467 c15 N71-23817
US-PATENT-CLASS-72-470 c37 N79-28550
US-PATENT-CLASS-72-476 c15 N73-13463
US-PATENT-CLASS-73-DIG.11 c35 N78-18390
US-PATENT-CLASS-73-1 c10 N71-13545
US-PATENT-CLASS-73-1 c09 N71-22988
US-PATENT-CLASS-73-1B c35 N76-24523
US-PATENT-CLASS-73-1DV c14 N73-27379
US-PATENT-CLASS-73-1F c35 N74-21019
US-PATENT-CLASS-73-1R c14 N71-29134
US-PATENT-CLASS-73-1R c35 N75-15932
US-PATENT-CLASS-73-1R c35 N76-15432
US-PATENT-CLASS-73-3 c34 N74-27730
US-PATENT-CLASS-73-4 c14 N71-18481
US-PATENT-CLASS-73-4 c14 N71-23036
US-PATENT-CLASS-73-4 c14 N71-23755
US-PATENT-CLASS-73-4 c14 N73-30390
US-PATENT-CLASS-73-4R c35 N74-13132
US-PATENT-CLASS-73-4R c35 N79-14347
US-PATENT-CLASS-73-4R c35 N80-18358
US-PATENT-CLASS-73-4V c35 N74-15092
US-PATENT-CLASS-73-9 c14 N71-22995
US-PATENT-CLASS-73-9 c35 N76-31489
US-PATENT-CLASS-73-12 c14 N71-23225
US-PATENT-CLASS-73-12 c14 N71-26161
US-PATENT-CLASS-73-12 c14 N72-16282
US-PATENT-CLASS-73-12 c14 N72-25411
US-PATENT-CLASS-73-12 c14 N73-32327
US-PATENT-CLASS-73-12 c35 N74-21062
US-PATENT-CLASS-73-12 c35 N75-33367
US-PATENT-CLASS-73-12 c75 N76-14931
US-PATENT-CLASS-73-12 c35 N77-18417
US-PATENT-CLASS-73-12 c43 N79-25443
US-PATENT-CLASS-73-12 c43 N80-14423
US-PATENT-CLASS-73-12 c43 N80-23711
US-PATENT-CLASS-73-15 c14 N70-34156
US-PATENT-CLASS-73-15 c14 N71-15992
US-PATENT-CLASS-73-15 c14 N71-22964
US-PATENT-CLASS-73-15 c11 N71-24985
US-PATENT-CLASS-73-15 c11 N71-28629
US-PATENT-CLASS-73-15.4 c14 N71-17659
US-PATENT-CLASS-73-15.4 c35 N74-32879
US-PATENT-CLASS-73-15.6 c14 N70-35368
US-PATENT-CLASS-73-15.6 c14 N71-24234
US-PATENT-CLASS-73-15.6 c14 N71-26136
US-PATENT-CLASS-73-15.6 c32 N72-25677
US-PATENT-CLASS-73-15.6 c09 N74-19528
US-PATENT-CLASS-73-15.6 c35 N76-24523
US-PATENT-CLASS-73-15.6 c35 N77-22450
US-PATENT-CLASS-73-15.6 c39 N78-10493
US-PATENT-CLASS-73-15R c33 N72-25913
US-PATENT-CLASS-73-15R c14 N73-28486
US-PATENT-CLASS-73-15R c25 N74-18551
US-PATENT-CLASS-73-15R c31 N74-27900
US-PATENT-CLASS-73-15R c09 N77-27131
US-PATENT-CLASS-73-15R c74 N81-17887
US-PATENT-CLASS-73-17 c06 N71-24607
US-PATENT-CLASS-73-23 c14 N71-10774
US-PATENT-CLASS-73-23 c05 N71-11202
US-PATENT-CLASS-73-23 c52 N74-20728
US-PATENT-CLASS-73-23 c35 N75-29380
US-PATENT-CLASS-73-23 c25 N78-15210
US-PATENT-CLASS-73-23 c35 N78-19465
US-PATENT-CLASS-73-23.1 c06 N69-39936
US-PATENT-CLASS-73-23.1 c06 N72-17094
US-PATENT-CLASS-73-23.1 c06 N72-25146
US-PATENT-CLASS-73-23.1 c25 N76-18245
US-PATENT-CLASS-73-23.1 c23 N77-17161
US-PATENT-CLASS-73-24 c06 N69-39733
US-PATENT-CLASS-73-28 c14 N73-27376
US-PATENT-CLASS-73-28 c14 N73-30395
US-PATENT-CLASS-73-28 c35 N76-18401
US-PATENT-CLASS-73-28 c35 N78-18390
US-PATENT-CLASS-73-29 c14 N71-17701
US-PATENT-CLASS-73-29 c14 N71-20741
US-PATENT-CLASS-73-30 c14 N70-41681
US-PATENT-CLASS-73-32 c14 N70-41330
US-PATENT-CLASS-73-32R c76 N75-12810
US-PATENT-CLASS-73-35 c33 N72-27959
US-PATENT-CLASS-73-38 c18 N71-24934
US-PATENT-CLASS-73-40 c35 N75-15931
US-PATENT-CLASS-73-40 c35 N80-18358
US-PATENT-CLASS-73-40.5 c14 N71-10779
US-PATENT-CLASS-73-40.7 c15 N71-24910
US-PATENT-CLASS-73-40.7 c14 N71-28992
US-PATENT-CLASS-73-40.7 c35 N74-32879
US-PATENT-CLASS-73-45.5 c12 N71-17573
US-PATENT-CLASS-73-46 c35 N75-19612
US-PATENT-CLASS-73-49.2 c32 N71-24285
US-PATENT-CLASS-73-49.2 c35 N75-15931
US-PATENT-CLASS-73-49.2 c35 N75-19612
US-PATENT-CLASS-73-49.3 c14 N71-26672
US-PATENT-CLASS-73-49.8 c14 N69-27503
US-PATENT-CLASS-73-49.8 c15 N71-29132
US-PATENT-CLASS-73-56 c35 N80-18357
US-PATENT-CLASS-73-57 c14 N71-17584
US-PATENT-CLASS-73-57 c14 N73-14429
US-PATENT-CLASS-73-60 c14 N73-14429
US-PATENT-CLASS-73-61 c14 N71-26199
US-PATENT-CLASS-73-61.1C c23 N77-17161
US-PATENT-CLASS-73-61R c35 N78-27384
US-PATENT-CLASS-73-65 c14 N71-22992
US-PATENT-CLASS-73-67.1 c35 N75-12271
US-PATENT-CLASS-73-67.2 c11 N69-21540
US-PATENT-CLASS-73-67.2 c15 N71-18132
US-PATENT-CLASS-73-67.2 c14 N72-22440
US-PATENT-CLASS-73-67.2 c35 N78-17358
US-PATENT-CLASS-73-67.3 c32 N73-26910
US-PATENT-CLASS-73-67.5R c38 N74-15395
US-PATENT-CLASS-73-67.7 c39 N77-28511
US-PATENT-CLASS-73-67.8S c35 N74-10415
US-PATENT-CLASS-73-67.8S c38 N74-15130
US-PATENT-CLASS-73-67.9 c52 N74-20726
US-PATENT-CLASS-73-69 c71 N74-31148
US-PATENT-CLASS-73-70.2 c14 N71-10616
US-PATENT-CLASS-73-71.2 c14 N70-34794
US-PATENT-CLASS-73-71.3 c35 N74-15146
US-PATENT-CLASS-73-71.4 c32 N71-16428
US-PATENT-CLASS-73-71.4 c32 N71-26681
US-PATENT-CLASS-73-71.5R c71 N74-31148
US-PATENT-CLASS-73-71.5U c38 N74-15395
US-PATENT-CLASS-73-71.6 c14 N71-27185
US-PATENT-CLASS-73-71.6 c14 N72-27412
US-PATENT-CLASS-73-71.6 c14 N73-13416
US-PATENT-CLASS-73-71.6 c14 N73-19421
US-PATENT-CLASS-73-71.6 c35 N77-18417
US-PATENT-CLASS-73-76 c06 N72-17095
US-PATENT-CLASS-73-79 c14 N71-26161
US-PATENT-CLASS-73-81 c14 N73-32321
US-PATENT-CLASS-73-82 c43 N79-25443
US-PATENT-CLASS-73-82 c43 N80-14423
US-PATENT-CLASS-73-82 c43 N80-23711
US-PATENT-CLASS-73-84 c14 N71-22765
US-PATENT-CLASS-73-84 c14 N73-19420
US-PATENT-CLASS-73-84 c35 N77-27367
US-PATENT-CLASS-73-85 c14 N72-33377

US-PATENT-CLASS-73-86 c14 N69-39975
US-PATENT-CLASS-73-86 c33 N71-21586
US-PATENT-CLASS-73-86 c33 N73-27796
US-PATENT-CLASS-73-86 c34 N74-15652
US-PATENT-CLASS-73-88 c32 N71-17645
US-PATENT-CLASS-73-88.5 c14 N70-34705
US-PATENT-CLASS-73-88.5 c14 N70-34799
US-PATENT-CLASS-73-88.5 c14 N71-17656
US-PATENT-CLASS-73-88.5 c14 N71-21091
US-PATENT-CLASS-73-88.5 c14 N71-23087
US-PATENT-CLASS-73-88.5 c14 N71-24233
US-PATENT-CLASS-73-88.5 c09 N72-22200
US-PATENT-CLASS-73-88.5 c33 N75-31329
US-PATENT-CLASS-73-88.5 c38 N76-28563
US-PATENT-CLASS-73-88.5R c15 N72-17452
US-PATENT-CLASS-73-88.5R c32 N73-26910
US-PATENT-CLASS-73-88.5R c52 N74-27864
US-PATENT-CLASS-73-88.5R c35 N76-14430
US-PATENT-CLASS-73-88.5SD c33 N76-19338
US-PATENT-CLASS-73-88A c32 N73-20740
US-PATENT-CLASS-73-88F c39 N78-15512
US-PATENT-CLASS-73-88R c35 N74-13129
US-PATENT-CLASS-73-88R c35 N77-22449
US-PATENT-CLASS-73-88R c39 N77-28511
US-PATENT-CLASS-73-90 c32 N70-42003
US-PATENT-CLASS-73-90 c32 N71-25360
US-PATENT-CLASS-73-90 c14 N73-20476
US-PATENT-CLASS-73-91 c14 N73-20476
US-PATENT-CLASS-73-91 c32 N73-26910
US-PATENT-CLASS-73-91 c09 N74-19528
US-PATENT-CLASS-73-91 c39 N78-10493
US-PATENT-CLASS-73-94 c14 N73-32323
US-PATENT-CLASS-73-95 c15 N71-24634
US-PATENT-CLASS-73-95 c14 N72-11364
US-PATENT-CLASS-73-95 c35 N76-18400
US-PATENT-CLASS-73-95 c35 N77-22450
US-PATENT-CLASS-73-95 c31 N79-11246
US-PATENT-CLASS-73-97 c14 N71-15600
US-PATENT-CLASS-73-99 c14 N71-10781
US-PATENT-CLASS-73-100 c15 N70-41993
US-PATENT-CLASS-73-100 c32 N72-25877
US-PATENT-CLASS-73-103 c15 N71-17696
US-PATENT-CLASS-73-103 c14 N72-27412
US-PATENT-CLASS-73-103 c14 N73-32323
US-PATENT-CLASS-73-103 c35 N76-18400
US-PATENT-CLASS-73-104 c35 N74-32879
US-PATENT-CLASS-73-105 c14 N70-34161
US-PATENT-CLASS-73-105 c14 N71-17586
US-PATENT-CLASS-73-115 c35 N79-14345
US-PATENT-CLASS-73-116 c11 N70-33278
US-PATENT-CLASS-73-116 c11 N70-34844
US-PATENT-CLASS-73-116 c14 N70-40203
US-PATENT-CLASS-73-116 c11 N70-41677
US-PATENT-CLASS-73-116 c11 N71-10604
US-PATENT-CLASS-73-116 c31 N71-15643
US-PATENT-CLASS-73-117 c14 N71-22965
US-PATENT-CLASS-73-117.1 c11 N72-27262
US-PATENT-CLASS-73-117.4 c14 N71-20429
US-PATENT-CLASS-73-117.4 c28 N71-27094
US-PATENT-CLASS-73-117.4 c35 N75-29382
US-PATENT-CLASS-73-133 c14 N71-23725
US-PATENT-CLASS-73-133 c15 N72-22482
US-PATENT-CLASS-73-133R c35 N77-14407
US-PATENT-CLASS-73-134 c14 N70-40201
US-PATENT-CLASS-73-136 c14 N70-34818
US-PATENT-CLASS-73-136R c15 N72-26371
US-PATENT-CLASS-73-140 c11 N72-25288
US-PATENT-CLASS-73-141 c14 N70-41557
US-PATENT-CLASS-73-141 c15 N71-20441
US-PATENT-CLASS-73-141 c14 N71-23790
US-PATENT-CLASS-73-141 c26 N71-25490
US-PATENT-CLASS-73-141A c14 N72-21405
US-PATENT-CLASS-73-141A c14 N72-22437
US-PATENT-CLASS-73-141A c35 N74-26945
US-PATENT-CLASS-73-141A c35 N74-27865
US-PATENT-CLASS-73-141A c35 N75-33369
US-PATENT-CLASS-73-141A c52 N81-20703
US-PATENT-CLASS-73-141AB c14 N72-33377
US-PATENT-CLASS-73-142 c15 N70-40180
US-PATENT-CLASS-73-142 c14 N71-20439
US-PATENT-CLASS-73-143 c35 N75-19615
US-PATENT-CLASS-73-143 c14 N75-24794
US-PATENT-CLASS-73-144 c15 N71-22878
US-PATENT-CLASS-73-147 c11 N70-33287
US-PATENT-CLASS-73-147 c14 N70-33386
US-PATENT-CLASS-73-147 c14 N70-34813
US-PATENT-CLASS-73-147 c11 N70-36913
US-PATENT-CLASS-73-147 c14 N70-40400
US-PATENT-CLASS-73-147 c14 N70-41366
US-PATENT-CLASS-73-147 c11 N71-15926
US-PATENT-CLASS-73-147 c09 N71-16086
US-PATENT-CLASS-73-147 c12 N71-20436
US-PATENT-CLASS-73-147 c09 N71-20816
US-PATENT-CLASS-73-147 c11 N71-21481
US-PATENT-CLASS-73-147 c11 N71-23030
US-PATENT-CLASS-73-147 c15 N71-27006
US-PATENT-CLASS-73-147 c15 N71-28740
US-PATENT-CLASS-73-147 c11 N71-33612
US-PATENT-CLASS-73-147 c11 N72-17183
US-PATENT-CLASS-73-147 c14 N72-21407
US-PATENT-CLASS-73-147 c11 N72-22246
US-PATENT-CLASS-73-147 c11 N73-12264
US-PATENT-CLASS-73-147 c14 N73-13415
US-PATENT-CLASS-73-147 c12 N73-25262
US-PATENT-CLASS-73-147 c12 N73-28144
US-PATENT-CLASS-73-147 c09 N74-17955
US-PATENT-CLASS-73-147 c34 N74-27730
US-PATENT-CLASS-73-147 c09 N75-12969
US-PATENT-CLASS-73-147 c09 N76-23273
US-PATENT-CLASS-73-147 c34 N76-27517
US-PATENT-CLASS-73-147 c09 N77-10071
US-PATENT-CLASS-73-147 c09 N78-31129
US-PATENT-CLASS-73-147 c35 N79-14347
US-PATENT-CLASS-73-147 c09 N79-21083
US-PATENT-CLASS-73-147 c02 N80-20224
US-PATENT-CLASS-73-147 c06 N81-17057
US-PATENT-CLASS-73-149 c14 N72-11363
US-PATENT-CLASS-73-149 c52 N74-10975
US-PATENT-CLASS-73-155 c46 N80-10709
US-PATENT-CLASS-73-155 c46 N80-24906
US-PATENT-CLASS-73-159 c31 N79-11246
US-PATENT-CLASS-73-161 c11 N72-25288
US-PATENT-CLASS-73-170 c14 N71-14996
US-PATENT-CLASS-73-170 c17 N73-32415
US-PATENT-CLASS-73-170A c35 N78-27384
US-PATENT-CLASS-73-170A c48 N80-18667
US-PATENT-CLASS-73-170R c07 N73-20175
US-PATENT-CLASS-73-170R c14 N73-28487
US-PATENT-CLASS-73-170R c14 N73-32327
US-PATENT-CLASS-73-170R c33 N74-27862
US-PATENT-CLASS-73-170R c35 N75-33367
US-PATENT-CLASS-73-170R c91 N76-30131
US-PATENT-CLASS-73-178 c14 N70-36807
US-PATENT-CLASS-73-178 c14 N70-40157
US-PATENT-CLASS-73-178R c35 N75-29381
US-PATENT-CLASS-73-178R c04 N77-19056
US-PATENT-CLASS-73-178R c37 N78-27424
US-PATENT-CLASS-73-178R c35 N79-26372
US-PATENT-CLASS-73-178R c06 N81-17057
US-PATENT-CLASS-73-178R c04 N81-21047
US-PATENT-CLASS-73-180 c35 N78-14364
US-PATENT-CLASS-73-180 c02 N80-28300
US-PATENT-CLASS-73-182 c14 N73-13415
US-PATENT-CLASS-73-182 c35 N74-32878
US-PATENT-CLASS-73-182 c35 N76-14429
US-PATENT-CLASS-73-182 c02 N80-28300
US-PATENT-CLASS-73-188 c06 N80-18036
US-PATENT-CLASS-73-189 c20 N71-16281
US-PATENT-CLASS-73-189 c02 N71-23007
US-PATENT-CLASS-73-189 c14 N71-23726
US-PATENT-CLASS-73-189 c14 N73-13415
US-PATENT-CLASS-73-189 c14 N73-25460
US-PATENT-CLASS-73-189 c35 N76-24524
US-PATENT-CLASS-73-189 c34 N76-27517
US-PATENT-CLASS-73-189 c34 N77-27345
US-PATENT-CLASS-73-189 c34 N79-12359
US-PATENT-CLASS-73-189 c06 N80-18036
US-PATENT-CLASS-73-190 c33 N71-15641
US-PATENT-CLASS-73-190 c14 N71-22989
US-PATENT-CLASS-73-190 c33 N71-23085
US-PATENT-CLASS-73-190 c33 N71-29051
US-PATENT-CLASS-73-190H c35 N74-22095
US-PATENT-CLASS-73-190R c34 N74-27859
US-PATENT-CLASS-73-190R c35 N81-19426
US-PATENT-CLASS-73-194 c14 N70-41994
US-PATENT-CLASS-73-194 c14 N71-23226
US-PATENT-CLASS-73-194 c12 N71-26546
US-PATENT-CLASS-73-194A c14 N72-17329
US-PATENT-CLASS-73-194E c14 N73-20478
US-PATENT-CLASS-73-194E c05 N73-32015
US-PATENT-CLASS-73-194EM c14 N73-32326
US-PATENT-CLASS-73-194EM c35 N74-21018
US-PATENT-CLASS-73-194F c14 N72-11365
US-PATENT-CLASS-73-194M c05 N73-32015
US-PATENT-CLASS-73-194M c35 N75-30503
US-PATENT-CLASS-73-194R c34 N76-27517
US-PATENT-CLASS-73-194VS c34 N79-12359
US-PATENT-CLASS-73-195 c35 N75-30503

US-PATENT-CLASS-73-198 c14 N69-24257
US-PATENT-CLASS-73-198 c14 N72-17327
US-PATENT-CLASS-73-204 c12 N71-17569
US-PATENT-CLASS-73-204 c35 N76-24524
US-PATENT-CLASS-73-204 c35 N77-20400
US-PATENT-CLASS-73-205L c02 N80-20224
US-PATENT-CLASS-73-212 c14 N70-36824
US-PATENT-CLASS-73-212 c14 N73-13415
US-PATENT-CLASS-73-212 c35 N76-14429
US-PATENT-CLASS-73-212 c06 N80-18036
US-PATENT-CLASS-73-221 c35 N75-19611
US-PATENT-CLASS-73-228 c34 N77-27345
US-PATENT-CLASS-73-290 c14 N71-10500
US-PATENT-CLASS-73-290 c14 N71-21007
US-PATENT-CLASS-73-290B c14 N72-11363
US-PATENT-CLASS-73-295 c23 N71-17802
US-PATENT-CLASS-73-295 c31 N76-14284
US-PATENT-CLASS-73-301 c12 N71-26387
US-PATENT-CLASS-73-304 c14 N72-22442
US-PATENT-CLASS-73-304C c14 N71-29134
US-PATENT-CLASS-73-336.5 c35 N78-25391
US-PATENT-CLASS-73-339 c33 N73-27796
US-PATENT-CLASS-73-341 c14 N71-15598
US-PATENT-CLASS-73-343 c33 N71-16356
US-PATENT-CLASS-73-343 c11 N71-21475
US-PATENT-CLASS-73-343R c52 N77-10780
US-PATENT-CLASS-73-343R c35 N80-18357
US-PATENT-CLASS-73-355 c14 N71-27323
US-PATENT-CLASS-73-355 c14 N72-28437
US-PATENT-CLASS-73-355R c14 N72-24477
US-PATENT-CLASS-73-355R c35 N80-18359
US-PATENT-CLASS-73-356 c35 N75-25122
US-PATENT-CLASS-73-362AR c35 N77-27368
US-PATENT-CLASS-73-379 c05 N73-27941
US-PATENT-CLASS-73-379 c05 N73-30078
US-PATENT-CLASS-73-379 c35 N75-15932
US-PATENT-CLASS-73-382 c10 N71-13537
US-PATENT-CLASS-73-382 c14 N71-17587
US-PATENT-CLASS-73-384 c15 N70-37925
US-PATENT-CLASS-73-388 c35 N74-32878
US-PATENT-CLASS-73-389 c12 N71-24692
US-PATENT-CLASS-73-398 c14 N70-34816
US-PATENT-CLASS-73-398 c14 N71-21072
US-PATENT-CLASS-73-398 c09 N71-24597
US-PATENT-CLASS-73-398 c14 N73-30394
US-PATENT-CLASS-73-398AR c52 N74-27566
US-PATENT-CLASS-73-398AR c52 N76-29896
US-PATENT-CLASS-73-398C c14 N72-22438
US-PATENT-CLASS-73-398C c33 N76-21390
US-PATENT-CLASS-73-399 c37 N76-18454
US-PATENT-CLASS-73-400 c14 N71-23093
US-PATENT-CLASS-73-400 c14 N71-24232
US-PATENT-CLASS-73-400 c35 N79-33450
US-PATENT-CLASS-73-401 c14 N70-34820
US-PATENT-CLASS-73-419 c14 N71-22752
US-PATENT-CLASS-73-420 c35 N74-13132
US-PATENT-CLASS-73-421.5 c14 N73-12444
US-PATENT-CLASS-73-421.5R c13 N72-25323
US-PATENT-CLASS-73-421.5R c14 N73-30395
US-PATENT-CLASS-73-421.5R c52 N74-20728
US-PATENT-CLASS-73-421.5R c35 N76-18401
US-PATENT-CLASS-73-421.5R c35 N77-32456
US-PATENT-CLASS-73-421R c54 N76-14804
US-PATENT-CLASS-73-422 c14 N71-20435
US-PATENT-CLASS-73-422GC c13 N72-25323
US-PATENT-CLASS-73-422TC c13 N72-25323
US-PATENT-CLASS-73-425.2 c91 N76-30131
US-PATENT-CLASS-73-425.4R c35 N78-27384
US-PATENT-CLASS-73-425.6 c15 N72-21465
US-PATENT-CLASS-73-432 c11 N70-34786
US-PATENT-CLASS-73-432 c11 N70-38675
US-PATENT-CLASS-73-432 c05 N70-42000
US-PATENT-CLASS-73-432 c31 N71-16221
US-PATENT-CLASS-73-432 c27 N71-16223
US-PATENT-CLASS-73-432 c30 N71-17788
US-PATENT-CLASS-73-432 c14 N71-23227
US-PATENT-CLASS-73-432 c10 N71-26339
US-PATENT-CLASS-73-432 c11 N71-28629
US-PATENT-CLASS-73-432 c14 N71-30026
US-PATENT-CLASS-73-432 c35 N74-21062
US-PATENT-CLASS-73-432PS c76 N75-12810
US-PATENT-CLASS-73-432PS c35 N75-33367
US-PATENT-CLASS-73-432PS c35 N78-18390
US-PATENT-CLASS-73-432R c33 N73-27796
US-PATENT-CLASS-73-432R c14 N73-28487
US-PATENT-CLASS-73-432R c91 N76-30131
US-PATENT-CLASS-73-432R c35 N77-19385
US-PATENT-CLASS-73-432R c35 N78-18390
US-PATENT-CLASS-73-432SD c11 N72-27262
US-PATENT-CLASS-73-432SD c11 N73-20267
US-PATENT-CLASS-73-432SD c35 N77-18417
US-PATENT-CLASS-73-456 c35 N78-24515
US-PATENT-CLASS-73-490 c04 N81-21047
US-PATENT-CLASS-73-492 c14 N72-25411
US-PATENT-CLASS-73-493 c17 N76-29347
US-PATENT-CLASS-73-497 c14 N71-30265
US-PATENT-CLASS-73-497 c35 N74-15094
US-PATENT-CLASS-73-504 c04 N81-21047
US-PATENT-CLASS-73-505 c23 N71-16098
US-PATENT-CLASS-73-505 c12 N75-24774
US-PATENT-CLASS-73-505 c71 N78-10837
US-PATENT-CLASS-73-505 c71 N79-20827
US-PATENT-CLASS-73-505 c71 N81-15767
US-PATENT-CLASS-73-515 c14 N72-25410
US-PATENT-CLASS-73-517 c11 N70-38196
US-PATENT-CLASS-73-517 c14 N70-41682
US-PATENT-CLASS-73-517 c14 N71-15969
US-PATENT-CLASS-73-517B c35 N74-15094
US-PATENT-CLASS-73-517R c17 N76-29347
US-PATENT-CLASS-73-521 c14 N72-25410
US-PATENT-CLASS-73-557 c35 N75-19614
US-PATENT-CLASS-73-557 c07 N76-27232
US-PATENT-CLASS-73-579 c39 N78-15512
US-PATENT-CLASS-73-579 c35 N79-10390
US-PATENT-CLASS-73-589 c35 N79-10390
US-PATENT-CLASS-73-603 c38 N78-32447
US-PATENT-CLASS-73-626 c52 N79-26771
US-PATENT-CLASS-73-630 c39 N78-15512
US-PATENT-CLASS-73-632 c38 N79-14398
US-PATENT-CLASS-73-633 c52 N79-14751
US-PATENT-CLASS-73-641 c38 N79-14398
US-PATENT-CLASS-73-644 c38 N79-14398
US-PATENT-CLASS-73-644 c52 N79-14751
US-PATENT-CLASS-73-646 c71 N78-14867
US-PATENT-CLASS-73-647 c32 N79-24203
US-PATENT-CLASS-73-655 c35 N80-14371
US-PATENT-CLASS-73-661 c35 N80-14371
US-PATENT-CLASS-73-714 c35 N79-14347
US-PATENT-CLASS-73-714 c34 N79-24285
US-PATENT-CLASS-73-721 c35 N79-14347
US-PATENT-CLASS-73-724 c32 N79-24203
US-PATENT-CLASS-73-724 c52 N80-18691
US-PATENT-CLASS-73-756 c35 N78-24515
US-PATENT-CLASS-73-756 c35 N79-14347
US-PATENT-CLASS-73-770 c39 N79-22537
US-PATENT-CLASS-73-781 c52 N80-27072
US-PATENT-CLASS-73-810 c39 N79-22537
US-PATENT-CLASS-73-861.65 c02 N80-28300
US-PATENT-CLASS-73-861.66 c02 N80-28300
US-PATENT-CLASS-74-2 c15 N71-24600
US-PATENT-CLASS-74-2 c31 N73-14855
US-PATENT-CLASS-74-5.5 c35 N74-28097
US-PATENT-CLASS-74-5.6 c35 N74-15094
US-PATENT-CLASS-74-5.7 c35 N74-18323
US-PATENT-CLASS-74-5.7 c15 N76-14158
US-PATENT-CLASS-74-5.12 c31 N71-26537
US-PATENT-CLASS-74-5.22 c21 N73-13644
US-PATENT-CLASS-74-5.34 c04 N76-26175
US-PATENT-CLASS-74-5.47 c21 N71-23289
US-PATENT-CLASS-74-5F c15 N73-12488
US-PATENT-CLASS-74-18.2 c11 N71-27036
US-PATENT-CLASS-74-63 c15 N71-17692
US-PATENT-CLASS-74-81 c37 N78-16369
US-PATENT-CLASS-74-83 c37 N78-16369
US-PATENT-CLASS-74-89.15 c15 N71-26635
US-PATENT-CLASS-74-89.15 c15 N72-21462
US-PATENT-CLASS-74-89.18 c15 N71-23809
US-PATENT-CLASS-74-96 c37 N77-22482
US-PATENT-CLASS-74-100 c15 N71-24045
US-PATENT-CLASS-74-100R c37 N78-31426
US-PATENT-CLASS-74-105 c09 N72-22195
US-PATENT-CLASS-74-126 c15 N71-21529
US-PATENT-CLASS-74-217R c37 N74-23070
US-PATENT-CLASS-74-384 c37 N76-15457
US-PATENT-CLASS-74-385 c07 N78-17056
US-PATENT-CLASS-74-409 c15 N71-21744
US-PATENT-CLASS-74-417 c07 N78-17056
US-PATENT-CLASS-74-417 c37 N81-14318
US-PATENT-CLASS-74-417 c37 N81-17432
US-PATENT-CLASS-74-424.8 c15 N71-26635
US-PATENT-CLASS-74-424.8VA c37 N75-15050
US-PATENT-CLASS-74-425 c37 N80-32716
US-PATENT-CLASS-74-436 c37 N75-13266
US-PATENT-CLASS-74-468 c15 N71-24984
US-PATENT-CLASS-74-469 c15 N72-21463
US-PATENT-CLASS-74-469 c15 N72-28495
US-PATENT-CLASS-74-471 c05 N70-41581
US-PATENT-CLASS-74-471 c03 N70-42073

US-PATENT-CLASS-74-471 c15 N71-20740
US-PATENT-CLASS-74-471XY c54 N75-27760
US-PATENT-CLASS-74-480B c05 N75-12930
US-PATENT-CLASS-74-501B c15 N72-22485
US-PATENT-CLASS-74-515B c54 N78-17676
US-PATENT-CLASS-74-519 c03 N70-41954
US-PATENT-CLASS-74-519 c05 N81-19087
US-PATENT-CLASS-74-572 c07 N78-33101
US-PATENT-CLASS-74-572 c37 N79-10422
US-PATENT-CLASS-74-572 c44 N79-14527
US-PATENT-CLASS-74-586 c37 N79-14382
US-PATENT-CLASS-74-594.6 c37 N74-18127
US-PATENT-CLASS-74-594.7 c37 N74-18127
US-PATENT-CLASS-74-661 c37 N80-32716
US-PATENT-CLASS-74-665B c37 N76-15457
US-PATENT-CLASS-74-665C c37 N80-32716
US-PATENT-CLASS-74-674 c37 N79-20377
US-PATENT-CLASS-74-675 c37 N74-27901
US-PATENT-CLASS-74-705 c37 N79-20377
US-PATENT-CLASS-74-710 c37 N74-27901
US-PATENT-CLASS-74-764 c37 N79-20377
US-PATENT-CLASS-74-800 c37 N78-17385
US-PATENT-CLASS-74-820 c37 N75-13266
US-PATENT-CLASS-75-.5B c17 N72-22530
US-PATENT-CLASS-75-DIG.1 c18 N72-25539
US-PATENT-CLASS-75-DIG.1 c37 N75-26371
US-PATENT-CLASS-75-0.5BB c15 N72-25448
US-PATENT-CLASS-75-20F c15 N72-11387
US-PATENT-CLASS-75-25 c28 N81-15119
US-PATENT-CLASS-75-63 c15 N71-27184
US-PATENT-CLASS-75-65R c24 N77-27187
US-PATENT-CLASS-75-66 c17 N71-26773
US-PATENT-CLASS-75-66 c06 N73-13129
US-PATENT-CLASS-75-66 c17 N73-28573
US-PATENT-CLASS-75-122.7 c37 N77-19458
US-PATENT-CLASS-75-124 c26 N78-18182
US-PATENT-CLASS-75-124 c26 N80-32484
US-PATENT-CLASS-75-126D c26 N78-18182
US-PATENT-CLASS-75-126F c26 N78-18182
US-PATENT-CLASS-75-128G c26 N78-18182
US-PATENT-CLASS-75-128T c26 N78-18182
US-PATENT-CLASS-75-134D c76 N79-16678
US-PATENT-CLASS-75-135 c18 N73-32437
US-PATENT-CLASS-75-135 c24 N77-27187
US-PATENT-CLASS-75-135 c26 N80-23419
US-PATENT-CLASS-75-138 c26 N80-23419
US-PATENT-CLASS-75-139 c24 N77-27187
US-PATENT-CLASS-75-142 c17 N71-20743
US-PATENT-CLASS-75-170 c17 N71-15644
US-PATENT-CLASS-75-170 c17 N71-16025
US-PATENT-CLASS-75-170 c17 N71-23248
US-PATENT-CLASS-75-170 c17 N72-22535
US-PATENT-CLASS-75-170 c37 N77-19458
US-PATENT-CLASS-75-170 c26 N77-20201
US-PATENT-CLASS-75-170 c26 N77-32279
US-PATENT-CLASS-75-170 c26 N77-32280
US-PATENT-CLASS-75-170 c26 N78-18183
US-PATENT-CLASS-75-171 c17 N70-33283
US-PATENT-CLASS-75-171 c17 N70-36616
US-PATENT-CLASS-75-171 c17 N71-16026
US-PATENT-CLASS-75-171 c17 N73-32415
US-PATENT-CLASS-75-172 c17 N71-23365
US-PATENT-CLASS-75-173 c26 N75-27126
US-PATENT-CLASS-75-173 c26 N75-27127
US-PATENT-CLASS-75-178B c04 N76-20114
US-PATENT-CLASS-75-178R c26 N80-23419
US-PATENT-CLASS-75-200 c26 N74-10521
US-PATENT-CLASS-75-200 c37 N74-13179
US-PATENT-CLASS-75-200 c24 N75-13032
US-PATENT-CLASS-75-200 c37 N75-26371
US-PATENT-CLASS-75-200 c24 N80-33482
US-PATENT-CLASS-75-202 c17 N71-15468
US-PATENT-CLASS-75-203 c27 N79-14213
US-PATENT-CLASS-75-204 c18 N71-22694
US-PATENT-CLASS-75-205 c27 N79-14213
US-PATENT-CLASS-75-206 c15 N72-25448
US-PATENT-CLASS-75-206 c27 N79-14213
US-PATENT-CLASS-75-208 c18 N72-25539
US-PATENT-CLASS-75-208R c37 N75-26371
US-PATENT-CLASS-75-211 c18 N72-25539
US-PATENT-CLASS-75-212 c37 N75-26371
US-PATENT-CLASS-75-212 c27 N79-14213
US-PATENT-CLASS-75-213 c15 N72-25448
US-PATENT-CLASS-75-213 c37 N74-13179
US-PATENT-CLASS-75-214 c37 N74-13179
US-PATENT-CLASS-75-214 c37 N75-26371
US-PATENT-CLASS-75-222 c28 N70-38197
US-PATENT-CLASS-75-222 c37 N75-26371
US-PATENT-CLASS-75-222 c24 N80-33482

US-PATENT-CLASS-75-225 c34 N76-27515
US-PATENT-CLASS-75-226 c18 N72-25539
US-PATENT-CLASS-75-226 c26 N74-10521
US-PATENT-CLASS-75-226 c37 N74-13179
US-PATENT-CLASS-75-226 c27 N79-14213
US-PATENT-CLASS-75-229 c27 N78-17206
US-PATENT-CLASS-75-239 c27 N78-17206
US-PATENT-CLASS-75-241 c27 N78-17206
US-PATENT-CLASS-77.5AQ c27 N81-15104
US-PATENT-CLASS-77.5CR c27 N81-15104
US-PATENT-CLASS-78-1 c15 N70-33330
US-PATENT-CLASS-81-3R c15 N71-29133
US-PATENT-CLASS-81-9.5R c37 N79-10419
US-PATENT-CLASS-81-56 c37 N76-20480
US-PATENT-CLASS-81-57.31 c37 N76-20480
US-PATENT-CLASS-81-57.38 c15 N73-30457
US-PATENT-CLASS-81-63.1 c15 N71-17805
US-PATENT-CLASS-81-90B c37 N79-14383
US-PATENT-CLASS-81-119 c37 N79-14383
US-PATENT-CLASS-81-180B c37 N79-14383
US-PATENT-CLASS-82-1.2 c37 N81-14319
US-PATENT-CLASS-82-1C c37 N81-14319
US-PATENT-CLASS-82-14 c15 N71-22722
US-PATENT-CLASS-82-24R c14 N72-16283
US-PATENT-CLASS-82-36R c37 N81-14319
US-PATENT-CLASS-83-8 c15 N72-27485
US-PATENT-CLASS-83-152 c76 N80-18951
US-PATENT-CLASS-83-451 c37 N77-14478
US-PATENT-CLASS-83-452 c39 N74-13131
US-PATENT-CLASS-83-467 c15 N71-22798
US-PATENT-CLASS-83-467R c37 N77-14478
US-PATENT-CLASS-83-522 c15 N72-27485
US-PATENT-CLASS-83-562 c15 N72-27485
US-PATENT-CLASS-83-563 c15 N72-27485
US-PATENT-CLASS-83-588 c15 N72-27485
US-PATENT-CLASS-83-602 c39 N74-13131
US-PATENT-CLASS-83-820 c37 N80-29703
US-PATENT-CLASS-83-870 c76 N80-18951
US-PATENT-CLASS-83-917 c39 N74-13131
US-PATENT-CLASS-85-1 c15 N72-22488
US-PATENT-CLASS-85-3 c15 N71-17653
US-PATENT-CLASS-85-5B c15 N72-11385
US-PATENT-CLASS-85-7 c15 N71-23254
US-PATENT-CLASS-85-33 c15 N71-15922
US-PATENT-CLASS-85-33 c15 N71-21489
US-PATENT-CLASS-86-1 c28 N71-26779
US-PATENT-CLASS-86-1R c28 N77-10213
US-PATENT-CLASS-86-1R c20 N77-17143
US-PATENT-CLASS-86-20.2 c28 N71-26779
US-PATENT-CLASS-86-20R c20 N77-17143
US-PATENT-CLASS-88-1 c21 N70-35427
US-PATENT-CLASS-88-1 c21 N71-22880
US-PATENT-CLASS-88-14 c14 N70-34298
US-PATENT-CLASS-88-14 c14 N70-40003
US-PATENT-CLASS-88-14 c14 N70-41946
US-PATENT-CLASS-88-14 c14 N70-41955
US-PATENT-CLASS-88-14 c09 N71-22999
US-PATENT-CLASS-88-16 c14 N70-33254
US-PATENT-CLASS-88-24 c23 N71-21882
US-PATENT-CLASS-89-1 c03 N70-34667
US-PATENT-CLASS-89-1 c15 N71-16078
US-PATENT-CLASS-89-1.5 c31 N71-15675
US-PATENT-CLASS-89-1.5 c15 N71-24600
US-PATENT-CLASS-89-1.7 c11 N70-38202
US-PATENT-CLASS-89-1.7 c30 N70-40353
US-PATENT-CLASS-89-1.7 c03 N71-12258
US-PATENT-CLASS-89-1.7 c03 N71-12259
US-PATENT-CLASS-89-1.801 c20 N76-22296
US-PATENT-CLASS-89-1.806 c15 N71-24043
US-PATENT-CLASS-89-1.811 c15 N72-17455
US-PATENT-CLASS-89-8 c11 N71-18578
US-PATENT-CLASS-89-8 c11 N73-32152
US-PATENT-CLASS-89-8 c75 N76-14931
US-PATENT-CLASS-89-8 c75 N76-17951
US-PATENT-CLASS-89-8 c09 N79-21084
US-PATENT-CLASS-90-11 c15 N71-33518
US-PATENT-CLASS-90-12 c15 N71-22799
US-PATENT-CLASS-90-12.5 c37 N74-25968
US-PATENT-CLASS-91-186 c05 N73-32014
US-PATENT-CLASS-91-361 c15 N71-27754
US-PATENT-CLASS-91-363A c15 N73-13466
US-PATENT-CLASS-91-390 c15 N71-27147
US-PATENT-CLASS-91-390 c15 N71-27754
US-PATENT-CLASS-91-448 c15 N71-27754
US-PATENT-CLASS-91-448 c15 N73-13466
US-PATENT-CLASS-91-461 c15 N71-27147
US-PATENT-CLASS-92-49 c14 N73-13418
US-PATENT-CLASS-92-94 c32 N70-41370
US-PATENT-CLASS-93-1 c15 N70-33180

US-PATENT-CLASS-94.9N c27 N81-15104
US-PATENT-CLASS-95-1.1 c14 N72-18411
US-PATENT-CLASS-95-1.1 c14 N73-26431
US-PATENT-CLASS-95-11 c14 N71-18465
US-PATENT-CLASS-95-11 c16 N71-33410
US-PATENT-CLASS-95-11 c14 N73-32319
US-PATENT-CLASS-95-11.5 c14 N73-32319
US-PATENT-CLASS-95-11.5R c14 N73-19419
US-PATENT-CLASS-95-11R c14 N73-19419
US-PATENT-CLASS-95-12 c14 N73-33361
US-PATENT-CLASS-95-12.5 c31 N72-25842
US-PATENT-CLASS-95-12.5 c14 N73-14427
US-PATENT-CLASS-95-18 c14 N72-20380
US-PATENT-CLASS-95-42 c14 N73-32322
US-PATENT-CLASS-95-44 c14 N71-26474
US-PATENT-CLASS-95-53 c15 N71-21060
US-PATENT-CLASS-95-53EA c33 N74-20861
US-PATENT-CLASS-95-58 c14 N70-40273
US-PATENT-CLASS-95-59 c14 N73-14427
US-PATENT-CLASS-95-89R c35 N74-15631
US-PATENT-CLASS-96-27R c35 N79-10389
US-PATENT-CLASS-96-36.2 c06 N72-21094
US-PATENT-CLASS-96-36.2 c15 N72-25452
US-PATENT-CLASS-96-38.3 c35 N74-26946
US-PATENT-CLASS-96-49 c14 N71-17574
US-PATENT-CLASS-96-60R c35 N79-10389
US-PATENT-CLASS-96-79 c35 N74-26946
US-PATENT-CLASS-96-87A c27 N78-14164
US-PATENT-CLASS-96-90PC c14 N72-22443
US-PATENT-CLASS-98-1 c54 N78-17679
US-PATENT-CLASS-98-1.5 c44 N78-32539
US-PATENT-CLASS-98-39 c31 N74-27902
US-PATENT-CLASS-99-80PS c05 N72-33096
US-PATENT-CLASS-100-8 c33 N74-17928
US-PATENT-CLASS-100-299 c15 N72-20446
US-PATENT-CLASS-102-21.6 c46 N79-22679
US-PATENT-CLASS-102-28EB c28 N74-27425
US-PATENT-CLASS-102-28R c28 N79-11231
US-PATENT-CLASS-102-34.4 c07 N72-25171
US-PATENT-CLASS-102-39 c20 N78-24275
US-PATENT-CLASS-102-49 c33 N70-36846
US-PATENT-CLASS-102-49 c28 N70-38181
US-PATENT-CLASS-102-49 c03 N70-39930
US-PATENT-CLASS-102-49 c15 N70-41679
US-PATENT-CLASS-102-49 c28 N70-41967
US-PATENT-CLASS-102-49 c31 N71-10582
US-PATENT-CLASS-102-49 c15 N71-13789
US-PATENT-CLASS-102-49 c31 N71-15692
US-PATENT-CLASS-102-49 c31 N71-17730
US-PATENT-CLASS-102-49.3 c20 N77-17143
US-PATENT-CLASS-102-49.5 c31 N71-15687
US-PATENT-CLASS-102-49.5 c15 N71-22674
US-PATENT-CLASS-102-49.5 c31 N71-23008
US-PATENT-CLASS-102-49.5 c31 N73-14853
US-PATENT-CLASS-102-49.7 c28 N73-24784
US-PATENT-CLASS-102-49.7 c20 N78-24275
US-PATENT-CLASS-102-49.8 c28 N73-24784
US-PATENT-CLASS-102-50 c31 N71-24750
US-PATENT-CLASS-102-56R c02 N81-14968
US-PATENT-CLASS-102-70.2 c09 N71-18599
US-PATENT-CLASS-102-70.2A c28 N74-27425
US-PATENT-CLASS-102-70.2R c19 N74-15089
US-PATENT-CLASS-102-70-2R c28 N74-27425
US-PATENT-CLASS-102-70R c20 N78-24275
US-PATENT-CLASS-102-90 c15 N74-27360
US-PATENT-CLASS-102-92.1 c02 N81-14568
US-PATENT-CLASS-102-95 c11 N73-32152
US-PATENT-CLASS-102-99 c28 N77-10213
US-PATENT-CLASS-102-101 c28 N71-26779
US-PATENT-CLASS-102-103 c20 N78-32179
US-PATENT-CLASS-102-105 c33 N72-17947
US-PATENT-CLASS-102-105 c33 N72-25911
US-PATENT-CLASS-102-105 c33 N73-25952
US-PATENT-CLASS-102-105 c27 N74-27037
US-PATENT-CLASS-102-105 c24 N79-25142
US-PATENT-CLASS-103.5R c04 N73-27052
US-PATENT-CLASS-103-1 c26 N71-21824
US-PATENT-CLASS-103-37 c28 N71-14058
US-PATENT-CLASS-103-48 c15 N71-24042
US-PATENT-CLASS-104-1 c05 N71-28619
US-PATENT-CLASS-104-23FS c85 N74-34672
US-PATENT-CLASS-104-138R c85 N74-34672
US-PATENT-CLASS-104-139 c05 N71-28619
US-PATENT-CLASS-105-161 c43 N79-26439
US-PATENT-CLASS-106-1 c44 N79-31752
US-PATENT-CLASS-106-1.2 c44 N79-31752
US-PATENT-CLASS-106-13 c23 N75-14834
US-PATENT-CLASS-106-15 c18 N71-14014
US-PATENT-CLASS-106-15 c18 N71-15469
US-PATENT-CLASS-106-15FP c27 N74-27037
US-PATENT-CLASS-106-15FP c27 N76-24405
US-PATENT-CLASS-106-15FP c24 N78-15180
US-PATENT-CLASS-106-15R c23 N75-14834
US-PATENT-CLASS-106-39 c26 N72-28762
US-PATENT-CLASS-106-39.5 c27 N78-19302
US-PATENT-CLASS-106-39R c18 N73-14584
US-PATENT-CLASS-106-40 c18 N71-22998
US-PATENT-CLASS-106-43 c27 N78-17206
US-PATENT-CLASS-106-46 c26 N72-28762
US-PATENT-CLASS-106-48 c27 N75-27160
US-PATENT-CLASS-106-48 c27 N78-32260
US-PATENT-CLASS-106-52 c37 N74-21063
US-PATENT-CLASS-106-54 c27 N75-27160
US-PATENT-CLASS-106-54 c27 N76-22377
US-PATENT-CLASS-106-54 c27 N76-23426
US-PATENT-CLASS-106-54 c27 N78-32260
US-PATENT-CLASS-106-55 c18 N73-14584
US-PATENT-CLASS-106-58 c18 N73-14584
US-PATENT-CLASS-106-63 c18 N73-14584
US-PATENT-CLASS-106-65 c27 N78-19302
US-PATENT-CLASS-106-73.5 c27 N78-19302
US-PATENT-CLASS-106-74 c18 N69-39979
US-PATENT-CLASS-106-74 c24 N79-31347
US-PATENT-CLASS-106-84 c18 N71-24183
US-PATENT-CLASS-106-84 c18 N71-24184
US-PATENT-CLASS-106-84 c18 N72-22566
US-PATENT-CLASS-106-84 c18 N72-23581
US-PATENT-CLASS-106-84 c24 N79-14156
US-PATENT-CLASS-106-84 c24 N79-31347
US-PATENT-CLASS-106-88 c18 N71-16124
US-PATENT-CLASS-106-209 c05 N72-25120
US-PATENT-CLASS-106-286 c18 N72-22566
US-PATENT-CLASS-106-287SB c23 N75-14834
US-PATENT-CLASS-106-288B c18 N72-22566
US-PATENT-CLASS-106-292 c18 N72-17532
US-PATENT-CLASS-106-292 c27 N77-30237
US-PATENT-CLASS-106-296 c18 N71-26772
US-PATENT-CLASS-106-296 c27 N77-30237
US-PATENT-CLASS-106-296 c24 N79-14156
US-PATENT-CLASS-106-299 c18 N72-17532
US-PATENT-CLASS-106-299 c27 N77-30237
US-PATENT-CLASS-106-306 c24 N76-24363
US-PATENT-CLASS-108-136 c09 N75-12968
US-PATENT-CLASS-109-49.5 c31 N81-19343
US-PATENT-CLASS-109-58.5 c31 N81-19343
US-PATENT-CLASS-110-218 c31 N81-15154
US-PATENT-CLASS-110-229 c31 N81-15154
US-PATENT-CLASS-110-232 c31 N81-15154
US-PATENT-CLASS-110-343 c31 N81-15154
US-PATENT-CLASS-110-347 c31 N81-15154
US-PATENT-CLASS-112-402 c18 N71-26285
US-PATENT-CLASS-113-116 c15 N71-15597
US-PATENT-CLASS-114-16.6 c37 N76-22540
US-PATENT-CLASS-114-66.5 c12 N70-33305
US-PATENT-CLASS-114-122 c02 N73-26006
US-PATENT-CLASS-115-103.5 c51 N75-13502
US-PATENT-CLASS-116-114.5 c35 N75-25122
US-PATENT-CLASS-116-114AH c14 N72-25411
US-PATENT-CLASS-116-114AH c35 N75-33367
US-PATENT-CLASS-116-117 c14 N70-42074
US-PATENT-CLASS-117-2R c32 N74-27612
US-PATENT-CLASS-117-6 c14 N71-20461
US-PATENT-CLASS-117-6 c27 N81-15104
US-PATENT-CLASS-117-8.5 c24 N75-33181
US-PATENT-CLASS-117-16R c15 N72-25452
US-PATENT-CLASS-117-21 c18 N69-39895
US-PATENT-CLASS-117-33.3 c70 N74-13436
US-PATENT-CLASS-117-35 c32 N79-19186
US-PATENT-CLASS-117-35R c06 N73-13128
US-PATENT-CLASS-117-37 c15 N72-25452
US-PATENT-CLASS-117-38 c24 N75-33181
US-PATENT-CLASS-117-43 c31 N79-21227
US-PATENT-CLASS-117-45 c74 N74-20008
US-PATENT-CLASS-117-46 c15 N71-16077
US-PATENT-CLASS-117-46FS c24 N75-33181
US-PATENT-CLASS-117-47R c15 N72-25452
US-PATENT-CLASS-117-50 c15 N71-15610
US-PATENT-CLASS-117-62 c15 N72-25447
US-PATENT-CLASS-117-62 c15 N72-25452
US-PATENT-CLASS-117-65.2 c18 N71-10772
US-PATENT-CLASS-117-66 c15 N73-32360
US-PATENT-CLASS-117-69 c18 N70-36400
US-PATENT-CLASS-117-69 c15 N71-16075
US-PATENT-CLASS-117-72 c35 N75-25122
US-PATENT-CLASS-117-93.1GD c25 N75-12087
US-PATENT-CLASS-117-93.3 c15 N72-25452
US-PATENT-CLASS-117-93.3 c37 N75-15992
US-PATENT-CLASS-117-93.16D c15 N72-25447

US-PATENT-CLASS-117-95 c24 N74-19769
US-PATENT-CLASS-117-95 c36 N75-15029
US-PATENT-CLASS-117-97 c36 N75-15029
US-PATENT-CLASS-117-104 c18 N71-26100
US-PATENT-CLASS-117-105 c15 N73-32360
US-PATENT-CLASS-117-105.2 c37 N74-11301
US-PATENT-CLASS-117-105.2 c24 N75-33181
US-PATENT-CLASS-117-105.5 c15 N73-32360
US-PATENT-CLASS-117-106 c33 N71-14032
US-PATENT-CLASS-117-106A c70 N74-13436
US-PATENT-CLASS-117-106A c37 N75-15992
US-PATENT-CLASS-117-106A c25 N75-26043
US-PATENT-CLASS-117-107 c15 N72-25447
US-PATENT-CLASS-117-107 c76 N79-16678
US-PATENT-CLASS-117-107.2 c25 N75-26043
US-PATENT-CLASS-117-119 c18 N71-16105
US-PATENT-CLASS-117-119 c76 N79-16678
US-PATENT-CLASS-117-124C c15 N72-25452
US-PATENT-CLASS-117-124F c23 N75-14834
US-PATENT-CLASS-117-126GM c37 N75-26371
US-PATENT-CLASS-117-126GR c27 N74-23125
US-PATENT-CLASS-117-126R c37 N75-26371
US-PATENT-CLASS-117-129 c37 N74-21063
US-PATENT-CLASS-117-129 c27 N75-27160
US-PATENT-CLASS-117-130R c15 N73-32360
US-PATENT-CLASS-117-132 c06 N72-25150
US-PATENT-CLASS-117-132B c27 N74-23125
US-PATENT-CLASS-117-135.5 c23 N75-14834
US-PATENT-CLASS-117-138.8R c15 N73-32360
US-PATENT-CLASS-117-151 c15 N73-32360
US-PATENT-CLASS-117-152 c15 N72-25452
US-PATENT-CLASS-117-160R c15 N73-32360
US-PATENT-CLASS-117-161 c06 N72-25150
US-PATENT-CLASS-117-161P c06 N73-27980
US-PATENT-CLASS-117-161UA c25 N75-12087
US-PATENT-CLASS-117-161UN c06 N73-27980
US-PATENT-CLASS-117-161UN c27 N74-23125
US-PATENT-CLASS-117-161UN c25 N75-12087
US-PATENT-CLASS-117-161UZ c25 N75-12087
US-PATENT-CLASS-117-200 c09 N72-25259
US-PATENT-CLASS-117-201 c15 N69-21460
US-PATENT-CLASS-117-201 c18 N71-16046
US-PATENT-CLASS-117-201 c03 N72-24037
US-PATENT-CLASS-117-201 c25 N75-26043
US-PATENT-CLASS-117-211 c15 N72-25447
US-PATENT-CLASS-117-212 c09 N71-20705
US-PATENT-CLASS-117-212 c15 N71-29032
US-PATENT-CLASS-117-212 c26 N72-28762
US-PATENT-CLASS-117-217 c15 N72-25447
US-PATENT-CLASS-117-217 c26 N72-28762
US-PATENT-CLASS-117-224 c15 N71-28582
US-PATENT-CLASS-117-228 c06 N73-27980
US-PATENT-CLASS-117-234 c76 N79-16678
US-PATENT-CLASS-117-235 c76 N79-16678
US-PATENT-CLASS-117-237 c76 N79-16678
US-PATENT-CLASS-117-239 c76 N79-16678
US-PATENT-CLASS-117-240 c76 N79-16678
US-PATENT-CLASS-118-6 c51 N77-27677
US-PATENT-CLASS-118-7 c51 N77-27677
US-PATENT-CLASS-118-9 c51 N77-27677
US-PATENT-CLASS-118-11 c15 N71-17647
US-PATENT-CLASS-118-43 c25 N75-29192
US-PATENT-CLASS-118-48 c25 N75-26043
US-PATENT-CLASS-118-49 c25 N79-28253
US-PATENT-CLASS-118-49.1 c15 N72-32487
US-PATENT-CLASS-118-49.1 c31 N75-12161
US-PATENT-CLASS-118-49.1 c25 N75-26043
US-PATENT-CLASS-118-49.5 c09 N71-26701
US-PATENT-CLASS-118-50 c37 N78-17383
US-PATENT-CLASS-118-308 c17 N71-24911
US-PATENT-CLASS-118-313 c51 N77-27677
US-PATENT-CLASS-118-500 c37 N78-17383
US-PATENT-CLASS-119-15 c11 N71-22875
US-PATENT-CLASS-119-29 c51 N78-27733
US-PATENT-CLASS-119-51.5 c51 N74-15778
US-PATENT-CLASS-119-51.11 c35 N78-19466
US-PATENT-CLASS-119-51.13 c51 N74-15778
US-PATENT-CLASS-119-51R c51 N74-15778
US-PATENT-CLASS-119-52AF c51 N74-15778
US-PATENT-CLASS-119-54 c51 N74-15778
US-PATENT-CLASS-119-72.5 c35 N78-19466
US-PATENT-CLASS-119-96 c05 N71-28619
US-PATENT-CLASS-121-38 c15 N70-35409
US-PATENT-CLASS-121-38 c02 N71-29128
US-PATENT-CLASS-122-32 c33 N72-20915
US-PATENT-CLASS-123-DIG.8 c37 N77-31497
US-PATENT-CLASS-123-DIG.12 c37 N76-18457
US-PATENT-CLASS-123-DIG.12 c44 N78-33526
US-PATENT-CLASS-123-DIG.12 c28 N80-10374

US-PATENT-CLASS-123-1A c44 N76-29700
US-PATENT-CLASS-123-1A c44 N78-33526
US-PATENT-CLASS-123-3 c44 N76-18642
US-PATENT-CLASS-123-3 c44 N76-29700
US-PATENT-CLASS-123-3 c44 N77-10636
US-PATENT-CLASS-123-3 c37 N77-31497
US-PATENT-CLASS-123-3 c44 N78-33526
US-PATENT-CLASS-123-3 c28 N80-10374
US-PATENT-CLASS-123-37 c37 N77-31497
US-PATENT-CLASS-123-41.33 c07 N77-23106
US-PATENT-CLASS-123-41.33 c37 N78-10467
US-PATENT-CLASS-123-59E c37 N77-31497
US-PATENT-CLASS-123-89A c37 N76-18457
US-PATENT-CLASS-123-102 c11 N72-20244
US-PATENT-CLASS-123-119A c37 N77-31497
US-PATENT-CLASS-123-119E c37 N76-18457
US-PATENT-CLASS-123-120 c37 N76-18457
US-PATENT-CLASS-123-121 c37 N76-18457
US-PATENT-CLASS-123-122AB c28 N72-22772
US-PATENT-CLASS-123-122AB c37 N77-31497
US-PATENT-CLASS-123-122E c07 N77-23106
US-PATENT-CLASS-123-122E c37 N78-10467
US-PATENT-CLASS-123-148CB c33 N77-28385
US-PATENT-CLASS-123-148DC c37 N79-11405
US-PATENT-CLASS-123-148E c33 N77-28385
US-PATENT-CLASS-123-148E c37 N79-11405
US-PATENT-CLASS-123-179R c28 N80-10374
US-PATENT-CLASS-124-1 c75 N76-17951
US-PATENT-CLASS-124-6 c09 N77-19076
US-PATENT-CLASS-124-11R c75 N76-17951
US-PATENT-CLASS-125-1 c46 N74-23069
US-PATENT-CLASS-125-3 c46 N74-23069
US-PATENT-CLASS-125-21 c37 N80-29703
US-PATENT-CLASS-125-23R c76 N80-18951
US-PATENT-CLASS-126-91A c25 N79-11151
US-PATENT-CLASS-126-263 c44 N77-32581
US-PATENT-CLASS-126-263 c44 N78-17460
US-PATENT-CLASS-126-263 c44 N80-20808
US-PATENT-CLASS-126-270 c09 N70-40234
US-PATENT-CLASS-126-270 c03 N70-41580
US-PATENT-CLASS-126-270 c34 N74-23039
US-PATENT-CLASS-126-270 c44 N76-14595
US-PATENT-CLASS-126-270 c44 N76-23675
US-PATENT-CLASS-126-270 c44 N76-24696
US-PATENT-CLASS-126-270 c35 N77-20401
US-PATENT-CLASS-126-270 c44 N77-32582
US-PATENT-CLASS-126-270 c44 N78-15560
US-PATENT-CLASS-126-270 c44 N78-19599
US-PATENT-CLASS-126-270 c44 N78-31526
US-PATENT-CLASS-126-270 c44 N79-11471
US-PATENT-CLASS-126-270 c44 N79-14526
US-PATENT-CLASS-126-270 c44 N79-23481
US-PATENT-CLASS-126-270 c44 N79-24432
US-PATENT-CLASS-126-271 c44 N75-32581
US-PATENT-CLASS-126-271 c44 N76-14602
US-PATENT-CLASS-126-271 c44 N76-22657
US-PATENT-CLASS-126-271 c44 N76-24696
US-PATENT-CLASS-126-271 c35 N77-20401
US-PATENT-CLASS-126-271 c44 N77-32582
US-PATENT-CLASS-126-271 c44 N78-10554
US-PATENT-CLASS-126-271 c44 N78-17460
US-PATENT-CLASS-126-271 c44 N78-31525
US-PATENT-CLASS-126-271 c44 N78-31526
US-PATENT-CLASS-126-271 c44 N79-11471
US-PATENT-CLASS-126-271 c44 N79-14526
US-PATENT-CLASS-126-271 c44 N79-14529
US-PATENT-CLASS-126-271 c44 N79-18443
US-PATENT-CLASS-126-271 c44 N79-23481
US-PATENT-CLASS-126-271 c44 N79-24433
US-PATENT-CLASS-126-400 c44 N78-15560
US-PATENT-CLASS-126-400 c44 N79-24433
US-PATENT-CLASS-126-417 c44 N80-16452
US-PATENT-CLASS-126-419 c44 N80-20810
US-PATENT-CLASS-126-419 c44 N81-17518
US-PATENT-CLASS-126-434 c44 N80-20810
US-PATENT-CLASS-126-437 c44 N80-20810
US-PATENT-CLASS-126-438 c44 N80-14473
US-PATENT-CLASS-126-442 c44 N80-14473
US-PATENT-CLASS-126-901 c44 N80-16452
US-PATENT-CLASS-128.2.06E c05 N75-24716
US-PATENT-CLASS-128.2.07 c52 N79-21750
US-PATENT-CLASS-128-DIG.4 c05 N72-27103
US-PATENT-CLASS-128-DIG.4 c05 N75-24716
US-PATENT-CLASS-128-DIG.4 c35 N76-24525
US-PATENT-CLASS-128-DIG.4 c52 N77-28717
US-PATENT-CLASS-128-DIG.6 c51 N81-14605
US-PATENT-CLASS-128-DIG.9 c52 N80-16725
US-PATENT-CLASS-128-DIG.9 c51 N81-14605
US-PATENT-CLASS-128-DIG.12 c37 N77-28487

US-PATENT-CLASS-128-DIG.12 c51 N81-14605
US-PATENT-CLASS-128-DIG.16 c51 N81-14605
US-PATENT-CLASS-128-DIG.20 c52 N76-19785
US-PATENT-CLASS-128-DIG.20 c37 N81-17433
US-PATENT-CLASS-128-DIG.26 c51 N81-14605
US-PATENT-CLASS-128-1 c05 N70-41819
US-PATENT-CLASS-128-1 c05 N71-20268
US-PATENT-CLASS-128-1A c05 N73-32012
US-PATENT-CLASS-128-1B c52 N77-25772
US-PATENT-CLASS-128-1B c52 N77-28716
US-PATENT-CLASS-128-2 c05 N73-27062
US-PATENT-CLASS-128-2.1 c05 N71-11193
US-PATENT-CLASS-128-2.1 c05 N71-12346
US-PATENT-CLASS-128-2.1 c05 N71-24729
US-PATENT-CLASS-128-2.1 c09 N71-26002
US-PATENT-CLASS-128-2.1 c05 N72-25120
US-PATENT-CLASS-128-2.1A c09 N72-17153
US-PATENT-CLASS-128-2.1A c09 N72-22202
US-PATENT-CLASS-128-2.1A c52 N74-26625
US-PATENT-CLASS-128-2.1A c52 N76-14757
US-PATENT-CLASS-128-2.1A c52 N76-29894
US-PATENT-CLASS-128-2.1A c52 N79-18580
US-PATENT-CLASS-128-2.1B c05 N72-27103
US-PATENT-CLASS-128-2.1B c35 N76-24525
US-PATENT-CLASS-128-2.1B c52 N77-28717
US-PATENT-CLASS-128-2.1B c05 N73-26072
US-PATENT-CLASS-128-2.1Z c35 N76-24525
US-PATENT-CLASS-128-2.05 c05 N70-41329
US-PATENT-CLASS-128-2.05 c04 N71-23185
US-PATENT-CLASS-128-2.05 c05 N71-27234
US-PATENT-CLASS-128-2.05A c52 N74-26626
US-PATENT-CLASS-128-2.05A c54 N75-13531
US-PATENT-CLASS-128-2.05B c52 N74-27566
US-PATENT-CLASS-128-2.05B c52 N76-29896
US-PATENT-CLASS-128-2.05F c14 N73-32326
US-PATENT-CLASS-128-2.05P c54 N75-13531
US-PATENT-CLASS-128-2.05R c05 N73-27941
US-PATENT-CLASS-128-2.05R c52 N76-29895
US-PATENT-CLASS-128-2.05R c52 N79-10724
US-PATENT-CLASS-128-2.05S c52 N74-26626
US-PATENT-CLASS-128-2.05T c52 N74-12778
US-PATENT-CLASS-128-2.05V c35 N76-24525
US-PATENT-CLASS-128-2.05Z c54 N75-27760
US-PATENT-CLASS-128-2.05Z c52 N79-18580
US-PATENT-CLASS-128-2.06 c05 N69-21925
US-PATENT-CLASS-128-2.06 c05 N71-22896
US-PATENT-CLASS-128-2.06 c09 N71-24618
US-PATENT-CLASS-128-2.06 c05 N71-26293
US-PATENT-CLASS-128-2.06B c05 N75-24716
US-PATENT-CLASS-128-2.06E c52 N76-29896
US-PATENT-CLASS-128-2.06F c52 N74-12778
US-PATENT-CLASS-128-2.06R c05 N73-27941
US-PATENT-CLASS-128-2.06R c52 N76-14757
US-PATENT-CLASS-128-2.07 c05 N73-32015
US-PATENT-CLASS-128-2.07 c52 N74-20728
US-PATENT-CLASS-128-2.08 c05 N69-21473
US-PATENT-CLASS-128-2.08 c05 N73-32015
US-PATENT-CLASS-128-2.08 c52 N74-20728
US-PATENT-CLASS-128-2F c54 N76-14804
US-PATENT-CLASS-128-2H c52 N76-14757
US-PATENT-CLASS-128-2H c52 N76-29894
US-PATENT-CLASS-128-2H c52 N77-10780
US-PATENT-CLASS-128-2H c52 N77-14736
US-PATENT-CLASS-128-2N c05 N72-25122
US-PATENT-CLASS-128-2N c05 N73-13114
US-PATENT-CLASS-128-2P c52 N76-29894
US-PATENT-CLASS-128-2R c09 N72-22202
US-PATENT-CLASS-128-2R c52 N79-12694
US-PATENT-CLASS-128-2S c52 N74-10575
US-PATENT-CLASS-128-2S c52 N74-27864
US-PATENT-CLASS-128-2S c33 N75-31329
US-PATENT-CLASS-128-2S c33 N76-19338
US-PATENT-CLASS-128-2S c52 N76-29895
US-PATENT-CLASS-128-2S c52 N76-29896
US-PATENT-CLASS-128-2V c52 N74-20726
US-PATENT-CLASS-128-2V c35 N75-12271
US-PATENT-CLASS-128-2V c54 N75-27760
US-PATENT-CLASS-128-2V c52 N79-14751
US-PATENT-CLASS-128-2V c52 N79-18580
US-PATENT-CLASS-128-6 c52 N80-16725
US-PATENT-CLASS-128-24 c05 N71-24738
US-PATENT-CLASS-128-24A c05 N73-27062
US-PATENT-CLASS-128-24A c54 N75-27760
US-PATENT-CLASS-128-25 c05 N71-24738
US-PATENT-CLASS-128-25R c37 N74-18127
US-PATENT-CLASS-128-26 c52 N76-19785
US-PATENT-CLASS-128-29 c05 N70-39922
US-PATENT-CLASS-128-92C c27 N78-17215
US-PATENT-CLASS-128-92G c27 N78-17215

US-PATENT-CLASS-128-142.2 c54 N76-24900
US-PATENT-CLASS-128-142.5 c05 N71-11190
US-PATENT-CLASS-128-142.5 c05 N71-11203
US-PATENT-CLASS-128-142.5 c05 N71-17599
US-PATENT-CLASS-128-142.5 c05 N72-20096
US-PATENT-CLASS-128-142.5 c05 N73-25125
US-PATENT-CLASS-128-142.7 c54 N78-32721
US-PATENT-CLASS-128-142B c54 N80-10799
US-PATENT-CLASS-128-145.8 c54 N75-27761
US-PATENT-CLASS-128-191B c25 N74-12813
US-PATENT-CLASS-128-191B c54 N80-10799
US-PATENT-CLASS-128-203 c54 N76-24900
US-PATENT-CLASS-128-204.18 c51 N81-14605
US-PATENT-CLASS-128-206F c14 N73-24473
US-PATENT-CLASS-128-207.14 c51 N81-14605
US-PATENT-CLASS-128-207.28 c51 N81-14605
US-PATENT-CLASS-128-212 c54 N80-10799
US-PATENT-CLASS-128-214D c52 N79-14749
US-PATENT-CLASS-128-214E c52 N74-22771
US-PATENT-CLASS-128-214F c37 N77-28487
US-PATENT-CLASS-128-230 c52 N75-33640
US-PATENT-CLASS-128-236 c51 N81-14605
US-PATENT-CLASS-128-272 c15 N71-24835
US-PATENT-CLASS-128-272 c52 N79-14749
US-PATENT-CLASS-128-275 c15 N71-24835
US-PATENT-CLASS-128-276 c52 N80-14684
US-PATENT-CLASS-128-276 c52 N80-18690
US-PATENT-CLASS-128-283 c05 N69-23192
US-PATENT-CLASS-128-295 c05 N72-22093
US-PATENT-CLASS-128-303B c52 N77-28716
US-PATENT-CLASS-128-305 c05 N73-27062
US-PATENT-CLASS-128-305 c52 N75-33640
US-PATENT-CLASS-128-305 c52 N78-14773
US-PATENT-CLASS-128-329B c52 N79-27836
US-PATENT-CLASS-128-348 c52 N80-16725
US-PATENT-CLASS-128-379 c52 N77-14736
US-PATENT-CLASS-128-400 c52 N77-14736
US-PATENT-CLASS-128-402 c05 N72-20096
US-PATENT-CLASS-128-402 c52 N77-14736
US-PATENT-CLASS-128-410 c52 N77-28717
US-PATENT-CLASS-128-417 c05 N72-25120
US-PATENT-CLASS-128-417 c05 N72-27103
US-PATENT-CLASS-128-418 c52 N76-29896
US-PATENT-CLASS-128-418 c52 N77-14738
US-PATENT-CLASS-128-419P c52 N76-29896
US-PATENT-CLASS-128-639 c52 N79-27836
US-PATENT-CLASS-128-642 c52 N80-27072
US-PATENT-CLASS-128-642 c52 N81-14612
US-PATENT-CLASS-128-642 c52 N81-20703
US-PATENT-CLASS-128-660 c52 N79-26771
US-PATENT-CLASS-128-666 c52 N80-23969
US-PATENT-CLASS-128-690 c52 N80-23969
US-PATENT-CLASS-128-748 c52 N80-18691
US-PATENT-CLASS-128-760 c52 N80-18690
US-PATENT-CLASS-128-774 c52 N80-27072
US-PATENT-CLASS-128-774 c52 N81-20703
US-PATENT-CLASS-128-782 c52 N80-27072
US-PATENT-CLASS-128-903 c52 N80-18691
US-PATENT-CLASS-129-16.7 c08 N71-15908
US-PATENT-CLASS-134-21 c37 N76-18456
US-PATENT-CLASS-134-37 c37 N76-18456
US-PATENT-CLASS-135-1 c32 N70-36536
US-PATENT-CLASS-136-6 c03 N71-26084
US-PATENT-CLASS-136-6 c03 N72-15986
US-PATENT-CLASS-136-6LF c44 N76-18643
US-PATENT-CLASS-136-20 c44 N74-19693
US-PATENT-CLASS-136-24 c09 N73-32108
US-PATENT-CLASS-136-28 c03 N71-10608
US-PATENT-CLASS-136-30 c44 N74-19693
US-PATENT-CLASS-136-30 c44 N76-18643
US-PATENT-CLASS-136-30 c44 N76-29699
US-PATENT-CLASS-136-36 c44 N74-19692
US-PATENT-CLASS-136-79 c03 N72-20032
US-PATENT-CLASS-136-81 c03 N72-20032
US-PATENT-CLASS-136-83 c03 N71-28579
US-PATENT-CLASS-136-83B c03 N72-20034
US-PATENT-CLASS-136-83B c44 N76-18641
US-PATENT-CLASS-136-86 c03 N71-11052
US-PATENT-CLASS-136-86 c03 N71-20904
US-PATENT-CLASS-136-86 c15 N71-23022
US-PATENT-CLASS-136-86 c03 N71-29044
US-PATENT-CLASS-136-86A c44 N76-27664
US-PATENT-CLASS-136-86S c44 N76-18641
US-PATENT-CLASS-136-89 c03 N69-24267
US-PATENT-CLASS-136-89 c03 N71-11049
US-PATENT-CLASS-136-89 c03 N71-11050
US-PATENT-CLASS-136-89 c03 N71-11056
US-PATENT-CLASS-136-89 c03 N71-18698
US-PATENT-CLASS-136-89 c03 N71-19545

US-PATENT-CLASS-136-89 c03 N71-20492
US-PATENT-CLASS-136-89 c03 N71-20895
US-PATENT-CLASS-136-89 c26 N71-23043
US-PATENT-CLASS-136-89 c03 N71-23187
US-PATENT-CLASS-136-89 c03 N71-23449
US-PATENT-CLASS-136-89 c03 N71-33409
US-PATENT-CLASS-136-89 c03 N72-20031
US-PATENT-CLASS-136-89 c03 N72-22042
US-PATENT-CLASS-136-89 c31 N72-22874
US-PATENT-CLASS-136-89 c03 N72-24037
US-PATENT-CLASS-136-89 c09 N72-25259
US-PATENT-CLASS-136-89 c03 N72-27053
US-PATENT-CLASS-136-89 c09 N73-32109
US-PATENT-CLASS-136-89 c44 N74-14784
US-PATENT-CLASS-136-89 c44 N76-14600
US-PATENT-CLASS-136-89 c44 N76-28635
US-PATENT-CLASS-136-89 c44 N76-31666
US-PATENT-CLASS-136-89 c44 N77-10635
US-PATENT-CLASS-136-89 c44 N77-14580
US-PATENT-CLASS-136-89 c44 N77-19571
US-PATENT-CLASS-136-89 c44 N79-11468
US-PATENT-CLASS-136-89AC c44 N77-31601
US-PATENT-CLASS-136-89CA c44 N79-25482
US-PATENT-CLASS-136-89CC c44 N78-25527
US-PATENT-CLASS-136-89CC c44 N78-25529
US-PATENT-CLASS-136-89CC c44 N79-11467
US-PATENT-CLASS-136-89EC c44 N79-17314
US-PATENT-CLASS-136-89CC c44 N79-25482
US-PATENT-CLASS-136-89CC c44 N79-31752
US-PATENT-CLASS-136-89H c44 N78-25528
US-PATENT-CLASS-136-89H c44 N78-25529
US-PATENT-CLASS-136-89P c44 N77-31601
US-PATENT-CLASS-136-89P c44 N78-25528
US-PATENT-CLASS-136-89P c44 N78-25529
US-PATENT-CLASS-136-89P c44 N78-27515
US-PATENT-CLASS-136-89P c44 N79-17314
US-PATENT-CLASS-136-89P c44 N80-14474
US-PATENT-CLASS-136-89PC c44 N79-25482
US-PATENT-CLASS-136-89PC c44 N79-31753
US-PATENT-CLASS-136-89SG c44 N78-24609
US-PATENT-CLASS-136-89SG c44 N80-24741
US-PATENT-CLASS-136-89SJ c44 N78-13526
US-PATENT-CLASS-136-89SJ c44 N79-11467
US-PATENT-CLASS-136-89SJ c44 N79-14528
US-PATENT-CLASS-136-89SJ c44 N79-25482
US-PATENT-CLASS-136-90 c44 N76-14601
US-PATENT-CLASS-136-100R c03 N72-20034
US-PATENT-CLASS-136-114 c44 N76-14601
US-PATENT-CLASS-136-132 c03 N71-11053
US-PATENT-CLASS-136-132 c03 N71-22974
US-PATENT-CLASS-136-133 c15 N69-24320
US-PATENT-CLASS-136-133 c03 N71-23006
US-PATENT-CLASS-136-133 c03 N72-15986
US-PATENT-CLASS-136-135 c03 N72-15986
US-PATENT-CLASS-136-143 c44 N76-29699
US-PATENT-CLASS-136-146 c03 N69-21337
US-PATENT-CLASS-136-146 c24 N76-14204
US-PATENT-CLASS-136-148 c24 N76-14204
US-PATENT-CLASS-136-162 c44 N76-14601
US-PATENT-CLASS-136-166 c03 N71-23336
US-PATENT-CLASS-136-166 c03 N72-20C32
US-PATENT-CLASS-136-170 c03 N71-11051
US-PATENT-CLASS-136-175 c03 N72-20034
US-PATENT-CLASS-136-179 c03 N70-41864
US-PATENT-CLASS-136-182 c03 N71-10728
US-PATENT-CLASS-136-182 c03 N71-20407
US-PATENT-CLASS-136-182 c03 N71-20491
US-PATENT-CLASS-136-182 c44 N74-27519
US-PATENT-CLASS-136-182 c44 N76-14601
US-PATENT-CLASS-136-202 c09 N72-12136
US-PATENT-CLASS-136-202 c03 N72-26031
US-PATENT-CLASS-136-202 c44 N76-16612
US-PATENT-CLASS-136-202 c35 N77-32454
US-PATENT-CLASS-136-202 c35 N79-14346
US-PATENT-CLASS-136-206 c03 N72-11062
US-PATENT-CLASS-136-206 c09 N72-12136
US-PATENT-CLASS-136-206 c44 N76-14595
US-PATENT-CLASS-136-206 c44 N76-31666
US-PATENT-CLASS-136-210 c44 N76-16612
US-PATENT-CLASS-136-211 c35 N76-15434
US-PATENT-CLASS-136-212 c35 N76-15434
US-PATENT-CLASS-136-213 c14 N69-27459
US-PATENT-CLASS-136-213 c34 N74-27861
US-PATENT-CLASS-136-224 c14 N73-12447
US-PATENT-CLASS-136-225 c14 N73-24472
US-PATENT-CLASS-136-225 c35 N76-15434
US-PATENT-CLASS-136-227 c09 N72-12136
US-PATENT-CLASS-136-228 c33 N71-15568
US-PATENT-CLASS-136-230 c14 N71-23039
US-PATENT-CLASS-136-230 c34 N74-27861
US-PATENT-CLASS-136-232 c35 N77-14409
US-PATENT-CLASS-136-233 c14 N72-27410
US-PATENT-CLASS-136-233 c14 N73-13417
US-PATENT-CLASS-136-233 c34 N74-27861
US-PATENT-CLASS-136-233 c35 N77-14409
US-PATENT-CLASS-136-236 c35 N79-14346
US-PATENT-CLASS-136-236R c35 N77-32454
US-PATENT-CLASS-136-240 c35 N77-32454
US-PATENT-CLASS-136-249 c44 N81-12542
US-PATENT-CLASS-136-258 c44 N81-19558
US-PATENT-CLASS-136-291 c44 N81-12542
US-PATENT-CLASS-137-DIG.9 c54 N76-24900
US-PATENT-CLASS-137-1 c12 N70-38997
US-PATENT-CLASS-137-1 c15 N73-27406
US-PATENT-CLASS-137-13 c15 N71-15967
US-PATENT-CLASS-137-13 c15 N72-33477
US-PATENT-CLASS-137-14 c37 N79-33468
US-PATENT-CLASS-137-15.1 c02 N74-20646
US-PATENT-CLASS-137-15.1 c07 N74-31270
US-PATENT-CLASS-137-15.1 c07 N75-24736
US-PATENT-CLASS-137-15.1 c07 N77-16154
US-PATENT-CLASS-137-15.1 c07 N79-14096
US-PATENT-CLASS-137-15.1 c05 N79-24976
US-PATENT-CLASS-137-15.1 c07 N81-14999
US-PATENT-CLASS-137-15.2 c02 N74-20646
US-PATENT-CLASS-137-15.2 c35 N76-14431
US-PATENT-CLASS-137-81 c05 N72-20097
US-PATENT-CLASS-137-81 c14 N73-13418
US-PATENT-CLASS-137-81.5 c12 N69-21466
US-PATENT-CLASS-137-81.5 c15 N71-15609
US-PATENT-CLASS-137-81.5 c12 N71-17578
US-PATENT-CLASS-137-81.5 c12 N71-17579
US-PATENT-CLASS-137-81.5 c10 N71-25899
US-PATENT-CLASS-137-81.5 c12 N71-27332
US-PATENT-CLASS-137-81.5 c12 N71-28741
US-PATENT-CLASS-137-81.5 c28 N72-22772
US-PATENT-CLASS-137-81.5 c15 N72-33477
US-PATENT-CLASS-137-81.5 c15 N73-13462
US-PATENT-CLASS-137-81.5 c28 N73-13773
US-PATENT-CLASS-137-101 c07 N77-23106
US-PATENT-CLASS-137-104 c37 N78-10467
US-PATENT-CLASS-137-110 c54 N76-24900
US-PATENT-CLASS-137-154 c15 N73-27406
US-PATENT-CLASS-137-177 c20 N80-10278
US-PATENT-CLASS-137-197 c15 N70-41646
US-PATENT-CLASS-137-197 c35 N78-12390
US-PATENT-CLASS-137-207 c34 N77-30399
US-PATENT-CLASS-137-209 c34 N77-30399
US-PATENT-CLASS-137-209 c20 N80-10278
US-PATENT-CLASS-137-340 c15 N70-34817
US-PATENT-CLASS-137-340 c15 N70-35087
US-PATENT-CLASS-137-341 c12 N71-17661
US-PATENT-CLASS-137-375 c37 N80-23654
US-PATENT-CLASS-137-397 c15 N73-26472
US-PATENT-CLASS-137-469 c05 N72-20097
US-PATENT-CLASS-137-484.2 c34 N78-25351
US-PATENT-CLASS-137-487.5 c14 N73-13418
US-PATENT-CLASS-137-491 c15 N69-21924
US-PATENT-CLASS-137-495 c15 N70-38603
US-PATENT-CLASS-137-496 c15 N71-22706
US-PATENT-CLASS-137-501 c34 N78-25351
US-PATENT-CLASS-137-505.12 c14 N71-18625
US-PATENT-CLASS-137-505.16 c34 N78-25351
US-PATENT-CLASS-137-505.25 c37 N78-25426
US-PATENT-CLASS-137-505.38 c37 N75-15050
US-PATENT-CLASS-137-505.42 c37 N75-15050
US-PATENT-CLASS-137-515.3 c37 N76-14463
US-PATENT-CLASS-137-516.27 c15 N73-30459
US-PATENT-CLASS-137-535 c15 N73-30459
US-PATENT-CLASS-137-535 c05 N73-32014
US-PATENT-CLASS-137-538 c05 N73-25125
US-PATENT-CLASS-137-539 c15 N70-41811
US-PATENT-CLASS-137-549 c37 N81-17433
US-PATENT-CLASS-137-550 c37 N76-14463
US-PATENT-CLASS-137-554 c09 N71-23191
US-PATENT-CLASS-137-559 c11 N73-12265
US-PATENT-CLASS-137-574 c20 N80-10278
US-PATENT-CLASS-137-576 c20 N80-10278
US-PATENT-CLASS-137-582 c32 N71-16103
US-PATENT-CLASS-137-582 c32 N71-16106
US-PATENT-CLASS-137-582 c15 N71-19569
US-PATENT-CLASS-137-582 c15 N73-26472
US-PATENT-CLASS-137-590 c20 N80-10278
US-PATENT-CLASS-137-594 c12 N71-18615
US-PATENT-CLASS-137-604 c15 N73-27406
US-PATENT-CLASS-137-608 c15 N73-13462
US-PATENT-CLASS-137-614 c15 N70-36492
US-PATENT-CLASS-137-614.06 c37 N79-11402

US-PATENT-CLASS-137-615 c12 N71-16031
US-PATENT-CLASS-137-624.11 c35 N78-19466
US-PATENT-CLASS-137-624.14 c03 N69-21469
US-PATENT-CLASS-137-625.3 c37 N78-25426
US-PATENT-CLASS-137-625.4 c37 N80-23654
US-PATENT-CLASS-137-625.5 c15 N71-23051
US-PATENT-CLASS-137-625.38 c37 N78-25426
US-PATENT-CLASS-137-625.69 c15 N70-36908
US-PATENT-CLASS-137-628 c37 N74-21065
US-PATENT-CLASS-137-637.05 c37 N79-11402
US-PATENT-CLASS-137-819 c33 N74-11050
US-PATENT-CLASS-137-833 c33 N74-11050
US-PATENT-CLASS-137-840 c33 N74-11050
US-PATENT-CLASS-137-886 c37 N81-17433
US-PATENT-CLASS-137-887 c37 N81-17433
US-PATENT-CLASS-138.8R c27 N81-15104
US-PATENT-CLASS-138-4 c15 N71-18580
US-PATENT-CLASS-138-33 c52 N80-16725
US-PATENT-CLASS-138-42 c15 N71-15608
US-PATENT-CLASS-138-43 c15 N71-19213
US-PATENT-CLASS-138-45 c15 N71-18580
US-PATENT-CLASS-138-45 c15 N73-13462
US-PATENT-CLASS-138-46 c12 N71-18615
US-PATENT-CLASS-138-96R c37 N79-22474
US-PATENT-CLASS-138-103 c52 N80-16725
US-PATENT-CLASS-138-113 c34 N75-12222
US-PATENT-CLASS-138-114 c34 N75-12222
US-PATENT-CLASS-138-119 c32 N70-41579
US-PATENT-CLASS-138-133 c52 N80-16725
US-PATENT-CLASS-138-148 c34 N75-12222
US-PATENT-CLASS-138-178 c15 N72-20445
US-PATENT-CLASS-139-425R c28 N72-11708
US-PATENT-CLASS-140-105 c15 N72-12408
US-PATENT-CLASS-140-123 c15 N71-15918
US-PATENT-CLASS-140-124 c15 N71-10809
US-PATENT-CLASS-141-4 c35 N78-10428
US-PATENT-CLASS-141-5 c33 N71-20834
US-PATENT-CLASS-141-23 c15 N72-21465
US-PATENT-CLASS-141-91 c12 N71-21089
US-PATENT-CLASS-141-197 c35 N78-10428
US-PATENT-CLASS-141-258 c14 N71-27005
US-PATENT-CLASS-148-1.5 c26 N71-10607
US-PATENT-CLASS-148-1.5 c26 N71-23654
US-PATENT-CLASS-148-1.5 c76 N74-20329
US-PATENT-CLASS-148-1.5 c44 N80-29835
US-PATENT-CLASS-148-2 c26 N77-20201
US-PATENT-CLASS-148-2 c26 N79-22271
US-PATENT-CLASS-148-6 c18 N71-29040
US-PATENT-CLASS-148-6 c76 N79-16678
US-PATENT-CLASS-148-6.3 c17 N71-33408
US-PATENT-CLASS-148-6.3 c44 N79-18444
US-PATENT-CLASS-148-6.11 c15 N71-24675
US-PATENT-CLASS-148-6.16 c18 N71-23047
US-PATENT-CLASS-148-6.20 c17 N71-23828
US-PATENT-CLASS-148-11.5R c15 N73-13465
US-PATENT-CLASS-148-12.4 c26 N79-22271
US-PATENT-CLASS-148-12.7A c26 N78-24333
US-PATENT-CLASS-148-12.7N c26 N77-20201
US-PATENT-CLASS-148-12F c26 N79-22271
US-PATENT-CLASS-148-13 c14 N71-25892
US-PATENT-CLASS-148-20.3 c26 N77-20201
US-PATENT-CLASS-148-32 c26 N77-32279
US-PATENT-CLASS-148-32 c26 N78-18183
US-PATENT-CLASS-148-32 c26 N80-23419
US-PATENT-CLASS-148-32.5 c17 N72-22535
US-PATENT-CLASS-148-32.5 c26 N77-20201
US-PATENT-CLASS-148-32.5 c26 N77-32280
US-PATENT-CLASS-148-32.5 c26 N78-18183
US-PATENT-CLASS-148-121 c76 N79-16678
US-PATENT-CLASS-148-125 c26 N78-24333
US-PATENT-CLASS-148-126 c17 N71-24142
US-PATENT-CLASS-148-126 c18 N71-26153
US-PATENT-CLASS-148-126 c18 N71-28729
US-PATENT-CLASS-148-126 c26 N74-10521
US-PATENT-CLASS-148-127 c26 N75-29236
US-PATENT-CLASS-148-131 c26 N80-28492
US-PATENT-CLASS-148-162 c26 N77-20201
US-PATENT-CLASS-148-174 c26 N71-29156
US-PATENT-CLASS-148-174 c44 N76-28635
US-PATENT-CLASS-148-174 c44 N78-24609
US-PATENT-CLASS-148-175 c25 N75-26043
US-PATENT-CLASS-148-175 c76 N76-25049
US-PATENT-CLASS-148-175 c44 N76-28635
US-PATENT-CLASS-148-187 c26 N72-17820
US-PATENT-CLASS-148-187 c14 N72-28438
US-PATENT-CLASS-148-188 c24 N71-10560
US-PATENT-CLASS-148-188 c09 N71-12513
US-PATENT-CLASS-148-188 c44 N79-11468
US-PATENT-CLASS-149-1 c23 N71-16212
US-PATENT-CLASS-149-1 c06 N73-30097
US-PATENT-CLASS-149-1 c28 N80-20402
US-PATENT-CLASS-149-1 c28 N81-14103
US-PATENT-CLASS-149-2 c12 N70-40124
US-PATENT-CLASS-149-15 c44 N80-20808
US-PATENT-CLASS-149-17 c28 N74-33209
US-PATENT-CLASS-149-19 c27 N71-14090
US-PATENT-CLASS-149-19 c27 N72-25699
US-PATENT-CLASS-149-19 c27 N73-16764
US-PATENT-CLASS-149-19.2 c28 N80-28536
US-PATENT-CLASS-149-19.4 c28 N78-31255
US-PATENT-CLASS-149-19.4 c20 N78-32179
US-PATENT-CLASS-149-19.4 c28 N79-28342
US-PATENT-CLASS-149-19.8 c28 N78-31255
US-PATENT-CLASS-149-19.9 c28 N79-14228
US-PATENT-CLASS-149-19.9 c28 N79-28342
US-PATENT-CLASS-149-19.9 c28 N80-28536
US-PATENT-CLASS-149-19.92 c28 N79-14228
US-PATENT-CLASS-149-20 c27 N72-25699
US-PATENT-CLASS-149-20 c28 N79-14228
US-PATENT-CLASS-149-20 c28 N79-28342
US-PATENT-CLASS-149-20 c28 N80-28536
US-PATENT-CLASS-149-36 c27 N72-25699
US-PATENT-CLASS-149-36 c27 N73-16764
US-PATENT-CLASS-149-36 c06 N73-30097
US-PATENT-CLASS-149-36 c24 N76-14203
US-PATENT-CLASS-149-37 c44 N80-20808
US-PATENT-CLASS-149-42 c20 N78-32179
US-PATENT-CLASS-149-43 c20 N78-32179
US-PATENT-CLASS-149-44 c20 N78-32179
US-PATENT-CLASS-149-60 c28 N74-33209
US-PATENT-CLASS-149-76 c28 N74-33209
US-PATENT-CLASS-149-76 c20 N78-32179
US-PATENT-CLASS-149-83 c20 N78-32179
US-PATENT-CLASS-149-85 c20 N78-32179
US-PATENT-CLASS-149-88 c28 N78-31255
US-PATENT-CLASS-149-92 c27 N72-25699
US-PATENT-CLASS-149-92 c28 N78-31255
US-PATENT-CLASS-149-93 c28 N78-31255
US-PATENT-CLASS-149-105 c28 N78-31255
US-PATENT-CLASS-149-108.4 c28 N80-23471
US-PATENT-CLASS-149-108.4 c28 N81-15119
US-PATENT-CLASS-149-109 c27 N70-41897
US-PATENT-CLASS-149-111 c28 N78-31255
US-PATENT-CLASS-150-1 c52 N79-14749
US-PATENT-CLASS-150-11 c37 N81-14317
US-PATENT-CLASS-151-41.76 c37 N80-23653
US-PATENT-CLASS-152-11 c31 N71-18611
US-PATENT-CLASS-152-225 c15 N71-27091
US-PATENT-CLASS-152-250 c15 N71-27091
US-PATENT-CLASS-156-DIG.6-8 c76 N79-23798
US-PATENT-CLASS-156-DIG.62 c76 N77-32919
US-PATENT-CLASS-156-DIG.64 c76 N79-11920
US-PATENT-CLASS-156-DIG.64 c44 N80-24741
US-PATENT-CLASS-156-DIG.64 c76 N80-32245
US-PATENT-CLASS-156-DIG.65 c76 N79-11920
US-PATENT-CLASS-156-DIG.88 c76 N79-11920
US-PATENT-CLASS-156-DIG.88 c76 N80-32245
US-PATENT-CLASS-156-DIG.96 c76 N80-32244
US-PATENT-CLASS-156-DIG.96 c33 N81-19389
US-PATENT-CLASS-156-3 c17 N71-16044
US-PATENT-CLASS-156-3 c15 N71-21404
US-PATENT-CLASS-156-3 c15 N71-24047
US-PATENT-CLASS-156-3 c06 N72-21094
US-PATENT-CLASS-156-7 c74 N75-12732
US-PATENT-CLASS-156-16 c74 N75-12732
US-PATENT-CLASS-156-17 c76 N79-21910
US-PATENT-CLASS-156-18 c26 N73-26752
US-PATENT-CLASS-156-18 c74 N75-12732
US-PATENT-CLASS-156-52 c31 N79-21226
US-PATENT-CLASS-156-60 c15 N71-22713
US-PATENT-CLASS-156-66 c15 N72-11392
US-PATENT-CLASS-156-84 c15 N72-16330
US-PATENT-CLASS-156-86 c15 N72-16330
US-PATENT-CLASS-156-89 c37 N75-15992
US-PATENT-CLASS-156-89 c24 N79-25143
US-PATENT-CLASS-156-94 c32 N74-27612
US-PATENT-CLASS-156-94 c24 N74-30001
US-PATENT-CLASS-156-99 c37 N75-15992
US-PATENT-CLASS-156-104 c44 N80-18550
US-PATENT-CLASS-156-154 c24 N78-17150
US-PATENT-CLASS-156-154 c27 N81-14077
US-PATENT-CLASS-156-160 c27 N81-14077
US-PATENT-CLASS-156-163 c27 N81-14077
US-PATENT-CLASS-156-172 c15 N71-17651
US-PATENT-CLASS-156-212 c03 N71-26726
US-PATENT-CLASS-156-212 c24 N80-26388
US-PATENT-CLASS-156-212 c27 N81-14077
US-PATENT-CLASS-156-213 c24 N80-26388

US-PATENT-CLASS-156-218 c54 N74-32546
US-PATENT-CLASS-156-229 c24 N77-28225
US-PATENT-CLASS-156-242 c15 N69-24322
US-PATENT-CLASS-156-242 c37 N76-24575
US-PATENT-CLASS-156-245 c31 N74-18089
US-PATENT-CLASS-156-245 c24 N78-17149
US-PATENT-CLASS-156-247 c31 N74-18089
US-PATENT-CLASS-156-250 c03 N72-25019
US-PATENT-CLASS-156-264 c05 N72-25121
US-PATENT-CLASS-156-264 c24 N78-17150
US-PATENT-CLASS-156-267 c27 N81-14077
US-PATENT-CLASS-156-272 c27 N80-32516
US-PATENT-CLASS-156-278 c44 N80-18550
US-PATENT-CLASS-156-285 c15 N71-23052
US-PATENT-CLASS-156-285 c18 N73-30532
US-PATENT-CLASS-156-285 c31 N74-18089
US-PATENT-CLASS-156-285 c24 N74-27035
US-PATENT-CLASS-156-285 c24 N78-17149
US-PATENT-CLASS-156-285 c24 N78-17150
US-PATENT-CLASS-156-285 c44 N80-18550
US-PATENT-CLASS-156-285 c24 N80-26388
US-PATENT-CLASS-156-286 c37 N76-21554
US-PATENT-CLASS-156-286 c37 N76-24575
US-PATENT-CLASS-156-286 c24 N78-17150
US-PATENT-CLASS-156-289 c24 N78-17149
US-PATENT-CLASS-156-289 c24 N78-17150
US-PATENT-CLASS-156-292 c27 N80-32516
US-PATENT-CLASS-156-292 c24 N81-17170
US-PATENT-CLASS-156-294 c37 N81-14317
US-PATENT-CLASS-156-295 c27 N81-14077
US-PATENT-CLASS-156-300 c24 N78-17150
US-PATENT-CLASS-156-303 c44 N80-18550
US-PATENT-CLASS-156-306 c24 N78-17150
US-PATENT-CLASS-156-308 c05 N72-25121
US-PATENT-CLASS-156-309 c31 N74-18089
US-PATENT-CLASS-156-309 c27 N78-17205
US-PATENT-CLASS-156-311 c24 N78-17150
US-PATENT-CLASS-156-312 c44 N80-18550
US-PATENT-CLASS-156-320 c15 N72-11392
US-PATENT-CLASS-156-323 c27 N81-14077
US-PATENT-CLASS-156-330 c24 N81-14000
US-PATENT-CLASS-156-331 c37 N74-18126
US-PATENT-CLASS-156-331 c27 N78-17205
US-PATENT-CLASS-156-331 c24 N79-16915
US-PATENT-CLASS-156-331 c27 N81-14077
US-PATENT-CLASS-156-344 c28 N81-14103
US-PATENT-CLASS-156-345 c15 N70-42033
US-PATENT-CLASS-156-382 c37 N76-21554
US-PATENT-CLASS-156-510 c15 N71-17687
US-PATENT-CLASS-156-510 c03 N72-25019
US-PATENT-CLASS-156-545 c15 N71-24164
US-PATENT-CLASS-156-556 c37 N76-21554
US-PATENT-CLASS-156-601 c76 N77-32919
US-PATENT-CLASS-156-601 c76 N80-32245
US-PATENT-CLASS-156-605 c44 N80-24741
US-PATENT-CLASS-156-608 c76 N79-11920
US-PATENT-CLASS-156-608 c33 N81-19389
US-PATENT-CLASS-156-610 c76 N76-25049
US-PATENT-CLASS-156-612 c76 N76-25049
US-PATENT-CLASS-156-612 c44 N76-28635
US-PATENT-CLASS-156-613 c76 N76-25049
US-PATENT-CLASS-156-613 c44 N76-28635
US-PATENT-CLASS-156-614 c44 N76-28635
US-PATENT-CLASS-156-617SP c76 N79-11920
US-PATENT-CLASS-156-617SP c76 N79-23798
US-PATENT-CLASS-156-617SP c44 N80-24741
US-PATENT-CLASS-156-617SP c76 N80-32245
US-PATENT-CLASS-156-619 c76 N77-32919
US-PATENT-CLASS-156-620 c76 N77-32919
US-PATENT-CLASS-156-633 c44 N78-25529
US-PATENT-CLASS-156-645 c27 N77-32308
US-PATENT-CLASS-156-663 c27 N77-32308
US-PATENT-CLASS-161-7 c18 N72-25540
US-PATENT-CLASS-161-7 c18 N72-25541
US-PATENT-CLASS-161-42 c37 N74-18126
US-PATENT-CLASS-161-43 c37 N74-18126
US-PATENT-CLASS-161-67 c33 N72-17947
US-PATENT-CLASS-161-68 c18 N71-21651
US-PATENT-CLASS-161-68 c18 N72-25540
US-PATENT-CLASS-161-68 c18 N72-25541
US-PATENT-CLASS-161-69 c33 N71-24858
US-PATENT-CLASS-161-89 c17 N71-28747
US-PATENT-CLASS-161-92 c37 N75-26371
US-PATENT-CLASS-161-93 c18 N73-12604
US-PATENT-CLASS-161-93 c37 N74-18126
US-PATENT-CLASS-161-93 c37 N75-26371
US-PATENT-CLASS-161-115 c18 N70-41583
US-PATENT-CLASS-161-116 c37 N74-23064
US-PATENT-CLASS-161-127 c18 N72-25540
US-PATENT-CLASS-161-127 c18 N72-25541
US-PATENT-CLASS-161-161 c33 N71-25351
US-PATENT-CLASS-161-182 c15 N69-39735
US-PATENT-CLASS-161-182 c37 N74-18126
US-PATENT-CLASS-161-189 c23 N71-15978
US-PATENT-CLASS-161-192 c37 N74-18126
US-PATENT-CLASS-161-196 c37 N74-21063
US-PATENT-CLASS-161-214 c06 N73-27980
US-PATENT-CLASS-161-227 c06 N73-27980
US-PATENT-CLASS-162-14 c85 N79-17747
US-PATENT-CLASS-162-29 c85 N79-17747
US-PATENT-CLASS-162-102 c24 N76-14204
US-PATENT-CLASS-162-153 c24 N76-14204
US-PATENT-CLASS-162-222 c24 N76-14204
US-PATENT-CLASS-162-228 c24 N76-14204
US-PATENT-CLASS-164-60 c24 N77-27187
US-PATENT-CLASS-164-105 c20 N79-21123
US-PATENT-CLASS-164-132 c37 N76-23570
US-PATENT-CLASS-165-1 c09 N70-41717
US-PATENT-CLASS-165-1 c34 N75-12222
US-PATENT-CLASS-165-2 c33 N71-24876
US-PATENT-CLASS-165-2 c35 N74-15093
US-PATENT-CLASS-165-2 c44 N77-32581
US-PATENT-CLASS-165-2 c44 N78-17460
US-PATENT-CLASS-165-2 c51 N79-10694
US-PATENT-CLASS-165-3 c03 N72-28025
US-PATENT-CLASS-165-10 c44 N76-31667
US-PATENT-CLASS-165-12 c33 N71-24276
US-PATENT-CLASS-165-16 c31 N80-32583
US-PATENT-CLASS-165-20 c03 N72-28025
US-PATENT-CLASS-165-30 c51 N79-10694
US-PATENT-CLASS-165-30 c31 N79-17029
US-PATENT-CLASS-165-32 c31 N73-30829
US-PATENT-CLASS-165-32 c33 N73-32818
US-PATENT-CLASS-165-32 c34 N78-17337
US-PATENT-CLASS-165-32 c34 N79-31523
US-PATENT-CLASS-165-32 c44 N80-20810
US-PATENT-CLASS-165-44 c15 N71-26611
US-PATENT-CLASS-165-46 c05 N71-19439
US-PATENT-CLASS-165-46 c05 N71-24147
US-PATENT-CLASS-165-46 c05 N73-20137
US-PATENT-CLASS-165-46 c05 N73-26071
US-PATENT-CLASS-165-47 c33 N71-29052
US-PATENT-CLASS-165-47 c31 N73-30829
US-PATENT-CLASS-165-47 c34 N75-12222
US-PATENT-CLASS-165-86 c15 N71-26611
US-PATENT-CLASS-165-86 c33 N71-29046
US-PATENT-CLASS-165-96 c33 N70-36847
US-PATENT-CLASS-165-96 c33 N71-22890
US-PATENT-CLASS-165-96 c31 N73-30829
US-PATENT-CLASS-165-96 c33 N73-32818
US-PATENT-CLASS-165-96 c34 N78-17337
US-PATENT-CLASS-165-104 c33 N71-25353
US-PATENT-CLASS-165-105 c09 N71-24807
US-PATENT-CLASS-165-105 c33 N71-25353
US-PATENT-CLASS-165-105 c33 N72-17948
US-PATENT-CLASS-165-105 c31 N73-30829
US-PATENT-CLASS-165-105 c28 N73-32606
US-PATENT-CLASS-165-105 c34 N74-18552
US-PATENT-CLASS-165-105 c34 N75-12222
US-PATENT-CLASS-165-105 c44 N75-32581
US-PATENT-CLASS-165-105 c44 N76-16612
US-PATENT-CLASS-165-105. c34 N76-17317
US-PATENT-CLASS-165-105 c34 N76-27515
US-PATENT-CLASS-165-105 c34 N77-32413
US-PATENT-CLASS-165-105 c25 N78-10224
US-PATENT-CLASS-165-105 c34 N78-17336
US-PATENT-CLASS-165-105 c34 N78-17337
US-PATENT-CLASS-165-105 c44 N79-18443
US-PATENT-CLASS-165-105 c37 N79-28549
US-PATENT-CLASS-165-105 c34 N79-31523
US-PATENT-CLASS-165-105 c35 N81-14287
US-PATENT-CLASS-165-106 c33 N73-32818
US-PATENT-CLASS-165-106 c34 N76-17317
US-PATENT-CLASS-165-107 c09 N71-24807
US-PATENT-CLASS-165-107 c44 N77-32581
US-PATENT-CLASS-165-109 c35 N74-15093
US-PATENT-CLASS-165-110 c77 N75-20139
US-PATENT-CLASS-165-111 c77 N75-20139
US-PATENT-CLASS-165-133 c33 N71-16277
US-PATENT-CLASS-165-133 c33 N71-25353
US-PATENT-CLASS-165-133 c33 N72-20915
US-PATENT-CLASS-165-133 c44 N76-23675
US-PATENT-CLASS-165-134 c34 N78-17336
US-PATENT-CLASS-165-138 c09 N71-24807
US-PATENT-CLASS-165-141 c28 N73-32606
US-PATENT-CLASS-165-146 c34 N79-13289
US-PATENT-CLASS-165-155 c33 N72-20915
US-PATENT-CLASS-165-158 c33 N72-20915

US-PATENT-CLASS-165-161 c33 N72-20915
US-PATENT-CLASS-165-164 c34 N77-10463
US-PATENT-CLASS-165-166 c54 N77-32722
US-PATENT-CLASS-165-169 c34 N79-13288
US-PATENT-CLASS-165-169 c34 N79-13289
US-PATENT-CLASS-165-170 c34 N77-10463
US-PATENT-CLASS-165-174 c33 N72-20915
US-PATENT-CLASS-165-185 c28 N73-32606
US-PATENT-CLASS-166-63 c46 N79-22679
US-PATENT-CLASS-166-248 c43 N78-14452
US-PATENT-CLASS-166-259 c43 N78-14452
US-PATENT-CLASS-169-28 c12 N72-21310
US-PATENT-CLASS-169-36 c12 N72-21310
US-PATENT-CLASS-169-62 c31 N81-14137
US-PATENT-CLASS-169-70 c31 N81-14137
US-PATENT-CLASS-173-131 c15 N73-13463
US-PATENT-CLASS-173-132 c37 N76-18454
US-PATENT-CLASS-174-DIG.6 c26 N73-26752
US-PATENT-CLASS-174-DIG.6 c26 N73-32571
US-PATENT-CLASS-174-DIG.8 c33 N74-22865
US-PATENT-CLASS-174-15C c33 N74-27683
US-PATENT-CLASS-174-15CA c31 N79-17029
US-PATENT-CLASS-174-18 c09 N69-21542
US-PATENT-CLASS-174-28 c07 N71-27191
US-PATENT-CLASS-174-28 c33 N74-27683
US-PATENT-CLASS-174-35 c07 N71-19436
US-PATENT-CLASS-174-36 c09 N72-22198
US-PATENT-CLASS-174-52S c15 N73-14469
US-PATENT-CLASS-174-68.5 c15 N70-41960
US-PATENT-CLASS-174-69 c33 N74-22865
US-PATENT-CLASS-174-70R c33 N74-22865
US-PATENT-CLASS-174-72 c03 N69-21539
US-PATENT-CLASS-174-73R c33 N80-18286
US-PATENT-CLASS-174-84 c15 N72-17455
US-PATENT-CLASS-174-106R c09 N72-22198
US-PATENT-CLASS-174-110.3 c14 N71-27186
US-PATENT-CLASS-174-111 c33 N74-27683
US-PATENT-CLASS-174-115 c09 N70-38201
US-PATENT-CLASS-174-117FF c09 N72-22198
US-PATENT-CLASS-174-126CP c26 N73-32571
US-PATENT-CLASS-174-142 c33 N80-18286
US-PATENT-CLASS-174-145 c33 N76-16332
US-PATENT-CLASS-174-148 c33 N76-16332
US-PATENT-CLASS-175-1 c46 N79-22679
US-PATENT-CLASS-175-26 c15 N73-32362
US-PATENT-CLASS-175-78 c46 N80-10709
US-PATENT-CLASS-175-310 c15 N70-42034
US-PATENT-CLASS-175-323 c14 N69-21923
US-PATENT-CLASS-176-3 c75 N75-13625
US-PATENT-CLASS-176-11 c24 N72-33681
US-PATENT-CLASS-176-11 c25 N76-27383
US-PATENT-CLASS-176-11 c25 N76-29379
US-PATENT-CLASS-176-11 c25 N78-27226
US-PATENT-CLASS-176-14 c25 N76-29379
US-PATENT-CLASS-176-16 c25 N76-27383
US-PATENT-CLASS-176-16 c25 N76-29379
US-PATENT-CLASS-176-16 c25 N78-27226
US-PATENT-CLASS-176-22 c73 N78-28913
US-PATENT-CLASS-176-33 c73 N78-28913
US-PATENT-CLASS-176-39 c73 N78-19920
US-PATENT-CLASS-176-39 c73 N78-28913
US-PATENT-CLASS-176-45 c22 N71-28759
US-PATENT-CLASS-176-86G c22 N72-20597
US-PATENT-CLASS-176-169 c22 N73-32528
US-PATENT-CLASS-177-1 c35 N77-19385
US-PATENT-CLASS-177-200 c35 N74-26945
US-PATENT-CLASS-177-208 c35 N77-19385
US-PATENT-CLASS-177-210 c14 N71-10773
US-PATENT-CLASS-177-211 c35 N74-26945
US-PATENT-CLASS-177-246 c35 N74-26945
US-PATENT-CLASS-178-DIG.1 c36 N74-20009
US-PATENT-CLASS-178-DIG.1 c33 N75-30431
US-PATENT-CLASS-178-DIG.1 c45 N76-17656
US-PATENT-CLASS-178-DIG.6 c10 N73-13235
US-PATENT-CLASS-178-DIG.8 c14 N72-25412
US-PATENT-CLASS-178-DIG.8 c45 N76-17656
US-PATENT-CLASS-178-DIG.12 c07 N72-12081
US-PATENT-CLASS-178-DIG.12 c32 N75-21485
US-PATENT-CLASS-178-DIG.20 c23 N72-27728
US-PATENT-CLASS-178-DIG.20 c35 N75-19613
US-PATENT-CLASS-178-DIG.20 c18 N76-14186
US-PATENT-CLASS-178-DIG.21 c16 N72-13437
US-PATENT-CLASS-178-DIG.23 c07 N73-30115
US-PATENT-CLASS-178-DIG.25 c74 N75-25706
US-PATENT-CLASS-178-DIG.28 c08 N72-22164
US-PATENT-CLASS-178-DIG.29 c35 N75-25123
US-PATENT-CLASS-178-DIG.32 c71 N74-21014
US-PATENT-CLASS-178-DIG.35 c09 N76-24280
US-PATENT-CLASS-178-DIG.36 c08 N72-22164
US-PATENT-CLASS-178-5.2R c09 N71-28618
US-PATENT-CLASS-178-5.2R c07 N72-17109
US-PATENT-CLASS-178-5.4 c07 N72-17109
US-PATENT-CLASS-178-5.8R c71 N74-21014
US-PATENT-CLASS-178-6 c07 N71-19433
US-PATENT-CLASS-178-6 c09 N71-19449
US-PATENT-CLASS-178-6 c07 N71-23026
US-PATENT-CLASS-178-6 c07 N71-26579
US-PATENT-CLASS-178-6 c07 N72-12081
US-PATENT-CLASS-178-6 c16 N72-13437
US-PATENT-CLASS-178-6 c10 N73-13235
US-PATENT-CLASS-178-6 c36 N74-20009
US-PATENT-CLASS-178-6.5 c23 N72-27728
US-PATENT-CLASS-178-6.6 c07 N71-11300
US-PATENT-CLASS-178-6.6 c07 N71-26102
US-PATENT-CLASS-178-6.6DD c07 N73-30115
US-PATENT-CLASS-178-6.6DD c35 N74-11283
US-PATENT-CLASS-178-6.7 c07 N72-17109
US-PATENT-CLASS-178-6.7R c35 N74-15831
US-PATENT-CLASS-178-6.8 c08 N72-22164
US-PATENT-CLASS-178-6.8 c14 N72-25412
US-PATENT-CLASS-178-6.8 c07 N73-30115
US-PATENT-CLASS-178-6.8 c33 N75-30431
US-PATENT-CLASS-178-6.8 c45 N76-17656
US-PATENT-CLASS-178-7.1 c07 N71-24612
US-PATENT-CLASS-178-7.1 c07 N71-27341
US-PATENT-CLASS-178-7.1 c09 N72-17156
US-PATENT-CLASS-178-7.1 c32 N74-19790
US-PATENT-CLASS-178-7.1 c36 N75-19652
US-PATENT-CLASS-178-7.2 c14 N70-41807
US-PATENT-CLASS-178-7.2 c71 N74-21014
US-PATENT-CLASS-178-7.2 c35 N75-25123
US-PATENT-CLASS-178-7.2R c08 N72-22164
US-PATENT-CLASS-178-7.3 c07 N71-27341
US-PATENT-CLASS-178-7.3 c07 N72-12081
US-PATENT-CLASS-178-7.5E c10 N72-31273
US-PATENT-CLASS-178-7.6 c36 N74-20009
US-PATENT-CLASS-178-7.7 c09 N71-12539
US-PATENT-CLASS-178-7.7 c32 N74-20813
US-PATENT-CLASS-178-7.89 c09 N76-24280
US-PATENT-CLASS-178-7.92 c14 N72-25414
US-PATENT-CLASS-178-15 c33 N75-19517
US-PATENT-CLASS-178-18 c10 N73-32143
US-PATENT-CLASS-178-50 c08 N72-18184
US-PATENT-CLASS-178-50 c08 N72-25208
US-PATENT-CLASS-178-52 c08 N72-22162
US-PATENT-CLASS-178-54CF c09 N71-28618
US-PATENT-CLASS-178-54PE c09 N71-28618
US-PATENT-CLASS-178-58A c32 N75-21486
US-PATENT-CLASS-178-58R c32 N80-18252
US-PATENT-CLASS-178-66 c09 N71-25866
US-PATENT-CLASS-178-66 c08 N72-18184
US-PATENT-CLASS-178-66R c32 N75-24981
US-PATENT-CLASS-178-67 c08 N70-41961
US-PATENT-CLASS-178-67 c32 N74-26654
US-PATENT-CLASS-178-69.1 c32 N78-15323
US-PATENT-CLASS-178-69.4R c32 N74-10132
US-PATENT-CLASS-178-69.5 c07 N71-11281
US-PATENT-CLASS-178-69.5 c10 N71-19468
US-PATENT-CLASS-178-69.5 c10 N71-25865
US-PATENT-CLASS-178-69.5 c10 N71-33407
US-PATENT-CLASS-178-69.5 c07 N72-25173
US-PATENT-CLASS-178-69.5 c07 N73-13149
US-PATENT-CLASS-178-69.5 c09 N73-28084
US-PATENT-CLASS-178-69.5 c17 N76-22245
US-PATENT-CLASS-178-69.5R c07 N72-20140
US-PATENT-CLASS-178-69.5R c32 N75-26195
US-PATENT-CLASS-178-69.5R c33 N76-14371
US-PATENT-CLASS-178-69.5R c60 N77-19760
US-PATENT-CLASS-178-69A c35 N75-21582
US-PATENT-CLASS-178-69C c32 N76-16249
US-PATENT-CLASS-178-79 c32 N75-21486
US-PATENT-CLASS-178-88 c07 N71-12392
US-PATENT-CLASS-178-88 c33 N74-12887
US-PATENT-CLASS-178-88 c32 N74-20809
US-PATENT-CLASS-178-88 c33 N74-27705
US-PATENT-CLASS-178-88 c33 N76-14371
US-PATENT-CLASS-178-88 c32 N76-16249
US-PATENT-CLASS-178-88 c32 N77-10392
US-PATENT-CLASS-178-88 c32 N77-24331
US-PATENT-CLASS-179-1 c07 N71-26181
US-PATENT-CLASS-179-1 c31 N71-33160
US-PATENT-CLASS-179-1DM c71 N79-23753
US-PATENT-CLASS-179-1MF c71 N79-23753
US-PATENT-CLASS-179-1MN c32 N79-23310
US-PATENT-CLASS-179-1P c10 N73-12244
US-PATENT-CLASS-179-1R c07 N71-33108
US-PATENT-CLASS-179-1SA c10 N73-25240
US-PATENT-CLASS-179-1SA c32 N76-31372

US-PATENT-CLASS-179-1SA c32 N77-30309
US-PATENT-CLASS-179-1SP c32 N77-30309
US-PATENT-CLASS-179-1VC c07 N71-33108
US-PATENT-CLASS-179-15 c07 N69-39578
US-PATENT-CLASS-179-15 c07 N71-20814
US-PATENT-CLASS-179-15 c07 N71-24621
US-PATENT-CLASS-179-15 c07 N71-24622
US-PATENT-CLASS-179-15 c08 N72-18184
US-PATENT-CLASS-179-15.55B c08 N72-11171
US-PATENT-CLASS-179-15.55R c08 N72-33172
US-PATENT-CLASS-179-15A c08 N72-22162
US-PATENT-CLASS-179-15A c07 N73-26118
US-PATENT-CLASS-179-15AN c07 N73-16121
US-PATENT-CLASS-179-15AT c32 N74-30524
US-PATENT-CLASS-179-15BA c60 N77-12721
US-PATENT-CLASS-179-15BA c32 N80-18252
US-PATENT-CLASS-179-15BC c08 N72-25208
US-PATENT-CLASS-179-15BC c07 N73-16121
US-PATENT-CLASS-179-15BC c32 N74-30523
US-PATENT-CLASS-179-15BC c33 N75-26243
US-PATENT-CLASS-179-15BL c08 N72-22162
US-PATENT-CLASS-179-15BM c07 N73-26118
US-PATENT-CLASS-179-15BS c10 N71-33407
US-PATENT-CLASS-179-15BS c07 N72-20140
US-PATENT-CLASS-179-15BS c07 N73-30115
US-PATENT-CLASS-179-15BS c32 N75-26195
US-PATENT-CLASS-179-15BS c60 N77-19760
US-PATENT-CLASS-179-15BV c07 N72-25172
US-PATENT-CLASS-179-15BY c32 N74-30524
US-PATENT-CLASS-179-15FD c08 N72-25208
US-PATENT-CLASS-179-15FS c07 N73-28012
US-PATENT-CLASS-179-27CA c32 N79-23310
US-PATENT-CLASS-179-84VF c32 N79-23310
US-PATENT-CLASS-179-91R c74 N78-14889
US-PATENT-CLASS-179-100.2 c09 N69-24329
US-PATENT-CLASS-179-100.2 c09 N71-25666
US-PATENT-CLASS-179-100.2 c08 N71-27210
US-PATENT-CLASS-179-100.2 c08 N71-27255
US-PATENT-CLASS-179-100.2A c21 N73-13644
US-PATENT-CLASS-179-100.2A c32 N74-27612
US-PATENT-CLASS-179-100.2B c32 N74-27612
US-PATENT-CLASS-179-100.2C c35 N77-21392
US-PATENT-CLASS-179-100.2CH c36 N74-13205
US-PATENT-CLASS-179-100.2CH c35 N78-29421
US-PATENT-CLASS-179-100.2CH c35 N79-16246
US-PATENT-CLASS-179-100.2K c07 N72-21119
US-PATENT-CLASS-179-100.2ND c35 N74-11283
US-PATENT-CLASS-179-100.2T c35 N74-11283
US-PATENT-CLASS-179-100-2CA c09 N72-11224
US-PATENT-CLASS-179-100-2ND c09 N72-11224
US-PATENT-CLASS-179-107R c33 N78-10375
US-PATENT-CLASS-179-175.1A c14 N73-27379
US-PATENT-CLASS-179-175.1A c33 N78-10375
US-PATENT-CLASS-180-6.5 c11 N73-26238
US-PATENT-CLASS-180-7R c11 N73-26238
US-PATENT-CLASS-180-8A c11 N73-26238
US-PATENT-CLASS-180-9.2R c11 N73-26238
US-PATENT-CLASS-180-9.5 c11 N73-26238
US-PATENT-CLASS-180-41 c11 N73-26238
US-PATENT-CLASS-180-79.3 c37 N74-18125
US-PATENT-CLASS-180-105E c11 N72-20244
US-PATENT-CLASS-180-118 c31 N71-15689
US-PATENT-CLASS-180-121 c31 N71-15689
US-PATENT-CLASS-180-125 c15 N72-17451
US-PATENT-CLASS-180-127 c15 N72-17451
US-PATENT-CLASS-181.5R c71 N74-31148
US-PATENT-CLASS-181-.5 c11 N71-28779
US-PATENT-CLASS-181-33C c07 N74-32418
US-PATENT-CLASS-181-33F c07 N74-32418
US-PATENT-CLASS-181-33H c07 N74-32418
US-PATENT-CLASS-181-33HB c07 N74-27490
US-PATENT-CLASS-181-33HC c07 N74-33218
US-PATENT-CLASS-181-33HC c07 N76-18117
US-PATENT-CLASS-181-33L c07 N74-32418
US-PATENT-CLASS-181-42 c07 N74-32418
US-PATENT-CLASS-181-43 c07 N74-15453
US-PATENT-CLASS-181-52 c28 N70-41582
US-PATENT-CLASS-181-102 c39 N80-10507
US-PATENT-CLASS-181-102 c31 N80-32584
US-PATENT-CLASS-181-105 c39 N80-10507
US-PATENT-CLASS-181-106 c46 N79-22679
US-PATENT-CLASS-181-115 c46 N79-23555
US-PATENT-CLASS-181-117 c46 N79-22679
US-PATENT-CLASS-181-120 c46 N79-23555
US-PATENT-CLASS-181-148 c71 N79-23753
US-PATENT-CLASS-181-190 c71 N79-14871
US-PATENT-CLASS-181-213 c71 N79-14871
US-PATENT-CLASS-181-214 c07 N81-14999
US-PATENT-CLASS-181-222 c71 N79-14871
US-PATENT-CLASS-181-293 c71 N79-14871
US-PATENT-CLASS-182-5 c15 N73-25512
US-PATENT-CLASS-182-10 c15 N71-27067
US-PATENT-CLASS-182-178 c39 N76-31562
US-PATENT-CLASS-182-191 c05 N71-11199
US-PATENT-CLASS-184-1 c15 N71-23048
US-PATENT-CLASS-185-38 c37 N78-16369
US-PATENT-CLASS-187-1 c15 N72-25453
US-PATENT-CLASS-187-7.1 c07 N71-24742
US-PATENT-CLASS-187-20 c15 N72-25453
US-PATENT-CLASS-187-95 c15 N72-25453
US-PATENT-CLASS-188-1 c15 N70-34861
US-PATENT-CLASS-188-1 c15 N70-38601
US-PATENT-CLASS-188-1 c15 N70-40354
US-PATENT-CLASS-188-1 c14 N71-17626
US-PATENT-CLASS-188-1 c15 N71-22877
US-PATENT-CLASS-188-1 c14 N71-23092
US-PATENT-CLASS-188-1 c15 N71-26243
US-PATENT-CLASS-188-1 c15 N71-27146
US-PATENT-CLASS-188-1 c15 N71-27169
US-PATENT-CLASS-188-1B c15 N72-20443
US-PATENT-CLASS-188-1B c19 N76-22284
US-PATENT-CLASS-188-1C c15 N72-17450
US-PATENT-CLASS-188-1C c15 N72-20443
US-PATENT-CLASS-188-1C c15 N73-30460
US-PATENT-CLASS-188-1C c11 N73-32152
US-PATENT-CLASS-188-1C c37 N79-10420
US-PATENT-CLASS-188-65.1 c15 N73-25512
US-PATENT-CLASS-188-65.5 c15 N71-27067
US-PATENT-CLASS-188-87 c12 N71-16894
US-PATENT-CLASS-188-88 c15 N71-26611
US-PATENT-CLASS-188-103 c15 N71-27146
US-PATENT-CLASS-188-129 c15 N72-17450
US-PATENT-CLASS-188-134 c37 N81-15364
US-PATENT-CLASS-188-151A c44 N79-14527
US-PATENT-CLASS-188-163 c37 N74-26976
US-PATENT-CLASS-188-171 c37 N74-26976
US-PATENT-CLASS-188-180 c37 N81-15364
US-PATENT-CLASS-188-184 c37 N81-15364
US-PATENT-CLASS-188-266 c15 N73-25513
US-PATENT-CLASS-188-268 c15 N72-20443
US-PATENT-CLASS-188-269 c44 N79-14527
US-PATENT-CLASS-188-291 c54 N77-21844
US-PATENT-CLASS-189-36 c15 N70-36947
US-PATENT-CLASS-192-43.1 c15 N71-17805
US-PATENT-CLASS-195-1.8 c51 N77-25769
US-PATENT-CLASS-195-1.8 c51 N79-10694
US-PATENT-CLASS-195-1.8 c52 N79-14749
US-PATENT-CLASS-195-28N c06 N72-25149
US-PATENT-CLASS-195-66R c06 N73-27086
US-PATENT-CLASS-195-68 c04 N69-27487
US-PATENT-CLASS-195-99 c06 N71-17705
US-PATENT-CLASS-195-103.5K c51 N77-22794
US-PATENT-CLASS-195-103.5K c52 N79-14750
US-PATENT-CLASS-195-103.5L c52 N79-14750
US-PATENT-CLASS-195-103.5R c06 N72-25149
US-PATENT-CLASS-195-103.5R c25 N75-12086
US-PATENT-CLASS-195-103.5R c35 N75-27330
US-PATENT-CLASS-195-103.5R c35 N75-33368
US-PATENT-CLASS-195-103.5R c51 N76-29891
US-PATENT-CLASS-195-103.5R c51 N77-22794
US-PATENT-CLASS-195-103.5R c25 N79-22235
US-PATENT-CLASS-195-120 c51 N75-13502
US-PATENT-CLASS-195-120 c35 N75-27330
US-PATENT-CLASS-195-127 c15 N72-21465
US-PATENT-CLASS-195-127 c11 N72-25284
US-PATENT-CLASS-195-127 c14 N72-25413
US-PATENT-CLASS-195-127 c15 N73-20514
US-PATENT-CLASS-195-127 c05 N73-32011
US-PATENT-CLASS-195-127 c35 N75-12272
US-PATENT-CLASS-195-127 c51 N75-13502
US-PATENT-CLASS-195-127 c35 N75-27330
US-PATENT-CLASS-195-127 c25 N79-22235
US-PATENT-CLASS-195-127 c25 N79-24073
US-PATENT-CLASS-195-141 c35 N75-27330
US-PATENT-CLASS-197-188 c37 N77-19457
US-PATENT-CLASS-197-190 c37 N77-19457
US-PATENT-CLASS-198-847 c37 N80-32717
US-PATENT-CLASS-198-848 c37 N80-32717
US-PATENT-CLASS-200-6 c10 N71-15909
US-PATENT-CLASS-200-6 c09 N71-16089
US-PATENT-CLASS-200-19 c09 N70-39915
US-PATENT-CLASS-200-39 c03 N70-38713
US-PATENT-CLASS-200-46 c74 N79-12890
US-PATENT-CLASS-200-61 c74 N79-12890
US-PATENT-CLASS-200-61.42 c09 N71-12518
US-PATENT-CLASS-200-61.45 c14 N70-41812
US-PATENT-CLASS-200-64 c15 N72-17455
US-PATENT-CLASS-200-81.9M c09 N72-20199

US-PATENT-CLASS-200-81R c09 N72-22204
US-PATENT-CLASS-200-82 c10 N71-23663
US-PATENT-CLASS-200-82C c09 N72-22204
US-PATENT-CLASS-200-83 c33 N79-33392
US-PATENT-CLASS-200-83N c35 N75-15931
US-PATENT-CLASS-200-114 c33 N79-33393
US-PATENT-CLASS-200-129 c33 N75-27249
US-PATENT-CLASS-200-152 c09 N71-19610
US-PATENT-CLASS-200-153S c33 N80-18285
US-PATENT-CLASS-200-304 c33 N80-18285
US-PATENT-CLASS-201-8 c27 N81-17261
US-PATENT-CLASS-201-10 c27 N81-17261
US-PATENT-CLASS-201-17 c44 N78-31527
US-PATENT-CLASS-201-25 c27 N81-17261
US-PATENT-CLASS-202-118 c31 N81-15154
US-PATENT-CLASS-202-182 c05 N71-11207
US-PATENT-CLASS-202-234 c15 N71-23086
US-PATENT-CLASS-204-DIG.11 c25 N77-32255
US-PATENT-CLASS-204-1T c25 N79-22235
US-PATENT-CLASS-204-9 c20 N74-32919
US-PATENT-CLASS-204-9 c24 N77-19171
US-PATENT-CLASS-204-16 c24 N77-19171
US-PATENT-CLASS-204-20 c18 N71-16210
US-PATENT-CLASS-204-30 c09 N71-28691
US-PATENT-CLASS-204-32 c44 N79-11469
US-PATENT-CLASS-204-32A c33 N77-26385
US-PATENT-CLASS-204-32R c44 N76-14595
US-PATENT-CLASS-204-33 c17 N71-25903
US-PATENT-CLASS-204-33 c44 N76-14595
US-PATENT-CLASS-204-33 c44 N79-11469
US-PATENT-CLASS-204-37 c33 N71-29151
US-PATENT-CLASS-204-37R c44 N79-11469
US-PATENT-CLASS-204-38 c17 N71-24830
US-PATENT-CLASS-204-38A c44 N76-14595
US-PATENT-CLASS-204-38B c44 N79-11469
US-PATENT-CLASS-204-40 c44 N76-14595
US-PATENT-CLASS-204-40 c24 N77-19171
US-PATENT-CLASS-204-42 c44 N76-14595
US-PATENT-CLASS-204-49 c15 N72-25452
US-PATENT-CLASS-204-49 c44 N76-14595
US-PATENT-CLASS-204-59 c15 N72-21466
US-PATENT-CLASS-204-130 c15 N72-21466
US-PATENT-CLASS-204-157.1H c25 N74-30502
US-PATENT-CLASS-204-157.1H c37 N76-18458
US-PATENT-CLASS-204-157.1R c25 N77-32255
US-PATENT-CLASS-204-157.1R c44 N77-32580
US-PATENT-CLASS-204-157.1R c44 N79-11470
US-PATENT-CLASS-204-157.18AG c15 N72-25452
US-PATENT-CLASS-204-158R c25 N77-32255
US-PATENT-CLASS-204-159.11 c27 N80-32516
US-PATENT-CLASS-204-159.14 c27 N80-32516
US-PATENT-CLASS-204-159.15 c27 N80-26446
US-PATENT-CLASS-204-159.19 c27 N80-26446
US-PATENT-CLASS-204-162R c25 N77-32255
US-PATENT-CLASS-204-164 c26 N78-32229
US-PATENT-CLASS-204-168 c24 N71-25555
US-PATENT-CLASS-204-171 c27 N80-23452
US-PATENT-CLASS-204-175 c26 N78-32229
US-PATENT-CLASS-204-177 c25 N75-12087
US-PATENT-CLASS-204-180G c25 N78-14104
US-PATENT-CLASS-204-180G c25 N79-14169
US-PATENT-CLASS-204-180G c37 N80-14397
US-PATENT-CLASS-204-180P c54 N78-14784
US-PATENT-CLASS-204-180R c25 N74-26948
US-PATENT-CLASS-204-180R c34 N74-27744
US-PATENT-CLASS-204-180R c51 N80-16715
US-PATENT-CLASS-204-180S c25 N79-10163
US-PATENT-CLASS-204-180S c25 N79-14169
US-PATENT-CLASS-204-192 c15 N73-12487
US-PATENT-CLASS-204-192 c17 N73-24569
US-PATENT-CLASS-204-192 c27 N74-13270
US-PATENT-CLASS-204-192 c20 N74-31269
US-PATENT-CLASS-204-192 c37 N75-19684
US-PATENT-CLASS-204-192 c44 N77-14580
US-PATENT-CLASS-204-192C c76 N79-14906
US-PATENT-CLASS-204-192E c37 N81-19455
US-PATENT-CLASS-204-195 c14 N71-17575
US-PATENT-CLASS-204-195B c25 N79-24073
US-PATENT-CLASS-204-195B c51 N80-27067
US-PATENT-CLASS-204-195R c33 N76-19339
US-PATENT-CLASS-204-195N c35 N78-25391
US-PATENT-CLASS-204-222 c31 N74-23065
US-PATENT-CLASS-204-224 c37 N80-14395
US-PATENT-CLASS-204-242 c33 N75-27252
US-PATENT-CLASS-204-263 c14 N71-28933
US-PATENT-CLASS-204-267 c33 N75-27252
US-PATENT-CLASS-204-279 c33 N75-27252
US-PATENT-CLASS-204-286 c33 N75-27252
US-PATENT-CLASS-204-290R c33 N75-27252
US-PATENT-CLASS-204-292 c25 N78-10225
US-PATENT-CLASS-204-298 c15 N70-34967
US-PATENT-CLASS-204-298 c09 N71-26701
US-PATENT-CLASS-204-298 c15 N72-32487
US-PATENT-CLASS-204-298 c37 N75-19684
US-PATENT-CLASS-204-299 c34 N74-27744
US-PATENT-CLASS-204-299 c25 N79-10163
US-PATENT-CLASS-204-299R c25 N78-14104
US-PATENT-CLASS-204-299R c25 N79-14169
US-PATENT-CLASS-204-299R c37 N80-14397
US-PATENT-CLASS-204-299R c51 N80-16715
US-PATENT-CLASS-204-301 c54 N78-14784
US-PATENT-CLASS-204-305 c03 N71-24718
US-PATENT-CLASS-204-324 c33 N73-16918
US-PATENT-CLASS-204-325 c33 N73-16918
US-PATENT-CLASS-204-328 c33 N73-16918
US-PATENT-CLASS-205-343 c35 N75-30502
US-PATENT-CLASS-206-439 c52 N79-14749
US-PATENT-CLASS-208-8 c25 N79-11152
US-PATENT-CLASS-208-10 c25 N79-11152
US-PATENT-CLASS-209-10 c15 N71-20440
US-PATENT-CLASS-209-127R c35 N76-22509
US-PATENT-CLASS-209-250 c37 N76-18456
US-PATENT-CLASS-209-300 c37 N76-18456
US-PATENT-CLASS-209-305 c37 N76-18456
US-PATENT-CLASS-209-349 c15 N72-22483
US-PATENT-CLASS-210-DIG.23 c52 N79-14749
US-PATENT-CLASS-210-DIG.27 c27 N77-31308
US-PATENT-CLASS-210-22 c52 N80-14687
US-PATENT-CLASS-210-23F c51 N79-10693
US-PATENT-CLASS-210-23H c27 N80-23452
US-PATENT-CLASS-210-24 c27 N77-30236
US-PATENT-CLASS-210-24 c25 N81-19244
US-PATENT-CLASS-210-24R c27 N81-14076
US-PATENT-CLASS-210-28 c85 N79-17747
US-PATENT-CLASS-210-40 c27 N77-31308
US-PATENT-CLASS-210-40 c85 N79-17747
US-PATENT-CLASS-210-45 c85 N79-17747
US-PATENT-CLASS-210-50 c45 N79-12584
US-PATENT-CLASS-210-54 c85 N79-17747
US-PATENT-CLASS-210-57 c45 N80-14579
US-PATENT-CLASS-210-60 c45 N79-12584
US-PATENT-CLASS-210-63R c25 N78-10225
US-PATENT-CLASS-210-63R c45 N79-12584
US-PATENT-CLASS-210-63Z c45 N80-14579
US-PATENT-CLASS-210-66 c85 N79-17747
US-PATENT-CLASS-210-67 c85 N79-17747
US-PATENT-CLASS-210-70 c85 N79-17747
US-PATENT-CLASS-210-71 c25 N78-10225
US-PATENT-CLASS-210-73R c85 N79-17747
US-PATENT-CLASS-210-82 c34 N75-33342
US-PATENT-CLASS-210-96M c54 N78-14784
US-PATENT-CLASS-210-96M c51 N79-10693
US-PATENT-CLASS-210-103 c05 N72-27102
US-PATENT-CLASS-210-104 c05 N72-27102
US-PATENT-CLASS-210-108 c34 N79-24285
US-PATENT-CLASS-210-110 c05 N72-27102
US-PATENT-CLASS-210-137 c05 N72-27102
US-PATENT-CLASS-210-142 c34 N79-24285
US-PATENT-CLASS-210-186 c37 N80-10494
US-PATENT-CLASS-210-188 c12 N72-25292
US-PATENT-CLASS-210-192 c54 N78-14784
US-PATENT-CLASS-210-212 c03 N72-20033
US-PATENT-CLASS-210-222 c35 N78-12390
US-PATENT-CLASS-210-234 c34 N75-33342
US-PATENT-CLASS-210-259 c34 N75-33342
US-PATENT-CLASS-210-304 c34 N75-33342
US-PATENT-CLASS-210-314 c28 N70-41447
US-PATENT-CLASS-210-321B c52 N80-14687
US-PATENT-CLASS-210-333 c34 N75-33342
US-PATENT-CLASS-210-340 c34 N75-33342
US-PATENT-CLASS-210-340 c37 N80-10494
US-PATENT-CLASS-210-411 c34 N75-33342
US-PATENT-CLASS-210-425 c34 N75-33342
US-PATENT-CLASS-210-429 c37 N76-14463
US-PATENT-CLASS-210-433M c51 N79-10693
US-PATENT-CLASS-210-445 c15 N72-11389
US-PATENT-CLASS-210-500 c25 N75-12087
US-PATENT-CLASS-210-500M c27 N80-23452
US-PATENT-CLASS-210-500M c25 N81-17187
US-PATENT-CLASS-210-512 c34 N75-33342
US-PATENT-CLASS-212-11 c32 N71-17609
US-PATENT-CLASS-212-134 c15 N72-11388
US-PATENT-CLASS-213-81 c37 N77-23483
US-PATENT-CLASS-214-ICM c37 N76-15460
US-PATENT-CLASS-214-1 c32 N70-41367
US-PATENT-CLASS-214-1B c54 N75-27758
US-PATENT-CLASS-214-1BC c54 N77-32721
US-PATENT-CLASS-214-1CM c15 N72-28495

US-PATENT-CLASS-214-1CM c54 N75-12616
US-PATENT-CLASS-214-1CM c18 N75-27041
US-PATENT-CLASS-214-1CM c54 N75-27758
US-PATENT-CLASS-214-1CM c37 N77-23483
US-PATENT-CLASS-214-1CM c54 N77-32721
US-PATENT-CLASS-214-1CM c54 N78-17676
US-PATENT-CLASS-214-1R c37 N76-15457
US-PATENT-CLASS-214-16.1CB c37 N77-22480
US-PATENT-CLASS-214-90R c03 N72-25021
US-PATENT-CLASS-215-247 c33 N76-19339
US-PATENT-CLASS-219-10.49 c11 N71-15925
US-PATENT-CLASS-219-10.49R c33 N81-19389
US-PATENT-CLASS-219-10.67 c33 N81-19389
US-PATENT-CLASS-219-19 c33 N70-34812
US-PATENT-CLASS-219-34 c09 N70-33312
US-PATENT-CLASS-219-50 c14 N73-26430
US-PATENT-CLASS-219-62 c15 N73-28515
US-PATENT-CLASS-219-72 c15 N71-14932
US-PATENT-CLASS-219-78 c37 N74-11300
US-PATENT-CLASS-219-85 c15 N72-22491
US-PATENT-CLASS-219-85 c15 N72-23497
US-PATENT-CLASS-219-85CA c35 N80-20560
US-PATENT-CLASS-219-85CM c35 N80-20560
US-PATENT-CLASS-219-85R c35 N80-20560
US-PATENT-CLASS-219-91 c15 N71-18613
US-PATENT-CLASS-219-91 c15 N73-32358
US-PATENT-CLASS-219-92 c37 N76-27568
US-PATENT-CLASS-219-92 c37 N77-11397
US-PATENT-CLASS-219-101 c15 N73-14468
US-PATENT-CLASS-219-101 c37 N74-11300
US-PATENT-CLASS-219-107 c15 N73-28515
US-PATENT-CLASS-219-107 c37 N74-11300
US-PATENT-CLASS-219-109 c15 N72-23497
US-PATENT-CLASS-219-117 c15 N73-32358
US-PATENT-CLASS-219-118 c37 N76-27568
US-PATENT-CLASS-219-118 c37 N77-11397
US-PATENT-CLASS-219-119 c15 N73-14468
US-PATENT-CLASS-219-121 c15 N69-21471
US-PATENT-CLASS-219-121 c33 N70-34540
US-PATENT-CLASS-219-121 c15 N71-19486
US-PATENT-CLASS-219-121 c16 N71-20400
US-PATENT-CLASS-219-121 c15 N71-27135
US-PATENT-CLASS-219-121P c15 N72-32487
US-PATENT-CLASS-219-124.2-2 c37 N79-10421
US-PATENT-CLASS-219-124.32 c37 N79-10421
US-PATENT-CLASS-219-125 c15 N71-23815
US-PATENT-CLASS-219-125 c37 N75-27376
US-PATENT-CLASS-219-125.1 c37 N79-10421
US-PATENT-CLASS-219-130 c15 N71-23798
US-PATENT-CLASS-219-131 c15 N71-15871
US-PATENT-CLASS-219-137 c15 N70-34814
US-PATENT-CLASS-219-137 c37 N75-19683
US-PATENT-CLASS-219-158 c15 N72-22491
US-PATENT-CLASS-219-160 c37 N80-23655
US-PATENT-CLASS-219-161 c37 N80-23655
US-PATENT-CLASS-219-201 c52 N80-16725
US-PATENT-CLASS-219-203 c11 N73-12265
US-PATENT-CLASS-219-216 c35 N74-15831
US-PATENT-CLASS-219-221 c15 N72-11392
US-PATENT-CLASS-219-229 c15 N71-27214
US-PATENT-CLASS-219-234 c15 N72-22491
US-PATENT-CLASS-219-234 c15 N72-23497
US-PATENT-CLASS-219-243 c15 N72-11392
US-PATENT-CLASS-219-273 c15 N72-32487
US-PATENT-CLASS-219-275 c15 N71-20395
US-PATENT-CLASS-219-299 c51 N79-10694
US-PATENT-CLASS-219-300 c37 N77-13418
US-PATENT-CLASS-219-302 c51 N79-10694
US-PATENT-CLASS-219-304 c37 N77-13418
US-PATENT-CLASS-219-347 c15 N69-27871
US-PATENT-CLASS-219-347 c33 N70-34545
US-PATENT-CLASS-219-348 c15 N73-27405
US-PATENT-CLASS-219-364 c33 N71-16278
US-PATENT-CLASS-219-378 c33 N71-25353
US-PATENT-CLASS-219-388 c35 N74-15831
US-PATENT-CLASS-219-410 c12 N79-26075
US-PATENT-CLASS-219-411 c17 N69-25147
US-PATENT-CLASS-219-413 c14 N71-28958
US-PATENT-CLASS-219-477 c33 N74-14935
US-PATENT-CLASS-219-497 c77 N75-20140
US-PATENT-CLASS-219-499 c14 N73-26430
US-PATENT-CLASS-219-501 c77 N75-20140
US-PATENT-CLASS-219-505 c14 N71-27058
US-PATENT-CLASS-219-505 c77 N75-20140
US-PATENT-CLASS-219-522 c11 N73-12265
US-PATENT-CLASS-219-522 c52 N80-16725
US-PATENT-CLASS-219-530 c33 N71-25353
US-PATENT-CLASS-219-539 c33 N74-14935
US-PATENT-CLASS-220-1 c31 N71-17680
US-PATENT-CLASS-220-2.2 c24 N79-25143
US-PATENT-CLASS-220-5R c15 N72-22486
US-PATENT-CLASS-220-9 c23 N71-22881
US-PATENT-CLASS-220-9 c18 N71-23658
US-PATENT-CLASS-220-9 c15 N71-23816
US-PATENT-CLASS-220-9 c33 N71-25351
US-PATENT-CLASS-220-14 c15 N69-39935
US-PATENT-CLASS-220-15 c31 N71-15664
US-PATENT-CLASS-220-15 c34 N75-12222
US-PATENT-CLASS-220-46 c15 N71-27068
US-PATENT-CLASS-220-55 c15 N69-27502
US-PATENT-CLASS-220-63 c11 N70-38182
US-PATENT-CLASS-220-67 c15 N71-10577
US-PATENT-CLASS-220-82B c31 N81-19343
US-PATENT-CLASS-220-89 c11 N71-15960
US-PATENT-CLASS-220-89 c11 N71-17600
US-PATENT-CLASS-220-89A c31 N81-19343
US-PATENT-CLASS-220-266 c37 N79-22474
US-PATENT-CLASS-220-423 c37 N80-18393
US-PATENT-CLASS-220-429 c44 N80-20808
US-PATENT-CLASS-220-445 c37 N80-18393
US-PATENT-CLASS-220-901 c37 N80-18393
US-PATENT-CLASS-221-265 c51 N74-15778
US-PATENT-CLASS-222-45 c14 N70-40233
US-PATENT-CLASS-222-49 c14 N71-27005
US-PATENT-CLASS-222-61 c27 N71-29155
US-PATENT-CLASS-222-61 c37 N77-28487
US-PATENT-CLASS-222-71 c15 N72-21465
US-PATENT-CLASS-222-95 c37 N77-28487
US-PATENT-CLASS-222-131 c31 N79-21225
US-PATENT-CLASS-222-135 c15 N72-21465
US-PATENT-CLASS-222-137 c14 N71-27005
US-PATENT-CLASS-222-145 c37 N76-19436
US-PATENT-CLASS-222-193 c37 N74-13178
US-PATENT-CLASS-222-309 c15 N72-21465
US-PATENT-CLASS-222-309 c54 N74-12779
US-PATENT-CLASS-222-324 c54 N74-17853
US-PATENT-CLASS-222-340 c54 N74-12779
US-PATENT-CLASS-222-387 c54 N74-12779
US-PATENT-CLASS-222-389 c15 N70-38996
US-PATENT-CLASS-222-414 c14 N73-27378
US-PATENT-CLASS-222-514 c54 N74-12779
US-PATENT-CLASS-224-25 c05 N71-12351
US-PATENT-CLASS-224-25A c05 N72-23085
US-PATENT-CLASS-224-444 c54 N74-17853
US-PATENT-CLASS-225-1 c15 N71-17628
US-PATENT-CLASS-225-2 c26 N71-14354
US-PATENT-CLASS-226-58 c14 N71-28935
US-PATENT-CLASS-226-190 c08 N71-19420
US-PATENT-CLASS-228-1 c37 N75-25185
US-PATENT-CLASS-228-2.5 c37 N79-13364
US-PATENT-CLASS-228-5.1 c44 N79-24431
US-PATENT-CLASS-228-6 c44 N79-24431
US-PATENT-CLASS-228-7 c15 N71-15607
US-PATENT-CLASS-228-8 c15 N71-23050
US-PATENT-CLASS-228-8 c37 N79-10421
US-PATENT-CLASS-228-9 c15 N71-20393
US-PATENT-CLASS-228-13 c18 N79-11108
US-PATENT-CLASS-228-15.1 c18 N79-11108
US-PATENT-CLASS-228-44.1R c37 N80-23655
US-PATENT-CLASS-228-50 c15 N70-39924
US-PATENT-CLASS-228-50 c15 N70-40204
US-PATENT-CLASS-228-53 c15 N71-27214
US-PATENT-CLASS-228-57 c15 N72-22491
US-PATENT-CLASS-228-107 c37 N79-13364
US-PATENT-CLASS-228-116 c37 N81-19455
US-PATENT-CLASS-228-118 c24 N81-17170
US-PATENT-CLASS-228-124 c26 N77-29260
US-PATENT-CLASS-228-170 c24 N81-17170
US-PATENT-CLASS-228-173 c18 N79-11108
US-PATENT-CLASS-228-174 c24 N81-17170
US-PATENT-CLASS-228-190 c24 N75-28135
US-PATENT-CLASS-228-190 c26 N77-28265
US-PATENT-CLASS-228-190 c24 N81-17170
US-PATENT-CLASS-228-193 c24 N75-28135
US-PATENT-CLASS-228-193 c37 N76-18455
US-PATENT-CLASS-228-194 c26 N77-28265
US-PATENT-CLASS-228-205 c37 N81-19455
US-PATENT-CLASS-228-206 c37 N76-18455
US-PATENT-CLASS-228-212 c37 N80-23655
US-PATENT-CLASS-228-214 c37 N76-18455
US-PATENT-CLASS-228-222 c37 N80-23655
US-PATENT-CLASS-228-232 c26 N77-28265
US-PATENT-CLASS-228-238 c37 N76-18455
US-PATENT-CLASS-228-263 c26 N77-29260
US-PATENT-CLASS-229-DIG.11 c32 N73-13921
US-PATENT-CLASS-230-54 c11 N72-22245
US-PATENT-CLASS-230-162 c33 N71-17610
US-PATENT-CLASS-230-221 c11 N72-22245

US-PATENT-CLASS-233-DIG.1 c34 N75-26282
US-PATENT-CLASS-233-6 c34 N75-26282
US-PATENT-CLASS-233-11 c15 N71-16079
US-PATENT-CLASS-233-20RP c34 N75-26282
US-PATENT-CLASS-233-25 c34 N75-26282
US-PATENT-CLASS-233-46 c34 N75-26282
US-PATENT-CLASS-235.150.27 c04 N74-13420
US-PATENT-CLASS-235-10.2 c08 N73-25206
US-PATENT-CLASS-235-61.6 c01 N71-13411
US-PATENT-CLASS-235-61.6 c15 N71-21179
US-PATENT-CLASS-235-61NV c08 N72-11172
US-PATENT-CLASS-235-61NV c35 N76-29552
US-PATENT-CLASS-235-70 c04 N78-17031
US-PATENT-CLASS-235-78M c35 N76-29552
US-PATENT-CLASS-235-88M c35 N76-29552
US-PATENT-CLASS-235-92 c08 N71-22897
US-PATENT-CLASS-235-92 c08 N71-24891
US-PATENT-CLASS-235-92 c10 N71-27137
US-PATENT-CLASS-235-92 c14 N71-27215
US-PATENT-CLASS-235-92CA c33 N74-10223
US-PATENT-CLASS-235-92CA c38 N77-17495
US-PATENT-CLASS-235-92CC c08 N72-20176
US-PATENT-CLASS-235-92CT c38 N77-17495
US-PATENT-CLASS-235-92CV c08 N73-25206
US-PATENT-CLASS-235-92DE c08 N72-20176
US-PATENT-CLASS-235-92DM c08 N72-20176
US-PATENT-CLASS-235-92DM c33 N74-10223
US-PATENT-CLASS-235-92DM c33 N75-19519
US-PATENT-CLASS-235-92DN c08 N73-25206
US-PATENT-CLASS-235-92DN c38 N77-17495
US-PATENT-CLASS-235-92EA c08 N73-25206
US-PATENT-CLASS-235-92EV c08 N73-25206
US-PATENT-CLASS-235-92FQ c08 N73-20217
US-PATENT-CLASS-235-92LG c08 N72-20176
US-PATENT-CLASS-235-92LG c33 N75-19519
US-PATENT-CLASS-235-92MT c08 N72-31226
US-PATENT-CLASS-235-92MT c32 N73-26910
US-PATENT-CLASS-235-92PE c37 N74-21056
US-PATENT-CLASS-235-92R c08 N72-20176
US-PATENT-CLASS-235-92R c08 N73-20217
US-PATENT-CLASS-235-92R c08 N73-25206
US-PATENT-CLASS-235-92R c33 N75-19519
US-PATENT-CLASS-235-92R c38 N77-17495
US-PATENT-CLASS-235-92SB c37 N74-21056
US-PATENT-CLASS-235-92SH c33 N76-14373
US-PATENT-CLASS-235-92T c03 N72-25020
US-PATENT-CLASS-235-92T c08 N73-20217
US-PATENT-CLASS-235-92T c33 N75-19519
US-PATENT-CLASS-235-92VA c33 N75-19519
US-PATENT-CLASS-235-150.1 c08 N71-29033
US-PATENT-CLASS-235-150.1 c08 N72-31226
US-PATENT-CLASS-235-150.1 c32 N77-10392
US-PATENT-CLASS-235-150.2 c08 N71-29033
US-PATENT-CLASS-235-150.2 c35 N77-20399
US-PATENT-CLASS-235-150.3 c33 N74-10223
US-PATENT-CLASS-235-150.22 c02 N71-13421
US-PATENT-CLASS-235-150.22 c04 N74-13420
US-PATENT-CLASS-235-150.25 c21 N71-21688
US-PATENT-CLASS-235-150.25 c35 N77-20399
US-PATENT-CLASS-235-150.26 c04 N74-13420
US-PATENT-CLASS-235-150.27 c08 N71-29033
US-PATENT-CLASS-235-150.52 c08 N72-22165
US-PATENT-CLASS-235-150.53 c08 N72-22165
US-PATENT-CLASS-235-150.53 c07 N73-13149
US-PATENT-CLASS-235-150.53 c33 N75-26243
US-PATENT-CLASS-235-151 c37 N74-21056
US-PATENT-CLASS-235-151.1 c08 N71-29033
US-PATENT-CLASS-235-151.1 c08 N72-31226
US-PATENT-CLASS-235-151.3 c52 N74-22771
US-PATENT-CLASS-235-151.3 c38 N78-17395
US-PATENT-CLASS-235-151.3 c38 N78-17396
US-PATENT-CLASS-235-151.13 c25 N76-18245
US-PATENT-CLASS-235-151.27 c08 N73-25206
US-PATENT-CLASS-235-151.31 c10 N73-25240
US-PATENT-CLASS-235-151.34 c35 N76-14431
US-PATENT-CLASS-235-152 c07 N71-24741
US-PATENT-CLASS-235-152 c08 N72-20176
US-PATENT-CLASS-235-152 c08 N72-22167
US-PATENT-CLASS-235-152 c08 N72-25210
US-PATENT-CLASS-235-152 c08 N73-12175
US-PATENT-CLASS-235-152 c09 N73-13209
US-PATENT-CLASS-235-152 c08 N73-26175
US-PATENT-CLASS-235-152 c60 N77-14751
US-PATENT-CLASS-235-152IE c08 N73-32081
US-PATENT-CLASS-235-153 c08 N71-24633
US-PATENT-CLASS-235-153 c08 N72-22166
US-PATENT-CLASS-235-153AE c60 N76-21914
US-PATENT-CLASS-235-153AK c62 N74-14920
US-PATENT-CLASS-235-154 c08 N70-34778
US-PATENT-CLASS-235-154 c10 N71-23662
US-PATENT-CLASS-235-154 c08 N72-18184
US-PATENT-CLASS-235-154 c08 N72-25206
US-PATENT-CLASS-235-155 c08 N71-24890
US-PATENT-CLASS-235-155 c08 N72-21197
US-PATENT-CLASS-235-155 c08 N73-12176
US-PATENT-CLASS-235-156 c08 N71-18693
US-PATENT-CLASS-235-156 c60 N75-13539
US-PATENT-CLASS-235-156 c32 N76-21366
US-PATENT-CLASS-235-156 c32 N77-10392
US-PATENT-CLASS-235-156 c38 N78-17395
US-PATENT-CLASS-235-156 c38 N78-17396
US-PATENT-CLASS-235-158 c08 N71-19437
US-PATENT-CLASS-235-164 c08 N71-33110
US-PATENT-CLASS-235-164 c08 N73-26175
US-PATENT-CLASS-235-164 c60 N74-20836
US-PATENT-CLASS-235-175 c08 N71-18602
US-PATENT-CLASS-235-175 c08 N71-33110
US-PATENT-CLASS-235-176 c08 N70-34787
US-PATENT-CLASS-235-181 c07 N71-21476
US-PATENT-CLASS-235-181 c07 N73-13149
US-PATENT-CLASS-235-181 c35 N75-21582
US-PATENT-CLASS-235-181 c33 N75-26243
US-PATENT-CLASS-235-181 c43 N77-10584
US-PATENT-CLASS-235-181 c38 N78-17395
US-PATENT-CLASS-235-183 c08 N72-22165
US-PATENT-CLASS-235-184 c74 N76-18913
US-PATENT-CLASS-235-186 c10 N73-26230
US-PATENT-CLASS-235-194 c09 N71-19480
US-PATENT-CLASS-235-194 c08 N72-22165
US-PATENT-CLASS-235-194 c10 N73-26230
US-PATENT-CLASS-235-197 c08 N72-22165
US-PATENT-CLASS-235-197 c09 N72-23173
US-PATENT-CLASS-235-197 c10 N73-20253
US-PATENT-CLASS-235-197 c10 N73-26230
US-PATENT-CLASS-235-197 c60 N75-13539
US-PATENT-CLASS-235-201 c10 N71-25899
US-PATENT-CLASS-236-1 c33 N71-16357
US-PATENT-CLASS-236-13 c31 N80-32583
US-PATENT-CLASS-236-44C c31 N80-32583
US-PATENT-CLASS-236-49 c31 N74-27902
US-PATENT-CLASS-236-49 c31 N80-32583
US-PATENT-CLASS-236-68 c15 N72-12409
US-PATENT-CLASS-237-1A c44 N76-14602
US-PATENT-CLASS-237-1A c44 N78-10554
US-PATENT-CLASS-237-1A c44 N78-15560
US-PATENT-CLASS-237-1A c44 N78-17460
US-PATENT-CLASS-237-1A c44 N78-31525
US-PATENT-CLASS-237-1A c44 N79-24033
US-PATENT-CLASS-237-60 c34 N76-17317
US-PATENT-CLASS-238-1 c05 N71-28619
US-PATENT-CLASS-238-134 c85 N74-34672
US-PATENT-CLASS-239-102 c37 N80-10494
US-PATENT-CLASS-239-127.1 c28 N71-23968
US-PATENT-CLASS-239-127.1 c28 N73-32606
US-PATENT-CLASS-239-127.1 c34 N79-13288
US-PATENT-CLASS-239-127.1 c34 N79-13289
US-PATENT-CLASS-239-127.1 c34 N80-24573
US-PATENT-CLASS-239-127.3 c20 N76-14191
US-PATENT-CLASS-239-127.3 c07 N80-32392
US-PATENT-CLASS-239-171 c37 N77-13418
US-PATENT-CLASS-239-265.11 c18 N71-21068
US-PATENT-CLASS-239-265.11 c07 N74-33218
US-PATENT-CLASS-239-265.11 c07 N76-18117
US-PATENT-CLASS-239-265.15 c37 N79-22474
US-PATENT-CLASS-239-265.17 c07 N74-27490
US-PATENT-CLASS-239-265.19 c28 N71-21493
US-PATENT-CLASS-239-265.19 c28 N72-11708
US-PATENT-CLASS-239-265.25 c07 N78-27121
US-PATENT-CLASS-239-265.25 c09 N78-31129
US-PATENT-CLASS-239-265.33 c07 N78-27121
US-PATENT-CLASS-239-265.33 c07 N80-32392
US-PATENT-CLASS-239-265.39 c07 N79-14097
US-PATENT-CLASS-239-265.43 c28 N71-16224
US-PATENT-CLASS-239-265.43 c28 N72-11708
US-PATENT-CLASS-239-288 c37 N79-22474
US-PATENT-CLASS-239-302 c37 N80-10494
US-PATENT-CLASS-239-416 c15 N69-23185
US-PATENT-CLASS-239-416 c15 N71-17654
US-PATENT-CLASS-239-418 c28 N72-23809
US-PATENT-CLASS-239-424 c15 N72-25455
US-PATENT-CLASS-239-433 c28 N72-23809
US-PATENT-CLASS-239-543 c28 N72-23809
US-PATENT-CLASS-240-1.2 c11 N70-33329
US-PATENT-CLASS-240-11.2 c09 N71-26787
US-PATENT-CLASS-240-11.4 c09 N71-26787
US-PATENT-CLASS-240-41.35R c74 N77-21941
US-PATENT-CLASS-240-41B c36 N75-27364
US-PATENT-CLASS-240-41B c74 N77-21941

US-PATENT-CLASS-240-46.13 c74 N77-21941
US-PATENT-CLASS-240-47 c34 N74-23066
US-PATENT-CLASS-240-51.11 c09 N71-26787
US-PATENT-CLASS-242-54 c15 N72-18477
US-PATENT-CLASS-242-55.19 c14 N70-41647
US-PATENT-CLASS-242-55.19 c07 N71-10609
US-PATENT-CLASS-242-57 c37 N77-14479
US-PATENT-CLASS-242-187 c37 N77-14479
US-PATENT-CLASS-242-192 c14 N71-23698
US-PATENT-CLASS-242-193 c37 N77-14479
US-PATENT-CLASS-242-204 c37 N77-14479
US-PATENT-CLASS-242-210 c37 N77-14479
US-PATENT-CLASS-244-ISS c03 N72-20031
US-PATENT-CLASS-244-1 c31 N69-27499
US-PATENT-CLASS-244-1 c03 N70-33343
US-PATENT-CLASS-244-1 c33 N70-33344
US-PATENT-CLASS-244-1 c03 N70-34157
US-PATENT-CLASS-244-1 c31 N70-34176
US-PATENT-CLASS-244-1 c21 N70-34295
US-PATENT-CLASS-244-1 c31 N70-34296
US-PATENT-CLASS-244-1 c21 N70-35395
US-PATENT-CLASS-244-1 c31 N70-36410
US-PATENT-CLASS-244-1 c33 N70-36617
US-PATENT-CLASS-244-1 c21 N70-36943
US-PATENT-CLASS-244-1 c31 N70-37924
US-PATENT-CLASS-244-1 c31 N70-37938
US-PATENT-CLASS-244-1 c31 N70-37986
US-PATENT-CLASS-244-1 c31 N70-38676
US-PATENT-CLASS-244-1 c30 N70-40016
US-PATENT-CLASS-244-1 c31 N70-41373
US-PATENT-CLASS-244-1 c31 N70-41588
US-PATENT-CLASS-244-1 c31 N70-41631
US-PATENT-CLASS-244-1 c31 N70-41855
US-PATENT-CLASS-244-1 c21 N70-41856
US-PATENT-CLASS-244-1 c31 N70-42075
US-PATENT-CLASS-244-1 c03 N71-11058
US-PATENT-CLASS-244-1 c33 N71-14035
US-PATENT-CLASS-244-1 c21 N71-14132
US-PATENT-CLASS-244-1 c21 N71-14159
US-PATENT-CLASS-244-1 c21 N71-15583
US-PATENT-CLASS-244-1 c31 N71-15663
US-PATENT-CLASS-244-1 c31 N71-15674
US-PATENT-CLASS-244-1 c31 N71-15676
US-PATENT-CLASS-244-1 c02 N71-16087
US-PATENT-CLASS-244-1 c31 N71-16222
US-PATENT-CLASS-244-1 c31 N71-16345
US-PATENT-CLASS-244-1 c31 N71-16346
US-PATENT-CLASS-244-1 c31 N71-17679
US-PATENT-CLASS-244-1 c15 N71-17693
US-PATENT-CLASS-244-1 c31 N71-17729
US-PATENT-CLASS-244-1 c15 N71-19214
US-PATENT-CLASS-244-1 c03 N71-20273
US-PATENT-CLASS-244-1 c31 N71-20396
US-PATENT-CLASS-244-1 c31 N71-21064
US-PATENT-CLASS-244-1 c14 N71-21082
US-PATENT-CLASS-244-1 c21 N71-21708
US-PATENT-CLASS-244-1 c31 N71-21881
US-PATENT-CLASS-244-1 c33 N71-22792
US-PATENT-CLASS-244-1 c31 N71-22968
US-PATENT-CLASS-244-1 c31 N71-22969
US-PATENT-CLASS-244-1 c31 N71-23009
US-PATENT-CLASS-244-1 c14 N71-23040
US-PATENT-CLASS-244-1 c31 N71-23912
US-PATENT-CLASS-244-1 c31 N71-24315
US-PATENT-CLASS-244-1 c15 N71-24600
US-PATENT-CLASS-244-1 c05 N71-24728
US-PATENT-CLASS-244-1 c33 N71-25353
US-PATENT-CLASS-244-1 c31 N71-25434
US-PATENT-CLASS-244-1 c31 N71-26537
US-PATENT-CLASS-244-1 c15 N71-26611
US-PATENT-CLASS-244-1 c28 N71-27095
US-PATENT-CLASS-244-1 c21 N71-27324
US-PATENT-CLASS-244-1 c33 N71-28903
US-PATENT-CLASS-244-1 c15 N71-28936
US-PATENT-CLASS-244-1 c31 N71-29050
US-PATENT-CLASS-244-1 c31 N71-33160
US-PATENT-CLASS-244-1.55 c03 N73-20040
US-PATENT-CLASS-244-1A c33 N77-10429
US-PATENT-CLASS-244-1B c34 N79-31523
US-PATENT-CLASS-244-1SA c21 N72-21624
US-PATENT-CLASS-244-1SA c21 N72-25595
US-PATENT-CLASS-244-1SA c03 N73-20039
US-PATENT-CLASS-244-1SA c15 N73-25513
US-PATENT-CLASS-244-1SA c21 N73-30640
US-PATENT-CLASS-244-1SA c19 N74-15089
US-PATENT-CLASS-244-1SA c35 N74-28097
US-PATENT-CLASS-244-1SB c15 N73-12486
US-PATENT-CLASS-244-1SC c31 N73-32750
US-PATENT-CLASS-244-1SC c34 N75-12222

US-PATENT-CLASS-244-1SD c31 N73-26876
US-PATENT-CLASS-244-1SD c37 N74-27903
US-PATENT-CLASS-244-1SD c15 N77-10112
US-PATENT-CLASS-244-1SS c11 N73-13257
US-PATENT-CLASS-244-1SS c03 N73-20039
US-PATENT-CLASS-244-1SS c14 N73-27378
US-PATENT-CLASS-244-1SS c31 N73-30829
US-PATENT-CLASS-244-1SS c31 N73-32750
US-PATENT-CLASS-244-1SS c33 N73-32818
US-PATENT-CLASS-244-1SS c18 N74-22136
US-PATENT-CLASS-244-1SS c18 N74-27397
US-PATENT-CLASS-244-1SS c73 N75-30876
US-PATENT-CLASS-244-3.14 c31 N71-17691
US-PATENT-CLASS-244-3.16 c19 N74-15089
US-PATENT-CLASS-244-3.21 c30 N72-17873
US-PATENT-CLASS-244-3.21 c15 N76-14158
US-PATENT-CLASS-244-3.21 c15 N77-10113
US-PATENT-CLASS-244-3.21 c35 N77-20399
US-PATENT-CLASS-244-3.22 c31 N71-17629
US-PATENT-CLASS-244-3.22 c28 N72-22769
US-PATENT-CLASS-244-3.22 c20 N76-21275
US-PATENT-CLASS-244-4 c05 N69-21380
US-PATENT-CLASS-244-4 c05 N71-12336
US-PATENT-CLASS-244-4 c28 N71-27585
US-PATENT-CLASS-244-12 c02 N70-33332
US-PATENT-CLASS-244-12.5 c08 N81-19130
US-PATENT-CLASS-244-13 c01 N71-23497
US-PATENT-CLASS-244-13 c02 N73-26005
US-PATENT-CLASS-244-13 c05 N75-25914
US-PATENT-CLASS-244-14 c14 N70-33322
US-PATENT-CLASS-244-15 c05 N75-25914
US-PATENT-CLASS-244-15.5 c31 N72-18859
US-PATENT-CLASS-244-16 c02 N70-41863
US-PATENT-CLASS-244-17.13 c02 N73-19004
US-PATENT-CLASS-244-17.13 c08 N79-23097
US-PATENT-CLASS-244-17.25 c05 N81-19087
US-PATENT-CLASS-244-23 c02 N71-11039
US-PATENT-CLASS-244-23A c21 N72-25595
US-PATENT-CLASS-244-23D c34 N76-18364
US-PATENT-CLASS-244-31 c02 N71-11037
US-PATENT-CLASS-244-31 c31 N71-16081
US-PATENT-CLASS-244-31 c34 N74-23039
US-PATENT-CLASS-244-32 c02 N73-13008
US-PATENT-CLASS-244-35 c01 N71-13410
US-PATENT-CLASS-244-35B c02 N76-22154
US-PATENT-CLASS-244-40B c02 N76-22154
US-PATENT-CLASS-244-42 c02 N70-42016
US-PATENT-CLASS-244-42 c02 N71-26110
US-PATENT-CLASS-244-42CG c33 N77-10429
US-PATENT-CLASS-244-42DA c05 N75-25914
US-PATENT-CLASS-244-43 c02 N70-33255
US-PATENT-CLASS-244-43 c02 N71-11043
US-PATENT-CLASS-244-44 c02 N71-11038
US-PATENT-CLASS-244-45 c02 N71-12243
US-PATENT-CLASS-244-45A c05 N78-32086
US-PATENT-CLASS-244-46 c02 N70-33266
US-PATENT-CLASS-244-46 c02 N70-33286
US-PATENT-CLASS-244-46 c02 N70-34178
US-PATENT-CLASS-244-46 c02 N70-34858
US-PATENT-CLASS-244-46 c31 N70-38010
US-PATENT-CLASS-244-46 c02 N70-38011
US-PATENT-CLASS-244-46 c02 N71-11041
US-PATENT-CLASS-244-46 c02 N73-26005
US-PATENT-CLASS-244-46 c05 N76-29217
US-PATENT-CLASS-244-46 c05 N78-32086
US-PATENT-CLASS-244-46 c08 N79-14108
US-PATENT-CLASS-244-48 c05 N79-12061
US-PATENT-CLASS-244-49 c43 N81-17499
US-PATENT-CLASS-244-50 c02 N70-34160
US-PATENT-CLASS-244-51 c02 N70-34856
US-PATENT-CLASS-244-52 c08 N81-19130
US-PATENT-CLASS-244-53 c28 N71-15563
US-PATENT-CLASS-244-53A c07 N78-18066
US-PATENT-CLASS-244-53B c02 N74-20646
US-PATENT-CLASS-244-53B c07 N75-24736
US-PATENT-CLASS-244-53B c07 N77-18154
US-PATENT-CLASS-244-53B c05 N79-24976
US-PATENT-CLASS-244-54 c07 N78-18066
US-PATENT-CLASS-244-54 c07 N79-14096
US-PATENT-CLASS-244-55 c02 N73-26005
US-PATENT-CLASS-244-55 c05 N75-25914
US-PATENT-CLASS-244-57 c15 N71-26611
US-PATENT-CLASS-244-63 c09 N77-19076
US-PATENT-CLASS-244-75A c02 N73-26004
US-PATENT-CLASS-244-75B c05 N75-12930
US-PATENT-CLASS-244-76 c21 N70-34539
US-PATENT-CLASS-244-76 c02 N71-13422
US-PATENT-CLASS-244-76 c02 N71-20570
US-PATENT-CLASS-244-76C c02 N73-26004

US-PATENT-CLASS-244-77 c32 N71-23971
US-PATENT-CLASS-244-77A c04 N74-13420
US-PATENT-CLASS-244-77B c04 N74-13420
US-PATENT-CLASS-244-77D c02 N73-19004
US-PATENT-CLASS-244-77F c02 N73-26004
US-PATENT-CLASS-244-77G c02 N73-26004
US-PATENT-CLASS-244-79 c04 N76-26175
US-PATENT-CLASS-244-82 c05 N79-12061
US-PATENT-CLASS-244-83 c21 N70-33279
US-PATENT-CLASS-244-83 c15 N71-23255
US-PATENT-CLASS-244-83 c31 N71-33160
US-PATENT-CLASS-244-83 c08 N74-10942
US-PATENT-CLASS-244-83G c08 N79-23097
US-PATENT-CLASS-244-83R c05 N75-12930
US-PATENT-CLASS-244-87 c08 N81-19130
US-PATENT-CLASS-244-90 c02 N71-27C88
US-PATENT-CLASS-244-90R c08 N74-30421
US-PATENT-CLASS-244-90R c05 N79-12061
US-PATENT-CLASS-244-90R c08 N79-14108
US-PATENT-CLASS-244-91 c08 N74-30421
US-PATENT-CLASS-244-100 c15 N70-34850
US-PATENT-CLASS-244-100 c31 N70-36654
US-PATENT-CLASS-244-100 c31 N70-36845
US-PATENT-CLASS-244-100 c02 N70-41589
US-PATENT-CLASS-244-103 c02 N70-36825
US-PATENT-CLASS-244-113 c02 N70-37939
US-PATENT-CLASS-244-113 c31 N71-25434
US-PATENT-CLASS-244-113 c02 N77-10C01
US-PATENT-CLASS-244-114 c21 N72-22619
US-PATENT-CLASS-244-117 c31 N70-33242
US-PATENT-CLASS-244-117 c33 N72-17947
US-PATENT-CLASS-244-117A c33 N73-25952
US-PATENT-CLASS-244-117A c34 N76-17317
US-PATENT-CLASS-244-117A c37 N76-19437
US-PATENT-CLASS-244-117A c34 N77-18382
US-PATENT-CLASS-244-119 c02 N81-14968
US-PATENT-CLASS-244-121 c27 N79-12221
US-PATENT-CLASS-244-121 c24 N79-25142
US-PATENT-CLASS-244-121 c15 N79-26100
US-PATENT-CLASS-244-122 c05 N71-20718
US-PATENT-CLASS-244-123 c24 N77-28225
US-PATENT-CLASS-244-127 c34 N74-23039
US-PATENT-CLASS-244-130 c02 N77-10001
US-PATENT-CLASS-244-130 c02 N81-14968
US-PATENT-CLASS-244-135 c31 N70-42015
US-PATENT-CLASS-244-135 c15 N73-12486
US-PATENT-CLASS-244-135 c14 N73-27378
US-PATENT-CLASS-244-135R c34 N76-17317
US-PATENT-CLASS-244-135R c20 N80-10278
US-PATENT-CLASS-244-137P c31 N73-26876
US-PATENT-CLASS-244-137P c37 N76-22540
US-PATENT-CLASS-244-138 c01 N69-39981
US-PATENT-CLASS-244-138 c02 N70-41630
US-PATENT-CLASS-244-138 c31 N71-16085
US-PATENT-CLASS-244-138 c31 N71-25434
US-PATENT-CLASS-244-138 c31 N71-28651
US-PATENT-CLASS-244-139 c31 N73-13898
US-PATENT-CLASS-244-139 c02 N76-16014
US-PATENT-CLASS-244-140 c02 N70-38009
US-PATENT-CLASS-244-145 c02 N74-10034
US-PATENT-CLASS-244-150 c15 N71-24600
US-PATENT-CLASS-244-151R c33 N74-22865
US-PATENT-CLASS-244-152 c02 N70-36804
US-PATENT-CLASS-244-155 c30 N73-12684
US-PATENT-CLASS-244-155 c31 N73-14854
US-PATENT-CLASS-244-158 c37 N76-22540
US-PATENT-CLASS-244-158 c27 N79-12221
US-PATENT-CLASS-244-159 c18 N79-11108
US-PATENT-CLASS-244-160 c27 N79-12221
US-PATENT-CLASS-244-160 c43 N81-17499
US-PATENT-CLASS-244-161 c18 N76-14186
US-PATENT-CLASS-244-161 c37 N76-22540
US-PATENT-CLASS-244-161 c37 N77-23483
US-PATENT-CLASS-244-161 c15 N78-25119
US-PATENT-CLASS-244-161 c37 N80-14398
US-PATENT-CLASS-244-161 c37 N81-14320
US-PATENT-CLASS-244-162 c18 N75-19329
US-PATENT-CLASS-244-162 c18 N76-17185
US-PATENT-CLASS-244-163 c37 N76-19437
US-PATENT-CLASS-244-163 c24 N79-25142
US-PATENT-CLASS-244-163 c34 N79-31523
US-PATENT-CLASS-244-165 c15 N76-14158
US-PATENT-CLASS-244-165 c35 N77-20399
US-PATENT-CLASS-244-165 c35 N80-21719
US-PATENT-CLASS-244-167 c15 N78-25119
US-PATENT-CLASS-244-169 c15 N77-10113
US-PATENT-CLASS-244-170 c35 N80-21719
US-PATENT-CLASS-244-171 c15 N77-10113
US-PATENT-CLASS-244-171 c35 N77-20399

US-PATENT-CLASS-244-172 c18 N76-17185
US-PATENT-CLASS-244-173 c44 N75-32581
US-PATENT-CLASS-244-173 c37 N81-15364
US-PATENT-CLASS-244-195 c08 N79-23097
US-PATENT-CLASS-244-218 c05 N78-32086
US-PATENT-CLASS-244-218 c08 N79-14108
US-PATENT-CLASS-244-327 c08 N74-30421
US-PATENT-CLASS-247-171 c35 N75-23910
US-PATENT-CLASS-248 c25 N79-28253
US-PATENT-CLASS-248-14 c15 N72-17454
US-PATENT-CLASS-248-16 c18 N74-27397
US-PATENT-CLASS-248-18 c14 N69-27486
US-PATENT-CLASS-248-18 c15 N72-11391
US-PATENT-CLASS-248-20 c15 N72-11391
US-PATENT-CLASS-248-22 c19 N76-22284
US-PATENT-CLASS-248-23 c18 N74-27397
US-PATENT-CLASS-248-27 c15 N71-20813
US-PATENT-CLASS-248-36-3 c37 N78-17383
US-PATENT-CLASS-248-119 c11 N70-35383
US-PATENT-CLASS-248-178 c15 N70-41310
US-PATENT-CLASS-248-178 c37 N78-27425
US-PATENT-CLASS-248-183 c14 N71-26627
US-PATENT-CLASS-248-183 c15 N72-11386
US-PATENT-CLASS-248-186 c37 N78-27425
US-PATENT-CLASS-248-188.4 c15 N72-27484
US-PATENT-CLASS-248-188.9 c31 N70-34159
US-PATENT-CLASS-248-278 c15 N72-11386
US-PATENT-CLASS-248-317 c11 N69-27466
US-PATENT-CLASS-248-346 c14 N70-39898
US-PATENT-CLASS-248-358 c15 N70-40156
US-PATENT-CLASS-248-358 c23 N71-15673
US-PATENT-CLASS-248-358 c15 N71-24694
US-PATENT-CLASS-248-358R c37 N75-18573
US-PATENT-CLASS-248-358R c19 N76-22284
US-PATENT-CLASS-248-360 c15 N71-17649
US-PATENT-CLASS-248-361 c05 N71-28619
US-PATENT-CLASS-248-362 c37 N76-21554
US-PATENT-CLASS-248-363 c37 N76-21554
US-PATENT-CLASS-248-487 c15 N72-11386
US-PATENT-CLASS-249-59 c31 N75-13111
US-PATENT-CLASS-249-83 c31 N74-32920
US-PATENT-CLASS-249-95 c31 N74-32920
US-PATENT-CLASS-249-144 c31 N75-13111
US-PATENT-CLASS-249-145 c31 N74-32920
US-PATENT-CLASS-249-145 c31 N75-13111
US-PATENT-CLASS-249-184 c31 N74-32920
US-PATENT-CLASS-250-41.9 c06 N71-13461
US-PATENT-CLASS-250-41.9 c24 N71-16095
US-PATENT-CLASS-250-41.9 c14 N71-23041
US-PATENT-CLASS-250-41.9 c14 N71-28863
US-PATENT-CLASS-250-41.9 c14 N72-17328
US-PATENT-CLASS-250-41.9 c14 N73-32325
US-PATENT-CLASS-250-41.9D c14 N72-29464
US-PATENT-CLASS-250-41.9G c14 N73-12444
US-PATENT-CLASS-250-41.9S c14 N73-12444
US-PATENT-CLASS-250-41.95 c14 N71-28992
US-PATENT-CLASS-250-43.5 c27 N71-16348
US-PATENT-CLASS-250-43.5 c15 N71-24896
US-PATENT-CLASS-250-43.5 c14 N71-25901
US-PATENT-CLASS-250-43.5FC c14 N72-11365
US-PATENT-CLASS-250-43.5R c14 N71-27090
US-PATENT-CLASS-250-43.5R c14 N72-21408
US-PATENT-CLASS-250-43.5R c06 N72-25146
US-PATENT-CLASS-250-43.5R c06 N72-31141
US-PATENT-CLASS-250-49.5 c14 N69-39982
US-PATENT-CLASS-250-49.5 c14 N71-28863
US-PATENT-CLASS-250-49.5 c14 N72-17328
US-PATENT-CLASS-250-49.5B c24 N72-11595
US-PATENT-CLASS-250-49.5TE c24 N72-11595
US-PATENT-CLASS-250-51 c24 N72-11595
US-PATENT-CLASS-250-51.5 c23 N73-13662
US-PATENT-CLASS-250-51.5 c14 N73-28491
US-PATENT-CLASS-250-52 c15 N71-15606
US-PATENT-CLASS-250-52 c11 N71-23042
US-PATENT-CLASS-250-52 c24 N72-11595
US-PATENT-CLASS-250-52 c23 N73-13662
US-PATENT-CLASS-250-65F c15 N72-25452
US-PATENT-CLASS-250-65R c14 N73-30389
US-PATENT-CLASS-250-71 c14 N70-41676
US-PATENT-CLASS-250-71.5 c14 N72-17328
US-PATENT-CLASS-250-71.5R c14 N72-29464
US-PATENT-CLASS-250-71R c06 N73-16106
US-PATENT-CLASS-250-83 c14 N69-27484
US-PATENT-CLASS-250-83 c14 N69-39937
US-PATENT-CLASS-250-83 c09 N71-18830
US-PATENT-CLASS-250-83 c05 N71-19440
US-PATENT-CLASS-250-83 c14 N71-20430
US-PATENT-CLASS-250-83 c14 N71-23401
US-PATENT-CLASS-250-83 c09 N71-27232

US-PATENT-CLASS-250-83.3 c21 N70-33181
US-PATENT-CLASS-250-83.3 c21 N70-34297
US-PATENT-CLASS-250-83.3 c14 N71-15599
US-PATENT-CLASS-250-83.3 c14 N71-18699
US-PATENT-CLASS-250-83.3 c14 N71-21088
US-PATENT-CLASS-250-83.3 c09 N71-22985
US-PATENT-CLASS-250-83.3 c14 N71-25901
US-PATENT-CLASS-250-83.3 c14 N71-26475
US-PATENT-CLASS-250-83.3 c14 N71-27323
US-PATENT-CLASS-250-83.3 c14 N72-17328
US-PATENT-CLASS-250-83.3 c35 N75-27329
US-PATENT-CLASS-250-83.3H c14 N72-21408
US-PATENT-CLASS-250-83.3H c14 N72-24477
US-PATENT-CLASS-250-83.3H c14 N73-12445
US-PATENT-CLASS-250-83.3H c14 N73-20475
US-PATENT-CLASS-250-83.3H c14 N73-25462
US-PATENT-CLASS-250-83.3H c14 N73-12445
US-PATENT-CLASS-250-83.3R c14 N73-20477
US-PATENT-CLASS-250-83.3R c14 N73-32317
US-PATENT-CLASS-250-83.3UV c10 N72-17173
US-PATENT-CLASS-250-83.3UV c14 N72-25409
US-PATENT-CLASS-250-83.3UV c06 N73-16106
US-PATENT-CLASS-250-83.6 c10 N70-41991
US-PATENT-CLASS-250-83.6R c14 N71-27090
US-PATENT-CLASS-250-83.6R c14 N72-20381
US-PATENT-CLASS-250-83.6R c25 N72-33696
US-PATENT-CLASS-250-83.6R c74 N81-19898
US-PATENT-CLASS-250-83CD c91 N74-13130
US-PATENT-CLASS-250-83R c14 N73-12445
US-PATENT-CLASS-250-83R c14 N73-20477
US-PATENT-CLASS-250-84 c14 N71-24809
US-PATENT-CLASS-250-105 c14 N70-40240
US-PATENT-CLASS-250-105 c14 N73-30389
US-PATENT-CLASS-250-199 c16 N69-27491
US-PATENT-CLASS-250-199 c07 N71-12389
US-PATENT-CLASS-250-199 c16 N71-22895
US-PATENT-CLASS-250-199 c16 N71-25914
US-PATENT-CLASS-250-199 c16 N71-27183
US-PATENT-CLASS-250-199 c16 N71-28963
US-PATENT-CLASS-250-199 c16 N73-16536
US-PATENT-CLASS-250-199 c07 N73-26119
US-PATENT-CLASS-250-199 c74 N76-18913
US-PATENT-CLASS-250-199 c74 N76-30053
US-PATENT-CLASS-250-199 c74 N77-26942
US-PATENT-CLASS-250-199 c32 N77-28346
US-PATENT-CLASS-250-199 c60 N77-32731
US-PATENT-CLASS-250-199 c74 N78-14889
US-PATENT-CLASS-250-201 c14 N70-40238
US-PATENT-CLASS-250-201 c35 N75-15014
US-PATENT-CLASS-250-201 c74 N78-17866
US-PATENT-CLASS-250-203 c14 N69-27432
US-PATENT-CLASS-250-203 c14 N69-27485
US-PATENT-CLASS-250-203 c07 N69-39736
US-PATENT-CLASS-250-203 c14 N70-34158
US-PATENT-CLASS-250-203 c21 N70-35089
US-PATENT-CLASS-250-203 c14 N70-40239
US-PATENT-CLASS-250-203 c21 N71-10678
US-PATENT-CLASS-250-203 c21 N71-10771
US-PATENT-CLASS-250-203 c21 N71-15642
US-PATENT-CLASS-250-203 c14 N71-19568
US-PATENT-CLASS-250-203 c14 N71-23269
US-PATENT-CLASS-250-203 c14 N71-23797
US-PATENT-CLASS-250-203 c14 N72-22444
US-PATENT-CLASS-250-203 c14 N73-30393
US-PATENT-CLASS-250-203 c35 N75-23910
US-PATENT-CLASS-250-203R c14 N72-27409
US-PATENT-CLASS-250-203R c14 N73-25462
US-PATENT-CLASS-250-203R c14 N73-28490
US-PATENT-CLASS-250-203R c21 N73-30640
US-PATENT-CLASS-250-203R c19 N74-15089
US-PATENT-CLASS-250-203R c89 N74-30886
US-PATENT-CLASS-250-203R c35 N77-20401
US-PATENT-CLASS-250-203R c74 N77-22951
US-PATENT-CLASS-250-203X c16 N72-13437
US-PATENT-CLASS-250-204 c36 N74-21091
US-PATENT-CLASS-250-205 c14 N72-27411
US-PATENT-CLASS-250-205 c09 N73-14214
US-PATENT-CLASS-250-205 c36 N74-13205
US-PATENT-CLASS-250-206 c10 N71-20782
US-PATENT-CLASS-250-207 c14 N72-17328
US-PATENT-CLASS-250-207 c14 N73-32317
US-PATENT-CLASS-250-207 c33 N74-27682
US-PATENT-CLASS-250-208 c14 N72-20379
US-PATENT-CLASS-250-209 c07 N69-39980
US-PATENT-CLASS-250-209 c20 N71-16340
US-PATENT-CLASS-250-209 c10 N72-17173
US-PATENT-CLASS-250-209 c14 N72-25409
US-PATENT-CLASS-250-209 c14 N73-16483
US-PATENT-CLASS-250-209 c14 N73-26432
US-PATENT-CLASS-250-209 c14 N73-28490
US-PATENT-CLASS-250-209 c21 N73-30640
US-PATENT-CLASS-250-211J c09 N72-17152
US-PATENT-CLASS-250-211J c09 N73-14214
US-PATENT-CLASS-250-211J c35 N74-15090
US-PATENT-CLASS-250-211K c74 N77-22951
US-PATENT-CLASS-250-211K c44 N80-18552
US-PATENT-CLASS-250-211R c36 N75-19652
US-PATENT-CLASS-250-211R c35 N75-23910
US-PATENT-CLASS-250-212 c03 N71-23354
US-PATENT-CLASS-250-212 c03 N73-20040
US-PATENT-CLASS-250-212 c09 N73-32109
US-PATENT-CLASS-250-213VT c74 N78-18905
US-PATENT-CLASS-250-214 c14 N73-25462
US-PATENT-CLASS-250-214 c14 N73-25462
US-PATENT-CLASS-250-214 c35 N74-15090
US-PATENT-CLASS-250-214A c33 N77-14335
US-PATENT-CLASS-250-214AL c74 N79-12890
US-PATENT-CLASS-250-214R c14 N73-28490
US-PATENT-CLASS-250-214R c74 N79-12890
US-PATENT-CLASS-250-215 c14 N73-16483
US-PATENT-CLASS-250-216 c74 N79-34011
US-PATENT-CLASS-250-217 c14 N69-39896
US-PATENT-CLASS-250-217 c14 N73-16483
US-PATENT-CLASS-250-217 c36 N74-13205
US-PATENT-CLASS-250-217F c14 N73-16484
US-PATENT-CLASS-250-217R c14 N73-19419
US-PATENT-CLASS-250-217SS c09 N73-14214
US-PATENT-CLASS-250-217SS c36 N74-15145
US-PATENT-CLASS-250-218 c14 N71-22996
US-PATENT-CLASS-250-218 c14 N71-28994
US-PATENT-CLASS-250-218 c74 N78-33913
US-PATENT-CLASS-250-219 c14 N71-28993
US-PATENT-CLASS-250-219DF c91 N74-13130
US-PATENT-CLASS-250-219TH c26 N73-26751
US-PATENT-CLASS-250-225 c14 N71-24864
US-PATENT-CLASS-250-225 c14 N72-27409
US-PATENT-CLASS-250-226 c14 N72-25409
US-PATENT-CLASS-250-226 c43 N79-17288
US-PATENT-CLASS-250-227 c14 N71-22991
US-PATENT-CLASS-250-227 c14 N71-23240
US-PATENT-CLASS-250-227 c60 N77-14751
US-PATENT-CLASS-250-227 c74 N78-33913
US-PATENT-CLASS-250-229 c08 N73-30135
US-PATENT-CLASS-250-231 c14 N73-20475
US-PATENT-CLASS-250-231SE c74 N74-21304
US-PATENT-CLASS-250-231SE c44 N80-18552
US-PATENT-CLASS-250-232 c23 N71-21821
US-PATENT-CLASS-250-233 c23 N71-16100
US-PATENT-CLASS-250-234 c03 N73-20040
US-PATENT-CLASS-250-235 c14 N72-11364
US-PATENT-CLASS-250-236 c21 N73-30640
US-PATENT-CLASS-250-237 c14 N69-24331
US-PATENT-CLASS-250-237G c74 N79-20856
US-PATENT-CLASS-250-237R c08 N73-30135
US-PATENT-CLASS-250-237R c19 N74-15089
US-PATENT-CLASS-250-238 c33 N75-31332
US-PATENT-CLASS-250-238 c32 N77-28346
US-PATENT-CLASS-250-239 c08 N73-30135
US-PATENT-CLASS-250-239 c74 N78-33913
US-PATENT-CLASS-250-251 c35 N76-15431
US-PATENT-CLASS-250-253 c43 N79-31706
US-PATENT-CLASS-250-272 c74 N78-15880
US-PATENT-CLASS-250-272 c43 N79-31706
US-PATENT-CLASS-250-277CH c76 N78-24950
US-PATENT-CLASS-250-277CH c74 N80-21140
US-PATENT-CLASS-250-280 c76 N78-24950
US-PATENT-CLASS-250-280 c74 N80-21140
US-PATENT-CLASS-250-281 c35 N74-34857
US-PATENT-CLASS-250-281 c35 N76-16393
US-PATENT-CLASS-250-281 c36 N77-26477
US-PATENT-CLASS-250-281 c72 N80-14877
US-PATENT-CLASS-250-282 c36 N77-26477
US-PATENT-CLASS-250-282 c72 N80-14877
US-PATENT-CLASS-250-283 c36 N77-26477
US-PATENT-CLASS-250-287 c35 N76-15431
US-PATENT-CLASS-250-287 c35 N76-16393
US-PATENT-CLASS-250-288 c35 N76-16393
US-PATENT-CLASS-250-288 c35 N77-32456
US-PATENT-CLASS-250-289 c35 N77-14406
US-PATENT-CLASS-250-290 c35 N77-10492
US-PATENT-CLASS-250-291 c35 N77-10492
US-PATENT-CLASS-250-295 c35 N74-34857
US-PATENT-CLASS-250-298 c35 N77-14406
US-PATENT-CLASS-250-304 c25 N74-26947
US-PATENT-CLASS-250-307 c25 N80-20334
US-PATENT-CLASS-250-308 c25 N80-20334
US-PATENT-CLASS-250-310 c35 N78-10429
US-PATENT-CLASS-250-310 c33 N80-14332

US-PATENT-CLASS-250-320 c74 N78-15880
US-PATENT-CLASS-250-322 c35 N78-15461
US-PATENT-CLASS-250-332 c35 N75-19613
US-PATENT-CLASS-250-332 c31 N78-25256
US-PATENT-CLASS-250-335 c34 N76-18374
US-PATENT-CLASS-250-336 c14 N73-28488
US-PATENT-CLASS-250-336 c35 N76-15433
US-PATENT-CLASS-250-336 c33 N76-27473
US-PATENT-CLASS-250-336 c35 N78-13400
US-PATENT-CLASS-250-338 c35 N74-18088
US-PATENT-CLASS-250-338 c35 N77-10493
US-PATENT-CLASS-250-338 c47 N77-10753
US-PATENT-CLASS-250-338 c35 N80-26635
US-PATENT-CLASS-250-339 c35 N77-10493
US-PATENT-CLASS-250-339 c47 N77-10753
US-PATENT-CLASS-250-340 c35 N76-29551
US-PATENT-CLASS-250-343 c35 N74-11284
US-PATENT-CLASS-250-343 c25 N74-26947
US-PATENT-CLASS-250-343 c45 N75-27585
US-PATENT-CLASS-250-343 c74 N76-20958
US-PATENT-CLASS-250-343 c25 N76-22323
US-PATENT-CLASS-250-343 c35 N77-14411
US-PATENT-CLASS-250-343 c35 N78-13400
US-PATENT-CLASS-250-343 c25 N81-14015
US-PATENT-CLASS-250-344 c25 N76-22323
US-PATENT-CLASS-250-344 c74 N78-17867
US-PATENT-CLASS-250-345 c45 N75-27585
US-PATENT-CLASS-250-347 c35 N77-10493
US-PATENT-CLASS-250-347 c47 N77-10753
US-PATENT-CLASS-250-347 c74 N80-33210
US-PATENT-CLASS-250-351 c35 N75-30502
US-PATENT-CLASS-250-351 c35 N78-13400
US-PATENT-CLASS-250-352 c31 N79-17029
US-PATENT-CLASS-250-352 c34 N79-20336
US-PATENT-CLASS-250-352 c35 N80-26635
US-PATENT-CLASS-250-352 c74 N80-33210
US-PATENT-CLASS-250-353 c35 N76-29551
US-PATENT-CLASS-250-353 c35 N80-26635
US-PATENT-CLASS-250-353 c74 N80-33210
US-PATENT-CLASS-250-359 c37 N75-26372
US-PATENT-CLASS-250-360 c35 N74-15091
US-PATENT-CLASS-250-361 c35 N74-15091
US-PATENT-CLASS-250-363R c52 N77-14737
US-PATENT-CLASS-250-363R c74 N79-20657
US-PATENT-CLASS-250-369 c35 N74-15091
US-PATENT-CLASS-250-370 c35 N74-18088
US-PATENT-CLASS-250-370 c33 N75-31332
US-PATENT-CLASS-250-371 c35 N74-18088
US-PATENT-CLASS-250-372 c19 N74-29410
US-PATENT-CLASS-250-372 c24 N76-24363
US-PATENT-CLASS-250-372 c33 N76-27473
US-PATENT-CLASS-250-373 c25 N74-26947
US-PATENT-CLASS-250-373 c35 N75-30502
US-PATENT-CLASS-250-373 c45 N76-17656
US-PATENT-CLASS-250-374 c35 N74-26949
US-PATENT-CLASS-250-385 c35 N74-26949
US-PATENT-CLASS-250-385 c35 N75-27331
US-PATENT-CLASS-250-385 c35 N76-15433
US-PATENT-CLASS-250-385 c35 N76-16393
US-PATENT-CLASS-250-394 c14 N73-30392
US-PATENT-CLASS-250-394 c19 N74-29410
US-PATENT-CLASS-250-396 c35 N77-14408
US-PATENT-CLASS-250-398 c35 N78-10429
US-PATENT-CLASS-250-400 c25 N76-29379
US-PATENT-CLASS-250-400 c25 N78-27226
US-PATENT-CLASS-250-416TV c35 N78-15461
US-PATENT-CLASS-250-423 c35 N76-15431
US-PATENT-CLASS-250-423 c35 N76-16393
US-PATENT-CLASS-250-423P c36 N77-26477
US-PATENT-CLASS-250-423P c25 N78-25148
US-PATENT-CLASS-250-423P c72 N80-14877
US-PATENT-CLASS-250-427 c72 N80-27163
US-PATENT-CLASS-250-429 c25 N76-29379
US-PATENT-CLASS-250-429 c25 N78-27226
US-PATENT-CLASS-250-432 c45 N75-27585
US-PATENT-CLASS-250-432R c25 N76-22323
US-PATENT-CLASS-250-444 c52 N77-14737
US-PATENT-CLASS-250-457 c35 N80-28686
US-PATENT-CLASS-250-460 c37 N75-26372
US-PATENT-CLASS-250-475 c35 N79-10389
US-PATENT-CLASS-250-483 c74 N79-20657
US-PATENT-CLASS-250-489 c35 N76-15433
US-PATENT-CLASS-250-491 c35 N80-28686
US-PATENT-CLASS-250-492 c35 N74-15091
US-PATENT-CLASS-250-492 c37 N75-26372
US-PATENT-CLASS-250-492A c33 N80-14332
US-PATENT-CLASS-250-492B c25 N78-27226
US-PATENT-CLASS-250-492R c25 N76-29379
US-PATENT-CLASS-250-492R c28 N78-24365

US-PATENT-CLASS-250-493 c73 N75-30876
US-PATENT-CLASS-250-495 c74 N75-12732
US-PATENT-CLASS-250-496 c73 N75-30876
US-PATENT-CLASS-250-498 c52 N77-14737
US-PATENT-CLASS-250-499 c73 N74-26767
US-PATENT-CLASS-250-499 c72 N76-15860
US-PATENT-CLASS-250-499 c37 N78-13436
US-PATENT-CLASS-250-500 c72 N76-15860
US-PATENT-CLASS-250-505 c74 N74-27866
US-PATENT-CLASS-250-505 c35 N75-19616
US-PATENT-CLASS-250-508 c35 N75-19616
US-PATENT-CLASS-250-510 c35 N75-19616
US-PATENT-CLASS-250-511 c74 N74-27866
US-PATENT-CLASS-250-513 c35 N80-28686
US-PATENT-CLASS-250-518 c14 N73-30392
US-PATENT-CLASS-250-527 c37 N76-18458
US-PATENT-CLASS-250-527 c25 N77-32255
US-PATENT-CLASS-250-527 c44 N77-32580
US-PATENT-CLASS-250-527 c44 N79-11470
US-PATENT-CLASS-250-528 c25 N78-25148
US-PATENT-CLASS-250-531 c25 N78-25148
US-PATENT-CLASS-250-531 c33 N79-15245
US-PATENT-CLASS-250-540 c33 N79-15245
US-PATENT-CLASS-250-541 c33 N79-15245
US-PATENT-CLASS-250-551 c74 N79-34011
US-PATENT-CLASS-250-563 c38 N78-17396
US-PATENT-CLASS-250-566 c74 N75-25706
US-PATENT-CLASS-250-571 c36 N78-14380
US-PATENT-CLASS-250-572 c38 N78-17395
US-PATENT-CLASS-250-572 c38 N78-17396
US-PATENT-CLASS-250-573 c74 N76-20958
US-PATENT-CLASS-250-574 c45 N76-21742
US-PATENT-CLASS-250-574 c36 N77-25501
US-PATENT-CLASS-250-576 c35 N74-27860
US-PATENT-CLASS-250-578 c36 N75-19652
US-PATENT-CLASS-251-7 c37 N79-28550
US-PATENT-CLASS-251-11 c15 N70-35407
US-PATENT-CLASS-251-31 c15 N71-19485
US-PATENT-CLASS-251-61 c15 N71-10778
US-PATENT-CLASS-251-61.1 c12 N71-18615
US-PATENT-CLASS-251-86 c15 N72-31483
US-PATENT-CLASS-251-86 c37 N80-23654
US-PATENT-CLASS-251-118 c15 N71-18580
US-PATENT-CLASS-251-120 c37 N74-21065
US-PATENT-CLASS-251-121 c15 N71-18580
US-PATENT-CLASS-251-122 c15 N73-13462
US-PATENT-CLASS-251-122 c37 N74-21065
US-PATENT-CLASS-251-127 c12 N71-18615
US-PATENT-CLASS-251-129 c15 N72-20442
US-PATENT-CLASS-251-138 c37 N80-23654
US-PATENT-CLASS-251-148 c15 N71-23024
US-PATENT-CLASS-251-149.6 c37 N76-14463
US-PATENT-CLASS-251-149.9 c37 N79-11402
US-PATENT-CLASS-251-172 c15 N71-21234
US-PATENT-CLASS-251-172 c37 N79-33469
US-PATENT-CLASS-251-173 c15 N70-33376
US-PATENT-CLASS-251-210 c37 N74-21065
US-PATENT-CLASS-251-216 c37 N81-17433
US-PATENT-CLASS-251-331 c15 N72-31483
US-PATENT-CLASS-251-333 c15 N70-34859
US-PATENT-CLASS-251-333 c12 N71-18615
US-PATENT-CLASS-251-333 c15 N72-20442
US-PATENT-CLASS-251-333 c37 N75-25185
US-PATENT-CLASS-251-339 c37 N81-17433
US-PATENT-CLASS-251-342 c12 N71-18615
US-PATENT-CLASS-251-358 c15 N71-17648
US-PATENT-CLASS-251-360 c15 N72-25451
US-PATENT-CLASS-252-8.1 c18 N73-26572
US-PATENT-CLASS-252-8.1 c27 N74-27037
US-PATENT-CLASS-252-8.1 c24 N78-14096
US-PATENT-CLASS-252-12 c15 N71-23810
US-PATENT-CLASS-252-12 c24 N76-22309
US-PATENT-CLASS-252-12.2 c24 N79-17916
US-PATENT-CLASS-252-26 c15 N71-21403
US-PATENT-CLASS-252-26 c15 N71-24046
US-PATENT-CLASS-252-58 c18 N70-39897
US-PATENT-CLASS-252-62 c27 N74-27037
US-PATENT-CLASS-252-62.3 c26 N71-23292
US-PATENT-CLASS-252-62.3 c76 N76-25049
US-PATENT-CLASS-252-62.3E c44 N80-24741
US-PATENT-CLASS-252-62.3E c44 N81-19558
US-PATENT-CLASS-252-62.3GA c25 N75-26043
US-PATENT-CLASS-252-70 c23 N75-14834
US-PATENT-CLASS-252-300 c14 N72-22443
US-PATENT-CLASS-252-300 c24 N76-24363
US-PATENT-CLASS-252-301.1R c35 N79-10389
US-PATENT-CLASS-252-301.2 c18 N71-27170
US-PATENT-CLASS-252-301.4 c06 N73-30097
US-PATENT-CLASS-252-301.16 c35 N79-10389

US-PATENT-CLASS-252-305 c06 N73-30097
US-PATENT-CLASS-252-359A c37 N77-13418
US-PATENT-CLASS-252-364 c28 N81-15119
US-PATENT-CLASS-252-373 c44 N76-29704
US-PATENT-CLASS-252-373 c44 N77-10636
US-PATENT-CLASS-252-408 c14 N73-14428
US-PATENT-CLASS-252-431N c06 N73-32029
US-PATENT-CLASS-252-431R c06 N73-32029
US-PATENT-CLASS-252-472 c25 N78-10225
US-PATENT-CLASS-252-514 c05 N72-25120
US-PATENT-CLASS-252-514 c44 N79-31752
US-PATENT-CLASS-252-518 c24 N79-14156
US-PATENT-CLASS-252-549 c23 N75-14834
US-PATENT-CLASS-253 c25 N79-28253
US-PATENT-CLASS-253-39.1 c33 N71-29152
US-PATENT-CLASS-253-39.15 c15 N70-33226
US-PATENT-CLASS-253-39.15 c15 N70-33264
US-PATENT-CLASS-253-39.15 c28 N70-33372
US-PATENT-CLASS-253-66 c15 N70-36412
US-PATENT-CLASS-253-66 c28 N70-39895
US-PATENT-CLASS-253-77 c28 N71-28928
US-PATENT-CLASS-253-77 c28 N71-29154
US-PATENT-CLASS-253-317 c44 N77-22606
US-PATENT-CLASS-254-29A c15 N73-30457
US-PATENT-CLASS-254-93R c35 N74-13129
US-PATENT-CLASS-254-93R c20 N76-22296
US-PATENT-CLASS-254-124 c20 N76-22296
US-PATENT-CLASS-254-150 c15 N71-24599
US-PATENT-CLASS-254-156 c15 N73-25512
US-PATENT-CLASS-254-158 c54 N77-21844
US-PATENT-CLASS-254-173 c15 N71-24599
US-PATENT-CLASS-254-186 c15 N71-24599
US-PATENT-CLASS-254-190 c15 N72-25453
US-PATENT-CLASS-256-1 c37 N79-10420
US-PATENT-CLASS-256-13.1 c37 N79-10420
US-PATENT-CLASS-259-DIG.18 c35 N74-15093
US-PATENT-CLASS-259-4 c15 N73-19458
US-PATENT-CLASS-259-4AC c37 N76-19436
US-PATENT-CLASS-259-60 c35 N74-15093
US-PATENT-CLASS-259-71 c15 N71-21177
US-PATENT-CLASS-259-72 c37 N74-18123
US-PATENT-CLASS-259-98 c35 N74-15126
US-PATENT-CLASS-259/4R c34 N77-24423
US-PATENT-CLASS-260.46.5E c27 N74-21156
US-PATENT-CLASS-260-DIG.15 c27 N78-14164
US-PATENT-CLASS-260-DIG.24 c27 N74-27037
US-PATENT-CLASS-260-DIG.24 c27 N76-24405
US-PATENT-CLASS-260-DIG.29 c27 N80-24438
US-PATENT-CLASS-260-2 c06 N71-11243
US-PATENT-CLASS-260-2 c06 N71-20717
US-PATENT-CLASS-260-2 c06 N71-20905
US-PATENT-CLASS-260-2 c06 N71-27363
US-PATENT-CLASS-260-2 c06 N73-30102
US-PATENT-CLASS-260-2 c27 N79-21190
US-PATENT-CLASS-260-2.1 c25 N81-17187
US-PATENT-CLASS-260-2.1E c18 N72-22567
US-PATENT-CLASS-260-2.1E c27 N81-14076
US-PATENT-CLASS-260-2.1E c25 N81-19244
US-PATENT-CLASS-260-2.2E c25 N81-17187
US-PATENT-CLASS-260-2.2E c25 N81-19244
US-PATENT-CLASS-260-2.5 c06 N71-11242
US-PATENT-CLASS-260-2.5 c06 N71-24739
US-PATENT-CLASS-260-2.5 c06 N71-25929
US-PATENT-CLASS-260-2.5 c18 N71-26155
US-PATENT-CLASS-260-2.5 c06 N72-25150
US-PATENT-CLASS-260-2.5A c27 N77-31308
US-PATENT-CLASS-260-2.5AK c27 N76-15310
US-PATENT-CLASS-260-2.5AK c24 N78-24290
US-PATENT-CLASS-260-2.5AM c27 N74-12812
US-PATENT-CLASS-260-2.5AM c27 N77-31308
US-PATENT-CLASS-260-2.5AP c24 N78-24290
US-PATENT-CLASS-260-2.5AY c27 N77-31308
US-PATENT-CLASS-260-2.5B c24 N78-24290
US-PATENT-CLASS-260-2.5BE c24 N78-24290
US-PATENT-CLASS-260-2.5EP c24 N78-24290
US-PATENT-CLASS-260-2.5F c18 N73-13562
US-PATENT-CLASS-260-2.5FP c06 N72-25147
US-PATENT-CLASS-260-2.5FP c27 N74-27037
US-PATENT-CLASS-260-2.5FP c24 N78-24290
US-PATENT-CLASS-260-2.5L c27 N74-12814
US-PATENT-CLASS-260-2.5N c24 N78-15180
US-PATENT-CLASS-260-2.5N c27 N78-31232
US-PATENT-CLASS-260-2.5R c27 N74-27037
US-PATENT-CLASS-260-2.5R c24 N78-15180
US-PATENT-CLASS-260-2P c27 N78-32256
US-PATENT-CLASS-260-2R c37 N74-18126
US-PATENT-CLASS-260-2R c27 N74-27037
US-PATENT-CLASS-260-2R c27 N78-15276
US-PATENT-CLASS-260-17.2 c24 N80-26388
US-PATENT-CLASS-260-17.2 c24 N81-13999
US-PATENT-CLASS-260-17A c27 N81-14076
US-PATENT-CLASS-260-18S c06 N72-25151
US-PATENT-CLASS-260-28.5 c27 N78-33228
US-PATENT-CLASS-260-29.1R c24 N78-24290
US-PATENT-CLASS-260-29.6 c26 N75-27125
US-PATENT-CLASS-260-29.6RB c25 N81-19242
US-PATENT-CLASS-260-29.6S c27 N74-17283
US-PATENT-CLASS-260-30.2 c06 N73-27980
US-PATENT-CLASS-260-30.4N c27 N78-17205
US-PATENT-CLASS-260-30.8DS c06 N73-27980
US-PATENT-CLASS-260-32.2R c27 N78-17205
US-PATENT-CLASS-260-32.6N c06 N73-27980
US-PATENT-CLASS-260-32.6N c23 N76-15268
US-PATENT-CLASS-260-32.6NT c27 N78-17205
US-PATENT-CLASS-260-32.8N c23 N76-15268
US-PATENT-CLASS-260-33.4R c06 N73-27980
US-PATENT-CLASS-260-33.4R c27 N78-17205
US-PATENT-CLASS-260-33.4R c27 N81-19296
US-PATENT-CLASS-260-33.6EP c24 N78-27180
US-PATENT-CLASS-260-33.6PQ c24 N78-27180
US-PATENT-CLASS-260-33.6R c06 N73-27980
US-PATENT-CLASS-260-33.6UB c27 N81-15104
US-PATENT-CLASS-260-33.8EP c24 N78-27180
US-PATENT-CLASS-260-33.8F c27 N76-24405
US-PATENT-CLASS-260-33.8F c25 N81-14016
US-PATENT-CLASS-260-33.8UA c24 N78-27180
US-PATENT-CLASS-260-37 c18 N71-25881
US-PATENT-CLASS-260-37EP c24 N78-24290
US-PATENT-CLASS-260-37EP c24 N78-27180
US-PATENT-CLASS-260-37EP c15 N79-26100
US-PATENT-CLASS-260-37EP c27 N81-17260
US-PATENT-CLASS-260-37N c27 N79-28307
US-PATENT-CLASS-260-42 c27 N79-28307
US-PATENT-CLASS-260-42.17 c27 N78-17215
US-PATENT-CLASS-260-42.43 c24 N78-27180
US-PATENT-CLASS-260-45.7 c27 N76-24405
US-PATENT-CLASS-260-45.7R c24 N78-27180
US-PATENT-CLASS-260-45.9R c24 N78-27180
US-PATENT-CLASS-260-45.75W c24 N78-27180
US-PATENT-CLASS-260-45.85N c24 N78-27180
US-PATENT-CLASS-260-46.5 c06 N71-11237
US-PATENT-CLASS-260-46.5 c06 N71-11240
US-PATENT-CLASS-260-46.5E c06 N72-25151
US-PATENT-CLASS-260-46.5G c06 N72-25151
US-PATENT-CLASS-260-46.5P c06 N72-25151
US-PATENT-CLASS-260-46.5R c06 N73-26100
US-PATENT-CLASS-260-47 c06 N71-28620
US-PATENT-CLASS-260-47 c06 N71-28807
US-PATENT-CLASS-260-47CP c06 N73-27980
US-PATENT-CLASS-260-47CP c23 N76-15268
US-PATENT-CLASS-260-47CP c27 N78-31232
US-PATENT-CLASS-260-47CP c27 N78-32261
US-PATENT-CLASS-260-47UP c06 N73-32029
US-PATENT-CLASS-260-49 c27 N78-32261
US-PATENT-CLASS-260-53 c27 N79-28307
US-PATENT-CLASS-260-63N c27 N78-31232
US-PATENT-CLASS-260-63N c27 N78-32261
US-PATENT-CLASS-260-63R c27 N78-32261
US-PATENT-CLASS-260-65 c06 N73-27980
US-PATENT-CLASS-260-65 c27 N78-32261
US-PATENT-CLASS-260-67 c27 N78-17214
US-PATENT-CLASS-260-67 c27 N79-21191
US-PATENT-CLASS-260-72.5 c06 N71-11236
US-PATENT-CLASS-260-72.5 c06 N71-11239
US-PATENT-CLASS-260-72.5 c06 N71-24740
US-PATENT-CLASS-260-75NH c27 N78-17213
US-PATENT-CLASS-260-75NK c27 N78-17213
US-PATENT-CLASS-260-75NT c27 N78-17213
US-PATENT-CLASS-260-77.5 c06 N73-30099
US-PATENT-CLASS-260-77.5 c06 N73-30100
US-PATENT-CLASS-260-77.5 c06 N73-30103
US-PATENT-CLASS-260-77.5AH c27 N78-17213
US-PATENT-CLASS-260-77.5AN c27 N78-17213
US-PATENT-CLASS-260-77.5AP c06 N72-27144
US-PATENT-CLASS-260-77.5AP c06 N73-33076
US-PATENT-CLASS-260-77.5AP c27 N77-31308
US-PATENT-CLASS-260-77.5AP c27 N78-17213
US-PATENT-CLASS-260-77.5AT c27 N78-17213
US-PATENT-CLASS-260-77.55P c27 N78-17213
US-PATENT-CLASS-260-78 c06 N71-11235
US-PATENT-CLASS-260-78 c06 N71-11238
US-PATENT-CLASS-260-78.41 c27 N78-31232
US-PATENT-CLASS-260-78TF c06 N73-27980
US-PATENT-CLASS-260-78TF c27 N74-23125
US-PATENT-CLASS-260-78TF c23 N75-30256
US-PATENT-CLASS-260-78TF c23 N76-15268
US-PATENT-CLASS-260-78TF c27 N78-32261
US-PATENT-CLASS-260-78UA c06 N73-27980

US-PATENT-CLASS-260-85.5 c06 N71-23500
US-PATENT-CLASS-260-92.1 c06 N72-25150
US-PATENT-CLASS-260-92.1 c06 N72-25152
US-PATENT-CLASS-260-92.1 c27 N76-16228
US-PATENT-CLASS-260-92.1 c27 N76-24405
US-PATENT-CLASS-260-93.5A c06 N73-32029
US-PATENT-CLASS-260-93.5S c06 N73-32029
US-PATENT-CLASS-260-94.2M c06 N73-32029
US-PATENT-CLASS-260-94.2R c06 N73-32029
US-PATENT-CLASS-260-94.7R c06 N73-32029
US-PATENT-CLASS-260-94.8 c27 N73-22710
US-PATENT-CLASS-260-96D c28 N81-15119
US-PATENT-CLASS-260-211.5 c06 N72-25149
US-PATENT-CLASS-260-240G c27 N76-32315
US-PATENT-CLASS-260-307G c27 N79-22300
US-PATENT-CLASS-260-326N c27 N81-17260
US-PATENT-CLASS-260-326S c27 N81-17260
US-PATENT-CLASS-260-346.3 c23 N75-30256
US-PATENT-CLASS-260-346.3 c23 N76-15268
US-PATENT-CLASS-260-346.3 c27 N80-32515
US-PATENT-CLASS-260-348SC c06 N72-25148
US-PATENT-CLASS-260-396N c27 N74-27037
US-PATENT-CLASS-260-404.5 c18 N71-15688
US-PATENT-CLASS-260-429 c06 N71-28608
US-PATENT-CLASS-260-448.2 c06 N71-23230
US-PATENT-CLASS-260-448.2D c06 N72-25151
US-PATENT-CLASS-260-448.2D c06 N73-32030
US-PATENT-CLASS-260-448.2N c37 N74-21058
US-PATENT-CLASS-260-485F c06 N73-30098
US-PATENT-CLASS-260-520 c23 N75-30256
US-PATENT-CLASS-260-535H c06 N72-27144
US-PATENT-CLASS-260-544F c06 N72-20121
US-PATENT-CLASS-260-551P c27 N78-32256
US-PATENT-CLASS-260-566B c27 N76-32315
US-PATENT-CLASS-260-567.6M c06 N73-32029
US-PATENT-CLASS-260-571 c23 N76-15268
US-PATENT-CLASS-260-606-5P c27 N78-32256
US-PATENT-CLASS-260-615 c06 N71-27254
US-PATENT-CLASS-260-615 c06 N73-30101
US-PATENT-CLASS-260-830S c15 N79-26100
US-PATENT-CLASS-260-858 c27 N81-14076
US-PATENT-CLASS-260-877 c06 N72-22107
US-PATENT-CLASS-260-879 c27 N76-16228
US-PATENT-CLASS-260-886 c27 N81-14076
US-PATENT-CLASS-260-895 c27 N81-14076
US-PATENT-CLASS-260-898 c27 N81-14076
US-PATENT-CLASS-260-900 c27 N76-16228
US-PATENT-CLASS-260-901 c27 N81-14076
US-PATENT-CLASS-260-926 c27 N80-10358
US-PATENT-CLASS-260-959 c27 N78-32256
US-PATENT-CLASS-260-8900 c27 N81-14076
US-PATENT-CLASS-261-DIG.75 c34 N77-24423
US-PATENT-CLASS-261-118 c31 N80-18231
US-PATENT-CLASS-261-123 c34 N77-24423
US-PATENT-CLASS-261-145 c28 N72-22772
US-PATENT-CLASS-263-48 c15 N69-27483
US-PATENT-CLASS-264-DIG.36 c18 N73-14584
US-PATENT-CLASS-264-DIG.44 c15 N72-16329
US-PATENT-CLASS-264-1 c44 N79-24432
US-PATENT-CLASS-264-3 c28 N71-26779
US-PATENT-CLASS-264-3R c28 N77-10213
US-PATENT-CLASS-264-3R c20 N77-17143
US-PATENT-CLASS-264-22 c15 N72-20446
US-PATENT-CLASS-264-22 c14 N72-22439
US-PATENT-CLASS-264-22 c25 N75-12087
US-PATENT-CLASS-264-22 c27 N80-32516
US-PATENT-CLASS-264-23 c71 N78-10837
US-PATENT-CLASS-264-23 c31 N81-15154
US-PATENT-CLASS-264-27 c26 N71-17818
US-PATENT-CLASS-264-28 c15 N73-12489
US-PATENT-CLASS-264-33 c44 N79-24432
US-PATENT-CLASS-264-34 c44 N79-24432
US-PATENT-CLASS-264-35 c44 N79-24432
US-PATENT-CLASS-264-36 c15 N73-12489
US-PATENT-CLASS-264-36 c32 N74-27612
US-PATENT-CLASS-264-40 c15 N73-12489
US-PATENT-CLASS-264-40.4 c35 N80-18357
US-PATENT-CLASS-264-41 c25 N81-19244
US-PATENT-CLASS-264-60 c27 N76-22376
US-PATENT-CLASS-264-60 c27 N79-14213
US-PATENT-CLASS-264-63 c27 N76-22376
US-PATENT-CLASS-264-65 c18 N73-14584
US-PATENT-CLASS-264-66 c27 N76-22376
US-PATENT-CLASS-264-70 c44 N79-24432
US-PATENT-CLASS-264-71 c44 N79-24432
US-PATENT-CLASS-264-90 c24 N78-17150
US-PATENT-CLASS-264-92 c15 N71-17803
US-PATENT-CLASS-264-92 c15 N72-24522
US-PATENT-CLASS-264-102 c15 N71-10672
US-PATENT-CLASS-264-102 c15 N73-12489
US-PATENT-CLASS-264-102 c31 N74-14133
US-PATENT-CLASS-264-102 c31 N74-18124
US-PATENT-CLASS-264-102 c37 N76-24575
US-PATENT-CLASS-264-102 c15 N79-26100
US-PATENT-CLASS-264-104 c05 N72-25120
US-PATENT-CLASS-264-111 c17 N71-29137
US-PATENT-CLASS-264-118 c24 N80-26388
US-PATENT-CLASS-264-119 c24 N80-26388
US-PATENT-CLASS-264-124 c24 N80-26388
US-PATENT-CLASS-264-129 c37 N76-31524
US-PATENT-CLASS-264-130 c27 N78-32262
US-PATENT-CLASS-264-135 c37 N74-18126
US-PATENT-CLASS-264-136 c37 N74-18126
US-PATENT-CLASS-264-137 c27 N79-33316
US-PATENT-CLASS-264-137 c27 N81-14078
US-PATENT-CLASS-264-145 c15 N79-26100
US-PATENT-CLASS-264-151 c15 N79-26100
US-PATENT-CLASS-264-157 c24 N78-17150
US-PATENT-CLASS-264-161 c37 N76-31524
US-PATENT-CLASS-264-175 c15 N79-26100
US-PATENT-CLASS-264-184 c27 N78-32262
US-PATENT-CLASS-264-211 c27 N78-32262
US-PATENT-CLASS-264-212 c27 N80-32516
US-PATENT-CLASS-264-217 c25 N75-12087
US-PATENT-CLASS-264-219 c37 N76-31524
US-PATENT-CLASS-264-221 c15 N72-16329
US-PATENT-CLASS-264-225 c15 N72-16329
US-PATENT-CLASS-264-227 c15 N72-16329
US-PATENT-CLASS-264-236 c27 N78-32262
US-PATENT-CLASS-264-236 c15 N79-26100
US-PATENT-CLASS-264-257 c37 N74-18126
US-PATENT-CLASS-264-267 c37 N76-24575
US-PATENT-CLASS-264-294 c31 N74-13177
US-PATENT-CLASS-264-304 c37 N76-31524
US-PATENT-CLASS-264-305 c37 N76-31524
US-PATENT-CLASS-264-308 c37 N76-31524
US-PATENT-CLASS-264-310 c37 N76-31524
US-PATENT-CLASS-264-318 c37 N76-31524
US-PATENT-CLASS-264-331 c27 N76-16230
US-PATENT-CLASS-264-334 c37 N76-31524
US-PATENT-CLASS-264-345 c71 N78-10837
US-PATENT-CLASS-264-510 c44 N79-24432
US-PATENT-CLASS-264-516 c44 N79-24432
US-PATENT-CLASS-266-19 c15 N70-33382
US-PATENT-CLASS-266-24 c17 N72-28535
US-PATENT-CLASS-266-119 c26 N80-28492
US-PATENT-CLASS-266-249 c26 N80-28492
US-PATENT-CLASS-266-274 c26 N80-28492
US-PATENT-CLASS-267-1 c15 N69-27504
US-PATENT-CLASS-267-1 c15 N70-38225
US-PATENT-CLASS-267-64 c15 N71-21530
US-PATENT-CLASS-267-166 c34 N74-18552
US-PATENT-CLASS-269-21 c37 N76-21554
US-PATENT-CLASS-269-21 c37 N78-17383
US-PATENT-CLASS-269-21 c37 N78-27423
US-PATENT-CLASS-269-21 c76 N80-18951
US-PATENT-CLASS-269-48.1 c39 N74-13131
US-PATENT-CLASS-269-153 c44 N79-19447
US-PATENT-CLASS-269-156 c37 N80-14398
US-PATENT-CLASS-269-266 c37 N78-27423
US-PATENT-CLASS-269-287 c37 N80-23655
US-PATENT-CLASS-272-DIG.1 c05 N73-32014
US-PATENT-CLASS-272-DIG.4 c05 N73-32014
US-PATENT-CLASS-272-DIG.5 c05 N73-32014
US-PATENT-CLASS-272-1R c09 N75-15662
US-PATENT-CLASS-272-57A c09 N75-15662
US-PATENT-CLASS-272-70 c05 N71-28619
US-PATENT-CLASS-272-73 c14 N73-27377
US-PATENT-CLASS-272-73 c05 N73-27941
US-PATENT-CLASS-272-73 c37 N74-18127
US-PATENT-CLASS-272-79C c05 N73-32014
US-PATENT-CLASS-272-80 c37 N74-18127
US-PATENT-CLASS-273-1R c05 N73-13114
US-PATENT-CLASS-274-4R c09 N72-11224
US-PATENT-CLASS-277-4 c37 N76-22541
US-PATENT-CLASS-277-13 c15 N71-26294
US-PATENT-CLASS-277-25 c15 N69-21362
US-PATENT-CLASS-277-25 c15 N71-19570
US-PATENT-CLASS-277-25 c15 N72-29488
US-PATENT-CLASS-277-25 c37 N74-10474
US-PATENT-CLASS-277-25 c07 N78-25090
US-PATENT-CLASS-277-27 c15 N72-29488
US-PATENT-CLASS-277-27 c37 N74-10474
US-PATENT-CLASS-277-27 c37 N74-15125
US-PATENT-CLASS-277-27 c37 N75-21631
US-PATENT-CLASS-277-40 c37 N75-21631
US-PATENT-CLASS-277-41 c37 N76-22541
US-PATENT-CLASS-277-62 c37 N79-22475

US-PATENT-CLASS-277-74 c15 N72-29488
US-PATENT-CLASS-277-74 c37 N76-22541
US-PATENT-CLASS-277-91 c37 N74-15125
US-PATENT-CLASS-277-93R c37 N76-22541
US-PATENT-CLASS-277-96 c37 N74-10474
US-PATENT-CLASS-277-96.1 c37 N79-22475
US-PATENT-CLASS-277-134 c37 N75-21631
US-PATENT-CLASS-277-134 c07 N78-25090
US-PATENT-CLASS-277-153 c37 N80-28711
US-PATENT-CLASS-277-181 c37 N81-15363
US-PATENT-CLASS-277-192 c37 N79-22474
US-PATENT-CLASS-277-193 c37 N80-28711
US-PATENT-CLASS-277-224 c37 N80-28711
US-PATENT-CLASS-277-229 c37 N81-15363
US-PATENT-CLASS-279-1B c37 N75-33395
US-PATENT-CLASS-279-3 c37 N78-17383
US-PATENT-CLASS-279-89 c37 N75-33395
US-PATENT-CLASS-279-107 c37 N75-33395
US-PATENT-CLASS-280-150SB c05 N75-25915
US-PATENT-CLASS-280-432 c37 N77-14477
US-PATENT-CLASS-285-DIG.21 c15 N72-25450
US-PATENT-CLASS-285-DIG.21 c33 N73-26958
US-PATENT-CLASS-285-3 c15 N69-27490
US-PATENT-CLASS-285-3 c15 N72-25450
US-PATENT-CLASS-285-18 c15 N72-20445
US-PATENT-CLASS-285-24 c15 N71-10782
US-PATENT-CLASS-285-27 c15 N70-41808
US-PATENT-CLASS-285-33 c15 N72-25450
US-PATENT-CLASS-285-38 c15 N71-24903
US-PATENT-CLASS-285-45 c15 N71-28937
US-PATENT-CLASS-285-114 c37 N75-19686
US-PATENT-CLASS-285-192 c20 N78-24275
US-PATENT-CLASS-285-226 c37 N75-19686
US-PATENT-CLASS-285-226 c37 N76-14460
US-PATENT-CLASS-285-235 c54 N78-31735
US-PATENT-CLASS-285-235 c54 N79-24651
US-PATENT-CLASS-285-265 c37 N76-14460
US-PATENT-CLASS-285-314 c15 N71-24903
US-PATENT-CLASS-285-316 c15 N72-25450
US-PATENT-CLASS-285-316 c33 N73-26958
US-PATENT-CLASS-285-317 c15 N71-24903
US-PATENT-CLASS-285-326 c37 N79-11402
US-PATENT-CLASS-285-331 c15 N70-41629
US-PATENT-CLASS-285-345 c15 N72-20445
US-PATENT-CLASS-285-359 c37 N79-11402
US-PATENT-CLASS-285-406 c15 N71-24903
US-PATENT-CLASS-285-410 c05 N72-11085
US-PATENT-CLASS-287-54A c11 N72-25287
US-PATENT-CLASS-287-85R c15 N73-12488
US-PATENT-CLASS-287-92 c31 N73-32749
US-PATENT-CLASS-287-119 c15 N70-41629
US-PATENT-CLASS-287-189.36 c15 N71-10799
US-PATENT-CLASS-287-189.365 c15 N71-26312
US-PATENT-CLASS-290-40 c03 N71-11057
US-PATENT-CLASS-290-52 c37 N77-32500
US-PATENT-CLASS-290-52 c37 N77-32501
US-PATENT-CLASS-290-53 c44 N80-29834
US-PATENT-CLASS-292-DIG.14 c37 N75-19685
US-PATENT-CLASS-292-108 c37 N75-19685
US-PATENT-CLASS-292-110 c37 N77-32499
US-PATENT-CLASS-292-122 c37 N75-19685
US-PATENT-CLASS-294-1R c35 N76-16392
US-PATENT-CLASS-294-15 c15 N71-29133
US-PATENT-CLASS-294-19R c35 N76-16392
US-PATENT-CLASS-294-83 c15 N71-24697
US-PATENT-CLASS-294-86.33 c37 N75-33395
US-PATENT-CLASS-294-86R c37 N80-14398
US-PATENT-CLASS-294-106 c37 N81-14320
US-PATENT-CLASS-294-113 c37 N80-14398
US-PATENT-CLASS-294-116 c37 N75-33395
US-PATENT-CLASS-297-68 c05 N71-12343
US-PATENT-CLASS-297-68 c05 N72-11085
US-PATENT-CLASS-297-216 c05 N70-35152
US-PATENT-CLASS-297-232 c05 N72-11085
US-PATENT-CLASS-297-385 c05 N71-12341
US-PATENT-CLASS-297-385 c05 N75-25915
US-PATENT-CLASS-297-386 c15 N73-30460
US-PATENT-CLASS-297-388 c05 N75-25915
US-PATENT-CLASS-297-389 c05 N75-25915
US-PATENT-CLASS-299-1 c43 N79-26439
US-PATENT-CLASS-299-67 c46 N74-23068
US-PATENT-CLASS-299-86 c46 N74-23069
US-PATENT-CLASS-301-5P c37 N74-18125
US-PATENT-CLASS-301-82 c33 N79-10339
US-PATENT-CLASS-302-66 c25 N79-11152
US-PATENT-CLASS-303-92 c44 N79-14527
US-PATENT-CLASS-305-35EB c11 N73-26238
US-PATENT-CLASS-305-39 c11 N73-26238
US-PATENT-CLASS-307-18 c03 N73-31988
US-PATENT-CLASS-307-18 c33 N74-34638
US-PATENT-CLASS-307-28 c03 N73-31988
US-PATENT-CLASS-307-29 c03 N73-31988
US-PATENT-CLASS-307-35 c33 N74-34638
US-PATENT-CLASS-307-38 c03 N73-31988
US-PATENT-CLASS-307-53 c10 N71-26626
US-PATENT-CLASS-307-53 c33 N78-17296
US-PATENT-CLASS-307-63 c44 N80-14472
US-PATENT-CLASS-307-64 c33 N77-30365
US-PATENT-CLASS-307-66 c44 N80-14472
US-PATENT-CLASS-307-69 c33 N78-17296
US-PATENT-CLASS-307-81 c09 N72-17157
US-PATENT-CLASS-307-82 c33 N79-24254
US-PATENT-CLASS-307-83 c09 N72-25262
US-PATENT-CLASS-307-88 c08 N70-34743
US-PATENT-CLASS-307-88 c09 N70-38604
US-PATENT-CLASS-307-88 c09 N71-24803
US-PATENT-CLASS-307-88 c09 N71-26000
US-PATENT-CLASS-307-88.3 c09 N72-25258
US-PATENT-CLASS-307-88.5 c09 N70-34819
US-PATENT-CLASS-307-88.5 c09 N70-40272
US-PATENT-CLASS-307-88.5 c09 N70-41675
US-PATENT-CLASS-307-88.5 c10 N70-42032
US-PATENT-CLASS-307-88.5 c09 N71-10673
US-PATENT-CLASS-307-88.5 c10 N71-15910
US-PATENT-CLASS-307-88.5 c10 N71-16042
US-PATENT-CLASS-307-88.5 c10 N71-28739
US-PATENT-CLASS-307-88MP c09 N72-22197
US-PATENT-CLASS-307-92 c09 N72-27227
US-PATENT-CLASS-307-98 c33 N79-28415
US-PATENT-CLASS-307-103 c09 N72-25262
US-PATENT-CLASS-307-104 c09 N71-24892
US-PATENT-CLASS-307-106 c09 N69-21468
US-PATENT-CLASS-307-118 c09 N72-27227
US-PATENT-CLASS-307-119 c33 N79-28415
US-PATENT-CLASS-307-126 c14 N71-27407
US-PATENT-CLASS-307-127 c33 N74-14956
US-PATENT-CLASS-307-136 c09 N69-27500
US-PATENT-CLASS-307-141.8 c03 N72-25020
US-PATENT-CLASS-307-149 c09 N71-13486
US-PATENT-CLASS-307-149 c54 N75-12616
US-PATENT-CLASS-307-151 c32 N78-24391
US-PATENT-CLASS-307-157 c16 N73-32391
US-PATENT-CLASS-307-204 c35 N75-30504
US-PATENT-CLASS-307-205 c33 N75-14957
US-PATENT-CLASS-307-206 c10 N72-22236
US-PATENT-CLASS-307-207 c08 N71-29034
US-PATENT-CLASS-307-207 c09 N73-13209
US-PATENT-CLASS-307-208 c33 N75-14957
US-PATENT-CLASS-307-211 c35 N75-30504
US-PATENT-CLASS-307-215 c10 N71-28860
US-PATENT-CLASS-307-215 c09 N71-29139
US-PATENT-CLASS-307-215 c10 N72-22236
US-PATENT-CLASS-307-215 c09 N73-13209
US-PATENT-CLASS-307-215 c33 N74-22814
US-PATENT-CLASS-307-216 c08 N71-18751
US-PATENT-CLASS-307-219 c35 N75-30504
US-PATENT-CLASS-307-219 c60 N81-15706
US-PATENT-CLASS-307-220 c10 N73-26229
US-PATENT-CLASS-307-221R c10 N73-20254
US-PATENT-CLASS-307-221R c33 N76-14373
US-PATENT-CLASS-307-222 c09 N69-27463
US-PATENT-CLASS-307-222 c08 N71-29034
US-PATENT-CLASS-307-223 c09 N72-17157
US-PATENT-CLASS-307-223B c09 N72-22201
US-PATENT-CLASS-307-225R c33 N74-10223
US-PATENT-CLASS-307-225R c33 N75-31330
US-PATENT-CLASS-307-225R c33 N77-24375
US-PATENT-CLASS-307-225R c60 N81-15706
US-PATENT-CLASS-307-227 c09 N72-17157
US-PATENT-CLASS-307-227 c33 N75-19522
US-PATENT-CLASS-307-229 c09 N71-12520
US-PATENT-CLASS-307-229 c09 N72-23173
US-PATENT-CLASS-307-229 c33 N75-18479
US-PATENT-CLASS-307-229 c33 N77-17354
US-PATENT-CLASS-307-229 c33 N78-32339
US-PATENT-CLASS-307-230 c10 N72-16172
US-PATENT-CLASS-307-230 c09 N72-21245
US-PATENT-CLASS-307-230 c09 N73-20232
US-PATENT-CLASS-307-230 c33 N74-32712
US-PATENT-CLASS-307-230 c33 N77-17354
US-PATENT-CLASS-307-230 c33 N78-32339
US-PATENT-CLASS-307-231 c09 N72-22202
US-PATENT-CLASS-307-232 c33 N77-21314
US-PATENT-CLASS-307-232 c33 N79-11313
US-PATENT-CLASS-307-233 c09 N72-25257
US-PATENT-CLASS-307-233 c10 N73-26229
US-PATENT-CLASS-307-233 c33 N77-13315
US-PATENT-CLASS-307-233R c32 N79-10262

US-PATENT-CLASS-307-233R c33 N81-17348
US-PATENT-CLASS-307-234 c10 N71-23315
US-PATENT-CLASS-307-234 c09 N71-27016
US-PATENT-CLASS-307-234 c08 N71-29138
US-PATENT-CLASS-307-235 c10 N71-19471
US-PATENT-CLASS-307-235 c09 N71-23545
US-PATENT-CLASS-307-235 c10 N71-24862
US-PATENT-CLASS-307-235R c33 N75-18479
US-PATENT-CLASS-307-237 c09 N72-22200
US-PATENT-CLASS-307-237 c32 N74-19788
US-PATENT-CLASS-307-238 c33 N75-31331
US-PATENT-CLASS-307-238 c33 N77-21314
US-PATENT-CLASS-307-241 c09 N72-22201
US-PATENT-CLASS-307-242 c10 N73-13235
US-PATENT-CLASS-307-243 c09 N71-12516
US-PATENT-CLASS-307-243 c08 N72-22162
US-PATENT-CLASS-307-243 c33 N74-22814
US-PATENT-CLASS-307-246 c09 N71-27016
US-PATENT-CLASS-307-247 c09 N71-29139
US-PATENT-CLASS-307-247 c09 N72-22202
US-PATENT-CLASS-307-251 c09 N71-33109
US-PATENT-CLASS-307-251 c08 N72-22162
US-PATENT-CLASS-307-252 c10 N69-39888
US-PATENT-CLASS-307-252 c09 N71-12514
US-PATENT-CLASS-307-252P c09 N72-17153
US-PATENT-CLASS-307-252J c09 N72-17153
US-PATENT-CLASS-307-252J c09 N72-22201
US-PATENT-CLASS-307-252K c09 N72-22201
US-PATENT-CLASS-307-252L c33 N74-27682
US-PATENT-CLASS-307-252N c09 N72-23171
US-PATENT-CLASS-307-252Q c33 N74-27682
US-PATENT-CLASS-307-252R c09 N72-23171
US-PATENT-CLASS-307-253 c10 N71-27126
US-PATENT-CLASS-307-254 c10 N71-24799
US-PATENT-CLASS-307-254 c09 N72-22200
US-PATENT-CLASS-307-257 c09 N72-21247
US-PATENT-CLASS-307-259 c09 N72-21247
US-PATENT-CLASS-307-259 c09 N72-23171
US-PATENT-CLASS-307-259 c10 N73-13235
US-PATENT-CLASS-307-260 c09 N71-23311
US-PATENT-CLASS-307-260 c05 N71-23317
US-PATENT-CLASS-307-260 c33 N75-19515
US-PATENT-CLASS-307-261 c09 N71-33109
US-PATENT-CLASS-307-261 c09 N72-25251
US-PATENT-CLASS-307-262 c10 N72-16172
US-PATENT-CLASS-307-262 c09 N72-22197
US-PATENT-CLASS-307-262 c09 N72-33204
US-PATENT-CLASS-307-263 c09 N71-23270
US-PATENT-CLASS-307-263 c09 N71-28926
US-PATENT-CLASS-307-265 c09 N69-39987
US-PATENT-CLASS-307-265 c10 N71-23029
US-PATENT-CLASS-307-265 c09 N71-28468
US-PATENT-CLASS-307-265 c10 N71-28860
US-PATENT-CLASS-307-265 c08 N71-29138
US-PATENT-CLASS-307-265 c09 N71-29139
US-PATENT-CLASS-307-265 c33 N78-18308
US-PATENT-CLASS-307-267 c09 N71-20447
US-PATENT-CLASS-307-267 c33 N74-32711
US-PATENT-CLASS-307-267 c33 N75-18479
US-PATENT-CLASS-307-268 c09 N69-24317
US-PATENT-CLASS-307-269 c60 N81-15706
US-PATENT-CLASS-307-270 c33 N78-17294
US-PATENT-CLASS-307-271 c10 N73-32145
US-PATENT-CLASS-307-273 c10 N71-18723
US-PATENT-CLASS-307-273 c09 N71-27016
US-PATENT-CLASS-307-273 c09 N71-28468
US-PATENT-CLASS-307-273 c10 N71-28860
US-PATENT-CLASS-307-273 c09 N71-29139
US-PATENT-CLASS-307-273 c10 N72-20221
US-PATENT-CLASS-307-280 c33 N77-21314
US-PATENT-CLASS-307-284 c09 N72-22201
US-PATENT-CLASS-307-288 c09 N71-23015
US-PATENT-CLASS-307-288 c09 N71-28468
US-PATENT-CLASS-307-288 c10 N72-20221
US-PATENT-CLASS-307-288 c09 N72-22202
US-PATENT-CLASS-307-289 c10 N71-19547
US-PATENT-CLASS-307-290 c33 N74-22814
US-PATENT-CLASS-307-291 c60 N81-15706
US-PATENT-CLASS-307-294 c09 N71-29139
US-PATENT-CLASS-307-295 c10 N72-17171
US-PATENT-CLASS-307-295 c10 N72-20223
US-PATENT-CLASS-307-295 c09 N72-21245
US-PATENT-CLASS-307-295 c09 N72-33204
US-PATENT-CLASS-307-295 c33 N74-34638
US-PATENT-CLASS-307-295 c33 N77-13315
US-PATENT-CLASS-307-296 c08 N71-12494
US-PATENT-CLASS-307-296 c07 N71-28430
US-PATENT-CLASS-307-297 c33 N78-17294
US-PATENT-CLASS-307-299 c08 N72-21198
US-PATENT-CLASS-307-299 c26 N72-21701
US-PATENT-CLASS-307-300 c10 N71-27126
US-PATENT-CLASS-307-303 c08 N72-21198
US-PATENT-CLASS-307-304 c09 N72-22201
US-PATENT-CLASS-307-304 c09 N73-20232
US-PATENT-CLASS-307-304 c33 N74-34638
US-PATENT-CLASS-307-305 c09 N72-23171
US-PATENT-CLASS-307-306 c33 N78-13320
US-PATENT-CLASS-307-306 c33 N81-17348
US-PATENT-CLASS-307-308 c14 N73-28488
US-PATENT-CLASS-307-309 c35 N75-13213
US-PATENT-CLASS-307-310 c09 N73-14214
US-PATENT-CLASS-307-311 c14 N72-18411
US-PATENT-CLASS-307-311 c08 N72-21198
US-PATENT-CLASS-307-311 c09 N73-14214
US-PATENT-CLASS-307-313 c10 N72-20221
US-PATENT-CLASS-307-317 c09 N72-22200
US-PATENT-CLASS-307-317 c09 N72-22201
US-PATENT-CLASS-307-321 c33 N75-19520
US-PATENT-CLASS-307-321 c33 N75-25041
US-PATENT-CLASS-307-322 c10 N72-22236
US-PATENT-CLASS-307-323 c10 N72-22236
US-PATENT-CLASS-307-350 c33 N78-18308
US-PATENT-CLASS-307-360 c33 N78-18308
US-PATENT-CLASS-308-DIG.1 c15 N72-17451
US-PATENT-CLASS-308-DIG.1 c37 N79-10418
US-PATENT-CLASS-308-DIG.8 c24 N79-17916
US-PATENT-CLASS-308-DIG.9 c24 N79-17916
US-PATENT-CLASS-308-1 c31 N71-26537
US-PATENT-CLASS-308-2 c15 N71-23812
US-PATENT-CLASS-308-2A c15 N72-26371
US-PATENT-CLASS-308-2A c15 N73-12488
US-PATENT-CLASS-308-5 c15 N71-10617
US-PATENT-CLASS-308-5 c15 N72-11388
US-PATENT-CLASS-308-5 c15 N72-17451
US-PATENT-CLASS-308-5R c37 N77-28486
US-PATENT-CLASS-308-5R c37 N79-10418
US-PATENT-CLASS-308-9 c15 N70-34664
US-PATENT-CLASS-308-9 c15 N70-38620
US-PATENT-CLASS-308-9 c15 N70-39896
US-PATENT-CLASS-308-9 c15 N71-20739
US-PATENT-CLASS-308-9 c14 N71-26627
US-PATENT-CLASS-308-9 c15 N72-17451
US-PATENT-CLASS-308-9 c15 N73-32359
US-PATENT-CLASS-308-9 c37 N76-15461
US-PATENT-CLASS-308-9 c37 N77-28486
US-PATENT-CLASS-308-9 c37 N79-10418
US-PATENT-CLASS-308-10 c15 N71-22997
US-PATENT-CLASS-308-10 c15 N72-33476
US-PATENT-CLASS-308-10 c35 N74-18323
US-PATENT-CLASS-308-10 c37 N75-18574
US-PATENT-CLASS-308-10 c37 N76-18459
US-PATENT-CLASS-308-10 c37 N77-17464
US-PATENT-CLASS-308-10 c44 N78-24608
US-PATENT-CLASS-308-10 c37 N78-27424
US-PATENT-CLASS-308-10 c35 N79-26372
US-PATENT-CLASS-308-10 c71 N81-15767
US-PATENT-CLASS-308-35 c15 N73-32359
US-PATENT-CLASS-308-72 c37 N76-15461
US-PATENT-CLASS-308-72 c37 N77-32500
US-PATENT-CLASS-308-72 c37 N79-11404
US-PATENT-CLASS-308-73 c37 N74-21061
US-PATENT-CLASS-308-73 c37 N75-30562
US-PATENT-CLASS-308-73 c37 N76-15461
US-PATENT-CLASS-308-73 c37 N77-28486
US-PATENT-CLASS-308-78 c24 N79-17916
US-PATENT-CLASS-308-87R c24 N79-17916
US-PATENT-CLASS-308-121 c37 N74-32921
US-PATENT-CLASS-308-121 c37 N75-30562
US-PATENT-CLASS-308-121 c37 N79-10418
US-PATENT-CLASS-308-122 c37 N76-15461
US-PATENT-CLASS-308-160 c37 N76-15461
US-PATENT-CLASS-308-160 c37 N76-29588
US-PATENT-CLASS-308-160 c37 N79-10418
US-PATENT-CLASS-308-163 c37 N76-29588
US-PATENT-CLASS-308-163 c37 N79-10418
US-PATENT-CLASS-308-168 c24 N79-17916
US-PATENT-CLASS-308-170 c15 N71-28465
US-PATENT-CLASS-308-170 c37 N76-29588
US-PATENT-CLASS-308-171 c24 N79-17916
US-PATENT-CLASS-308-172 c37 N79-10418
US-PATENT-CLASS-308-174 c54 N75-12616
US-PATENT-CLASS-308-176 c15 N71-22982
US-PATENT-CLASS-308-177 c15 N71-29136
US-PATENT-CLASS-308-187 c15 N71-26189
US-PATENT-CLASS-308-188 c15 N73-30458
US-PATENT-CLASS-308-188 c37 N74-21064
US-PATENT-CLASS-308-191 c37 N74-21064
US-PATENT-CLASS-308-191 c37 N75-31446

US-PATENT-CLASS-308-193 c15 N73-30458
US-PATENT-CLASS-308-194 c37 N79-11404
US-PATENT-CLASS-308-195 c15 N72-22490
US-PATENT-CLASS-308-195 c37 N75-31446
US-PATENT-CLASS-308-195 c37 N77-32500
US-PATENT-CLASS-308-195 c37 N77-32501
US-PATENT-CLASS-308-201 c37 N75-31446
US-PATENT-CLASS-310-2 c03 N72-23048
US-PATENT-CLASS-310-4 c09 N69-21313
US-PATENT-CLASS-310-4 c03 N69-39898
US-PATENT-CLASS-310-4 c09 N69-39929
US-PATENT-CLASS-310-4 c03 N70-34134
US-PATENT-CLASS-310-4 c03 N71-11055
US-PATENT-CLASS-310-4 c22 N71-23599
US-PATENT-CLASS-310-4 c09 N71-24807
US-PATENT-CLASS-310-4 c33 N71-27662
US-PATENT-CLASS-310-4 c09 N71-28421
US-PATENT-CLASS-310-4 c09 N72-25260
US-PATENT-CLASS-310-4 c09 N72-27228
US-PATENT-CLASS-310-4 c20 N75-24837
US-PATENT-CLASS-310-4 c36 N75-30524
US-PATENT-CLASS-310-4 c44 N76-16612
US-PATENT-CLASS-310-4A c37 N77-19458
US-PATENT-CLASS-310-4R c33 N74-27683
US-PATENT-CLASS-310-4R c73 N77-18891
US-PATENT-CLASS-310-5 c03 N70-35408
US-PATENT-CLASS-310-8.2 c35 N76-15432
US-PATENT-CLASS-310-8.5 c14 N71-22993
US-PATENT-CLASS-310-9.1 c15 N71-21311
US-PATENT-CLASS-310-10 c03 N69-39890
US-PATENT-CLASS-310-10 c09 N71-23443
US-PATENT-CLASS-310-10 c09 N71-24904
US-PATENT-CLASS-310-10 c09 N72-25255
US-PATENT-CLASS-310-10 c20 N75-24837
US-PATENT-CLASS-310-11 c25 N69-21929
US-PATENT-CLASS-310-11 c03 N69-39983
US-PATENT-CLASS-310-11 c03 N70-36803
US-PATENT-CLASS-310-11 c14 N72-22439
US-PATENT-CLASS-310-11 c12 N72-25292
US-PATENT-CLASS-310-11 c35 N74-21018
US-PATENT-CLASS-310-11 c36 N75-32441
US-PATENT-CLASS-310-15 c09 N72-25255
US-PATENT-CLASS-310-20 c71 N79-20827
US-PATENT-CLASS-310-26 c71 N79-20827
US-PATENT-CLASS-310-30 c44 N80-29834
US-PATENT-CLASS-310-40 c20 N75-24637
US-PATENT-CLASS-310-42 c14 N72-22439
US-PATENT-CLASS-310-46 c33 N79-20314
US-PATENT-CLASS-310-51 c15 N71-27169
US-PATENT-CLASS-310-52 c20 N75-24837
US-PATENT-CLASS-310-54 c09 N71-20446
US-PATENT-CLASS-310-68 c15 N72-25456
US-PATENT-CLASS-310-80 c15 N72-25456
US-PATENT-CLASS-310-82 c33 N79-20314
US-PATENT-CLASS-310-83 c15 N72-25456
US-PATENT-CLASS-310-93 c15 N71-17652
US-PATENT-CLASS-310-101 c15 N71-24696
US-PATENT-CLASS-310-111 c33 N77-26387
US-PATENT-CLASS-310-153 c44 N78-24608
US-PATENT-CLASS-310-154 c44 N78-24608
US-PATENT-CLASS-310-168 c09 N71-25999
US-PATENT-CLASS-310-168 c33 N77-26387
US-PATENT-CLASS-310-178 c44 N78-24608
US-PATENT-CLASS-310-231 c33 N79-20314
US-PATENT-CLASS-310-254 c09 N71-25999
US-PATENT-CLASS-310-269 c44 N78-24608
US-PATENT-CLASS-310-306 c33 N80-18287
US-PATENT-CLASS-310-311 c35 N80-20559
US-PATENT-CLASS-310-319 c33 N80-23559
US-PATENT-CLASS-310-322 c71 N79-20827
US-PATENT-CLASS-310-326 c38 N79-14398
US-PATENT-CLASS-310-327 c35 N80-20559
US-PATENT-CLASS-310-334 c71 N79-20827
US-PATENT-CLASS-310-334 c35 N80-20559
US-PATENT-CLASS-310-336 c38 N79-14398
US-PATENT-CLASS-310-360 c35 N80-20559
US-PATENT-CLASS-311-37 c35 N75-29380
US-PATENT-CLASS-312-1 c05 N71-23080
US-PATENT-CLASS-312-1 c05 N73-20137
US-PATENT-CLASS-312-1 c37 N74-20063
US-PATENT-CLASS-312-209 c37 N74-18123
US-PATENT-CLASS-312-257 c31 N72-22874
US-PATENT-CLASS-312-296 c09 N71-18600
US-PATENT-CLASS-312-319 c37 N79-33467
US-PATENT-CLASS-313-DIG.8 c28 N73-24783
US-PATENT-CLASS-313-7 c14 N71-18482
US-PATENT-CLASS-313-7 c14 N73-32324
US-PATENT-CLASS-313-11.5 c28 N70-39925
US-PATENT-CLASS-313-22 c09 N71-26787
US-PATENT-CLASS-313-22 c31 N78-17237
US-PATENT-CLASS-313-22 c31 N78-25256
US-PATENT-CLASS-313-22 c34 N79-20336
US-PATENT-CLASS-313-32 c33 N74-12913
US-PATENT-CLASS-313-32 c33 N77-21315
US-PATENT-CLASS-313-35 c34 N79-20336
US-PATENT-CLASS-313-44 c15 N69-24319
US-PATENT-CLASS-313-60 c33 N77-22386
US-PATENT-CLASS-313-61S c73 N74-26767
US-PATENT-CLASS-313-61S c37 N78-13436
US-PATENT-CLASS-313-63 c28 N70-41576
US-PATENT-CLASS-313-63 c09 N71-10618
US-PATENT-CLASS-313-63 c28 N71-26781
US-PATENT-CLASS-313-63 c28 N73-24783
US-PATENT-CLASS-313-63 c28 N73-27699
US-PATENT-CLASS-313-63 c75 N75-13625
US-PATENT-CLASS-313-93 c35 N74-26949
US-PATENT-CLASS-313-94 c33 N76-31409
US-PATENT-CLASS-313-94 c74 N78-18905
US-PATENT-CLASS-313-104 c14 N73-32317
US-PATENT-CLASS-313-109.5 c09 N71-33519
US-PATENT-CLASS-313-110 c09 N71-12521
US-PATENT-CLASS-313-146 c33 N77-22386
US-PATENT-CLASS-313-153 c33 N74-12913
US-PATENT-CLASS-313-156 c25 N70-34661
US-PATENT-CLASS-313-156 c72 N80-27163
US-PATENT-CLASS-313-161 c25 N73-25760
US-PATENT-CLASS-313-161 c09 N73-30181
US-PATENT-CLASS-313-161 c33 N77-21315
US-PATENT-CLASS-313-175 c33 N77-21316
US-PATENT-CLASS-313-175 c31 N78-17238
US-PATENT-CLASS-313-176 c31 N78-17238
US-PATENT-CLASS-313-180 c33 N77-21316
US-PATENT-CLASS-313-180 c31 N78-17238
US-PATENT-CLASS-313-182 c33 N77-22386
US-PATENT-CLASS-313-184 c33 N77-21315
US-PATENT-CLASS-313-184 c33 N77-21316
US-PATENT-CLASS-313-184 c31 N78-17238
US-PATENT-CLASS-313-186 c25 N72-24753
US-PATENT-CLASS-313-209 c33 N74-12913
US-PATENT-CLASS-313-212 c25 N72-24753
US-PATENT-CLASS-313-217 c28 N73-27699
US-PATENT-CLASS-313-217 c33 N74-12913
US-PATENT-CLASS-313-218 c28 N73-27699
US-PATENT-CLASS-313-224 c25 N72-24753
US-PATENT-CLASS-313-224 c33 N74-12913
US-PATENT-CLASS-313-224 c33 N77-21315
US-PATENT-CLASS-313-224 c31 N78-17238
US-PATENT-CLASS-313-230 c28 N71-28850
US-PATENT-CLASS-313-230 c28 N73-27699
US-PATENT-CLASS-313-230 c20 N77-20162
US-PATENT-CLASS-313-231 c06 N69-39889
US-PATENT-CLASS-313-231 c09 N71-23190
US-PATENT-CLASS-313-231 c09 N71-33519
US-PATENT-CLASS-313-231 c25 N72-24753
US-PATENT-CLASS-313-231 c25 N72-32688
US-PATENT-CLASS-313-231 c28 N73-24783
US-PATENT-CLASS-313-231 c25 N73-25760
US-PATENT-CLASS-313-231.3 c20 N77-20162
US-PATENT-CLASS-313-231.3 c75 N78-27913
US-PATENT-CLASS-313-231.4 c20 N77-10148
US-PATENT-CLASS-313-231.4 c72 N80-33186
US-PATENT-CLASS-313-236 c09 N71-26182
US-PATENT-CLASS-313-237 c09 N71-26182
US-PATENT-CLASS-313-240 c20 N77-10148
US-PATENT-CLASS-313-250 c31 N76-31365
US-PATENT-CLASS-313-271 c25 N71-20747
US-PATENT-CLASS-313-306 c31 N76-31365
US-PATENT-CLASS-313-309 c10 N72-27246
US-PATENT-CLASS-313-309 c31 N76-31365
US-PATENT-CLASS-313-311 c73 N77-18891
US-PATENT-CLASS-313-336 c10 N72-27246
US-PATENT-CLASS-313-338 c31 N76-31365
US-PATENT-CLASS-313-351 c10 N72-27246
US-PATENT-CLASS-313-352 c09 N71-22987
US-PATENT-CLASS-313-355 c28 N73-27699
US-PATENT-CLASS-313-356 c14 N72-29464
US-PATENT-CLASS-313-360 c20 N77-20162
US-PATENT-CLASS-313-361 c20 N77-10148
US-PATENT-CLASS-313-362 c72 N80-27163
US-PATENT-CLASS-313-362 c72 N80-33186
US-PATENT-CLASS-313-363 c72 N80-27163
US-PATENT-CLASS-313-442 c74 N78-18905
US-PATENT-CLASS-314-129 c15 N69-24266
US-PATENT-CLASS-315-DIG.2 c16 N73-32391
US-PATENT-CLASS-315-3.5 c09 N73-13208
US-PATENT-CLASS-315-3.5 c33 N79-10339
US-PATENT-CLASS-315-3.6 c33 N79-10339
US-PATENT-CLASS-315-5.35 c33 N74-10195

US-PATENT-CLASS-315-5.38 c09 N73-13208
US-PATENT-CLASS-315-5.38 c33 N74-10195
US-PATENT-CLASS-315-10 c33 N74-21850
US-PATENT-CLASS-315-10 c33 N75-26244
US-PATENT-CLASS-315-11 c33 N74-21850
US-PATENT-CLASS-315-12 c33 N74-21850
US-PATENT-CLASS-315-18 c32 N74-20813
US-PATENT-CLASS-315-18 c33 N75-19517
US-PATENT-CLASS-315-22 c10 N72-20225
US-PATENT-CLASS-315-22 c32 N74-20813
US-PATENT-CLASS-315-22 c33 N78-17293
US-PATENT-CLASS-315-22R c10 N72-31273
US-PATENT-CLASS-315-24 c08 N71-20571
US-PATENT-CLASS-315-25 c10 N72-20225
US-PATENT-CLASS-315-26 c09 N71-23189
US-PATENT-CLASS-315-30 c33 N75-27250
US-PATENT-CLASS-315-30R c10 N72-31273
US-PATENT-CLASS-315-36 c10 N72-27246
US-PATENT-CLASS-315-101 c16 N73-32391
US-PATENT-CLASS-315-108 c09 N71-33519
US-PATENT-CLASS-315-108 c33 N77-21316
US-PATENT-CLASS-315-108 c36 N78-17366
US-PATENT-CLASS-315-110 c33 N77-21316
US-PATENT-CLASS-315-111 c25 N70-33267
US-PATENT-CLASS-315-111 c25 N70-41628
US-PATENT-CLASS-315-111 c25 N71-15562
US-PATENT-CLASS-315-111 c24 N71-16213
US-PATENT-CLASS-315-111 c25 N71-21693
US-PATENT-CLASS-315-111 c28 N71-26781
US-PATENT-CLASS-315-111 c25 N71-29184
US-PATENT-CLASS-315-111 c09 N71-33519
US-PATENT-CLASS-315-111 c25 N72-24753
US-PATENT-CLASS-315-111 c25 N72-32688
US-PATENT-CLASS-315-111 c14 N73-30391
US-PATENT-CLASS-315-111 c75 N75-13625
US-PATENT-CLASS-315-111 c33 N75-29318
US-PATENT-CLASS-315-111 c37 N75-29426
US-PATENT-CLASS-315-111.2 c75 N78-27913
US-PATENT-CLASS-315-111.3 c20 N77-10148
US-PATENT-CLASS-315-111.3 c20 N77-20162
US-PATENT-CLASS-315-111.6 c75 N76-14931
US-PATENT-CLASS-315-111.6 c20 N77-20162
US-PATENT-CLASS-315-135 c09 N72-25250
US-PATENT-CLASS-315-145 c33 N80-14330
US-PATENT-CLASS-315-151 c14 N72-27411
US-PATENT-CLASS-315-153 c14 N73-16483
US-PATENT-CLASS-315-153 c74 N79-12890
US-PATENT-CLASS-315-156 c14 N72-27411
US-PATENT-CLASS-315-158 c14 N72-27411
US-PATENT-CLASS-315-160 c09 N71-12540
US-PATENT-CLASS-315-169R c23 N73-13660
US-PATENT-CLASS-315-169R c36 N75-19652
US-PATENT-CLASS-315-169TV c23 N73-13660
US-PATENT-CLASS-315-176 c33 N77-28385
US-PATENT-CLASS-315-209CD c37 N79-11405
US-PATENT-CLASS-315-209SC c37 N79-11405
US-PATENT-CLASS-315-211 c33 N74-20859
US-PATENT-CLASS-315-228 c33 N74-20859
US-PATENT-CLASS-315-241 c09 N71-13518
US-PATENT-CLASS-315-241R c37 N79-11405
US-PATENT-CLASS-315-248 c09 N73-30181
US-PATENT-CLASS-315-258 c16 N73-32391
US-PATENT-CLASS-315-260 c33 N80-14330
US-PATENT-CLASS-315-297 c14 N72-27411
US-PATENT-CLASS-315-307 c14 N72-27411
US-PATENT-CLASS-315-310 c14 N72-27411
US-PATENT-CLASS-315-311 c14 N72-27411
US-PATENT-CLASS-315-324 c09 N73-30181
US-PATENT-CLASS-315-326 c25 N72-24753
US-PATENT-CLASS-315-334 c33 N80-14330
US-PATENT-CLASS-315-344 c33 N77-21315
US-PATENT-CLASS-315-349 c09 N72-25250
US-PATENT-CLASS-315-356 c16 N73-32391
US-PATENT-CLASS-315-358 c25 N72-24753
US-PATENT-CLASS-315-367 c33 N75-26244
US-PATENT-CLASS-315-369 c33 N75-26244
US-PATENT-CLASS-315-387 c33 N75-26244
US-PATENT-CLASS-317-DIG.3 c10 N71-26334
US-PATENT-CLASS-317-DIG.6 c10 N73-26228
US-PATENT-CLASS-317-2D c33 N77-10429
US-PATENT-CLASS-317-9 c09 N71-22796
US-PATENT-CLASS-317-9 c09 N71-27001
US-PATENT-CLASS-317-16 c09 N69-39897
US-PATENT-CLASS-317-16 c33 N74-17929
US-PATENT-CLASS-317-20 c10 N71-26531
US-PATENT-CLASS-317-31 c09 N71-12526
US-PATENT-CLASS-317-31 c10 N71-23543
US-PATENT-CLASS-317-31 c33 N74-17929
US-PATENT-CLASS-317-31 c33 N77-14333
US-PATENT-CLASS-317-33 c10 N71-26531
US-PATENT-CLASS-317-33 c09 N71-27001
US-PATENT-CLASS-317-33 c10 N71-27366
US-PATENT-CLASS-317-33 c09 N71-29008
US-PATENT-CLASS-317-33SC c33 N74-14956
US-PATENT-CLASS-317-43 c33 N74-14956
US-PATENT-CLASS-317-46 c33 N74-14956
US-PATENT-CLASS-317-47 c33 N74-14956
US-PATENT-CLASS-317-48 c33 N74-14956
US-PATENT-CLASS-317-54 c09 N71-29008
US-PATENT-CLASS-317-60 c09 N71-29008
US-PATENT-CLASS-317-100 c10 N71-28783
US-PATENT-CLASS-317-100 c10 N73-25243
US-PATENT-CLASS-317-101 c09 N71-26133
US-PATENT-CLASS-317-101A c09 N72-33205
US-PATENT-CLASS-317-101A c23 N73-13660
US-PATENT-CLASS-317-101DH c15 N72-22486
US-PATENT-CLASS-317-101DH c10 N73-25243
US-PATENT-CLASS-317-117 c15 N72-22486
US-PATENT-CLASS-317-120 c15 N72-22486
US-PATENT-CLASS-317-122 c15 N71-18701
US-PATENT-CLASS-317-123 c09 N71-24892
US-PATENT-CLASS-317-140 c09 N70-34502
US-PATENT-CLASS-317-148.5 c10 N71-23271
US-PATENT-CLASS-317-148.5 c09 N71-24892
US-PATENT-CLASS-317-153 c10 N71-26334
US-PATENT-CLASS-317-155.5 c09 N71-29008
US-PATENT-CLASS-317-157.5 c15 N69-21472
US-PATENT-CLASS-317-158 c15 N73-28516
US-PATENT-CLASS-317-158 c26 N73-28710
US-PATENT-CLASS-317-158 c15 N73-32361
US-PATENT-CLASS-317-230 c09 N71-27232
US-PATENT-CLASS-317-230 c26 N72-28761
US-PATENT-CLASS-317-231 c09 N71-27232
US-PATENT-CLASS-317-234 c14 N69-23191
US-PATENT-CLASS-317-234 c09 N69-27422
US-PATENT-CLASS-317-234 c26 N71-18064
US-PATENT-CLASS-317-234A c15 N73-14469
US-PATENT-CLASS-317-234D c14 N72-31446
US-PATENT-CLASS-317-234E c33 N74-12951
US-PATENT-CLASS-317-234F c33 N74-12951
US-PATENT-CLASS-317-234G c14 N72-31446
US-PATENT-CLASS-317-234G c15 N73-14469
US-PATENT-CLASS-317-234G c09 N73-27150
US-PATENT-CLASS-317-234J c26 N72-25679
US-PATENT-CLASS-317-234L c09 N73-27150
US-PATENT-CLASS-317-234M c09 N73-27150
US-PATENT-CLASS-317-234M c33 N74-12951
US-PATENT-CLASS-317-234N c09 N73-27150
US-PATENT-CLASS-317-234N c33 N74-12951
US-PATENT-CLASS-317-234R c09 N73-27150
US-PATENT-CLASS-317-234R c33 N74-12951
US-PATENT-CLASS-317-234V c26 N72-21701
US-PATENT-CLASS-317-234V c09 N73-15235
US-PATENT-CLASS-317-235 c09 N69-24318
US-PATENT-CLASS-317-235 c09 N72-33205
US-PATENT-CLASS-317-235A c26 N72-25679
US-PATENT-CLASS-317-235A c09 N72-33205
US-PATENT-CLASS-317-235AG c09 N73-15235
US-PATENT-CLASS-317-235AJ c26 N72-25679
US-PATENT-CLASS-317-235AJ c09 N72-33205
US-PATENT-CLASS-317-235AM c09 N73-19235
US-PATENT-CLASS-317-235H c35 N75-13213
US-PATENT-CLASS-317-235K c09 N73-15235
US-PATENT-CLASS-317-235M c14 N72-31446
US-PATENT-CLASS-317-235N c09 N73-19235
US-PATENT-CLASS-317-235N c35 N74-15090
US-PATENT-CLASS-317-235R c26 N72-21701
US-PATENT-CLASS-317-235R c26 N72-25679
US-PATENT-CLASS-317-235R c14 N72-31446
US-PATENT-CLASS-317-235R c09 N73-19235
US-PATENT-CLASS-317-235R c09 N73-32112
US-PATENT-CLASS-317-235T c09 N73-19235
US-PATENT-CLASS-317-235UA c09 N73-19235
US-PATENT-CLASS-317-235WF c09 N73-32112
US-PATENT-CLASS-317-238 c09 N71-27232
US-PATENT-CLASS-317-245 c33 N79-21265
US-PATENT-CLASS-317-246 c14 N69-21541
US-PATENT-CLASS-317-246 c33 N76-21390
US-PATENT-CLASS-317-246 c35 N76-22509
US-PATENT-CLASS-317-247 c14 N72-24477
US-PATENT-CLASS-317-258 c09 N71-13522
US-PATENT-CLASS-317-258 c33 N76-15373
US-PATENT-CLASS-317-261 c26 N72-28761
US-PATENT-CLASS-317-261 c33 N76-15373
US-PATENT-CLASS-318-15 c37 N80-32716
US-PATENT-CLASS-318-20.105 c08 N71-27057
US-PATENT-CLASS-318-22 c15 N71-17694
US-PATENT-CLASS-318-31 c15 N71-28952

US-PATENT-CLASS-318-116 c71 N79-20827
US-PATENT-CLASS-318-137 c33 N75-19524
US-PATENT-CLASS-318-138 c09 N71-10677
US-PATENT-CLASS-318-138 c14 N71-17585
US-PATENT-CLASS-318-138 c10 N71-18772
US-PATENT-CLASS-318-138 c09 N71-25999
US-PATENT-CLASS-318-138 c33 N77-26386
US-PATENT-CLASS-318-138 c33 N81-20352
US-PATENT-CLASS-318-167 c33 N75-19524
US-PATENT-CLASS-318-176 c33 N75-19524
US-PATENT-CLASS-318-183 c33 N75-19524
US-PATENT-CLASS-318-200 c33 N78-10376
US-PATENT-CLASS-318-227 c07 N71-33613
US-PATENT-CLASS-318-227 c33 N75-15874
US-PATENT-CLASS-318-227 c33 N77-26386
US-PATENT-CLASS-318-227 c33 N78-10376
US-PATENT-CLASS-318-230 c07 N71-33613
US-PATENT-CLASS-318-230 c10 N73-32145
US-PATENT-CLASS-318-230 c33 N75-15874
US-PATENT-CLASS-318-230 c33 N78-10376
US-PATENT-CLASS-318-231 c10 N73-32145
US-PATENT-CLASS-318-231 c33 N75-15874
US-PATENT-CLASS-318-254 c09 N71-25999
US-PATENT-CLASS-318-254 c09 N73-32107
US-PATENT-CLASS-318-254 c33 N77-26386
US-PATENT-CLASS-318-254 c33 N81-20352
US-PATENT-CLASS-318-257 c10 N71-18724
US-PATENT-CLASS-318-258 c09 N71-26092
US-PATENT-CLASS-318-260 c09 N70-38712
US-PATENT-CLASS-318-265 c15 N71-24895
US-PATENT-CLASS-318-267 c37 N77-27400
US-PATENT-CLASS-318-308 c11 N72-20244
US-PATENT-CLASS-318-314 c10 N71-20448
US-PATENT-CLASS-318-314 c09 N75-24758
US-PATENT-CLASS-318-317 c09 N71-28886
US-PATENT-CLASS-318-318 c09 N71-24805
US-PATENT-CLASS-318-318 c09 N75-24758
US-PATENT-CLASS-318-327 c11 N72-20244
US-PATENT-CLASS-318-328 c09 N73-32107
US-PATENT-CLASS-318-331 c09 N71-28886
US-PATENT-CLASS-318-341 c10 N73-32145
US-PATENT-CLASS-318-341 c09 N75-24758
US-PATENT-CLASS-318-345 c09 N71-28886
US-PATENT-CLASS-318-376 c10 N71-16030
US-PATENT-CLASS-318-376 c11 N72-20244
US-PATENT-CLASS-318-382 c15 N71-24695
US-PATENT-CLASS-318-439 c33 N81-20352
US-PATENT-CLASS-318-468 c37 N77-27400
US-PATENT-CLASS-318-470 c37 N77-27400
US-PATENT-CLASS-318-489 c02 N73-19004
US-PATENT-CLASS-318-504 c09 N71-28886
US-PATENT-CLASS-318-571 c10 N71-27136
US-PATENT-CLASS-318-573 c35 N79-14348
US-PATENT-CLASS-318-576 c09 N72-21246
US-PATENT-CLASS-318-580 c08 N74-10942
US-PATENT-CLASS-318-585 c08 N79-23097
US-PATENT-CLASS-318-594 c35 N79-14348
US-PATENT-CLASS-318-599 c10 N71-24861
US-PATENT-CLASS-318-602 c33 N74-29556
US-PATENT-CLASS-318-603 c33 N74-29556
US-PATENT-CLASS-318-608 c33 N75-13139
US-PATENT-CLASS-318-616 c08 N79-23097
US-PATENT-CLASS-318-628 c08 N74-10942
US-PATENT-CLASS-318-640 c33 N75-13139
US-PATENT-CLASS-318-640 c54 N75-27758
US-PATENT-CLASS-318-640 c35 N79-14348
US-PATENT-CLASS-318-649 c33 N75-13139
US-PATENT-CLASS-318-653 c10 N71-27136
US-PATENT-CLASS-318-664 c33 N74-29556
US-PATENT-CLASS-318-675 c33 N75-13139
US-PATENT-CLASS-318-675 c37 N77-27400
US-PATENT-CLASS-320-2 c44 N77-14581
US-PATENT-CLASS-320-6 c44 N78-14625
US-PATENT-CLASS-320-9 c44 N78-25531
US-PATENT-CLASS-320-13 c03 N71-29129
US-PATENT-CLASS-320-13 c44 N78-25531
US-PATENT-CLASS-320-15 c44 N78-14625
US-PATENT-CLASS-320-15 c44 N78-25531
US-PATENT-CLASS-320-17 c03 N71-24605
US-PATENT-CLASS-320-18 c44 N78-14625
US-PATENT-CLASS-320-21 c44 N76-18643
US-PATENT-CLASS-320-22 c44 N76-18643
US-PATENT-CLASS-320-23 c03 N71-19438
US-PATENT-CLASS-320-32 c44 N78-25531
US-PATENT-CLASS-320-39 c03 N71-24719
US-PATENT-CLASS-320-39 c44 N78-25531
US-PATENT-CLASS-320-40 c44 N78-14625
US-PATENT-CLASS-320-48 c03 N72-25020
US-PATENT-CLASS-320-53 c33 N78-17296

US-PATENT-CLASS-321-1.5 c09 N73-32109
US-PATENT-CLASS-321-2 c03 N69-21330
US-PATENT-CLASS-321-2 c03 N69-25146
US-PATENT-CLASS-321-2 c03 N71-12255
US-PATENT-CLASS-321-2 c09 N71-23188
US-PATENT-CLASS-321-2 c03 N71-23239
US-PATENT-CLASS-321-2 c10 N71-26085
US-PATENT-CLASS-321-2 c09 N72-22196
US-PATENT-CLASS-321-2 c09 N72-22203
US-PATENT-CLASS-321-2 c03 N72-23048
US-PATENT-CLASS-321-2 c09 N72-25249
US-PATENT-CLASS-321-2 c09 N72-25251
US-PATENT-CLASS-321-2 c09 N72-25252
US-PATENT-CLASS-321-2 c09 N72-25253
US-PATENT-CLASS-321-2 c09 N72-25254
US-PATENT-CLASS-321-2 c33 N74-11049
US-PATENT-CLASS-321-2 c33 N77-10428
US-PATENT-CLASS-321-5 c08 N71-18752
US-PATENT-CLASS-321-8B c35 N74-18090
US-PATENT-CLASS-321-9 c10 N71-25139
US-PATENT-CLASS-321-10 c09 N72-17154
US-PATENT-CLASS-321-11 c09 N69-39984
US-PATENT-CLASS-321-11 c09 N72-25252
US-PATENT-CLASS-321-11 c10 N73-26228
US-PATENT-CLASS-321-12 c10 N71-27366
US-PATENT-CLASS-321-13 c33 N77-14333
US-PATENT-CLASS-321-14 c09 N72-22196
US-PATENT-CLASS-321-15 c09 N72-22203
US-PATENT-CLASS-321-15 c33 N75-19522
US-PATENT-CLASS-321-18 c09 N72-22203
US-PATENT-CLASS-321-18 c09 N72-25251
US-PATENT-CLASS-321-18 c09 N72-25252
US-PATENT-CLASS-321-18 c33 N74-11049
US-PATENT-CLASS-321-19 c09 N72-22196
US-PATENT-CLASS-321-19 c09 N72-25252
US-PATENT-CLASS-321-19 c33 N77-10428
US-PATENT-CLASS-321-25 c09 N72-22196
US-PATENT-CLASS-321-45 c09 N71-24800
US-PATENT-CLASS-321-45 c09 N72-22203
US-PATENT-CLASS-321-45C c10 N73-26228
US-PATENT-CLASS-321-45ER c09 N72-25252
US-PATENT-CLASS-321-45R c09 N72-25252
US-PATENT-CLASS-321-45R c09 N72-25254
US-PATENT-CLASS-321-45R c33 N74-22864
US-PATENT-CLASS-321-45S c33 N74-11049
US-PATENT-CLASS-321-47 c09 N71-33109
US-PATENT-CLASS-321-47 c09 N72-25253
US-PATENT-CLASS-321-48 c12 N71-20896
US-PATENT-CLASS-321-60 c14 N71-23174
US-PATENT-CLASS-321-61 c09 N71-27364
US-PATENT-CLASS-321-64 c09 N71-27364
US-PATENT-CLASS-321-69 c10 N71-26414
US-PATENT-CLASS-322-2 c03 N72-23048
US-PATENT-CLASS-322-32 c09 N71-27364
US-PATENT-CLASS-322-96 c33 N77-26387
US-PATENT-CLASS-323-DIG.1 c09 N72-21243
US-PATENT-CLASS-323-DIG.1 c09 N72-25249
US-PATENT-CLASS-323-DIG.1 c33 N74-11049
US-PATENT-CLASS-323-DIG.1 c33 N77-10428
US-PATENT-CLASS-323-4 c33 N78-17294
US-PATENT-CLASS-323-8 c10 N71-10578
US-PATENT-CLASS-323-15 c20 N79-20179
US-PATENT-CLASS-323-15 c44 N80-14472
US-PATENT-CLASS-323-17 c09 N72-25249
US-PATENT-CLASS-323-17 c33 N77-10428
US-PATENT-CLASS-323-18 c33 N78-17295
US-PATENT-CLASS-323-19 c08 N72-31226
US-PATENT-CLASS-323-19 c33 N78-17296
US-PATENT-CLASS-323-19 c44 N80-14472
US-PATENT-CLASS-323-20 c14 N71-27407
US-PATENT-CLASS-323-20 c20 N79-20179
US-PATENT-CLASS-323-22 c09 N71-21449
US-PATENT-CLASS-323-22 c09 N71-23316
US-PATENT-CLASS-323-22T c09 N72-21243
US-PATENT-CLASS-323-22T c09 N72-25249
US-PATENT-CLASS-323-22T c33 N77-10428
US-PATENT-CLASS-323-22T c33 N79-23345
US-PATENT-CLASS-323-23 c33 N77-10428
US-PATENT-CLASS-323-38 c09 N72-21243
US-PATENT-CLASS-323-44F c33 N79-17133
US-PATENT-CLASS-323-48 c09 N71-27053
US-PATENT-CLASS-323-48 c09 N72-25262
US-PATENT-CLASS-323-56 c10 N71-22961
US-PATENT-CLASS-323-56 c09 N71-24893
US-PATENT-CLASS-323-56 c09 N72-22196
US-PATENT-CLASS-323-60 c09 N71-27053
US-PATENT-CLASS-323-82 c09 N72-25262
US-PATENT-CLASS-323-89C c09 N72-22196
US-PATENT-CLASS-323-93 c33 N77-31404

US-PATENT-CLASS-323-106 c33 N74-22885
US-PATENT-CLASS-323-122 c33 N74-22885
US-PATENT-CLASS-323-128 c33 N74-22885
US-PATENT-CLASS-324-.5 c14 N71-20428
US-PATENT-CLASS-324-.5R c16 N73-13489
US-PATENT-CLASS-324-DIG.1 c33 N75-19520
US-PATENT-CLASS-324-DIG.1 c33 N75-25041
US-PATENT-CLASS-324-0.5 c14 N71-26137
US-PATENT-CLASS-324-0.5 c14 N71-26266
US-PATENT-CLASS-324-0.5 c36 N79-14362
US-PATENT-CLASS-324-5 c14 N71-28991
US-PATENT-CLASS-324-20R c09 N72-23172
US-PATENT-CLASS-324-20R c44 N79-12541
US-PATENT-CLASS-324-22 c44 N79-12541
US-PATENT-CLASS-324-29.5 c03 N72-25020
US-PATENT-CLASS-324-29.5 c14 N73-30388
US-PATENT-CLASS-324-29.5 c44 N74-27519
US-PATENT-CLASS-324-30B c33 N76-19339
US-PATENT-CLASS-324-30R c14 N73-20478
US-PATENT-CLASS-324-32 c14 N71-16014
US-PATENT-CLASS-324-32 c33 N75-18477
US-PATENT-CLASS-324-32 c33 N75-19522
US-PATENT-CLASS-324-32 c35 N78-28411
US-PATENT-CLASS-324-33 c25 N69-39884
US-PATENT-CLASS-324-33 c14 N70-35666
US-PATENT-CLASS-324-33 c24 N71-20518
US-PATENT-CLASS-324-33 c14 N71-21090
US-PATENT-CLASS-324-33 c14 N71-27090
US-PATENT-CLASS-324-34 c25 N71-16073
US-PATENT-CLASS-324-34FL c35 N74-21018
US-PATENT-CLASS-324-34R c26 N76-18257
US-PATENT-CLASS-324-40 c38 N74-15395
US-PATENT-CLASS-324-41 c10 N72-28240
US-PATENT-CLASS-324-43 c14 N69-27423
US-PATENT-CLASS-324-43 c09 N70-40123
US-PATENT-CLASS-324-43 c14 N71-15962
US-PATENT-CLASS-324-43 c14 N71-26135
US-PATENT-CLASS-324-43 c14 N71-27325
US-PATENT-CLASS-324-43R c35 N76-16390
US-PATENT-CLASS-324-51 c33 N80-26599
US-PATENT-CLASS-324-52 c14 N72-17325
US-PATENT-CLASS-324-52 c14 N73-28486
US-PATENT-CLASS-324-52 c33 N79-18193
US-PATENT-CLASS-324-54 c33 N75-18477
US-PATENT-CLASS-324-57 c10 N71-16057
US-PATENT-CLASS-324-57 c09 N71-20569
US-PATENT-CLASS-324-57DE c33 N78-25319
US-PATENT-CLASS-324-57H c35 N77-32455
US-PATENT-CLASS-324-57PS c35 N75-21582
US-PATENT-CLASS-324-57R c15 N72-21464
US-PATENT-CLASS-324-57R c14 N73-30388
US-PATENT-CLASS-324-57R c35 N74-18090
US-PATENT-CLASS-324-57R c33 N79-10338
US-PATENT-CLASS-324-57R c35 N79-14349
US-PATENT-CLASS-324-57SS c33 N78-25319
US-PATENT-CLASS-324-58.5 c15 N71-17822
US-PATENT-CLASS-324-58.5 c25 N71-20563
US-PATENT-CLASS-324-58.5 c14 N71-26137
US-PATENT-CLASS-324-58.5 c18 N71-27397
US-PATENT-CLASS-324-58.5A c33 N75-26245
US-PATENT-CLASS-324-58.5B c43 N78-10529
US-PATENT-CLASS-324-58.5C c33 N75-26245
US-PATENT-CLASS-324-58A c33 N78-25319
US-PATENT-CLASS-324-59 c35 N77-32455
US-PATENT-CLASS-324-60 c33 N77-31404
US-PATENT-CLASS-324-60C c35 N75-12270
US-PATENT-CLASS-324-60C c76 N76-20994
US-PATENT-CLASS-324-61 c14 N69-39785
US-PATENT-CLASS-324-61 c14 N70-36618
US-PATENT-CLASS-324-61 c14 N71-10797
US-PATENT-CLASS-324-61 c18 N71-27397
US-PATENT-CLASS-324-61 c14 N72-22442
US-PATENT-CLASS-324-61R c14 N72-24477
US-PATENT-CLASS-324-61R c35 N76-22509
US-PATENT-CLASS-324-62 c33 N80-32650
US-PATENT-CLASS-324-62R c14 N73-30388
US-PATENT-CLASS-324-64 c15 N72-21464
US-PATENT-CLASS-324-64 c33 N80-32650
US-PATENT-CLASS-324-65 c14 N71-27186
US-PATENT-CLASS-324-65P c14 N73-20478
US-PATENT-CLASS-324-65R c15 N72-23497
US-PATENT-CLASS-324-66 c05 N72-16015
US-PATENT-CLASS-324-70 c14 N70-41332
US-PATENT-CLASS-324-70 c14 N71-22990
US-PATENT-CLASS-324-70 c10 N71-24863
US-PATENT-CLASS-324-71 c09 N71-24843
US-PATENT-CLASS-324-71CP c35 N76-22509
US-PATENT-CLASS-324-71R c09 N72-21246
US-PATENT-CLASS-324-71R c15 N72-21464
US-PATENT-CLASS-324-72 c10 N71-19421
US-PATENT-CLASS-324-72 c14 N71-23699
US-PATENT-CLASS-324-72 c07 N73-20175
US-PATENT-CLASS-324-72 c14 N73-32318
US-PATENT-CLASS-324-72 c33 N74-27862
US-PATENT-CLASS-324-72 c33 N75-26246
US-PATENT-CLASS-324-72 c33 N77-10429
US-PATENT-CLASS-324-72 c33 N79-10337
US-PATENT-CLASS-324-72 c33 N79-14305
US-PATENT-CLASS-324-72.5 c44 N74-27519
US-PATENT-CLASS-324-73 c14 N71-28991
US-PATENT-CLASS-324-73AT c08 N72-22166
US-PATENT-CLASS-324-74 c35 N78-28411
US-PATENT-CLASS-324-77 c09 N71-10659
US-PATENT-CLASS-324-77 c07 N71-24622
US-PATENT-CLASS-324-77B c60 N75-13539
US-PATENT-CLASS-324-77B c32 N79-10262
US-PATENT-CLASS-324-77C c32 N79-10262
US-PATENT-CLASS-324-77G c08 N72-20177
US-PATENT-CLASS-324-77H c35 N75-21582
US-PATENT-CLASS-324-77K c35 N79-10391
US-PATENT-CLASS-324-77R c10 N73-25240
US-PATENT-CLASS-324-78D c09 N72-25257
US-PATENT-CLASS-324-78D c52 N74-12778
US-PATENT-CLASS-324-78E c14 N73-24473
US-PATENT-CLASS-324-78J c10 N73-25240
US-PATENT-CLASS-324-78J c33 N75-19515
US-PATENT-CLASS-324-79D c14 N73-30386
US-PATENT-CLASS-324-79D c33 N76-16331
US-PATENT-CLASS-324-79R c14 N72-27408
US-PATENT-CLASS-324-83A c10 N72-20224
US-PATENT-CLASS-324-83D c33 N79-10338
US-PATENT-CLASS-324-83Q c35 N74-21017
US-PATENT-CLASS-324-83Q c33 N75-26243
US-PATENT-CLASS-324-85 c10 N72-20224
US-PATENT-CLASS-324-85 c33 N79-10338
US-PATENT-CLASS-324-92 c26 N72-25680
US-PATENT-CLASS-324-95 c10 N71-12554
US-PATENT-CLASS-324-95 c14 N73-30388
US-PATENT-CLASS-324-96 c26 N72-25680
US-PATENT-CLASS-324-96 c33 N79-10337
US-PATENT-CLASS-324-99D c33 N79-22373
US-PATENT-CLASS-324-102 c09 N72-11225
US-PATENT-CLASS-324-102 c33 N74-17930
US-PATENT-CLASS-324-102 c33 N75-19521
US-PATENT-CLASS-324-102 c33 N79-11315
US-PATENT-CLASS-324-102 c33 N79-14305
US-PATENT-CLASS-324-103 c10 N71-27338
US-PATENT-CLASS-324-106 c14 N70-38602
US-PATENT-CLASS-324-106 c08 N71-29138
US-PATENT-CLASS-324-107 c10 N71-27338
US-PATENT-CLASS-324-112 c33 N79-14305
US-PATENT-CLASS-324-113 c09 N70-41655
US-PATENT-CLASS-324-113 c33 N75-19521
US-PATENT-CLASS-324-113 c33 N79-11315
US-PATENT-CLASS-324-113 c33 N79-14305
US-PATENT-CLASS-324-115 c14 N71-26244
US-PATENT-CLASS-324-115 c10 N72-20222
US-PATENT-CLASS-324-117 c14 N71-23037
US-PATENT-CLASS-324-118 c33 N74-17930
US-PATENT-CLASS-324-119 c09 N72-11225
US-PATENT-CLASS-324-120 c14 N71-19431
US-PATENT-CLASS-324-120 c09 N71-23021
US-PATENT-CLASS-324-123C c33 N79-22373
US-PATENT-CLASS-324-123E c09 N72-11225
US-PATENT-CLASS-324-127 c33 N79-18193
US-PATENT-CLASS-324-130 c35 N78-28411
US-PATENT-CLASS-324-132 c09 N71-13530
US-PATENT-CLASS-324-132 c10 N72-20222
US-PATENT-CLASS-324-133 c10 N71-27338
US-PATENT-CLASS-324-133 c33 N79-10337
US-PATENT-CLASS-324-133 c33 N79-11315
US-PATENT-CLASS-324-133 c33 N79-14305
US-PATENT-CLASS-324-133 c33 N79-18193
US-PATENT-CLASS-324-158 c09 N69-21926
US-PATENT-CLASS-324-158D c15 N72-25457
US-PATENT-CLASS-324-158D c76 N76-20994
US-PATENT-CLASS-324-158D c44 N80-18551
US-PATENT-CLASS-324-158R c76 N76-20994
US-PATENT-CLASS-324-158T c15 N72-25457
US-PATENT-CLASS-324-158T c35 N75-12270
US-PATENT-CLASS-324-158T c76 N76-20994
US-PATENT-CLASS-324-158T c33 N80-14332
US-PATENT-CLASS-324-163 c35 N77-30436
US-PATENT-CLASS-324-165 c35 N77-30436
US-PATENT-CLASS-324-173 c35 N78-32396
US-PATENT-CLASS-324-174 c35 N77-30436
US-PATENT-CLASS-324-181 c09 N71-24717
US-PATENT-CLASS-324-186 c09 N72-25257

US-PATENT-CLASS-324-186 c52 N74-12778
US-PATENT-CLASS-324-207 c35 N78-32396
US-PATENT-CLASS-324-249 c35 N78-32397
US-PATENT-CLASS-324-404 c44 N80-18551
US-PATENT-CLASS-325-4 c07 N71-16088
US-PATENT-CLASS-325-4 c07 N71-19773
US-PATENT-CLASS-325-4 c07 N71-24621
US-PATENT-CLASS-325-4 c07 N72-11149
US-PATENT-CLASS-325-4 c07 N72-12080
US-PATENT-CLASS-325-4 c07 N72-20140
US-PATENT-CLASS-325-4 c07 N72-25171
US-PATENT-CLASS-325-4 c07 N73-20174
US-PATENT-CLASS-325-4 c15 N75-13007
US-PATENT-CLASS-325-4 c32 N75-26195
US-PATENT-CLASS-325-4 c32 N77-20289
US-PATENT-CLASS-325-4 c32 N79-11265
US-PATENT-CLASS-325-4 c32 N80-20448
US-PATENT-CLASS-325-5 c07 N73-20174
US-PATENT-CLASS-325-7 c07 N73-20174
US-PATENT-CLASS-325-8 c07 N73-20174
US-PATENT-CLASS-325-8 c32 N80-20448
US-PATENT-CLASS-325-9 c07 N73-20174
US-PATENT-CLASS-325-9 c32 N80-20448
US-PATENT-CLASS-325-10 c07 N72-12081
US-PATENT-CLASS-325-12 c07 N73-20174
US-PATENT-CLASS-325-13 c07 N72-12081
US-PATENT-CLASS-325-14 c17 N76-21250
US-PATENT-CLASS-325-14 c32 N80-20448
US-PATENT-CLASS-325-16 c07 N71-27056
US-PATENT-CLASS-325-17 c07 N73-20174
US-PATENT-CLASS-325-23 c07 N71-27056
US-PATENT-CLASS-325-29 c09 N72-22202
US-PATENT-CLASS-325-30 c32 N74-26654
US-PATENT-CLASS-325-30 c32 N75-24981
US-PATENT-CLASS-325-30 c32 N77-30308
US-PATENT-CLASS-325-31 c07 N71-20791
US-PATENT-CLASS-325-38 c07 N72-20140
US-PATENT-CLASS-325-38 c07 N72-25173
US-PATENT-CLASS-325-38B c35 N74-17885
US-PATENT-CLASS-325-39 c07 N72-11149
US-PATENT-CLASS-325-40 c07 N73-26118
US-PATENT-CLASS-325-41 c10 N71-26577
US-PATENT-CLASS-325-41 c32 N77-12240
US-PATENT-CLASS-325-41 c32 N79-10263
US-PATENT-CLASS-325-42 c07 N71-11266
US-PATENT-CLASS-325-42 c32 N76-21366
US-PATENT-CLASS-325-42 c32 N77-30308
US-PATENT-CLASS-325-45 c07 N73-25160
US-PATENT-CLASS-325-51 c07 N72-25173
US-PATENT-CLASS-325-55 c07 N72-25173
US-PATENT-CLASS-325-58 c07 N72-11149
US-PATENT-CLASS-325-58 c07 N72-20140
US-PATENT-CLASS-325-58 c07 N72-25173
US-PATENT-CLASS-325-58 c32 N78-15323
US-PATENT-CLASS-325-58 c32 N79-20296
US-PATENT-CLASS-325-60 c08 N71-19763
US-PATENT-CLASS-325-60 c07 N73-16121
US-PATENT-CLASS-325-60 c32 N75-24981
US-PATENT-CLASS-325-61 c07 N73-25160
US-PATENT-CLASS-325-62 c08 N72-25208
US-PATENT-CLASS-325-62 c44 N74-19870
US-PATENT-CLASS-325-63 c10 N71-19467
US-PATENT-CLASS-325-63 c07 N73-20174
US-PATENT-CLASS-325-63 c32 N78-15323
US-PATENT-CLASS-325-63 c32 N79-20296
US-PATENT-CLASS-325-64 c07 N72-25173
US-PATENT-CLASS-325-65 c07 N70-41331
US-PATENT-CLASS-325-65 c07 N70-41372
US-PATENT-CLASS-325-65 c07 N71-11284
US-PATENT-CLASS-325-65 c32 N77-30308
US-PATENT-CLASS-325-66 c17 N78-17140
US-PATENT-CLASS-325-67 c07 N71-26292
US-PATENT-CLASS-325-67 c10 N73-25241
US-PATENT-CLASS-325-67 c35 N75-21582
US-PATENT-CLASS-325-67 c32 N79-11265
US-PATENT-CLASS-325-113 c07 N71-24840
US-PATENT-CLASS-325-113 c07 N73-25160
US-PATENT-CLASS-325-113 c52 N74-26625
US-PATENT-CLASS-325-114 c07 N72-25171
US-PATENT-CLASS-325-114 c03 N76-32140
US-PATENT-CLASS-325-115 c03 N76-32140
US-PATENT-CLASS-325-118 c17 N78-17140
US-PATENT-CLASS-325-139 c07 N73-25160
US-PATENT-CLASS-325-141 c07 N72-25173
US-PATENT-CLASS-325-141 c52 N74-26625
US-PATENT-CLASS-325-143 c05 N71-12342
US-PATENT-CLASS-325-145 c32 N77-14292
US-PATENT-CLASS-325-148 c32 N74-19790
US-PATENT-CLASS-325-151.11 c08 N71-27057

US-PATENT-CLASS-325-159 c33 N78-32340
US-PATENT-CLASS-325-163 c07 N71-23405
US-PATENT-CLASS-325-185 c07 N71-28430
US-PATENT-CLASS-325-186 c03 N76-32140
US-PATENT-CLASS-325-187 c33 N78-32340
US-PATENT-CLASS-325-302 c07 N72-25173
US-PATENT-CLASS-325-304 c32 N76-14321
US-PATENT-CLASS-325-305 c07 N71-10775
US-PATENT-CLASS-325-305 c10 N71-20841
US-PATENT-CLASS-325-305 c07 N71-23098
US-PATENT-CLASS-325-305 c32 N80-18253
US-PATENT-CLASS-325-306 c32 N76-14321
US-PATENT-CLASS-325-307 c32 N80-18253
US-PATENT-CLASS-325-320 c33 N74-12887
US-PATENT-CLASS-325-320 c32 N74-20809
US-PATENT-CLASS-325-320 c32 N74-20811
US-PATENT-CLASS-325-320 c33 N74-27705
US-PATENT-CLASS-325-321 c07 N72-20140
US-PATENT-CLASS-325-321 c32 N74-20810
US-PATENT-CLASS-325-321 c32 N76-16249
US-PATENT-CLASS-325-323 c32 N77-10392
US-PATENT-CLASS-325-325 c07 N71-24613
US-PATENT-CLASS-325-325 c07 N72-25173
US-PATENT-CLASS-325-325 c07 N73-13149
US-PATENT-CLASS-325-346 c10 N73-16205
US-PATENT-CLASS-325-346 c32 N74-30523
US-PATENT-CLASS-325-346 c32 N77-24331
US-PATENT-CLASS-325-347 c07 N71-33696
US-PATENT-CLASS-325-348 c07 N71-33696
US-PATENT-CLASS-325-349 c32 N77-10392
US-PATENT-CLASS-325-363 c07 N71-11267
US-PATENT-CLASS-325-363 c14 N71-26774
US-PATENT-CLASS-325-363 c14 N72-28437
US-PATENT-CLASS-325-363 c10 N73-25241
US-PATENT-CLASS-325-363 c35 N80-18359
US-PATENT-CLASS-325-369 c07 N71-27056
US-PATENT-CLASS-325-372 c32 N76-14321
US-PATENT-CLASS-325-373 c07 N72-33146
US-PATENT-CLASS-325-419 c10 N73-16205
US-PATENT-CLASS-325-419 c07 N73-28012
US-PATENT-CLASS-325-419 c32 N74-20810
US-PATENT-CLASS-325-419 c32 N74-20811
US-PATENT-CLASS-325-419 c32 N80-18253
US-PATENT-CLASS-325-420 c07 N73-30113
US-PATENT-CLASS-325-422 c07 N73-30113
US-PATENT-CLASS-325-423 c32 N74-20809
US-PATENT-CLASS-325-445 c07 N72-20141
US-PATENT-CLASS-325-446 c09 N69-24324
US-PATENT-CLASS-325-473 c07 N71-33696
US-PATENT-CLASS-325-473 c10 N73-12244
US-PATENT-CLASS-325-473 c32 N77-30308
US-PATENT-CLASS-325-476 c32 N77-10392
US-PATENT-CLASS-325-478 c07 N71-33696
US-PATENT-CLASS-325-480 c07 N71-33696
US-PATENT-CLASS-325-480 c10 N73-12244
US-PATENT-CLASS-325-482 c07 N71-33696
US-PATENT-CLASS-325-492 c09 N72-17153
US-PATENT-CLASS-325-492 c09 N72-22202
US-PATENT-CLASS-328-1 c23 N71-16099
US-PATENT-CLASS-328-1 c10 N71-19472
US-PATENT-CLASS-328-1 c09 N72-22200
US-PATENT-CLASS-328-4-8 c33 N77-24375
US-PATENT-CLASS-328-16 c10 N72-20223
US-PATENT-CLASS-328-20 c10 N72-20223
US-PATENT-CLASS-328-24 c09 N72-33204
US-PATENT-CLASS-328-37 c08 N71-12503
US-PATENT-CLASS-328-37 c10 N73-20254
US-PATENT-CLASS-328-37 c33 N76-14373
US-PATENT-CLASS-328-37 c33 N81-17349
US-PATENT-CLASS-328-38 c10 N72-20223
US-PATENT-CLASS-328-38 c33 N77-24375
US-PATENT-CLASS-328-39 c33 N77-24375
US-PATENT-CLASS-328-41 c33 N75-31330
US-PATENT-CLASS-328-42 c08 N71-19432
US-PATENT-CLASS-328-44 c08 N71-29034
US-PATENT-CLASS-328-48 c14 N73-30386
US-PATENT-CLASS-328-48 c33 N74-10223
US-PATENT-CLASS-328-48 c60 N81-15706
US-PATENT-CLASS-328-49 c10 N71-27137
US-PATENT-CLASS-328-55 c33 N81-17349
US-PATENT-CLASS-328-58 c08 N71-29138
US-PATENT-CLASS-328-58 c33 N74-32711
US-PATENT-CLASS-328-58 c33 N75-18479
US-PATENT-CLASS-328-59 c33 N75-19515
US-PATENT-CLASS-328-61 c09 N71-23525
US-PATENT-CLASS-328-61 c10 N73-20254
US-PATENT-CLASS-328-61 c35 N75-30504
US-PATENT-CLASS-328-62 c35 N75-30504
US-PATENT-CLASS-328-63 c33 N76-14371

US-PATENT-CLASS-328-63 c33 N77-24375
US-PATENT-CLASS-328-67 c10 N71-28960
US-PATENT-CLASS-328-71 c60 N81-15706
US-PATENT-CLASS-328-92 c10 N71-28860
US-PATENT-CLASS-328-104 c08 N72-22162
US-PATENT-CLASS-328-104 c10 N73-13235
US-PATENT-CLASS-328-106 c09 N72-22201
US-PATENT-CLASS-328-110 c09 N71-12519
US-PATENT-CLASS-328-111 c60 N77-12721
US-PATENT-CLASS-328-115 c33 N75-18479
US-PATENT-CLASS-328-116 c09 N69-39885
US-PATENT-CLASS-328-120 c09 N71-27016
US-PATENT-CLASS-328-123 c60 N74-12888
US-PATENT-CLASS-328-129 c14 N73-30386
US-PATENT-CLASS-328-133 c09 N71-24596
US-PATENT-CLASS-328-133 c10 N72-20224
US-PATENT-CLASS-328-133 c33 N75-26243
US-PATENT-CLASS-328-133 c33 N77-13315
US-PATENT-CLASS-328-133 c33 N79-11313
US-PATENT-CLASS-328-134 c08 N71-18692
US-PATENT-CLASS-328-134 c14 N73-30386
US-PATENT-CLASS-328-134 c33 N76-16331
US-PATENT-CLASS-328-134 c33 N81-17349
US-PATENT-CLASS-328-136 c09 N72-25257
US-PATENT-CLASS-328-140 c09 N72-25257
US-PATENT-CLASS-328-142 c09 N72-21245
US-PATENT-CLASS-328-145 c09 N72-23173
US-PATENT-CLASS-328-145 c32 N76-14321
US-PATENT-CLASS-328-145 c33 N78-32339
US-PATENT-CLASS-328-150 c33 N78-18308
US-PATENT-CLASS-328-151 c09 N72-22200
US-PATENT-CLASS-328-151 c33 N75-18479
US-PATENT-CLASS-328-154 c08 N72-22162
US-PATENT-CLASS-328-154 c10 N73-13235
US-PATENT-CLASS-328-154 c33 N74-22814
US-PATENT-CLASS-328-155 c10 N72-16172
US-PATENT-CLASS-328-155 c09 N72-33204
US-PATENT-CLASS-328-155 c33 N74-17927
US-PATENT-CLASS-328-155 c17 N76-22245
US-PATENT-CLASS-328-160 c32 N74-19788
US-PATENT-CLASS-328-161 c33 N77-17354
US-PATENT-CLASS-328-163 c33 N79-10338
US-PATENT-CLASS-328-164 c07 N71-33696
US-PATENT-CLASS-328-165 c09 N71-24806
US-PATENT-CLASS-328-165 c07 N71-33696
US-PATENT-CLASS-328-166 c10 N72-20223
US-PATENT-CLASS-328-167 c10 N71-22986
US-PATENT-CLASS-328-167 c08 N71-29034
US-PATENT-CLASS-328-167 c10 N72-17171
US-PATENT-CLASS-328-167 c09 N72-21245
US-PATENT-CLASS-328-167 c09 N73-20231
US-PATENT-CLASS-328-167 c08 N73-26175
US-PATENT-CLASS-328-168 c32 N74-19788
US-PATENT-CLASS-328-171 c10 N71-24844
US-PATENT-CLASS-328-172 c32 N74-19788
US-PATENT-CLASS-328-172 c33 N78-17294
US-PATENT-CLASS-328-186 c09 N72-17157
US-PATENT-CLASS-328-187 c10 N73-20254
US-PATENT-CLASS-328-189 c14 N72-27408
US-PATENT-CLASS-328-190 c33 N76-14371
US-PATENT-CLASS-328-192 c60 N81-15706
US-PATENT-CLASS-328-207 c09 N71-28468
US-PATENT-CLASS-328-207 c10 N71-28860
US-PATENT-CLASS-328-207 c09 N71-29139
US-PATENT-CLASS-328-207 c10 N72-20221
US-PATENT-CLASS-328-233 c10 N71-22962
US-PATENT-CLASS-328-233 c75 N75-13625
US-PATENT-CLASS-328-233 c37 N78-17386
US-PATENT-CLASS-329-50 c33 N74-17930
US-PATENT-CLASS-329-50 c35 N81-19427
US-PATENT-CLASS-329-104 c07 N71-11282
US-PATENT-CLASS-329-104 c33 N74-12887
US-PATENT-CLASS-329-104 c32 N77-24331
US-PATENT-CLASS-329-107 c35 N81-19427
US-PATENT-CLASS-329-119 c33 N77-21314
US-PATENT-CLASS-329-120 c07 N73-30113
US-PATENT-CLASS-329-122 c10 N71-19469
US-PATENT-CLASS-329-122 c07 N73-28012
US-PATENT-CLASS-329-122 c33 N74-12887
US-PATENT-CLASS-329-122 c32 N74-20811
US-PATENT-CLASS-329-122 c33 N77-14334
US-PATENT-CLASS-329-122 c32 N77-24331
US-PATENT-CLASS-329-122 c32 N79-14267
US-PATENT-CLASS-329-124 c33 N77-14334
US-PATENT-CLASS-329-124 c33 N78-32338
US-PATENT-CLASS-329-126 c33 N74-12887
US-PATENT-CLASS-329-140 c07 N71-24583
US-PATENT-CLASS-329-145 c07 N71-33696
US-PATENT-CLASS-329-161 c07 N72-20141
US-PATENT-CLASS-329-162 c07 N72-20141
US-PATENT-CLASS-329-166 c33 N75-19520
US-PATENT-CLASS-329-166 c33 N75-25041
US-PATENT-CLASS-329-204 c33 N75-19520
US-PATENT-CLASS-329-204 c33 N75-25041
US-PATENT-CLASS-329-205 c33 N77-21314
US-PATENT-CLASS-330-2 c09 N69-39986
US-PATENT-CLASS-330-2 c09 N72-25250
US-PATENT-CLASS-330-2 c33 N78-10375
US-PATENT-CLASS-330-2 c33 N79-22373
US-PATENT-CLASS-330-4 c16 N71-15550
US-PATENT-CLASS-330-4 c16 N71-24831
US-PATENT-CLASS-330-4 c16 N72-28521
US-PATENT-CLASS-330-4 c36 N75-15029
US-PATENT-CLASS-330-4 c36 N76-31512
US-PATENT-CLASS-330-4 c36 N78-18410
US-PATENT-CLASS-330-4 c36 N80-18372
US-PATENT-CLASS-330-4.3 c16 N73-32391
US-PATENT-CLASS-330-4.3 c36 N75-19655
US-PATENT-CLASS-330-4.3 c36 N75-27364
US-PATENT-CLASS-330-4.3 c36 N75-32441
US-PATENT-CLASS-330-4.3 c36 N76-29575
US-PATENT-CLASS-330-4.3 c36 N77-25502
US-PATENT-CLASS-330-4.3 c73 N78-19920
US-PATENT-CLASS-330-4.5 c09 N72-25258
US-PATENT-CLASS-330-4.9 c33 N74-32660
US-PATENT-CLASS-330-5 c33 N75-27251
US-PATENT-CLASS-330-5.5 c71 N77-26919
US-PATENT-CLASS-330-6 c35 N75-13213
US-PATENT-CLASS-330-9 c33 N74-14939
US-PATENT-CLASS-330-10 c33 N74-14939
US-PATENT-CLASS-330-11 c09 N71-13531
US-PATENT-CLASS-330-11 c10 N71-33129
US-PATENT-CLASS-330-11 c09 N72-17156
US-PATENT-CLASS-330-12 c10 N72-33230
US-PATENT-CLASS-330-13 c10 N71-26415
US-PATENT-CLASS-330-13 c33 N75-30428
US-PATENT-CLASS-330-14 c09 N70-35440
US-PATENT-CLASS-330-14 c33 N77-14335
US-PATENT-CLASS-330-16 c10 N71-33129
US-PATENT-CLASS-330-18 c09 N72-17155
US-PATENT-CLASS-330-18 c33 N75-30428
US-PATENT-CLASS-330-20 c09 N73-20232
US-PATENT-CLASS-330-22 c09 N71-10798
US-PATENT-CLASS-330-22 c09 N73-20232
US-PATENT-CLASS-330-24 c10 N71-33129
US-PATENT-CLASS-330-24 c33 N75-30429
US-PATENT-CLASS-330-26 c10 N72-17172
US-PATENT-CLASS-330-27R c10 N72-31273
US-PATENT-CLASS-330-28 c33 N74-21851
US-PATENT-CLASS-330-28 c33 N77-14335
US-PATENT-CLASS-330-29 c09 N69-24330
US-PATENT-CLASS-330-29 c10 N72-28241
US-PATENT-CLASS-330-30 c09 N71-19466
US-PATENT-CLASS-330-30 c09 N71-19516
US-PATENT-CLASS-330-30 c09 N71-27016
US-PATENT-CLASS-330-30D c10 N72-20221
US-PATENT-CLASS-330-30D c09 N73-20232
US-PATENT-CLASS-330-31 c10 N71-26331
US-PATENT-CLASS-330-31 c10 N72-17172
US-PATENT-CLASS-330-35 c09 N72-17156
US-PATENT-CLASS-330-35 c09 N73-20232
US-PATENT-CLASS-330-35 c33 N74-14939
US-PATENT-CLASS-330-40 c07 N71-28430
US-PATENT-CLASS-330-40 c09 N72-17155
US-PATENT-CLASS-330-40 c09 N73-20232
US-PATENT-CLASS-330-40 c33 N75-30428
US-PATENT-CLASS-330-43 c33 N79-10339
US-PATENT-CLASS-330-49 c14 N70-35220
US-PATENT-CLASS-330-51 c10 N71-28859
US-PATENT-CLASS-330-51 c33 N79-22373
US-PATENT-CLASS-330-52 c71 N78-14867
US-PATENT-CLASS-330-53 c33 N74-32660
US-PATENT-CLASS-330-59 c09 N72-25250
US-PATENT-CLASS-330-59 c33 N74-21851
US-PATENT-CLASS-330-59 c33 N77-14335
US-PATENT-CLASS-330-61 c09 N71-23097
US-PATENT-CLASS-330-63 c33 N75-30428
US-PATENT-CLASS-330-69 c33 N74-32712
US-PATENT-CLASS-330-69 c33 N75-19518
US-PATENT-CLASS-330-70CR c10 N73-27171
US-PATENT-CLASS-330-70R c09 N72-21245
US-PATENT-CLASS-330-80T c09 N73-20232
US-PATENT-CLASS-330-85 c09 N72-21245
US-PATENT-CLASS-330-86 c09 N73-20231
US-PATENT-CLASS-330-86 c33 N75-19518
US-PATENT-CLASS-330-86 c33 N79-22373
US-PATENT-CLASS-330-94 c10 N72-17172
US-PATENT-CLASS-330-103 c32 N74-22096

US-PATENT-CLASS-330-107 c10 N72-11256
US-PATENT-CLASS-330-107 c10 N72-17172
US-PATENT-CLASS-330-109 c10 N72-11256
US-PATENT-CLASS-330-109 c10 N72-17171
US-PATENT-CLASS-330-109 c10 N72-17172
US-PATENT-CLASS-330-109 c09 N73-20231
US-PATENT-CLASS-330-124 c07 N71-28430
US-PATENT-CLASS-330-176 c10 N72-17171
US-PATENT-CLASS-330-200 c07 N71-28430
US-PATENT-CLASS-330-207A c33 N75-30429
US-PATENT-CLASS-331-DIG.1 c36 N75-30524
US-PATENT-CLASS-331-1A c33 N74-10194
US-PATENT-CLASS-331-1A c33 N75-25040
US-PATENT-CLASS-331-1A c33 N79-11313
US-PATENT-CLASS-331-3 c35 N76-15436
US-PATENT-CLASS-331-4 c09 N69-21543
US-PATENT-CLASS-331-4 c33 N74-10194
US-PATENT-CLASS-331-4 c33 N78-32338
US-PATENT-CLASS-331-7 c07 N72-11150
US-PATENT-CLASS-331-10 c07 N72-11150
US-PATENT-CLASS-331-12 c33 N78-32338
US-PATENT-CLASS-331-14 c09 N72-21247
US-PATENT-CLASS-331-14 c33 N74-10194
US-PATENT-CLASS-331-14 c33 N79-11313
US-PATENT-CLASS-331-17 c10 N71-20852
US-PATENT-CLASS-331-17 c10 N73-27171
US-PATENT-CLASS-331-17 c33 N74-10194
US-PATENT-CLASS-331-18 c10 N71-26374
US-PATENT-CLASS-331-18 c33 N74-10194
US-PATENT-CLASS-331-18 c33 N75-25040
US-PATENT-CLASS-331-23 c09 N72-21247
US-PATENT-CLASS-331-23 c33 N77-14334
US-PATENT-CLASS-331-23 c33 N79-11313
US-PATENT-CLASS-331-25 c10 N73-27171
US-PATENT-CLASS-331-25 c33 N75-25040
US-PATENT-CLASS-331-27 c33 N79-11313
US-PATENT-CLASS-331-30 c09 N72-21247
US-PATENT-CLASS-331-34 c07 N72-11150
US-PATENT-CLASS-331-36C c33 N77-14334
US-PATENT-CLASS-331-44 c14 N72-27408
US-PATENT-CLASS-331-45 c10 N73-16206
US-PATENT-CLASS-331-48 c33 N81-17349
US-PATENT-CLASS-331-62 c33 N74-11049
US-PATENT-CLASS-331-64 c33 N78-32338
US-PATENT-CLASS-331-65 c35 N75-29380
US-PATENT-CLASS-331-65 c33 N80-23559
US-PATENT-CLASS-331-66 c07 N72-11150
US-PATENT-CLASS-331-78 c09 N71-23598
US-PATENT-CLASS-331-78 c08 N73-12175
US-PATENT-CLASS-331-78 c33 N75-19515
US-PATENT-CLASS-331-90 c09 N73-15235
US-PATENT-CLASS-331-94 c16 N70-41578
US-PATENT-CLASS-331-94 c16 N72-28521
US-PATENT-CLASS-331-94 c16 N73-13489
US-PATENT-CLASS-331-94 c35 N76-15436
US-PATENT-CLASS-331-94 c36 N76-31512
US-PATENT-CLASS-331-94 c36 N79-14362
US-PATENT-CLASS-331-94 c36 N80-18372
US-PATENT-CLASS-331-94.5 c16 N71-18614
US-PATENT-CLASS-331-94.5 c16 N71-24832
US-PATENT-CLASS-331-94.5 c23 N71-26722
US-PATENT-CLASS-331-94.5 c15 N71-27135
US-PATENT-CLASS-331-94.5 c23 N71-29125
US-PATENT-CLASS-331-94.5 c16 N71-33410
US-PATENT-CLASS-331-94.5 c16 N72-12440
US-PATENT-CLASS-331-94.5 c25 N72-24753
US-PATENT-CLASS-331-94.5 c16 N72-25485
US-PATENT-CLASS-331-94.5 c07 N73-26119
US-PATENT-CLASS-331-94.5 c09 N73-32111
US-PATENT-CLASS-331-94.5 c16 N73-32391
US-PATENT-CLASS-331-94.5 c36 N76-18427
US-PATENT-CLASS-331-94.5A c16 N73-33397
US-PATENT-CLASS-331-94.5A c36 N75-27364
US-PATENT-CLASS-331-94.5C c36 N75-31427
US-PATENT-CLASS-331-94.5C c36 N76-18428
US-PATENT-CLASS-331-94.5C c36 N76-24553
US-PATENT-CLASS-331-94.5C c36 N76-29575
US-PATENT-CLASS-331-94.5C c36 N80-14384
US-PATENT-CLASS-331-94.5D c33 N74-20859
US-PATENT-CLASS-331-94.5D c36 N77-19416
US-PATENT-CLASS-331-94.5D c36 N77-25502
US-PATENT-CLASS-331-94.5D c35 N77-27366
US-PATENT-CLASS-331-94.5G c36 N75-31426
US-PATENT-CLASS-331-94.5G c36 N77-19416
US-PATENT-CLASS-331-94.5G c36 N78-17366
US-PATENT-CLASS-331-94.5G c36 N78-27402
US-PATENT-CLASS-331-94.5G c36 N79-18307
US-PATENT-CLASS-331-94.5K c36 N74-15145
US-PATENT-CLASS-331-94.5L c72 N79-13826

US-PATENT-CLASS-331-94.5M c36 N75-19654
US-PATENT-CLASS-331-94.5P c36 N75-19655
US-PATENT-CLASS-331-94.5P c36 N75-31426
US-PATENT-CLASS-331-94.5P c36 N77-25502
US-PATENT-CLASS-331-94.5P c36 N78-27402
US-PATENT-CLASS-331-94.5P c72 N79-13826
US-PATENT-CLASS-331-94.5P c36 N79-18307
US-PATENT-CLASS-331-94.5P c36 N80-14384
US-PATENT-CLASS-331-94.5PE c36 N75-32441
US-PATENT-CLASS-331-94.5PE c36 N77-19416
US-PATENT-CLASS-331-94.5PE c36 N78-27402
US-PATENT-CLASS-331-94.5PE c72 N79-13826
US-PATENT-CLASS-331-94.5S c36 N74-15145
US-PATENT-CLASS-331-94.5S c36 N77-25499
US-PATENT-CLASS-331-94.5T c35 N77-27366
US-PATENT-CLASS-331-94.5T c36 N78-17366
US-PATENT-CLASS-331-94-5G c36 N75-32441
US-PATENT-CLASS-331-107 c09 N71-18721
US-PATENT-CLASS-331-107 c26 N72-21701
US-PATENT-CLASS-331-107A c71 N77-26919
US-PATENT-CLASS-331-107G c26 N72-25679
US-PATENT-CLASS-331-107G c09 N73-15235
US-PATENT-CLASS-331-108A c33 N74-20862
US-PATENT-CLASS-331-109 c10 N71-27271
US-PATENT-CLASS-331-109 c33 N74-26732
US-PATENT-CLASS-331-111 c10 N71-23669
US-PATENT-CLASS-331-111 c09 N72-21247
US-PATENT-CLASS-331-113 c09 N70-38995
US-PATENT-CLASS-331-113 c10 N71-19418
US-PATENT-CLASS-331-113 c09 N71-19470
US-PATENT-CLASS-331-113 c10 N71-25882
US-PATENT-CLASS-331-113 c10 N71-25950
US-PATENT-CLASS-331-113 c09 N71-28810
US-PATENT-CLASS-331-113A c09 N72-25253
US-PATENT-CLASS-331-113A c09 N72-25254
US-PATENT-CLASS-331-113A c33 N74-11049
US-PATENT-CLASS-331-114 c33 N77-17351
US-PATENT-CLASS-331-115 c10 N72-33230
US-PATENT-CLASS-331-115 c33 N74-20862
US-PATENT-CLASS-331-116R c10 N72-33230
US-PATENT-CLASS-331-116R c33 N74-20862
US-PATENT-CLASS-331-117 c10 N71-27271
US-PATENT-CLASS-331-117 c09 N72-22203
US-PATENT-CLASS-331-117R c33 N74-26732
US-PATENT-CLASS-331-135 c10 N73-32145
US-PATENT-CLASS-331-159 c33 N74-20862
US-PATENT-CLASS-331-177 c10 N71-27271
US-PATENT-CLASS-331-177R c09 N73-15235
US-PATENT-CLASS-331-177V c33 N77-17351
US-PATENT-CLASS-331-178 c33 N74-10194
US-PATENT-CLASS-331-183 c33 N74-26732
US-PATENT-CLASS-332-1 c10 N71-23084
US-PATENT-CLASS-332-2 c35 N75-19614
US-PATENT-CLASS-332-7.5 c36 N75-15029
US-PATENT-CLASS-332-7.5 c36 N78-18410
US-PATENT-CLASS-332-7.51 c16 N72-25485
US-PATENT-CLASS-332-7.51 c07 N73-26119
US-PATENT-CLASS-332-7.51 c33 N74-20859
US-PATENT-CLASS-332-7.51 c36 N76-18427
US-PATENT-CLASS-332-9 c07 N71-12390
US-PATENT-CLASS-332-9R c08 N71-29138
US-PATENT-CLASS-332-10 c08 N71-29138
US-PATENT-CLASS-332-11D c35 N74-17885
US-PATENT-CLASS-332-16 c33 N77-21314
US-PATENT-CLASS-332-18 c33 N77-17351
US-PATENT-CLASS-332-19 c10 N71-23544
US-PATENT-CLASS-332-21 c08 N72-25208
US-PATENT-CLASS-332-22 c32 N77-14292
US-PATENT-CLASS-332-22 c33 N81-15192
US-PATENT-CLASS-332-23R c32 N77-14292
US-PATENT-CLASS-332-23R c33 N81-15192
US-PATENT-CLASS-332-29 c07 N71-28429
US-PATENT-CLASS-332-30 c10 N71-27271
US-PATENT-CLASS-332-30 c07 N71-28429
US-PATENT-CLASS-332-30 c33 N77-21314
US-PATENT-CLASS-332-30V c33 N77-14334
US-PATENT-CLASS-332-30V c33 N77-17351
US-PATENT-CLASS-332-31 c08 N71-12500
US-PATENT-CLASS-332-31 c26 N72-21701
US-PATENT-CLASS-332-47 c33 N75-19520
US-PATENT-CLASS-332-51W c07 N72-20141
US-PATENT-CLASS-332-52 c33 N77-21314
US-PATENT-CLASS-332-751 c36 N80-16321
US-PATENT-CLASS-333-6 c07 N71-33606
US-PATENT-CLASS-333-7 c07 N71-33606
US-PATENT-CLASS-333-7 c07 N72-25170
US-PATENT-CLASS-333-8 c07 N69-24334
US-PATENT-CLASS-333-12 c32 N80-32605
US-PATENT-CLASS-333-14 c32 N74-19788

US-PATENT-CLASS-333-16 c33 N74-17927
US-PATENT-CLASS-333-17 c44 N74-19870
US-PATENT-CLASS-333-17R c33 N76-32340
US-PATENT-CLASS-333-18 c33 N74-17927
US-PATENT-CLASS-333-18 c32 N76-21366
US-PATENT-CLASS-333-21 c07 N71-10676
US-PATENT-CLASS-333-21A c07 N71-33606
US-PATENT-CLASS-333-21R c33 N75-30430
US-PATENT-CLASS-333-24R c09 N72-29172
US-PATENT-CLASS-333-24R c36 N80-18372
US-PATENT-CLASS-333-30 c10 N71-25900
US-PATENT-CLASS-333-70CR c10 N72-17171
US-PATENT-CLASS-333-70R c32 N77-18307
US-PATENT-CLASS-333-72 c10 N71-25900
US-PATENT-CLASS-333-72 c71 N77-26919
US-PATENT-CLASS-333-73 c07 N69-24323
US-PATENT-CLASS-333-73 c09 N71-23573
US-PATENT-CLASS-333-73R c09 N73-26195
US-PATENT-CLASS-333-73S c09 N73-26195
US-PATENT-CLASS-333-73W c07 N72-20141
US-PATENT-CLASS-333-75 c32 N77-18307
US-PATENT-CLASS-333-76 c32 N77-18307
US-PATENT-CLASS-333-79 c10 N70-41964
US-PATENT-CLASS-333-79 c09 N72-25256
US-PATENT-CLASS-333-80 c09 N71-12517
US-PATENT-CLASS-333-80 c09 N72-21245
US-PATENT-CLASS-333-80R c33 N74-32712
US-PATENT-CLASS-333-80T c10 N72-33230
US-PATENT-CLASS-333-81 c07 N71-29065
US-PATENT-CLASS-333-81B c14 N73-13420
US-PATENT-CLASS-333-81R c07 N72-25170
US-PATENT-CLASS-333-81R c33 N78-32340
US-PATENT-CLASS-333-81R c32 N80-14281
US-PATENT-CLASS-333-82A c09 N73-26195
US-PATENT-CLASS-333-82B c32 N77-18307
US-PATENT-CLASS-333-83 c09 N71-24841
US-PATENT-CLASS-333-83BT c33 N75-30430
US-PATENT-CLASS-333-83R c36 N74-11313
US-PATENT-CLASS-333-84M c09 N73-26195
US-PATENT-CLASS-333-95 c07 N71-27191
US-PATENT-CLASS-333-96 c09 N71-20445
US-PATENT-CLASS-333-96 c07 N71-27191
US-PATENT-CLASS-333-97 c07 N69-27462
US-PATENT-CLASS-333-97R c36 N74-11313
US-PATENT-CLASS-333-98 c09 N71-23548
US-PATENT-CLASS-333-98 c09 N71-24808
US-PATENT-CLASS-333-98P c07 N72-25170
US-PATENT-CLASS-333-98P c09 N72-29172
US-PATENT-CLASS-333-98R c07 N72-25170
US-PATENT-CLASS-333-98R c09 N72-29172
US-PATENT-CLASS-333-98R c14 N73-13420
US-PATENT-CLASS-333-98R c33 N75-30430
US-PATENT-CLASS-333-98S c07 N72-25170
US-PATENT-CLASS-333-99S c32 N80-32605
US-PATENT-CLASS-333-204 c33 N81-17348
US-PATENT-CLASS-333-252 c32 N80-32605
US-PATENT-CLASS-333-262 c33 N80-18285
US-PATENT-CLASS-335-205 c09 N72-20199
US-PATENT-CLASS-335-216 c16 N71-28554
US-PATENT-CLASS-335-216 c23 N71-29049
US-PATENT-CLASS-335-216 c26 N73-32571
US-PATENT-CLASS-335-216 c20 N75-24837
US-PATENT-CLASS-335-216 c33 N79-21264
US-PATENT-CLASS-335-296 c09 N73-30185
US-PATENT-CLASS-335-297 c09 N73-30185
US-PATENT-CLASS-335-300 c09 N70-41929
US-PATENT-CLASS-336-DIG.1 c26 N73-26752
US-PATENT-CLASS-336-DIG.1 c33 N79-17133
US-PATENT-CLASS-336-60 c09 N72-27226
US-PATENT-CLASS-336-178 c09 N72-17154
US-PATENT-CLASS-336-198 c09 N72-27226
US-PATENT-CLASS-336-200 c26 N73-26752
US-PATENT-CLASS-336-210 c33 N74-17928
US-PATENT-CLASS-336-220 c09 N72-27226
US-PATENT-CLASS-337 c25 N79-28253
US-PATENT-CLASS-337-75 c15 N72-12409
US-PATENT-CLASS-337-114 c09 N71-29035
US-PATENT-CLASS-337-121 c09 N71-29035
US-PATENT-CLASS-337-334 c37 N77-19458
US-PATENT-CLASS-337-354 c15 N72-12409
US-PATENT-CLASS-337-359 c15 N72-12409
US-PATENT-CLASS-338-2 c33 N75-31329
US-PATENT-CLASS-338-2 c35 N80-20560
US-PATENT-CLASS-338-2 c52 N80-27072
US-PATENT-CLASS-338-5 c32 N71-15974
US-PATENT-CLASS-338-5 c52 N74-27864
US-PATENT-CLASS-338-6 c35 N76-14430
US-PATENT-CLASS-338-6 c52 N76-29895
US-PATENT-CLASS-338-13 c24 N75-30260
US-PATENT-CLASS-338-18 c35 N79-33449
US-PATENT-CLASS-338-25 c35 N77-21393
US-PATENT-CLASS-338-28 c35 N77-20400
US-PATENT-CLASS-338-28 c35 N77-24454
US-PATENT-CLASS-338-32S c33 N78-13320
US-PATENT-CLASS-338-36 c35 N78-17359
US-PATENT-CLASS-338-64 c09 N71-21583
US-PATENT-CLASS-338-75 c37 N75-13265
US-PATENT-CLASS-338-82 c09 N71-20842
US-PATENT-CLASS-338-89 c35 N74-32877
US-PATENT-CLASS-338-97 c37 N75-13265
US-PATENT-CLASS-338-99 c35 N78-17359
US-PATENT-CLASS-338-100 c35 N78-17359
US-PATENT-CLASS-338-114 c52 N74-27864
US-PATENT-CLASS-338-162 c37 N75-13265
US-PATENT-CLASS-338-229 c35 N77-24454
US-PATENT-CLASS-338-283 c24 N75-30260
US-PATENT-CLASS-338-320 c33 N74-14935
US-PATENT-CLASS-339-5 c15 N71-23049
US-PATENT-CLASS-339-17 c14 N69-27431
US-PATENT-CLASS-339-17 c15 N71-17685
US-PATENT-CLASS-339-17 c09 N71-26133
US-PATENT-CLASS-339-17M c37 N76-27567
US-PATENT-CLASS-339-17R c15 N71-29133
US-PATENT-CLASS-339-18C c37 N76-27567
US-PATENT-CLASS-339-45M c15 N72-25450
US-PATENT-CLASS-339-46 c15 N72-17455
US-PATENT-CLASS-339-75MP c09 N72-28225
US-PATENT-CLASS-339-91 c09 N69-21927
US-PATENT-CLASS-339-91B c15 N72-25450
US-PATENT-CLASS-339-94M c09 N72-28225
US-PATENT-CLASS-339-95 c09 N69-39734
US-PATENT-CLASS-339-143C c33 N76-16332
US-PATENT-CLASS-339-143R c09 N72-25256
US-PATENT-CLASS-339-147R c09 N72-25256
US-PATENT-CLASS-339-150 c09 N69-21470
US-PATENT-CLASS-339-176 c09 N70-34596
US-PATENT-CLASS-339-176 c09 N70-36494
US-PATENT-CLASS-339-176M c15 N72-17455
US-PATENT-CLASS-339-176MP c09 N72-28225
US-PATENT-CLASS-339-177 c09 N71-20851
US-PATENT-CLASS-339-198R c33 N76-16332
US-PATENT-CLASS-339-218M c09 N72-28225
US-PATENT-CLASS-339-242 c33 N76-16332
US-PATENT-CLASS-339-252R c52 N77-14738
US-PATENT-CLASS-339-275R c33 N76-16332
US-PATENT-CLASS-339-275T c09 N72-20200
US-PATENT-CLASS-339-276T c09 N72-20200
US-PATENT-CLASS-339-278M c15 N72-17455
US-PATENT-CLASS-339,12R c52 N77-25772
US-PATENT-CLASS-340-5C c14 N73-27379
US-PATENT-CLASS-340-5H c32 N77-21267
US-PATENT-CLASS-340-5R c35 N74-16135
US-PATENT-CLASS-340-8LP c71 N79-23753
US-PATENT-CLASS-340-8R c35 N74-16135
US-PATENT-CLASS-340-12R c35 N74-16135
US-PATENT-CLASS-340-12R c46 N79-23555
US-PATENT-CLASS-340-15.5GC c14 N73-26432
US-PATENT-CLASS-340-25 c14 N73-16483
US-PATENT-CLASS-340-26 c21 N72-22619
US-PATENT-CLASS-340-27AT c21 N73-14692
US-PATENT-CLASS-340-27NA c21 N73-13643
US-PATENT-CLASS-340-27R c14 N73-16483
US-PATENT-CLASS-340-27R c14 N73-20474
US-PATENT-CLASS-340-27SS c35 N78-14364
US-PATENT-CLASS-340-33 c21 N73-13643
US-PATENT-CLASS-340-38P c66 N76-19888
US-PATENT-CLASS-340-57 c14 N71-15620
US-PATENT-CLASS-340-97 c21 N73-13643
US-PATENT-CLASS-340-146.1 c09 N71-18843
US-PATENT-CLASS-340-146.1 c08 N71-22749
US-PATENT-CLASS-340-146.1 c10 N71-26103
US-PATENT-CLASS-340-146.1 c08 N71-27255
US-PATENT-CLASS-340-146.1 c08 N72-22167
US-PATENT-CLASS-340-146.1 c08 N72-25207
US-PATENT-CLASS-340-146.1 c07 N73-13149
US-PATENT-CLASS-340-146.1AL c08 N72-25210
US-PATENT-CLASS-340-146.1AL c08 N73-12175
US-PATENT-CLASS-340-146.1AL c32 N77-12240
US-PATENT-CLASS-340-146.1AQ c08 N73-12177
US-PATENT-CLASS-340-146.1AQ c32 N74-32598
US-PATENT-CLASS-340-146.1AQ c32 N77-12240
US-PATENT-CLASS-340-146.1AV c08 N73-12177
US-PATENT-CLASS-340-146.1AV c32 N77-12240
US-PATENT-CLASS-340-146.1AX c32 N79-10263
US-PATENT-CLASS-340-146.1C c07 N73-20176
US-PATENT-CLASS-340-146.1E c32 N79-10263
US-PATENT-CLASS-340-146.2 c08 N71-12505
US-PATENT-CLASS-340-146.2 c08 N71-23295

US-PATENT-CLASS-340-146.3H c74 N81-19896
US-PATENT-CLASS-340-146.3P c43 N77-10584
US-PATENT-CLASS-340-146.3Q c43 N77-10584
US-PATENT-CLASS-340-146.3S c74 N81-19896
US-PATENT-CLASS-340-146.3Y c74 N81-19896
US-PATENT-CLASS-340-147 c09 N70-33182
US-PATENT-CLASS-340-147 c09 N70-38998
US-PATENT-CLASS-340-147C c60 N76-14818
US-PATENT-CLASS-340-147R c07 N73-20176
US-PATENT-CLASS-340-147R c60 N76-14818
US-PATENT-CLASS-340-147SY c17 N76-22245
US-PATENT-CLASS-340-150 c10 N71-27272
US-PATENT-CLASS-340-151 c33 N74-27862
US-PATENT-CLASS-340-163 c07 N73-20176
US-PATENT-CLASS-340-164 c10 N71-27272
US-PATENT-CLASS-340-166 c10 N71-27272
US-PATENT-CLASS-340-166 c10 N73-32144
US-PATENT-CLASS-340-167 c07 N72-25173
US-PATENT-CLASS-340-171 c09 N72-22202
US-PATENT-CLASS-340-171 c16 N73-16536
US-PATENT-CLASS-340-172.5 c08 N69-21928
US-PATENT-CLASS-340-172.5 c09 N69-24333
US-PATENT-CLASS-340-172.5 c08 N71-12502
US-PATENT-CLASS-340-172.5 c08 N71-12506
US-PATENT-CLASS-340-172.5 c31 N71-15566
US-PATENT-CLASS-340-172.5 c08 N71-19288
US-PATENT-CLASS-340-172.5 c08 N71-22707
US-PATENT-CLASS-340-172.5 c08 N71-22710
US-PATENT-CLASS-340-172.5 c07 N71-24624
US-PATENT-CLASS-340-172.5 c08 N71-27255
US-PATENT-CLASS-340-172.5 c07 N72-25172
US-PATENT-CLASS-340-172.5 c08 N72-25207
US-PATENT-CLASS-340-172.5 c09 N72-25248
US-PATENT-CLASS-340-172.5 c08 N73-13187
US-PATENT-CLASS-340-172.5 c08 N73-26176
US-PATENT-CLASS-340-172.5 c60 N76-18800
US-PATENT-CLASS-340-172.5 c60 N76-21914
US-PATENT-CLASS-340-172.5 c60 N77-12721
US-PATENT-CLASS-340-172.5 c60 N77-14751
US-PATENT-CLASS-340-172.5 c60 N77-19760
US-PATENT-CLASS-340-173 c10 N73-32144
US-PATENT-CLASS-340-173.2 c08 N72-21198
US-PATENT-CLASS-340-173CA c33 N75-31331
US-PATENT-CLASS-340-173CR c60 N74-12888
US-PATENT-CLASS-340-173LM c60 N74-12888
US-PATENT-CLASS-340-173LM c60 N78-10709
US-PATENT-CLASS-340-173LS c08 N72-21198
US-PATENT-CLASS-340-173LS c36 N75-19652
US-PATENT-CLASS-340-174 c08 N71-12504
US-PATENT-CLASS-340-174 c09 N71-12515
US-PATENT-CLASS-340-174 c08 N71-18595
US-PATENT-CLASS-340-174 c08 N71-18694
US-PATENT-CLASS-340-174 c10 N71-23033
US-PATENT-CLASS-340-174 c10 N71-26418
US-PATENT-CLASS-340-174 c10 N71-26434
US-PATENT-CLASS-340-174 c08 N71-28925
US-PATENT-CLASS-340-174 c10 N71-29135
US-PATENT-CLASS-340-174.1 c08 N71-21042
US-PATENT-CLASS-340-174.1 c07 N71-23001
US-PATENT-CLASS-340-174.1 c08 N71-27210
US-PATENT-CLASS-340-174.1L c35 N74-11283
US-PATENT-CLASS-340-174.1M c36 N74-13205
US-PATENT-CLASS-340-174.1R c35 N78-29421
US-PATENT-CLASS-340-174.1M c35 N79-16246
US-PATENT-CLASS-340-174.1R c21 N73-13644
US-PATENT-CLASS-340-174AG c23 N72-17747
US-PATENT-CLASS-340-174CS c08 N72-21199
US-PATENT-CLASS-340-174CT c23 N72-17747
US-PATENT-CLASS-340-174GA c23 N72-17747
US-PATENT-CLASS-340-174LC c08 N72-21199
US-PATENT-CLASS-340-174M c08 N72-21199
US-PATENT-CLASS-340-174MA c24 N75-13032
US-PATENT-CLASS-340-174SC c23 N72-17747
US-PATENT-CLASS-340-174SR c08 N72-21199
US-PATENT-CLASS-340-174YC c36 N74-13205
US-PATENT-CLASS-340-174YC c35 N78-29421
US-PATENT-CLASS-340-177 c09 N72-17153
US-PATENT-CLASS-340-177VA c06 N80-18036
US-PATENT-CLASS-340-182 c33 N74-27862
US-PATENT-CLASS-340-183 c52 N74-26625
US-PATENT-CLASS-340-189M c17 N76-29347
US-PATENT-CLASS-340-198 c14 N70-33179
US-PATENT-CLASS-340-198 c07 N71-11298
US-PATENT-CLASS-340-200 c33 N74-27862
US-PATENT-CLASS-340-200 c33 N77-31404
US-PATENT-CLASS-340-203 c09 N72-22202
US-PATENT-CLASS-340-203 c52 N74-26625
US-PATENT-CLASS-340-206 c17 N76-29347
US-PATENT-CLASS-340-207 c07 N73-25160
US-PATENT-CLASS-340-207P c17 N76-22245
US-PATENT-CLASS-340-207R c52 N74-26625
US-PATENT-CLASS-340-210 c03 N72-20031
US-PATENT-CLASS-340-213 c10 N71-27272
US-PATENT-CLASS-340-213.1 c10 N71-19417
US-PATENT-CLASS-340-213R c54 N78-32720
US-PATENT-CLASS-340-223 c10 N73-32144
US-PATENT-CLASS-340-224 c37 N77-19458
US-PATENT-CLASS-340-227 c10 N71-16058
US-PATENT-CLASS-340-227 c14 N71-27186
US-PATENT-CLASS-340-227R c14 N72-25412
US-PATENT-CLASS-340-228.2 c10 N72-17173
US-PATENT-CLASS-340-228S c14 N73-16484
US-PATENT-CLASS-340-233 c14 N71-25901
US-PATENT-CLASS-340-235 c10 N71-26334
US-PATENT-CLASS-340-237S c45 N76-17656
US-PATENT-CLASS-340-240 c09 N72-27227
US-PATENT-CLASS-340-242 c35 N75-19612
US-PATENT-CLASS-340-248 c10 N71-27338
US-PATENT-CLASS-340-258 c10 N72-28240
US-PATENT-CLASS-340-258R c07 N73-25160
US-PATENT-CLASS-340-262 c54 N78-32720
US-PATENT-CLASS-340-271 c35 N77-30436
US-PATENT-CLASS-340-277 c10 N73-30205
US-PATENT-CLASS-340-279 c05 N72-16015
US-PATENT-CLASS-340-279 c10 N73-30205
US-PATENT-CLASS-340-279 c54 N78-32720
US-PATENT-CLASS-340-285 c14 N71-25901
US-PATENT-CLASS-340-285 c54 N78-32720
US-PATENT-CLASS-340-309.1 c54 N78-32720
US-PATENT-CLASS-340-309.4 c33 N81-14221
US-PATENT-CLASS-340-310A c33 N81-14221
US-PATENT-CLASS-340-310R c33 N81-14221
US-PATENT-CLASS-340-324 c08 N71-12507
US-PATENT-CLASS-340-324 c09 N71-33519
US-PATENT-CLASS-340-324A c09 N72-25248
US-PATENT-CLASS-340-324AD c33 N75-19517
US-PATENT-CLASS-340-324R c26 N72-25680
US-PATENT-CLASS-340-332 c09 N72-25250
US-PATENT-CLASS-340-336 c09 N71-33519
US-PATENT-CLASS-340-347 c08 N70-35423
US-PATENT-CLASS-340-347 c08 N70-40125
US-PATENT-CLASS-340-347 c08 N71-12501
US-PATENT-CLASS-340-347 c08 N71-18594
US-PATENT-CLASS-340-347 c08 N71-19435
US-PATENT-CLASS-340-347 c08 N71-19544
US-PATENT-CLASS-340-347 c08 N71-19687
US-PATENT-CLASS-340-347 c08 N71-24650
US-PATENT-CLASS-340-347 c10 N71-25917
US-PATENT-CLASS-340-347 c10 N71-26544
US-PATENT-CLASS-340-347 c08 N73-28045
US-PATENT-CLASS-340-347AD c14 N71-28991
US-PATENT-CLASS-340-347AD c08 N72-21200
US-PATENT-CLASS-340-347AD c08 N72-22163
US-PATENT-CLASS-340-347AD c08 N72-22166
US-PATENT-CLASS-340-347AD c08 N72-31226
US-PATENT-CLASS-340-347AD c08 N73-20217
US-PATENT-CLASS-340-347AD c35 N74-17885
US-PATENT-CLASS-340-347AD c35 N74-32877
US-PATENT-CLASS-340-347AD c33 N76-18345
US-PATENT-CLASS-340-347AD c60 N77-32731
US-PATENT-CLASS-340-347DA c08 N71-27057
US-PATENT-CLASS-340-347DA c08 N72-20176
US-PATENT-CLASS-340-347DA c08 N72-25206
US-PATENT-CLASS-340-347DA c08 N73-32081
US-PATENT-CLASS-340-347DD c10 N71-33407
US-PATENT-CLASS-340-347DD c08 N72-18184
US-PATENT-CLASS-340-347DD c08 N72-20176
US-PATENT-CLASS-340-347DD c08 N72-21197
US-PATENT-CLASS-340-347DD c08 N73-12176
US-PATENT-CLASS-340-347DD c60 N76-23850
US-PATENT-CLASS-340-347DD c32 N77-12239
US-PATENT-CLASS-340-347DD c60 N78-17691
US-PATENT-CLASS-340-347DD c60 N79-20751
US-PATENT-CLASS-340-347P c60 N76-23850
US-PATENT-CLASS-340-347P c35 N77-30436
US-PATENT-CLASS-340-347R c08 N72-22165
US-PATENT-CLASS-340-347SH c33 N77-31404
US-PATENT-CLASS-340-347SY c62 N76-31546
US-PATENT-CLASS-340-347SY c35 N77-30436
US-PATENT-CLASS-340-348 c08 N72-22167
US-PATENT-CLASS-340-403 c10 N71-27272
US-PATENT-CLASS-340-407 c71 N74-21014
US-PATENT-CLASS-340-412 c10 N71-24798
US-PATENT-CLASS-340-415 c10 N73-32144
US-PATENT-CLASS-340-418 c14 N73-16484
US-PATENT-CLASS-340-602 c33 N80-23559
US-PATENT-CLASS-340-604 c33 N80-23559
US-PATENT-CLASS-340-650 c33 N79-18193

US-PATENT-CLASS-340-664 c33 N79-18193
US-PATENT-CLASS-340-870.24 c33 N81-14221
US-PATENT-CLASS-343-DIG.2 c07 N73-24176
US-PATENT-CLASS-343-DIG.2 c33 N74-20660
US-PATENT-CLASS-343-DIG.3 c09 N72-12136
US-PATENT-CLASS-343-5CM c07 N72-21118
US-PATENT-CLASS-343-5CM c32 N77-21267
US-PATENT-CLASS-343-5CM c32 N77-32342
US-PATENT-CLASS-343-5CM c35 N79-10391
US-PATENT-CLASS-343-5CM c32 N79-14268
US-PATENT-CLASS-343-5CM c43 N80-18498
US-PATENT-CLASS-343-5DP c07 N72-11149
US-PATENT-CLASS-343-5DP c09 N73-12211
US-PATENT-CLASS-343-5DP c32 N77-32342
US-PATENT-CLASS-343-5GC c32 N75-24982
US-PATENT-CLASS-343-5MM c32 N77-21267
US-PATENT-CLASS-343-5NA c31 N79-28370
US-PATENT-CLASS-343-5W c35 N79-10391
US-PATENT-CLASS-343-5W c43 N80-18498
US-PATENT-CLASS-343-6 c30 N71-16090
US-PATENT-CLASS-343-6.BR c32 N77-20289
US-PATENT-CLASS-343-6.5 c21 N71-11766
US-PATENT-CLASS-343-6.5 c10 N71-23099
US-PATENT-CLASS-343-6.5R c07 N72-12080
US-PATENT-CLASS-343-6.5R c07 N72-21118
US-PATENT-CLASS-343-6.5R c07 N72-25171
US-PATENT-CLASS-343-6.5R c08 N72-25209
US-PATENT-CLASS-343-6.5R c07 N73-25161
US-PATENT-CLASS-343-6.5R c21 N73-30641
US-PATENT-CLASS-343-6.5R c32 N74-12912
US-PATENT-CLASS-343-6.5R c32 N75-15854
US-PATENT-CLASS-343-6.5R c03 N75-30132
US-PATENT-CLASS-343-6.5R c32 N77-20289
US-PATENT-CLASS-343-6.5SS c32 N74-12912
US-PATENT-CLASS-343-6.8R c07 N72-12080
US-PATENT-CLASS-343-6.8R c07 N73-25161
US-PATENT-CLASS-343-6.8R c14 N73-25461
US-PATENT-CLASS-343-6R c32 N79-10264
US-PATENT-CLASS-343-7.4 c10 N72-22235
US-PATENT-CLASS-343-7.4 c32 N79-13214
US-PATENT-CLASS-343-7.5 c07 N69-39974
US-PATENT-CLASS-343-7.5 c09 N71-24595
US-PATENT-CLASS-343-7.5 c07 N72-11149
US-PATENT-CLASS-343-7.5 c44 N74-19870
US-PATENT-CLASS-343-9 c32 N75-15854
US-PATENT-CLASS-343-9 c32 N79-10264
US-PATENT-CLASS-343-10 c32 N77-32342
US-PATENT-CLASS-343-11R c09 N73-12211
US-PATENT-CLASS-343-11VB c09 N73-12211
US-PATENT-CLASS-343-12 c21 N70-41930
US-PATENT-CLASS-343-12 c10 N72-20224
US-PATENT-CLASS-343-12R c08 N72-25209
US-PATENT-CLASS-343-13 c09 N71-18598
US-PATENT-CLASS-343-14 c07 N70-41680
US-PATENT-CLASS-343-14 c08 N72-25209
US-PATENT-CLASS-343-14 c14 N73-25461
US-PATENT-CLASS-343-14 c32 N79-14267
US-PATENT-CLASS-343-14 c31 N79-28370
US-PATENT-CLASS-343-16 c09 N71-20864
US-PATENT-CLASS-343-16 c10 N71-21483
US-PATENT-CLASS-343-16M c10 N72-22235
US-PATENT-CLASS-343-16M c44 N78-28594
US-PATENT-CLASS-343-17.2 c07 N70-36911
US-PATENT-CLASS-343-17.2PC c35 N79-10391
US-PATENT-CLASS-343-17.5 c14 N73-25461
US-PATENT-CLASS-343-17.5 c32 N75-15854
US-PATENT-CLASS-343-17.7 c07 N71-12391
US-PATENT-CLASS-343-17.7 c44 N74-19870
US-PATENT-CLASS-343-17.7 c32 N77-31350
US-PATENT-CLASS-343-17.7 c32 N79-11265
US-PATENT-CLASS-343-18 c31 N70-37981
US-PATENT-CLASS-343-18 c07 N70-40063
US-PATENT-CLASS-343-18 c30 N70-40309
US-PATENT-CLASS-343-18 c07 N70-41678
US-PATENT-CLASS-343-18A c32 N80-14281
US-PATENT-CLASS-343-18B c32 N74-12912
US-PATENT-CLASS-343-18B c32 N77-21267
US-PATENT-CLASS-343-18B c43 N80-18498
US-PATENT-CLASS-343-18D c43 N80-18498
US-PATENT-CLASS-343-100 c10 N71-18722
US-PATENT-CLASS-343-100 c07 N71-19854
US-PATENT-CLASS-343-100 c30 N71-23723
US-PATENT-CLASS-343-100 c07 N71-24621
US-PATENT-CLASS-343-100 c09 N71-24804
US-PATENT-CLASS-343-100 c31 N71-24813
US-PATENT-CLASS-343-100 c07 N71-27056
US-PATENT-CLASS-343-100 c07 N71-28900
US-PATENT-CLASS-343-100CL c32 N77-32342
US-PATENT-CLASS-343-100CL c32 N79-14268
US-PATENT-CLASS-343-100ME c14 N72-28437
US-PATENT-CLASS-343-100ME c14 N73-26432
US-PATENT-CLASS-343-100ME c46 N80-14603
US-PATENT-CLASS-343-100ME c35 N80-18359
US-PATENT-CLASS-343-100PE c32 N75-24982
US-PATENT-CLASS-343-100R c10 N73-16206
US-PATENT-CLASS-343-100R c33 N80-18287
US-PATENT-CLASS-343-100SA c10 N73-16206
US-PATENT-CLASS-343-100SA c33 N74-20860
US-PATENT-CLASS-343-100SA c17 N76-21250
US-PATENT-CLASS-343-100SA c32 N80-28578
US-PATENT-CLASS-343-100ST c07 N72-21118
US-PATENT-CLASS-343-100ST c33 N74-20860
US-PATENT-CLASS-343-100ST c32 N75-15854
US-PATENT-CLASS-343-100ST c17 N76-21250
US-PATENT-CLASS-343-100ST c32 N77-20289
US-PATENT-CLASS-343-100ST c33 N80-18287
US-PATENT-CLASS-343-100TD c32 N79-24210
US-PATENT-CLASS-343-100TD c32 N81-14185
US-PATENT-CLASS-343-105R c32 N75-26194
US-PATENT-CLASS-343-108R c04 N74-13420
US-PATENT-CLASS-343-112 c21 N71-13958
US-PATENT-CLASS-343-112 c02 N71-19287
US-PATENT-CLASS-343-112 c21 N71-24948
US-PATENT-CLASS-343-112CA c21 N73-13643
US-PATENT-CLASS-343-112CA c21 N73-30641
US-PATENT-CLASS-343-112CA c03 N75-30132
US-PATENT-CLASS-343-112D c14 N72-28437
US-PATENT-CLASS-343-112D c32 N75-26194
US-PATENT-CLASS-343-112D c46 N80-14603
US-PATENT-CLASS-343-112R c09 N73-32110
US-PATENT-CLASS-343-112R c17 N78-17140
US-PATENT-CLASS-343-112R c04 N80-32359
US-PATENT-CLASS-343-112TC c17 N76-21250
US-PATENT-CLASS-343-113 c10 N71-21473
US-PATENT-CLASS-343-113 c07 N71-24625
US-PATENT-CLASS-343-113R c09 N73-32110
US-PATENT-CLASS-343-113R c44 N78-28594
US-PATENT-CLASS-343-117 c07 N71-27056
US-PATENT-CLASS-343-117R c32 N79-13214
US-PATENT-CLASS-343-118 c32 N79-13214
US-PATENT-CLASS-343-119 c44 N78-28594
US-PATENT-CLASS-343-176 c07 N71-27056
US-PATENT-CLASS-343-176 c32 N76-14321
US-PATENT-CLASS-343-179 c07 N72-11149
US-PATENT-CLASS-343-179 c07 N73-20174
US-PATENT-CLASS-343-179 c32 N78-15323
US-PATENT-CLASS-343-179 c32 N79-20296
US-PATENT-CLASS-343-200 c07 N73-16121
US-PATENT-CLASS-343-204 c07 N73-26118
US-PATENT-CLASS-343-225 c17 N78-17140
US-PATENT-CLASS-343-700MS c32 N78-24391
US-PATENT-CLASS-343-700MS c32 N80-32604
US-PATENT-CLASS-343-703 c09 N71-13521
US-PATENT-CLASS-343-703 c07 N71-24614
US-PATENT-CLASS-343-705 c07 N70-38200
US-PATENT-CLASS-343-705 c07 N70-40202
US-PATENT-CLASS-343-705 c31 N71-10747
US-PATENT-CLASS-343-705 c03 N76-32140
US-PATENT-CLASS-343-706 c07 N72-21117
US-PATENT-CLASS-343-708 c09 N71-22888
US-PATENT-CLASS-343-708 c07 N71-22984
US-PATENT-CLASS-343-708 c07 N71-28980
US-PATENT-CLASS-343-708 c09 N72-25247
US-PATENT-CLASS-343-708 c32 N74-20864
US-PATENT-CLASS-343-718 c09 N71-18720
US-PATENT-CLASS-343-720 c09 N72-12136
US-PATENT-CLASS-343-725 c07 N73-28013
US-PATENT-CLASS-343-727 c32 N81-14187
US-PATENT-CLASS-343-729 c07 N73-28013
US-PATENT-CLASS-343-730 c32 N74-20863
US-PATENT-CLASS-343-754 c09 N73-19234
US-PATENT-CLASS-343-755 c33 N76-27472
US-PATENT-CLASS-343-761 c33 N75-19516
US-PATENT-CLASS-343-761 c32 N76-21365
US-PATENT-CLASS-343-762 c07 N72-25174
US-PATENT-CLASS-343-768 c10 N71-26142
US-PATENT-CLASS-343-769 c32 N74-20864
US-PATENT-CLASS-343-770 c09 N72-31235
US-PATENT-CLASS-343-770 c33 N76-14372
US-PATENT-CLASS-343-771 c07 N71-28809
US-PATENT-CLASS-343-771 c07 N72-11148
US-PATENT-CLASS-343-771 c09 N72-21244
US-PATENT-CLASS-343-771 c07 N72-22127
US-PATENT-CLASS-343-771 c09 N72-25247
US-PATENT-CLASS-343-771 c09 N72-31235
US-PATENT-CLASS-343-772 c07 N72-20141
US-PATENT-CLASS-343-773 c07 N72-20141
US-PATENT-CLASS-343-776 c07 N71-12396

US-PATENT-CLASS-343-777 c07 N71-27233
US-PATENT-CLASS-343-777 c07 N72-25174
US-PATENT-CLASS-343-779 c07 N71-11285
US-PATENT-CLASS-343-779 c10 N72-22235
US-PATENT-CLASS-343-779 c07 N72-25174
US-PATENT-CLASS-343-779 c32 N76-15329
US-PATENT-CLASS-343-779 c33 N76-27472
US-PATENT-CLASS-343-781 c09 N70-35219
US-PATENT-CLASS-343-781 c09 N70-35382
US-PATENT-CLASS-343-781 c09 N70-35425
US-PATENT-CLASS-343-781 c07 N72-32169
US-PATENT-CLASS-343-781 c32 N74-11000
US-PATENT-CLASS-343-781 c33 N75-19516
US-PATENT-CLASS-343-781 c32 N76-21365
US-PATENT-CLASS-343-781CA c32 N78-31321
US-PATENT-CLASS-343-782 c07 N73-14130
US-PATENT-CLASS-343-782 c32 N78-31321
US-PATENT-CLASS-343-784 c07 N71-28980
US-PATENT-CLASS-343-786 c07 N71-15907
US-PATENT-CLASS-343-786 c07 N71-22750
US-PATENT-CLASS-343-786 c07 N71-26101
US-PATENT-CLASS-343-786 c07 N71-27233
US-PATENT-CLASS-343-786 c07 N72-20141
US-PATENT-CLASS-343-786 c10 N72-22235
US-PATENT-CLASS-343-786 c07 N72-25174
US-PATENT-CLASS-343-786 c09 N72-31235
US-PATENT-CLASS-343-786 c32 N74-20863
US-PATENT-CLASS-343-786 c32 N76-15330
US-PATENT-CLASS-343-786 c32 N76-21365
US-PATENT-CLASS-343-786 c32 N80-23524
US-PATENT-CLASS-343-786 c32 N80-29539
US-PATENT-CLASS-343-789 c32 N81-14187
US-PATENT-CLASS-343-797 c09 N71-24842
US-PATENT-CLASS-343-797 c07 N72-22127
US-PATENT-CLASS-343-797 c09 N72-31235
US-PATENT-CLASS-343-797 c07 N73-28013
US-PATENT-CLASS-343-797 c32 N74-20863
US-PATENT-CLASS-343-797 c33 N76-14372
US-PATENT-CLASS-343-797 c32 N81-14187
US-PATENT-CLASS-343-799 c07 N71-27233
US-PATENT-CLASS-343-803 c07 N73-28013
US-PATENT-CLASS-343-823 c07 N71-28979
US-PATENT-CLASS-343-830 c32 N80-32604
US-PATENT-CLASS-343-833 c31 N70-34135
US-PATENT-CLASS-343-837 c07 N72-32169
US-PATENT-CLASS-343-837 c07 N73-14130
US-PATENT-CLASS-343-837 c33 N75-19516
US-PATENT-CLASS-343-837 c32 N76-15329
US-PATENT-CLASS-343-837 c32 N76-18295
US-PATENT-CLASS-343-837 c32 N78-31321
US-PATENT-CLASS-343-839 c09 N73-19234
US-PATENT-CLASS-343-840 c07 N71-27233
US-PATENT-CLASS-343-840 c09 N72-12136
US-PATENT-CLASS-343-840 c07 N72-32169
US-PATENT-CLASS-343-840 c32 N76-18295
US-PATENT-CLASS-343-844 c32 N79-11264
US-PATENT-CLASS-343-844 c32 N80-28578
US-PATENT-CLASS-343-846 c33 N76-14372
US-PATENT-CLASS-343-853 c07 N72-11148
US-PATENT-CLASS-343-853 c07 N72-22127
US-PATENT-CLASS-343-853 c07 N72-25174
US-PATENT-CLASS-343-853 c09 N72-31235
US-PATENT-CLASS-343-853 c10 N73-16206
US-PATENT-CLASS-343-853 c32 N74-20863
US-PATENT-CLASS-343-853 c32 N74-20864
US-PATENT-CLASS-343-854 c07 N69-27460
US-PATENT-CLASS-343-854 c07 N71-27233
US-PATENT-CLASS-343-854 c09 N73-19234
US-PATENT-CLASS-343-854 c33 N74-20860
US-PATENT-CLASS-343-854 c33 N76-27472
US-PATENT-CLASS-343-854 c32 N79-11264
US-PATENT-CLASS-343-854 c32 N80-28578
US-PATENT-CLASS-343-872 c07 N71-28980
US-PATENT-CLASS-343-873 c07 N71-19493
US-PATENT-CLASS-343-873 c09 N72-25247
US-PATENT-CLASS-343-876 c32 N76-15329
US-PATENT-CLASS-343-880 c07 N73-26117
US-PATENT-CLASS-343-880 c18 N80-14183
US-PATENT-CLASS-343-882 c33 N76-32457
US-PATENT-CLASS-343-883 c07 N73-26117
US-PATENT-CLASS-343-883 c18 N80-14183
US-PATENT-CLASS-343-884 c07 N71-27191
US-PATENT-CLASS-343-889 c07 N73-26117
US-PATENT-CLASS-343-893 c09 N72-21244
US-PATENT-CLASS-343-893 c07 N73-28013
US-PATENT-CLASS-343-895 c09 N73-19234
US-PATENT-CLASS-343-895 c07 N73-26117
US-PATENT-CLASS-343-895 c32 N80-23524
US-PATENT-CLASS-343-909 c32 N74-11000
US-PATENT-CLASS-343-909 c35 N76-15435
US-PATENT-CLASS-343-909 c33 N79-28416
US-PATENT-CLASS-343-909 c32 N80-14281
US-PATENT-CLASS-343-912 c07 N72-21117
US-PATENT-CLASS-343-912 c07 N72-22127
US-PATENT-CLASS-343-912 c32 N76-18295
US-PATENT-CLASS-343-915 c31 N71-16102
US-PATENT-CLASS-343-915 c09 N71-20658
US-PATENT-CLASS-343-915 c07 N72-32169
US-PATENT-CLASS-343-915 c07 N73-14130
US-PATENT-CLASS-343-915 c07 N73-24176
US-PATENT-CLASS-343-915 c32 N76-18295
US-PATENT-CLASS-343-915 c33 N76-32457
US-PATENT-CLASS-346-1 c12 N71-20815
US-PATENT-CLASS-346-1 c09 N72-21246
US-PATENT-CLASS-346-23 c14 N72-18411
US-PATENT-CLASS-346-24 c35 N74-15831
US-PATENT-CLASS-346-29 c09 N72-21246
US-PATENT-CLASS-346-33R c35 N74-32877
US-PATENT-CLASS-346-44 c09 N69-21467
US-PATENT-CLASS-346-50 c14 N71-21006
US-PATENT-CLASS-346-74MD c21 N73-13644
US-PATENT-CLASS-346-74MT c35 N79-16246
US-PATENT-CLASS-346-107 c23 N71-23976
US-PATENT-CLASS-346-107A c14 N72-18411
US-PATENT-CLASS-346-108 c35 N74-15831
US-PATENT-CLASS-346-110 c14 N73-32322
US-PATENT-CLASS-346-138 c21 N73-13644
US-PATENT-CLASS-346-138 c35 N74-15831
US-PATENT-CLASS-346R c73 N77-18891
US-PATENT-CLASS-349 c25 N79-28253
US-PATENT-CLASS-350-1 c23 N69-24332
US-PATENT-CLASS-350-1 c07 N71-29065
US-PATENT-CLASS-350-1 c16 N72-12440
US-PATENT-CLASS-350-1 c24 N76-24363
US-PATENT-CLASS-350-1 c74 N78-15879
US-PATENT-CLASS-350-2 c23 N71-30027
US-PATENT-CLASS-350-3.5 c16 N71-15551
US-PATENT-CLASS-350-3.5 c16 N71-15565
US-PATENT-CLASS-350-3.5 c16 N71-15567
US-PATENT-CLASS-350-3.5 c16 N71-26154
US-PATENT-CLASS-350-3.5 c16 N71-29131
US-PATENT-CLASS-350-3.5 c14 N72-17324
US-PATENT-CLASS-350-3.5 c16 N73-30476
US-PATENT-CLASS-350-3.5 c35 N74-15146
US-PATENT-CLASS-350-3.5 c35 N74-17153
US-PATENT-CLASS-350-3.5 c35 N74-26946
US-PATENT-CLASS-350-3.5 c35 N75-25124
US-PATENT-CLASS-350-3.5 c35 N75-27328
US-PATENT-CLASS-350-3.5 c35 N76-18402
US-PATENT-CLASS-350-3.5 c35 N78-17357
US-PATENT-CLASS-350-3.5 c38 N78-32447
US-PATENT-CLASS-350-6 c14 N69-27461
US-PATENT-CLASS-350-6 c36 N74-15145
US-PATENT-CLASS-350-6.5 c32 N80-24510
US-PATENT-CLASS-350-6.6 c32 N80-24510
US-PATENT-CLASS-350-7 c74 N74-15095
US-PATENT-CLASS-350-16 c14 N72-22444
US-PATENT-CLASS-350-19 c14 N72-22441
US-PATENT-CLASS-350-23 c14 N72-22441
US-PATENT-CLASS-350-25 c74 N80-21138
US-PATENT-CLASS-350-26 c14 N72-22441
US-PATENT-CLASS-350-35 c14 N72-22441
US-PATENT-CLASS-350-36 c14 N72-22441
US-PATENT-CLASS-350-49 c14 N72-22441
US-PATENT-CLASS-350-52 c14 N72-22441
US-PATENT-CLASS-350-52 c14 N72-22444
US-PATENT-CLASS-350-55 c23 N71-33229
US-PATENT-CLASS-350-55 c14 N73-30393
US-PATENT-CLASS-350-55 c23 N73-30666
US-PATENT-CLASS-350-55 c89 N79-10969
US-PATENT-CLASS-350-55 c74 N80-33210
US-PATENT-CLASS-350-58 c14 N71-15604
US-PATENT-CLASS-350-79 c14 N72-32452
US-PATENT-CLASS-350-86 c14 N72-22445
US-PATENT-CLASS-350-96 c07 N71-26291
US-PATENT-CLASS-350-96R c60 N77-14751
US-PATENT-CLASS-350-96R c60 N77-32731
US-PATENT-CLASS-350-96R c60 N78-10709
US-PATENT-CLASS-350-96WG c36 N75-31427
US-PATENT-CLASS-350-96WG c36 N76-18428
US-PATENT-CLASS-350-96WG c36 N76-24553
US-PATENT-CLASS-350-100 c36 N77-25501
US-PATENT-CLASS-350-102 c23 N71-29123
US-PATENT-CLASS-350-102 c36 N77-25501
US-PATENT-CLASS-350-138 c23 N72-27728
US-PATENT-CLASS-350-145 c74 N77-20882
US-PATENT-CLASS-350-147 c14 N72-27409
US-PATENT-CLASS-350-150 c26 N72-25680

US-PATENT-CLASS-350-150 c36 N76-18427
US-PATENT-CLASS-350-151 c36 N74-13205
US-PATENT-CLASS-350-151 c35 N78-29421
US-PATENT-CLASS-350-157 c74 N79-14891
US-PATENT-CLASS-350-159 c74 N78-17865
US-PATENT-CLASS-350-160 c36 N76-18427
US-PATENT-CLASS-350-160R c14 N72-25410
US-PATENT-CLASS-350-160R c26 N72-25680
US-PATENT-CLASS-350-161 c26 N72-27784
US-PATENT-CLASS-350-161 c36 N75-31427
US-PATENT-CLASS-350-162 c14 N72-17323
US-PATENT-CLASS-350-162R c74 N80-21140
US-PATENT-CLASS-350-162SF c23 N73-30666
US-PATENT-CLASS-350-162SF c74 N76-31998
US-PATENT-CLASS-350-162SF c74 N77-28932
US-PATENT-CLASS-350-162SF c36 N77-32478
US-PATENT-CLASS-350-165 c27 N78-31233
US-PATENT-CLASS-350-170 c73 N78-32848
US-PATENT-CLASS-350-171 c23 N72-23695
US-PATENT-CLASS-350-173 c73 N78-32848
US-PATENT-CLASS-350-174 c74 N77-20882
US-PATENT-CLASS-350-174 c73 N78-32848
US-PATENT-CLASS-350-175R c74 N80-27185
US-PATENT-CLASS-350-175FS c14 N72-25414
US-PATENT-CLASS-350-175NG c27 N78-31233
US-PATENT-CLASS-350-189 c23 N71-24857
US-PATENT-CLASS-350-199 c14 N73-30393
US-PATENT-CLASS-350-202 c23 N73-20741
US-PATENT-CLASS-350-202 c74 N77-28932
US-PATENT-CLASS-350-203 c14 N72-25409
US-PATENT-CLASS-350-204 c14 N73-30393
US-PATENT-CLASS-350-204 c74 N78-17866
US-PATENT-CLASS-350-211 c44 N76-14602
US-PATENT-CLASS-350-213 c14 N71-15622
US-PATENT-CLASS-350-226 c74 N80-27185
US-PATENT-CLASS-350-236 c74 N74-15095
US-PATENT-CLASS-350-253 c35 N77-27366
US-PATENT-CLASS-350-269 c33 N74-20861
US-PATENT-CLASS-350-270 c70 N74-21300
US-PATENT-CLASS-350-275 c09 N71-19479
US-PATENT-CLASS-350-285 c14 N71-15605
US-PATENT-CLASS-350-285 c14 N71-17662
US-PATENT-CLASS-350-285 c19 N71-26674
US-PATENT-CLASS-350-285 c15 N72-11386
US-PATENT-CLASS-350-285 c16 N73-33397
US-PATENT-CLASS-350-285 c74 N74-15095
US-PATENT-CLASS-350-285 c74 N80-21138
US-PATENT-CLASS-350-286 c07 N71-29065
US-PATENT-CLASS-350-286 c73 N78-32848
US-PATENT-CLASS-350-287 c15 N72-11386
US-PATENT-CLASS-350-288 c23 N71-29123
US-PATENT-CLASS-350-288 c12 N76-15189
US-PATENT-CLASS-350-288 c74 N77-28933
US-PATENT-CLASS-350-288 c44 N79-11471
US-PATENT-CLASS-350-288 c44 N79-24433
US-PATENT-CLASS-350-292 c35 N75-12273
US-PATENT-CLASS-350-292 c44 N79-14529
US-PATENT-CLASS-350-292 c44 N79-24432
US-PATENT-CLASS-350-293 c16 N73-16536
US-PATENT-CLASS-350-293 c12 N76-15189
US-PATENT-CLASS-350-293 c44 N76-24696
US-PATENT-CLASS-350-293 c44 N78-10554
US-PATENT-CLASS-350-293 c44 N79-14529
US-PATENT-CLASS-350-294 c89 N79-10969
US-PATENT-CLASS-350-294 c44 N79-24432
US-PATENT-CLASS-350-294 c32 N80-24510
US-PATENT-CLASS-350-295 c44 N77-32583
US-PATENT-CLASS-350-295 c44 N80-14473
US-PATENT-CLASS-350-296 c44 N79-24432
US-PATENT-CLASS-350-296 c44 N80-14473
US-PATENT-CLASS-350-299 c74 N74-21304
US-PATENT-CLASS-350-299 c44 N76-24696
US-PATENT-CLASS-350-299 c74 N77-28932
US-PATENT-CLASS-350-299 c44 N78-10554
US-PATENT-CLASS-350-299 c44 N78-31526
US-PATENT-CLASS-350-299 c44 N79-11471
US-PATENT-CLASS-350-299 c44 N79-24433
US-PATENT-CLASS-350-301 c74 N81-17886
US-PATENT-CLASS-350-310 c11 N69-24321
US-PATENT-CLASS-350-310 c23 N71-24868
US-PATENT-CLASS-350-310 c23 N71-29123
US-PATENT-CLASS-350-310 c23 N71-33229
US-PATENT-CLASS-350-310 c23 N72-22673
US-PATENT-CLASS-350-310 c74 N77-28933
US-PATENT-CLASS-350-311 c74 N75-25706
US-PATENT-CLASS-350-312 c16 N72-12440
US-PATENT-CLASS-350-320 c74 N77-28933
US-PATENT-CLASS-350-320 c44 N77-32583
US-PATENT-CLASS-350-320 c73 N78-32848
US-PATENT-CLASS-350-320 c44 N79-14529
US-PATENT-CLASS-350-359 c36 N80-16321
US-PATENT-CLASS-351-23 c05 N73-26072
US-PATENT-CLASS-351-23 c52 N76-30793
US-PATENT-CLASS-351-30 c05 N73-26072
US-PATENT-CLASS-351-30 c52 N76-30793
US-PATENT-CLASS-351-36 c05 N73-26072
US-PATENT-CLASS-351-36 c52 N76-30793
US-PATENT-CLASS-351-38 c54 N75-27759
US-PATENT-CLASS-351-166 c74 N78-32854
US-PATENT-CLASS-352-84 c16 N71-33410
US-PATENT-CLASS-352-84 c14 N72-18411
US-PATENT-CLASS-352-169 c14 N73-14427
US-PATENT-CLASS-353-54 c34 N74-23066
US-PATENT-CLASS-353-61 c34 N74-23066
US-PATENT-CLASS-354-77 c74 N79-20856
US-PATENT-CLASS-354-118 c74 N81-17886
US-PATENT-CLASS-354-234 c33 N74-20861
US-PATENT-CLASS-354-234 c70 N74-21300
US-PATENT-CLASS-355-18 c14 N73-33361
US-PATENT-CLASS-356-4 c14 N72-17326
US-PATENT-CLASS-356-4 c07 N73-26119
US-PATENT-CLASS-356-4 c36 N74-15145
US-PATENT-CLASS-356-4 c35 N75-15014
US-PATENT-CLASS-356-5 c07 N73-26119
US-PATENT-CLASS-356-5 c36 N74-15145
US-PATENT-CLASS-356-5 c36 N75-15028
US-PATENT-CLASS-356-17 c14 N72-21409
US-PATENT-CLASS-356-18 c14 N72-21409
US-PATENT-CLASS-356-28 c21 N71-19212
US-PATENT-CLASS-356-28 c16 N71-24828
US-PATENT-CLASS-356-28 c72 N74-19310
US-PATENT-CLASS-356-28 c36 N75-15028
US-PATENT-CLASS-356-28 c35 N75-16783
US-PATENT-CLASS-356-28 c36 N76-14447
US-PATENT-CLASS-356-28 c36 N77-25501
US-PATENT-CLASS-356-28 c74 N78-17866
US-PATENT-CLASS-356-28 c35 N79-18296
US-PATENT-CLASS-356-28 c36 N80-16321
US-PATENT-CLASS-356-28.5 c32 N80-24510
US-PATENT-CLASS-356-32 c14 N72-11364
US-PATENT-CLASS-356-32 c32 N73-20740
US-PATENT-CLASS-356-36 c23 N71-16365
US-PATENT-CLASS-356-37 c45 N76-21742
US-PATENT-CLASS-356-43 c74 N74-15095
US-PATENT-CLASS-356-43 c75 N74-30156
US-PATENT-CLASS-356-51 c06 N72-31141
US-PATENT-CLASS-356-51 c35 N75-30502
US-PATENT-CLASS-356-71 c66 N76-19888
US-PATENT-CLASS-356-72 c14 N71-23268
US-PATENT-CLASS-356-72 c33 N73-27796
US-PATENT-CLASS-356-72 c38 N78-32447
US-PATENT-CLASS-356-72 c74 N80-33210
US-PATENT-CLASS-356-73 c75 N74-30156
US-PATENT-CLASS-356-73 c38 N78-32447
US-PATENT-CLASS-356-74 c30 N71-15990
US-PATENT-CLASS-356-76 c23 N71-26206
US-PATENT-CLASS-356-76 c14 N71-29041
US-PATENT-CLASS-356-83 c35 N75-19613
US-PATENT-CLASS-356-85 c37 N74-18123
US-PATENT-CLASS-356-85 c75 N74-30156
US-PATENT-CLASS-356-87 c75 N74-30156
US-PATENT-CLASS-356-96 c35 N75-19613
US-PATENT-CLASS-356-97 c35 N77-14411
US-PATENT-CLASS-356-103 c14 N71-28994
US-PATENT-CLASS-356-103 c36 N75-15028
US-PATENT-CLASS-356-103 c74 N78-13874
US-PATENT-CLASS-356-104 c16 N71-24074
US-PATENT-CLASS-356-104 c74 N78-13874
US-PATENT-CLASS-356-106 c14 N71-17627
US-PATENT-CLASS-356-106 c14 N71-17655
US-PATENT-CLASS-356-106 c14 N71-27215
US-PATENT-CLASS-356-106 c14 N73-12446
US-PATENT-CLASS-356-106 c35 N74-15146
US-PATENT-CLASS-356-106LR c36 N75-19653
US-PATENT-CLASS-356-106R c72 N74-19310
US-PATENT-CLASS-356-106R c36 N76-14447
US-PATENT-CLASS-356-106R c35 N77-10493
US-PATENT-CLASS-356-106R c47 N77-10753
US-PATENT-CLASS-356-106S c23 N73-13661
US-PATENT-CLASS-356-106S c35 N76-31490
US-PATENT-CLASS-356-106S c35 N78-18391
US-PATENT-CLASS-356-107 c16 N71-24170
US-PATENT-CLASS-356-108 c26 N73-26751
US-PATENT-CLASS-356-108 c16 N73-30476
US-PATENT-CLASS-356-109 c16 N73-30476
US-PATENT-CLASS-356-110 c14 N73-25463
US-PATENT-CLASS-356-110 c35 N78-18391
US-PATENT-CLASS-356-112 c72 N74-19310

US-PATENT-CLASS-356-113 c14 N72-17323
US-PATENT-CLASS-356-113 c35 N74-23040
US-PATENT-CLASS-356-114 c14 N73-12446
US-PATENT-CLASS-356-114 c35 N76-31490
US-PATENT-CLASS-356-117 c23 N71-16101
US-PATENT-CLASS-356-120 c74 N78-27904
US-PATENT-CLASS-356-123 c74 N76-19935
US-PATENT-CLASS-356-124 c74 N76-19935
US-PATENT-CLASS-356-124 c74 N79-11865
US-PATENT-CLASS-356-129 c74 N79-20856
US-PATENT-CLASS-356-138 c14 N72-20379
US-PATENT-CLASS-356-138 c16 N73-33397
US-PATENT-CLASS-356-141 c14 N72-27409
US-PATENT-CLASS-356-141 c14 N73-28490
US-PATENT-CLASS-356-141 c36 N74-21091
US-PATENT-CLASS-356-141 c89 N74-30886
US-PATENT-CLASS-356-141 c74 N77-22951
US-PATENT-CLASS-356-147 c89 N74-30886
US-PATENT-CLASS-356-148 c16 N73-33397
US-PATENT-CLASS-356-150 c15 N71-28740
US-PATENT-CLASS-356-150 c74 N80-21138
US-PATENT-CLASS-356-152 c15 N71-28740
US-PATENT-CLASS-356-152 c16 N72-13437
US-PATENT-CLASS-356-152 c14 N72-20379
US-PATENT-CLASS-356-152 c14 N72-27409
US-PATENT-CLASS-356-152 c14 N73-25462
US-PATENT-CLASS-356-152 c36 N74-15145
US-PATENT-CLASS-356-152 c36 N74-21091
US-PATENT-CLASS-356-152 c74 N74-21304
US-PATENT-CLASS-356-152 c74 N77-22951
US-PATENT-CLASS-356-152 c74 N80-21138
US-PATENT-CLASS-356-153 c15 N71-28740
US-PATENT-CLASS-356-153 c23 N71-29125
US-PATENT-CLASS-356-153 c16 N73-33397
US-PATENT-CLASS-356-153 c18 N76-14186
US-PATENT-CLASS-356-154 c15 N71-26673
US-PATENT-CLASS-356-159 c36 N78-14380
US-PATENT-CLASS-356-160 c36 N78-14380
US-PATENT-CLASS-356-161 c26 N73-26751
US-PATENT-CLASS-356-162 c66 N76-19888
US-PATENT-CLASS-356-165 c38 N78-17396
US-PATENT-CLASS-356-166 c14 N71-23175
US-PATENT-CLASS-356-167 c14 N72-11364
US-PATENT-CLASS-356-167 c66 N76-19888
US-PATENT-CLASS-356-167 c74 N78-27904
US-PATENT-CLASS-356-169 c60 N78-10709
US-PATENT-CLASS-356-171 c74 N77-22950
US-PATENT-CLASS-356-172 c16 N73-33397
US-PATENT-CLASS-356-172 c36 N74-21091
US-PATENT-CLASS-356-172 c74 N77-22951
US-PATENT-CLASS-356-180 c35 N74-27860
US-PATENT-CLASS-356-186 c35 N75-19613
US-PATENT-CLASS-356-189 c35 N75-19613
US-PATENT-CLASS-356-197 c37 N74-18123
US-PATENT-CLASS-356-199 c36 N78-14380
US-PATENT-CLASS-356-201 c75 N74-30156
US-PATENT-CLASS-356-201 c35 N77-14411
US-PATENT-CLASS-356-202 c26 N73-26751
US-PATENT-CLASS-356-203 c14 N71-26788
US-PATENT-CLASS-356-204 c35 N77-14411
US-PATENT-CLASS-356-204 c74 N78-17867
US-PATENT-CLASS-356-207 c45 N76-17656
US-PATENT-CLASS-356-208 c74 N78-33913
US-PATENT-CLASS-356-209 c23 N71-16341
US-PATENT-CLASS-356-209 c14 N71-28993
US-PATENT-CLASS-356-209 c14 N72-17323
US-PATENT-CLASS-356-209 c35 N76-31490
US-PATENT-CLASS-356-210 c74 N79-11865
US-PATENT-CLASS-356-212 c35 N77-31465
US-PATENT-CLASS-356-216 c74 N74-15095
US-PATENT-CLASS-356-216 c35 N80-18359
US-PATENT-CLASS-356-222 c03 N72-20033
US-PATENT-CLASS-356-236 c74 N77-21941
US-PATENT-CLASS-356-237 c74 N77-10899
US-PATENT-CLASS-356-237 c38 N78-17395
US-PATENT-CLASS-356-237 c38 N78-17396
US-PATENT-CLASS-356-237 c35 N79-28527
US-PATENT-CLASS-356-239 c74 N77-10899
US-PATENT-CLASS-356-241 c14 N72-32452
US-PATENT-CLASS-356-243 c36 N80-16321
US-PATENT-CLASS-356-244 c14 N72-17323
US-PATENT-CLASS-356-244 c35 N76-31490
US-PATENT-CLASS-356-244 c35 N80-28687
US-PATENT-CLASS-356-246 c35 N74-27860
US-PATENT-CLASS-356-246 c74 N78-17867
US-PATENT-CLASS-356-248 c14 N72-22444
US-PATENT-CLASS-356-300 c43 N79-17288
US-PATENT-CLASS-356-328 c35 N80-26635
US-PATENT-CLASS-356-334 c74 N80-21140
US-PATENT-CLASS-356-345 c74 N81-17888
US-PATENT-CLASS-356-346 c35 N80-20563
US-PATENT-CLASS-356-352 c74 N81-17888
US-PATENT-CLASS-356-358 c74 N81-17888
US-PATENT-CLASS-356-369 c35 N80-28687
US-PATENT-CLASS-356-404 c35 N79-28527
US-PATENT-CLASS-356-407 c43 N79-17288
US-PATENT-CLASS-356-416 c43 N79-17288
US-PATENT-CLASS-356-432 c74 N81-17887
US-PATENT-CLASS-356-437 c25 N81-14015
US-PATENT-CLASS-356-1065 c35 N74-23040
US-PATENT-CLASS-357-4 c33 N78-13320
US-PATENT-CLASS-357-5 c33 N75-31332
US-PATENT-CLASS-357-5 c33 N78-13320
US-PATENT-CLASS-357-7 c33 N75-31331
US-PATENT-CLASS-357-15 c44 N78-13526
US-PATENT-CLASS-357-15 c44 N79-11467
US-PATENT-CLASS-357-16 c44 N78-13526
US-PATENT-CLASS-357-16 c44 N79-11467
US-PATENT-CLASS-357-22 c33 N79-11314
US-PATENT-CLASS-357-22 c33 N79-12321
US-PATENT-CLASS-357-23 c76 N75-25730
US-PATENT-CLASS-357-23 c33 N79-12321
US-PATENT-CLASS-357-24 c33 N75-31331
US-PATENT-CLASS-357-29 c76 N75-25730
US-PATENT-CLASS-357-30 c44 N76-28635
US-PATENT-CLASS-357-30 c44 N78-13526
US-PATENT-CLASS-357-30 c44 N78-24609
US-PATENT-CLASS-357-30 c44 N78-25527
US-PATENT-CLASS-357-30 c44 N79-11467
US-PATENT-CLASS-357-30 c44 N79-14528
US-PATENT-CLASS-357-30 c44 N79-31752
US-PATENT-CLASS-357-30 c44 N80-29835
US-PATENT-CLASS-357-30 c44 N81-19558
US-PATENT-CLASS-357-41 c33 N79-12321
US-PATENT-CLASS-357-42 c76 N75-25730
US-PATENT-CLASS-357-45 c33 N79-12321
US-PATENT-CLASS-357-45 c44 N79-26475
US-PATENT-CLASS-357-52 c76 N75-25730
US-PATENT-CLASS-357-52 c44 N80-29835
US-PATENT-CLASS-357-54 c76 N75-25730
US-PATENT-CLASS-357-55 c33 N79-12321
US-PATENT-CLASS-357-59 c44 N76-28635
US-PATENT-CLASS-357-59 c44 N78-24609
US-PATENT-CLASS-357-59 c44 N81-19558
US-PATENT-CLASS-357-63 c33 N76-31409
US-PATENT-CLASS-357-63 c44 N81-19558
US-PATENT-CLASS-357-65 c44 N78-25527
US-PATENT-CLASS-357-65 c44 N79-11467
US-PATENT-CLASS-357-65 c44 N79-31752
US-PATENT-CLASS-357-67 c44 N78-25527
US-PATENT-CLASS-357-67 c44 N79-11467
US-PATENT-CLASS-357-67 c44 N79-31752
US-PATENT-CLASS-357-73 c33 N78-13320
US-PATENT-CLASS-357-74 c37 N79-28549
US-PATENT-CLASS-357-79 c37 N79-28549
US-PATENT-CLASS-357-81 c37 N79-28549
US-PATENT-CLASS-357-82 c37 N79-28549
US-PATENT-CLASS-357-83 c37 N79-28549
US-PATENT-CLASS-357-91 c76 N75-25730
US-PATENT-CLASS-357-91 c33 N78-27326
US-PATENT-CLASS-357-91 c44 N80-29835
US-PATENT-CLASS-358-36 c32 N75-21485
US-PATENT-CLASS-358-41 c74 N78-17865
US-PATENT-CLASS-358-44 c74 N77-18893
US-PATENT-CLASS-358-55 c74 N78-17865
US-PATENT-CLASS-358-81 c32 N79-20297
US-PATENT-CLASS-358-96 c52 N79-10724
US-PATENT-CLASS-358-104 c09 N78-18083
US-PATENT-CLASS-358-104 c74 N79-13855
US-PATENT-CLASS-358-106 c39 N78-16387
US-PATENT-CLASS-358-107 c35 N79-18296
US-PATENT-CLASS-358-109 c32 N79-20297
US-PATENT-CLASS-358-111 c52 N79-10724
US-PATENT-CLASS-358-133 c32 N77-24328
US-PATENT-CLASS-358-138 c32 N77-24328
US-PATENT-CLASS-358-142 c74 N78-14889
US-PATENT-CLASS-358-225 c74 N78-17865
US-PATENT-CLASS-360-9 c35 N76-16391
US-PATENT-CLASS-360-10 c35 N76-16391
US-PATENT-CLASS-360-25 c35 N77-17426
US-PATENT-CLASS-360-26 c33 N76-18353
US-PATENT-CLASS-360-31 c35 N77-17426
US-PATENT-CLASS-360-35 c35 N76-16391
US-PATENT-CLASS-360-51 c33 N76-18353
US-PATENT-CLASS-360-101 c35 N76-16391
US-PATENT-CLASS-361-170 c33 N79-28415
US-PATENT-CLASS-361-395 c32 N78-24391
US-PATENT-CLASS-362-11 c74 N81-17886

US-PATENT-CLASS-362-241 c74 N81-17886
US-PATENT-CLASS-362-269 c17 N78-17140
US-PATENT-CLASS-363-16 c33 N78-32341
US-PATENT-CLASS-363-21 c33 N81-19392
US-PATENT-CLASS-363-21 c33 N81-19393
US-PATENT-CLASS-363-27 c44 N81-12542
US-PATENT-CLASS-363-36 c33 N81-19393
US-PATENT-CLASS-363-40 c33 N81-19393
US-PATENT-CLASS-363-47 c33 N81-19393
US-PATENT-CLASS-363-53 c33 N77-30365
US-PATENT-CLASS-363-56 c33 N79-24254
US-PATENT-CLASS-363-56 c33 N81-14220
US-PATENT-CLASS-363-57 c33 N78-10377
US-PATENT-CLASS-363-60 c33 N78-32341
US-PATENT-CLASS-363-60 c44 N81-12542
US-PATENT-CLASS-363-70 c33 N77-30365
US-PATENT-CLASS-363-71 c33 N79-24254
US-PATENT-CLASS-363-71 c33 N79-24257
US-PATENT-CLASS-363-71 c33 N81-14220
US-PATENT-CLASS-363-78 c33 N81-14220
US-PATENT-CLASS-363-89 c33 N78-10377
US-PATENT-CLASS-363-95 c33 N79-24257
US-PATENT-CLASS-363-97 c33 N79-24254
US-PATENT-CLASS-363-101 c33 N78-32341
US-PATENT-CLASS-363-101 c33 N81-19392
US-PATENT-CLASS-363-134 c33 N79-24257
US-PATENT-CLASS-363-147 c44 N81-12542
US-PATENT-CLASS-364-106 c07 N81-19115
US-PATENT-CLASS-364-120 c52 N79-12694
US-PATENT-CLASS-364-300 c52 N79-12694
US-PATENT-CLASS-364-415 c52 N79-12694
US-PATENT-CLASS-364-417 c52 N79-10724
US-PATENT-CLASS-364-431 c07 N81-19115
US-PATENT-CLASS-364-434 c08 N79-23097
US-PATENT-CLASS-364-458 c32 N79-14267
US-PATENT-CLASS-364-560 c43 N79-26439
US-PATENT-CLASS-364-604 c32 N79-14267
US-PATENT-CLASS-364-713 c32 N79-20297
US-PATENT-CLASS-364-728 c32 N79-14267
US-PATENT-CLASS-364-900 c52 N79-12694
US-PATENT-CLASS-364-900 c60 N79-20751
US-PATENT-CLASS-367-26 c39 N80-10507
US-PATENT-CLASS-367-27 c31 N80-32584
US-PATENT-CLASS-367-36 c31 N80-32584
US-PATENT-CLASS-367-57 c31 N80-32584
US-PATENT-CLASS-368-47 c33 N81-14221
US-PATENT-CLASS-370-85 c33 N81-14221
US-PATENT-CLASS-375-1 c32 N81-15179
US-PATENT-CLASS-375-1 c35 N81-19427
US-PATENT-CLASS-375-34 c35 N81-19427
US-PATENT-CLASS-375-54 c33 N81-15192
US-PATENT-CLASS-375-58 c32 N81-15179
US-PATENT-CLASS-375-67 c33 N81-15192
US-PATENT-CLASS-375-99 c35 N81-19427
US-PATENT-CLASS-375-104 c35 N81-19427
US-PATENT-CLASS-375-107 c32 N81-14186
US-PATENT-CLASS-375-115 c32 N81-15179
US-PATENT-CLASS-403-28 c27 N76-14264
US-PATENT-CLASS-403-105 c37 N79-14382
US-PATENT-CLASS-403-179 c27 N76-14264
US-PATENT-CLASS-403-273 c37 N77-23482
US-PATENT-CLASS-405-229 c44 N79-24432
US-PATENT-CLASS-405-263 c44 N79-24432
US-PATENT-CLASS-407-85 c37 N81-14319
US-PATENT-CLASS-407-117 c37 N81-14319
US-PATENT-CLASS-408-1R c37 N81-14319
US-PATENT-CLASS-408-80 c37 N74-25968
US-PATENT-CLASS-408-111 c37 N74-25968
US-PATENT-CLASS-408-112 c37 N75-25186
US-PATENT-CLASS-408-137 c15 N71-33518
US-PATENT-CLASS-408-186 c37 N75-25186
US-PATENT-CLASS-408-193 c37 N75-25186
US-PATENT-CLASS-408-195 c37 N75-25186
US-PATENT-CLASS-414-1 c37 N80-14398
US-PATENT-CLASS-414-1 c37 N81-14320
US-PATENT-CLASS-414-4 c37 N79-28551
US-PATENT-CLASS-414-6 c54 N79-24652
US-PATENT-CLASS-415-1 c34 N79-20335
US-PATENT-CLASS-415-2 c44 N80-21828
US-PATENT-CLASS-415-9 c44 N79-14527
US-PATENT-CLASS-415-101 c44 N80-21828
US-PATENT-CLASS-415-115 c07 N79-10057
US-PATENT-CLASS-415-116 c07 N79-10057
US-PATENT-CLASS-415-143 c34 N79-20335
US-PATENT-CLASS-415-145 c07 N77-28118
US-PATENT-CLASS-415-174 c37 N79-18318
US-PATENT-CLASS-415-174 c37 N80-26658
US-PATENT-CLASS-415-180 c07 N77-23106
US-PATENT-CLASS-415-180 c37 N78-10467
US-PATENT-CLASS-415-181 c07 N74-28226
US-PATENT-CLASS-415-181 c07 N74-31270
US-PATENT-CLASS-415-196 c37 N80-26658
US-PATENT-CLASS-415-199 c05 N80-14107
US-PATENT-CLASS-415-200 c07 N79-14096
US-PATENT-CLASS-415-200 c37 N79-18318
US-PATENT-CLASS-415-201 c07 N79-14096
US-PATENT-CLASS-416-2 c44 N79-14527
US-PATENT-CLASS-416-25 c05 N75-12930
US-PATENT-CLASS-416-51 c05 N79-17847
US-PATENT-CLASS-416-61 c35 N78-24515
US-PATENT-CLASS-416-61 c37 N79-14382
US-PATENT-CLASS-416-88 c05 N79-17847
US-PATENT-CLASS-416-89 c05 N79-17847
US-PATENT-CLASS-416-104 c05 N77-17029
US-PATENT-CLASS-416-114 c05 N81-19087
US-PATENT-CLASS-416-115 c02 N72-11018
US-PATENT-CLASS-416-121 c02 N72-11018
US-PATENT-CLASS-416-127 c02 N72-11018
US-PATENT-CLASS-416-130 c02 N72-11018
US-PATENT-CLASS-416-132R c05 N79-17847
US-PATENT-CLASS-416-135 c07 N77-32148
US-PATENT-CLASS-416-135 c37 N78-10468
US-PATENT-CLASS-416-138 c05 N77-17029
US-PATENT-CLASS-416-138 c05 N79-17847
US-PATENT-CLASS-416-141 c05 N77-17029
US-PATENT-CLASS-416-141 c37 N78-10468
US-PATENT-CLASS-416-144 c35 N78-24515
US-PATENT-CLASS-416-149 c02 N72-11018
US-PATENT-CLASS-416-153 c07 N77-14025
US-PATENT-CLASS-416-157B c07 N79-14095
US-PATENT-CLASS-416-160 c07 N77-14025
US-PATENT-CLASS-416-160 c07 N79-14095
US-PATENT-CLASS-416-162 c07 N77-14025
US-PATENT-CLASS-416-162 c07 N79-14095
US-PATENT-CLASS-416-165 c07 N77-14025
US-PATENT-CLASS-416-167 c07 N77-14025
US-PATENT-CLASS-416-167 c07 N79-14095
US-PATENT-CLASS-416-190 c07 N77-32148
US-PATENT-CLASS-416-193A c07 N77-32148
US-PATENT-CLASS-416-200 c02 N72-11018
US-PATENT-CLASS-416-214A c07 N78-33101
US-PATENT-CLASS-416-220R c07 N77-27116
US-PATENT-CLASS-416-220R c37 N78-10468
US-PATENT-CLASS-416-221 c07 N77-27116
US-PATENT-CLASS-416-223 c07 N74-28226
US-PATENT-CLASS-416-224 c24 N77-19170
US-PATENT-CLASS-416-228 c05 N80-14107
US-PATENT-CLASS-416-230 c24 N77-19170
US-PATENT-CLASS-416-237 c07 N74-28226
US-PATENT-CLASS-416-238 c05 N80-14107
US-PATENT-CLASS-416-241A c07 N77-32148
US-PATENT-CLASS-416-244A c07 N78-33101
US-PATENT-CLASS-416-248 c37 N78-10468
US-PATENT-CLASS-416-500 c05 N81-19087
US-PATENT-CLASS-417-36 c35 N75-19611
US-PATENT-CLASS-417-50 c15 N71-27084
US-PATENT-CLASS-417-52 c37 N74-27904
US-PATENT-CLASS-417-88 c44 N78-32539
US-PATENT-CLASS-417-138 c35 N75-19611
US-PATENT-CLASS-417-141 c44 N76-29701
US-PATENT-CLASS-417-152 c15 N72-22489
US-PATENT-CLASS-417-207 c44 N76-29701
US-PATENT-CLASS-417-209 c34 N76-17317
US-PATENT-CLASS-417-209 c44 N76-29701
US-PATENT-CLASS-417-225 c35 N78-10428
US-PATENT-CLASS-417-379 c44 N76-29701
US-PATENT-CLASS-417-383 c37 N80-31790
US-PATENT-CLASS-417-391 c15 N73-24513
US-PATENT-CLASS-417-395 c35 N75-19611
US-PATENT-CLASS-417-470 c35 N74-15126
US-PATENT-CLASS-417-471 c35 N74-15126
US-PATENT-CLASS-422-9 c45 N80-14579
US-PATENT-CLASS-422-41 c52 N79-14749
US-PATENT-CLASS-422-48 c52 N79-14749
US-PATENT-CLASS-422-52 c51 N80-16714
US-PATENT-CLASS-422-68 c51 N80-27067
US-PATENT-CLASS-422-187 c37 N80-10494
US-PATENT-CLASS-422-199 c37 N80-10494
US-PATENT-CLASS-422-208 c37 N80-10494
US-PATENT-CLASS-422-224 c31 N80-18231
US-PATENT-CLASS-422-235 c37 N80-10494
US-PATENT-CLASS-422-242 c37 N80-10494
US-PATENT-CLASS-422-246 c76 N80-32244
US-PATENT-CLASS-422-246 c33 N81-19389
US-PATENT-CLASS-422-249 c33 N81-19389
US-PATENT-CLASS-423-1 c28 N81-15119
US-PATENT-CLASS-423-33-5 c25 N79-28253
US-PATENT-CLASS-423-131 c28 N81-15119

US-PATENT-CLASS-423-149 c26 N80-14229
US-PATENT-CLASS-423-231 c25 N74-12813
US-PATENT-CLASS-423-242 c45 N79-12584
US-PATENT-CLASS-423-249 c25 N76-27383
US-PATENT-CLASS-423-293 c26 N80-14229
US-PATENT-CLASS-423-345 c76 N76-25049
US-PATENT-CLASS-423-345 c76 N79-23798
US-PATENT-CLASS-423-346 c76 N76-25049
US-PATENT-CLASS-423-348 c26 N80-14229
US-PATENT-CLASS-423-350 c37 N80-10494
US-PATENT-CLASS-423-350 c31 N80-18231
US-PATENT-CLASS-423-352 c36 N76-18427
US-PATENT-CLASS-423-407 c24 N76-14203
US-PATENT-CLASS-423-417 c26 N80-14229
US-PATENT-CLASS-423-446 c15 N73-19457
US-PATENT-CLASS-423-579 c46 N74-13011
US-PATENT-CLASS-423-581 c25 N79-10162
US-PATENT-CLASS-423-582 c26 N78-32229
US-PATENT-CLASS-423-583 c26 N78-32229
US-PATENT-CLASS-423-625 c15 N73-19457
US-PATENT-CLASS-423-625 c26 N80-14229
US-PATENT-CLASS-423-644 c36 N76-18427
US-PATENT-CLASS-423-648R c44 N77-22607
US-PATENT-CLASS-423-648R c28 N78-24365
US-PATENT-CLASS-423-648R c28 N80-20402
US-PATENT-CLASS-423-648R c28 N81-14103
US-PATENT-CLASS-423-650 c44 N76-18642
US-PATENT-CLASS-423-650 c44 N76-29700
US-PATENT-CLASS-423-650 c44 N76-29704
US-PATENT-CLASS-423-650 c44 N77-10636
US-PATENT-CLASS-423-650 c28 N80-10374
US-PATENT-CLASS-423-658.5 c28 N81-15119
US-PATENT-CLASS-424-3 c51 N77-27677
US-PATENT-CLASS-424-12 c25 N79-14169
US-PATENT-CLASS-424-12 c51 N80-16715
US-PATENT-CLASS-424-180 c52 N75-15270
US-PATENT-CLASS-424-274 c52 N81-14613
US-PATENT-CLASS-425-DIG.43 c31 N75-13111
US-PATENT-CLASS-425-28B c31 N74-32917
US-PATENT-CLASS-425-35 c31 N74-32917
US-PATENT-CLASS-425-77 c15 N72-20446
US-PATENT-CLASS-425-113 c15 N73-13464
US-PATENT-CLASS-425-128 c31 N74-32920
US-PATENT-CLASS-425-133 c15 N73-13464
US-PATENT-CLASS-425-176 c15 N73-13464
US-PATENT-CLASS-425-378R c31 N81-15154
US-PATENT-CLASS-425-405R c31 N75-13111
US-PATENT-CLASS-425-415 c31 N74-32920
US-PATENT-CLASS-425-438 c31 N75-13111
US-PATENT-CLASS-425-468 c31 N75-13111
US-PATENT-CLASS-427-4 c51 N77-27677
US-PATENT-CLASS-427-34 c34 N78-18355
US-PATENT-CLASS-427-34 c24 N79-17916
US-PATENT-CLASS-427-38 c74 N78-32854
US-PATENT-CLASS-427-38 c27 N80-24437
US-PATENT-CLASS-427-40 c27 N78-31233
US-PATENT-CLASS-427-40 c27 N79-18052
US-PATENT-CLASS-427-40 c27 N80-24437
US-PATENT-CLASS-427-41 c27 N78-31233
US-PATENT-CLASS-427-41 c74 N78-32854
US-PATENT-CLASS-427-41 c27 N79-14214
US-PATENT-CLASS-427-41 c27 N79-18052
US-PATENT-CLASS-427-41 c27 N80-23452
US-PATENT-CLASS-427-44 c74 N78-32854
US-PATENT-CLASS-427-44 c27 N80-32516
US-PATENT-CLASS-427-47 c44 N77-32583
US-PATENT-CLASS-427-75 c44 N78-25527
US-PATENT-CLASS-427-75 c44 N79-11468
US-PATENT-CLASS-427-75 c44 N79-11472
US-PATENT-CLASS-427-84 c44 N79-11472
US-PATENT-CLASS-427-86 c44 N76-28635
US-PATENT-CLASS-427-86 c44 N78-24609
US-PATENT-CLASS-427-88 c44 N79-31752
US-PATENT-CLASS-427-95 c25 N79-28253
US-PATENT-CLASS-427-113 c44 N76-28635
US-PATENT-CLASS-427-113 c44 N78-24609
US-PATENT-CLASS-427-123 c44 N79-11472
US-PATENT-CLASS-427-124 c37 N78-13436
US-PATENT-CLASS-427-126 c37 N78-13436
US-PATENT-CLASS-427-126 c44 N79-11472
US-PATENT-CLASS-427-130 c44 N77-32583
US-PATENT-CLASS-427-160 c34 N77-18382
US-PATENT-CLASS-427-160 c44 N78-19599
US-PATENT-CLASS-427-162 c12 N76-15189
US-PATENT-CLASS-427-164 c27 N78-14164
US-PATENT-CLASS-427-164 c27 N78-31233
US-PATENT-CLASS-427-164 c74 N78-32854
US-PATENT-CLASS-427-164 c27 N80-24437
US-PATENT-CLASS-427-196 c27 N76-15310
US-PATENT-CLASS-427-203 c27 N76-16229
US-PATENT-CLASS-427-204 c27 N76-16229
US-PATENT-CLASS-427-205 c27 N76-16229
US-PATENT-CLASS-427-215 c27 N78-32260
US-PATENT-CLASS-427-221 c27 N81-19296
US-PATENT-CLASS-427-229 c25 N78-10225
US-PATENT-CLASS-427-230 c37 N76-31524
US-PATENT-CLASS-427-245 c27 N80-23452
US-PATENT-CLASS-427-248 c44 N76-28635
US-PATENT-CLASS-427-248E c37 N78-13436
US-PATENT-CLASS-427-248J c44 N78-24609
US-PATENT-CLASS-427-249 c44 N76-28635
US-PATENT-CLASS-427-249 c44 N78-24609
US-PATENT-CLASS-427-250 c12 N76-15189
US-PATENT-CLASS-427-250 c44 N76-28635
US-PATENT-CLASS-427-250 c37 N78-13436
US-PATENT-CLASS-427-255 c37 N78-13436
US-PATENT-CLASS-427-261 c44 N78-25527
US-PATENT-CLASS-427-261 c44 N79-11472
US-PATENT-CLASS-427-270 c27 N76-16229
US-PATENT-CLASS-427-275 c27 N76-16229
US-PATENT-CLASS-427-287 c27 N76-16229
US-PATENT-CLASS-427-292 c24 N79-17916
US-PATENT-CLASS-427-294 c27 N79-14214
US-PATENT-CLASS-427-302 c74 N78-32854
US-PATENT-CLASS-427-322 c34 N77-18382
US-PATENT-CLASS-427-322 c74 N78-32854
US-PATENT-CLASS-427-327 c24 N79-17916
US-PATENT-CLASS-427-328 c24 N79-17916
US-PATENT-CLASS-427-343 c44 N79-11472
US-PATENT-CLASS-427-350 c24 N79-25142
US-PATENT-CLASS-427-355 c24 N79-17916
US-PATENT-CLASS-427-372A c24 N79-25142
US-PATENT-CLASS-427-376 c27 N76-22377
US-PATENT-CLASS-427-376 c27 N76-23426
US-PATENT-CLASS-427-376A c27 N78-32260
US-PATENT-CLASS-427-376B c27 N78-32260
US-PATENT-CLASS-427-376B c24 N79-17916
US-PATENT-CLASS-427-376C c24 N79-17916
US-PATENT-CLASS-427-379 c27 N76-22377
US-PATENT-CLASS-427-379 c27 N76-23426
US-PATENT-CLASS-427-379 c27 N78-32260
US-PATENT-CLASS-427-379 c27 N81-19296
US-PATENT-CLASS-427-380 c27 N76-22377
US-PATENT-CLASS-427-380 c27 N76-23426
US-PATENT-CLASS-427-380 c27 N78-32260
US-PATENT-CLASS-427-385.5 c27 N81-14078
US-PATENT-CLASS-427-385B c44 N78-25530
US-PATENT-CLASS-427-385C c44 N78-25530
US-PATENT-CLASS-427-386 c24 N78-27180
US-PATENT-CLASS-427-387 c74 N78-32854
US-PATENT-CLASS-427-388A c24 N78-27180
US-PATENT-CLASS-427-398A c44 N79-11472
US-PATENT-CLASS-427-399 c44 N79-11472
US-PATENT-CLASS-427-402 c27 N76-22377
US-PATENT-CLASS-427-402 c27 N76-23426
US-PATENT-CLASS-427-405 c34 N78-18355
US-PATENT-CLASS-427-419A c34 N78-18355
US-PATENT-CLASS-427-423 c34 N78-18355
US-PATENT-CLASS-427-426 c27 N76-15310
US-PATENT-CLASS-427-427 c24 N78-24290
US-PATENT-CLASS-427-429 c27 N81-14078
US-PATENT-CLASS-428-35 c34 N77-18382
US-PATENT-CLASS-428-71 c24 N78-15180
US-PATENT-CLASS-428-73 c24 N78-10214
US-PATENT-CLASS-428-73 c24 N78-15180
US-PATENT-CLASS-428-73 c24 N79-16915
US-PATENT-CLASS-428-77 c27 N76-14264
US-PATENT-CLASS-428-77 c27 N79-12221
US-PATENT-CLASS-428-93 c34 N78-25350
US-PATENT-CLASS-428-94 c34 N78-25350
US-PATENT-CLASS-428-95 c34 N78-25350
US-PATENT-CLASS-428-96 c34 N78-25350
US-PATENT-CLASS-428-97 c34 N78-25350
US-PATENT-CLASS-428-109 c27 N76-14264
US-PATENT-CLASS-428-109 c33 N79-12331
US-PATENT-CLASS-428-113 c24 N81-14000
US-PATENT-CLASS-428-114 c24 N81-13999
US-PATENT-CLASS-428-114 c24 N81-14000
US-PATENT-CLASS-428-116 c24 N78-10214
US-PATENT-CLASS-428-116 c24 N78-17149
US-PATENT-CLASS-428-117 c37 N76-24575
US-PATENT-CLASS-428-117 c24 N78-15180
US-PATENT-CLASS-428-117 c24 N79-16915
US-PATENT-CLASS-428-119 c24 N79-16915
US-PATENT-CLASS-428-133 c37 N79-10422
US-PATENT-CLASS-428-137 c24 N79-25142
US-PATENT-CLASS-428-138 c24 N78-10214
US-PATENT-CLASS-428-140 c24 N81-14000

US-PATENT-CLASS-428-141 c24 N77-28225
US-PATENT-CLASS-428-161 c24 N77-28225
US-PATENT-CLASS-428-189 c27 N79-12221
US-PATENT-CLASS-428-212 c27 N76-14264
US-PATENT-CLASS-428-212 c27 N79-12221
US-PATENT-CLASS-428-214 c27 N76-14264
US-PATENT-CLASS-428-220 c15 N79-26100
US-PATENT-CLASS-428-247 c33 N79-12331
US-PATENT-CLASS-428-258 c33 N79-12331
US-PATENT-CLASS-428-259 c33 N79-12331
US-PATENT-CLASS-428-280 c27 N79-12221
US-PATENT-CLASS-428-282 c24 N79-25142
US-PATENT-CLASS-428-285 c27 N79-12221
US-PATENT-CLASS-428-286 c27 N79-12221
US-PATENT-CLASS-428-290 c24 N78-15180
US-PATENT-CLASS-428-290 c24 N79-25142
US-PATENT-CLASS-428-294 c24 N78-17150
US-PATENT-CLASS-428-301 c24 N77-27188
US-PATENT-CLASS-428-302 c24 N78-17150
US-PATENT-CLASS-428-303 c27 N76-15310
US-PATENT-CLASS-428-312 c27 N78-32260
US-PATENT-CLASS-428-313 c24 N78-27180
US-PATENT-CLASS-428-325 c27 N78-32260
US-PATENT-CLASS-428-328 c24 N77-27188
US-PATENT-CLASS-428-331 c27 N78-32260
US-PATENT-CLASS-428-332 c27 N76-22377
US-PATENT-CLASS-428-332 c27 N76-23426
US-PATENT-CLASS-428-332 c24 N78-27180
US-PATENT-CLASS-428-332 c27 N79-12221
US-PATENT-CLASS-428-332 c24 N79-25142
US-PATENT-CLASS-428-334 c74 N78-15879
US-PATENT-CLASS-428-336 c74 N78-15879
US-PATENT-CLASS-428-341 c27 N78-32260
US-PATENT-CLASS-428-366 c24 N79-24062
US-PATENT-CLASS-428-368 c24 N77-27188
US-PATENT-CLASS-428-375 c24 N79-16915
US-PATENT-CLASS-428-406 c27 N78-32260
US-PATENT-CLASS-428-411 c27 N78-14164
US-PATENT-CLASS-428-411 c27 N78-31233
US-PATENT-CLASS-428-411 c27 N79-14214
US-PATENT-CLASS-428-412 c27 N76-16230
US-PATENT-CLASS-428-412 c27 N78-31233
US-PATENT-CLASS-428-412 c74 N78-32854
US-PATENT-CLASS-428-412 c27 N79-18052
US-PATENT-CLASS-428-413 c27 N76-16230
US-PATENT-CLASS-428-413 c15 N79-26100
US-PATENT-CLASS-428-413 c24 N81-14000
US-PATENT-CLASS-428-414 c15 N79-26100
US-PATENT-CLASS-428-416 c27 N76-14264
US-PATENT-CLASS-428-418 c24 N77-27188
US-PATENT-CLASS-428-418 c15 N79-26100
US-PATENT-CLASS-428-421 c34 N77-18382
US-PATENT-CLASS-428-421 c15 N79-26100
US-PATENT-CLASS-428-421 c27 N80-24437
US-PATENT-CLASS-428-422 c27 N78-31233
US-PATENT-CLASS-428-425 c24 N77-28225
US-PATENT-CLASS-428-426 c74 N78-15879
US-PATENT-CLASS-428-427 c27 N78-32260
US-PATENT-CLASS-428-428 c27 N76-22377
US-PATENT-CLASS-428-428 c27 N76-23426
US-PATENT-CLASS-428-428 c74 N78-15879
US-PATENT-CLASS-428-428 c27 N78-32260
US-PATENT-CLASS-428-446 c27 N78-32260
US-PATENT-CLASS-428-447 c27 N76-14264
US-PATENT-CLASS-428-447 c27 N76-16230
US-PATENT-CLASS-428-447 c27 N78-31233
US-PATENT-CLASS-428-447 c74 N78-32854
US-PATENT-CLASS-428-447 c27 N79-12221
US-PATENT-CLASS-428-447 c27 N79-18052
US-PATENT-CLASS-428-447 c24 N79-25142
US-PATENT-CLASS-428-450 c27 N76-16229
US-PATENT-CLASS-428-450 c27 N76-22377
US-PATENT-CLASS-428-450 c27 N76-23426
US-PATENT-CLASS-428-450 c27 N79-12221
US-PATENT-CLASS-428-451 c27 N79-18052
US-PATENT-CLASS-428-457 c27 N76-16229
US-PATENT-CLASS-428-457 c24 N77-27188
US-PATENT-CLASS-428-457 c24 N77-28225
US-PATENT-CLASS-428-458 c24 N77-28225
US-PATENT-CLASS-428-458 c24 N79-16915
US-PATENT-CLASS-428-461 c34 N77-18382
US-PATENT-CLASS-428-469 c27 N76-16229
US-PATENT-CLASS-428-473.5 c27 N81-14078
US-PATENT-CLASS-428-474 c34 N77-18382
US-PATENT-CLASS-428-474 c27 N79-33316
US-PATENT-CLASS-428-474 c27 N80-24437
US-PATENT-CLASS-428-480 c24 N81-14000
US-PATENT-CLASS-428-500 c27 N80-32516
US-PATENT-CLASS-428-515 c27 N78-31233

US-PATENT-CLASS-428-522 c27 N78-14164
US-PATENT-CLASS-428-523 c27 N78-31233
US-PATENT-CLASS-428-528 c24 N81-13999
US-PATENT-CLASS-428-538 c27 N76-22377
US-PATENT-CLASS-428-538 c27 N76-23426
US-PATENT-CLASS-428-538 c27 N78-31233
US-PATENT-CLASS-428-539 c27 N76-16229
US-PATENT-CLASS-428-541 c24 N81-13999
US-PATENT-CLASS-428-629 c44 N80-16452
US-PATENT-CLASS-428-633 c34 N78-18355
US-PATENT-CLASS-428-650 c44 N80-16452
US-PATENT-CLASS-428-652 c34 N78-18355
US-PATENT-CLASS-428-652 c44 N78-19599
US-PATENT-CLASS-428-658 c44 N80-16452
US-PATENT-CLASS-428-667 c34 N78-18355
US-PATENT-CLASS-428-667 c44 N78-19599
US-PATENT-CLASS-428-675 c44 N80-16452
US-PATENT-CLASS-428-679 c44 N78-19599
US-PATENT-CLASS-428-680 c44 N80-16452
US-PATENT-CLASS-428-902 c24 N77-27188
US-PATENT-CLASS-428-902 c24 N78-10214
US-PATENT-CLASS-428-902 c24 N78-17149
US-PATENT-CLASS-428-902 c24 N81-14000
US-PATENT-CLASS-428-911 c27 N76-16230
US-PATENT-CLASS-428-911 c24 N77-27188
US-PATENT-CLASS-428-913 c34 N78-25350
US-PATENT-CLASS-428-920 c27 N76-16230
US-PATENT-CLASS-428-920 c27 N76-22377
US-PATENT-CLASS-428-920 c27 N76-23426
US-PATENT-CLASS-428-920 c24 N78-15180
US-PATENT-CLASS-428-920 c27 N78-32260
US-PATENT-CLASS-428-920 c27 N79-12221
US-PATENT-CLASS-428-920 c24 N79-25142
US-PATENT-CLASS-428-920 c15 N79-26100
US-PATENT-CLASS-428-921 c27 N76-16230
US-PATENT-CLASS-428-921 c24 N78-27180
US-PATENT-CLASS-428-921 c24 N81-13999
US-PATENT-CLASS-428-922 c27 N78-14164
US-PATENT-CLASS-429-13 c44 N79-10513
US-PATENT-CLASS-429-15 c44 N79-26474
US-PATENT-CLASS-429-23 c44 N77-14581
US-PATENT-CLASS-429-33 c44 N79-17313
US-PATENT-CLASS-429-34 c44 N77-14581
US-PATENT-CLASS-429-41 c44 N79-10513
US-PATENT-CLASS-429-42 c44 N79-10513
US-PATENT-CLASS-429-101 c44 N79-17313
US-PATENT-CLASS-429-101 c44 N79-26474
US-PATENT-CLASS-429-101 c33 N80-20487
US-PATENT-CLASS-429-105 c44 N77-22606
US-PATENT-CLASS-429-105 c33 N80-20487
US-PATENT-CLASS-429-107 c44 N77-22606
US-PATENT-CLASS-429-107 c33 N80-20487
US-PATENT-CLASS-429-109 c33 N80-20487
US-PATENT-CLASS-429-139 c27 N80-32516
US-PATENT-CLASS-429-190 c44 N77-22606
US-PATENT-CLASS-429-253 c44 N79-25481
US-PATENT-CLASS-429-254 c44 N78-25530
US-PATENT-CLASS-431-4 c44 N76-29704
US-PATENT-CLASS-431-7 c34 N78-27357
US-PATENT-CLASS-431-9 c23 N73-30665
US-PATENT-CLASS-431-10 c34 N78-27357
US-PATENT-CLASS-431-10 c25 N79-11151
US-PATENT-CLASS-431-11 c44 N77-10636
US-PATENT-CLASS-431-41 c44 N77-10636
US-PATENT-CLASS-431-116 c44 N77-10636
US-PATENT-CLASS-431-158 c25 N78-10224
US-PATENT-CLASS-431-162 c44 N77-10636
US-PATENT-CLASS-431-163 c44 N76-29704
US-PATENT-CLASS-431-170 c44 N77-10636
US-PATENT-CLASS-431-173 c23 N73-30665
US-PATENT-CLASS-431-202 c25 N74-33378
US-PATENT-CLASS-431-208 c25 N79-11151
US-PATENT-CLASS-431-210 c44 N76-29704
US-PATENT-CLASS-431-328 c34 N78-27357
US-PATENT-CLASS-431-352 c28 N71-28915
US-PATENT-CLASS-431-352 c25 N78-10224
US-PATENT-CLASS-432-29 c25 N79-11151
US-PATENT-CLASS-432-223 c25 N79-11151
US-PATENT-CLASS-432-264 c33 N81-19389
US-PATENT-CLASS-435-3 c51 N80-27067
US-PATENT-CLASS-435-32 c51 N80-27067
US-PATENT-CLASS-435-34 c51 N80-16714
US-PATENT-CLASS-435-34 c51 N80-27067
US-PATENT-CLASS-435-38 c51 N80-27067
US-PATENT-CLASS-435-39 c51 N80-27067
US-PATENT-CLASS-435-289 c51 N80-27067
US-PATENT-CLASS-435-290 c51 N80-27067
US-PATENT-CLASS-435-291 c51 N80-27067
US-PATENT-CLASS-435-311 c51 N80-27067

US-PATENT-CLASS-435-316 c51 N80-27067
US-PATENT-CLASS-455-51 c32 N81-14186
US-PATENT-CLASS-455-71 c32 N81-14186
US-PATENT-CLASS-455-102 c33 N81-15192
US-PATENT-CLASS-455-619 c32 N81-14186
US-PATENT-CLASS-467-28 c39 N80-10507
US-PATENT-CLASS-474-205 c37 N80-32717
US-PATENT-CLASS-521-27 c27 N81-14076
US-PATENT-CLASS-521-32 c27 N81-14076
US-PATENT-CLASS-521-55 c25 N80-23383
US-PATENT-CLASS-521-62 c27 N81-14076
US-PATENT-CLASS-521-124 c25 N80-16116
US-PATENT-CLASS-521-125 c25 N80-16116
US-PATENT-CLASS-521-127 c25 N80-16116
US-PATENT-CLASS-521-146 c25 N80-23383
US-PATENT-CLASS-521-157 c25 N80-16116
US-PATENT-CLASS-521-918 c25 N80-23383
US-PATENT-CLASS-525-4 c25 N80-23383
US-PATENT-CLASS-525-326 c27 N80-24438
US-PATENT-CLASS-525-336 c27 N80-24438
US-PATENT-CLASS-525-340 c27 N80-24438
US-PATENT-CLASS-525-374 c27 N80-24438
US-PATENT-CLASS-525-375 c27 N80-24438
US-PATENT-CLASS-525-384 c28 N81-15119
US-PATENT-CLASS-525-426 c27 N80-26446
US-PATENT-CLASS-526-1 c27 N76-24405
US-PATENT-CLASS-526-7 c44 N79-25481
US-PATENT-CLASS-526-9 c44 N79-25481
US-PATENT-CLASS-526-13 c27 N78-32256
US-PATENT-CLASS-526-23 c27 N78-32256
US-PATENT-CLASS-526-27 c27 N78-32256
US-PATENT-CLASS-526-49 c27 N78-32256
US-PATENT-CLASS-526-50 c27 N78-32256
US-PATENT-CLASS-526-88 c25 N81-19242
US-PATENT-CLASS-526-193 c27 N78-15276
US-PATENT-CLASS-526-201 c25 N81-19242
US-PATENT-CLASS-526-225 c27 N78-15276
US-PATENT-CLASS-526-255 c27 N76-24405
US-PATENT-CLASS-526-261 c27 N80-24438
US-PATENT-CLASS-526-275 c27 N78-32256
US-PATENT-CLASS-526-275 c27 N80-24438
US-PATENT-CLASS-526-276 c27 N78-32256
US-PATENT-CLASS-526-276 c27 N80-24438
US-PATENT-CLASS-526-278 c27 N78-32256
US-PATENT-CLASS-526-278 c27 N80-24438
US-PATENT-CLASS-526-914 c28 N81-15119
US-PATENT-CLASS-528-73 c25 N80-16116
US-PATENT-CLASS-528-118 c27 N81-17260
US-PATENT-CLASS-528-126 c27 N79-28307
US-PATENT-CLASS-528-127 c27 N79-28307
US-PATENT-CLASS-528-128 c27 N79-28307
US-PATENT-CLASS-528-207 c27 N80-16158
US-PATENT-CLASS-528-208 c27 N80-16158
US-PATENT-CLASS-528-221 c27 N79-28307
US-PATENT-CLASS-528-223 c27 N79-28307
US-PATENT-CLASS-528-225 c27 N79-28307
US-PATENT-CLASS-528-227 c27 N79-28307
US-PATENT-CLASS-528-229 c27 N79-28307
US-PATENT-CLASS-528-229 c27 N79-33316
US-PATENT-CLASS-528-310 c27 N81-17262
US-PATENT-CLASS-528-322 c27 N81-17260
US-PATENT-CLASS-528-331 c27 N79-28307
US-PATENT-CLASS-528-336 c27 N79-28307
US-PATENT-CLASS-528-337 c27 N79-28307
US-PATENT-CLASS-528-338 c27 N79-28307
US-PATENT-CLASS-528-342 c27 N79-28307
US-PATENT-CLASS-528-353 c27 N81-19296
US-PATENT-CLASS-528-362 c25 N81-14016
US-PATENT-CLASS-528-362 c27 N81-17259
US-PATENT-CLASS-528-362 c27 N81-17262
US-PATENT-CLASS-528-401 c27 N79-22300
US-PATENT-CLASS-528-401 c25 N81-14016
US-PATENT-CLASS-528-401 c27 N81-17259
US-PATENT-CLASS-528-401 c27 N81-17262
US-PATENT-CLASS-528-422 c27 N79-22300
US-PATENT-CLASS-528-422 c25 N81-14016
US-PATENT-CLASS-528-422 c27 N81-17259
US-PATENT-CLASS-528-422 c27 N81-17262
US-PATENT-CLASS-528-423 c27 N81-17259
US-PATENT-CLASS-528-481 c27 N80-24438
US-PATENT-CLASS-536-56 c27 N77-30236
US-PATENT-CLASS-536-58 c27 N77-30236
US-PATENT-CLASS-536-84 c27 N77-30236
US-PATENT-CLASS-536-105 c27 N77-30236
US-PATENT-CLASS-536-536-85 c27 N77-30236
US-PATENT-CLASS-538-117 c27 N81-17260
US-PATENT-CLASS-544-193 c27 N78-15276
US-PATENT-CLASS-544-193 c27 N79-28307
US-PATENT-CLASS-544-195 c27 N78-32256

US-PATENT-CLASS-568-852 c27 N80-32514
US-PATENT-CLASS-568-861 c27 N80-32514
US-PATENT-CLASS-788-704 c36 N79-18307
US-PATENT-CLASS-859B c27 N81-15104
US-PATENT-CLASS-2041-195B c25 N79-22235
US-PATENT-CLASS-6554 c35 N77-24455
US-PATENT-CLASS-6564 c35 N77-24455

US-PATENT-DES-228,688 c05 N74-10907

US-PATENT-RE-26,548 c07 N71-12389
US-PATENT-RE-28,921 c52 N76-30793

US-PATENT-2,837,706 c15 N71-28952
US-PATENT-2,898,889 c02 N71-29128
US-PATENT-2,903,307 c15 N71-29136
US-PATENT-2,926,123 c33 N71-29151
US-PATENT-2,934,331 c15 N70-33382
US-PATENT-2,940,259 c28 N70-33241
US-PATENT-2,944,316 c15 N71-16076
US-PATENT-2,945,667 c15 N70-33376
US-PATENT-2,956,772 c33 N71-29152
US-PATENT-2,960,002 c14 N70-41946
US-PATENT-2,971,837 c17 N70-33283
US-PATENT-2,974,925 c28 N70-33372
US-PATENT-2,984,735 c11 N70-33329
US-PATENT-2,991,671 c15 N70-33330
US-PATENT-2,991,961 c02 N70-33332
US-PATENT-2,996,212 c31 N71-17680
US-PATENT-2,997,274 c28 N71-29154
US-PATENT-3,001,363 c28 N70-33331
US-PATENT-3,001,395 c14 N70-33386
US-PATENT-3,001,739 c03 N70-33343
US-PATENT-3,004,189 c37 N75-29426
US-PATENT-3,004,735 c14 N70-33322
US-PATENT-3,005,081 c09 N70-33312
US-PATENT-3,005,339 c11 N70-33287
US-PATENT-3,008,229 c15 N70-33311
US-PATENT-3,010,372 c15 N70-33180
US-PATENT-3,011,760 c15 N70-33226
US-PATENT-3,012,400 c28 N70-33374
US-PATENT-3,012,407 c15 N70-33323
US-PATENT-3,016,693 c28 N70-33356
US-PATENT-3,016,863 c12 N70-33305
US-PATENT-3,022,672 c14 N70-34816
US-PATENT-3,024,659 c14 N70-34820
US-PATENT-3,028,122 c02 N70-33286
US-PATENT-3,028,126 c21 N70-33279
US-PATENT-3,028,128 c31 N70-33242
US-PATENT-3,035,333 c28 N70-41818
US-PATENT-3,038,077 c21 N70-33181
US-PATENT-3,038,175 c05 N70-33285
US-PATENT-3,041,587 c14 N70-33179
US-PATENT-3,041,924 c14 N70-33254
US-PATENT-3,045,424 c28 N70-40367
US-PATENT-3,049,876 c28 N70-33284
US-PATENT-3,053,484 c02 N70-33255
US-PATENT-3,057,597 c15 N70-33264
US-PATENT-3,059,220 c09 N70-33182
US-PATENT-3,063,291 c11 N70-33278
US-PATENT-3,064,928 c02 N70-33266
US-PATENT-3,067,573 c28 N70-39899
US-PATENT-3,068,658 c15 N70-34247
US-PATENT-3,069,123 c14 N70-39898
US-PATENT-3,070,330 c21 N70-34539
US-PATENT-3,070,349 c28 N70-39895
US-PATENT-3,070,407 c15 N70-39896
US-PATENT-3,072,574 c18 N70-39897
US-PATENT-3,076,065 c09 N70-39915
US-PATENT-3,077,599 c07 N70-40202
US-PATENT-3,079,113 c02 N70-38009
US-PATENT-3,080,711 c28 N70-38711
US-PATENT-3,083,611 c21 N70-35427
US-PATENT-3,084,421 c17 N70-38490
US-PATENT-3,085,165 c09 N70-34819
US-PATENT-3,087,692 c02 N70-34178
US-PATENT-3,088,441 c15 N70-35409
US-PATENT-3,090,212 c33 N70-37979
US-PATENT-3,090,580 c31 N70-37924
US-PATENT-3,093,000 c15 N70-37925
US-PATENT-3,093,346 c31 N70-37938
US-PATENT-3,098,630 c02 N70-37939
US-PATENT-3,100,294 c09 N70-38998
US-PATENT-3,100,990 c14 N70-34813
US-PATENT-3,102,948 c15 N70-34814
US-PATENT-3,104,079 c31 N70-37986
US-PATENT-3,104,082 c02 N70-38011
US-PATENT-3,105,515 c15 N70-38603
US-PATENT-3,106,603 c09 N70-38201

US-PATENT-3,108,171 c33 N70-34812
US-PATENT-3,110,318 c12 N70-38997
US-PATENT-3,112,672 c11 N70-38202
US-PATENT-3,115,630 c31 N70-37981
US-PATENT-3,118,100 c03 N71-29129
US-PATENT-3,119,086 c35 N79-33449
US-PATENT-3,119,232 c28 N70-37980
US-PATENT-3,120,101 c28 N70-34860
US-PATENT-3,120,361 c31 N70-38010
US-PATENT-3,120,738 c28 N70-38249
US-PATENT-3,121,309 c28 N70-35381
US-PATENT-3,122,000 c15 N70-38020
US-PATENT-3,122,098 c28 N70-38181
US-PATENT-3,122,885 c28 N70-38710
US-PATENT-3,123,248 c11 N70-38182
US-PATENT-3,123,418 c37 N79-33467
US-PATENT-3,123,692 c33 N79-33393
US-PATENT-3,127,157 c15 N70-38225
US-PATENT-3,128,389 c09 N70-38604
US-PATENT-3,128,845 c15 N70-38601
US-PATENT-3,130,940 c33 N70-33344
US-PATENT-3,131,040 c37 N79-21345
US-PATENT-3,132,342 c07 N70-38200
US-PATENT-3,132,476 c28 N70-34294
US-PATENT-3,132,479 c15 N71-28951
US-PATENT-3,132,903 c15 N70-38620
US-PATENT-3,134,389 c37 N79-33468
US-PATENT-3,135,089 c28 N70-38504
US-PATENT-3,135,090 c28 N70-38505
US-PATENT-3,136,123 c28 N70-38199
US-PATENT-3,138,837 c17 N70-38198
US-PATENT-3,139,725 c28 N70-38645
US-PATENT-3,140,728 c15 N70-36908
US-PATENT-3,141,340 c11 N70-38196
US-PATENT-3,141,769 c28 N70-38197
US-PATENT-3,141,932 c03 N70-38713
US-PATENT-3,143,321 c15 N70-34850
US-PATENT-3,143,651 c14 N70-40240
US-PATENT-3,144,219 c31 N70-38676
US-PATENT-3,144,999 c02 N70-34856
US-PATENT-3,145,874 c11 N71-15960
US-PATENT-3,147,422 c09 N70-38712
US-PATENT-3,149,897 c09 N70-36494
US-PATENT-3,150,329 c09 N70-38995
US-PATENT-3,150,387 c03 N70-36778
US-PATENT-3,152,344 c05 N70-36493
US-PATENT-3,155,992 c05 N70-34857
US-PATENT-3,156,090 c28 N70-37245
US-PATENT-3,157,529 c18 N70-36400
US-PATENT-3,158,172 c15 N70-34817
US-PATENT-3,158,336 c31 N70-36410
US-PATENT-3,158,764 c03 N70-36803
US-PATENT-3,159,967 c28 N70-36802
US-PATENT-3,160,825 c14 N70-35220
US-PATENT-3,160,950 c15 N70-36409
US-PATENT-3,162,012 c15 N70-36411
US-PATENT-3,163,935 c14 N70-36907
US-PATENT-3,164,222 c15 N70-34861
US-PATENT-3,164,369 c15 N70-36412
US-PATENT-3,165,356 c05 N70-35152
US-PATENT-3,166,834 c15 N70-36901
US-PATENT-3,167,426 c17 N70-36616
US-PATENT-3,168,827 c14 N70-36807
US-PATENT-3,169,001 c02 N70-36825
US-PATENT-3,169,613 c15 N70-36947
US-PATENT-3,169,725 c31 N70-34296
US-PATENT-3,170,286 c15 N70-36535
US-PATENT-3,170,290 c28 N70-36910
US-PATENT-3,170,295 c27 N71-28929
US-PATENT-3,170,324 c14 N70-36824
US-PATENT-3,170,471 c32 N70-36536
US-PATENT-3,170,486 c15 N70-36492
US-PATENT-3,170,605 c15 N70-38996
US-PATENT-3,170,657 c02 N70-34858
US-PATENT-3,170,660 c02 N70-36804
US-PATENT-3,170,773 c17 N70-33288
US-PATENT-3,171,060 c25 N70-33267
US-PATENT-3,171,081 c14 N70-35666
US-PATENT-3,172,097 c08 N70-35423
US-PATENT-3,173,246 c28 N70-33265
US-PATENT-3,173,251 c28 N70-33375
US-PATENT-3,173,801 c32 N79-19186
US-PATENT-3,174,278 c25 N70-36946
US-PATENT-3,174,279 c28 N70-36806
US-PATENT-3,174,827 c26 N70-36805
US-PATENT-3,175,789 c31 N70-36654
US-PATENT-3,176,222 c14 N70-36618
US-PATENT-3,176,499 c14 N70-35368
US-PATENT-3,176,933 c33 N70-36617
US-PATENT-3,177,933 c33 N70-36847
US-PATENT-3,178,883 c21 N70-36938
US-PATENT-3,180,264 c33 N70-36846
US-PATENT-3,180,587 c21 N70-36943
US-PATENT-3,181,821 c31 N70-36845
US-PATENT-3,182,496 c11 N70-36913
US-PATENT-3,183,506 c07 N70-36911
US-PATENT-3,185,023 c14 N70-34298
US-PATENT-3,187,583 c11 N70-38675
US-PATENT-3,188,472 c21 N70-34297
US-PATENT-3,188,844 c15 N70-34249
US-PATENT-3,189,299 c21 N70-34295
US-PATENT-3,189,535 c15 N70-34967
US-PATENT-3,189,726 c33 N70-34545
US-PATENT-3,189,784 c33 N75-27250
US-PATENT-3,189,794 c09 N70-34502
US-PATENT-3,189,864 c09 N70-34596
US-PATENT-3,190,124 c35 N79-33450
US-PATENT-3,191,316 c31 N70-34966
US-PATENT-3,191,379 c27 N70-35534
US-PATENT-3,191,907 c15 N70-34859
US-PATENT-3,192,730 c06 N70-34946
US-PATENT-3,193,883 c27 N70-34783
US-PATENT-3,194,060 c14 N70-34794
US-PATENT-3,194,525 c11 N70-35383
US-PATENT-3,194,951 c08 N70-34778
US-PATENT-3,196,261 c08 N70-34787
US-PATENT-3,196,362 c09 N70-35440
US-PATENT-3,196,557 c11 N70-34815
US-PATENT-3,196,558 c14 N70-35394
US-PATENT-3,196,598 c28 N70-34788
US-PATENT-3,196,675 c14 N70-34818
US-PATENT-3,196,690 c11 N70-34786
US-PATENT-3,197,616 c14 N71-28958
US-PATENT-3,198,955 c08 N70-34743
US-PATENT-3,198,994 c26 N73-28710
US-PATENT-3,199,340 c14 N70-34799
US-PATENT-3,199,343 c11 N70-34844
US-PATENT-3,199,931 c15 N70-34664
US-PATENT-3,200,706 c03 N70-34667
US-PATENT-3,201,560 c33 N70-34540
US-PATENT-3,201,635 c25 N70-34661
US-PATENT-3,201,980 c14 N70-40203
US-PATENT-3,202,381 c31 N70-34176
US-PATENT-3,202,398 c28 N71-28928
US-PATENT-3,202,844 c03 N70-34134
US-PATENT-3,202,915 c14 N70-38602
US-PATENT-3,202,998 c31 N70-34135
US-PATENT-3,204,447 c14 N70-34156
US-PATENT-3,204,889 c03 N70-34157
US-PATENT-3,205,361 c14 N70-34158
US-PATENT-3,205,362 c21 N70-35089
US-PATENT-3,205,381 c03 N70-35408
US-PATENT-3,206,141 c21 N70-35395
US-PATENT-3,206,897 c18 N75-27040
US-PATENT-3,208,215 c28 N70-34162
US-PATENT-3,208,272 c14 N70-34161
US-PATENT-3,208,694 c02 N70-34160
US-PATENT-3,208,707 c31 N70-34159
US-PATENT-3,209,360 c09 N70-35219
US-PATENT-3,209,361 c09 N70-35425
US-PATENT-3,210,927 c28 N70-34175
US-PATENT-3,211,169 c15 N70-35087
US-PATENT-3,211,414 c15 N70-35407
US-PATENT-3,212,096 c09 N70-35382
US-PATENT-3,212,259 c28 N71-29153
US-PATENT-3,212,325 c14 N70-34705
US-PATENT-3,212,564 c33 N71-29052
US-PATENT-3,215,313 c31 N79-21225
US-PATENT-3,215,572 c12 N70-40124
US-PATENT-3,215,842 c16 N71-28963
US-PATENT-3,216,007 c08 N70-40125
US-PATENT-3,217,624 c14 N70-40273
US-PATENT-3,218,479 c09 N70-40272
US-PATENT-3,218,547 c09 N70-40123
US-PATENT-3,218,850 c14 N70-40400
US-PATENT-3,219,250 c15 N70-40204
US-PATENT-3,219,365 c15 N71-28937
US-PATENT-3,219,997 c08 N73-28045
US-PATENT-3,220,004 c30 N70-40309
US-PATENT-3,221,547 c14 N70-40201
US-PATENT-3,221,549 c14 N70-40157
US-PATENT-3,223,374 c15 N70-40156
US-PATENT-3,224,001 c07 N70-40063
US-PATENT-3,224,173 c15 N70-40062
US-PATENT-3,224,263 c15 N70-40180
US-PATENT-3,224,336 c30 N70-40353
US-PATENT-3,224,337 c09 N79-21084
US-PATENT-3,228,492 c15 N70-40354

US-PATENT-3,228,558 c14 N70-40233
US-PATENT-3,229,099 c14 N70-40238
US-PATENT-3,229,102 c14 N70-40239
US-PATENT-3,229,139 c28 N70-39925
US-PATENT-3,229,155 c25 N70-41628
US-PATENT-3,229,463 c28 N70-39931
US-PATENT-3,229,568 c14 N70-40003
US-PATENT-3,229,636 c03 N70-39930
US-PATENT-3,229,682 c09 N70-40234
US-PATENT-3,229,689 c05 N70-39922
US-PATENT-3,229,884 c15 N70-39924
US-PATENT-3,229,905 c04 N78-17031
US-PATENT-3,229,930 c30 N70-40016
US-PATENT-3,230,053 c26 N70-40015
US-PATENT-3,233,862 c37 N79-33469
US-PATENT-3,236,066 c15 N71-28959
US-PATENT-3,237,253 c15 N71-15966
US-PATENT-3,238,345 c11 N71-15925
US-PATENT-3,238,413 c25 N71-29184
US-PATENT-3,238,715 c28 N71-14043
US-PATENT-3,238,730 c03 N71-12260
US-PATENT-3,238,774 c14 N71-14996
US-PATENT-3,238,777 c14 N71-15598
US-PATENT-3,239,660 c23 N71-30292
US-PATENT-3,242,716 c14 N71-15992
US-PATENT-3,243,154 c23 N71-15673
US-PATENT-3,243,791 c07 N71-11298
US-PATENT-3,244,943 c15 N73-28516
US-PATENT-3,249,012 c03 N71-12258
US-PATENT-3,249,013 c03 N71-12259
US-PATENT-3,251,053 c08 N71-12501
US-PATENT-3,252,100 c10 N71-28960
US-PATENT-3,254,395 c28 N71-15658
US-PATENT-3,254,487 c28 N71-15659
US-PATENT-3,257,780 c15 N71-15968
US-PATENT-3,258,582 c02 N71-13421
US-PATENT-3,258,687 c14 N71-15962
US-PATENT-3,258,831 c15 N71-15986
US-PATENT-3,258,912 c27 N71-15634
US-PATENT-3,258,918 c27 N71-15635
US-PATENT-3,260,055 c23 N71-15467
US-PATENT-3,260,204 c31 N71-15692
US-PATENT-3,260,326 c11 N71-28779
US-PATENT-3,261,210 c14 N71-15969
US-PATENT-3,262,025 c15 N73-32361
US-PATENT-3,262,186 c15 N71-16052
US-PATENT-3,262,262 c28 N71-15661
US-PATENT-3,262,351 c15 N71-15922
US-PATENT-3,262,365 c31 N71-15675
US-PATENT-3,262,395 c15 N71-30028
US-PATENT-3,262,518 c05 N71-11199
US-PATENT-3,262,655 c31 N71-15663
US-PATENT-3,262,694 c44 N79-19447
US-PATENT-3,263,016 c33 N71-15625
US-PATENT-3,263,171 c09 N71-13530
US-PATENT-3,263,610 c15 N71-13789
US-PATENT-3,264,135 c15 N71-16075
US-PATENT-3,270,441 c11 N71-16028
US-PATENT-3,270,499 c28 N71-15660
US-PATENT-3,270,501 c31 N71-15647
US-PATENT-3,270,503 c33 N71-15623
US-PATENT-3,270,504 c31 N71-15637
US-PATENT-3,270,505 c21 N71-15582
US-PATENT-3,270,512 c15 N71-15906
US-PATENT-3,270,565 c14 N71-30265
US-PATENT-3,270,756 c15 N71-15967
US-PATENT-3,270,802 c33 N71-24876
US-PATENT-3,270,835 c28 N70-41582
US-PATENT-3,270,908 c31 N71-15664
US-PATENT-3,270,985 c21 N71-15583
US-PATENT-3,270,986 c05 N71-12336
US-PATENT-3,270,988 c01 N71-13410
US-PATENT-3,270,989 c02 N71-11041
US-PATENT-3,270,990 c28 N71-15563
US-PATENT-3,271,140 c17 N71-15644
US-PATENT-3,271,181 c15 N71-16077
US-PATENT-3,271,532 c09 N71-16089
US-PATENT-3,271,558 c15 N71-15871
US-PATENT-3,271,594 c10 N71-28739
US-PATENT-3,271,620 c09 N71-12540
US-PATENT-3,271,637 c26 N71-18064
US-PATENT-3,271,649 c10 N71-16030
US-PATENT-3,273,094 c23 N71-29049
US-PATENT-3,273,355 c33 N71-17697
US-PATENT-3,273,381 c32 N71-17645
US-PATENT-3,273,388 c09 N71-16086
US-PATENT-3,273,392 c23 N71-17802
US-PATENT-3,273,399 c12 N71-24692
US-PATENT-3,274,304 c26 N71-17818
US-PATENT-3,275,794 c37 N75-27376
US-PATENT-3,276,251 c11 N71-15926
US-PATENT-3,276,376 c31 N71-17629
US-PATENT-3,276,602 c32 N71-17609
US-PATENT-3,276,679 c15 N71-16079
US-PATENT-3,276,722 c02 N71-16087
US-PATENT-3,276,726 c31 N71-16081
US-PATENT-3,276,865 c17 N71-16025
US-PATENT-3,276,866 c17 N71-16026
US-PATENT-3,276,946 c23 N71-15978
US-PATENT-3,277,314 c10 N71-16042
US-PATENT-3,277,366 c10 N71-16057
US-PATENT-3,277,373 c07 N71-16088
US-PATENT-3,277,375 c07 N71-11284
US-PATENT-3,277,458 c10 N71-16058
US-PATENT-3,277,486 c31 N71-10747
US-PATENT-3,279,193 c33 N71-28852
US-PATENT-3,281,558 c33 N75-27249
US-PATENT-3,281,963 c11 N71-10746
US-PATENT-3,281,964 c11 N71-10776
US-PATENT-3,281,965 c11 N71-10748
US-PATENT-3,282,035 c11 N71-10777
US-PATENT-3,282,091 c14 N71-10781
US-PATENT-3,282,532 c31 N71-17729
US-PATENT-3,282,541 c31 N71-24750
US-PATENT-3,282,739 c03 N71-11053
US-PATENT-3,282,740 c03 N71-11051
US-PATENT-3,283,088 c10 N71-15909
US-PATENT-3,283,175 c10 N71-15910
US-PATENT-3,283,241 c14 N71-16014
US-PATENT-3,286,274 c05 N71-12335
US-PATENT-3,286,531 c30 N71-17788
US-PATENT-3,286,629 c31 N71-17730
US-PATENT-3,286,630 c31 N71-10582
US-PATENT-3,286,882 c27 N71-29155
US-PATENT-3,286,953 c21 N70-41856
US-PATENT-3,286,957 c02 N70-41863
US-PATENT-3,287,031 c15 N70-41808
US-PATENT-3,287,174 c03 N70-41864
US-PATENT-3,287,496 c14 N70-41807
US-PATENT-3,287,582 c28 N70-41576
US-PATENT-3,287,640 c09 N70-41655
US-PATENT-3,287,660 c16 N70-41578
US-PATENT-3,287,725 c07 N70-41680
US-PATENT-3,289,205 c07 N70-41678
US-PATENT-3,295,360 c14 N70-41681
US-PATENT-3,295,366 c11 N70-41677
US-PATENT-3,295,377 c14 N70-41682
US-PATENT-3,295,386 c05 N70-41581
US-PATENT-3,295,512 c03 N70-41580
US-PATENT-3,295,545 c15 N70-41646
US-PATENT-3,295,556 c32 N70-41579
US-PATENT-3,295,684 c28 N70-41447
US-PATENT-3,295,699 c32 N70-41367
US-PATENT-3,295,782 c14 N70-41647
US-PATENT-3,295,790 c31 N70-41588
US-PATENT-3,295,798 c02 N70-41589
US-PATENT-3,295,808 c15 N70-41310
US-PATENT-3,296,060 c18 N70-41583
US-PATENT-3,296,526 c14 N70-41332
US-PATENT-3,296,531 c07 N70-41331
US-PATENT-3,298,175 c33 N71-29053
US-PATENT-3,298,182 c28 N70-41311
US-PATENT-3,298,221 c14 N70-41330
US-PATENT-3,298,285 c32 N70-41370
US-PATENT-3,298,362 c05 N70-41329
US-PATENT-3,298,582 c14 N71-28935
US-PATENT-3,299,364 c16 N71-15550
US-PATENT-3,299,431 c07 N71-28979
US-PATENT-3,299,913 c15 N71-15918
US-PATENT-3,300,162 c31 N70-41373
US-PATENT-3,300,731 c07 N70-41372
US-PATENT-3,300,847 c15 N70-41371
US-PATENT-3,300,949 c05 N70-41297
US-PATENT-3,300,981 c28 N70-41275
US-PATENT-3,301,046 c14 N70-41366
US-PATENT-3,301,315 c09 N70-41717
US-PATENT-3,301,507 c31 N70-41631
US-PATENT-3,301,511 c02 N70-41630
US-PATENT-3,301,578 c15 N70-41629
US-PATENT-3,302,023 c14 N70-41676
US-PATENT-3,302,040 c09 N70-41675
US-PATENT-3,302,569 c15 N70-41679
US-PATENT-3,302,633 c05 N70-41819
US-PATENT-3,302,662 c15 N70-41811
US-PATENT-3,302,960 c15 N70-41829
US-PATENT-3,303,304 c14 N70-41812
US-PATENT-3,304,028 c31 N70-41855
US-PATENT-3,304,718 c28 N70-41922

US-PATENT-3,304,724 c31 N70-41948
US-PATENT-3,304,729 c31 N70-41871
US-PATENT-3,304,768 c32 N70-42003
US-PATENT-3,304,773 c14 N70-41957
US-PATENT-3,304,799 c03 N70-41954
US-PATENT-3,304,865 c28 N70-41967
US-PATENT-3,305,415 c27 N70-41897
US-PATENT-3,305,636 c08 N70-41961
US-PATENT-3,305,801 c10 N70-41964
US-PATENT-3,305,810 c09 N70-41929
US-PATENT-3,305,861 c21 N70-41930
US-PATENT-3,305,870 c07 N71-15907
US-PATENT-3,306,134 c37 N78-17385
US-PATENT-3,308,848 c12 N71-16031
US-PATENT-3,309,012 c33 N71-17610
US-PATENT-3,309,961 c15 N71-16078
US-PATENT-3,310,054 c08 N71-15908
US-PATENT-3,310,138 c12 N71-16894
US-PATENT-3,310,256 c31 N71-17679
US-PATENT-3,310,258 c31 N71-17691
US-PATENT-3,310,261 c02 N71-11038
US-PATENT-3,310,262 c02 N71-12243
US-PATENT-3,310,443 c24 N71-10560
US-PATENT-3,310,699 c14 N73-32324
US-PATENT-3,310,765 c33 N79-21264
US-PATENT-3,310,978 c14 N71-10616
US-PATENT-3,310,980 c11 N71-10604
US-PATENT-3,311,315 c07 N71-10609
US-PATENT-3,311,502 c03 N71-10608
US-PATENT-3,311,510 c26 N71-10607
US-PATENT-3,311,571 c27 N79-21190
US-PATENT-3,311,748 c21 N71-10678
US-PATENT-3,311,772 c09 N71-10618
US-PATENT-3,311,832 c07 N71-10775
US-PATENT-3,312,101 c14 N71-10774
US-PATENT-3,313,204 c28 N73-24783
US-PATENT-3,316,716 c28 N71-10780
US-PATENT-3,316,752 c14 N71-10779
US-PATENT-3,316,991 c14 N71-10773
US-PATENT-3,317,180 c15 N71-10778
US-PATENT-3,317,341 c18 N71-10772
US-PATENT-3,317,352 c03 N71-10728
US-PATENT-3,317,641 c15 N71-10672
US-PATENT-3,317,731 c21 N71-10771
US-PATENT-3,317,751 c09 N71-10673
US-PATENT-3,317,797 c10 N71-28783
US-PATENT-3,317,832 c09 N71-10659
US-PATENT-3,318,093 c15 N71-10658
US-PATENT-3,318,096 c28 N71-28649
US-PATENT-3,318,343 c15 N71-10809
US-PATENT-3,318,622 c15 N71-10799
US-PATENT-3,319,175 c09 N71-10798
US-PATENT-3,319,979 c15 N71-10782
US-PATENT-3,320,669 c15 N70-42017
US-PATENT-3,321,034 c15 N70-42034
US-PATENT-3,321,154 c31 N70-42075
US-PATENT-3,321,157 c02 N70-42016
US-PATENT-3,321,159 c31 N70-42015
US-PATENT-3,321,570 c15 N70-41960
US-PATENT-3,321,628 c10 N70-41991
US-PATENT-3,321,645 c10 N70-42032
US-PATENT-3,321,922 c28 N70-41992
US-PATENT-3,323,356 c15 N70-41993
US-PATENT-3,323,362 c14 N70-41994
US-PATENT-3,323,370 c05 N70-42000
US-PATENT-3,323,386 c03 N70-42073
US-PATENT-3,323,408 c14 N70-41955
US-PATENT-3,323,484 c14 N70-42074
US-PATENT-3,323,967 c15 N70-42033
US-PATENT-3,324,370 c09 N71-10677
US-PATENT-3,324,388 c14 N71-10797
US-PATENT-3,324,423 c07 N71-10676
US-PATENT-3,324,659 c28 N71-10574
US-PATENT-3,325,229 c15 N71-10617
US-PATENT-3,325,723 c10 N71-10578
US-PATENT-3,325,749 c09 N71-28810
US-PATENT-3,326,043 c14 N71-10500
US-PATENT-3,326,407 c15 N71-10577
US-PATENT-3,327,298 c08 N71-21042
US-PATENT-3,327,991 c15 N71-21234
US-PATENT-3,328,624 c28 N71-28850
US-PATENT-3,329,375 c21 N71-21708
US-PATENT-3,329,918 c09 N71-21583
US-PATENT-3,330,052 c11 N71-21474
US-PATENT-3,330,082 c15 N71-21531
US-PATENT-3,330,510 c31 N71-28851
US-PATENT-3,330,549 c15 N71-21530
US-PATENT-3,331,071 c07 N71-28900
US-PATENT-3,331,246 c11 N71-21475
US-PATENT-3,331,255 c15 N71-21529
US-PATENT-3,331,404 c12 N71-21089
US-PATENT-3,331,951 c21 N71-21688
US-PATENT-3,333,152 c25 N71-21693
US-PATENT-3,333,788 c31 N71-21881
US-PATENT-3,334,225 c14 N73-32325
US-PATENT-3,336,725 c15 N71-21528
US-PATENT-3,336,748 c25 N71-21694
US-PATENT-3,336,754 c28 N71-22983
US-PATENT-3,337,004 c14 N71-23092
US-PATENT-3,337,279 c05 N71-23080
US-PATENT-3,337,315 c18 N71-23088
US-PATENT-3,337,337 c18 N71-22894
US-PATENT-3,337,790 c12 N71-20896
US-PATENT-3,337,812 c09 N71-23097
US-PATENT-3,339,404 c14 N71-22765
US-PATENT-3,339,863 c14 N71-23040
US-PATENT-3,340,099 c03 N71-23006
US-PATENT-3,340,395 c14 N71-23041
US-PATENT-3,340,397 c11 N71-23042
US-PATENT-3,340,430 c09 N71-22796
US-PATENT-3,340,532 c10 N71-21473
US-PATENT-3,340,599 c09 N71-23027
US-PATENT-3,340,713 c15 N71-22723
US-PATENT-3,340,732 c02 N71-23007
US-PATENT-3,341,151 c31 N71-23009
US-PATENT-3,341,169 c15 N71-23024
US-PATENT-3,341,708 c16 N71-22895
US-PATENT-3,341,778 c07 N71-23098
US-PATENT-3,341,977 c15 N71-22705
US-PATENT-3,342,055 c15 N71-22797
US-PATENT-3,342,066 c11 N71-23030
US-PATENT-3,342,653 c15 N71-22713
US-PATENT-3,343,180 c05 N71-23159
US-PATENT-3,343,189 c05 N71-22748
US-PATENT-3,344,340 c09 N71-21449
US-PATENT-3,344,425 c10 N71-21483
US-PATENT-3,345,820 c28 N71-21822
US-PATENT-3,345,822 c27 N71-21819
US-PATENT-3,345,840 c15 N71-21536
US-PATENT-3,345,866 c11 N71-21481
US-PATENT-3,346,419 c03 N71-20895
US-PATENT-3,346,442 c18 N71-21651
US-PATENT-3,346,515 c06 N71-20905
US-PATENT-3,346,724 c15 N71-21179
US-PATENT-3,346,806 c14 N71-21090
US-PATENT-3,346,929 c15 N71-21076
US-PATENT-3,347,046 c33 N71-21507
US-PATENT-3,347,309 c33 N71-29046
US-PATENT-3,347,465 c18 N71-21068
US-PATENT-3,347,466 c28 N71-21493
US-PATENT-3,347,531 c15 N71-21177
US-PATENT-3,347,665 c17 N71-20743
US-PATENT-3,348,048 c14 N71-21088
US-PATENT-3,348,053 c10 N71-20782
US-PATENT-3,348,152 c10 N71-20841
US-PATENT-3,348,218 c10 N71-29135
US-PATENT-3,349,814 c33 N71-20834
US-PATENT-3,350,033 c14 N71-21082
US-PATENT-3,350,034 c31 N71-21064
US-PATENT-3,350,643 c07 N71-20791
US-PATENT-3,350,671 c09 N71-20842
US-PATENT-3,350,926 c14 N71-21091
US-PATENT-3,352,157 c14 N71-21072
US-PATENT-3,352,192 c15 N71-21489
US-PATENT-3,352,774 c37 N80-14395
US-PATENT-3,353,359 c28 N71-20942
US-PATENT-3,354,098 c06 N71-20717
US-PATENT-3,354,320 c23 N71-21821
US-PATENT-3,354,462 c14 N71-21006
US-PATENT-3,355,861 c18 N71-20742
US-PATENT-3,355,948 c14 N71-21007
US-PATENT-3,356,320 c05 N71-20718
US-PATENT-3,356,549 c15 N71-21404
US-PATENT-3,356,885 c25 N71-20747
US-PATENT-3,356,917 c33 N79-21265
US-PATENT-3,357,024 c12 N71-20815
US-PATENT-3,357,093 c15 N71-21078
US-PATENT-3,357,237 c33 N71-21586
US-PATENT-3,357,862 c03 N71-20904
US-PATENT-3,358,264 c09 N71-20851
US-PATENT-3,359,046 c15 N71-20739
US-PATENT-3,359,132 c09 N71-20705
US-PATENT-3,359,409 c07 N71-21476
US-PATENT-3,359,435 c15 N71-21311
US-PATENT-3,359,555 c09 N71-20864
US-PATENT-3,359,568 c54 N78-17680
US-PATENT-3,359,819 c15 N71-21744
US-PATENT-3,359,855 c23 N71-21882

US-PATENT-3,360,798 c09 N71-20658
US-PATENT-3,360,864 c14 N71-24693
US-PATENT-3,360,972 c15 N71-24833
US-PATENT-3,360,980 c14 N71-20741
US-PATENT-3,360,988 c09 N71-20816
US-PATENT-3,361,045 c15 N71-21060
US-PATENT-3,361,067 c26 N71-21824
US-PATENT-3,361,400 c15 N71-20813
US-PATENT-3,361,666 c15 N71-21403
US-PATENT-3,361,985 c10 N71-20652
US-PATENT-3,364,311 c07 N71-20814
US-PATENT-3,364,366 c09 N71-28926
US-PATENT-3,364,578 c14 N71-21079
US-PATENT-3,364,631 c32 N71-21045
US-PATENT-3,364,777 c15 N71-20740
US-PATENT-3,364,813 c09 N71-22999
US-PATENT-3,365,657 c10 N71-22961
US-PATENT-3,365,665 c14 N71-23037
US-PATENT-3,365,897 c33 N71-28892
US-PATENT-3,365,930 c14 N71-22964
US-PATENT-3,365,941 c14 N71-22965
US-PATENT-3,366,886 c10 N71-22962
US-PATENT-3,366,894 c10 N71-23084
US-PATENT-3,367,114 c28 N71-23081
US-PATENT-3,367,121 c15 N71-23025
US-PATENT-3,367,182 c33 N71-23085
US-PATENT-3,367,224 c15 N71-22798
US-PATENT-3,367,271 c15 N71-24042
US-PATENT-3,367,308 c11 N71-22875
US-PATENT-3,367,445 c15 N71-23048
US-PATENT-3,368,486 c15 N71-22874
US-PATENT-3,369,222 c08 N71-22707
US-PATENT-3,369,223 c08 N71-22710
US-PATENT-3,369,564 c15 N71-23051
US-PATENT-3,370,039 c06 N71-28807
US-PATENT-3,372,588 c33 N71-29051
US-PATENT-3,373,016 c26 N75-27127
US-PATENT-3,373,069 c15 N71-23052
US-PATENT-3,373,404 c08 N71-22749
US-PATENT-3,373,430 c09 N71-22888
US-PATENT-3,373,431 c07 N71-22750
US-PATENT-3,373,640 c15 N71-22722
US-PATENT-3,373,914 c15 N71-23050
US-PATENT-3,374,339 c08 N71-22897
US-PATENT-3,374,366 c09 N71-23015
US-PATENT-3,374,830 c33 N71-22890
US-PATENT-3,375,451 c10 N71-22986
US-PATENT-3,375,479 c15 N71-23049
US-PATENT-3,375,712 c35 N75-29382
US-PATENT-3,375,885 c15 N73-32362
US-PATENT-3,376,730 c14 N71-22995
US-PATENT-3,377,208 c14 N71-23039
US-PATENT-3,377,845 c14 N71-22992
US-PATENT-3,378,315 c15 N71-22997
US-PATENT-3,378,657 c33 N79-33392
US-PATENT-3,378,851 c05 N71-23096
US-PATENT-3,378,892 c15 N71-22994
US-PATENT-3,379,052 c14 N73-32321
US-PATENT-3,379,064 c14 N71-23093
US-PATENT-3,379,330 c23 N71-22881
US-PATENT-3,379,885 c09 N71-22985
US-PATENT-3,379,974 c14 N71-22990
US-PATENT-3,380,042 c07 N71-23001
US-PATENT-3,380,049 c10 N71-23099
US-PATENT-3,381,339 c06 N71-22975
US-PATENT-3,381,517 c09 N71-22988
US-PATENT-3,381,527 c15 N71-22878
US-PATENT-3,381,569 c21 N71-22880
US-PATENT-3,381,778 c15 N71-22877
US-PATENT-3,382,082 c18 N71-22998
US-PATENT-3,382,105 c03 N71-29044
US-PATENT-3,382,107 c03 N71-22974
US-PATENT-3,382,714 c14 N71-22989
US-PATENT-3,383,461 c07 N71-23026
US-PATENT-3,383,524 c10 N71-23029
US-PATENT-3,383,903 c14 N71-23036
US-PATENT-3,383,922 c14 N71-22752
US-PATENT-3,384,016 c31 N71-23008
US-PATENT-3,384,075 c05 N71-22896
US-PATENT-3,384,111 c15 N71-22706
US-PATENT-3,384,324 c33 N71-22792
US-PATENT-3,384,820 c09 N71-23021
US-PATENT-3,384,895 c07 N71-22984
US-PATENT-3,385,036 c15 N71-22721
US-PATENT-3,386,337 c15 N71-22799
US-PATENT-3,386,685 c31 N71-22968
US-PATENT-3,386,686 c31 N71-22969
US-PATENT-3,387,149 c14 N71-22993
US-PATENT-3,387,218 c37 N78-17386

US-PATENT-3,388,258 c14 N71-22996
US-PATENT-3,388,387 c10 N71-23033
US-PATENT-3,388,590 c14 N71-23087
US-PATENT-3,389,017 c15 N71-23022
US-PATENT-3,389,260 c14 N71-23269
US-PATENT-3,389,346 c10 N71-28859
US-PATENT-3,389,877 c15 N71-28936
US-PATENT-3,390,017 c03 N71-23336
US-PATENT-3,390,020 c26 N71-23654
US-PATENT-3,390,023 c26 N75-29236
US-PATENT-3,390,282 c09 N71-23311
US-PATENT-3,390,378 c08 N71-23295
US-PATENT-3,390,528 c20 N79-21124
US-PATENT-3,391,080 c15 N71-24046
US-PATENT-3,392,403 c23 N71-23976
US-PATENT-3,392,586 c14 N71-24232
US-PATENT-3,392,864 c18 N71-23658
US-PATENT-3,392,865 c15 N71-23816
US-PATENT-3,392,936 c01 N71-23497
US-PATENT-3,393,059 c06 N71-23499
US-PATENT-3,393,330 c22 N71-23599
US-PATENT-3,393,332 c09 N71-23443
US-PATENT-3,393,347 c10 N71-23543
US-PATENT-3,393,380 c10 N71-23544
US-PATENT-3,393,384 c09 N71-23573
US-PATENT-3,394,286 c14 N73-30391
US-PATENT-3,394,359 c08 N71-28925
US-PATENT-3,394,975 c23 N71-30027
US-PATENT-3,395,053 c18 N71-23047
US-PATENT-3,395,565 c14 N73-30390
US-PATENT-3,396,057 c26 N71-23043
US-PATENT-3,396,184 c06 N71-28808
US-PATENT-3,396,303 c09 N71-22987
US-PATENT-3,396,584 c14 N71-30026
US-PATENT-3,396,719 c52 N79-21750
US-PATENT-3,396,920 c31 N71-29050
US-PATENT-3,397,094 c26 N71-29156
US-PATENT-3,397,117 c15 N71-23086
US-PATENT-3,397,318 c14 N71-22991
US-PATENT-3,397,512 c15 N71-23023
US-PATENT-3,397,537 c20 N79-21125
US-PATENT-3,397,932 c15 N71-22982
US-PATENT-3,399,299 c10 N71-23662
US-PATENT-3,399,574 c32 N71-24285
US-PATENT-3,402,265 c09 N73-28084
US-PATENT-3,404,289 c09 N71-23545
US-PATENT-3,404,348 c32 N74-22096
US-PATENT-3,405,406 c05 N71-23161
US-PATENT-3,405,887 c31 N71-24315
US-PATENT-3,406,336 c10 N71-24863
US-PATENT-3,406,742 c33 N71-24276
US-PATENT-3,407,304 c14 N71-23240
US-PATENT-3,408,816 c28 N71-24736
US-PATENT-3,408,870 c14 N71-23227
US-PATENT-3,409,247 c33 N71-28903
US-PATENT-3,409,252 c15 N71-23255
US-PATENT-3,409,554 c26 N71-23292
US-PATENT-3,409,730 c33 N71-24145
US-PATENT-3,411,356 c14 N71-23226
US-PATENT-3,411,900 c26 N75-27126
US-PATENT-3,412,559 c28 N71-23293
US-PATENT-3,412,598 c14 N71-23225
US-PATENT-3,412,729 c04 N71-23185
US-PATENT-3,412,961 c32 N71-23971
US-PATENT-3,413,115 c17 N71-23365
US-PATENT-3,413,393 c17 N71-29137
US-PATENT-3,413,510 c09 N71-23190
US-PATENT-3,413,536 c03 N71-24605
US-PATENT-3,414,012 c09 N71-23191
US-PATENT-3,414,358 c14 N71-23175
US-PATENT-3,415,032 c15 N71-23256
US-PATENT-3,415,069 c15 N71-24044
US-PATENT-3,415,116 c14 N71-23790
US-PATENT-3,415,126 c21 N71-23289
US-PATENT-3,415,156 c15 N71-24043
US-PATENT-3,415,643 c17 N71-23248
US-PATENT-3,416,106 c09 N71-24808
US-PATENT-3,416,274 c31 N71-24035
US-PATENT-3,416,939 c18 N71-24183
US-PATENT-3,416,975 c17 N71-23828
US-PATENT-3,416,988 c15 N71-24164
US-PATENT-3,417,247 c14 N71-23797
US-PATENT-3,417,266 c09 N71-23270
US-PATENT-3,417,298 c10 N71-23271
US-PATENT-3,417,316 c14 N71-23174
US-PATENT-3,417,321 c09 N71-23316
US-PATENT-3,417,332 c07 N71-23405
US-PATENT-3,417,399 c30 N71-23723
US-PATENT-3,417,400 c07 N71-28809

US-PATENT-3,419,329 c14 N71-23268
US-PATENT-3,419,363 c18 N71-23710
US-PATENT-3,419,384 c17 N73-28573
US-PATENT-3,419,433 c03 N71-23187
US-PATENT-3,419,531 c27 N79-21191
US-PATENT-3,419,537 c06 N71-23500
US-PATENT-3,419,827 c09 N71-23548
US-PATENT-3,419,964 c14 N69-21363
US-PATENT-3,419,992 c14 N71-23401
US-PATENT-3,420,069 c15 N69-21465
US-PATENT-3,420,223 c05 N69-21925
US-PATENT-3,420,225 c05 N69-21473
US-PATENT-3,420,253 c12 N69-21466
US-PATENT-3,420,338 c15 N71-26243
US-PATENT-3,420,471 c05 N69-21380
US-PATENT-3,420,704 c15 N69-21460
US-PATENT-3,420,945 c09 N69-21542
US-PATENT-3,420,978 c15 N69-21471
US-PATENT-3,421,004 c14 N71-19568
US-PATENT-3,421,053 c15 N69-21472
US-PATENT-3,421,056 c14 N69-23191
US-PATENT-3,421,105 c09 N69-21543
US-PATENT-3,421,134 c09 N69-21470
US-PATENT-3,421,331 c15 N69-23190
US-PATENT-3,421,363 c11 N69-21540
US-PATENT-3,421,506 c05 N69-23192
US-PATENT-3,421,541 c15 N69-21924
US-PATENT-3,421,549 c03 N69-21469
US-PATENT-3,421,591 c14 N69-21923
US-PATENT-3,421,700 c15 N69-23185
US-PATENT-3,421,768 c15 N69-21362
US-PATENT-3,421,864 c17 N71-23046
US-PATENT-3,421,948 c03 N69-21337
US-PATENT-3,422,213 c03 N69-21539
US-PATENT-3,422,278 c09 N69-21468
US-PATENT-3,422,291 c25 N69-21929
US-PATENT-3,422,324 c14 N69-21541
US-PATENT-3,422,352 c14 N71-19431
US-PATENT-3,422,354 c09 N69-21926
US-PATENT-3,422,390 c09 N69-21927
US-PATENT-3,422,403 c08 N69-21928
US-PATENT-3,422,440 c09 N69-21467
US-PATENT-3,423,179 c15 N69-21922
US-PATENT-3,423,290 c06 N71-17705
US-PATENT-3,423,579 c09 N71-19480
US-PATENT-3,423,608 c09 N69-21313
US-PATENT-3,423,627 c33 N78-17293
US-PATENT-3,424,966 c10 N71-20448
US-PATENT-3,425,131 c15 N71-19489
US-PATENT-3,425,268 c14 N69-39975
US-PATENT-3,425,272 c14 N71-20439
US-PATENT-3,425,276 c14 N69-24257
US-PATENT-3,425,486 c05 N71-24147
US-PATENT-3,425,487 c05 N71-19439
US-PATENT-3,425,885 c15 N69-24322
US-PATENT-3,426,219 c09 N69-24317
US-PATENT-3,426,230 c15 N69-24319
US-PATENT-3,426,263 c03 N71-19438
US-PATENT-3,426,272 c14 N69-39785
US-PATENT-3,426,746 c05 N71-26293
US-PATENT-3,426,791 c15 N71-19569
US-PATENT-3,427,047 c15 N69-27490
US-PATENT-3,427,089 c23 N69-24332
US-PATENT-3,427,093 c09 N71-19479
US-PATENT-3,427,097 c11 N69-24321
US-PATENT-3,427,205 c15 N69-24320
US-PATENT-3,427,435 c17 N69-25147
US-PATENT-3,427,454 c05 N71-19440
US-PATENT-3,427,525 c03 N69-21330
US-PATENT-3,428,761 c09 N69-24329
US-PATENT-3,428,812 c14 N69-27485
US-PATENT-3,428,847 c15 N69-24266
US-PATENT-3,428,910 c09 N69-24330
US-PATENT-3,428,919 c07 N69-24334
US-PATENT-3,428,923 c07 N69-27462
US-PATENT-3,429,058 c12 N69-39988
US-PATENT-3,429,177 c06 N69-39733
US-PATENT-3,429,477 c15 N69-27502
US-PATENT-3,429,756 c76 N79-21910
US-PATENT-3,430,063 c09 N69-27500
US-PATENT-3,430,115 c09 N69-24318
US-PATENT-3,430,131 c24 N71-20518
US-PATENT-3,430,182 c14 N69-27431
US-PATENT-3,430,227 c08 N71-19687
US-PATENT-3,430,237 c07 N69-39974
US-PATENT-3,430,460 c15 N69-27505
US-PATENT-3,430,902 c14 N69-27486
US-PATENT-3,430,909 c11 N69-27466
US-PATENT-3,430,937 c15 N69-27483
US-PATENT-3,430,942 c15 N69-27504
US-PATENT-3,431,149 c14 N69-27459
US-PATENT-3,431,397 c15 N69-27871
US-PATENT-3,431,460 c09 N71-23189
US-PATENT-3,431,559 c09 N69-24333
US-PATENT-3,432,730 c09 N69-27422
US-PATENT-3,433,015 c28 N71-20330
US-PATENT-3,433,079 c14 N69-27503
US-PATENT-3,433,662 c14 N71-20461
US-PATENT-3,433,818 c06 N71-23230
US-PATENT-3,433,909 c10 N71-23663
US-PATENT-3,433,953 c14 N69-27484
US-PATENT-3,433,960 c16 N69-27491
US-PATENT-3,433,961 c14 N69-27432
US-PATENT-3,434,033 c09 N69-39984
US-PATENT-3,434,037 c10 N71-26414
US-PATENT-3,434,050 c09 N71-20569
US-PATENT-3,434,064 c09 N69-39986
US-PATENT-3,434,855 c18 N71-24184
US-PATENT-3,434,885 c03 N71-20492
US-PATENT-3,435,246 c14 N69-24331
US-PATENT-3,437,394 c14 N69-27461
US-PATENT-3,437,527 c03 N69-24267
US-PATENT-3,437,560 c04 N69-27487
US-PATENT-3,437,818 c03 N71-23354
US-PATENT-3,437,832 c09 N69-27463
US-PATENT-3,437,874 c08 N71-20571
US-PATENT-3,437,903 c03 N69-25146
US-PATENT-3,437,919 c14 N69-27423
US-PATENT-3,437,935 c09 N69-24324
US-PATENT-3,437,959 c07 N69-24323
US-PATENT-3,438,044 c07 N69-27460
US-PATENT-3,438,263 c14 N71-20435
US-PATENT-3,439,886 c31 N69-27499
US-PATENT-3,440,419 c14 N73-28491
US-PATENT-3,443,128 c03 N69-39890
US-PATENT-3,443,208 c14 N71-20428
US-PATENT-3,443,384 c28 N71-24321
US-PATENT-3,443,390 c11 N71-24964
US-PATENT-3,443,412 c15 N71-23811
US-PATENT-3,443,416 c06 N69-39936
US-PATENT-3,443,472 c15 N71-23254
US-PATENT-3,443,583 c14 N71-18625
US-PATENT-3,443,584 c32 N71-16106
US-PATENT-3,443,732 c15 N71-15607
US-PATENT-3,443,773 c31 N71-23912
US-PATENT-3,443,779 c01 N69-39981
US-PATENT-3,444,051 c05 N71-11207
US-PATENT-3,444,127 c06 N71-11237
US-PATENT-3,444,375 c14 N71-15599
US-PATENT-3,444,380 c07 N69-39980
US-PATENT-3,446,075 c14 N73-30394
US-PATENT-3,446,387 c15 N69-39935
US-PATENT-3,446,558 c16 N71-24074,
US-PATENT-3,446,642 c18 N69-39895
US-PATENT-3,446,676 c03 N71-11050
US-PATENT-3,446,960 c14 N69-39982
US-PATENT-3,446,992 c09 N69-39987
US-PATENT-3,446,997 c03 N69-39898
US-PATENT-3,446,998 c09 N69-39929
US-PATENT-3,447,003 c09 N71-20446
US-PATENT-3,447,015 c06 N69-39889
US-PATENT-3,447,071 c25 N69-39884
US-PATENT-3,447,154 c21 N71-11766
US-PATENT-3,447,155 c09 N71-18598
US-PATENT-3,447,233 c15 N69-39786
US-PATENT-3,447,774 c15 N71-19485
US-PATENT-3,447,850 c09 N71-18600
US-PATENT-3,448,273 c07 N69-39736
US-PATENT-3,448,290 c10 N71-23315
US-PATENT-3,448,341 c09 N71-12526
US-PATENT-3,448,346 c15 N71-18701
US-PATENT-3,450,842 c07 N69-39978
US-PATENT-3,450,878 c14 N71-20430
US-PATENT-3,450,946 c09 N69-39897
US-PATENT-3,452,103 c06 N73-30101
US-PATENT-3,452,423 c26 N71-16037
US-PATENT-3,452,872 c14 N69-39896
US-PATENT-3,453,172 c15 N69-39735
US-PATENT-3,453,462 c03 N69-39983
US-PATENT-3,453,546 c05 N71-12342
US-PATENT-3,453,878 c09 N79-21083
US-PATENT-3,454,410 c18 N69-39979
US-PATENT-3,454,766 c35 N75-27329
US-PATENT-3,455,121 c14 N71-20427
US-PATENT-3,455,171 c23 N71-16098
US-PATENT-3,456,112 c14 N69-39937
US-PATENT-3,456,193 c08 N71-19763
US-PATENT-3,456,201 c09 N69-39885

US-PATENT-3,458,104 c15 N71-20393
US-PATENT-3,458,313 c14 N71-17574
US-PATENT-3,458,651 c09 N71-19449
US-PATENT-3,458,702 c14 N71-18699
US-PATENT-3,458,726 c10 N69-39888
US-PATENT-3,458,833 c10 N71-19418
US-PATENT-3,458,851 c09 N69-39734
US-PATENT-3,459,391 c03 N71-11058
US-PATENT-3,460,378 c14 N71-24233
US-PATENT-3,460,379 c15 N71-24834
US-PATENT-3,460,381 c14 N71-23725
US-PATENT-3,460,397 c15 N71-24045
US-PATENT-3,460,759 c28 N71-23968
US-PATENT-3,460,781 c14 N71-23698
US-PATENT-3,460,995 c03 N71-20407
US-PATENT-3,461,290 c14 N71-26475
US-PATENT-3,461,393 c10 N71-26415
US-PATENT-3,461,437 c10 N71-26434
US-PATENT-3,461,700 c15 N71-26346
US-PATENT-3,461,721 c12 N71-20436
US-PATENT-3,461,855 c05 N71-20268
US-PATENT-3,463,001 c14 N71-20429
US-PATENT-3,463,563 c15 N71-23612
US-PATENT-3,463,673 c03 N71-20491
US-PATENT-3,463,679 c17 N71-24142
US-PATENT-3,463,761 c06 N73-30099
US-PATENT-3,463,762 c06 N73-30100
US-PATENT-3,463,939 c10 N71-19471
US-PATENT-3,464,012 c14 N71-26244
US-PATENT-3,464,016 c10 N71-19472
US-PATENT-3,464,018 c09 N71-23525
US-PATENT-3,464,049 c32 N71-15974
US-PATENT-3,464,051 c15 N71-17685
US-PATENT-3,465,482 c31 N71-16080
US-PATENT-3,465,567 c15 N71-18579
US-PATENT-3,465,569 c14 N71-17659
US-PATENT-3,465,584 c14 N71-23726
US-PATENT-3,465,638 c11 N71-18578
US-PATENT-3,465,986 c31 N71-20396
US-PATENT-3,466,052 c15 N71-19570
US-PATENT-3,466,085 c05 N71-12343
US-PATENT-3,466,198 c03 N71-19545
US-PATENT-3,466,243 c15 N71-23810
US-PATENT-3,466,418 c15 N71-18613
US-PATENT-3,466,424 c15 N71-20395
US-PATENT-3,466,459 c09 N71-26000
US-PATENT-3,466,484 c14 N71-18482
US-PATENT-3,466,560 c09 N71-19466
US-PATENT-3,466,570 c10 N71-25950
US-PATENT-3,467,837 c05 N71-23317
US-PATENT-3,468,303 c09 N71-26002
US-PATENT-3,468,548 c15 N71-26294
US-PATENT-3,468,609 c16 N71-24170
US-PATENT-3,468,727 c14 N71-25892
US-PATENT-3,468,765 c17 N71-25903
US-PATENT-3,469,068 c15 N71-23815
US-PATENT-3,469,069 c15 N71-23798
US-PATENT-3,469,087 c16 N71-25914
US-PATENT-3,469,143 c33 N75-29318
US-PATENT-3,469,289 c15 N71-25575
US-PATENT-3,469,375 c14 N71-18483
US-PATENT-3,469,436 c15 N71-23817
US-PATENT-3,469,437 c14 N71-24234
US-PATENT-3,469,734 c11 N71-17600
US-PATENT-3,470,043 c15 N71-24047
US-PATENT-3,470,304 c14 N71-23267
US-PATENT-3,470,313 c07 N71-26579
US-PATENT-3,470,318 c07 N71-24612
US-PATENT-3,470,342 c09 N71-19610
US-PATENT-3,470,443 c03 N71-23239
US-PATENT-3,470,446 c09 N71-23188
US-PATENT-3,470,466 c14 N71-23699
US-PATENT-3,470,475 c10 N71-19467
US-PATENT-3,470,489 c09 N71-23598
US-PATENT-3,470,495 c10 N71-23669
US-PATENT-3,470,496 c09 N71-19470
US-PATENT-3,471,856 c30 N71-16090
US-PATENT-3,471,858 c07 N71-12391
US-PATENT-3,472,019 c10 N71-26326
US-PATENT-3,472,059 c14 N71-23755
US-PATENT-3,472,060 c14 N71-26136
US-PATENT-3,472,069 c15 N71-20441
US-PATENT-3,472,080 c10 N71-26339
US-PATENT-3,472,086 c15 N71-23809
US-PATENT-3,472,140 c14 N71-26474
US-PATENT-3,472,202 c17 N71-24911
US-PATENT-3,472,372 c15 N71-20440
US-PATENT-3,472,470 c02 N71-20570
US-PATENT-3,472,577 c23 N71-24857
US-PATENT-3,472,625 c06 N71-23527
US-PATENT-3,472,629 c14 N71-20442
US-PATENT-3,472,698 c03 N71-23449
US-PATENT-3,472,709 c18 N71-26153
US-PATENT-3,472,742 c17 N71-24830
US-PATENT-3,472,998 c16 N71-20400
US-PATENT-3,473,050 c09 N71-20447
US-PATENT-3,473,116 c25 N71-20563
US-PATENT-3,473,165 c05 N71-26333
US-PATENT-3,473,216 c15 N71-20443
US-PATENT-3,473,379 c12 N71-26387
US-PATENT-3,473,758 c03 N71-20273
US-PATENT-3,474,192 c07 N71-26102
US-PATENT-3,474,220 c15 N71-19486
US-PATENT-3,474,328 c14 N71-26266
US-PATENT-3,474,357 c09 N71-20445
US-PATENT-3,474,413 c10 N71-26103
US-PATENT-3,474,441 c08 N71-19544
US-PATENT-3,475,384 c06 N73-30103
US-PATENT-3,475,442 c26 N75-27125
US-PATENT-3,475,675 c33 N78-17295
US-PATENT-3,478,514 c37 N77-22479
US-PATENT-3,480,789 c10 N71-26626
US-PATENT-3,481,638 c15 N71-26312
US-PATENT-3,481,802 c31 N79-21226
US-PATENT-3,481,887 c18 N71-26155
US-PATENT-3,482,179 c10 N71-26331
US-PATENT-3,483,535 c10 N71-26418
US-PATENT-3,484,712 c10 N71-26374
US-PATENT-3,485,290 c20 N79-21123
US-PATENT-3,486,123 c16 N71-24831
US-PATENT-3,487,216 c14 N71-24809
US-PATENT-3,487,281 c15 N71-24695
US-PATENT-3,487,288 c10 N71-25139
US-PATENT-3,487,680 c15 N71-17696
US-PATENT-3,487,765 c54 N78-17679
US-PATENT-3,488,103 c14 N71-15604
US-PATENT-3,488,123 c14 N71-17627
US-PATENT-3,488,414 c15 N71-17803
US-PATENT-3,488,461 c09 N71-12518
US-PATENT-3,488,504 c21 N71-15642
US-PATENT-3,488,771 c54 N78-17678
US-PATENT-3,490,074 c54 N78-17677
US-PATENT-3,490,130 c05 N71-12345
US-PATENT-3,490,205 c14 N71-17588
US-PATENT-3,490,235 c28 N71-14044
US-PATENT-3,490,238 c15 N70-22192
US-PATENT-3,490,405 c15 N71-15597
US-PATENT-3,490,440 c05 N71-12346
US-PATENT-3,490,718 c33 N71-14035
US-PATENT-3,490,719 c21 N71-14159
US-PATENT-3,490,721 c02 N71-11039
US-PATENT-3,490,939 c33 N71-14032
US-PATENT-3,490,965 c09 N71-12513
US-PATENT-3,491,202 c07 N71-12392
US-PATENT-3,491,255 c09 N71-12514
US-PATENT-3,491,335 c14 N71-15620
US-PATENT-3,491,857 c14 N71-17626
US-PATENT-3,492,176 c27 N71-14090
US-PATENT-3,492,672 c05 N71-12344
US-PATENT-3,492,739 c15 N71-15571
US-PATENT-3,492,858 c35 N78-17358
US-PATENT-3,492,862 c14 N71-15600
US-PATENT-3,492,947 c28 N71-14058
US-PATENT-3,493,003 c15 N71-15609
US-PATENT-3,493,004 c12 N71-17579
US-PATENT-3,493,012 c15 N71-15608
US-PATENT-3,493,027 c31 N71-18611
US-PATENT-3,493,153 c05 N71-12351
US-PATENT-3,493,155 c26 N71-14354
US-PATENT-3,493,194 c21 N71-14132
US-PATENT-3,493,197 c02 N71-11043
US-PATENT-3,493,291 c14 N71-15622
US-PATENT-3,493,294 c14 N71-15605
US-PATENT-3,493,401 c18 N71-14014
US-PATENT-3,493,415 c15 N71-15610
US-PATENT-3,493,437 c03 N71-11056
US-PATENT-3,493,522 c06 N71-11243
US-PATENT-3,493,524 c06 N71-11242
US-PATENT-3,493,665 c14 N71-15621
US-PATENT-3,493,677 c07 N71-11300
US-PATENT-3,493,711 c15 N71-14932
US-PATENT-3,493,746 c15 N71-15606
US-PATENT-3,493,797 c15 N71-17652
US-PATENT-3,493,805 c09 N71-12521
US-PATENT-3,493,901 c09 N71-12517
US-PATENT-3,493,929 c08 N71-12505
US-PATENT-3,493,942 c08 N71-12504
US-PATENT-3,495,260 c21 N71-13958

US-PATENT-3,495,262 c07 N71-12396
US-PATENT-3,500,020 c01 N71-13411
US-PATENT-3,500,525 c15 N71-17688
US-PATENT-3,500,677 c14 N71-17584
US-PATENT-3,500,686 c12 N71-17569
US-PATENT-3,500,688 c14 N71-17587
US-PATENT-3,500,747 c09 N71-18599
US-PATENT-3,500,827 c05 N71-11203
US-PATENT-3,501,112 c15 N71-17693
US-PATENT-3,501,632 c27 N71-16348
US-PATENT-3,501,641 c20 N71-16340
US-PATENT-3,501,648 c10 N71-24799
US-PATENT-3,501,649 c10 N71-18723
US-PATENT-3,501,664 c14 N71-17585
US-PATENT-3,501,683 c15 N71-17694
US-PATENT-3,501,684 c09 N71-26092
US-PATENT-3,501,701 c08 N71-18692
US-PATENT-3,501,704 c07 N71-11282
US-PATENT-3,501,712 c09 N71-19516
US-PATENT-3,501,743 c09 N71-18843
US-PATENT-3,501,750 c08 N71-19288
US-PATENT-3,501,752 c08 N71-18595
US-PATENT-3,501,764 c10 N71-18722
US-PATENT-3,502,051 c15 N71-17647
US-PATENT-3,502,074 c05 N71-11190
US-PATENT-3,502,141 c33 N71-16277
US-PATENT-3,503,251 c32 N71-16428
US-PATENT-3,504,258 c10 N71-18724
US-PATENT-3,504,983 c23 N71-16341
US-PATENT-3,507,034 c15 N71-17650
US-PATENT-3,507,114 c27 N71-16392
US-PATENT-3,507,146 c05 N71-11202
US-PATENT-3,507,150 c20 N71-16281
US-PATENT-3,507,425 c15 N71-17628
US-PATENT-3,507,436 c08 N71-19420
US-PATENT-3,507,704 c03 N71-11052
US-PATENT-3,507,706 c03 N71-18698
US-PATENT-3,508,036 c08 N71-18693
US-PATENT-3,508,039 c08 N71-19437
US-PATENT-3,508,053 c09 N71-18830
US-PATENT-3,508,070 c03 N71-11057
US-PATENT-3,508,152 c07 N71-11266
US-PATENT-3,508,156 c07 N71-11267
US-PATENT-3,508,347 c05 N71-24606
US-PATENT-3,508,402 c33 N71-16104
US-PATENT-3,508,541 c05 N71-11193
US-PATENT-3,508,578 c32 N71-16103
US-PATENT-3,508,723 c31 N71-16222
US-PATENT-3,508,724 c02 N71-11037
US-PATENT-3,508,739 c15 N71-17648
US-PATENT-3,508,779 c15 N71-24897
US-PATENT-3,508,940 c18 N71-16124
US-PATENT-3,508,955 c18 N71-16105
US-PATENT-3,508,999 c15 N71-17687
US-PATENT-3,509,034 c14 N71-17575
US-PATENT-3,509,386 c03 N71-11055
US-PATENT-3,509,419 c24 N71-16213
US-PATENT-3,509,469 c23 N71-16099
US-PATENT-3,509,475 c09 N71-24596
US-PATENT-3,509,491 c09 N71-18721
US-PATENT-3,509,551 c08 N71-18694
US-PATENT-3,509,558 c08 N71-19435
US-PATENT-3,509,570 c09 N71-18720
US-PATENT-3,509,578 c07 N71-19493
US-PATENT-3,511,680 c31 N79-21227
US-PATENT-3,512,009 c08 N71-18751
US-PATENT-3,514,785 c54 N78-18761
US-PATENT-3,516,091 c05 N71-24623
US-PATENT-3,516,179 c11 N71-19494
US-PATENT-3,516,185 c12 N71-18603
US-PATENT-3,516,284 c12 N71-17573
US-PATENT-3,516,404 c05 N71-17599
US-PATENT-3,516,711 c05 N71-12341
US-PATENT-3,516,879 c23 N71-16212
US-PATENT-3,516,964 c06 N71-11240
US-PATENT-3,516,970 c06 N71-11239
US-PATENT-3,516,971 c06 N71-24740
US-PATENT-3,517,109 c07 N71-19436
US-PATENT-3,517,162 c33 N71-16278
US-PATENT-3,517,171 c08 N71-24633
US-PATENT-3,517,221 c10 N71-19547
US-PATENT-3,517,268 c10 N71-19469
US-PATENT-3,517,302 c25 N71-16073
US-PATENT-3,517,318 c08 N71-19432
US-PATENT-3,517,328 c16 N71-18614
US-PATENT-3,518,232 c06 N71-11235
US-PATENT-3,520,190 c10 N71-13537
US-PATENT-3,520,238 c14 N71-18465
US-PATENT-3,520,317 c12 N71-17578
US-PATENT-3,520,496 c31 N71-16345
US-PATENT-3,520,503 c31 N71-16085
US-PATENT-3,520,617 c23 N71-16101
US-PATENT-3,520,660 c23 N71-16355
US-PATENT-3,521,054 c06 N71-13461
US-PATENT-3,521,143 c08 N71-18752
US-PATENT-3,521,290 c31 N71-16102
US-PATENT-3,523,228 c10 N71-24861
US-PATENT-3,526,030 c15 N71-17686
US-PATENT-3,526,134 c33 N71-16356
US-PATENT-3,526,139 c31 N71-16221
US-PATENT-3,526,140 c27 N71-16223
US-PATENT-3,526,359 c33 N71-16357
US-PATENT-3,526,365 c28 N71-16224
US-PATENT-3,526,372 c31 N71-16346
US-PATENT-3,526,382 c15 N71-17649
US-PATENT-3,526,460 c23 N71-16365
US-PATENT-3,526,473 c18 N71-15545
US-PATENT-3,526,580 c18 N71-16210
US-PATENT-3,526,611 c06 N71-11236
US-PATENT-3,526,845 c09 N71-13531
US-PATENT-3,526,897 c09 N71-13521
US-PATENT-3,527,724 c27 N78-33228
US-PATENT-3,529,480 c15 N71-17692
US-PATENT-3,529,928 c17 N71-16393
US-PATENT-3,530,336 c09 N71-13518
US-PATENT-3,531,964 c15 N71-18616
US-PATENT-3,531,978 c14 N71-18481
US-PATENT-3,531,982 c15 N71-18132
US-PATENT-3,531,989 c33 N71-15641
US-PATENT-3,532,118 c12 N71-18615
US-PATENT-3,532,128 c15 N71-18580
US-PATENT-3,532,427 c21 N71-19212
US-PATENT-3,532,428 c30 N71-15990
US-PATENT-3,532,538 c18 N71-16046
US-PATENT-3,532,551 c03 N71-11049
US-PATENT-3,532,568 c17 N71-16044
US-PATENT-3,532,673 c06 N71-11238
US-PATENT-3,532,807 c07 N71-19433
US-PATENT-3,532,819 c10 N71-19468
US-PATENT-3,532,866 c08 N71-18602
US-PATENT-3,532,880 c24 N71-16095
US-PATENT-3,532,894 c23 N71-16100
US-PATENT-3,532,948 c10 N71-18772
US-PATENT-3,532,960 c03 N71-12255
US-PATENT-3,532,973 c15 N71-17822
US-PATENT-3,532,975 c10 N71-19421
US-PATENT-3,532,979 c10 N71-12554
US-PATENT-3,532,985 c07 N71-19773
US-PATENT-3,533,001 c07 N71-24583
US-PATENT-3,533,006 c10 N72-28241
US-PATENT-3,533,074 c08 N71-12502
US-PATENT-3,533,093 c10 N71-19417
US-PATENT-3,533,098 c08 N71-18594
US-PATENT-3,534,365 c07 N71-19854
US-PATENT-3,534,367 c02 N71-19287
US-PATENT-3,534,375 c07 N71-11285
US-PATENT-3,534,376 c07 N71-26101
US-PATENT-3,534,406 c05 N71-11195
US-PATENT-3,534,407 c05 N71-11194
US-PATENT-3,534,479 c14 N71-17657
US-PATENT-3,534,480 c14 N71-17658
US-PATENT-3,534,485 c11 N71-18773
US-PATENT-3,534,555 c12 N71-17631
US-PATENT-3,534,584 c10 N71-13545
US-PATENT-3,534,585 c14 N71-17701
US-PATENT-3,534,592 c14 N71-17656
US-PATENT-3,534,596 c14 N71-17586
US-PATENT-3,534,597 c31 N71-15643
US-PATENT-3,534,650 c15 N71-17653
US-PATENT-3,534,686 c31 N71-15687
US-PATENT-3,534,727 c05 N71-11189
US-PATENT-3,534,765 c12 N71-17661
US-PATENT-3,534,826 c31 N71-15689
US-PATENT-3,534,836 c15 N71-17805
US-PATENT-3,534,909 c15 N71-17654
US-PATENT-3,534,924 c31 N71-15674
US-PATENT-3,534,925 c31 N71-15676
US-PATENT-3,534,926 c15 N71-19214
US-PATENT-3,534,930 c02 N71-13422
US-PATENT-3,535,012 c16 N71-15567
US-PATENT-3,535,013 c16 N71-15551
US-PATENT-3,535,014 c16 N71-15565
US-PATENT-3,535,024 c14 N71-17662
US-PATENT-3,535,041 c14 N71-17655
US-PATENT-3,535,110 c17 N71-15468
US-PATENT-3,535,130 c18 N71-15469
US-PATENT-3,535,165 c33 N71-15568
US-PATENT-3,535,179 c15 N71-17651

US-PATENT-3,535,352 c18 N71-15688
US-PATENT-3,535,446 c09 N71-12539
US-PATENT-3,535,451 c07 N71-11281
US-PATENT-3,535,497 c08 N71-24890
US-PATENT-3,535,543 c09 N71-13486
US-PATENT-3,535,547 c09 N71-12520
US-PATENT-3,535,554 c09 N71-12516
US-PATENT-3,535,560 c08 N71-12494
US-PATENT-3,535,562 c33 N71-27862
US-PATENT-3,535,570 c15 N71-24696
US-PATENT-3,535,586 c25 N71-15562
US-PATENT-3,535,602 c09 N71-13522
US-PATENT-3,535,642 c08 N71-12503
US-PATENT-3,535,644 c09 N71-12519
US-PATENT-3,535,657 c07 N71-12390
US-PATENT-3,535,658 c08 N71-12500
US-PATENT-3,535,683 c31 N71-15566
US-PATENT-3,535,696 c08 N71-12506
US-PATENT-3,535,702 c09 N71-12515
US-PATENT-3,536,103 c15 N71-19213
US-PATENT-3,537,096 c08 N71-12507
US-PATENT-3,537,103 c08 N71-24650
US-PATENT-3,537,107 c05 N71-24730
US-PATENT-3,537,305 c26 N71-25490
US-PATENT-3,537,515 c09 N71-24807
US-PATENT-3,537,668 c05 N71-24728
US-PATENT-3,537,672 c15 N71-24694
US-PATENT-3,538,053 c27 N78-17214
US-PATENT-3,539,905 c09 N71-24800
US-PATENT-3,540,045 c09 N71-24595
US-PATENT-3,540,048 c31 N71-24813
US-PATENT-3,540,050 c09 N71-24804
US-PATENT-3,540,054 c07 N71-24625
US-PATENT-3,540,056 c07 N71-24614
US-PATENT-3,540,250 c15 N71-24865
US-PATENT-3,540,449 c15 N71-24635
US-PATENT-3,540,615 c33 N71-25351
US-PATENT-3,540,676 c15 N71-24600
US-PATENT-3,540,790 c16 N71-26154
US-PATENT-3,540,802 c23 N71-24868
US-PATENT-3,540,942 c15 N71-24875
US-PATENT-3,540,989 c24 N71-25555
US-PATENT-3,541,250 c07 N71-24742
US-PATENT-3,541,312 c08 N71-24891
US-PATENT-3,541,314 c07 N71-24741
US-PATENT-3,541,346 c09 N71-24803
US-PATENT-3,541,361 c09 N71-24904
US-PATENT-3,541,422 c03 N71-24719
US-PATENT-3,541,428 c09 N71-24893
US-PATENT-3,541,439 c09 N71-24843
US-PATENT-3,541,450 c07 N71-24840
US-PATENT-3,541,459 c10 N71-24844
US-PATENT-3,541,479 c09 N71-24841
US-PATENT-3,541,486 c16 N71-28554
US-PATENT-3,541,679 c03 N71-24681
US-PATENT-3,541,825 c15 N71-24836
US-PATENT-3,541,875 c15 N71-24984
US-PATENT-3,543,050 c10 N71-24862
US-PATENT-3,543,159 c09 N71-24717
US-PATENT-3,543,839 c34 N78-17337
US-PATENT-3,545,208 c28 N71-25213
US-PATENT-3,545,226 c23 N71-24725
US-PATENT-3,545,252 c11 N71-24985
US-PATENT-3,545,262 c38 N76-28563
US-PATENT-3,545,275 c09 N71-24597
US-PATENT-3,545,725 c15 N71-24599
US-PATENT-3,545,792 c15 N71-24903
US-PATENT-3,546,386 c07 N71-24621
US-PATENT-3,546,471 c14 N71-24864
US-PATENT-3,546,552 c15 N71-24895
US-PATENT-3,546,553 c09 N71-24805
US-PATENT-3,546,684 c07 N71-24624
US-PATENT-3,546,694 c10 N71-24798
US-PATENT-3,546,705 c09 N71-24842
US-PATENT-3,546,917 c15 N71-24679
US-PATENT-3,546,920 c06 N71-24607
US-PATENT-3,546,931 c32 N71-25360
US-PATENT-3,547,105 c09 N71-24618
US-PATENT-3,547,376 c31 N71-25434
US-PATENT-3,547,540 c16 N71-24828
US-PATENT-3,547,801 c03 N71-24718
US-PATENT-3,548,107 c07 N71-24622
US-PATENT-3,548,633 c18 N71-24934
US-PATENT-3,548,636 c15 N71-24910
US-PATENT-3,548,812 c05 N71-24729
US-PATENT-3,548,930 c33 N71-25353
US-PATENT-3,549,435 c14 N72-28438
US-PATENT-3,549,564 c06 N71-24739
US-PATENT-3,549,799 c09 N71-25866
US-PATENT-3,549,882 c15 N71-24896
US-PATENT-3,549,955 c09 N71-24892
US-PATENT-3,550,023 c09 N71-24806
US-PATENT-3,550,034 c16 N71-24832
US-PATENT-3,550,129 c21 N71-24948
US-PATENT-3,550,585 c05 N71-24738
US-PATENT-3,551,266 c33 N71-24858
US-PATENT-3,551,816 c07 N71-24613
US-PATENT-3,551,831 c33 N75-27251
US-PATENT-3,552,124 c28 N71-26642
US-PATENT-3,552,125 c28 N71-26173
US-PATENT-3,553,002 c18 N71-26100
US-PATENT-3,553,586 c07 N71-26292
US-PATENT-3,553,704 c10 N71-26142
US-PATENT-3,553,904 c15 N71-26134
US-PATENT-3,554,466 c31 N71-26537
US-PATENT-3,554,647 c23 N71-26206
US-PATENT-3,554,806 c03 N71-26084
US-PATENT-3,555,192 c07 N71-26181
US-PATENT-3,555,361 c10 N71-26531
US-PATENT-3,555,455 c23 N71-26722
US-PATENT-3,555,483 c35 N77-21393
US-PATENT-3,555,867 c15 N71-26148
US-PATENT-3,555,898 c12 N71-26546
US-PATENT-3,556,048 c09 N71-26701
US-PATENT-3,556,634 c07 N71-26291
US-PATENT-3,557,027 c06 N71-25929
US-PATENT-3,557,534 c15 N71-26185
US-PATENT-3,559,031 c10 N71-26085
US-PATENT-3,559,096 c10 N71-25882
US-PATENT-3,559,460 c14 N71-26672
US-PATENT-3,559,937 c14 N71-26627
US-PATENT-3,560,081 c19 N71-26674
US-PATENT-3,560,161 c06 N71-26754
US-PATENT-3,561,828 c15 N71-26189
US-PATENT-3,562,575 c09 N71-26182
US-PATENT-3,562,631 c14 N71-26137
US-PATENT-3,562,857 c15 N71-26721
US-PATENT-3,562,881 c09 N71-26678
US-PATENT-3,562,919 c15 N71-26145
US-PATENT-3,563,135 c15 N71-27147
US-PATENT-3,563,198 c18 N71-26285
US-PATENT-3,563,232 c05 N71-27234
US-PATENT-3,563,307 c15 N71-26611
US-PATENT-3,563,668 c14 N71-26788
US-PATENT-3,563,727 c15 N71-27184
US-PATENT-3,563,918 c06 N71-27363
US-PATENT-3,564,234 c09 N71-26787
US-PATENT-3,564,401 c14 N71-26135
US-PATENT-3,564,420 c14 N71-26774
US-PATENT-3,564,564 c15 N71-26162
US-PATENT-3,564,866 c23 N71-26654
US-PATENT-3,564,906 c32 N71-26681
US-PATENT-3,565,530 c15 N71-26673
US-PATENT-3,565,584 c15 N71-27372
US-PATENT-3,565,607 c17 N71-26773
US-PATENT-3,565,719 c03 N71-26726
US-PATENT-3,566,027 c07 N71-27341
US-PATENT-3,566,045 c08 N71-27210
US-PATENT-3,566,122 c14 N71-27323
US-PATENT-3,566,143 c14 N71-27407
US-PATENT-3,566,158 c10 N71-27126
US-PATENT-3,566,268 c10 N71-26577
US-PATENT-3,566,396 c10 N71-26544
US-PATENT-3,566,459 c14 N71-27334
US-PATENT-3,566,676 c14 N71-26199
US-PATENT-3,566,993 c15 N71-27169
US-PATENT-3,567,155 c21 N71-27324
US-PATENT-3,567,339 c15 N71-27084
US-PATENT-3,567,651 c18 N71-27170
US-PATENT-3,567,677 c18 N71-25881
US-PATENT-3,567,861 c10 N71-25865
US-PATENT-3,567,913 c10 N71-27137
US-PATENT-3,567,927 c14 N71-28863
US-PATENT-3,568,010 c09 N71-27232
US-PATENT-3,568,028 c10 N71-27136
US-PATENT-3,568,103 c10 N71-25900
US-PATENT-3,568,197 c07 N71-27056
US-PATENT-3,568,447 c15 N71-27432
US-PATENT-3,568,572 c15 N71-27754
US-PATENT-3,568,702 c10 N71-25899
US-PATENT-3,568,748 c15 N71-27091
US-PATENT-3,568,795 c15 N71-27067
US-PATENT-3,568,805 c15 N71-27146
US-PATENT-3,568,874 c15 N71-27068
US-PATENT-3,568,885 c14 N71-27005
US-PATENT-3,569,710 c14 N71-25901
US-PATENT-3,569,744 c09 N71-27016
US-PATENT-3,569,804 c09 N71-25999

US-PATENT-3,569,827 c18 N71-27397
US-PATENT-3,569,828 c14 N71-27186
US-PATENT-3,569,866 c10 N71-27271
US-PATENT-3,569,875 c07 N71-27191
US-PATENT-3,569,956 c10 N71-25917
US-PATENT-3,569,976 c07 N71-27233
US-PATENT-3,570,143 c10 N71-27365
US-PATENT-3,570,364 c28 N71-26779
US-PATENT-3,570,513 c12 N71-27332
US-PATENT-3,570,785 c28 N71-27585
US-PATENT-3,570,789 c02 N71-27088
US-PATENT-3,571,555 c15 N71-27135
US-PATENT-3,571,656 c09 N71-27001
US-PATENT-3,571,662 c10 N71-27366
US-PATENT-3,571,693 c09 N71-27364
US-PATENT-3,571,699 c09 N71-27053
US-PATENT-3,571,700 c14 N71-27325
US-PATENT-3,571,707 c10 N71-27338
US-PATENT-3,571,800 c10 N71-27272
US-PATENT-3,571,801 c08 N71-27255
US-PATENT-3,572,089 c14 N71-27185
US-PATENT-3,572,104 c28 N71-27094
US-PATENT-3,572,112 c15 N71-27006
US-PATENT-3,572,610 c28 N71-27095
US-PATENT-3,572,935 c14 N71-27215
US-PATENT-3,573,470 c74 N78-33913
US-PATENT-3,573,504 c33 N78-17294
US-PATENT-3,573,583 c09 N71-28886
US-PATENT-3,573,797 c08 N71-27057
US-PATENT-3,573,977 c15 N71-28582
US-PATENT-3,573,986 c03 N71-28579
US-PATENT-3,573,996 c18 N71-29040
US-PATENT-3,574,057 c22 N71-28759
US-PATENT-3,574,084 c14 N71-28933
US-PATENT-3,574,277 c15 N71-28467
US-PATENT-3,574,286 c11 N71-27036
US-PATENT-3,574,438 c07 N71-29065
US-PATENT-3,574,448 c23 N71-29123
US-PATENT-3,574,462 c14 N71-29041
US-PATENT-3,574,467 c23 N71-29125
US-PATENT-3,574,470 c14 N71-28993
US-PATENT-3,574,770 c06 N71-27254
US-PATENT-3,575,336 c15 N71-27214
US-PATENT-3,575,585 c14 N71-27058
US-PATENT-3,575,597 c14 N71-27090
US-PATENT-3,575,602 c16 N71-27183
US-PATENT-3,575,638 c09 N71-26133
US-PATENT-3,575,641 c10 N71-26334
US-PATENT-3,576,107 c28 N71-26781
US-PATENT-3,576,127 c14 N71-26161
US-PATENT-3,576,135 c15 N71-26635
US-PATENT-3,576,301 c02 N71-26110
US-PATENT-3,576,656 c18 N71-26772
US-PATENT-3,576,669 c15 N71-29032
US-PATENT-3,576,723 c09 N71-28691
US-PATENT-3,576,786 c06 N71-28620
US-PATENT-3,577,014 c10 N71-28860
US-PATENT-3,577,092 c07 N71-28430
US-PATENT-3,577,356 c06 N73-30102
US-PATENT-3,578,755 c14 N71-29134
US-PATENT-3,578,756 c11 N71-28629
US-PATENT-3,578,758 c14 N71-28992
US-PATENT-3,578,838 c16 N71-29131
US-PATENT-3,578,867 c14 N71-28994
US-PATENT-3,578,957 c08 N71-29033
US-PATENT-3,578,988 c09 N71-29139
US-PATENT-3,578,992 c09 N71-28421
US-PATENT-3,579,041 c09 N71-29008
US-PATENT-3,579,103 c14 N71-28991
US-PATENT-3,579,122 c08 N71-29034
US-PATENT-3,579,146 c08 N71-29138
US-PATENT-3,579,147 c07 N71-28429
US-PATENT-3,579,168 c09 N71-29035
US-PATENT-3,579,242 c07 N71-28980
US-PATENT-3,579,390 c18 N71-28729
US-PATENT-3,579,412 c17 N71-28747
US-PATENT-3,581,492 c28 N71-28915
US-PATENT-3,582,828 c33 N77-21314
US-PATENT-3,582,960 c09 N71-28618
US-PATENT-3,583,058 c15 N71-29018
US-PATENT-3,583,239 c15 N71-29132
US-PATENT-3,583,322 c05 N71-28619
US-PATENT-3,583,419 c12 N71-28741
US-PATENT-3,583,704 c15 N71-29133
US-PATENT-3,583,777 c15 N71-28465
US-PATENT-3,583,815 c15 N71-28740
US-PATENT-3,584,311 c09 N71-28468
US-PATENT-3,584,660 c15 N72-12408
US-PATENT-3,585,514 c10 N71-33129
US-PATENT-3,585,882 c15 N71-33518
US-PATENT-3,586,261 c31 N71-33160
US-PATENT-3,587,306 c11 N71-33612
US-PATENT-3,587,424 c16 N71-33410
US-PATENT-3,588,220 c23 N71-33229
US-PATENT-3,588,331 c07 N72-12081
US-PATENT-3,588,359 c07 N71-33108
US-PATENT-3,588,483 c08 N71-33110
US-PATENT-3,588,648 c07 N71-33613
US-PATENT-3,588,671 c09 N71-33109
US-PATENT-3,588,705 c07 N71-33696
US-PATENT-3,588,751 c07 N71-33606
US-PATENT-3,588,874 c09 N71-33519
US-PATENT-3,588,883 c10 N71-33407
US-PATENT-3,591,420 c03 N71-33409
US-PATENT-3,591,426 c17 N71-33408
US-PATENT-3,591,885 c15 N72-11390
US-PATENT-3,591,960 c15 N72-12409
US-PATENT-3,591,967 c28 N72-11709
US-PATENT-3,592,422 c15 N72-11391
US-PATENT-3,592,478 c09 N72-11224
US-PATENT-3,592,505 c05 N72-11085
US-PATENT-3,592,545 c14 N72-11364
US-PATENT-3,592,559 c02 N72-11018
US-PATENT-3,592,628 c15 N72-11387
US-PATENT-3,592,768 c15 N72-11389
US-PATENT-3,593,001 c15 N72-11392
US-PATENT-3,593,024 c24 N72-11595
US-PATENT-3,593,132 c09 N72-11225
US-PATENT-3,593,138 c07 N72-11149
US-PATENT-3,593,175 c10 N72-11256
US-PATENT-3,593,180 c07 N72-11150
US-PATENT-3,593,194 c16 N72-12440
US-PATENT-3,594,790 c07 N72-12080
US-PATENT-3,594,803 c09 N72-12136
US-PATENT-3,596,465 c28 N72-11708
US-PATENT-3,596,510 c14 N72-11363
US-PATENT-3,596,554 c15 N72-11385
US-PATENT-3,596,863 c15 N72-11386
US-PATENT-3,597,281 c03 N72-11062
US-PATENT-3,598,921 c08 N72-11171
US-PATENT-3,599,216 c07 N72-11148
US-PATENT-3,599,335 c08 N72-11172
US-PATENT-3,599,443 c05 N72-11084
US-PATENT-3,599,489 c14 N72-11365
US-PATENT-3,600,046 c15 N72-11388
US-PATENT-3,600,599 c33 N78-17296
US-PATENT-3,602,920 c11 N72-17183
US-PATENT-3,602,923 c05 N72-22093
US-PATENT-3,602,979 c15 N72-22492
US-PATENT-3,602,984 c26 N72-17820
US-PATENT-3,603,092 c28 N72-17843
US-PATENT-3,603,093 c28 N72-18766
US-PATENT-3,603,260 c33 N72-17947
US-PATENT-3,603,285 c25 N75-29192
US-PATENT-3,603,382 c33 N72-17948
US-PATENT-3,603,433 c15 N72-17450
US-PATENT-3,603,532 c30 N72-17873
US-PATENT-3,603,683 c14 N72-17326
US-PATENT-3,603,686 c16 N72-13437
US-PATENT-3,603,690 c14 N72-17323
US-PATENT-3,603,722 c07 N72-17109
US-PATENT-3,603,772 c08 N72-22166
US-PATENT-3,603,798 c09 N72-17152
US-PATENT-3,603,864 c09 N72-17154
US-PATENT-3,603,892 c09 N72-17155
US-PATENT-3,603,946 c09 N72-17153
US-PATENT-3,603,974 c14 N72-18411
US-PATENT-3,603,976 c08 N72-18184
US-PATENT-3,605,032 c10 N72-17172
US-PATENT-3,605,424 c15 N72-17453
US-PATENT-3,605,482 c14 N72-16282
US-PATENT-3,605,495 c14 N72-17327
US-PATENT-3,605,519 c14 N72-17324
US-PATENT-3,606,212 c31 N72-18859
US-PATENT-3,606,470 c46 N74-23068
US-PATENT-3,606,522 c23 N72-23695
US-PATENT-3,606,979 c15 N72-17454
US-PATENT-3,607,015 c06 N72-17093
US-PATENT-3,607,076 c06 N72-17094
US-PATENT-3,607,080 c06 N72-17095
US-PATENT-3,607,338 c18 N72-17532
US-PATENT-3,607,401 c03 N72-15986
US-PATENT-3,607,495 c15 N72-16330
US-PATENT-3,608,046 c15 N72-16329
US-PATENT-3,608,365 c15 N72-17452
US-PATENT-3,608,409 c14 N72-16283
US-PATENT-3,608,844 c15 N72-18477
US-PATENT-3,609,230 c09 N72-17156

US-PATENT-3,609,271 c09 N72-22204
US-PATENT-3,609,327 c08 N72-22167
US-PATENT-3,609,353 c14 N72-17328
US-PATENT-3,609,364 c10 N72-17173
US-PATENT-3,609,387 c09 N72-17157
US-PATENT-3,609,535 c14 N72-17325
US-PATENT-3,609,567 c10 N72-17171
US-PATENT-3,609,740 c05 N72-16015
US-PATENT-3,610,365 c15 N72-17451
US-PATENT-3,611,274 c15 N72-17455
US-PATENT-3,611,330 c23 N72-17747
US-PATENT-3,611,798 c14 N72-22437
US-PATENT-3,611,801 c14 N72-17329
US-PATENT-3,612,030 c46 N74-23069
US-PATENT-3,612,391 c11 N72-22245
US-PATENT-3,612,442 c28 N72-22769
US-PATENT-3,612,645 c14 N72-22441
US-PATENT-3,612,743 c09 N72-22198
US-PATENT-3,612,895 c09 N72-22197
US-PATENT-3,613,110 c08 N72-21199
US-PATENT-3,613,111 c08 N72-21200
US-PATENT-3,613,370 c28 N72-22770
US-PATENT-3,613,454 c35 N77-27368
US-PATENT-3,613,457 c15 N72-22482
US-PATENT-3,613,794 c12 N72-21310
US-PATENT-3,614,228 c14 N72-21409
US-PATENT-3,614,327 c08 N72-22162
US-PATENT-3,614,343 c07 N72-21119
US-PATENT-3,614,431 c14 N72-21408
US-PATENT-3,614,475 c10 N72-16172
US-PATENT-3,614,557 c26 N72-21701
US-PATENT-3,614,587 c09 N72-22196
US-PATENT-3,614,648 c09 N72-21247
US-PATENT-3,614,772 c08 N72-22163
US-PATENT-3,614,898 c15 N72-21462
US-PATENT-3,614,899 c09 N72-22195
US-PATENT-3,615,021 c15 N72-22483
US-PATENT-3,615,241 c15 N72-21465
US-PATENT-3,615,465 c06 N72-21094
US-PATENT-3,615,853 c03 N72-22042
US-PATENT-3,616,338 c15 N72-21466
US-PATENT-3,616,528 c03 N72-22041
US-PATENT-3,617,804 c25 N72-24753
US-PATENT-3,619,896 c15 N72-22487
US-PATENT-3,619,924 c11 N72-22247
US-PATENT-3,620,018 c28 N72-22771
US-PATENT-3,620,069 c14 N72-22440
US-PATENT-3,620,076 c11 N72-22246
US-PATENT-3,620,083 c14 N72-22438
US-PATENT-3,620,095 c15 N72-21463
US-PATENT-3,620,585 c15 N72-22490
US-PATENT-3,620,595 c14 N72-22445
US-PATENT-3,620,606 c23 N72-22673
US-PATENT-3,620,718 c17 N72-22535
US-PATENT-3,620,784 c18 N72-23581
US-PATENT-3,620,791 c18 N72-22566
US-PATENT-3,620,846 c31 N72-22874
US-PATENT-3,621,130 c08 N72-22164
US-PATENT-3,621,193 c15 N72-23497
US-PATENT-3,621,194 c15 N72-22491
US-PATENT-3,621,228 c08 N72-22165
US-PATENT-3,621,277 c10 N72-22236
US-PATENT-3,621,285 c09 N72-22200
US-PATENT-3,621,287 c09 N72-22201
US-PATENT-3,621,290 c09 N72-22202
US-PATENT-3,621,294 c09 N72-23171
US-PATENT-3,621,330 c33 N77-21316
US-PATENT-3,621,362 c09 N72-22203
US-PATENT-3,621,372 c09 N72-25249
US-PATENT-3,621,406 c09 N72-33204
US-PATENT-3,621,407 c09 N72-21245
US-PATENT-3,621,565 c09 N72-22199
US-PATENT-3,623,030 c08 N72-21198
US-PATENT-3,623,094 c10 N72-22235
US-PATENT-3,623,107 c07 N72-21117
US-PATENT-3,623,114 c07 N72-22127
US-PATENT-3,623,359 c35 N77-27367
US-PATENT-3,623,360 c14 N72-21405
US-PATENT-3,623,361 c14 N72-21407
US-PATENT-3,623,394 c15 N72-22488
US-PATENT-3,623,828 c15 N72-22489
US-PATENT-3,623,861 c17 N72-22530
US-PATENT-3,624,496 c15 N72-21464
US-PATENT-3,624,598 c21 N72-22619
US-PATENT-3,624,650 c07 N72-21118
US-PATENT-3,624,659 c09 N72-21246
US-PATENT-3,624,839 c05 N72-20098
US-PATENT-3,625,018 c15 N72-22484
US-PATENT-3,625,084 c15 N72-22485
US-PATENT-3,625,766 c03 N72-20032
US-PATENT-3,626,114 c35 N79-16246
US-PATENT-3,626,189 c14 N72-20381
US-PATENT-3,626,218 c14 N72-22439
US-PATENT-3,626,298 c07 N72-20140
US-PATENT-3,626,308 c10 N72-20223
US-PATENT-3,626,828 c14 N72-20380
US-PATENT-3,628,113 c37 N77-27400
US-PATENT-3,629,068 c22 N72-20597
US-PATENT-3,629,161 c18 N72-22567
US-PATENT-3,630,276 c33 N72-20915
US-PATENT-3,630,304 c11 N72-20244
US-PATENT-3,630,627 c03 N72-20033
US-PATENT-3,631,339 c08 N72-20177
US-PATENT-3,631,351 c10 N72-20224
US-PATENT-3,631,382 c09 N72-20200
US-PATENT-3,631,737 c15 N72-28495
US-PATENT-3,632,081 c15 N72-20442
US-PATENT-3,632,140 c15 N72-20445
US-PATENT-3,632,242 c15 N72-20446
US-PATENT-3,632,923 c09 N72-20199
US-PATENT-3,632,996 c08 N72-20176
US-PATENT-3,633,048 c10 N72-20221
US-PATENT-3,633,110 c07 N72-20141
US-PATENT-3,634,383 c27 N73-22710
US-PATENT-3,635,216 c05 N72-20096
US-PATENT-3,635,537 c33 N80-14330
US-PATENT-3,635,765 c03 N72-20034
US-PATENT-3,636,539 c03 N72-20031
US-PATENT-3,636,564 c05 N72-22092
US-PATENT-3,636,623 c15 N72-20444
US-PATENT-3,636,711 c28 N72-20758
US-PATENT-3,636,966 c05 N72-20097
US-PATENT-3,637,051 c15 N72-20443
US-PATENT-3,637,170 c21 N72-21624
US-PATENT-3,637,312 c14 N72-20379
US-PATENT-3,637,842 c06 N72-20121
US-PATENT-3,638,002 c08 N72-21197
US-PATENT-3,638,066 c10 N72-20225
US-PATENT-3,638,103 c09 N72-21243
US-PATENT-3,638,114 c10 N72-20222
US-PATENT-3,638,224 c09 N72-21244
US-PATENT-3,639,250 c14 N72-22443
US-PATENT-3,639,510 c06 N72-22107
US-PATENT-3,639,809 c15 N72-22486
US-PATENT-3,639,835 c14 N72-22442
US-PATENT-3,640,256 c28 N72-22772
US-PATENT-3,641,470 c35 N78-17359
US-PATENT-3,647,276 c14 N72-22444
US-PATENT-3,647,529 c27 N74-23125
US-PATENT-3,647,924 c11 N72-23215
US-PATENT-3,648,043 c09 N72-23173
US-PATENT-3,648,083 c12 N72-25292
US-PATENT-3,648,152 c03 N72-23048
US-PATENT-3,648,209 c09 N72-27226
US-PATENT-3,648,250 c09 N72-25248
US-PATENT-3,648,256 c08 N72-25207
US-PATENT-3,648,275 c08 N72-25206
US-PATENT-3,648,461 c28 N72-23810
US-PATENT-3,648,516 c35 N74-22095
US-PATENT-3,649,242 c15 N72-25448
US-PATENT-3,649,353 c26 N72-28762
US-PATENT-3,649,356 c15 N72-25447
US-PATENT-3,649,462 c11 N72-25284
US-PATENT-3,649,907 c09 N72-23172
US-PATENT-3,649,921 c05 N72-23085
US-PATENT-3,649,935 c07 N72-25170
US-PATENT-3,650,095 c14 N72-23457
US-PATENT-3,650,474 c28 N72-23809
US-PATENT-3,653,052 c09 N72-25247
US-PATENT-3,653,882 c18 N72-25539
US-PATENT-3,653,970 c03 N72-24037
US-PATENT-3,654,036 c03 N72-25019
US-PATENT-3,655,814 c27 N81-15104
US-PATENT-3,656,313 c23 N72-25619
US-PATENT-3,656,317 c33 N72-25911
US-PATENT-3,656,352 c14 N72-25411
US-PATENT-3,656,781 c15 N72-25450
US-PATENT-3,657,549 c14 N72-25409
US-PATENT-3,657,644 c14 N72-24477
US-PATENT-3,657,928 c14 N72-25410
US-PATENT-3,658,295 c15 N72-25451
US-PATENT-3,658,569 c15 N72-25452
US-PATENT-3,658,608 c27 N72-25699
US-PATENT-3,658,974 c15 N72-24522
US-PATENT-3,659,043 c14 N72-25412
US-PATENT-3,659,053 c08 N72-25208
US-PATENT-3,659,148 c09 N72-25250
US-PATENT-3,659,184 c09 N72-25251

US-PATENT-3,659,225 c16 N72-25485
US-PATENT-3,659,292 c08 N72-25209
US-PATENT-3,660,240 c06 N72-25149
US-PATENT-3,660,434 c06 N72-25148
US-PATENT-3,660,704 c15 N72-25456
US-PATENT-3,660,851 c05 N72-25119
US-PATENT-3,662,337 c08 N72-25210
US-PATENT-3,662,441 c05 N72-25121
US-PATENT-3,662,547 c15 N72-25455
US-PATENT-3,662,604 c13 N72-25323
US-PATENT-3,662,661 c31 N72-25842
US-PATENT-3,662,744 c05 N72-25122
US-PATENT-3,662,973 c21 N72-25595
US-PATENT-3,663,346 c18 N72-25541
US-PATENT-3,663,347 c18 N72-25540
US-PATENT-3,663,464 c06 N72-25147
US-PATENT-3,663,521 c06 N72-25152
US-PATENT-3,663,753 c14 N72-25414
US-PATENT-3,663,828 c09 N72-25262
US-PATENT-3,663,839 c09 N72-25260
US-PATENT-3,663,843 c09 N72-25255
US-PATENT-3,663,885 c09 N72-25257
US-PATENT-3,663,886 c09 N72-25258
US-PATENT-3,663,929 c09 N72-25256
US-PATENT-3,663,938 c03 N72-25020
US-PATENT-3,663,940 c09 N72-25252
US-PATENT-3,663,941 c09 N72-25253
US-PATENT-3,663,944 c09 N72-25254
US-PATENT-3,664,185 c15 N72-26371
US-PATENT-3,664,874 c09 N72-25259
US-PATENT-3,665,064 c05 N72-25120
US-PATENT-3,665,307 c15 N72-25457
US-PATENT-3,665,313 c07 N72-25173
US-PATENT-3,665,417 c07 N72-25172
US-PATENT-3,665,467 c14 N72-28437
US-PATENT-3,665,481 c07 N72-25174
US-PATENT-3,665,589 c09 N72-25261
US-PATENT-3,665,669 c15 N72-25454
US-PATENT-3,665,670 c11 N72-25287
US-PATENT-3,665,750 c33 N72-25913
US-PATENT-3,665,751 c32 N72-25877
US-PATENT-3,665,758 c11 N72-25288
US-PATENT-3,666,051 c15 N72-25453
US-PATENT-3,666,120 c03 N72-25021
US-PATENT-3,666,566 c03 N72-26031
US-PATENT-3,666,631 c14 N72-25413
US-PATENT-3,666,718 c06 N72-25151
US-PATENT-3,666,741 c06 N72-25150
US-PATENT-3,666,942 c06 N72-25146
US-PATENT-3,667,010 c26 N72-25679
US-PATENT-3,667,039 c26 N72-25680
US-PATENT-3,667,044 c07 N72-25171
US-PATENT-3,668,956 c15 N72-27485
US-PATENT-3,669,110 c05 N72-27103
US-PATENT-3,669,393 c15 N72-27484
US-PATENT-3,670,097 c23 N72-27728
US-PATENT-3,670,168 c14 N72-27409
US-PATENT-3,670,202 c14 N72-27411
US-PATENT-3,670,241 c14 N72-27408
US-PATENT-3,670,290 c09 N72-28225
US-PATENT-3,670,559 c33 N72-27959
US-PATENT-3,670,563 c14 N72-27412
US-PATENT-3,670,564 c11 N72-27262
US-PATENT-3,670,890 c05 N72-27102
US-PATENT-3,671,105 c26 N72-27784
US-PATENT-3,671,329 c14 N72-27410
US-PATENT-3,671,497 c06 N72-27144
US-PATENT-3,671,798 c10 N72-27246
US-PATENT-3,672,999 c03 N72-27053
US-PATENT-3,673,424 c09 N72-27227
US-PATENT-3,673,440 c09 N72-27228
US-PATENT-3,675,332 c14 N72-28436
US-PATENT-3,675,376 c15 N72-28496
US-PATENT-3,675,712 c03 N72-28025
US-PATENT-3,675,910 c17 N72-28535
US-PATENT-3,675,935 c15 N72-29488
US-PATENT-3,676,084 c17 N72-28536
US-PATENT-3,676,674 c14 N72-29464
US-PATENT-3,676,754 c26 N72-28761
US-PATENT-3,676,772 c10 N72-28240
US-PATENT-3,676,787 c16 N72-28521
US-PATENT-3,676,809 c09 N72-29172
US-PATENT-3,678,191 c10 N72-31273
US-PATENT-3,678,654 c06 N72-31140
US-PATENT-3,678,685 c21 N72-31637
US-PATENT-3,678,771 c37 N74-23070
US-PATENT-3,679,360 c04 N72-33072
US-PATENT-3,679,899 c06 N72-31141
US-PATENT-3,680,142 c09 N72-31235
US-PATENT-3,680,144 c07 N72-32169
US-PATENT-3,680,830 c15 N72-31483
US-PATENT-3,681,581 c08 N72-31226
US-PATENT-3,686,542 c14 N72-31446
US-PATENT-3,690,291 c15 N72-32487
US-PATENT-3,692,533 c05 N72-33096
US-PATENT-3,693,002 c25 N72-32688
US-PATENT-3,693,105 c10 N72-33230
US-PATENT-3,693,346 c15 N72-33477
US-PATENT-3,693,418 c14 N72-33377
US-PATENT-3,694,041 c15 N72-33476
US-PATENT-3,694,094 c14 N72-32452
US-PATENT-3,694,313 c24 N72-33681
US-PATENT-3,694,581 c08 N72-33172
US-PATENT-3,694,655 c25 N72-33696
US-PATENT-3,694,700 c09 N72-33205
US-PATENT-3,694,753 c07 N72-33146
US-PATENT-3,694,771 c09 N73-15235
US-PATENT-3,695,101 c11 N73-12264
US-PATENT-3,696,418 c09 N73-12211
US-PATENT-3,696,833 c11 N73-12265
US-PATENT-3,697,021 c15 N73-12486
US-PATENT-3,697,630 c15 N73-12489
US-PATENT-3,697,705 c35 N77-21392
US-PATENT-3,697,733 c08 N73-12176
US-PATENT-3,697,950 c08 N73-12177
US-PATENT-3,697,968 c21 N73-13644
US-PATENT-3,698,385 c05 N73-13114
US-PATENT-3,698,412 c14 N73-13418
US-PATENT-3,698,659 c11 N73-13257
US-PATENT-3,698,667 c02 N73-13008
US-PATENT-3,698,848 c15 N73-13464
US-PATENT-3,699,511 c21 N73-13643
US-PATENT-3,699,645 c14 N73-13417
US-PATENT-3,699,799 c15 N73-13463
US-PATENT-3,699,807 c14 N73-13416
US-PATENT-3,699,811 c14 N73-13415
US-PATENT-3,700,005 c15 N73-13462
US-PATENT-3,700,192 c31 N73-13898
US-PATENT-3,700,193 c30 N73-12884
US-PATENT-3,700,291 c15 N73-12488
US-PATENT-3,700,334 c14 N73-12446
US-PATENT-3,700,503 c14 N73-12447
US-PATENT-3,700,538 c18 N73-12604
US-PATENT-3,700,575 c15 N73-12487
US-PATENT-3,700,603 c14 N73-14428
US-PATENT-3,700,812 c10 N73-12244
US-PATENT-3,700,868 c09 N73-13209
US-PATENT-3,700,869 c08 N73-12175
US-PATENT-3,700, 93 c14 N73-12444
US-PATENT-3,700,897 c14 N73-12445
US-PATENT-3,700,961 c23 N73-13660
US-PATENT-3,701,631 c17 N73-12547
US-PATENT-3,701,894 c07 N73-13149
US-PATENT-3,702,463 c08 N73-13187
US-PATENT-3,702,520 c32 N73-13921
US-PATENT-3,702,532 c15 N73-13467
US-PATENT-3,702,536 c28 N73-13773
US-PATENT-3,702,575 c15 N73-13466
US-PATENT-3,702,688 c31 N73-14854
US-PATENT-3,702,735 c23 N73-13661
US-PATENT-3,702,762 c06 N73-13129
US-PATENT-3,702,775 c06 N73-13128
US-PATENT-3,702,791 c15 N73-13465
US-PATENT-3,702,841 c18 N73-13562
US-PATENT-3,702,898 c10 N73-13235
US-PATENT-3,702,933 c23 N73-13662
US-PATENT-3,702,951 c09 N73-13208
US-PATENT-3,702,972 c16 N73-13489
US-PATENT-3,702,979 c14 N73-13420
US-PATENT-3,704,284 c74 N81-19898
US-PATENT-3,704,659 c14 N73-14427
US-PATENT-3,705,255 c15 N73-14469
US-PATENT-3,705,288 c15 N73-14468
US-PATENT-3,705,316 c09 N73-14214
US-PATENT-3,705,406 c07 N73-14130
US-PATENT-3,706,221 c14 N73-14429
US-PATENT-3,706,230 c31 N73-14855
US-PATENT-3,706,281 c31 N73-14853
US-PATENT-3,706,583 c18 N73-14584
US-PATENT-3,706,970 c21 N73-14692
US-PATENT-3,708,359 c27 N73-16764
US-PATENT-3,708,419 c33 N73-16918
US-PATENT-3,708,671 c14 N73-16483
US-PATENT-3,708,674 c14 N73-16484
US-PATENT-3,709,663 c06 N73-16106
US-PATENT-3,710,122 c16 N73-16536
US-PATENT-3,710,257 c07 N73-16121
US-PATENT-3,710,261 c10 N73-16205

US-PATENT-3,710,329 c10 N73-16206
US-PATENT-3,711,042 c02 N73-19004
US-PATENT-3,711,701 c74 N77-21941
US-PATENT-3,712,120 c14 N73-19421
US-PATENT-3,712,121 c14 N73-19420
US-PATENT-3,712,132 c14 N73-20478
US-PATENT-3,712,195 c14 N73-19419
US-PATENT-3,712,591 c15 N73-19458
US-PATENT-3,713,163 c09 N73-19234
US-PATENT-3,713,290 c28 N73-19793
US-PATENT-3,713,480 c05 N73-20137
US-PATENT-3,713,987 c15 N73-20514
US-PATENT-3,714,332 c15 N73-19457
US-PATENT-3,714,405 c10 N73-20253
US-PATENT-3,714,432 c14 N73-20475
US-PATENT-3,714,526 c09 N73-19235
US-PATENT-3,714,588 c09 N73-20231
US-PATENT-3,714,624 c14 N73-20474
US-PATENT-3,714,645 c08 N73-20217
US-PATENT-3,714,821 c14 N73-20476
US-PATENT-3,714,833 c11 N73-20267
US-PATENT-3,715,092 c03 N73-20039
US-PATENT-3,715,152 c23 N73-20741
US-PATENT-3,715,590 c14 N73-20477
US-PATENT-3,715,600 c03 N73-20040
US-PATENT-3,715,660 c07 N73-20175
US-PATENT-3,715,663 c07 N73-20174
US-PATENT-3,715,693 c09 N73-20232
US-PATENT-3,715,723 c07 N73-20176
US-PATENT-3,715,915 c32 N73-20740
US-PATENT-3,718,863 c10 N73-20254
US-PATENT-3,719,891 c07 N73-25160
US-PATENT-3,720,075 c33 N73-25952
US-PATENT-3,720,208 c05 N73-25125
US-PATENT-3,723,745 c14 N73-25462
US-PATENT-3,728,861 c28 N73-24783
US-PATENT-3,729,068 c15 N73-25512
US-PATENT-3,729,129 c08 N73-25206
US-PATENT-3,729,260 c14 N73-25463
US-PATENT-3,729,343 c14 N73-24472
US-PATENT-3,729,676 c14 N73-24473
US-PATENT-3,729,736 c07 N73-25161
US-PATENT-3,729,743 c07 N73-24176
US-PATENT-3,729,935 c28 N73-24784
US-PATENT-3,730,287 c11 N73-26238
US-PATENT-3,730,891 c18 N73-26572
US-PATENT-3,731,528 c12 N73-25262
US-PATENT-3,731,531 c14 N73-25460
US-PATENT-3,732,040 c15 N73-24513
US-PATENT-3,732,158 c17 N73-24569
US-PATENT-3,732,397 c33 N74-14935
US-PATENT-3,732,405 c10 N73-25240
US-PATENT-3,732,409 c08 N73-26175
US-PATENT-3,732,567 c14 N73-25461
US-PATENT-3,733,350 c06 N73-26100
US-PATENT-3,733,424 c32 N73-26910
US-PATENT-3,733,463 c14 N73-26430
US-PATENT-3,734,432 c02 N73-26004
US-PATENT-3,735,206 c10 N73-25243
US-PATENT-3,735,591 c25 N73-25760
US-PATENT-3,736,453 c33 N77-22386
US-PATENT-3,736,607 c02 N73-26006
US-PATENT-3,736,764 c05 N73-26071
US-PATENT-3,736,849 c14 N73-26431
US-PATENT-3,736,938 c05 N73-27062
US-PATENT-3,736,956 c15 N73-26472
US-PATENT-3,737,117 c31 N73-26876
US-PATENT-3,737,118 c15 N73-25513
US-PATENT-3,737,121 c02 N73-26005
US-PATENT-3,737,181 c33 N73-26958
US-PATENT-3,737,217 c05 N73-26072
US-PATENT-3,737,231 c07 N73-26119
US-PATENT-3,737,237 c26 N73-26751
US-PATENT-3,737,639 c10 N73-26230
US-PATENT-3,737,676 c10 N73-26229
US-PATENT-3,737,757 c10 N73-26228
US-PATENT-3,737,762 c14 N73-28486
US-PATENT-3,737,776 c07 N73-26118
US-PATENT-3,737,781 c10 N73-25241
US-PATENT-3,737,815 c09 N73-26195
US-PATENT-3,737,824 c26 N73-26752
US-PATENT-3,737,905 c14 N73-26432
US-PATENT-3,737,912 c07 N73-26117
US-PATENT-3,739,646 c04 N76-26175
US-PATENT-3,740,671 c10 N73-27171
US-PATENT-3,740,725 c08 N73-26176
US-PATENT-3,741,001 c14 N73-27376
US-PATENT-3,742,316 c09 N73-27150
US-PATENT-3,744,128 c09 N73-28083
US-PATENT-3,744,148 c14 N73-28489
US-PATENT-3,744,247 c28 N73-27699
US-PATENT-3,744,294 c14 N73-27379
US-PATENT-3,744,305 c12 N73-28144
US-PATENT-3,744,320 c14 N73-28487
US-PATENT-3,744,480 c05 N73-27941
US-PATENT-3,744,510 c15 N73-27406
US-PATENT-3,744,738 c14 N73-27378
US-PATENT-3,744,739 c15 N77-10112
US-PATENT-3,744,794 c14 N73-27377
US-PATENT-3,744,912 c16 N73-30476
US-PATENT-3,744,913 c14 N73-28490
US-PATENT-3,744,972 c17 N73-27446
US-PATENT-3,745,082 c18 N73-30532
US-PATENT-3,745,089 c06 N73-27086
US-PATENT-3,745,090 c04 N73-27052
US-PATENT-3,745,149 c06 N73-27980
US-PATENT-3,745,255 c07 N73-28012
US-PATENT-3,745,300 c15 N73-28515
US-PATENT-3,745,352 c08 N73-30135
US-PATENT-3,745,357 c14 N73-28488
US-PATENT-3,745,410 c09 N73-30181
US-PATENT-3,745,475 c14 N73-30386
US-PATENT-3,745,739 c15 N73-27405
US-PATENT-3,745,816 c33 N73-27796
US-PATENT-3,746,998 c07 N73-30113
US-PATENT-3,747,111 c07 N73-28013
US-PATENT-3,748,722 c15 N73-33383
US-PATENT-3,748,853 c23 N73-30665
US-PATENT-3,748,905 c14 N73-30395
US-PATENT-3,749,123 c15 N73-30459
US-PATENT-3,749,156 c31 N73-30829
US-PATENT-3,749,205 c15 N73-30460
US-PATENT-3,749,332 c31 N73-32750
US-PATENT-3,749,362 c15 N73-30457
US-PATENT-3,749,831 c07 N73-30115
US-PATENT-3,749,911 c14 N73-30389
US-PATENT-3,750,016 c14 N73-30388
US-PATENT-3,750,035 c33 N77-13315
US-PATENT-3,750,067 c09 N73-30185
US-PATENT-3,750,131 c10 N73-30205
US-PATENT-3,750,168 c21 N73-30641
US-PATENT-3,750,479 c05 N73-30078
US-PATENT-3,751,123 c15 N73-30458
US-PATENT-3,751,727 c05 N73-32012
US-PATENT-3,751,733 c05 N73-32013
US-PATENT-3,751,913 c06 N73-30097
US-PATENT-3,751,980 c14 N73-32326
US-PATENT-3,752,556 c35 N74-17153
US-PATENT-3,752,559 c14 N73-30393
US-PATENT-3,752,564 c23 N73-30666
US-PATENT-3,752,665 c18 N73-32437
US-PATENT-3,752,847 c06 N73-30098
US-PATENT-3,752,986 c14 N73-30392
US-PATENT-3,752,993 c21 N73-30640
US-PATENT-3,752,996 c91 N74-13130
US-PATENT-3,753,148 c09 N73-32111
US-PATENT-3,754,236 c08 N73-32081
US-PATENT-3,754,263 c09 N73-32110
US-PATENT-3,754,976 c15 N73-32360
US-PATENT-3,755,265 c06 N73-33076
US-PATENT-3,755,283 c06 N73-32029
US-PATENT-3,755,686 c03 N73-31988
US-PATENT-3,756,920 c05 N73-32011
US-PATENT-3,757,183 c09 N73-32107
US-PATENT-3,757,476 c31 N73-32749
US-PATENT-3,757,568 c14 N73-32323
US-PATENT-3,757,659 c14 N73-32322
US-PATENT-3,758,112 c05 N73-32014
US-PATENT-3,758,718 c10 N73-32143
US-PATENT-3,758,741 c15 N73-32358
US-PATENT-3,758,781 c14 N73-32317
US-PATENT-3,758,877 c16 N73-32391
US-PATENT-3,759,152 c14 N73-32319
US-PATENT-3,759,249 c05 N73-32015
US-PATENT-3,759,443 c28 N73-32606
US-PATENT-3,759,588 c15 N73-32359
US-PATENT-3,759,672 c14 N73-32320
US-PATENT-3,759,746 c09 N73-32108
US-PATENT-3,759,747 c44 N74-19692
US-PATENT-3,759,787 c22 N73-32528
US-PATENT-3,760,239 c09 N73-32112
US-PATENT-3,760,248 c10 N73-32145
US-PATENT-3,760,257 c09 N73-32109
US-PATENT-3,760,268 c14 N73-32318
US-PATENT-3,760,394 c10 N73-32144
US-PATENT-3,762,884 c17 N73-32414
US-PATENT-3,762,918 c17 N73-32415
US-PATENT-3,763,204 c06 N73-32030

US-PATENT-3,763,552 c26 N73-32571
US-PATENT-3,763,691 c14 N73-32327
US-PATENT-3,763,708 c35 N74-18323
US-PATENT-3,763,740 c11 N73-32152
US-PATENT-3,763,928 c33 N73-32818
US-PATENT-3,764,097 c02 N74-10034
US-PATENT-3,764,209 c14 N73-33361
US-PATENT-3,764,220 c16 N73-33397
US-PATENT-3,764,790 c33 N74-10223
US-PATENT-3,764,850 c33 N74-10195
US-PATENT-3,764,933 c33 N74-10194
US-PATENT-3,765,229 c35 N74-10415
US-PATENT-3,765,958 c26 N74-10521
US-PATENT-3,766,315 c32 N74-10132
US-PATENT-3,766,380 c35 N74-11284
US-PATENT-3,767,212 c37 N74-10474
US-PATENT-3,769,544 c31 N78-17238
US-PATENT-3,769,623 c32 N74-11000
US-PATENT-3,769,689 c37 N74-11301
US-PATENT-3,769,834 c52 N74-10975
US-PATENT-3,770,021 c33 N74-11050
US-PATENT-3,770,903 c35 N74-11283
US-PATENT-3,770,933 c37 N74-11300
US-PATENT-3,771,037 c08 N74-10942
US-PATENT-3,771,040 c33 N74-11049
US-PATENT-3,771,074 c36 N74-11313
US-PATENT-3,771,959 c25 N74-12813
US-PATENT-3,772,174 c27 N74-13270
US-PATENT-3,772,216 c27 N74-12812
US-PATENT-3,772,220 c27 N74-12814
US-PATENT-3,772,272 c33 N74-12887
US-PATENT-3,772,418 c31 N74-13177
US-PATENT-3,772,691 c32 N74-12912
US-PATENT-3,773,038 c52 N74-12778
US-PATENT-3,773,913 c46 N74-13011
US-PATENT-3,775,101 c37 N74-13179
US-PATENT-3,775,570 c35 N76-29421
US-PATENT-3,776,028 c35 N74-13129
US-PATENT-3,776,432 c37 N74-13178
US-PATENT-3,776,455 c04 N74-13420
US-PATENT-3,777,200 c33 N74-12913
US-PATENT-3,777,490 c20 N74-13502
US-PATENT-3,777,546 c35 N74-13132
US-PATENT-3,777,552 c38 N74-15130
US-PATENT-3,777,605 c39 N74-13131
US-PATENT-3,777,811 c34 N78-17336
US-PATENT-3,777,942 c54 N74-12779
US-PATENT-3,778,685 c33 N74-12951
US-PATENT-3,778,786 c60 N74-12888
US-PATENT-3,778,791 c36 N74-13205
US-PATENT-3,779,788 c70 N74-13436
US-PATENT-3,780,151 c31 N74-14133
US-PATENT-3,780,424 c44 N74-14784
US-PATENT-3,780,563 c35 N74-15092
US-PATENT-3,780,827 c07 N74-15453
US-PATENT-3,780,966 c19 N74-15089
US-PATENT-3,781,111 c36 N74-15145
US-PATENT-3,781,549 c35 N74-15090
US-PATENT-3,781,562 c35 N74-15091
US-PATENT-3,781,902 c35 N74-15831
US-PATENT-3,781,933 c54 N74-14845
US-PATENT-3,781,958 c37 N74-15128
US-PATENT-3,782,177 c38 N74-15395
US-PATENT-3,782,181 c34 N74-15652
US-PATENT-3,782,205 c35 N74-15094
US-PATENT-3,782,334 c51 N74-15778
US-PATENT-3,782,698 c35 N74-15093
US-PATENT-3,782,699 c35 N74-15126
US-PATENT-3,782,737 c37 N74-15125
US-PATENT-3,782,825 c35 N74-15146
US-PATENT-3,782,835 c74 N74-15095
US-PATENT-3,782,904 c35 N74-15127
US-PATENT-3,783,250 c62 N74-14920
US-PATENT-3,783,354 c33 N74-14956
US-PATENT-3,783,399 c33 N74-14939
US-PATENT-3,783,443 c35 N74-16135
US-PATENT-3,784,499 c27 N74-17283
US-PATENT-3,787,959 c37 N74-18128
US-PATENT-3,788,163 c37 N74-18127
US-PATENT-3,789,654 c25 N74-18551
US-PATENT-3,789,920 c34 N74-18552
US-PATENT-3,789,947 c37 N74-18125
US-PATENT-3,790,037 c54 N74-17853
US-PATENT-3,790,347 c37 N74-18123
US-PATENT-3,790,409 c44 N74-19693
US-PATENT-3,790,432 c37 N74-18126
US-PATENT-3,790,650 c31 N74-18124
US-PATENT-3,790,795 c35 N74-18088
US-PATENT-3,790,906 c33 N74-17927
US-PATENT-3,791,207 c09 N74-17955
US-PATENT-3,792,399 c33 N74-17928
US-PATENT-3,793,109 c31 N74-18089
US-PATENT-3,795,134 c09 N74-19528
US-PATENT-3,795,448 c72 N74-19310
US-PATENT-3,795,840 c33 N74-17929
US-PATENT-3,795,858 c35 N74-18090
US-PATENT-3,795,862 c33 N74-17930
US-PATENT-3,795,900 c35 N74-17885
US-PATENT-3,795,910 c44 N74-19870
US-PATENT-3,796,473 c37 N74-20063
US-PATENT-3,796,592 c24 N74-19769
US-PATENT-3,797,098 c37 N74-21057
US-PATENT-3,797,919 c70 N74-21300
US-PATENT-3,798,741 c31 N74-21059
US-PATENT-3,798,748 c37 N74-21055
US-PATENT-3,798,778 c19 N74-21015
US-PATENT-3,798,896 c37 N74-21060
US-PATENT-3,799,149 c52 N74-20728
US-PATENT-3,799,475 c02 N74-20646
US-PATENT-3,799,793 c74 N74-20008
US-PATENT-3,799,813 c76 N74-20329
US-PATENT-3,800,074 c36 N74-20009
US-PATENT-3,800,082 c71 N74-21014
US-PATENT-3,800,224 c32 N74-19790
US-PATENT-3,800,227 c32 N74-20809
US-PATENT-3,800,237 c32 N74-19788
US-PATENT-3,800,253 c37 N74-21056
US-PATENT-3,801,617 c37 N74-21058
US-PATENT-3,802,249 c35 N74-21019
US-PATENT-3,802,253 c52 N74-20726
US-PATENT-3,802,262 c35 N74-21018
US-PATENT-3,802,660 c37 N74-21065
US-PATENT-3,802,753 c37 N74-21064
US-PATENT-3,802,779 c74 N74-21304
US-PATENT-3,803,090 c27 N74-21156
US-PATENT-3,803,393 c60 N74-20836
US-PATENT-3,803,445 c32 N74-20813
US-PATENT-3,803,617 c32 N74-20863
US-PATENT-3,804,472 c37 N74-21061
US-PATENT-3,804,506 c33 N74-20861
US-PATENT-3,804,525 c36 N74-21091
US-PATENT-3,804,703 c37 N74-21063
US-PATENT-3,805,266 c32 N74-20864
US-PATENT-3,805,303 c54 N74-20725
US-PATENT-3,805,622 c35 N74-21062
US-PATENT-3,806,756 c33 N74-21850
US-PATENT-3,806,802 c35 N74-21017
US-PATENT-3,806,815 c32 N74-20811
US-PATENT-3,806,816 c32 N74-20810
US-PATENT-3,806,831 c33 N74-20862
US-PATENT-3,806,834 c36 N76-18427
US-PATENT-3,806,835 c33 N74-20859
US-PATENT-3,806,932 c33 N74-20860
US-PATENT-3,807,384 c34 N74-23039
US-PATENT-3,807,656 c18 N74-22136
US-PATENT-3,808,464 c33 N74-22814
US-PATENT-3,808,511 c33 N74-22864
US-PATENT-3,808,517 c33 N74-22885
US-PATENT-3,809,481 c35 N74-23040
US-PATENT-3,809,601 c37 N74-23064
US-PATENT-3,809,800 c33 N74-22865
US-PATENT-3,809,871 c52 N74-22771
US-PATENT-3,810,829 c31 N74-23065
US-PATENT-3,811,044 c34 N74-23066
US-PATENT-3,811,094 c33 N74-21851
US-PATENT-3,811,429 c52 N74-27566
US-PATENT-3,812,358 c35 N74-26949
US-PATENT-3,812,783 c28 N74-27425
US-PATENT-3,812,924 c35 N74-26945
US-PATENT-3,812,936 c37 N74-26976
US-PATENT-3,813,183 c37 N74-25968
US-PATENT-3,813,875 c15 N74-27360
US-PATENT-3,813,937 c34 N74-27859
US-PATENT-3,814,083 c52 N74-26626
US-PATENT-3,814,350 c18 N74-27397
US-PATENT-3,814,645 c24 N74-30001
US-PATENT-3,814,653 c24 N74-27035
US-PATENT-3,814,678 c25 N74-26948
US-PATENT-3,814,939 c25 N74-26947
US-PATENT-3,815,048 c33 N74-26732
US-PATENT-3,815,109 c52 N74-26625
US-PATENT-3,815,205 c33 N74-26977
US-PATENT-3,815,969 c35 N74-26946
US-PATENT-3,816,657 c32 N74-26654
US-PATENT-3,816,785 c73 N74-26767
US-PATENT-3,817,082 c34 N74-27730
US-PATENT-3,817,084 c31 N74-27900
US-PATENT-3,817,622 c75 N74-30156

US-PATENT-3,817,627 c35 N74-27860
US-PATENT-3,818,325 c44 N74-27519
US-PATENT-3,818,346 c33 N74-27705
US-PATENT-3,818,767 c35 N74-28097
US-PATENT-3,818,775 c37 N74-27901
US-PATENT-3,818,814 c31 N74-27902
US-PATENT-3,819,299 c37 N74-27904
US-PATENT-3,819,419 c34 N74-27861
US-PATENT-3,819,440 c32 N74-27612
US-PATENT-3,819,550 c27 N74-27037
US-PATENT-3,820,095 c33 N74-27862
US-PATENT-3,820,286 c37 N74-27905
US-PATENT-3,820,388 c35 N74-27865
US-PATENT-3,820,529 c52 N74-27864
US-PATENT-3,820,630 c07 N74-27490
US-PATENT-3,820,741 c37 N74-27903
US-PATENT-3,820,918 c07 N74-28226
US-PATENT-3,821,102 c34 N74-27744
US-PATENT-3,821,462 c33 N74-27683
US-PATENT-3,821,546 c33 N74-27682
US-PATENT-3,821,556 c74 N74-27866
US-PATENT-3,824,707 c09 N74-30597
US-PATENT-3,825,760 c19 N74-29410
US-PATENT-3,826,448 c08 N74-30421
US-PATENT-3,826,726 c25 N74-30502
US-PATENT-3,826,729 c20 N74-31269
US-PATENT-3,826,964 c33 N74-29556
US-PATENT-3,827,288 c71 N74-31148
US-PATENT-3,827,807 c89 N74-30886
US-PATENT-3,828,137 c32 N74-30524
US-PATENT-3,828,138 c32 N74-30523
US-PATENT-3,828,524 c34 N74-30608
US-PATENT-3,829,237 c07 N74-31270
US-PATENT-3,829,839 c60 N76-18800
US-PATENT-3,830,060 c44 N74-33379
US-PATENT-3,830,094 c35 N74-32879
US-PATENT-3,830,335 c07 N74-32418
US-PATENT-3,830,431 c07 N74-33218
US-PATENT-3,830,552 c37 N74-32921
US-PATENT-3,830,609 c31 N74-32920
US-PATENT-3,830,673 c28 N74-33209
US-PATENT-3,831,098 c33 N74-32711
US-PATENT-3,831,117 c33 N74-32712
US-PATENT-3,831,142 c32 N74-32598
US-PATENT-3,832,290 c20 N74-32919
US-PATENT-3,832,735 c54 N74-32546
US-PATENT-3,832,764 c37 N74-32918
US-PATENT-3,832,781 c35 N74-32877
US-PATENT-3,832,903 c35 N74-32878
US-PATENT-3,833,322 c31 N74-32917
US-PATENT-3,833,336 c25 N74-33378
US-PATENT-3,833,857 c33 N74-32660
US-PATENT-3,835,318 c35 N74-34857
US-PATENT-3,837,285 c85 N74-34672
US-PATENT-3,837,908 c76 N79-16678
US-PATENT-3,840,829 c33 N74-34638
US-PATENT-3,841,973 c35 N75-12272
US-PATENT-3,842,485 c37 N75-12326
US-PATENT-3,842,509 c35 N75-12273
US-PATENT-3,842,656 c76 N75-12810
US-PATENT-3,845,466 c74 N81-19896
US-PATENT-3,846,243 c25 N75-12086
US-PATENT-3,847,115 c31 N75-12161
US-PATENT-3,847,141 c35 N75-12271
US-PATENT-3,847,208 c34 N75-12222
US-PATENT-3,847,652 c25 N75-12087
US-PATENT-3,847,689 c74 N75-12732
US-PATENT-3,848,190 c35 N75-12270
US-PATENT-3,849,554 c52 N75-15270
US-PATENT-3,849,668 c54 N75-12616
US-PATENT-3,849,720 c33 N77-26387
US-PATENT-3,849,865 c37 N75-13261
US-PATENT-3,849,875 c35 N75-13213
US-PATENT-3,849,877 c24 N75-13032
US-PATENT-3,850,169 c54 N75-13531
US-PATENT-3,850,388 c05 N75-12930
US-PATENT-3,850,567 c31 N75-13111
US-PATENT-3,850,754 c51 N75-13502
US-PATENT-3,851,162 c60 N75-13539
US-PATENT-3,851,238 c33 N75-13139
US-PATENT-3,851,250 c15 N75-13007
US-PATENT-3,853,003 c09 N75-12969
US-PATENT-3,853,075 c09 N75-12968
US-PATENT-3,854,097 c75 N75-13625
US-PATENT-3,854,113 c37 N75-13265
US-PATENT-3,855,873 c37 N75-13266
US-PATENT-3,856,042 c37 N75-15050
US-PATENT-3,856,402 c36 N75-15028
US-PATENT-3,856,471 c25 N75-14644
US-PATENT-3,856,534 c23 N75-14834
US-PATENT-3,857,031 c35 N75-15014
US-PATENT-3,857,045 c33 N75-14957
US-PATENT-3,859,119 c36 N75-15029
US-PATENT-3,859,714 c37 N75-15992
US-PATENT-3,859,714 c24 N79-25143
US-PATENT-3,859,736 c09 N75-15662
US-PATENT-3,859,840 c35 N75-15932
US-PATENT-3,859,845 c35 N75-15931
US-PATENT-3,860,342 c35 N75-16783
US-PATENT-3,860,393 c25 N76-18245
US-PATENT-3,860,858 c33 N75-15874
US-PATENT-3,860,921 c32 N75-15854
US-PATENT-3,860,946 c33 N79-11314
US-PATENT-3,863,881 c37 N75-18573
US-PATENT-3,864,060 c35 N75-19611
US-PATENT-3,864,239 c37 N75-19684
US-PATENT-3,864,542 c37 N75-19683
US-PATENT-3,864,797 c20 N75-18310
US-PATENT-3,864,953 c35 N75-19615
US-PATENT-3,864,960 c35 N75-19612
US-PATENT-3,865,442 c37 N75-18574
US-PATENT-3,865,975 c36 N75-19652
US-PATENT-3,866,022 c33 N75-19519
US-PATENT-3,866,114 c33 N75-18477
US-PATENT-3,866,128 c33 N75-19515
US-PATENT-3,866,210 c33 N75-19517
US-PATENT-3,866,233 c33 N75-19516
US-PATENT-3,866,863 c18 N75-19329
US-PATENT-3,867,677 c33 N75-19524
US-PATENT-3,868,591 c36 N75-19655
US-PATENT-3,868,830 c77 N75-20139
US-PATENT-3,868,856 c35 N75-19614
US-PATENT-3,869,151 c37 N75-19686
US-PATENT-3,869,160 c37 N75-19685
US-PATENT-3,869,210 c36 N75-19653
US-PATENT-3,869,212 c35 N75-19613
US-PATENT-3,869,597 c77 N75-20140
US-PATENT-3,869,615 c35 N75-19616
US-PATENT-3,869,624 c33 N75-18479
US-PATENT-3,869,659 c33 N75-19522
US-PATENT-3,869,667 c33 N75-19521
US-PATENT-3,869,676 c33 N75-19520
US-PATENT-3,869,680 c36 N75-19654
US-PATENT-3,869,779 c26 N75-19408
US-PATENT-3,872,395 c33 N75-19518
US-PATENT-3,874,240 c35 N75-25122
US-PATENT-3,874,635 c37 N75-25185
US-PATENT-3,874,677 c37 N75-21631
US-PATENT-3,875,332 c32 N75-21486
US-PATENT-3,875,394 c33 N75-26243
US-PATENT-3,875,404 c35 N75-23910
US-PATENT-3,875,435 c20 N75-24837
US-PATENT-3,875,500 c35 N75-21582
US-PATENT-3,875,584 c32 N75-21485
US-PATENT-3,877,833 c37 N75-25186
US-PATENT-3,878,464 c32 N75-24981
US-PATENT-3,881,132 c33 N77-21315
US-PATENT-3,882,417 c36 N78-17366
US-PATENT-3,882,530 c76 N75-25730
US-PATENT-3,882,634 c51 N75-25503
US-PATENT-3,882,719 c14 N75-24794
US-PATENT-3,882,732 c12 N75-24774
US-PATENT-3,882,846 c05 N75-24716
US-PATENT-3,883,095 c07 N75-24736
US-PATENT-3,883,215 c35 N75-25124
US-PATENT-3,883,436 c74 N75-25706
US-PATENT-3,883,689 c35 N75-25123
US-PATENT-3,883,785 c09 N75-24758
US-PATENT-3,883,812 c33 N75-25041
US-PATENT-3,883,817 c33 N75-25040
US-PATENT-3,883,872 c32 N75-24982
US-PATENT-3,884,432 c05 N75-25914
US-PATENT-3,884,765 c35 N75-27330
US-PATENT-3,887,233 c05 N75-25915
US-PATENT-3,887,345 c35 N75-26334
US-PATENT-3,887,365 c37 N75-26371
US-PATENT-3,888,362 c54 N75-27758
US-PATENT-3,888,410 c34 N75-26282
US-PATENT-3,888,561 c35 N75-27328
US-PATENT-3,888,705 c25 N75-26043
US-PATENT-3,889,064 c32 N75-26195
US-PATENT-3,889,122 c37 N75-26372
US-PATENT-3,889,155 c33 N75-26244
US-PATENT-3,889,182 c33 N75-26245
US-PATENT-3,889,185 c33 N75-26246
US-PATENT-3,889,264 c32 N75-26194
US-PATENT-3,891,311 c54 N75-27759
US-PATENT-3,891,452 c27 N75-27160

US-PATENT-3,891,533 c33 N75-27252
US-PATENT-3,891,848 c45 N75-27585
US-PATENT-3,891,851 c35 N75-27331
US-PATENT-3,893,449 c54 N75-27760
US-PATENT-3,893,458 c54 N75-27761
US-PATENT-3,893,573 c18 N75-27041
US-PATENT-3,894,289 c36 N75-27364
US-PATENT-3,894,677 c24 N75-28135
US-PATENT-3,894,887 c44 N76-18641
US-PATENT-3,895,521 c35 N75-29381
US-PATENT-3,895,912 c35 N75-29380
US-PATENT-3,896,758 c35 N75-33367
US-PATENT-3,896,955 c37 N77-22480
US-PATENT-3,898,578 c33 N75-30428
US-PATENT-3,898,730 c24 N75-30260
US-PATENT-3,898,882 c35 N75-30503
US-PATENT-3,899,224 c37 N75-30562
US-PATENT-3,899,252 c35 N75-30502
US-PATENT-3,899,517 c23 N75-30256
US-PATENT-3,899,680 c73 N75-30876
US-PATENT-3,899,696 c36 N75-30524
US-PATENT-3,899,745 c33 N75-30429
US-PATENT-3,900,705 c33 N75-30431
US-PATENT-3,900,741 c35 N75-30504
US-PATENT-3,900,847 c03 N75-30132
US-PATENT-3,902,143 c33 N75-30430
US-PATENT-3,903,699 c44 N75-32581
US-PATENT-3,905,356 c33 N75-31329
US-PATENT-3,905,660 c37 N75-31446
US-PATENT-3,906,231 c33 N75-31332
US-PATENT-3,906,296 c33 N75-31331
US-PATENT-3,906,374 c33 N75-31330
US-PATENT-3,906,393 c36 N75-31427
US-PATENT-3,906,397 c36 N75-31426
US-PATENT-3,906,398 c36 N75-32441
US-PATENT-3,906,769 c24 N75-33181
US-PATENT-3,906,788 c35 N75-33369
US-PATENT-3,906,913 c37 N76-18457
US-PATENT-3,906,954 c52 N75-33640
US-PATENT-3,907,312 c37 N75-33395
US-PATENT-3,907,646 c35 N75-33368
US-PATENT-3,907,686 c34 N75-33342
US-PATENT-3,908,118 c38 N78-17395
US-PATENT-3,909,602 c38 N78-17396
US-PATENT-3,910,035 c20 N76-14190
US-PATENT-3,910,039 c20 N76-14191
US-PATENT-3,910,257 c52 N76-14757
US-PATENT-3,910,307 c37 N76-14463
US-PATENT-3,910,533 c18 N76-14186
US-PATENT-3,910,814 c24 N76-14204
US-PATENT-3,911,260 c35 N76-14431
US-PATENT-3,911,330 c33 N76-14373
US-PATENT-3,912,540 c44 N76-14600
US-PATENT-3,912,541 c44 N76-14601
US-PATENT-3,912,999 c44 N76-18643
US-PATENT-3,914,950 c31 N76-14284
US-PATENT-3,914,969 c37 N76-14461
US-PATENT-3,914,991 c35 N76-14430
US-PATENT-3,914,997 c35 N76-14429
US-PATENT-3,915,012 c54 N76-14804
US-PATENT-3,915,148 c44 N76-14602
US-PATENT-3,915,416 c15 N76-14158
US-PATENT-3,915,482 c37 N76-14460
US-PATENT-3,915,572 c36 N76-14447
US-PATENT-3,916,060 c27 N76-15310
US-PATENT-3,916,084 c33 N76-14371
US-PATENT-3,916,187 c35 N76-15431
US-PATENT-3,916,316 c32 N76-14321
US-PATENT-3,916,380 c60 N76-14818
US-PATENT-3,916,761 c75 N76-14931
US-PATENT-3,919,014 c24 N76-14203
US-PATENT-3,919,710 c33 N76-14372
US-PATENT-3,920,339 c27 N76-14264
US-PATENT-3,920,413 c44 N76-14595
US-PATENT-3,920,416 c44 N76-18642
US-PATENT-3,922,930 c37 N76-15457
US-PATENT-3,923,166 c37 N76-15460
US-PATENT-3,924,068 c32 N76-16249
US-PATENT-3,924,137 c72 N76-15860
US-PATENT-3,924,164 c33 N76-15373
US-PATENT-3,924,176 c35 N76-16390
US-PATENT-3,924,183 c33 N76-16331
US-PATENT-3,924,200 c35 N76-15436
US-PATENT-3,924,237 c32 N76-15330
US-PATENT-3,924,239 c35 N76-15435
US-PATENT-3,924,267 c35 N76-16391
US-PATENT-3,924,444 c35 N76-15432
US-PATENT-3,925,104 c35 N76-15434
US-PATENT-3,925,312 c23 N76-15268
US-PATENT-3,926,482 c37 N76-15461
US-PATENT-3,926,567 c27 N76-15311
US-PATENT-3,927,227 c12 N76-15189
US-PATENT-3,927,324 c35 N76-15433
US-PATENT-3,927,408 c32 N76-15329
US-PATENT-3,928,708 c27 N76-16230
US-PATENT-3,929,119 c75 N76-17951
US-PATENT-3,929,305 c34 N76-17317
US-PATENT-3,929,306 c18 N76-17185
US-PATENT-3,929,364 c35 N76-16392
US-PATENT-3,930,628 c02 N76-16014
US-PATENT-3,930,735 c66 N76-19888
US-PATENT-3,931,132 c27 N76-16228
US-PATENT-3,931,447 c27 N76-16229
US-PATENT-3,931,456 c33 N76-16332
US-PATENT-3,931,462 c45 N76-17656
US-PATENT-3,931,516 c35 N76-16393
US-PATENT-3,931,532 c44 N76-16612
US-PATENT-3,932,262 c25 N79-10163
US-PATENT-3,936,927 c37 N76-19437
US-PATENT-3,937,055 c37 N76-18454
US-PATENT-3,937,212 c33 N76-19338
US-PATENT-3,937,215 c52 N76-19785
US-PATENT-3,937,387 c37 N76-18455
US-PATENT-3,937,533 c37 N76-18459
US-PATENT-3,937,555 c35 N76-18402
US-PATENT-3,937,661 c37 N76-18456
US-PATENT-3,937,945 c74 N76-18913
US-PATENT-3,938,035 c33 N76-19339
US-PATENT-3,938,037 c26 N76-18257
US-PATENT-3,938,162 c32 N76-18295
US-PATENT-3,938,182 c33 N76-18353
US-PATENT-3,938,188 c33 N76-18345
US-PATENT-3,938,367 c35 N76-18401
US-PATENT-3,938,373 c35 N76-18400
US-PATENT-3,938,742 c07 N76-18117
US-PATENT-3,938,892 c74 N76-19935
US-PATENT-3,938,956 c35 N76-18403
US-PATENT-3,939,048 c37 N76-18458
US-PATENT-3,939,439 c36 N76-18428
US-PATENT-3,940,097 c34 N76-18364
US-PATENT-3,940,621 c34 N76-18374
US-PATENT-3,941,355 c37 N76-19436
US-PATENT-3,942,398 c37 N76-20480
US-PATENT-3,943,368 c74 N76-20958
US-PATENT-3,943,442 c76 N76-20994
US-PATENT-3,943,763 c04 N76-20114
US-PATENT-3,944,485 c25 N81-19244
US-PATENT-3,945,801 c45 N76-21742
US-PATENT-3,945,879 c37 N76-21554
US-PATENT-3,947,933 c20 N76-21276
US-PATENT-3,948,102 c33 N76-21390
US-PATENT-3,948,470 c20 N76-21275
US-PATENT-3,949,206 c32 N76-21366
US-PATENT-3,949,400 c17 N76-21250
US-PATENT-3,949,404 c32 N76-21365
US-PATENT-3,950,729 c60 N76-21914
US-PATENT-3,951,129 c44 N76-22657
US-PATENT-3,952,083 c27 N76-22376
US-PATENT-3,952,590 c09 N76-23273
US-PATENT-3,952,971 c02 N76-22154
US-PATENT-3,952,976 c37 N76-22540
US-PATENT-3,952,980 c19 N76-22284
US-PATENT-3,952,998 c20 N76-22296
US-PATENT-3,953,038 c37 N76-22541
US-PATENT-3,953,343 c24 N76-22309
US-PATENT-3,953,646 c27 N76-22377
US-PATENT-3,953,674 c17 N76-22245
US-PATENT-3,953,734 c25 N76-22323
US-PATENT-3,953,792 c35 N76-22509
US-PATENT-3,955,034 c27 N76-23426
US-PATENT-3,955,941 c44 N76-29700
US-PATENT-3,956,032 c76 N76-25049
US-PATENT-3,956,050 c37 N76-24575
US-PATENT-3,956,233 c27 N76-24405
US-PATENT-3,956,833 c09 N76-24280
US-PATENT-3,956,919 c35 N76-24523
US-PATENT-3,956,932 c35 N76-24524
US-PATENT-3,957,030 c44 N76-23675
US-PATENT-3,957,037 c35 N76-24525
US-PATENT-3,957,044 c54 N76-24900
US-PATENT-3,957,104 c37 N76-23570
US-PATENT-3,957,675 c24 N76-24363
US-PATENT-3,958,188 c36 N76-24553
US-PATENT-3,958,238 c60 N76-23650
US-PATENT-3,958,553 c44 N76-24696
US-PATENT-3,961,997 c44 N76-28635
US-PATENT-3,964,306 c34 N76-27517
US-PATENT-3,964,319 c07 N76-27232

US-PATENT-3,964,813 c37 N76-27567
US-PATENT-3,964,902 c34 N76-27515
US-PATENT-3,964,928 c44 N76-27664
US-PATENT-3,965,096 c27 N76-32315
US-PATENT-3,965,354 c33 N76-27473
US-PATENT-3,965,475 c33 N76-27472
US-PATENT-3,966,499 c44 N76-31666
US-PATENT-3,966,547 c25 N76-27383
US-PATENT-3,967,091 c37 N76-27568
US-PATENT-3,971,230 c37 N76-29590
US-PATENT-3,971,256 c91 N76-30131
US-PATENT-3,971,362 c52 N76-29894
US-PATENT-3,971,363 c52 N76-29895
US-PATENT-3,971,364 c52 N76-29696
US-PATENT-3,971,535 c05 N76-29217
US-PATENT-3,971,602 c37 N76-29588
US-PATENT-3,971,697 c25 N76-29379
US-PATENT-3,971,703 c51 N76-29891
US-PATENT-3,971,847 c44 N76-29704
US-PATENT-3,971,915 c35 N76-29552
US-PATENT-3,971,930 c74 N76-30053
US-PATENT-3,971,940 c35 N76-29551
US-PATENT-3,972,008 c36 N76-29575
US-PATENT-3,972,038 c17 N76-29347
US-PATENT-3,972,651 c44 N76-29701
US-PATENT-3,972,727 c44 N76-29699
US-PATENT-3,976,997 c62 N76-31946
US-PATENT-3,977,147 c39 N76-31562
US-PATENT-3,977,197 c44 N76-31667
US-PATENT-3,977,231 c35 N76-31489
US-PATENT-3,977,771 c74 N76-31998
US-PATENT-3,977,787 c35 N76-31490
US-PATENT-3,977,831 c45 N76-31714
US-PATENT-3,978,187 c37 N76-31524
US-PATENT-3,978,287 c32 N76-31372
US-PATENT-3,978,360 c33 N76-31409
US-PATENT-3,978,364 c31 N76-31365
US-PATENT-3,978,410 c03 N76-32140
US-PATENT-3,978,417 c36 N76-31512
US-PATENT-3,978,490 c33 N76-32457
US-PATENT-3,982,910 c44 N77-10636
US-PATENT-3,983,695 c20 N77-10148
US-PATENT-3,983,714 c31 N77-10229
US-PATENT-3,983,749 c09 N77-10071
US-PATENT-3,983,753 c52 N77-10780
US-PATENT-3,983,780 c28 N77-10213
US-PATENT-3,983,933 c34 N77-10463
US-PATENT-3,984,070 c02 N77-10001
US-PATENT-3,984,072 c15 N77-10113
US-PATENT-3,984,256 c44 N77-10635
US-PATENT-3,984,634 c32 N77-10392
US-PATENT-3,984,671 c43 N77-10584
US-PATENT-3,984,681 c35 N77-10492
US-PATENT-3,984,685 c47 N77-10753
US-PATENT-3,984,686 c35 N77-10493
US-PATENT-3,984,730 c33 N77-10429
US-PATENT-3,984,799 c33 N77-10428
US-PATENT-3,985,454 c74 N77-10899
US-PATENT-3,987,630 c37 N77-12402
US-PATENT-3,988,561 c37 N77-11397
US-PATENT-3,988,677 c32 N77-12240
US-PATENT-3,988,716 c60 N77-12721
US-PATENT-3,988,729 c32 N77-12239
US-PATENT-3,988,933 c35 N77-19385
US-PATENT-3,989,136 c37 N77-19457
US-PATENT-3,989,206 c09 N77-19076
US-PATENT-3,989,541 c44 N77-19571
US-PATENT-3,989,602 c24 N77-19171
US-PATENT-3,990,049 c60 N77-19760
US-PATENT-3,990,860 c27 N77-13217
US-PATENT-3,990,987 c37 N77-13418
US-PATENT-3,994,128 c07 N77-14025
US-PATENT-3,995,324 c52 N77-14735
US-PATENT-3,995,476 c35 N77-14407
US-PATENT-3,995,522 c37 N77-14478
US-PATENT-3,995,621 c52 N77-14736
US-PATENT-3,995,644 c52 N77-14738
US-PATENT-3,995,789 c37 N77-14479
US-PATENT-3,995,877 c37 N77-14477
US-PATENT-3,995,960 c35 N77-14411
US-PATENT-3,996,064 c44 N77-14581
US-PATENT-3,996,067 c44 N77-14580
US-PATENT-3,996,070 c35 N77-14409
US-PATENT-3,996,455 c60 N77-14751
US-PATENT-3,996,462 c33 N77-14335
US-PATENT-3,996,464 c35 N77-14406
US-PATENT-3,996,468 c35 N77-14408
US-PATENT-3,996,471 c52 N77-14737
US-PATENT-3,996,506 c33 N77-14333
US-PATENT-3,996,532 c32 N77-14292
US-PATENT-3,997,848 c33 N77-14334
US-PATENT-3,999,886 c05 N77-17029
US-PATENT-4,049,930 c33 N78-10375
US-PATENT-4,000,682 c20 N77-17143
US-PATENT-4,000,929 c37 N77-17464
US-PATENT-4,001,552 c38 N77-17495
US-PATENT-4,001,602 c33 N77-17354
US-PATENT-4,003,004 c33 N77-17351
US-PATENT-4,003,084 c35 N77-17426
US-PATENT-4,003,257 c23 N77-17161
US-PATENT-4,004,292 c74 N77-18893
US-PATENT-4,005,574 c07 N77-17059
US-PATENT-4,006,631 c04 N77-19056
US-PATENT-4,006,999 c24 N77-19170
US-PATENT-4,007,430 c36 N77-19416
US-PATENT-4,007,434 c32 N77-18307
US-PATENT-4,007,601 c34 N77-19353
US-PATENT-4,007,623 c35 N77-18417
US-PATENT-4,007,891 c07 N77-18154
US-PATENT-4,008,348 c34 N77-18382
US-PATENT-4,008,407 c73 N77-18891
US-PATENT-4,010,455 c37 N77-19458
US-PATENT-4,010,455 c37 N78-31426
US-PATENT-4,011,719 c20 N77-20162
US-PATENT-4,011,756 c35 N77-20400
US-PATENT-4,011,854 c35 N77-20401
US-PATENT-4,012,018 c35 N77-20399
US-PATENT-4,012,123 c74 N77-20882
US-PATENT-4,012,237 c26 N77-20201
US-PATENT-4,012,696 c32 N77-20289
US-PATENT-4,014,745 c51 N77-22794
US-PATENT-4,014,798 c25 N81-17187
US-PATENT-4,017,959 c37 N77-23482
US-PATENT-4,018,080 c35 N77-22450
US-PATENT-4,018,085 c35 N77-22449
US-PATENT-4,018,092 c37 N77-22482
US-PATENT-4,018,409 c37 N77-23483
US-PATENT-4,018,423 c54 N77-21844
US-PATENT-4,018,532 c74 N77-22951
US-PATENT-4,018,533 c74 N77-22950
US-PATENT-4,018,649 c51 N77-25769
US-PATENT-4,018,971 c44 N77-22606
US-PATENT-4,019,179 c32 N77-21267
US-PATENT-4,019,868 c44 N77-22607
US-PATENT-4,020,632 c07 N77-23106
US-PATENT-4,023,266 c33 N77-26385
US-PATENT-4,025,327 c35 N77-24455
US-PATENT-4,025,783 c74 N77-26942
US-PATENT-4,025,866 c33 N77-24375
US-PATENT-4,025,875 c36 N77-25499
US-PATENT-4,025,876 c71 N77-26919
US-PATENT-4,025,891 c35 N77-24454
US-PATENT-4,025,950 c32 N77-24328
US-PATENT-4,025,964 c52 N77-25772
US-PATENT-4,026,527 c34 N77-24423
US-PATENT-4,026,655 c36 N77-25501
US-PATENT-4,027,212 c33 N77-26386
US-PATENT-4,027,265 c32 N77-24331
US-PATENT-4,027,273 c36 N77-25502
US-PATENT-4,027,494 c35 N78-12390
US-PATENT-4,027,524 c09 N77-27131
US-PATENT-4,028,939 c34 N77-27345
US-PATENT-4,029,470 c51 N77-27677
US-PATENT-4,029,500 c24 N77-27187
US-PATENT-4,029,838 c24 N77-27188
US-PATENT-4,030,047 c35 N77-27366
US-PATENT-4,030,348 c39 N78-10493
US-PATENT-4,031,389 c36 N77-26477
US-PATENT-4,032,089 c24 N77-28225
US-PATENT-4,032,089 c27 N81-14077
US-PATENT-4,033,119 c07 N77-28118
US-PATENT-4,033,133 c28 N80-10374
US-PATENT-4,033,182 c39 N77-28511
US-PATENT-4,033,286 c25 N79-28253
US-PATENT-4,033,316 c33 N77-28385
US-PATENT-4,033,334 c52 N77-28717
US-PATENT-4,033,349 c52 N77-28716
US-PATENT-4,033,479 c37 N77-28487
US-PATENT-4,033,503 c26 N77-29260
US-PATENT-4,033,504 c26 N77-28265
US-PATENT-4,033,705 c07 N77-27116
US-PATENT-4,033,882 c32 N77-28346
US-PATENT-4,035,037 c37 N77-28486
US-PATENT-4,035,062 c74 N77-28932
US-PATENT-4,035,065 c74 N77-28933
US-PATENT-4,038,705 c54 N77-30749
US-PATENT-4,039-489 c27 N77-31308
US-PATENT-4,039-946 c35 N77-30436


US-PATENT-4,039,000 c34 N77-30399
US-PATENT-4,039,347 c27 N77-30237
US-PATENT-4,039,754 c32 N77-30309
US-PATENT-4,039,925 c33 N77-30365
US-PATENT-4,040,041 c33 N77-31404
US-PATENT-4,040,750 c35 N77-31465
US-PATENT-4,040,867 c44 N77-31601
US-PATENT-4,040,940 c37 N80-14397
US-PATENT-4,041,233 c27 N77-30236
US-PATENT-4,041,391 c32 N77-30308
US-PATENT-4,041,697 c37 N78-10467
US-PATENT-4,041,910 c37 N77-31497
US-PATENT-4,042,926 c32 N77-31350
US-PATENT-4,043,674 c36 N77-32478
US-PATENT-4,044,753 c44 N77-32582
US-PATENT-4,044,821 c44 N77-32581
US-PATENT-4,045,063 c37 N77-32499
US-PATENT-4,045,149 c07 N77-32148
US-PATENT-4,045,247 c35 N77-32454
US-PATENT-4,045,255 c26 N77-32279
US-PATENT-4,045,315 c44 N77-32580
US-PATENT-4,045,359 c25 N77-32255
US-PATENT-4,045,728 c35 N77-32455
US-PATENT-4,045,792 c60 N77-32731
US-PATENT-4,045,795 c32 N77-32342
US-PATENT-4,046,012 c35 N77-32456
US-PATENT-4,046,190 c34 N77-32413
US-PATENT-4,046,262 c54 N77-32721
US-PATENT-4,046,434 c37 N77-32500
US-PATENT-4,046,435 c37 N77-32501
US-PATENT-4,046,462 c44 N77-32583
US-PATENT-4,046,529 c54 N77-32722
US-PATENT-4,046,560 c26 N77-32280
US-PATENT-4,046,617 c76 N77-32919
US-PATENT-4,046,619 c27 N77-32308
US-PATENT-4,047,840 c37 N78-10468
US-PATENT-4,051,558 c52 N78-10686
US-PATENT-4,051,834 c44 N78-10554
US-PATENT-4,051,877 c35 N78-10428
US-PATENT-4,052,144 c25 N78-10224
US-PATENT-4,052,181 c71 N78-10837
US-PATENT-4,052,302 c25 N78-10225
US-PATENT-4,052,523 c24 N78-10214
US-PATENT-4,052,614 c35 N78-10429
US-PATENT-4,052,648 c33 N78-10376
US-PATENT-4,052,659 c33 N78-10377
US-PATENT-4,052,666 c43 N78-10529
US-PATENT-4,052,705 c60 N78-10709
US-PATENT-4,053,229 c74 N78-13874
US-PATENT-4,053,231 c35 N78-18391
US-PATENT-4,053,918 c44 N78-13526
US-PATENT-4,055,004 c09 N78-18083
US-PATENT-4,055,041 c07 N78-18066
US-PATENT-4,055,072 c35 N78-19465
US-PATENT-4,055,089 c35 N78-18390
US-PATENT-4,055,147 c35 N78-19466
US-PATENT-4,055,416 c26 N78-18182
US-PATENT-4,055,447 c26 N78-18183
US-PATENT-4,055,686 c37 N78-13436
US-PATENT-4,055,705 c34 N78-18355
US-PATENT-4,055,707 c44 N78-19599
US-PATENT-4,055,764 c35 N78-13400
US-PATENT-4,055,777 c33 N78-18308
US-PATENT-4,055,810 c36 N78-18410
US-PATENT-4,055,847 c33 N78-13320
US-PATENT-4,061,029 c35 N78-14364
US-PATENT-4,061,041 c71 N78-14867
US-PATENT-4,061,146 c52 N78-14773
US-PATENT-4,061,190 c43 N78-14452
US-PATENT-4,061,427 c36 N78-14380
US-PATENT-4,061,561 c25 N78-14104
US-PATENT-4,061,570 c54 N78-14784
US-PATENT-4,061,577 c74 N78-14889
US-PATENT-4,061,579 c24 N78-14096
US-PATENT-4,061,812 c24 N78-15180
US-PATENT-4,061,834 c27 N78-14164
US-PATENT-4,061,856 c27 N78-15276
US-PATENT-4,061,955 c44 N78-14625
US-PATENT-4,061,974 c32 N78-15323
US-PATENT-4,062,227 c39 N78-15512
US-PATENT-4,062,245 c37 N78-16369
US-PATENT-4,062,347 c44 N78-15560
US-PATENT-4,062,650 c25 N78-15210
US-PATENT-4,062,996 c74 N78-15879
US-PATENT-4,063,088 c74 N78-15880
US-PATENT-4,063,092 c35 N78-15461
US-PATENT-4,063,282 c39 N78-16387
US-PATENT-4,063,814 c74 N78-17866
US-PATENT-4,063,981 c24 N78-17149
US-PATENT-4,064,566 c27 N78-17215
US-PATENT-4,064,642 c54 N78-17675
US-PATENT-4,064,692 c37 N78-17384
US-PATENT-4,065,053 c44 N78-17460
US-PATENT-4,065,202 c35 N78-17357
US-PATENT-4,065,340 c24 N78-17150
US-PATENT-4,065,345 c27 N78-17205
US-PATENT-4,066,039 c37 N78-17383
US-PATENT-4,067,015 c17 N78-17140
US-PATENT-4,067,043 c74 N78-17865
US-PATENT-4,067,653 c74 N78-17867
US-PATENT-4,067,742 c27 N78-17206
US-PATENT-4,068,469 c07 N78-17055
US-PATENT-4,068,470 c07 N78-17056
US-PATENT-4,068,495 c31 N78-17237
US-PATENT-4,068,763 c54 N78-17676
US-PATENT-4,069,028 c34 N78-17335
US-PATENT-4,069,212 c27 N78-17213
US-PATENT-4,069,478 c60 N78-17691
US-PATENT-4,069,661 c07 N78-18067
US-PATENT-4,070,574 c74 N78-18905
US-PATENT-4,072,532 c27 N78-19302
US-PATENT-4,075,057 c73 N78-19920
US-PATENT-4,077,231 c31 N78-25256
US-PATENT-4,077,678 c44 N78-24608
US-PATENT-4,077,788 c28 N78-24365
US-PATENT-4,077,788 c28 N81-14103
US-PATENT-4,077,813 c26 N78-24333
US-PATENT-4,077,818 c44 N78-24609
US-PATENT-4,077,921 c24 N78-24290
US-PATENT-4,078,110 c34 N78-25350
US-PATENT-4,078,175 c76 N78-24950
US-PATENT-4,078,290 c37 N78-24544
US-PATENT-4,078,378 c37 N78-24545
US-PATENT-4,079,268 c32 N78-24391
US-PATENT-4,080,901 c20 N78-24275
US-PATENT-4,081,250 c44 N78-31527
US-PATENT-4,082,001 c35 N78-24515
US-PATENT-4,082,569 c44 N78-25527
US-PATENT-4,083,097 c44 N78-25528
US-PATENT-4,083,181 c07 N78-25089
US-PATENT-4,083,380 c37 N78-25426
US-PATENT-4,083,520 c15 N78-25119
US-PATENT-4,083,765 c35 N78-25391
US-PATENT-4,084,124 c44 N78-25531
US-PATENT-4,084,132 c33 N78-25319
US-PATENT-4,084,612 c34 N78-25351
US-PATENT-4,084,825 c07 N78-25090
US-PATENT-4,084,985 c44 N78-25529
US-PATENT-4,085,004 c73 N78-28913
US-PATENT-4,085,241 c44 N78-25530
US-PATENT-4,085,332 c25 N78-25148
US-PATENT-4,087,902 c33 N78-27326
US-PATENT-4,087,962 c34 N78-27357
US-PATENT-4,087,975 c44 N78-32542
US-PATENT-4,088,018 c37 N78-27424
US-PATENT-4,088,094 c51 N78-27733
US-PATENT-4,088,270 c07 N78-27121
US-PATENT-4,088,291 c37 N78-27425
US-PATENT-4,088,312 c37 N78-27423
US-PATENT-4,088,408 c74 N78-27904
US-PATENT-4,088,532 c25 N78-27226
US-PATENT-4,088,806 c24 N78-27180
US-PATENT-4,088,926 c75 N78-27913
US-PATENT-4,088,951 c35 N78-28411
US-PATENT-4,088,954 c35 N78-32397
US-PATENT-4,088,965 c36 N78-27402
US-PATENT-4,088,999 c44 N78-28594
US-PATENT-4,089,004 c32 N80-29539
US-PATENT-4,089,209 c35 N78-27384
US-PATENT-4,089,705 c44 N78-27515
US-PATENT-4,090,213 c44 N80-29835
US-PATENT-4,091,166 c27 N78-31233
US-PATENT-4,091,329 c33 N78-32339
US-PATENT-4,091,464 c54 N78-31735
US-PATENT-4,091,464 c54 N79-24651
US-PATENT-4,091,465 c54 N78-31736
US-PATENT-4,091,613 c44 N78-32539
US-PATENT-4,091,665 c09 N78-31129
US-PATENT-4,091,798 c44 N78-31526
US-PATENT-4,091,800 c44 N78-31525
US-PATENT-4,092,188 c28 N78-31255
US-PATENT-4,092,274 c27 N78-31232
US-PATENT-4,092,466 c27 N78-32256
US-PATENT-4,092,466 c27 N80-10358
US-PATENT-4,092,606 c33 N78-32338
US-PATENT-4,092,617 c33 N78-32340
US-PATENT-4,092,633 c54 N78-32720
US-PATENT-4,092,648 c32 N78-31321

US-PATENT-4,092,712 c33 N78-32341
US-PATENT-4,092,874 c37 N78-31426
US-PATENT-4,093,156 c05 N78-32086
US-PATENT-4,093,354 c73 N78-32848
US-PATENT-4,093,382 c38 N78-32447
US-PATENT-4,093,771 c27 N78-32260
US-PATENT-4,093,917 c35 N78-32396
US-PATENT-4,094,073 c35 N78-32395
US-PATENT-4,094,758 c26 N78-32229
US-PATENT-4,094,775 c52 N80-14687
US-PATENT-4,094,862 c27 N78-32261
US-PATENT-4,094,943 c27 N78-32262
US-PATENT-4,095,593 c54 N78-32721
US-PATENT-4,096,315 c74 N78-32854
US-PATENT-4,097,194 c07 N78-33101
US-PATENT-4,098,142 c37 N79-10422
US-PATENT-4,099,799 c37 N79-10418
US-PATENT-4,100,331 c44 N79-10513
US-PATENT-4,100,487 c33 N79-10337
US-PATENT-4,100,531 c32 N79-10263
US-PATENT-4,101,195 c89 N79-10969
US-PATENT-4,101,644 c25 N79-10162
US-PATENT-4,101,780 c35 N79-10389
US-PATENT-4,101,891 c35 N79-10391
US-PATENT-4,101,961 c52 N79-10724
US-PATENT-4,102,580 c74 N79-11865
US-PATENT-4,103,550 c31 N79-11246
US-PATENT-4,103,619 c28 N79-11231
US-PATENT-4,103,712 c37 N79-11402
US-PATENT-4,104,018 c25 N79-11151
US-PATENT-4,104,084 c44 N79-11467
US-PATENT-4,104,091 c44 N79-11468
US-PATENT-4,104,134 c44 N79-11469
US-PATENT-4,104,134 c44 N80-16452
US-PATENT-4,104,873 c37 N79-11403
US-PATENT-4,105,261 c37 N79-11404
US-PATENT-4,105,517 c44 N79-11470
US-PATENT-4,105,966 c33 N79-11315
US-PATENT-4,106,218 c74 N79-13855
US-PATENT-4,106,587 c71 N79-14871
US-PATENT-4,106,687 c37 N79-13364
US-PATENT-4,107,363 c33 N79-12331
US-PATENT-4,107,627 c72 N79-13826
US-PATENT-4,107,919 c34 N79-13288
US-PATENT-4,108,241 c34 N79-13289
US-PATENT-4,109,213 c33 N79-22373
US-PATENT-4,109,644 c52 N79-18580
US-PATENT-4,110,683 c33 N79-18193
US-PATENT-4,110,703 c36 N79-18307
US-PATENT-4,111,041 c35 N79-14345
US-PATENT-4,111,058 c35 N79-14347
US-PATENT-4,111,068 c37 N79-14382
US-PATENT-4,111,184 c44 N79-14526
US-PATENT-4,111,718 c35 N79-14346
US-PATENT-4,111,729 c28 N79-14228
US-PATENT-4,111,775 c76 N79-14906
US-PATENT-4,111,851 c24 N79-14156
US-PATENT-4,112,357 c33 N79-14305
US-PATENT-4,112,497 c32 N79-14267
US-PATENT-4,112,875 c44 N78-33526
US-PATENT-4,116,131 c20 N78-32179
US-PATENT-4,117,669 c07 N79-10057
US-PATENT-4,117,731 c35 N79-10390
US-PATENT-4,117,749 c37 N79-10419
US-PATENT-4,117,881 c51 N79-10694
US-PATENT-4,118,014 c37 N79-10420
US-PATENT-4,118,315 c51 N79-10693
US-PATENT-4,118,427 c27 N80-32514
US-PATENT-4,118,620 c37 N79-10421
US-PATENT-4,118,665 c33 N79-10338
US-PATENT-4,118,666 c32 N79-10262
US-PATENT-4,118,671 c33 N79-10339
US-PATENT-4,118,701 c32 N79-10264
US-PATENT-4,119,581 c27 N81-14076
US-PATENT-4,119,926 c33 N79-11313
US-PATENT-4,119,964 c32 N79-11265
US-PATENT-4,119,972 c32 N79-11264
US-PATENT-4,119,996 c33 N79-12321
US-PATENT-4,121,965 c76 N79-11920
US-PATENT-4,121,995 c25 N79-11152
US-PATENT-4,122,214 c44 N79-11472
US-PATENT-4,122,334 c74 N79-12890
US-PATENT-4,122,383 c44 N79-12541
US-PATENT-4,122,454 c32 N79-13214
US-PATENT-4,122,518 c52 N79-12694
US-PATENT-4,122,712 c34 N79-12359
US-PATENT-4,122,725 c38 N79-14398
US-PATENT-4,122,816 c37 N79-11405
US-PATENT-4,122,833 c44 N79-11471
US-PATENT-4,122,991 c18 N79-11108
US-PATENT-4,123,355 c45 N79-12584
US-PATENT-4,124,180 c05 N79-12061
US-PATENT-4,124,330 c07 N79-14095
US-PATENT-4,124,732 c27 N79-12221
US-PATENT-4,128,814 c36 N79-14362
US-PATENT-4,129,357 c74 N79-14891
US-PATENT-4,130,032 c37 N79-14383
US-PATENT-4,130,112 c52 N79-14751
US-PATENT-4,130,471 c25 N79-14169
US-PATENT-4,130,490 c33 N79-15245
US-PATENT-4,130,795 c35 N79-14349
US-PATENT-4,131,336 c44 N79-14529
US-PATENT-4,131,459 c27 N79-14213
US-PATENT-4,131,486 c44 N79-14528
US-PATENT-4,132,068 c07 N79-14097
US-PATENT-4,132,069 c07 N79-14096
US-PATENT-4,132,130 c44 N79-14527
US-PATENT-4,132,375 c08 N79-14108
US-PATENT-4,132,594 c52 N79-14749
US-PATENT-4,132,599 c52 N79-14750
US-PATENT-4,132,829 c27 N79-14214
US-PATENT-4,132,940 c35 N79-14348
US-PATENT-4,132,989 c32 N79-14268
US-PATENT-4,133,697 c44 N79-17314
US-PATENT-4,133,697 c44 N80-14474
US-PATENT-4,133,941 c44 N79-17313
US-PATENT-4,134,447 c31 N79-17029
US-PATENT-4,134,683 c43 N79-17288
US-PATENT-4,134,744 c35 N79-17192
US-PATENT-4,134,786 c85 N79-17747
US-PATENT-4,135,019 c24 N79-16915
US-PATENT-4,135,127 c33 N79-17133
US-PATENT-4,135,290 c44 N79-18444
US-PATENT-4,135,367 c44 N79-18443
US-PATENT-4,135,817 c35 N79-18296
US-PATENT-4,135,851 c37 N79-18318
US-PATENT-4,135,851 c37 N80-26658
US-PATENT-4,136,211 c24 N79-17916
US-PATENT-4,137,010 c05 N79-17847
US-PATENT-4,137,365 c27 N79-18052
US-PATENT-4,139,291 c74 N79-20856
US-PATENT-4,139,806 c71 N79-20827
US-PATENT-4,139,839 c60 N79-20751
US-PATENT-4,139,862 c32 N79-20297
US-PATENT-4,140,972 c32 N79-20296
US-PATENT-4,141,219 c34 N79-20335
US-PATENT-4,141,224 c34 N79-20336
US-PATENT-4,141,259 c37 N79-20377
US-PATENT-4,142,101 c74 N79-20857
US-PATENT-4,142,119 c33 N79-20314
US-PATENT-4,143,314 c20 N79-20179
US-PATENT-4,145,058 c37 N79-22475
US-PATENT-4,145,255 c25 N79-22235
US-PATENT-4,145,524 c27 N79-22300
US-PATENT-4,145,933 c39 N79-22537
US-PATENT-4,146,180 c37 N79-22474
US-PATENT-4,146,409 c26 N79-22271
US-PATENT-4,148,031 c32 N79-24210
US-PATENT-4,148,295 c44 N79-23481
US-PATENT-4,148,375 c46 N79-22679
US-PATENT-4,148,452 c08 N79-23097
US-PATENT-4,148,962 c24 N79-24062
US-PATENT-4,149,034 c71 N79-23753
US-PATENT-4,149,233 c33 N79-24257
US-PATENT-4,149,278 c54 N79-24652
US-PATENT-4,149,423 c32 N79-24203
US-PATENT-4,149,521 c44 N79-24433
US-PATENT-4,149,665 c44 N79-24431
US-PATENT-4,149,817 c44 N79-24432
US-PATENT-4,149,938 c25 N79-24073
US-PATENT-4,150,425 c33 N79-24254
US-PATENT-4,151,086 c34 N79-24285
US-PATENT-4,151,456 c33 N79-23345
US-PATENT-4,151,612 c54 N79-24651
US-PATENT-4,151,800 c24 N79-25142
US-PATENT-4,152,194 c76 N79-23798
US-PATENT-4,153,134 c46 N79-23555
US-PATENT-4,153,476 c44 N79-25482
US-PATENT-4,153,818 c32 N79-23310
US-PATENT-4,154,084 c43 N79-25443
US-PATENT-4,154,228 c52 N79-27836
US-PATENT-4,154,230 c52 N79-26771
US-PATENT-4,154,256 c05 N79-24976
US-PATENT-4,154,912 c44 N79-25481
US-PATENT-4,155,475 c24 N79-25143
US-PATENT-4,156,309 c44 N79-26475
US-PATENT-4,156,548 c35 N79-26372
US-PATENT-4,156,752 c15 N79-26100

US-PATENT-4,156,971 c43 N79-26439
US-PATENT-4,157,655 c43 N80-14423
US-PATENT-4,157,718 c52 N80-14684
US-PATENT-4,158,583 c28 N79-28342
US-PATENT-4,158,742 c12 N79-26075
US-PATENT-4,158,775 c72 N80-14877
US-PATENT-4,158,895 c52 N79-26772
US-PATENT-4,159,262 c27 N79-28307
US-PATENT-4,159,366 c44 N79-26474
US-PATENT-4,159,634 c37 N79-28550
US-PATENT-4,160,254 c33 N79-28416
US-PATENT-4,160,508 c37 N79-28551
US-PATENT-4,160,601 c35 N79-28527
US-PATENT-4,161,661 c33 N79-28415
US-PATENT-4,161,731 c31 N79-28370
US-PATENT-4,161,747 c37 N79-28549
US-PATENT-4,162,169 c24 N79-31347
US-PATENT-4,162,701 c34 N79-31523
US-PATENT-4,162,928 c44 N79-31753
US-PATENT-4,163,678 c44 N79-31752
US-PATENT-4,164,079 c09 N79-31228
US-PATENT-4,164,718 c32 N80-14281
US-PATENT-4,165,460 c43 N79-31706
US-PATENT-4,166,170 c27 N79-33316
US-PATENT-4,166,170 c27 N81-14078
US-PATENT-4,166,959 c74 N79-34011
US-PATENT-4,167,111 c46 N80-10709
US-PATENT-4,168,287 c27 N80-10358
US-PATENT-4,168,483 c39 N80-10507
US-PATENT-4,168,706 c54 N80-10799
US-PATENT-4,168,718 c20 N80-10278
US-PATENT-4,168,939 c05 N80-14107
US-PATENT-4,169,129 c37 N80-10494
US-PATENT-4,170,776 c46 N80-14603
US-PATENT-4,171,615 c20 N80-14188
US-PATENT-4,171,645 c35 N80-14371
US-PATENT-4,172,228 c33 N80-14332
US-PATENT-4,172,786 c45 N80-14579
US-PATENT-4,172,883 c26 N80-14229
US-PATENT-4,173,001 c36 N80-14384
US-PATENT-4,173,324 c37 N80-14398
US-PATENT-4,173,397 c44 N80-14473
US-PATENT-4,173,820 c44 N80-14474
US-PATENT-4,175,249 c44 N80-14472
US-PATENT-4,176,007 c51 N80-16714
US-PATENT-4,176,360 c18 N80-14183
US-PATENT-4,176,662 c52 N80-16725
US-PATENT-4,176,950 c36 N80-16321
US-PATENT-4,177,325 c44 N80-16452
US-PATENT-4,177,333 c25 N80-16116
US-PATENT-4,178,100 c35 N80-18359
US-PATENT-4,180,648 c27 N80-16158
US-PATENT-4,181,589 c51 N80-16715
US-PATENT-4,182,158 c35 N80-18358
US-PATENT-4,183,217 c20 N80-18097
US-PATENT-4,184,072 c44 N80-18552
US-PATENT-4,184,111 c44 N80-18551
US-PATENT-4,184,149 c06 N80-18036
US-PATENT-4,184,155 c43 N80-18498
US-PATENT-4,184,327 c07 N80-18039
US-PATENT-4,184,368 c48 N80-18667
US-PATENT-4,184,472 c76 N80-18951
US-PATENT-4,184,491 c52 N80-18690
US-PATENT-4,184,609 c37 N80-18393
US-PATENT-4,184,903 c44 N80-18550
US-PATENT-4,185,164 c33 N80-18286
US-PATENT-4,185,493 c35 N80-18357
US-PATENT-4,186,347 c32 N80-18253
US-PATENT-4,186,749 c52 N80-18691
US-PATENT-4,187,394 c32 N80-18252
US-PATENT-4,187,416 c33 N80-18285
US-PATENT-4,187,470 c36 N80-18372
US-PATENT-4,187,506 c33 N80-18287
US-PATENT-4,188,368 c31 N80-18231
US-PATENT-4,188,823 c02 N80-20224
US-PATENT-4,189,234 c74 N80-21138
US-PATENT-4,189,675 c32 N80-20448
US-PATENT-4,191,159 c37 N80-29703
US-PATENT-4,191,505 c44 N80-21628
US-PATENT-4,191,893 c44 N80-29834
US-PATENT-4,192,290 c44 N80-20810
US-PATENT-4,192,910 c33 N80-20487
US-PATENT-4,192,994 c74 N80-21140
US-PATENT-4,193,388 c44 N80-20808
US-PATENT-4,193,435 c37 N80-23653
US-PATENT-4,193,570 c35 N80-21719
US-PATENT-4,193,693 c35 N80-20563
US-PATENT-4,193,827 c28 N80-20402
US-PATENT-4,193,827 c28 N81-14103
US-PATENT-4,194,115 c25 N80-20334
US-PATENT-4,195,244 c35 N80-20559
US-PATENT-4,195,279 c35 N80-20560
US-PATENT-4,195,512 c43 N80-23711
US-PATENT-4,195,666 c37 N80-23654
US-PATENT-4,196,129 c27 N80-32515
US-PATENT-4,196,619 c46 N80-24906
US-PATENT-4,196,840 c37 N80-23655
US-PATENT-4,197,530 c33 N80-23559
US-PATENT-4,198,209 c28 N80-23471
US-PATENT-4,198,232 c26 N80-23419
US-PATENT-4,198,788 c74 N80-24149
US-PATENT-4,198,792 c25 N80-23383
US-PATENT-4,198,988 c52 N80-23969
US-PATENT-4,199,448 c27 N80-23452
US-PATENT-4,199,650 c27 N80-24437
US-PATENT-4,199,764 c32 N80-23524
US-PATENT-4,199,937 c34 N80-24573
US-PATENT-4,200,721 c27 N80-24438
US-PATENT-4,201,468 c32 N80-24510
US-PATENT-4,203,723 c27 N80-26446
US-PATENT-4,204,037 c51 N80-27067
US-PATENT-4,204,154 c33 N80-26599
US-PATENT-4,204,402 c07 N80-26298
US-PATENT-4,204,544 c52 N80-27072
US-PATENT-4,204,899 c24 N80-26388
US-PATENT-4,205,229 c35 N80-26635
US-PATENT-4,206,383 c72 N80-27163
US-PATENT-4,206,713 c31 N81-15154
US-PATENT-4,206,970 c74 N80-27185
US-PATENT-4,207,024 c37 N80-26658
US-PATENT-4,209,561 c24 N81-13999
US-PATENT-4,210,278 c31 N80-32583
US-PATENT-4,210,401 c35 N80-28687
US-PATENT-4,210,474 c28 N80-28536
US-PATENT-4,210,622 c44 N80-24741
US-PATENT-4,211,354 c24 N81-17170
US-PATENT-4,212,199 c02 N80-28300
US-PATENT-4,212,297 c51 N81-14605
US-PATENT-4,212,477 c37 N80-28711
US-PATENT-4,212,690 c26 N80-28492
US-PATENT-4,213,051 c35 N80-28686
US-PATENT-4,213,064 c60 N81-15706
US-PATENT-4,213,131 c32 N80-28578
US-PATENT-4,213,684 c74 N81-17886
US-PATENT-4,214,226 c31 N80-32584
US-PATENT-4,214,703 c07 N80-32392
US-PATENT-4,214,902 c26 N80-32484
US-PATENT-4,214,905 c24 N80-33482
US-PATENT-4,215,273 c74 N80-33210
US-PATENT-4,215,327 c32 N80-32605
US-PATENT-4,215,345 c04 N80-32359
US-PATENT-4,215,548 c37 N80-31790
US-PATENT-4,215,590 c37 N80-32717
US-PATENT-4,215,592 c37 N80-32716
US-PATENT-4,216,186 c76 N80-32244
US-PATENT-4,216,542 c33 N81-15192
US-PATENT-4,217,165 c76 N80-32245
US-PATENT-4,217,633 c44 N81-12542
US-PATENT-4,218,280 c27 N80-32516
US-PATENT-4,218,633 c72 N80-33186
US-PATENT-4,218,650 c33 N80-32650
US-PATENT-4,218,682 c32 N80-32604
US-PATENT-4,218,685 c32 N81-14187
US-PATENT-4,218,892 c35 N81-14287
US-PATENT-4,218,921 c71 N81-15767
US-PATENT-4,218,941 c37 N81-14319
US-PATENT-4,219,027 c52 N81-14612
US-PATENT-4,219,084 c31 N81-14137
US-PATENT-4,219,107 c37 N81-15364
US-PATENT-4,219,171 c37 N81-14320
US-PATENT-4,219,203 c37 N81-15363
US-PATENT-4,219,926 c44 N81-14389
US-PATENT-4,220,171 c07 N81-14999
US-PATENT-4,221,005 c32 N81-15179
US-PATENT-4,222,098 c33 N81-14220
US-PATENT-4,224,810 c02 N81-14967
US-PATENT-4,225,102 c02 N81-14968
US-PATENT-4,225,372 c27 N81-14077
US-PATENT-4,227,096 c33 N81-17348
US-PATENT-4,228,422 c33 N81-14221
US-PATENT-4,228,656 c37 N81-14318
US-PATENT-4,229,182 c28 N81-15119
US-PATENT-4,229,196 c28 N81-14103
US-PATENT-4,229,473 c24 N81-14000
US-PATENT-4,230,717 c52 N81-14613
US-PATENT-4,233,258 c27 N81-14078
US-PATENT-4,233,606 c32 N81-14185
US-PATENT-4,234,258 c25 N81-14015

US-PATENT-4,234,715 c25 N81-14016
US-PATENT-4,234,971 c32 N81-14186
US-PATENT-4,235,060 c37 N81-14317
US-PATENT-4,236,383 c44 N81-17518
US-PATENT-4,236,684 c08 N81-19130
US-PATENT-4,239,057 c37 N81-17433
US-PATENT-4,240,256 c37 N81-17432
US-PATENT-4,240,290 c06 N81-17057
US-PATENT-4,240,601 c43 N81-17499
US-PATENT-4,241,308 c33 N81-17349
US-PATENT-4,241,312 c35 N81-19427
US-PATENT-4,242,498 c27 N81-17259
US-PATENT-4,242,553 c33 N81-19389
US-PATENT-4,242,864 c07 N81-19116
US-PATENT-4,243,323 c74 N81-17888
US-PATENT-4,243,327 c74 N81-17887
US-PATENT-4,244,215 c04 N81-21047
US-PATENT-4,244,853 c27 N81-19296
US-PATENT-4,244,857 c27 N81-17260
US-PATENT-4,245,085 c27 N81-17262
US-PATENT-4,245,286 c33 N81-19392
US-PATENT-4,245,288 c33 N81-19393
US-PATENT-4,245,768 c37 N81-19455
US-PATENT-4,245,956 c05 N81-19087
US-PATENT-4,246,001 c27 N81-17261
US-PATENT-4,247,434 c25 N81-19242
US-PATENT-4,248,083 c35 N81-19426
US-PATENT-4,249,116 c33 N81-20352
US-PATENT-4,249,238 c07 N81-19115
US-PATENT-4,249,417 c52 N81-20703
US-PATENT-4,249,957 c44 N81-19558
US-PATENT-4,254,566 c31 N81-19343

Typical Accession Number Index Listing



Listings in the index are arranged numerically by NASA accession number. The category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the *number by which the citation is identified within the subject category.* The "patent" numbers are the identification numbers that have been assigned to the item by the issuing body or other agency.

c09 N69-21313 NASA-CASE-XAR-03786
US-PATENT-APPL-SN-476763
US-PATENT-CLASS-310-4
US-PATENT-3,423,608
c03 N69-21330 NASA-CASE-XGS-03429
US-PATENT-APPL-SN-591930
US-PATENT-CLASS-321-2
US-PATENT-3,427,525
c03 N69-21337 NASA-CASE-XNP-04264
US-PATENT-APPL-SN-447933
US-PATENT-CLASS-136-146
US-PATENT-3,421,948
c15 N69-21362 NASA-CASE-XLE-05130
US-PATENT-APPL-SN-545224
US-PATENT-CLASS-277-25
US-PATENT-3,421,768
c14 N69-21363 NASA-CASE-XGS-03865
US-PATENT-APPL-SN-478491
US-PATENT-CLASS-33-174
US-PATENT-3,419,964
c05 N69-21380 NASA-CASE-XLA-08491
US-PATENT-APPL-SN-619520
US-PATENT-CLASS-244-4
US-PATENT-3,420,471
c15 N69-21460 NASA-CASE-XKS-04614
US-PATENT-APPL-SN-574280
US-PATENT-CLASS-117-201
US-PATENT-3,420,704
c15 N69-21465 NASA-CASE-XLA-08645
US-PATENT-APPL-SN-635970
US-PATENT-CLASS-62-93
US-PATENT-3,420,069
c12 N69-21466 NASA-CASE-XLE-03512
US-PATENT-APPL-SN-462762
US-PATENT-CLASS-137-81.5
US-PATENT-3,420,253
c09 N69-21467 NASA-CASE-XMS-06949
US-PATENT-APPL-SN-635328
US-PATENT-CLASS-346-44
US-PATENT-3,422,440
c09 N69-21468 NASA-CASE-XNP-05612
US-PATENT-APPL-SN-562934
US-PATENT-CLASS-307-106
US-PATENT-3,422,278
c03 N69-21469 NASA-CASE-XMS-04843
US-PATENT-APPL-SN-545229
US-PATENT-CLASS-137-624.14
US-PATENT-3,421,549
c09 N69-21470 NASA-CASE-XLA-01288
US-PATENT-APPL-SN-460876
US-PATENT-CLASS-339-150
US-PATENT-3,421,134
c15 N69-21471 NASA-CASE-XMS-03537
US-PATENT-APPL-SN-468655
US-PATENT-CLASS-219-121
US-PATENT-3,420,978
c15 N69-21472 NASA-CASE-XGS-02437
US-PATENT-APPL-SN-487344
US-PATENT-CLASS-317-157.5
US-PATENT-3,421,053
c05 N69-21473 NASA-CASE-XAR-01547
US-PATENT-APPL-SN-391343
US-PATENT-CLASS-128-2.08
US-PATENT-3,420,225
c03 N69-21539 NASA-CASE-XGS-01395
US-PATENT-APPL-SN-545535
US-PATENT-CLASS-174-72
US-PATENT-3,422,213
c11 N69-21540 NASA-CASE-XLA-02704
US-PATENT-APPL-SN-469011
US-PATENT-CLASS-73-67.2
US-PATENT-3,421,363
c14 N69-21541 NASA-CASE-XNP-09752
US-PATENT-APPL-SN-640460
US-PATENT-CLASS-317-246
US-PATENT-3,422,324
c09 N69-21542 NASA-CASE-XLE-03778
US-PATENT-APPL-SN-628247
US-PATENT-CLASS-174-18
US-PATENT-3,420,945
c09 N69-21543 NASA-CASE-XGS-04994
US-PATENT-APPL-SN-619907
US-PATENT-CLASS-331-4
US-PATENT-3,421,105
c15 N69-21922 NASA-CASE-XHQ-03903
US-PATENT-APPL-SN-560967
US-PATENT-CLASS-23-208
US-PATENT-3,423,179
c14 N69-21923 NASA-CASE-XNP-07478
US-PATENT-APPL-SN-605097
US-PATENT-CLASS-175-323
US-PATENT-3,421,591
c15 N69-21924 NASA-CASE-XMS-05894-1
US-PATENT-APPL-SN-685766
US-PATENT-CLASS-137-491
US-PATENT-3,421,541
c05 N69-21925 NASA-CASE-XMS-02872
US-PATENT-APPL-SN-422864
US-PATENT-CLASS-128-2.06
US-PATENT-3,420,223
c09 N69-21926 NASA-CASE-XNP-06032
US-PATENT-APPL-SN-590146
US-PATENT-CLASS-324-158
US-PATENT-3,422,354
c09 N69-21927 NASA-CASE-XMS-07846-1
US-PATENT-APPL-SN-694247
US-PATENT-CLASS-339-91
US-PATENT-3,422,390
c08 N69-21928 NASA-CASE-XNP-09785
US-PATENT-APPL-SN-599975
US-PATENT-CLASS-340-172.5
US-PATENT-3,422,403
c25 N69-21929 NASA-CASE-XNP-07481
US-PATENT-APPL-SN-563650
US-PATENT-CLASS-310-11
US-PATENT-3,422,291
c15 N69-23185 NASA-CASE-XNP-05975
US-PATENT-APPL-SN-570097
US-PATENT-CLASS-239-416
US-PATENT-3,421,700
c15 N69-23190 NASA-CASE-NPO-10309
US-PATENT-APPL-SN-574282
US-PATENT-APPL-SN-700985
US-PATENT-CLASS-62-6
US-PATENT-3,421,331
c14 N69-23191 NASA-CASE-XLE-10529
US-PATENT-APPL-SN-603396
US-PATENT-CLASS-317-234
US-PATENT-3,421,056
c05 N69-23192 NASA-CASE-XMS-06761
US-PATENT-APPL-SN-575475
US-PATENT-CLASS-128-283
US-PATENT-3,421,506
c14 N69-24257 NASA-CASE-XMS-04917
US-PATENT-APPL-SN-574283
US-PATENT-CLASS-73-198
US-PATENT-3,425,276

c15 N69-24266 NASA-CASE-XMS-03700
US-PATENT-APPL-SN-617783
US-PATENT-CLASS-314-129
US-PATENT-3,428,847
c03 N69-24267 NASA-CASE-XGS-04531
US-PATENT-APPL-SN-590141
US-PATENT-CLASS-136-89
US-PATENT-3,437,527
c09 N69-24317 NASA-CASE-XGS-04999
US-PATENT-APPL-SN-519395
US-PATENT-CLASS-307-268
US-PATENT-3,426,219
c09 N69-24318 NASA-CASE-XGS-05003
US-PATENT-APPL-SN-576797
US-PATENT-CLASS-317-235
US-PATENT-3,430,115
c15 N69-24319 NASA-CASE-XNP-09227
US-PATENT-APPL-SN-632164
US-PATENT-CLASS-313-44
US-PATENT-3,426,230
c15 N69-24320 NASA-CASE-XGS-03864
US-PATENT-APPL-SN-577114
US-PATENT-CLASS-136-133
US-PATENT-3,427,205
c11 N69-24321 NASA-CASE-XLA-03271
US-PATENT-APPL-SN-482313
US-PATENT-CLASS-350-310
US-PATENT-3,427,097
c15 N69-24322 NASA-CASE-XMS-01108
US-PATENT-APPL-SN-432032
US-PATENT-CLASS-156-242
US-PATENT-3,425,885
c07 N69-24323 NASA-CASE-XGS-02816
US-PATENT-APPL-SN-521998
US-PATENT-CLASS-333-73
US-PATENT-3,437,959
c09 N69-24324 NASA-CASE-XGS-02171
US-PATENT-APPL-SN-590159
US-PATENT-CLASS-325-446
US-PATENT-3,437,935
c09 N69-24329 NASA-CASE-XNP-04183
US-PATENT-APPL-SN-546142
US-PATENT-CLASS-179-100.2
US-PATENT-3,426,761
c09 N69-24330 NASA-CASE-XMS-05307
US-PATENT-APPL-SN-516154
US-PATENT-CLASS-330-29
US-PATENT-3,428,910
c14 N69-24331 NASA-CASE-XNP-03930
US-PATENT-APPL-SN-526665
US-PATENT-CLASS-250-237
US-PATENT-3,435,246
c23 N69-24332 NASA-CASE-XNP-02340
US-PATENT-APPL-SN-439490
US-PATENT-CLASS-350-1
US-PATENT-3,427,089
c09 N69-24333 NASA-CASE-XNP-09225
US-PATENT-APPL-SN-640785
US-PATENT-CLASS-340-172.5
US-PATENT-3,431,559
c07 N69-24334 NASA-CASE-XGS-01110
US-PATENT-APPL-SN-526664
US-PATENT-CLASS-333-8
US-PATENT-3,428,919
c03 N69-25146 NASA-CASE-XGS-04808
US-PATENT-APPL-SN-640781
US-PATENT-CLASS-321-2
US-PATENT-3,437,903
c17 N69-25147 NASA-CASE-XLE-10466
US-PATENT-APPL-SN-644448
US-PATENT-CLASS-219-411
US-PATENT-3,427,435
c09 N69-27422 NASA-CASE-XLA-04980
US-PATENT-APPL-SN-577548
US-PATENT-CLASS-317-234
US-PATENT-3,432,730
c14 N69-27423 NASA-CASE-XAC-02407
US-PATENT-APPL-SN-469013
US-PATENT-CLASS-324-43
US-PATENT-3,437,919
c14 N69-27431 NASA-CASE-XMF-01483
US-PATENT-APPL-SN-635325
US-PATENT-CLASS-339-17
US-PATENT-3,430,182
c14 N69-27432 NASA-CASE-XGS-08266
US-PATENT-APPL-SN-628248
US-PATENT-CLASS-250-203
US-PATENT-3,433,961
c14 N69-27459 NASA-CASE-XMS-05909-1
US-PATENT-APPL-SN-685764
US-PATENT-CLASS-136-213
US-PATENT-3,431,149
c07 N69-27460 NASA-CASE-XGS-05582
US-PATENT-APPL-SN-646424
US-PATENT-CLASS-343-854
US-PATENT-3,438,044
c14 N69-27461 NASA-CASE-XLA-03724
US-PATENT-APPL-SN-568071
US-PATENT-CLASS-350-6
US-PATENT-3,437,394
c07 N69-27462 NASA-CASE-XMS-05303
US-PATENT-APPL-SN-617022
US-PATENT-CLASS-333-97
US-PATENT-3,428,923
c09 N69-27463 NASA-CASE-XGS-03095
US-PATENT-APPL-SN-552344
US-PATENT-CLASS-307-222
US-PATENT-3,437,832
c11 N69-27466 NASA-CASE-XNP-04969
US-PATENT-APPL-SN-593604
US-PATENT-CLASS-248-317
US-PATENT-3,430,909
c15 N69-27483 NASA-CASE-XLA-03105
US-PATENT-APPL-SN-529594
US-PATENT-CLASS-263-48
US-PATENT-3,430,937
c14 N69-27484 NASA-CASE-XLA-04556
US-PATENT-APPL-SN-607608
US-PATENT-CLASS-250-83
US-PATENT-3,433,953
c14 N69-27485 NASA-CASE-XGS-02401
US-PATENT-APPL-SN-502740
US-PATENT-CLASS-250-203
US-PATENT-3,428,812
c14 N69-27486 NASA-CASE-XAC-11225
US-PATENT-APPL-SN-638707
US-PATENT-CLASS-248-18
US-PATENT-3,430,902
c04 N69-27487 NASA-CASE-XGS-05533
US-PATENT-APPL-SN-568346
US-PATENT-CLASS-195-68
US-PATENT-3,437,560
c15 N69-27490 NASA-CASE-XLA-02854
US-PATENT-APPL-SN-598118
US-PATENT-CLASS-285-3
US-PATENT-3,427,047
c16 N69-27491 NASA-CASE-XGS-04480
US-PATENT-APPL-SN-591007
US-PATENT-CLASS-250-199
US-PATENT-3,433,960
c31 N69-27499 NASA-CASE-XMS-12158-1
US-PATENT-APPL-SN-762936
US-PATENT-CLASS-244-1
US-PATENT-3,439,886
c09 N69-27500 NASA-CASE-XNP-09228
US-PATENT-APPL-SN-584070
US-PATENT-CLASS-307-136
US-PATENT-3,430,063
c15 N69-27502 NASA-CASE-XMF-04132
US-PATENT-APPL-SN-640788
US-PATENT-CLASS-220-55
US-PATENT-3,429,477
c14 N69-27503 NASA-CASE-XFR-09479
US-PATENT-APPL-SN-653278
US-PATENT-CLASS-73-49.8
US-PATENT-3,433,079
c15 N69-27504 NASA-CASE-XNP-09452
US-PATENT-APPL-SN-640789
US-PATENT-CLASS-267-1
US-PATENT-3,430,942
c15 N69-27505 NASA-CASE-XLA-09122
US-PATENT-APPL-SN-619903
US-PATENT-CLASS-64-28
US-PATENT-3,430,460
c15 N69-27871 NASA-CASE-XMS-04318
US-PATENT-APPL-SN-521996
US-PATENT-CLASS-219-347
US-PATENT-3,431,397
c06 N69-31244 NASA-CASE-NPO-10714
US-PATENT-APPL-SN-817569
c16 N69-31343 NASA-CASE-ERC-10187
US-PATENT-APPL-SN-825253
c26 N69-33482 NASA-CASE-ERC-10120
US-PATENT-APPL-SN-827597
c06 N69-39733 NASA-CASE-XMF-03873
US-PATENT-APPL-SN-543774
US-PATENT-CLASS-73-24
US-PATENT-3,429,177

c09 N69-39734 NASA-CASE-XMF-04238
US-PATENT-APPL-SN-562443
US-PATENT-CLASS-339-95
US-PATENT-3,458,851
c15 N69-39735 NASA-CASE-XGS-00963
US-PATENT-APPL-SN-494282
US-PATENT-CLASS-161-182
US-PATENT-3,453,172
c07 N69-39736 NASA-CASE-XNP-04180
US-PATENT-APPL-SN-545228
US-PATENT-CLASS-250-203
US-PATENT-3,448,273
c14 N69-39785 NASA-CASE-XKS-03495
US-PATENT-APPL-SN-559351
US-PATENT-CLASS-324-61
US-PATENT-3,426,272
c15 N69-39786 NASA-CASE-XGS-04554
US-PATENT-APPL-SN-584072
US-PATENT-CLASS-29-472.9
US-PATENT-3,447,233
c25 N69-39884 NASA-CASE-XLE-00690
US-PATENT-APPL-SN-489442
US-PATENT-CLASS-324-33
US-PATENT-3,447,071
c09 N69-39885 NASA-CASE-XMS-04061-1
US-PATENT-APPL-SN-511564
US-PATENT-CLASS-328-116
US-PATENT-3,456,201
c10 N69-39888 NASA-CASE-XNP-02713
US-PATENT-APPL-SN-528031
US-PATENT-CLASS-307-252
US-PATENT-3,458,726
c06 N69-39889 NASA-CASE-XLE-07087
US-PATENT-APPL-SN-619521
US-PATENT-CLASS-313-231
US-PATENT-3,447,015
c03 N69-39890 NASA-CASE-XLE-02824
US-PATENT-APPL-SN-487343
US-PATENT-CLASS-310-10
US-PATENT-3,443,128
c18 N69-39895 NASA-CASE-XNP-06508
US-PATENT-APPL-SN-617776
US-PATENT-CLASS-117-21
US-PATENT-3,446,642
c14 N69-39896 NASA-CASE-XAC-02970
US-PATENT-APPL-SN-447930
US-PATENT-CLASS-250-217
US-PATENT-3,452,872
c09 N69-39897 NASA-CASE-XAC-08981
US-PATENT-APPL-SN-634060
US-PATENT-CLASS-317-16
US-PATENT-3,450,946
c03 N69-39898 NASA-CASE-XLE-01015
US-PATENT-APPL-SN-502746
US-PATENT-CLASS-310-4
US-PATENT-3,446,997
c09 N69-39929 NASA-CASE-XNP-09776
US-PATENT-APPL-SN-617779
US-PATENT-CLASS-310-4
US-PATENT-3,446,998
c15 N69-39935 NASA-CASE-XNP-08882
US-PATENT-APPL-SN-640784
US-PATENT-CLASS-220-14
US-PATENT-3,446,387
c06 N69-39936 NASA-CASE-XNP-04816
US-PATENT-APPL-SN-578926
US-PATENT-CLASS-73-23.1
US-PATENT-3,443,416
c14 N69-39937 NASA-CASE-XNP-09750
US-PATENT-APPL-SN-632162
US-PATENT-CLASS-250-83
US-PATENT-3,456,112
c07 N69-39974 NASA-CASE-XGS-05918
US-PATENT-APPL-SN-685497
US-PATENT-CLASS-343-7.5
US-PATENT-3,430,237
c14 N69-39975 NASA-CASE-XLA-01781
US-PATENT-APPL-SN-441936
US-PATENT-CLASS-73-86
US-PATENT-3,425,268
c07 N69-39978 NASA-CASE-XGS-02749
US-PATENT-APPL-SN-502753
US-PATENT-CLASS-179-15
US-PATENT-3,450,842
c18 N69-39979 NASA-CASE-XGS-04119
US-PATENT-APPL-SN-452945
US-PATENT-CLASS-106-74
US-PATENT-3,454,410
c07 N69-39980 NASA-CASE-XGS-05211
US-PATENT-APPL-SN-590145
US-PATENT-CLASS-250-209
US-PATENT-3,444,380
c01 N69-39981 NASA-CASE-XLA-06095
US-PATENT-APPL-SN-683612
US-PATENT-CLASS-244-138
US-PATENT-3,443,779
c14 N69-39982 NASA-CASE-XGS-01725
US-PATENT-APPL-SN-483891
US-PATENT-CLASS-250-49.5
US-PATENT-3,446,960
c03 N69-39983 NASA-CASE-XLE-02083
US-PATENT-APPL-SN-568362
US-PATENT-CLASS-310-11
US-PATENT-3,453,462
c09 N69-39984 NASA-CASE-XLA-08507
US-PATENT-APPL-SN-632154
US-PATENT-CLASS-321-11
US-PATENT-3,434,033
c09 N69-39986 NASA-CASE-XMS-05562-1
US-PATENT-APPL-SN-529609
US-PATENT-CLASS-330-2
US-PATENT-3,434,064
c09 N69-39987 NASA-CASE-XMS-04215-1
US-PATENT-APPL-SN-605102
US-PATENT-CLASS-307-265
US-PATENT-3,446,992
c12 N69-39988 NASA-CASE-XLE-02624
US-PATENT-APPL-SN-635327
US-PATENT-CLASS-35-49
US-PATENT-3,429,058
c15 N70-10867 NASA-CASE-ERC-10208
US-PATENT-APPL-SN-847596
c09 N70-11148 NASA-CASE-ERC-10072
US-PATENT-APPL-SN-845972
c06 N70-11251 NASA-CASE-NPO-10863
US-PATENT-APPL-SN-848325
c06 N70-11252 NASA-CASE-NPO-10447
US-PATENT-APPL-SN-848351
c07 N70-12616 NASA-CASE-MSC-12259-1
US-PATENT-APPL-SN-853763
c09 N70-20737 NASA-CASE-MFS-14741
US-PATENT-APPL-SN-880247
c15 N70-22192 NASA-CASE-XMS-04890-1
US-PATENT-APPL-SN-797057
US-PATENT-CLASS-60-258
US-PATENT-3,490,238
c15 N70-26819 NASA-CASE-LAR-10590-1
US-PATENT-APPL-SN-21732
c14 N70-33179 NASA-CASE-XMF-00447
US-PATENT-APPL-SN-134479
US-PATENT-CLASS-340-198
US-PATENT-3,041,587
c15 N70-33180 NASA-CASE-XLA-00137
US-PATENT-APPL-SN-8203
US-PATENT-CLASS-93-1
US-PATENT-3,010,372
c21 N70-33181 NASA-CASE-XLA-00120
US-PATENT-APPL-SN-853984
US-PATENT-CLASS-250-83.3
US-PATENT-3,038,077
c09 N70-33182 NASA-CASE-XAC-00086
US-PATENT-APPL-SN-824755
US-PATENT-CLASS-340-147
US-PATENT-3,059,220
c15 N70-33226 NASA-CASE-XLE-00020
US-PATENT-APPL-SN-387332
US-PATENT-CLASS-253-39.15
US-PATENT-3,011,760
c28 N70-33241 NASA-CASE-XLE-00103
US-PATENT-APPL-SN-517100
US-PATENT-CLASS-60-39.74
US-PATENT-2,940,259
c31 N70-33242 NASA-CASE-XLA-00165
US-PATENT-APPL-SN-47120
US-PATENT-CLASS-244-117
US-PATENT-3,028,128
c14 N70-33254 NASA-CASE-XLA-00062
US-PATENT-APPL-SN-853983
US-PATENT-CLASS-88-16
US-PATENT-3,041,924
c02 N70-33255 NASA-CASE-XLA-00230
US-PATENT-APPL-SN-41455
US-PATENT-CLASS-244-43
US-PATENT-3,053,484
c15 N70-33264 NASA-CASE-XLE-00092
US-PATENT-APPL-SN-835146
US-PATENT-CLASS-253-39.15
US-PATENT-3,057,597

c28 N70-33265 NASA-CASE-XLE-00817
US-PATENT-APPL-SN-264735
US-PATENT-CLASS-60-35.3
US-PATENT-3,173,246
c02 N70-33266 NASA-CASE-XLA-00221
US-PATENT-APPL-SN-51473
US-PATENT-CLASS-244-46
US-PATENT-3,064,928
c25 N70-33267 NASA-CASE-XLA-00675
US-PATENT-APPL-SN-178213
US-PATENT-CLASS-315-111
US-PATENT-3,171,060
c11 N70-33278 NASA-CASE-XLE-00168
US-PATENT-APPL-SN-842170
US-PATENT-CLASS-73-116
US-PATENT-3,063,291
c21 N70-33279 NASA-CASE-XFE-00181
US-PATENT-APPL-SN-28175
US-PATENT-CLASS-244-83
US-PATENT-3,028,126
c17 N70-33283 NASA-CASE-XLE-00151
US-PATENT-APPL-SN-848481
US-PATENT-CLASS-75-171
US-PATENT-2,971,837
c28 N70-33284 NASA-CASE-XLE-00078
US-PATENT-APPL-SN-18776
US-PATENT-CLASS-60-35.6
US-PATENT-3,049,876
c05 N70-33285 NASA-CASE-XLA-00118
US-PATENT-APPL-SN-840983
US-PATENT-CLASS-5-345
US-PATENT-3,038,175
c02 N70-33286 NASA-CASE-XLA-00142
US-PATENT-APPL-SN-26375
US-PATENT-CLASS-244-46
US-PATENT-3,028,122
c11 N70-33287 NASA-CASE-XLA-00112
US-PATENT-APPL-SN-843022
US-PATENT-CLASS-73-147
US-PATENT-3,005,339
c17 N70-33288 NASA-CASE-XLE-02428
US-PATENT-APPL-SN-339821
US-PATENT-CLASS-29-198
US-PATENT-3,170,773
c12 N70-33305 NASA-CASE-XLA-00229
US-PATENT-APPL-SN-18780
US-PATENT-CLASS-114-66.5
US-PATENT-3,016,863
c15 N70-33311 NASA-CASE-XLE-00046
US-PATENT-APPL-SN-686796
US-PATENT-CLASS-29-488
US-PATENT-3,008,229
c09 N70-33312 NASA-CASE-XLA-00141
US-PATENT-APPL-SN-19971
US-PATENT-CLASS-219-34
US-PATENT-3,005,081
c14 N70-33322 NASA-CASE-XLA-00135
US-PATENT-APPL-SN-861152
US-PATENT-CLASS-244-14
US-PATENT-3,004,735
c15 N70-33323 NASA-CASE-XMF-00341
US-PATENT-APPL-SN-77256
US-PATENT-CLASS-62-45
US-PATENT-3,012,407
c11 N70-33329 NASA-CASE-XLA-00119
US-PATENT-APPL-SN-842171
US-PATENT-CLASS-240-1.2
US-PATENT-2,984,735
c15 N70-33330 NASA-CASE-XLE-00023
US-PATENT-APPL-SN-512352
US-PATENT-CLASS-78-1
US-PATENT-2,991,671
c28 N70-33331 NASA-CASE-XLA-00105
US-PATENT-APPL-SN-719173
US-PATENT-CLASS-60-35.6
US-PATENT-3,001,363
c02 N70-33332 NASA-CASE-XLA-00087
US-PATENT-APPL-SN-811509
US-PATENT-CLASS-244-12
US-PATENT-2,991,961
c03 N70-33343 NASA-CASE-XLA-00115
US-PATENT-APPL-SN-847027
US-PATENT-CLASS-244-1
US-PATENT-3,001,739
c33 N70-33344 NASA-CASE-XMS-00486
US-PATENT-APPL-SN-300113
US-PATENT-CLASS-244-1
US-PATENT-3,130,940
c28 N70-33356 NASA-CASE-XLE-00267
US-PATENT-APPL-SN-58147
US-PATENT-CLASS-60-35.5
US-PATENT-3,016,693
c28 N70-33372 NASA-CASE-XLE-00037
US-PATENT-APPL-SN-639589
US-PATENT-CLASS-253-39.15
US-PATENT-2,974,925
c28 N70-33374 NASA-CASE-XLA-00154
US-PATENT-APPL-SN-31242
US-PATENT-CLASS-60-35.6
US-PATENT-3,012,400
c28 N70-33375 NASA-CASE-XLE-00207
US-PATENT-APPL-SN-180370
US-PATENT-CLASS-60-35.6
US-PATENT-3,173,251
c15 N70-33376 NASA-CASE-XLE-00101
US-PATENT-APPL-SN-551961
US-PATENT-CLASS-251-173
US-PATENT-2,945,667
c15 N70-33382 NASA-CASE-XLE-00010
US-PATENT-APPL-SN-554899
US-PATENT-CLASS-266-19
US-PATENT-2,934,331
c14 N70-33386 NASA-CASE-XLA-00113
US-PATENT-APPL-SN-2792
US-PATENT-CLASS-73-147
US-PATENT-3,001,395
c03 N70-34134 NASA-CASE-XLE-00212
US-PATENT-APPL-SN-151598
US-PATENT-CLASS-310-4
US-PATENT-3,202,844
c31 N70-34135 NASA-CASE-XLA-00686
US-PATENT-APPL-SN-195347
US-PATENT-CLASS-343-833
US-PATENT-3,202,998
c14 N70-34156 NASA-CASE-XLE-00266
US-PATENT-APPL-SN-202024
US-PATENT-CLASS-73-15
US-PATENT-3,204,447
c03 N70-34157 NASA-CASE-XMF-00517
US-PATENT-APPL-SN-216711
US-PATENT-CLASS-244-1
US-PATENT-3,204,889
c14 N70-34158 NASA-CASE-XGS-00359
US-PATENT-APPL-SN-94952
US-PATENT-CLASS-250-203
US-PATENT-3,205,361
c31 N70-34159 NASA-CASE-XMF-03856
US-PATENT-APPL-SN-416941
US-PATENT-CLASS-248-188.9
US-PATENT-3,208,707
c02 N70-34160 NASA-CASE-XLA-01804
US-PATENT-APPL-SN-353637
US-PATENT-CLASS-244-50
US-PATENT-3,208,694
c14 N70-34161 NASA-CASE-XLA-00203
US-PATENT-APPL-SN-227682
US-PATENT-CLASS-73-105
US-PATENT-3,208,272
c28 N70-34162 NASA-CASE-XMF-01544
US-PATENT-APPL-SN-394638
US-PATENT-CLASS-60-35.55
US-PATENT-3,208,215
c28 N70-34175 NASA-CASE-XLE-01783
US-PATENT-APPL-SN-313132
US-PATENT-CLASS-60-35.5
US-PATENT-3,210,927
c31 N70-34176 NASA-CASE-XMF-00389
US-PATENT-APPL-SN-151114
US-PATENT-CLASS-244-1
US-PATENT-3,202,381
c02 N70-34178 NASA-CASE-XLA-00166
US-PATENT-APPL-SN-84961
US-PATENT-CLASS-244-46
US-PATENT-3,087,692
c15 N70-34247 NASA-CASE-XLE-00288
US-PATENT-APPL-SN-118200
US-PATENT-CLASS-62-50
US-PATENT-3,068,658
c15 N70-34249 NASA-CASE-XMF-00375
US-PATENT-APPL-SN-166969
US-PATENT-CLASS-72-56
US-PATENT-3,188,844
c28 N70-34294 NASA-CASE-XLE-00208
US-PATENT-APPL-SN-106135
US-PATENT-CLASS-60-35.54
US-PATENT-3,132,476
c21 N70-34295 NASA-CASE-XLA-01989
US-PATENT-APPL-SN-305020

US-PATENT-CLASS-244-1
US-PATENT-3,189,299
c31 N70-34296 NASA-CASE-XLA-00678
US-PATENT-APPL-SN-197551
US-PATENT-CLASS-244-1
US-PATENT-3,169,725
c21 N70-34297 NASA-CASE-XGS-C0466
US-PATENT-APPL-SN-123597
US-PATENT-CLASS-250-83.3
US-PATENT-3,188,472
c14 N70-34298 NASA-CASE-XNP-00462
US-PATENT-APPL-SN-148001
US-PATENT-CLASS-88-14
US-PATENT-3,185,023
c09 N70-34502 NASA-CASE-XNP-00421
US-PATENT-APPL-SN-197548
US-PATENT-CLASS-317-140
US-PATENT-3,189,794
c21 N70-34539 NASA-CASE-XNP-00185
US-PATENT-APPL-SN-97112
US-PATENT-CLASS-244-76
US-PATENT-3,070,330
c33 N70-34540 NASA-CASE-XLA-00330
US-PATENT-APPL-SN-264729
US-PATENT-CLASS-219-121
US-PATENT-3,201,560
c33 N70-34545 NASA-CASE-XLE-00490
US-PATENT-APPL-SN-252259
US-PATENT-CLASS-219-347
US-PATENT-3,189,726
c09 N70-34559 NASA-CASE-LAR-10218-1
US-PATENT-APPL-SN-47441
c09 N70-34596 NASA-CASE-XNP-00324
US-PATENT-APPL-SN-109789
US-PATENT-CLASS-339-176
US-PATENT-3,189,864
c03 N70-34646 NASA-CASE-NPO-11138
US-PATENT-APPL-SN-9251
c25 N70-34661 NASA-CASE-XLA-00147
US-PATENT-APPL-SN-178215
US-PATENT-CLASS-313-156
US-PATENT-3,201,635
c15 N70-34664 NASA-CASE-XNP-00515
US-PATENT-APPL-SN-278790
US-PATENT-CLASS-308-9
US-PATENT-3,199,931
c03 N70-34667 NASA-CASE-XLA-00326
US-PATENT-APPL-SN-318443
US-PATENT-CLASS-89-1
US-PATENT-3,200,706
c08 N70-34675 NASA-CASE-XNP-04162-1
US-PATENT-APPL-SN-872664
c14 N70-34697 NASA-CASE-NPO-11106
US-PATENT-APPL-SN-15020
c15 N70-34699 NASA-CASE-NPO-10682
US-PATENT-APPL-SN-15023
c14 N70-34705 NASA-CASE-XNP-00456
US-PATENT-APPL-SN-298800
US-PATENT-CLASS-73-88.5
US-PATENT-3,212,325
c08 N70-34743 NASA-CASE-XGS-00174
US-PATENT-APPL-SN-120803
US-PATENT-CLASS-307-88
US-PATENT-3,198,955
c08 N70-34778 NASA-CASE-XLA-00471
US-PATENT-APPL-SN-197553
US-PATENT-CLASS-235-154
US-PATENT-3,194,951
c27 N70-34783 NASA-CASE-XLA-00304
US-PATENT-APPL-SN-54552
US-PATENT-CLASS-18-39
US-PATENT-3,193,883
c11 N70-34786 NASA-CASE-XLA-00493
US-PATENT-APPL-SN-202029
US-PATENT-CLASS-73-432
US-PATENT-3,196,690
c08 N70-34787 NASA-CASE-XGS-00689
US-PATENT-APPL-SN-250451
US-PATENT-CLASS-235-176
US-PATENT-3,196,261
c28 N70-34788 NASA-CASE-XLE-00388
US-PATENT-APPL-SN-234568
US-PATENT-CLASS-55-306
US-PATENT-3,196,598
c14 N70-34794 NASA-CASE-XNP-00479
US-PATENT-APPL-SN-169977
US-PATENT-CLASS-73-71.2
US-PATENT-3,194,060
c14 N70-34799 NASA-CASE-XLA-00492
US-PATENT-APPL-SN-284265
US-PATENT-CLASS-73-88.5
US-PATENT-3,199,340
c33 N70-34812 NASA-CASE-XLE-00387
US-PATENT-APPL-SN-203411
US-PATENT-CLASS-219-19
US-PATENT-3,108,171
c14 N70-34813 NASA-CASE-XAC-00073
US-PATENT-APPL-SN-47122
US-PATENT-CLASS-73-147
US-PATENT-3,100,990
c15 N70-34814 NASA-CASE-XNP-00392
US-PATENT-APPL-SN-151112
US-PATENT-CLASS-219-137
US-PATENT-3,102,948
c11 N70-34815 NASA-CASE-XAC-00399
US-PATENT-APPL-SN-134481
US-PATENT-CLASS-35-12
US-PATENT-3,196,557
c14 N70-34816 NASA-CASE-XAC-00042
US-PATENT-APPL-SN-734805
US-PATENT-CLASS-73-398
US-PATENT-3,022,672
c15 N70-34817 NASA-CASE-XAC-00074
US-PATENT-APPL-SN-47123
US-PATENT-CLASS-137-340
US-PATENT-3,158,172
c14 N70-34818 NASA-CASE-XLE-00503
US-PATENT-APPL-SN-261912
US-PATENT-CLASS-73-136
US-PATENT-3,196,675
c09 N70-34819 NASA-CASE-XGS-00381
US-PATENT-APPL-SN-104188
US-PATENT-CLASS-307-88.5
US-PATENT-3,085,165
c14 N70-34820 NASA-CASE-XAC-00030
US-PATENT-APPL-SN-760819
US-PATENT-CLASS-73-401
US-PATENT-3,024,659
c11 N70-34844 NASA-CASE-XLE-00252
US-PATENT-APPL-SN-144803
US-PATENT-CLASS-73-116
US-PATENT-3,199,343
c15 N70-34850 NASA-CASE-XLA-00754
US-PATENT-APPL-SN-209479
US-PATENT-CLASS-244-100
US-PATENT-3,143,321
c02 N70-34856 NASA-CASE-XAC-00139
US-PATENT-APPL-SN-168560
US-PATENT-CLASS-244-51
US-PATENT-3,144,999
c05 N70-34857 NASA-CASE-XMS-00863
US-PATENT-APPL-SN-221634
US-PATENT-CLASS-9-11
US-PATENT-3,155,992
c02 N70-34858 NASA-CASE-XLA-00806
US-PATENT-APPL-SN-26375
US-PATENT-APPL-SN-181828
US-PATENT-CLASS-244-46
US-PATENT-3,170,657
c15 N70-34859 NASA-CASE-XLE-00715
US-PATENT-APPL-SN-212174
US-PATENT-CLASS-251-333
US-PATENT-3,191,907
c28 N70-34860 NASA-CASE-XLE-00144
US-PATENT-APPL-SN-177684
US-PATENT-CLASS-60-35.6
US-PATENT-3,120,101
c15 N70-34861 NASA-CASE-XLE-00810
US-PATENT-APPL-SN-249540
US-PATENT-CLASS-188-1
US-PATENT-3,164,222
c06 N70-34946 NASA-CASE-XNP-00733
US-PATENT-APPL-SN-256484
US-PATENT-CLASS-62-15
US-PATENT-3,192,730
c31 N70-34966 NASA-CASE-XPR-00929
US-PATENT-APPL-SN-290868
US-PATENT-CLASS-35-12
US-PATENT-3,191,316
c15 N70-34967 NASA-CASE-XNP-00595
US-PATENT-APPL-SN-188594
US-PATENT-CLASS-204-298
US-PATENT-3,189,535
c15 N70-35087 NASA-CASE-XGS-00587
US-PATENT-APPL-SN-313135
US-PATENT-CLASS-137-340
US-PATENT-3,211,169
c21 N70-35089 NASA-CASE-XNP-00438

US-PATENT-APPL-SN-180381
US-PATENT-CLASS-250-203
US-PATENT-3,205,362
c05 N70-35152 NASA-CASE-XMS-01240
US-PATENT-APPL-SN-331324
US-PATENT-CLASS-297-216
US-PATENT-3,165,356
c09 N70-35219 NASA-CASE-XNP-00611
US-PATENT-APPL-SN-140443
US-PATENT-CLASS-343-781
US-PATENT-3,209,360
c14 N70-35220 NASA-CASE-XNP-00449
US-PATENT-APPL-SN-118169
US-PATENT-CLASS-330-49
US-PATENT-3,160,825
c14 N70-35368 NASA-CASE-XLE-00335
US-PATENT-APPL-SN-197554
US-PATENT-CLASS-73-15.6
US-PATENT-3,176,499
c28 N70-35381 NASA-CASE-XHQ-01897
US-PATENT-APPL-SN-129579
US-PATENT-CLASS-60-35.6
US-PATENT-3,121,309
c09 N70-35382 NASA-CASE-XNP-00540
US-PATENT-APPL-SN-140509
US-PATENT-CLASS-343-781
US-PATENT-3,212,096
c11 N70-35383 NASA-CASE-XMF-00580
US-PATENT-APPL-SN-343425
US-PATENT-CLASS-248-119
US-PATENT-3,194,525
c14 N70-35394 NASA-CASE-XNP-00708
US-PATENT-APPL-SN-281069
US-PATENT-CLASS-35-45
US-PATENT-3,196,558
c21 N70-35395 NASA-CASE-XNP-00465
US-PATENT-APPL-SN-180379
US-PATENT-CLASS-244-1
US-PATENT-3,206,141
c15 N70-35407 NASA-CASE-XLE-00815
US-PATENT-APPL-SN-300712
US-PATENT-CLASS-251-11
US-PATENT-3,211,414
c03 N70-35408 NASA-CASE-XGS-01593
US-PATENT-APPL-SN-178721
US-PATENT-CLASS-310-5
US-PATENT-3,205,381
c15 N70-35409 NASA-CASE-XHQ-01208
US-PATENT-APPL-SN-42022
US-PATENT-CLASS-121-38
US-PATENT-3,088.441
c28 N70-35422 NASA-CASE-LEW-10814-1
US-PATENT-APPL-SN-38262
c08 N70-35423 NASA-CASE-XNP-00432
US-PATENT-APPL-SN-127234
US-PATENT-CLASS-340-347
US-PATENT-3,172,097
c09 N70-35425 NASA-CASE-XNP-00683
US-PATENT-APPL-SN-251451
US-PATENT-CLASS-343-781
US-PATENT-3,209,361
c21 N70-35427 NASA-CASE-XGS-00809
US-PATENT-APPL-SN-85585
US-PATENT-CLASS-88-1
US-PATENT-3,083,611
c09 N70-35440 NASA-CASE-XAC-00435
US-PATENT-APPL-SN-164428
US-PATENT-CLASS-330-14
US-PATENT-3,196,362
c27 N70-35534 NASA-CASE-XGS-03556
US-PATENT-APPL-SN-94259
US-PATENT-CLASS-60-35.6
US-PATENT-3,191,379
c14 N70-35587 NASA-CASE-FRC-10053
US-PATENT-APPL-SN-33398
c14 N70-35666 NASA-CASE-XNP-00646
US-PATENT-APPL-SN-173981
US-PATENT-CLASS-324-33
US-PATENT-3,171,081
c15 N70-35679 NASA-CASE-MSC-12279-1
US-PATENT-APPL-SN-24154
c18 N70-36400 NASA-CASE-XMS-00259
US-PATENT-APPL-SN-145007
US-PATENT-CLASS-117-69
US-PATENT-3,157,529
c15 N70-36409 NASA-CASE-XLA-00482
US-PATENT-APPL-SN-166970
US-PATENT-CLASS-29-423
US-PATENT-3,166,950
c31 N70-36410 NASA-CASE-XMF-00641
US-PATENT-APPL-SN-221945
US-PATENT-CLASS-244-1
US-PATENT-3,158,336
c15 N70-36411 NASA-CASE-XLE-00164
US-PATENT-APPL-SN-107870
US-PATENT-CLASS-60-39.66
US-PATENT-3,162,012
c15 N70-36412 NASA-CASE-XLE-00170
US-PATENT-APPL-SN-232914
US-PATENT-CLASS-253-66
US-PATENT-3,164,369
c15 N70-36492 NASA-CASE-XLE-00397
US-PATENT-APPL-SN-195346
US-PATENT-CLASS-137-614
US-PATENT-3,170,486
c05 N70-36493 NASA-CASE-XMS-00864
US-PATENT-APPL-SN-258932
US-PATENT-CLASS-9-316
US-PATENT-3,152,344
c09 N70-36494 NASA-CASE-XMF-00369
US-PATENT-APPL-SN-134782
US-PATENT-CLASS-339-176
US-PATENT-3,149,897
c15 N70-36535 NASA-CASE-XLE-00303
US-PATENT-APPL-SN-182692
US-PATENT-CLASS-60-35.6
US-PATENT-3,170,286
c32 N70-36536 NASA-CASE-XLA-00204
US-PATENT-APPL-SN-189648
US-PATENT-CLASS-135-1
US-PATENT-3,170,471
c17 N70-36616 NASA-CASE-XLE-00283
US-PATENT-APPL-SN-107866
US-PATENT-CLASS-75-171
US-PATENT-3,167,426
c33 N70-36617 NASA-CASE-XLA-01291
US-PATENT-APPL-SN-277961
US-PATENT-CLASS-244-1
US-PATENT-3,176,933
c14 N70-36618 NASA-CASE-XLE-00143
US-PATENT-APPL-SN-104187
US-PATENT-CLASS-324-61
US-PATENT-3,176,222
c31 N70-36654 NASA-CASE-XMF-02853
US-PATENT-APPL-SN-360182
US-PATENT-CLASS-244-100
US-PATENT-3,175,789
c03 N70-36778 NASA-CASE-XLA-00838
US-PATENT-APPL-SN-192016
US-PATENT-CLASS-9-8
US-PATENT-3,150,387
c28 N70-36802 NASA-CASE-XMF-00923
US-PATENT-APPL-SN-264736
US-PATENT-CLASS-60-35.5
US-PATENT-3,159,967
c03 N70-36803 NASA-CASE-XNP-00644
US-PATENT-APPL-SN-212496
US-PATENT-CLASS-310-11
US-PATENT-3,158,764
c02 N70-36804 NASA-CASE-XLA-00898
US-PATENT-APPL-SN-227683
US-PATENT-CLASS-244-152
US-PATENT-3,170,660
c26 N70-36805 NASA-CASE-XLA-00158
US-PATENT-APPL-SN-221637
US-PATENT-CLASS-23-208
US-PATENT-3,174,827
c28 N70-36806 NASA-CASE-XLE-00145
US-PATENT-APPL-SN-173081
US-PATENT-CLASS-60-35.6
US-PATENT-3,174,279
c14 N70-36807 NASA-CASE-XLA-00100
US-PATENT-APPL-SN-534901
US-PATENT-CLASS-73-178
US-PATENT-3,168,827
c14 N70-36824 NASA-CASE-XLA-00481
US-PATENT-APPL-SN-120797
US-PATENT-CLASS-73-212
US-PATENT-3,170,324
c02 N70-36825 NASA-CASE-XLA-01583
US-PATENT-APPL-SN-327565
US-PATENT-CLASS-244-103
US-PATENT-3,169,001
c31 N70-36845 NASA-CASE-XMF-02108
US-PATENT-APPL-SN-372727
US-PATENT-CLASS-244-100
US-PATENT-3,181,821
c33 N70-36846 NASA-CASE-XLA-00189

US-PATENT-APPL-SN-223003
US-PATENT-CLASS-102-49
US-PATENT-3,180,264
c33 N70-36847 NASA-CASE-XNP-00463
US-PATENT-APPL-SN-259487
US-PATENT-CLASS-165-96
US-PATENT-3,177,933
c15 N70-36901 NASA-CASE-XFR-00811
US-PATENT-APPL-SN-257346
US-PATENT-CLASS-29-234
US-PATENT-3,166,834
c14 N70-36907 NASA-CASE-XNP-00614
US-PATENT-APPL-SN-247419
US-PATENT-CLASS-33-1
US-PATENT-3,163,935
c15 N70-36908 NASA-CASE-XNP-00214
US-PATENT-APPL-SN-180377
US-PATENT-CLASS-137-625.69
US-PATENT-3,140,728
c28 N70-36910 NASA-CASE-XNP-00610
US-PATENT-APPL-SN-211464
US-PATENT-CLASS-60-35.6
US-PATENT-3,170,290
c07 N70-36911 NASA-CASE-XNP-00748
US-PATENT-APPL-SN-184649
US-PATENT-CLASS-343-17.2
US-PATENT-3,183,506
c11 N70-36913 NASA-CASE-XMF-00411
US-PATENT-APPL-SN-158914
US-PATENT-CLASS-73-147
US-PATENT-3,182,496
c21 N70-36938 NASA-CASE-XNP-00294
US-PATENT-APPL-SN-182696
US-PATENT-CLASS-60-35.5
US-PATENT-3,178,883
c21 N70-36943 NASA-CASE-XLA-00281
US-PATENT-APPL-SN-84962
US-PATENT-CLASS-244-1
US-PATENT-3,180,587
c25 N70-36946 NASA-CASE-XLA-01354
US-PATENT-APPL-SN-253774
US-PATENT-CLASS-60-35.5
US-PATENT-3,174,278
c15 N70-36947 NASA-CASE-XNP-00416
US-PATENT-APPL-SN-180395
US-PATENT-CLASS-189-36
US-PATENT-3,169,613
c28 N70-37245 NASA-CASE-XLE-00376
US-PATENT-APPL-SN-139007
US-PATENT-CLASS-60-35.5
US-PATENT-3,156,090
c31 N70-37924 NASA-CASE-XGS-00260
US-PATENT-APPL-SN-187446
US-PATENT-CLASS-244-1
US-PATENT-3,090,580
c15 N70-37925 NASA-CASE-XLA-00128
US-PATENT-APPL-SN-32496
US-PATENT-CLASS-73-384
US-PATENT-3,093,000
c31 N70-37938 NASA-CASE-XLA-00149
US-PATENT-APPL-SN-847023
US-PATENT-CLASS-244-1
US-PATENT-3,093,346
c02 N70-37939 NASA-CASE-XLE-00222
US-PATENT-APPL-SN-77252
US-PATENT-CLASS-244-113
US-PATENT-3,098,630
c33 N70-37979 NASA-CASE-XLA-00349
US-PATENT-APPL-SN-141220
US-PATENT-CLASS-62-467
US-PATENT-3,090,212
c28 N70-37980 NASA-CASE-XLE-00342
US-PATENT-APPL-SN-60531
US-PATENT-CLASS-60-35.5
US-PATENT-3,119,232
c31 N70-37981 NASA-CASE-XLA-00138
US-PATENT-APPL-SN-8204
US-PATENT-CLASS-343-18
US-PATENT-3,115,630
c31 N70-37986 NASA-CASE-XLA-00241
US-PATENT-APPL-SN-61329
US-PATENT-CLASS-244-1
US-PATENT-3,104,079
c02 N70-38009 NASA-CASE-XLA-00195
US-PATENT-APPL-SN-60536
US-PATENT-CLASS-244-140
US-PATENT-3,079,113
c31 N70-38010 NASA-CASE-XLA-00805
US-PATENT-APPL-SN-181829
US-PATENT-CLASS-244-46
US-PATENT-3,120,361
c02 N70-38011 NASA-CASE-XLA-00350
US-PATENT-APPL-SN-153266
US-PATENT-CLASS-244-46
US-PATENT-3,104,082
c15 N70-38020 NASA-CASE-XLE-00345
US-PATENT-APPL-SN-183978
US-PATENT-CLASS-62-55
US-PATENT-3,122,000
c28 N70-38181 NASA-CASE-XNP-00217
US-PATENT-APPL-SN-180374
US-PATENT-CLASS-102-49
US-PATENT-3,122,098
c11 N70-38182 NASA-CASE-XNP-00612
US-PATENT-APPL-SN-228507
US-PATENT-CLASS-220-63
US-PATENT-3,123,248
c11 N70-38196 NASA-CASE-XMF-00424
US-PATENT-APPL-SN-159804
US-PATENT-CLASS-73-517
US-PATENT-3,141,340
c28 N70-38197 NASA-CASE-XLE-00455
US-PATENT-APPL-SN-203409
US-PATENT-CLASS-75-222
US-PATENT-3,141,769
c17 N70-38198 NASA-CASE-XLE-00231
US-PATENT-APPL-SN-64226
US-PATENT-CLASS-22-203
US-PATENT-3,138,837
c28 N70-38199 NASA-CASE-XLE-00111
US-PATENT-APPL-SN-835152
US-PATENT-CLASS-60-39.48
US-PATENT-3,136,123
c07 N70-38200 NASA-CASE-XLA-00414
US-PATENT-APPL-SN-209478
US-PATENT-CLASS-343-705
US-PATENT-3,132,342
c09 N70-38201 NASA-CASE-XNP-00738
US-PATENT-APPL-SN-204015
US-PATENT-CLASS-174-115
US-PATENT-3,106,603
c11 N70-38202 NASA-CASE-XNP-00425
US-PATENT-APPL-SN-180396
US-PATENT-CLASS-89-1.7
US-PATENT-3,112,672
c15 N70-38225 NASA-CASE-XNP-00840
US-PATENT-APPL-SN-269222
US-PATENT-CLASS-267-1
US-PATENT-3,127,157
c28 N70-38249 NASA-CASE-XNP-00249
US-PATENT-APPL-SN-180391
US-PATENT-CLASS-60-35.6
US-PATENT-3,120,738
c17 N70-38490 NASA-CASE-XLE-00228
US-PATENT-APPL-SN-64224
US-PATENT-CLASS-29-183.5
US-PATENT-3,084,421
c28 N70-38504 NASA-CASE-XMS-00583
US-PATENT-APPL-SN-182699
US-PATENT-CLASS-60-35.6
US-PATENT-3,135,089
c28 N70-38505 NASA-CASE-XLE-00323
US-PATENT-APPL-SN-183977
US-PATENT-CLASS-60-35.6
US-PATENT-3,135,090
c15 N70-38601 NASA-CASE-XLA-00679
US-PATENT-APPL-SN-213836
US-PATENT-CLASS-188-1
US-PATENT-3,128,845
c14 N70-38602 NASA-CASE-XLE-00243
US-PATENT-APPL-SN-118203
US-PATENT-CLASS-324-106
US-PATENT-3,202,915
c15 N70-38603 NASA-CASE-XNP-00450
US-PATENT-APPL-SN-180394
US-PATENT-CLASS-137-495
US-PATENT-3,105,515
c09 N70-38604 NASA-CASE-XGS-00458
US-PATENT-APPL-SN-139006
US-PATENT-CLASS-307-88
US-PATENT-3,128,389
c15 N70-38620 NASA-CASE-XNP-00476
US-PATENT-APPL-SN-182698
US-PATENT-CLASS-308-9
US-PATENT-3,132,903
c28 N70-38645 NASA-CASE-XNP-00234
US-PATENT-APPL-SN-180382
US-PATENT-CLASS-60-35.54

US-PATENT-3,139,725
c11 N70-38675 NASA-CASE-XNP-00459
US-PATENT-APPL-SN-180384
US-PATENT-CLASS-73-432
US-PATENT-3,187,583
c31 N70-38676 NASA-CASE-XLA-00258
US-PATENT-APPL-SN-101029
US-PATENT-CLASS-244-1
US-PATENT-3,144,219
c28 N70-38710 NASA-CASE-XMF-00148
US-PATENT-APPL-SN-118202
US-PATENT-CLASS-60-35.6
US-PATENT-3,122,885
c28 N70-38711 NASA-CASE-XLE-00057
US-PATENT-APPL-SN-0914
US-PATENT-CLASS-60-35.55
US-PATENT-3,080,711
c09 N70-38712 NASA-CASE-XMF-01129
US-PATENT-APPL-SN-273534
US-PATENT-CLASS-318-260
US-PATENT-3,147,422
c03 N70-38713 NASA-CASE-XGS-00473
US-PATENT-APPL-SN-139012
US-PATENT-CLASS-200-39
US-PATENT-3,141,932
c09 N70-38995 NASA-CASE-XGS-00131
US-PATENT-APPL-SN-14488
US-PATENT-CLASS-331-113
US-PATENT-3,150,329
c15 N70-38996 NASA-CASE-XNP-00676
US-PATENT-APPL-SN-290870
US-PATENT-CLASS-222-389
US-PATENT-3,170,605
c12 N70-38997 NASA-CASE-XMF-00658
US-PATENT-APPL-SN-216710
US-PATENT-CLASS-137-1
US-PATENT-3,110,318
c09 N70-38998 NASA-CASE-XNP-00431
US-PATENT-APPL-SN-180380
US-PATENT-CLASS-340-147
US-PATENT-3,100,294
c28 N70-39895 NASA-CASE-XLE-00085
US-PATENT-APPL-SN-25175
US-PATENT-CLASS-253-66
US-PATENT-3,070,349
c15 N70-39896 NASA-CASE-XMF-00339
US-PATENT-APPL-SN-110591
US-PATENT-CLASS-308-9
US-PATENT-3,070,407
c18 N70-39897 NASA-CASE-XLE-00353
US-PATENT-APPL-SN-65548
US-PATENT-CLASS-252-58
US-PATENT-3,072,574
c14 N70-39898 NASA-CASE-XMF-00480
US-PATENT-APPL-SN-144804
US-PATENT-CLASS-248-346
US-PATENT-3,069,123
c28 N70-39899 NASA-CASE-XLE-00005
US-PATENT-APPL-SN-718095
US-PATENT-CLASS-60-35.6
US-PATENT-3,067,573
c09 N70-39915 NASA-CASE-XAC-00060
US-PATENT-APPL-SN-47121
US-PATENT-CLASS-200-19
US-PATENT-3,076,065
c05 N70-39922 NASA-CASE-XMS-01115
US-PATENT-APPL-SN-277404
US-PATENT-CLASS-128-29
US-PATENT-3,229,689
c15 N70-39924 NASA-CASE-XMF-00640
US-PATENT-APPL-SN-341467
US-PATENT-CLASS-228-50
US-PATENT-3,229,884
c28 N70-39925 NASA-CASE-XLE-00660
US-PATENT-APPL-SN-231604
US-PATENT-CLASS-313-11.5
US-PATENT-3,229,139
c03 N70-39930 NASA-CASE-XLA-00791
US-PATENT-APPL-SN-347960
US-PATENT-CLASS-102-49
US-PATENT-3,229,636
c28 N70-39931 NASA-CASE-XNP-01104
US-PATENT-APPL-SN-290867
US-PATENT-CLASS-60-39.48
US-PATENT-3,229,463
c14 N70-40003 NASA-CASE-XGS-01036
US-PATENT-APPL-SN-227692
US-PATENT-CLASS-88-14
US-PATENT-3,229,568
c26 N70-40015 NASA-CASE-XLA-02057
US-PATENT-APPL-SN-320595
US-PATENT-CLASS-23-277
US-PATENT-3,230,053
c30 N70-40016 NASA-CASE-XGS-00619
US-PATENT-APPL-SN-264728
US-PATENT-CLASS-244-1
US-PATENT-3,229,930
c15 N70-40062 NASA-CASE-XMS-01624
US-PATENT-APPL-SN-422867
US-PATENT-CLASS-55-408
US-PATENT-3,224,173
c07 N70-40063 NASA-CASE-XMS-00893
US-PATENT-APPL-SN-251449
US-PATENT-CLASS-343-18
US-PATENT-3,224,001
c09 N70-40123 NASA-CASE-XGS-01881
US-PATENT-APPL-SN-155584
US-PATENT-CLASS-324-43
US-PATENT-3,218,547
c12 N70-40124 NASA-CASE-XLE-01512
US-PATENT-APPL-SN-315096
US-PATENT-CLASS-149-2
US-PATENT-3,215,572
c08 N70-40125 NASA-CASE-XAC-00404
US-PATENT-APPL-SN-209801
US-PATENT-CLASS-340-347
US-PATENT-3,216,007
c15 N70-40156 NASA-CASE-XLA-01019
US-PATENT-APPL-SN-282817
US-PATENT-CLASS-248-358
US-PATENT-3,223,374
c14 N70-40157 NASA-CASE-XLA-00487
US-PATENT-APPL-SN-236748
US-PATENT-CLASS-73-178
US-PATENT-3,221,549
c15 N70-40180 NASA-CASE-XAC-00472
US-PATENT-APPL-SN-236749
US-PATENT-CLASS-73-142
US-PATENT-3,224,263
c14 N70-40201 NASA-CASE-XLE-00720
US-PATENT-APPL-SN-302749
US-PATENT-CLASS-73-134
US-PATENT-3,221,547
c07 N70-40202 NASA-CASE-XMF-00437
US-PATENT-APPL-SN-120795
US-PATENT-CLASS-343-705
US-PATENT-3,077,599
c14 N70-40203 NASA-CASE-XLE-00702
US-PATENT-APPL-SN-258931
US-PATENT-CLASS-73-116
US-PATENT-3,201,980
c15 N70-40204 NASA-CASE-XMF-00722
US-PATENT-APPL-SN-347626
US-PATENT-CLASS-228-50
US-PATENT-3,219,250
c14 N70-40233 NASA-CASE-XMS-01546
US-PATENT-APPL-SN-386467
US-PATENT-CLASS-222-45
US-PATENT-3,228,558
c09 N70-40234 NASA-CASE-XLE-01716
US-PATENT-APPL-SN-349778
US-PATENT-CLASS-126-270
US-PATENT-3,229,682
c14 N70-40238 NASA-CASE-XMF-00908
US-PATENT-APPL-SN-241085
US-PATENT-CLASS-250-201
US-PATENT-3,229,099
c14 N70-40239 NASA-CASE-XLA-00183
US-PATENT-APPL-SN-199202
US-PATENT-CLASS-250-203
US-PATENT-3,229,102
c14 N70-40240 NASA-CASE-XNQ-04106
US-PATENT-APPL-SN-91180
US-PATENT-CLASS-250-105
US-PATENT-3,143,651
c09 N70-40272 NASA-CASE-XMF-00701
US-PATENT-APPL-SN-261917
US-PATENT-CLASS-307-88.5
US-PATENT-3,218,479
c14 N70-40273 NASA-CASE-XNP-00637
US-PATENT-APPL-SN-280776
US-PATENT-CLASS-95-58
US-PATENT-3,217,624
c30 N70-40309 NASA-CASE-XLA-00210
US-PATENT-APPL-SN-82658
US-PATENT-CLASS-343-18
US-PATENT-3,220,004
c30 N70-40353 NASA-CASE-XMF-03198

US-PATENT-APPL-SN-370134
US-PATENT-CLASS-89-1.7
US-PATENT-3,224,336
c15 N70-40354 NASA-CASE-XMF-01045
US-PATENT-APPL-SN-355130
US-PATENT-CLASS-188-1
US-PATENT-3,228,492
c28 N70-40367 NASA-CASE-XLE-00177
US-PATENT-APPL-SN-10812
US-PATENT-CLASS-60-35.3
US-PATENT-3,045,424
c14 N70-40400 NASA-CASE-XAC-00648
US-PATENT-APPL-SN-216939
US-PATENT-CLASS-73-147
US-PATENT-3,218,850
c28 N70-41275 NASA-CASE-XNP-01390
US-PATENT-APPL-SN-424157
US-PATENT-CLASS-60-259
US-PATENT-3,300,981
c05 N70-41297 NASA-CASE-XMS-01492
US-PATENT-APPL-SN-398131
US-PATENT-CLASS-55-35
US-PATENT-3,300,949
c15 N70-41310 NASA-CASE-XNP-01567
US-PATENT-APPL-SN-448898
US-PATENT-CLASS-248-178
US-PATENT-3,295,808
c28 N70-41311 NASA-CASE-XNP-00876
US-PATENT-APPL-SN-377784
US-PATENT-CLASS-60-251
US-PATENT-3,298,182
c05 N70-41329 NASA-CASE-XMS-01615
US-PATENT-APPL-SN-329595
US-PATENT-CLASS-128-2.05
US-PATENT-3,298,362
c14 N70-41330 NASA-CASE-XLE-00688
US-PATENT-APPL-SN-334672
US-PATENT-CLASS-73-32
US-PATENT-3,298,221
c07 N70-41331 NASA-CASE-XLA-01400
US-PATENT-APPL-SN-363653
US-PATENT-CLASS-325-65
US-PATENT-3,296,531
c14 N70-41332 NASA-CASE-XLA-00495
US-PATENT-APPL-SN-269215
US-PATENT-CLASS-324-70
US-PATENT-3,296,526
c14 N70-41366 NASA-CASE-XLA-01353
US-PATENT-APPL-SN-403960
US-PATENT-CLASS-73-147
US-PATENT-3,301,046
c32 N70-41367 NASA-CASE-XGS-00938
US-PATENT-APPL-SN-392970
US-PATENT-CLASS-214-1
US-PATENT-3,295,699
c32 N70-41370 NASA-CASE-XNP-01962
US-PATENT-APPL-SN-369640
US-PATENT-CLASS-92-94
US-PATENT-3,298,285
c15 N70-41371 NASA-CASE-XMF-01452
US-PATENT-APPL-SN-356692
US-PATENT-CLASS-29-271
US-PATENT-3,300,847
c07 N70-41372 NASA-CASE-XLA-01127
US-PATENT-APPL-SN-363654
US-PATENT-CLASS-325-65
US-PATENT-3,300,731
c31 N70-41373 NASA-CASE-XMS-01906
US-PATENT-APPL-SN-339040
US-PATENT-CLASS-244-1
US-PATENT-3,300,162
c28 N70-41447 NASA-CASE-XNP-00732
US-PATENT-APPL-SN-261918
US-PATENT-CLASS-210-314
US-PATENT-3,295,684
c28 N70-41576 NASA-CASE-XLE-00519
US-PATENT-APPL-SN-249542
US-PATENT-CLASS-313-63
US-PATENT-3,287,582
c16 N70-41578 NASA-CASE-XGS-01504
US-PATENT-APPL-SN-340113
US-PATENT-CLASS-331-94
US-PATENT-3,287,660
c32 N70-41579 NASA-CASE-XLE-00620
US-PATENT-APPL-SN-304698
US-PATENT-CLASS-138-119
US-PATENT-3,295,556
c03 N70-41580 NASA-CASE-XLA-00622
US-PATENT-APPL-SN-377833
US-PATENT-CLASS-126-270
US-PATENT-3,295,512
c05 N70-41581 NASA-CASE-XAC-01404
US-PATENT-APPL-SN-363348
US-PATENT-CLASS-74-471
US-PATENT-3,295,386
c28 N70-41582 NASA-CASE-XMF-01813
US-PATENT-APPL-SN-375674
US-PATENT-CLASS-181-52
US-PATENT-3,270,835
c18 N70-41583 NASA-CASE-XMF-01030
US-PATENT-APPL-SN-317389
US-PATENT-CLASS-161-115
US-PATENT-3,296,060
c31 N70-41588 NASA-CASE-XMF-01973
US-PATENT-APPL-SN-375682
US-PATENT-CLASS-244-1
US-PATENT-3,295,790
c02 N70-41589 NASA-CASE-XMF-01174
US-PATENT-APPL-SN-410331
US-PATENT-CLASS-244-100
US-PATENT-3,295,798
c25 N70-41628 NASA-CASE-XAC-00319
US-PATENT-APPL-SN-77251
US-PATENT-CLASS-315-111
US-PATENT-3,229,155
c15 N70-41629 NASA-CASE-XGS-02441
US-PATENT-APPL-SN-411944
US-PATENT-CLASS-285-331
US-PATENT-3,301,576
c02 N70-41630 NASA-CASE-XMS-00907
US-PATENT-APPL-SN-428890
US-PATENT-CLASS-244-138
US-PATENT-3,301,511
c31 N70-41631 NASA-CASE-XMS-04142
US-PATENT-APPL-SN-422865
US-PATENT-CLASS-244-1
US-PATENT-3,301,507
c15 N70-41646 NASA-CASE-XLE-01449
US-PATENT-APPL-SN-330209
US-PATENT-CLASS-137-197
US-PATENT-3,295,545
c14 N70-41647 NASA-CASE-XGS-00769
US-PATENT-APPL-SN-319893
US-PATENT-CLASS-242-55.19
US-PATENT-3,295,782
c09 N70-41655 NASA-CASE-XMF-00906
US-PATENT-APPL-SN-264731
US-PATENT-CLASS-324-113
US-PATENT-3,287,640
c09 N70-41675 NASA-CASE-XMS-01315
US-PATENT-APPL-SN-347101
US-PATENT-CLASS-307-88.5
US-PATENT-3,302,040
c14 N70-41676 NASA-CASE-XGS-01231
US-PATENT-APPL-SN-346356
US-PATENT-CLASS-250-71
US-PATENT-3,302,023
c11 N70-41677 NASA-CASE-XMF-01772
US-PATENT-APPL-SN-370135
US-PATENT-CLASS-73-116
US-PATENT-3,295,366
c07 N70-41678 NASA-CASE-XGS-02608
US-PATENT-APPL-SN-456578
US-PATENT-CLASS-343-18
US-PATENT-3,289,205
c15 N70-41679 NASA-CASE-XLA-01441
US-PATENT-APPL-SN-516151
US-PATENT-CLASS-102-49
US-PATENT-3,302,569
c07 N70-41680 NASA-CASE-XNP-02723
US-PATENT-APPL-SN-371857
US-PATENT-CLASS-343-14
US-PATENT-3,287,725
c14 N70-41681 NASA-CASE-XAC-02877
US-PATENT-APPL-SN-449902
US-PATENT-CLASS-73-30
US-PATENT-3,295,360
c14 N70-41682 NASA-CASE-XMS-05936
US-PATENT-APPL-SN-557868
US-PATENT-CLASS-73-517
US-PATENT-3,295,377
c09 N70-41717 NASA-CASE-XMS-02087
US-PATENT-APPL-SN-439489
US-PATENT-CLASS-165-1
US-PATENT-3,301,315
c14 N70-41807 NASA-CASE-XNP-01472
US-PATENT-APPL-SN-321656
US-PATENT-CLASS-178-7.2

US-PATENT-3,287,496
c15 N70-41808 NASA-CASE-XMS-02532
US-PATENT-APPL-SN-398132
US-PATENT-CLASS-285-27
US-PATENT-3,287,031
c15 N70-41811 NASA-CASE-XNP-01152
US-PATENT-APPL-SN-369337
US-PATENT-CLASS-137-539
US-PATENT-3,302,662
c14 N70-41812 NASA-CASE-XMS-03792
US-PATENT-APPL-SN-516159
US-PATENT-CLASS-200-61.45
US-PATENT-3,303,304
c28 N70-41818 NASA-CASE-XLE-00150
US-PATENT-APPL-SN-843032
US-PATENT-CLASS-29-157.3
US-PATENT-3,035,333
c05 N70-41819 NASA-CASE-XAC-00405
US-PATENT-APPL-SN-158916
US-PATENT-CLASS-128-1
US-PATENT-3,302,633
c15 N70-41829 NASA-CASE-XNP-01371
US-PATENT-APPL-SN-353634
US-PATENT-CLASS-287-119
US-PATENT-3,302,960
c31 N70-41855 NASA-CASE-XNP-02982
US-PATENT-APPL-SN-388966
US-PATENT-CLASS-244-1
US-PATENT-3,304,028
c21 N70-41856 NASA-CASE-XNP-01307
US-PATENT-APPL-SN-390250
US-PATENT-CLASS-244-1
US-PATENT-3,286,953
c02 N70-41863 NASA-CASE-XLA-01220
US-PATENT-APPL-SN-379417
US-PATENT-CLASS-244-16
US-PATENT-3,286,957
c03 N70-41864 NASA-CASE-XGS-01419
US-PATENT-APPL-SN-323182
US-PATENT-CLASS-136-179
US-PATENT-3,287,174
c31 N70-41871 NASA-CASE-XMS-04390
US-PATENT-APPL-SN-502729
US-PATENT-CLASS-62-45
US-PATENT-3,304,729
c27 N70-41897 NASA-CASE-XNP-01749
US-PATENT-APPL-SN-440033
US-PATENT-CLASS-149-109
US-PATENT-3,305,415
c28 N70-41922 NASA-CASE-XNP-02839
US-PATENT-APPL-SN-477333
US-PATENT-CLASS-60-202
US-PATENT-3,304,718
c09 N70-41929 NASA-CASE-XNP-01951
US-PATENT-APPL-SN-413662
US-PATENT-CLASS-335-300
US-PATENT-3,305,810
c21 N70-41930 NASA-CASE-XNP-01501
US-PATENT-APPL-SN-432027
US-PATENT-CLASS-343-12
US-PATENT-3,305,861
c14 N70-41946 NASA-CASE-XLE-00011
US-PATENT-APPL-SN-735911
US-PATENT-CLASS-88-14
US-PATENT-2,960,002
c31 N70-41948 NASA-CASE-XNF-01899
US-PATENT-APPL-SN-428882
US-PATENT-CLASS-60-257
US-PATENT-3,304,724
c03 N70-41954 NASA-CASE-XAC-03392
US-PATENT-APPL-SN-430776
US-PATENT-CLASS-74-519
US-PATENT-3,304,799
c14 N70-41955 NASA-CASE-XNP-02029
US-PATENT-APPL-SN-221276
US-PATENT-CLASS-88-14
US-PATENT-3,323,408
c14 N70-41957 NASA-CASE-XAC-01101
US-PATENT-APPL-SN-355129
US-PATENT-CLASS-73-141
US-PATENT-3,304,773
c15 N70-41960 NASA-CASE-XNP-05082
US-PATENT-APPL-SN-521753
US-PATENT-CLASS-174-68.5
US-PATENT-3,321,570
c08 N70-41961 NASA-CASE-XNP-00911
US-PATENT-APPL-SN-280777
US-PATENT-CLASS-178-67
US-PATENT-3,305,636
c10 N70-41964 NASA-CASE-XGS-01983
US-PATENT-APPL-SN-388023
US-PATENT-CLASS-333-79
US-PATENT-3,305,801
c28 N70-41967 NASA-CASE-XLA-02651
US-PATENT-APPL-SN-449901
US-PATENT-CLASS-102-49
US-PATENT-3,304,865
c10 N70-41991 NASA-CASE-XNP-03128
US-PATENT-APPL-SN-397665
US-PATENT-CLASS-250-83.6
US-PATENT-3,321,628
c28 N70-41992 NASA-CASE-XLE-00685
US-PATENT-APPL-SN-407595
US-PATENT-CLASS-60-260
US-PATENT-3,321,922
c15 N70-41993 NASA-CASE-XLE-01300
US-PATENT-APPL-SN-380960
US-PATENT-CLASS-73-100
US-PATENT-3,323,356
c14 N70-41994 NASA-CASE-XNF-02822
US-PATENT-APPL-SN-403959
US-PATENT-CLASS-73-194
US-PATENT-3,323,362
c05 N70-42000 NASA-CASE-XMS-03371
US-PATENT-APPL-SN-418931
US-PATENT-CLASS-73-432
US-PATENT-3,323,370
c32 N70-42003 NASA-CASE-XLA-02131
US-PATENT-APPL-SN-377777
US-PATENT-CLASS-73-90
US-PATENT-3,304,768
c31 N70-42015 NASA-CASE-XLA-01967
US-PATENT-APPL-SN-457875
US-PATENT-CLASS-244-135
US-PATENT-3,321,159
c02 N70-42016 NASA-CASE-XLA-01290
US-PATENT-APPL-SN-393451
US-PATENT-CLASS-244-42
US-PATENT-3,321,157
c15 N70-42017 NASA-CASE-XMS-04072
US-PATENT-APPL-SN-485960
US-PATENT-CLASS-30-228
US-PATENT-3,320,669
c10 N70-42032 NASA-CASE-XNP-02654
US-PATENT-APPL-SN-435387
US-PATENT-CLASS-307-88.5
US-PATENT-3,321,645
c15 N70-42033 NASA-CASE-XNP-02092
US-PATENT-APPL-SN-371856
US-PATENT-CLASS-156-345
US-PATENT-3,323,967
c15 N70-42034 NASA-CASE-XNP-01412
US-PATENT-APPL-SN-426702
US-PATENT-CLASS-175-310
US-PATENT-3,321,034
c03 N70-42073 NASA-CASE-XFR-04104
US-PATENT-APPL-SN-476759
US-PATENT-CLASS-74-471
US-PATENT-3,323,386
c14 N70-42074 NASA-CASE-XLE-02998
US-PATENT-APPL-SN-516794
US-PATENT-CLASS-116-117
US-PATENT-3,323,484
c31 N70-42075 NASA-CASE-XMS-02677
US-PATENT-APPL-SN-472066
US-PATENT-CLASS-244-1
US-PATENT-3,321,154
c14 N71-10500 NASA-CASE-XLE-01609
US-PATENT-APPL-SN-438797
US-PATENT-CLASS-73-290
US-PATENT-3,326,043
c24 N71-10560 NASA-CASE-XLE-00808
US-PATENT-APPL-SN-307269
US-PATENT-CLASS-148-188
US-PATENT-3,310,443
c28 N71-10574 NASA-CASE-XLE-01902
US-PATENT-APPL-SN-485656
US-PATENT-CLASS-60-202
US-PATENT-3,324,659
c15 N71-10577 NASA-CASE-XLE-04677
US-PATENT-APPL-SN-447928
US-PATENT-CLASS-220-67
US-PATENT-3,326,407
c10 N71-10578 NASA-CASE-XMS-01554
US-PATENT-APPL-SN-414482
US-PATENT-CLASS-323-8
US-PATENT-3,325,723
c31 N71-10582 NASA-CASE-XLA-02132

US-PATENT-APPL-SN-453227
US-PATENT-CLASS-102-49
US-PATENT-3,286,630
c11 N71-10604 NASA-CASE-XMF-03248
US-PATENT-APPL-SN-377780
US-PATENT-CLASS-73-116
US-PATENT-3,310,980
c26 N71-10607 NASA-CASE-XLE-02792
US-PATENT-APPL-SN-352400
US-PATENT-CLASS-148-1.5
US-PATENT-3,311,510
c03 N71-10608 NASA-CASE-XGS-03505
US-PATENT-APPL-SN-498167
US-PATENT-CLASS-136-28
US-PATENT-3,311,502
c07 N71-10609 NASA-CASE-XGS-01223
US-PATENT-APPL-SN-319892
US-PATENT-CLASS-242-55.19
US-PATENT-3,311,315
c14 N71-10616 NASA-CASE-XNF-02433
US-PATENT-APPL-SN-405630
US-PATENT-CLASS-73-70.2
US-PATENT-3,310,978
c15 N71-10617 NASA-CASE-XMF-01887
US-PATENT-APPL-SN-422868
US-PATENT-CLASS-308-5
US-PATENT-3,325,229
c09 N71-10618 NASA-CASE-XNP-03332
US-PATENT-APPL-SN-368123
US-PATENT-CLASS-313-63
US-PATENT-3,311,772
c15 N71-10658 NASA-CASE-XMS-03252
US-PATENT-APPL-SN-425362
US-PATENT-CLASS-60-54.5
US-PATENT-3,318,093
c09 N71-10659 NASA-CASE-XNP-01383
US-PATENT-APPL-SN-369336
US-PATENT-CLASS-324-77
US-PATENT-3,317,832
c15 N71-10672 NASA-CASE-XLA-01091
US-PATENT-APPL-SN-351259
US-PATENT-CLASS-264-102
US-PATENT-3,317,641
c09 N71-10673 NASA-CASE-XGS-01473
US-PATENT-APPL-SN-364867
US-PATENT-CLASS-307-88.5
US-PATENT-3,317,751
c07 N71-10676 NASA-CASE-XNP-03134
US-PATENT-APPL-SN-422095
US-PATENT-CLASS-333-21
US-PATENT-3,324,423
c09 N71-10677 NASA-CASE-XGS-01451
US-PATENT-APPL-SN-405629
US-PATENT-CLASS-318-138
US-PATENT-3,324,370
c21 N71-10678 NASA-CASE-XGS-01159
US-PATENT-APPL-SN-332313
US-PATENT-CLASS-250-203
US-PATENT-3,311,748
c03 N71-10728 NASA-CASE-XNP-01464
US-PATENT-APPL-SN-430778
US-PATENT-CLASS-136-182
US-PATENT-3,317,352
c11 N71-10746 NASA-CASE-XMS-02977
US-PATENT-APPL-SN-416938
US-PATENT-CLASS-35-12
US-PATENT-3,281,963
c31 N71-10747 NASA-CASE-XMF-00442
US-PATENT-APPL-SN-202030
US-PATENT-CLASS-343-705
US-PATENT-3,277,486
c11 N71-10748 NASA-CASE-XFR-04147
US-PATENT-APPL-SN-476761
US-PATENT-CLASS-35-12
US-PATENT-3,281,965
c21 N71-10771 NASA-CASE-XNP-03914
US-PATENT-APPL-SN-468647
US-PATENT-CLASS-250-203
US-PATENT-3,317,731
c18 N71-10772 NASA-CASE-XLE-01765
US-PATENT-APPL-SN-316477
US-PATENT-CLASS-117-65.2
US-PATENT-3,317,341
c14 N71-10773 NASA-CASE-XLA-02605
US-PATENT-APPL-SN-459138
US-PATENT-CLASS-177-210
US-PATENT-3,316,991
c14 N71-10774 NASA-CASE-XLA-01131
US-PATENT-APPL-SN-322545
US-PATENT-CLASS-73-23
US-PATENT-3,312,101
c07 N71-10775 NASA-CASE-XLA-00901
US-PATENT-APPL-SN-269212
US-PATENT-CLASS-325-305
US-PATENT-3,311,832
c11 N71-10776 NASA-CASE-XLA-03127
US-PATENT-APPL-SN-447927
US-PATENT-CLASS-35-12
US-PATENT-3,281,964
c11 N71-10777 NASA-CASE-XLE-01533
US-PATENT-APPL-SN-334678
US-PATENT-CLASS-55-400
US-PATENT-3,282,035
c15 N71-10778 NASA-CASE-XNP-00710
US-PATENT-APPL-SN-271821
US-PATENT-CLASS-251-61
US-PATENT-3,317,180
c14 N71-10779 NASA-CASE-XMF-02307
US-PATENT-APPL-SN-422869
US-PATENT-CLASS-73-40.5
US-PATENT-3,316,752
c28 N71-10780 NASA-CASE-XLA-01043
US-PATENT-APPL-SN-379768
US-PATENT-CLASS-60-225
US-PATENT-3,316,716
c14 N71-10781 NASA-CASE-XLE-01481
US-PATENT-APPL-SN-319905
US-PATENT-CLASS-73-99
US-PATENT-3,282,091
c15 N71-10782 NASA-CASE-XKS-01985
US-PATENT-APPL-SN-357337
US-PATENT-CLASS-285-24
US-PATENT-3,319,979
c14 N71-10797 NASA-CASE-XLE-01246
US-PATENT-APPL-SN-249537
US-PATENT-CLASS-324-61
US-PATENT-3,324,388
c09 N71-10798 NASA-CASE-XMS-00945
US-PATENT-APPL-SN-385530
US-PATENT-CLASS-330-22
US-PATENT-3,319,175
c15 N71-10799 NASA-CASE-XLA-01807
US-PATENT-APPL-SN-442558
US-PATENT-CLASS-287-189.36
US-PATENT-3,318,622
c15 N71-10809 NASA-CASE-XMF-02107
US-PATENT-APPL-SN-384811
US-PATENT-CLASS-140-124
US-PATENT-3,318,343
c02 N71-11037 NASA-CASE-XLA-06824-2
US-PATENT-APPL-SN-775966
US-PATENT-CLASS-244-31
US-PATENT-3,508,724
c02 N71-11038 NASA-CASE-XLA-06958
US-PATENT-APPL-SN-551815
US-PATENT-CLASS-244-44
US-PATENT-3,310,261
c02 N71-11039 NASA-CASE-MSC-12111-1
US-PATENT-APPL-SN-775877
US-PATENT-CLASS-244-23
US-PATENT-3,490,721
c02 N71-11041 NASA-CASE-XLA-03659
US-PATENT-APPL-SN-444087
US-PATENT-CLASS-244-46
US-PATENT-3,270,989
c02 N71-11043 NASA-CASE-XLA-08801-1
US-PATENT-APPL-SN-710533
US-PATENT-CLASS-244-43
US-PATENT-3,493,197
c03 N71-11049 NASA-CASE-NPO-10109
US-PATENT-APPL-SN-701654
US-PATENT-CLASS-136-89
US-PATENT-3,532,551
c03 N71-11050 NASA-CASE-XNP-06506
US-PATENT-APPL-SN-577778
US-PATENT-CLASS-136-89
US-PATENT-3,446,676
c03 N71-11051 NASA-CASE-XNP-03378
US-PATENT-APPL-SN-360878
US-PATENT-CLASS-136-170
US-PATENT-3,282,740
c03 N71-11052 NASA-CASE-XLE-04526
US-PATENT-APPL-SN-640457
US-PATENT-CLASS-136-86
US-PATENT-3,507,704
c03 N71-11053 NASA-CASE-XGS-00886
US-PATENT-APPL-SN-319894
US-PATENT-CLASS-136-132

US-PATENT-3,282,739
c03 N71-11055 NASA-CASE-XMF-05843
US-PATENT-APPL-SN-666553
US-PATENT-CLASS-310-4
US-PATENT-3,509,386
c03 N71-11056 NASA-CASE-XNP-05821
US-PATENT-APPL-SN-545223
US-PATENT-CLASS-136-89
US-PATENT-3,493,437
c03 N71-11057 NASA-CASE-MSC-13112
US-PATENT-APPL-SN-765738
US-PATENT-CLASS-290-40
US-PATENT-3,506,070
c03 N71-11058 NASA-CASE-XGS-01475
US-PATENT-APPL-SN-344793
US-PATENT-CLASS-244-1
US-PATENT-3,459,391
c05 N71-11189 NASA-CASE-XFR-10856
US-PATENT-APPL-SN-626376
US-PATENT-3,534,727
c05 N71-11190 NASA-CASE-XMS-04935
US-PATENT-APPL-SN-518487
US-PATENT-CLASS-128-142.5
US-PATENT-3,502,074
c05 N71-11193 NASA-CASE-ABC-10043-1
US-PATENT-APPL-SN-676012
US-PATENT-CLASS-128-2.1
US-PATENT-3,508,541
c05 N71-11194 NASA-CASE-XLA-05332
US-PATENT-APPL-SN-757861
US-PATENT-CLASS-2-2.1
US-PATENT-3,534,407
c05 N71-11195 NASA-CASE-LAR-10007-1
US-PATENT-APPL-SN-770203
US-PATENT-CLASS-2-2.1
US-PATENT-3,534,406
c05 N71-11199 NASA-CASE-XKS-02342
US-PATENT-APPL-SN-407603
US-PATENT-CLASS-182-191
US-PATENT-3,262,518
c05 N71-11202 NASA-CASE-XFR-08403
US-PATENT-APPL-SN-704420
US-PATENT-CLASS-73-23
US-PATENT-3,507,146
c05 N71-11203 NASA-CASE-XMS-09632-1
US-PATENT-APPL-SN-791693
US-PATENT-CLASS-128-142.5
US-PATENT-3,500,827
c05 N71-11207 NASA-CASE-XLA-03213
US-PATENT-APPL-SN-621715
US-PATENT-CLASS-202-182
US-PATENT-3,444,051
c06 N71-11235 NASA-CASE-XLA-03104
US-PATENT-APPL-SN-510155
US-PATENT-CLASS-260-78
US-PATENT-3,518,232
c06 N71-11236 NASA-CASE-XMF-08651
US-PATENT-APPL-SN-593594
US-PATENT-CLASS-260-72.5
US-PATENT-3,526,611
c06 N71-11237 NASA-CASE-XNP-10753
US-PATENT-APPL-SN-668751
US-PATENT-CLASS-260-46.5
US-PATENT-3,444,127
c06 N71-11238 NASA-CASE-XLA-08802
US-PATENT-APPL-SN-640454
US-PATENT-CLASS-260-78
US-PATENT-3,532,673
c06 N71-11239 NASA-CASE-XNP-08655
US-PATENT-APPL-SN-593593
US-PATENT-CLASS-260-72.5
US-PATENT-3,516,970
c06 N71-11240 NASA-CASE-MFS-13994-1
US-PATENT-APPL-SN-715975
US-PATENT-CLASS-260-46.5
US-PATENT-3,516,964
c06 N71-11242 NASA-CASE-XNP-08656
US-PATENT-APPL-SN-593605
US-PATENT-CLASS-260-2.5
US-PATENT-3,493,524
c06 N71-11243 NASA-CASE-XNP-08652
US-PATENT-APPL-SN-593606
US-PATENT-CLASS-260-2
US-PATENT-3,493,522
c07 N71-11266 NASA-CASE-XLA-03076
US-PATENT-APPL-SN-591004
US-PATENT-CLASS-325-42
US-PATENT-3,508,152
c07 N71-11267 NASA-CASE-XNP-10843
US-PATENT-APPL-SN-649358
US-PATENT-CLASS-325-363
US-PATENT-3,508,156
c07 N71-11281 NASA-CASE-XNP-10830
US-PATENT-APPL-SN-692332
US-PATENT-CLASS-178-69.5
US-PATENT-3,535,451
c07 N71-11282 NASA-CASE-XGS-02889
US-PATENT-APPL-SN-685748
US-PATENT-CLASS-329-104
US-PATENT-3,501,704
c07 N71-11284 NASA-CASE-XLA-01552
US-PATENT-APPL-SN-332339
US-PATENT-CLASS-325-65
US-PATENT-3,277,375
c07 N71-11285 NASA-CASE-NPO-10539
US-PATENT-APPL-SN-743429
US-PATENT-CLASS-343-779
US-PATENT-3,534,375
c07 N71-11298 NASA-CASE-XMF-01160
US-PATENT-APPL-SN-310507
US-PATENT-CLASS-340-198
US-PATENT-3,243,791
c07 N71-11300 NASA-CASE-XMS-07168
US-PATENT-APPL-SN-769788
US-PATENT-CLASS-178-6.6
US-PATENT-3,493,677
c21 N71-11766 NASA-CASE-LAR-10403
US-PATENT-APPL-SN-676391
US-PATENT-CLASS-343-6.5
US-PATENT-3,447,154
c01 N71-12217 NASA-CASE-FRC-10063
US-PATENT-APPL-SN-21263
c02 N71-12243 NASA-CASE-XLA-04451
US-PATENT-APPL-SN-457876
US-PATENT-CLASS-244-45
US-PATENT-3,310,262
c03 N71-12255 NASA-CASE-NPO-10404
US-PATENT-APPL-SN-728234
US-PATENT-CLASS-321-2
US-PATENT-3,532,960
c03 N71-12258 NASA-CASE-XLA-00711
US-PATENT-APPL-SN-357334
US-PATENT-CLASS-89-1.7
US-PATENT-3,249,012
c03 N71-12259 NASA-CASE-XLA-01396
US-PATENT-APPL-SN-357336
US-PATENT-CLASS-89-1.7
US-PATENT-3,249,013
c03 N71-12260 NASA-CASE-XNP-01020
US-PATENT-APPL-SN-430780
US-PATENT-CLASS-60-97
US-PATENT-3,238,730
c05 N71-12335 NASA-CASE-XMS-00784
US-PATENT-APPL-SN-358127
US-PATENT-CLASS-2-2.1
US-PATENT-3,286,274
c05 N71-12336 NASA-CASE-XMS-05304
US-PATENT-APPL-SN-511567
US-PATENT-CLASS-244-4
US-PATENT-3,270,986
c05 N71-12341 NASA-CASE-MFS-14671
US-PATENT-APPL-SN-723476
US-PATENT-CLASS-297-385
US-PATENT-3,516,711
c05 N71-12342 NASA-CASE-XAC-05706
US-PATENT-APPL-SN-592694
US-PATENT-CLASS-325-143
US-PATENT-3,453,546
c05 N71-12343 NASA-CASE-MSC-11253
US-PATENT-APPL-SN-695973
US-PATENT-CLASS-297-68
US-PATENT-3,466,085
c05 N71-12344 NASA-CASE-XMS-09636
US-PATENT-APPL-SN-586330
US-PATENT-CLASS-2-2.1
US-PATENT-3,492,672
c05 N71-12345 NASA-CASE-MSC-12086-1
US-PATENT-APPL-SN-812999
US-PATENT-CLASS-29-400
US-PATENT-3,490,130
c05 N71-12346 NASA-CASE-XMS-04212-1
US-PATENT-APPL-SN-607461
US-PATENT-CLASS-128-2.1
US-PATENT-3,490,440
c05 N71-12351 NASA-CASE-LAR-10056
US-PATENT-APPL-SN-674357
US-PATENT-CLASS-224-25
US-PATENT-3,493,153

c07 N71-12389 NASA-CASE-XLA-01090
US-PATENT-APPL-SN-741824
US-PATENT-CLASS-250-199
US-PATENT-RE-26,548
c07 N71-12390 NASA-CASE-XER-09213
US-PATENT-APPL-SN-668302
US-PATENT-CLASS-332-9
US-PATENT-3,535,657
c07 N71-12391 NASA-CASE-XMS-05454-1
US-PATENT-APPL-SN-771803
US-PATENT-CLASS-343-17.7
US-PATENT-3,471,858
c07 N71-12392 NASA-CASE-XGS-01590
US-PATENT-APPL-SN-584067
US-PATENT-CLASS-178-88
US-PATENT-3,491,202
c07 N71-12396 NASA-CASE-GSC-10452
US-PATENT-APPL-SN-797794
US-PATENT-CLASS-343-776
US-PATENT-3,495,262
c08 N71-12494 NASA-CASE-XGS-04767
US-PATENT-APPL-SN-645584
US-PATENT-CLASS-307-296
US-PATENT-3,535,560
c08 N71-12500 NASA-CASE-XNP-C7040
US-PATENT-APPL-SN-649357
US-PATENT-CLASS-332-31
US-PATENT-3,535,658
c08 N71-12501 NASA-CASE-XLA-00670
US-PATENT-APPL-SN-235162
US-PATENT-CLASS-340-347
US-PATENT-3,251,053
c08 N71-12502 NASA-CASE-NPO-10112
US-PATENT-APPL-SN-673226
US-PATENT-CLASS-340-172.5
US-PATENT-3,533,074
c08 N71-12503 NASA-CASE-NPO-10351
US-PATENT-APPL-SN-712065
US-PATENT-CLASS-328-37
US-PATENT-3,535,642
c08 N71-12504 NASA-CASE-XNP-05835
US-PATENT-APPL-SN-627257
US-PATENT-CLASS-340-174
US-PATENT-3,493,942
c08 N71-12505 NASA-CASE-XNP-05415
US-PATENT-APPL-SN-578932
US-PATENT-CLASS-340-146.2
US-PATENT-3,493,929
c08 N71-12506 NASA-CASE-XNP-08832
US-PATENT-APPL-SN-681692
US-PATENT-CLASS-340-172.5
US-PATENT-3,535,696
c08 N71-12507 NASA-CASE-XLA-01952
US-PATENT-APPL-SN-676386
US-PATENT-CLASS-340-324
US-PATENT-3,537,096
c09 N71-12513 NASA-CASE-XGS-07801
US-PATENT-APPL-SN-640452
US-PATENT-CLASS-146-188
US-PATENT-3,490,965
c09 N71-12514 NASA-CASE-XLA-07497
US-PATENT-APPL-SN-631848
US-PATENT-CLASS-307-252
US-PATENT-3,491,255
c09 N71-12515 NASA-CASE-XNP-08836
US-PATENT-APPL-SN-668968
US-PATENT-CLASS-340-174
US-PATENT-3,535,702
c09 N71-12516 NASA-CASE-XNP-09768
US-PATENT-APPL-SN-698629
US-PATENT-CLASS-307-243
US-PATENT-3,535,554
c09 N71-12517 NASA-CASE-XAC-10608-1
US-PATENT-APPL-SN-710561
US-PATENT-CLASS-333-80
US-PATENT-3,493,901
c09 N71-12518 NASA-CASE-XNP-09808
US-PATENT-APPL-SN-692471
US-PATENT-CLASS-200-61.42
US-PATENT-3,488,461
c09 N71-12519 NASA-CASE-XNP-06519
US-PATENT-APPL-SN-656952
US-PATENT-CLASS-328-110
US-PATENT-3,535,644
c09 N71-12520 NASA-CASE-NPO-10230
US-PATENT-APPL-SN-691735
US-PATENT-CLASS-307-229
US-PATENT-3,535,547
c09 N71-12521 NASA-CASE-ARC-10030
US-PATENT-APPL-SN-679885
US-PATENT-CLASS-313-110
US-PATENT-3,493,805
c09 N71-12526 NASA-CASE-MSC-12135-1
US-PATENT-APPL-SN-761404
US-PATENT-CLASS-317-31
US-PATENT-3,448,341
c09 N71-12539 NASA-CASE-ERC-10552
US-PATENT-APPL-SN-720125
US-PATENT-CLASS-178-7.7
US-PATENT-3,535,446
c09 N71-12540 NASA-CASE-XNP-01058
US-PATENT-APPL-SN-313136
US-PATENT-CLASS-315-160
US-PATENT-3,271,620
c10 N71-12554 NASA-CASE-NPO-10348
US-PATENT-APPL-SN-704668
US-PATENT-CLASS-324-95
US-PATENT-3,532,979
c01 N71-13410 NASA-CASE-XLA-00755
US-PATENT-APPL-SN-247423
US-PATENT-CLASS-244-35
US-PATENT-3,270,988
c01 N71-13411 NASA-CASE-XLA-05828
US-PATENT-APPL-SN-509460
US-PATENT-CLASS-235-61.6
US-PATENT-3,500,020
c02 N71-13421 NASA-CASE-XFR-00756
US-PATENT-APPL-SN-212173
US-PATENT-CLASS-235-150.22
US-PATENT-3,258,582
c02 N71-13422 NASA-CASE-XLA-06339
US-PATENT-APPL-SN-801336
US-PATENT-CLASS-244-76
US-PATENT-3,534,930
c06 N71-13461 NASA-CASE-LAR-10180-1
US-PATENT-APPL-SN-709398
US-PATENT-CLASS-250-41.9
US-PATENT-3,521,054
c09 N71-13486 NASA-CASE-MFS-20333
US-PATENT-APPL-SN-820965
US-PATENT-CLASS-307-149
US-PATENT-3,535,543
c09 N71-13518 NASA-CASE-MSC-12178-1
US-PATENT-APPL-SN-845365
US-PATENT-CLASS-315-241
US-PATENT-3,530,336
c09 N71-13521 NASA-CASE-XKS-09348
US-PATENT-APPL-SN-677505
US-PATENT-CLASS-343-703
US-PATENT-3,526,897
c09 N71-13522 NASA-CASE-LEW-10364-1
US-PATENT-APPL-SN-822518
US-PATENT-CLASS-317-258
US-PATENT-3,535,602
c09 N71-13530 NASA-CASE-XNP-00384
US-PATENT-APPL-SN-180392
US-PATENT-CLASS-324-132
US-PATENT-3,263,171
c09 N71-13531 NASA-CASE-MSC-12033-1
US-PATENT-APPL-SN-602828
US-PATENT-CLASS-330-11
US-PATENT-3,526,845
c10 N71-13537 NASA-CASE-XNP-08274
US-PATENT-APPL-SN-730703
US-PATENT-CLASS-73-382
US-PATENT-3,520,190
c10 N71-13545 NASA-CASE-LAR-10774
US-PATENT-APPL-SN-802820
US-PATENT-CLASS-73-1
US-PATENT-3,534,584
c15 N71-13789 NASA-CASE-XLA-01141
US-PATENT-APPL-SN-353632
US-PATENT-CLASS-102-49
US-PATENT-3,263,610
c21 N71-13958 NASA-CASE-GSC-10087-2
US-PATENT-APPL-SN-701744
US-PATENT-CLASS-343-112
US-PATENT-3,495,260
c18 N71-14014 NASA-CASE-GSC-10072
US-PATENT-APPL-SN-686296
US-PATENT-CLASS-106-15
US-PATENT-3,493,401
c33 N71-14032 NASA-CASE-XLE-05913
US-PATENT-APPL-SN-551933
US-PATENT-CLASS-117-106
US-PATENT-3,490,939
c33 N71-14035 NASA-CASE-XLE-03307
US-PATENT-APPL-SN-613979

US-PATENT-CLASS-244-1
US-PATENT-3,490,718
c28 N71-14043 NASA-CASE-XLE-01124
US-PATENT-APPL-SN-312269
US-PATENT-CLASS-60-35.5
US-PATENT-3,236,715
c28 N71-14044 NASA-CASE-XGS-08729
US-PATENT-APPL-SN-667637
US-PATENT-CLASS-60-200
US-PATENT-3,490,235
c28 N71-14058 NASA-CASE-MSC-12139-1
US-PATENT-APPL-SN-797796
US-PATENT-CLASS-103-37
US-PATENT-3,492,947
c27 N71-14090 NASA-CASE-LAR-10173-1
US-PATENT-APPL-SN-758942
US-PATENT-CLASS-149-19
US-PATENT-3,492,176
c21 N71-14132 NASA-CASE-XLA-05464
US-PATENT-APPL-SN-656995
US-PATENT-CLASS-244-1
US-PATENT-3,493,194
c21 N71-14159 NASA-CASE-XGS-04393
US-PATENT-APPL-SN-700142
US-PATENT-CLASS-244-1
US-PATENT-3,490,719
c26 N71-14354 NASA-CASE-ERC-10138
US-PATENT-APPL-SN-821586
US-PATENT-CLASS-225-2
US-PATENT-3,493,155
c15 N71-14932 NASA-CASE-LEW-11531
US-PATENT-APPL-SN-643332
US-PATENT-CLASS-219-72
US-PATENT-3,493,711
c14 N71-14996 NASA-CASE-XLA-00936
US-PATENT-APPL-SN-282818
US-PATENT-CLASS-73-170
US-PATENT-3,238,774
c23 N71-15467 NASA-CASE-XNP-03796
US-PATENT-APPL-SN-453231
US-PATENT-CLASS-62-6
US-PATENT-3,260,055
c17 N71-15468 NASA-CASE-LEW-10393-1
US-PATENT-APPL-SN-644799
US-PATENT-CLASS-75-202
US-PATENT-3,535,110
c18 N71-15469 NASA-CASE-ARC-10099-1
US-PATENT-APPL-SN-704224
US-PATENT-CLASS-106-15
US-PATENT-3,535,130
c18 N71-15545 NASA-CASE-XMS-09691-1
US-PATENT-APPL-SN-738119
US-PATENT-CLASS-8-94.12
US-PATENT-3,526,473
c16 N71-15550 NASA-CASE-XNP-05219
US-PATENT-APPL-SN-336103
US-PATENT-CLASS-330-4
US-PATENT-3,299,364
c16 N71-15551 NASA-CASE-ERC-10019
US-PATENT-APPL-SN-677508
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,013
c25 N71-15562 NASA-CASE-XLA-03374
US-PATENT-APPL-SN-793770
US-PATENT-CLASS-315-111
US-PATENT-3,535,586
c28 N71-15563 NASA-CASE-XLA-02865
US-PATENT-APPL-SN-416946
US-PATENT-CLASS-244-53
US-PATENT-3,270,990
c16 N71-15565 NASA-CASE-MFS-20074
US-PATENT-APPL-SN-801312
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,014
c31 N71-15566 NASA-CASE-XKS-08012-2
US-PATENT-APPL-SN-874958
US-PATENT-CLASS-340-172.5
US-PATENT-3,535,683
c16 N71-15567 NASA-CASE-ERC-10017
US-PATENT-APPL-SN-677506
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,012
c33 N71-15568 NASA-CASE-XLE-09475-1
US-PATENT-APPL-SN-710945
US-PATENT-CLASS-136-228
US-PATENT-3,535,165
c15 N71-15571 NASA-CASE-XLA-07911
US-PATENT-APPL-SN-660572
US-PATENT-CLASS-33-207
US-PATENT-3,492,739
c21 N71-15582 NASA-CASE-XLA-01163
US-PATENT-APPL-SN-405632
US-PATENT-CLASS-60-35.55
US-PATENT-3,270,505
c21 N71-15583 NASA-CASE-XNP-01598
US-PATENT-APPL-SN-333770
US-PATENT-CLASS-244-1
US-PATENT-3,270,985
c15 N71-15597 NASA-CASE-XLE-08917
US-PATENT-APPL-SN-662829
US-PATENT-CLASS-113-116
US-PATENT-3,490,405
c14 N71-15598 NASA-CASE-XAC-00812
US-PATENT-APPL-SN-255132
US-PATENT-CLASS-73-341
US-PATENT-3,238,777
c14 N71-15599 NASA-CASE-XNP-04161
US-PATENT-APPL-SN-568356
US-PATENT-CLASS-250-83.3
US-PATENT-3,444,375
c14 N71-15600 NASA-CASE-XKS-06250
US-PATENT-APPL-SN-649075
US-PATENT-CLASS-73-97
US-PATENT-3,492,862
c14 N71-15604 NASA-CASE-NPO-10337
US-PATENT-APPL-SN-714296
US-PATENT-CLASS-350-58
US-PATENT-3,488,103
c14 N71-15605 NASA-CASE-GSC-10062
US-PATENT-APPL-SN-658955
US-PATENT-CLASS-350-285
US-PATENT-3,493,294
c15 N71-15606 NASA-CASE-XNP-06031
US-PATENT-APPL-SN-590144
US-PATENT-CLASS-250-52
US-PATENT-3,493,746
c15 N71-15607 NASA-CASE-XNP-03287
US-PATENT-APPL-SN-658956
US-PATENT-CLASS-228-7
US-PATENT-3,443,732
c15 N71-15608 NASA-CASE-NPO-10117
US-PATENT-APPL-SN-668238
US-PATENT-CLASS-138-42
US-PATENT-3,493,012
c15 N71-15609 NASA-CASE-XNP-04709
US-PATENT-APPL-SN-683507
US-PATENT-CLASS-137-81.5
US-PATENT-3,493,003
c15 N71-15610 NASA-CASE-XLE-01604-2
US-PATENT-APPL-SN-683613
US-PATENT-CLASS-117-50
US-PATENT-3,493,415
c14 N71-15620 NASA-CASE-XLA-01926
US-PATENT-APPL-SN-784521
US-PATENT-CLASS-340-57
US-PATENT-3,491,335
c14 N71-15621 NASA-CASE-XNP-09572
US-PATENT-APPL-SN-660841
US-PATENT-CLASS-35-10.2
US-PATENT-3,493,665
c14 N71-15622 NASA-CASE-XNP-04111
US-PATENT-APPL-SN-560969
US-PATENT-CLASS-350-213
US-PATENT-3,493,291
c33 N71-15623 NASA-CASE-XMS-01816
US-PATENT-APPL-SN-425364
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,503
c33 N71-15625 NASA-CASE-XLE-01399
US-PATENT-APPL-SN-320233
US-PATENT-CLASS-13-26
US-PATENT-3,263,016
c27 N71-15634 NASA-CASE-XLE-01988
US-PATENT-APPL-SN-308918
US-PATENT-CLASS-60-35.6
US-PATENT-3,256,912
c27 N71-15635 NASA-CASE-XLE-01182
US-PATENT-APPL-SN-411949
US-PATENT-CLASS-60-39.46
US-PATENT-3,258,918
c31 N71-15637 NASA-CASE-XLE-01640
US-PATENT-APPL-SN-473535
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,504
c33 N71-15641 NASA-CASE-XNP-09802
US-PATENT-APPL-SN-673229
US-PATENT-CLASS-73-190
US-PATENT-3,531,989

c21 N71-15642 NASA-CASE-XGS-03431
US-PATENT-APPL-SN-588635
US-PATENT-CLASS-250-203
US-PATENT-3,488,504
c31 N71-15643 NASA-CASE-NPO-10311
US-PATENT-APPL-SN-725475
US-PATENT-CLASS-73-116
US-PATENT-3,534,597
c17 N71-15644 NASA-CASE-XLE-00726
US-PATENT-APPL-SN-355126
US-PATENT-CLASS-75-170
US-PATENT-3,271,140
c31 N71-15647 NASA-CASE-XGS-01143
US-PATENT-APPL-SN-349781
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,501
c28 N71-15658 NASA-CASE-XLE-00409
US-PATENT-APPL-SN-249539
US-PATENT-CLASS-29-157
US-PATENT-3,254,395
c28 N71-15659 NASA-CASE-XLE-05689
US-PATENT-APPL-SN-491845
US-PATENT-CLASS-60-35.60
US-PATENT-3,254,487
c28 N71-15660 NASA-CASE-XMF-00968
US-PATENT-APPL-SN-339825
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,499
c28 N71-15661 NASA-CASE-XLE-02066
US-PATENT-APPL-SN-426455
US-PATENT-CLASS-60-35.5
US-PATENT-3,262,262
c31 N71-15663 NASA-CASE-XLA-00256
US-PATENT-APPL-SN-333766
US-PATENT-CLASS-244-1
US-PATENT-3,262,655
c31 N71-15664 NASA-CASE-XLA-01332
US-PATENT-APPL-SN-250974
US-PATENT-CLASS-220-15
US-PATENT-3,270,908
c23 N71-15673 NASA-CASE-XMS-01620
US-PATENT-APPL-SN-357340
US-PATENT-CLASS-248-358
US-PATENT-3,243,154
c31 N71-15674 NASA-CASE-XLA-03691
US-PATENT-APPL-SN-667625
US-PATENT-CLASS-244-1
US-PATENT-3,534,924
c31 N71-15675 NASA-CASE-XMF-03169
US-PATENT-APPL-SN-375405
US-PATENT-CLASS-89-1.5
US-PATENT-3,262,365
c31 N71-15676 NASA-CASE-XGS-05579
US-PATENT-APPL-SN-719869
US-PATENT-CLASS-244-1
US-PATENT-3,534,925
c31 N71-15687 NASA-CASE-XLA-05369
US-PATENT-APPL-SN-765123
US-PATENT-CLASS-102-49.5
US-PATENT-3,534,686
c18 N71-15688 NASA-CASE-XNE-03459-2
US-PATENT-APPL-SN-681942
US-PATENT-CLASS-260-404.5
US-PATENT-3,535,352
c31 N71-15689 NASA-CASE-NFS-14685
US-PATENT-APPL-SN-752947
US-PATENT-CLASS-180-118
US-PATENT-CLASS-180-121
US-PATENT-3,534,826
c31 N71-15692 NASA-CASE-XLA-01339
US-PATENT-APPL-SN-373591
US-PATENT-CLASS-102-49
US-PATENT-3,260,204
c15 N71-15871 NASA-CASE-XMF-02039
US-PATENT-APPL-SN-434143
US-PATENT-CLASS-219-131
US-PATENT-3,271,558
c15 N71-15906 NASA-CASE-XNP-00920
US-PATENT-APPL-SN-329331
US-PATENT-CLASS-62-2
US-PATENT-3,270,512
c07 N71-15907 NASA-CASE-XNP-01057
US-PATENT-APPL-SN-301683
US-PATENT-CLASS-343-786
US-PATENT-3,305,870
c08 N71-15908 NASA-CASE-XLA-02705
US-PATENT-APPL-SN-473537
US-PATENT-CLASS-129-16.7
US-PATENT-3,310,054
c10 N71-15909 NASA-CASE-XAC-03777
US-PATENT-APPL-SN-484489
US-PATENT-CLASS-200-6
US-PATENT-3,283,088
c10 N71-15910 NASA-CASE-XGS-00823
US-PATENT-APPL-SN-336607
US-PATENT-CLASS-307-88.5
US-PATENT-3,283,175
c15 N71-15918 NASA-CASE-XMS-02383
US-PATENT-APPL-SN-299042
US-PATENT-CLASS-140-123
US-PATENT-3,299,913
c15 N71-15922 NASA-CASE-XGS-01971
US-PATENT-APPL-SN-353645
US-PATENT-CLASS-85-33
US-PATENT-3,262,351
c11 N71-15925 NASA-CASE-XLA-00378
US-PATENT-APPL-SN-266107
US-PATENT-CLASS-219-10.49
US-PATENT-3,238,345
c11 N71-15926 NASA-CASE-XLA-00939
US-PATENT-APPL-SN-309354
US-PATENT-CLASS-73-147
US-PATENT-3,276,251
c11 N71-15960 NASA-CASE-XAC-00731
US-PATENT-APPL-SN-232318
US-PATENT-CLASS-220-89
US-PATENT-3,145,874
c14 N71-15962 NASA-CASE-XGS-01587
US-PATENT-APPL-SN-298799
US-PATENT-CLASS-324-43
US-PATENT-3,258,687
c15 N71-15966 NASA-CASE-XLE-00953
US-PATENT-APPL-SN-336320
US-PATENT-CLASS-22-200
US-PATENT-3,237,253
c15 N71-15967 NASA-CASE-XLE-00703
US-PATENT-APPL-SN-271822
US-PATENT-CLASS-137-13
US-PATENT-3,270,756
c15 N71-15968 NASA-CASE-XLE-00586
US-PATENT-APPL-SN-317391
US-PATENT-CLASS-55-160
US-PATENT-3,257,780
c14 N71-15969 NASA-CASE-XMF-01099
US-PATENT-APPL-SN-73367
US-PATENT-CLASS-73-517
US-PATENT-3,261,210
c32 N71-15974 NASA-CASE-XMS-06782
US-PATENT-APPL-SN-691739
US-PATENT-CLASS-338-5
US-PATENT-3,464,049
c23 N71-15978 NASA-CASE-XGS-00373
US-PATENT-APPL-SN-105518
US-PATENT-CLASS-161-189
US-PATENT-3,276,946
c15 N71-15986 NASA-CASE-XMF-03498
US-PATENT-APPL-SN-396443
US-PATENT-CLASS-29-155.55
US-PATENT-3,258,831
c30 N71-15990 NASA-CASE-XAC-08494
US-PATENT-APPL-SN-690998
US-PATENT-CLASS-356-74
US-PATENT-3,532,428
c14 N71-15992 NASA-CASE-XGS-01052
US-PATENT-APPL-SN-314572
US-PATENT-CLASS-73-15
US-PATENT-3,242,716
c14 N71-16014 NASA-CASE-XLE-00820
US-PATENT-APPL-SN-228569
US-PATENT-CLASS-324-32
US-PATENT-3,283,241
c17 N71-16025 NASA-CASE-XLE-02991
US-PATENT-APPL-SN-375401
US-PATENT-CLASS-75-170
US-PATENT-3,276,865
c17 N71-16026 NASA-CASE-XLE-02082
US-PATENT-APPL-SN-360180
US-PATENT-CLASS-75-171
US-PATENT-3,276,866
c11 N71-16028 NASA-CASE-XLA-01787
US-PATENT-APPL-SN-304749
US-PATENT-CLASS-35-29
US-PATENT-3,270,441
c10 N71-16030 NASA-CASE-XNF-01096
US-PATENT-APPL-SN-307270
US-PATENT-CLASS-318-376
US-PATENT-3,271,649
c12 N71-16031 NASA-CASE-XMS-01445

US-PATENT-APPL-SN-385526
US-PATENT-CLASS-137-615
US-PATENT-3,308,848
c26 N71-16037 NASA-CASE-XGS-05718
US-PATENT-APPL-SN-584071
US-PATENT-CLASS-29-472.9
US-PATENT-3,452,423
c10 N71-16042 NASA-CASE-XAC-00942
US-PATENT-APPL-SN-310506
US-PATENT-CLASS-307-88.5
US-PATENT-3,277,314
c17 N71-16044 NASA-CASE-XGS-06306
US-PATENT-APPL-SN-685473
US-PATENT-CLASS-156-3
US-PATENT-3,532,568
c18 N71-16046 NASA-CASE-GSC-10007
US-PATENT-APPL-SN-627599
US-PATENT-CLASS-117-201
US-PATENT-3,532,538
c15 N71-16052 NASA-CASE-XLE-02999
US-PATENT-APPL-SN-431235
US-PATENT-CLASS-29-148.4
US-PATENT-3,262,186
c10 N71-16057 NASA-CASE-XNP-01193
US-PATENT-APPL-SN-366226
US-PATENT-CLASS-324-57
US-PATENT-3,277,366
c10 N71-16058 NASA-CASE-XNF-01097
US-PATENT-APPL-SN-290873
US-PATENT-CLASS-340-227
US-PATENT-3,277,458
c25 N71-16073 NASA-CASE-XAC-05695
US-PATENT-APPL-SN-634038
US-PATENT-CLASS-324-34
US-PATENT-3,517,302
c15 N71-16075 NASA-CASE-XLA-00284
US-PATENT-APPL-SN-240760
US-PATENT-CLASS-117-69
US-PATENT-3,264,135
c15 N71-16076 NASA-CASE-XLE-00106
US-PATENT-APPL-SN-629759
US-PATENT-CLASS-25-156
US-PATENT-2,944,316
c15 N71-16077 NASA-CASE-XLA-00302
US-PATENT-APPL-SN-284266
US-PATENT-CLASS-117-46
US-PATENT-3,271,181
c15 N71-16078 NASA-CASE-XGS-00824
US-PATENT-APPL-SN-379072
US-PATENT-CLASS-89-1
US-PATENT-3,309,961
c15 N71-16079 NASA-CASE-XLA-00415
US-PATENT-APPL-SN-314074
US-PATENT-CLASS-233-11
US-PATENT-3,276,679
c31 N71-16080 NASA-CASE-MSC-12049
US-PATENT-APPL-SN-693420
US-PATENT-CLASS-52-3
US-PATENT-3,465,482
c31 N71-16081 NASA-CASE-XGS-03351
US-PATENT-APPL-SN-472747
US-PATENT-CLASS-244-31
US-PATENT-3,276,726
c31 N71-16085 NASA-CASE-XLA-09881
US-PATENT-APPL-SN-710562
US-PATENT-CLASS-244-138
US-PATENT-3,520,503
c09 N71-16086 NASA-CASE-XLE-02038
US-PATENT-APPL-SN-349782
US-PATENT-CLASS-73-147
US-PATENT-3,273,388
c02 N71-16087 NASA-CASE-XAC-02058
US-PATENT-APPL-SN-342572
US-PATENT-CLASS-244-1
US-PATENT-3,276,722
c07 N71-16088 NASA-CASE-XGS-01022
US-PATENT-APPL-SN-331323
US-PATENT-CLASS-325-4
US-PATENT-3,277,373
c09 N71-16089 NASA-CASE-XAC-02405
US-PATENT-APPL-SN-433821
US-PATENT-CLASS-200-6
US-PATENT-3,271,532
c30 N71-16090 NASA-CASE-GSC-10083-1
US-PATENT-APPL-SN-641431
US-PATENT-CLASS-343-6
US-PATENT-3,471,856
c24 N71-16095 NASA-CASE-XAC-05506-1
US-PATENT-APPL-SN-701732
US-PATENT-CLASS-250-41.9
US-PATENT-3,532,880
c23 N71-16098 NASA-CASE-XAC-03107
US-PATENT-APPL-SN-538168
US-PATENT-CLASS-73-505
US-PATENT-3,455,171
c23 N71-16099 NASA-CASE-XGS-07514
US-PATENT-APPL-SN-640453
US-PATENT-CLASS-328-1
US-PATENT-3,509,469
c23 N71-16100 NASA-CASE-XGS-05715
US-PATENT-APPL-SN-668257
US-PATENT-CLASS-250-233
US-PATENT-3,532,894
c23 N71-16101 NASA-CASE-XNP-08883
US-PATENT-APPL-SN-617021
US-PATENT-CLASS-356-117
US-PATENT-3,520,617
c31 N71-16102 NASA-CASE-XGS-09190
US-PATENT-APPL-SN-647298
US-PATENT-CLASS-343-915
US-PATENT-3,521,290
c32 N71-16103 NASA-CASE-LAR-10317-1
US-PATENT-APPL-SN-739927
US-PATENT-CLASS-137-582
US-PATENT-3,508,578
c33 N71-16104 NASA-CASE-XLE-00785
US-PATENT-APPL-SN-666554
US-PATENT-CLASS-60-108
US-PATENT-3,508,402
c18 N71-16105 NASA-CASE-XLE-08511-2
US-PATENT-APPL-SN-711921
US-PATENT-CLASS-117-119
US-PATENT-3,508,955
c32 N71-16106 NASA-CASE-XLA-04605
US-PATENT-APPL-SN-619519
US-PATENT-CLASS-137-582
US-PATENT-3,443,584
c18 N71-16124 NASA-CASE-XNF-05279
US-PATENT-APPL-SN-617774
US-PATENT-CLASS-106-88
US-PATENT-3,508,940
c18 N71-16210 NASA-CASE-XNP-08837
US-PATENT-APPL-SN-691736
US-PATENT-CLASS-204-20
US-PATENT-3,526,580
c23 N71-16212 NASA-CASE-NPO-10250
US-PATENT-APPL-SN-736848
US-PATENT-CLASS-149-1
US-PATENT-3,516,879
c24 N71-16213 NASA-CASE-XGS-06628
US-PATENT-APPL-SN-665680
US-PATENT-CLASS-315-111
US-PATENT-3,509,419
c31 N71-16221 NASA-CASE-XLA-05906
US-PATENT-APPL-SN-777766
US-PATENT-CLASS-73-432
US-PATENT-3,526,139
c31 N71-16222 NASA-CASE-MFS-11133
US-PATENT-APPL-SN-693419
US-PATENT-CLASS-244-1
US-PATENT-3,508,723
c27 N71-16223 NASA-CASE-MFS-12750
US-PATENT-APPL-SN-806149
US-PATENT-CLASS-73-432
US-PATENT-3,526,140
c28 N71-16224 NASA-CASE-MFS-11497
US-PATENT-APPL-SN-730733
US-PATENT-CLASS-239-265.43
US-PATENT-3,526,365
c33 N71-16277 NASA-CASE-XMS-04268
US-PATENT-APPL-SN-516160
US-PATENT-CLASS-165-133
US-PATENT-3,502,141
c33 N71-16278 NASA-CASE-XNF-04237
US-PATENT-APPL-SN-539237
US-PATENT-CLASS-219-364
US-PATENT-3,517,162
c20 N71-16281 NASA-CASE-XLA-02081
US-PATENT-APPL-SN-522795
US-PATENT-CLASS-73-189
US-PATENT-3,507,150
c20 N71-16340 NASA-CASE-XNF-14032
US-PATENT-APPL-SN-679862
US-PATENT-CLASS-250-209
US-PATENT-3,501,641
c23 N71-16341 NASA-CASE-XGS-05291
US-PATENT-APPL-SN-553891
US-PATENT-CLASS-356-209

US-PATENT-3,504,983
c31 N71-16345 NASA-CASE-XMF-05344
US-PATENT-APPL-SN-702396
US-PATENT-CLASS-244-1
US-PATENT-3,520,496
c31 N71-16346 NASA-CASE-XMS-03613
US-PATENT-APPL-SN-862816
US-PATENT-CLASS-244-1
US-PATENT-3,526,372
c27 N71-16348 NASA-CASE-MSC-12280
US-PATENT-APPL-SN-372648
US-PATENT-CLASS-250-43.5
US-PATENT-3,501,632
c23 N71-16355 NASA-CASE-XGS-05534
US-PATENT-APPL-SN-578925
US-PATENT-CLASS-23-253
US-PATENT-3,520,660
c33 N71-16356 NASA-CASE-NPO-10158
US-PATENT-APPL-SN-730702
US-PATENT-CLASS-73-343
US-PATENT-3,526,134
c33 N71-16357 NASA-CASE-NPO-10138
US-PATENT-APPL-SN-759457
US-PATENT-CLASS-236-1
US-PATENT-3,526,359
c23 N71-16365 NASA-CASE-XNP-08840
US-PATENT-APPL-SN-649360
US-PATENT-CLASS-356-36
US-PATENT-3,526,460
c27 N71-16392 NASA-CASE-XNP-09744
US-PATENT-APPL-SN-685750
US-PATENT-CLASS-60-39.47
US-PATENT-3,507,114
c17 N71-16393 NASA-CASE-NPO-10271
US-PATENT-APPL-SN-763869
US-PATENT-CLASS-21-207
US-PATENT-3,529,928
c32 N71-16428 NASA-CASE-XLA-03135
US-PATENT-APPL-SN-582171
US-PATENT-CLASS-73-71.4
US-PATENT-3,503,251
c12 N71-16894 NASA-CASE-XLA-02079
US-PATENT-APPL-SN-435756
US-PATENT-CLASS-188-87
US-PATENT-3,310,138
c12 N71-17569 NASA-CASE-MSC-12084-1
US-PATENT-APPL-SN-762438
US-PATENT-CLASS-73-204
US-PATENT-3,500,686
c12 N71-17573 NASA-CASE-LAR-10323-1
US-PATENT-APPL-SN-738314
US-PATENT-CLASS-73-45.5
US-PATENT-3,516,284
c14 N71-17574 NASA-CASE-XGS-04993
US-PATENT-APPL-SN-577775
US-PATENT-CLASS-96-49
US-PATENT-3,458,313
c14 N71-17575 NASA-CASE-XMF-06531
US-PATENT-APPL-SN-732917
US-PATENT-CLASS-204-195
US-PATENT-3,509,034
c12 N71-17578 NASA-CASE-MFS-10412
US-PATENT-APPL-SN-701635
US-PATENT-CLASS-137-81.5
US-PATENT-3,520,317
c12 N71-17579 NASA-CASE-XLA-07391
US-PATENT-APPL-SN-726898
US-PATENT-CLASS-137-81.5
US-PATENT-3,493,004
c14 N71-17584 NASA-CASE-XNP-09462
US-PATENT-APPL-SN-658957
US-PATENT-CLASS-73-57
US-PATENT-3,500,677
c14 N71-17585 NASA-CASE-XGS-05680
US-PATENT-APPL-SN-656953
US-PATENT-CLASS-318-138
US-PATENT-3,501,664
c14 N71-17586 NASA-CASE-XLA-08646
US-PATENT-APPL-SN-677476
US-PATENT-CLASS-73-105
US-PATENT-3,534,596
c14 N71-17587 NASA-CASE-XMF-05844
US-PATENT-APPL-SN-706564
US-PATENT-CLASS-73-382
US-PATENT-3,500,688
c14 N71-17588 NASA-CASE-MFS-12806
US-PATENT-APPL-SN-686933
US-PATENT-CLASS-55-179
US-PATENT-3,490,205
c05 N71-17599 NASA-CASE-MSC-12206-1
US-PATENT-APPL-SN-856258
US-PATENT-CLASS-128-142.5
US-PATENT-3,516,404
c11 N71-17600 NASA-CASE-MFS-12915
US-PATENT-APPL-SN-694340
US-PATENT-CLASS-220-89
US-PATENT-3,469,734
c32 N71-17609 NASA-CASE-XLA-02332
US-PATENT-APPL-SN-388024
US-PATENT-CLASS-212-11
US-PATENT-3,276,602
c33 N71-17610 NASA-CASE-XLA-00377
US-PATENT-APPL-SN-270118
US-PATENT-CLASS-230-162
US-PATENT-3,309,012
c14 N71-17626 NASA-CASE-LAR-10274-1
US-PATENT-APPL-SN-717052
US-PATENT-CLASS-188-1
US-PATENT-3,491,857
c14 N71-17627 NASA-CASE-XGS-03532
US-PATENT-APPL-SN-538913
US-PATENT-CLASS-356-106
US-PATENT-3,488,123
c15 N71-17628 NASA-CASE-MFS-10340
US-PATENT-APPL-SN-716734
US-PATENT-CLASS-225-1
US-PATENT-3,507,425
c31 N71-17629 NASA-CASE-XLE-03583
US-PATENT-APPL-SN-400617
US-PATENT-CLASS-244-3.22
US-PATENT-3,276,376
c12 N71-17631 NASA-CASE-NPO-10122
US-PATENT-APPL-SN-710949
US-PATENT-CLASS-60-217
US-PATENT-3,534,555
c32 N71-17645 NASA-CASE-XNP-01153
US-PATENT-APPL-SN-336606
US-PATENT-CLASS-73-88
US-PATENT-3,273,381
c15 N71-17647 NASA-CASE-XMF-01667
US-PATENT-APPL-SN-577115
US-PATENT-CLASS-118-11
US-PATENT-3,502,051
c15 N71-17648 NASA-CASE-MSC-12116-1
US-PATENT-APPL-SN-768336
US-PATENT-CLASS-251-358
US-PATENT-3,508,739
c15 N71-17649 NASA-CASE-MFS-11132
US-PATENT-APPL-SN-744910
US-PATENT-CLASS-248-360
US-PATENT-3,526,382
c15 N71-17650 NASA-CASE-XMF-05114
US-PATENT-APPL-SN-637882
US-PATENT-CLASS-29-517
US-PATENT-3,507,034
c15 N71-17651 NASA-CASE-XLE-03803-2
US-PATENT-APPL-SN-669336
US-PATENT-CLASS-156-172
US-PATENT-3,535,179
c15 N71-17652 NASA-CASE-XLE-05079
US-PATENT-APPL-SN-601228
US-PATENT-CLASS-310-93
US-PATENT-3,493,797
c15 N71-17653 NASA-CASE-ARC-10140-1
US-PATENT-APPL-SN-783379
US-PATENT-CLASS-24-211
US-PATENT-CLASS-85-3
US-PATENT-3,534,650
c15 N71-17654 NASA-CASE-XNP-09702
US-PATENT-APPL-SN-730734
US-PATENT-CLASS-239-416
US-PATENT-3,534,909
c14 N71-17655 NASA-CASE-NPO-10320
US-PATENT-APPL-SN-718689
US-PATENT-CLASS-356-106
US-PATENT-3,535,041
c14 N71-17656 NASA-CASE-MFS-12827
US-PATENT-APPL-SN-742816
US-PATENT-CLASS-73-88.5
US-PATENT-3,534,592
c14 N71-17657 NASA-CASE-XNP-09205
US-PATENT-APPL-SN-768473
US-PATENT-CLASS-33-149
US-PATENT-3,534,479
c14 N71-17658 NASA-CASE-XMF-04966
US-PATENT-APPL-SN-727480
US-PATENT-CLASS-33-174
US-PATENT-3,534,480

c14 N71-17659 NASA-CASE-XMF-02964
US-PATENT-APPL-SN-493942
US-PATENT-CLASS-73-15.4
US-PATENT-3,465,569

c12 N71-17661 NASA-CASE-NPO-10298
US-PATENT-APPL-SN-745852
US-PATENT-CLASS-137-341
US-PATENT-3,534,765

c14 N71-17662 NASA-CASE-NPO-10300
US-PATENT-APPL-SN-718769
US-PATENT-CLASS-350-285
US-PATENT-3,535,024

c31 N71-17679 NASA-CASE-XNP-02507
US-PATENT-APPL-SN-475299
US-PATENT-CLASS-244-1
US-PATENT-3,310,256

c31 N71-17680 NASA-CASE-XLA-00117
US-PATENT-APPL-SN-835153
US-PATENT-CLASS-220-1
US-PATENT-2,996,212

c15 N71-17685 NASA-CASE-NPO-10034
US-PATENT-APPL-SN-668241
US-PATENT-CLASS-339-17
US-PATENT-3,464,051

c15 N71-17686 NASA-CASE-MFS-20586
US-PATENT-APPL-SN-688868
US-PATENT-CLASS-29-428
US-PATENT-3,526,030

c15 N71-17687 NASA-CASE-XLA-04143
US-PATENT-APPL-SN-628246
US-PATENT-CLASS-156-510
US-PATENT-3,508,999

c15 N71-17688 NASA-CASE-XLE-09527
US-PATENT-APPL-SN-686344
US-PATENT-CLASS-29-148.4
US-PATENT-3,500,525

c31 N71-17691 NASA-CASE-XLA-00937
US-PATENT-APPL-SN-393461
US-PATENT-CLASS-244-3.14
US-PATENT-3,310,258

c15 N71-17692 NASA-CASE-MFS-14772
US-PATENT-APPL-SN-774151
US-PATENT-CLASS-74-63
US-PATENT-3,529,480

c15 N71-17693 NASA-CASE-NPO-10064
US-PATENT-APPL-SN-668755
US-PATENT-CLASS-244-1
US-PATENT-3,501,112

c15 N71-17694 NASA-CASE-XNP-08897
US-PATENT-APPL-SN-640450
US-PATENT-CLASS-318-22
US-PATENT-3,501,683

c15 N71-17696 NASA-CASE-XLA-05100
US-PATENT-APPL-SN-724551
US-PATENT-CLASS-73-103
US-PATENT-3,487,680

c14 N71-17701 NASA-CASE-NPO-10144
US-PATENT-APPL-SN-688805
US-PATENT-CLASS-73-29
US-PATENT-3,534,585

c06 N71-17705 NASA-CASE-XGS-05532
US-PATENT-APPL-SN-570093
US-PATENT-CLASS-195-99
US-PATENT-3,423,290

c31 N71-17729 NASA-CASE-XAC-C1591
US-PATENT-APPL-SN-385527
US-PATENT-CLASS-244-1
US-PATENT-3,282,532

c31 N71-17730 NASA-CASE-XMF-C1543
US-PATENT-APPL-SN-402365
US-PATENT-CLASS-102-49
US-PATENT-3,286,629

c30 N71-17788 NASA-CASE-XGS-00783
US-PATENT-APPL-SN-372438
US-PATENT-CLASS-73-432
US-PATENT-3,286,531

c23 N71-17802 NASA-CASE-XLE-00454
US-PATENT-APPL-SN-295855
US-PATENT-CLASS-73-295
US-PATENT-3,273,392

c15 N71-17803 NASA-CASE-XMS-05516
US-PATENT-APPL-SN-563648
US-PATENT-CLASS-264-92
US-PATENT-3,488,414

c15 N71-17805 NASA-CASE-MFS-12805
US-PATENT-APPL-SN-758082
US-PATENT-CLASS-81-63.1
US-PATENT-CLASS-192-43.1
US-PATENT-3,534,836

c26 N71-17818 NASA-CASE-XMF-01016
US-PATENT-APPL-SN-326299
US-PATENT-CLASS-264-27
US-PATENT-3,274,304

c15 N71-17822 NASA-CASE-ARC-10009-1
US-PATENT-APPL-SN-714595
US-PATENT-CLASS-324-58.5
US-PATENT-3,532,973

c33 N71-17897 NASA-CASE-XLA-00892
US-PATENT-APPL-SN-245941
US-PATENT-CLASS-62-467
US-PATENT-3,273,355

c26 N71-18064 NASA-CASE-XNP-01328
US-PATENT-APPL-SN-296879
US-PATENT-CLASS-317-234
US-PATENT-3,271,637

c15 N71-18132 NASA-CASE-MFS-13686
US-PATENT-APPL-SN-716183
US-PATENT-CLASS-73-67.2
US-PATENT-3,531,982

c14 N71-18465 NASA-CASE-NPO-10174
US-PATENT-APPL-SN-690163
US-PATENT-CLASS-95-11
US-PATENT-3,520,238

c14 N71-18481 NASA-CASE-XLA-02758
US-PATENT-APPL-SN-759665
US-PATENT-CLASS-73-4
US-PATENT-3,531,978

c14 N71-18482 NASA-CASE-XLA-07424
US-PATENT-APPL-SN-635326
US-PATENT-CLASS-313-7
US-PATENT-3,466,484

c14 N71-18483 NASA-CASE-XER-09519
US-PATENT-APPL-SN-676375
US-PATENT-CLASS-55-208
US-PATENT-3,469,375

c11 N71-18578 NASA-CASE-XAC-05902
US-PATENT-APPL-SN-662828
US-PATENT-CLASS-89-8
US-PATENT-3,465,638

c15 N71-18579 NASA-CASE-XGS-04175
US-PATENT-APPL-SN-606464
US-PATENT-CLASS-72-364
US-PATENT-3,465,567

c15 N71-18580 NASA-CASE-XNP-09698
US-PATENT-APPL-SN-698592
US-PATENT-CLASS-138-4
US-PATENT-CLASS-138-45
US-PATENT-CLASS-251-118
US-PATENT-CLASS-251-121
US-PATENT-3,532,128

c08 N71-18594 NASA-CASE-XAC-04031
US-PATENT-APPL-SN-538905
US-PATENT-CLASS-340-347
US-PATENT-3,533,098

c08 N71-18595 NASA-CASE-XGS-03303
US-PATENT-APPL-SN-520838
US-PATENT-CLASS-340-174
US-PATENT-3,501,752

c09 N71-18598 NASA-CASE-NPO-10066
US-PATENT-APPL-SN-681693
US-PATENT-CLASS-343-13
US-PATENT-3,447,155

c09 N71-18599 NASA-CASE-LAR-10372
US-PATENT-APPL-SN-730162
US-PATENT-CLASS-102-70.2
US-PATENT-3,500,747

c09 N71-18600 NASA-CASE-MSC-12168-1
US-PATENT-APPL-SN-640154
US-PATENT-CLASS-312-296
US-PATENT-3,447,850

c08 N71-18602 NASA-CASE-XGS-04766
US-PATENT-APPL-SN-598120
US-PATENT-CLASS-235-175
US-PATENT-3,532,866

c12 N71-18603 NASA-CASE-ERC-10031
US-PATENT-APPL-SN-741461
US-PATENT-CLASS-40-28
US-PATENT-3,516,185

c31 N71-18611 NASA-CASE-MFS-20400
US-PATENT-APPL-SN-551694
US-PATENT-CLASS-152-11
US-PATENT-3,493,027

c15 N71-18613 NASA-CASE-XNP-02588
US-PATENT-APPL-SN-563644
US-PATENT-CLASS-219-91
US-PATENT-3,466,418

c16 N71-18614 NASA-CASE-XGS-03644
US-PATENT-APPL-SN-505320

US-PATENT-CLASS-331-94.5
US-PATENT-3,517,328
c12 N71-18615 NASA-CASE-XNP-09704
US-PATENT-APPL-SN-730701
US-PATENT-CLASS-137-594
US-PATENT-CLASS-138-46
US-PATENT-CLASS-251-61.1
US-PATENT-CLASS-251-127
US-PATENT-CLASS-251-333
US-PATENT-CLASS-251-342
US-PATENT-3,532,118
c15 N71-18616 NASA-CASE-XLA-07390
US-PATENT-APPL-SN-665681
US-PATENT-CLASS-72-53
US-PATENT-3,531,964
c14 N71-18625 NASA-CASE-NPO-10175
US-PATENT-APPL-SN-685787
US-PATENT-CLASS-137-505.12
US-PATENT-3,443,583
c08 N71-18692 NASA-CASE-MFS-14322
US-PATENT-APPL-SN-646934
US-PATENT-CLASS-328-134
US-PATENT-3,501,701
c08 N71-18693 NASA-CASE-XGS-04765
US-PATENT-APPL-SN-577545
US-PATENT-CLASS-235-156
US-PATENT-3,506,036
c08 N71-18694 NASA-CASE-NPO-10201
US-PATENT-APPL-SN-691738
US-PATENT-CLASS-340-174
US-PATENT-3,509,551
c03 N71-18698 NASA-CASE-NPO-10373
US-PATENT-APPL-SN-718752
US-PATENT-CLASS-136-89
US-PATENT-3,507,706
c14 N71-18699 NASA-CASE-XLA-03273
US-PATENT-APPL-SN-487352
US-PATENT-CLASS-250-83.3
US-PATENT-3,456,702
c15 N71-18701 NASA-CASE-XNP-07587
US-PATENT-APPL-SN-649359
US-PATENT-CLASS-317-122
US-PATENT-3,446,346
c09 N71-18720 NASA-CASE-MSC-12101
US-PATENT-APPL-SN-763705
US-PATENT-CLASS-343-718
US-PATENT-3,509,570
c09 N71-18721 NASA-CASE-XER-07894
US-PATENT-APPL-SN-644444
US-PATENT-CLASS-331-107
US-PATENT-3,509,491
c10 N71-18722 NASA-CASE-REC-10046
US-PATENT-APPL-SN-793772
US-PATENT-CLASS-343-100
US-PATENT-3,501,764
c10 N71-18723 NASA-CASE-XNP-09450
US-PATENT-APPL-SN-640459
US-PATENT-CLASS-307-273
US-PATENT-3,501,649
c10 N71-18724 NASA-CASE-XLA-09371
US-PATENT-APPL-SN-568160
US-PATENT-CLASS-318-257
US-PATENT-3,504,258
c08 N71-18751 NASA-CASE-XLA-07732
US-PATENT-APPL-SN-641441
US-PATENT-CLASS-307-216
US-PATENT-3,512,009
c08 N71-18752 NASA-CASE-XNP-00663
US-PATENT-APPL-SN-205470
US-PATENT-CLASS-321-5
US-PATENT-3,521,143
c10 N71-18772 NASA-CASE-GSC-10366-1
US-PATENT-APPL-SN-771523
US-PATENT-CLASS-318-138
US-PATENT-3,532,948
c11 N71-18773 NASA-CASE-XNP-07488
US-PATENT-APPL-SN-707495
US-PATENT-CLASS-35-12
US-PATENT-3,534,485
c09 N71-18830 NASA-CASE-XAC-10768
US-PATENT-APPL-SN-711970
US-PATENT-CLASS-250-83
US-PATENT-3,508,053
c09 N71-18843 NASA-CASE-XNP-03263
US-PATENT-APPL-SN-506908
US-PATENT-CLASS-340-146.1
US-PATENT-3,501,743
c21 N71-19212 NASA-CASE-MFS-20386
US-PATENT-APPL-SN-818349
US-PATENT-CLASS-356-28
US-PATENT-3,532,427
c15 N71-19213 NASA-CASE-MFS-14259
US-PATENT-APPL-SN-787410
US-PATENT-CLASS-138-43
US-PATENT-3,536,103
c15 N71-19214 NASA-CASE-MFS-20410
US-PATENT-APPL-SN-819599
US-PATENT-CLASS-244-1
US-PATENT-3,534,926
c02 N71-19287 NASA-CASE-GSC-10087-1
US-PATENT-APPL-SN-701679
US-PATENT-CLASS-343-112
US-PATENT-3,534,367
c08 N71-19288 NASA-CASE-NPO-10068
US-PATENT-APPL-SN-668969
US-PATENT-CLASS-340-172.5
US-PATENT-3,501,750
c10 N71-19417 NASA-CASE-XMS-10984-1
US-PATENT-APPL-SN-605095
US-PATENT-CLASS-340-213.1
US-PATENT-3,533,093
c10 N71-19418 NASA-CASE-GSC-10041-1
US-PATENT-APPL-SN-684209
US-PATENT-CLASS-331-113
US-PATENT-3,458,833
c08 N71-19420 NASA-CASE-XNP-09453
US-PATENT-APPL-SN-640448
US-PATENT-CLASS-226-190
US-PATENT-3,507,436
c10 N71-19421 NASA-CASE-XLA-08493
US-PATENT-APPL-SN-749148
US-PATENT-CLASS-324-72
US-PATENT-3,532,975
c14 N71-19431 NASA-CASE-XGS-02439
US-PATENT-APPL-SN-487341
US-PATENT-CLASS-324-120
US-PATENT-3,422,352
c08 N71-19432 NASA-CASE-XGS-02440
US-PATENT-APPL-SN-655677
US-PATENT-CLASS-328-42
US-PATENT-3,517,318
c07 N71-19433 NASA-CASE-MFS-13046
US-PATENT-APPL-SN-673228
US-PATENT-CLASS-178-6
US-PATENT-3,532,807
c08 N71-19435 NASA-CASE-XGS-02612
US-PATENT-APPL-SN-502743
US-PATENT-CLASS-340-347
US-PATENT-3,509,558
c07 N71-19436 NASA-CASE-XNP-09422
US-PATENT-APPL-SN-783378
US-PATENT-CLASS-174-35
US-PATENT-3,517,109
c08 N71-19437 NASA-CASE-XGS-04768
US-PATENT-APPL-SN-598119
US-PATENT-CLASS-235-158
US-PATENT-3,508,039
c03 N71-19438 NASA-CASE-XGS-05432
US-PATENT-APPL-SN-549860
US-PATENT-CLASS-320-23
US-PATENT-3,426,263
c05 N71-19439 NASA-CASE-XMS-09571
US-PATENT-APPL-SN-678700
US-PATENT-CLASS-165-46
US-PATENT-3,425,487
c05 N71-19440 NASA-CASE-XMS-01177
US-PATENT-APPL-SN-516150
US-PATENT-CLASS-250-83
US-PATENT-3,427,454
c09 N71-19449 NASA-CASE-XPR-03107
US-PATENT-APPL-SN-507257
US-PATENT-CLASS-178-6
US-PATENT-3,458,651
c09 N71-19466 NASA-CASE-XGS-02812
US-PATENT-APPL-SN-502750
US-PATENT-CLASS-330-30
US-PATENT-3,466,560
c10 N71-19467 NASA-CASE-XNP-08665
US-PATENT-APPL-SN-582609
US-PATENT-CLASS-325-63
US-PATENT-3,470,475
c10 N71-19468 NASA-CASE-XMS-05605-1
US-PATENT-APPL-SN-764812
US-PATENT-CLASS-178-69.5
US-PATENT-3,532,819
c10 N71-19469 NASA-CASE-XNP-00777
US-PATENT-APPL-SN-486573
US-PATENT-CLASS-329-122

US-PATENT-3,517,268
c09 N71-19470 NASA-CASE-XGS-05289
US-PATENT-APPL-SN-632104
US-PATENT-CLASS-331-113
US-PATENT-3,476,496
c10 N71-19471 NASA-CASE-XLE-03804
US-PATENT-APPL-SN-526631
US-PATENT-CLASS-307-235
US-PATENT-3,463,939
c10 N71-19472 NASA-CASE-XAC-04030
US-PATENT-APPL-SN-520839
US-PATENT-CLASS-328-1
US-PATENT-3,464,016
c09 N71-19479 NASA-CASE-XMS-04300
US-PATENT-APPL-SN-516158
US-PATENT-CLASS-350-275
US-PATENT-3,427,093
c09 N71-19480 NASA-CASE-XFR-05637
US-PATENT-APPL-SN-484855
US-PATENT-CLASS-235-194
US-PATENT-3,423,579
c15 N71-19485 NASA-CASE-MSC-11010
US-PATENT-APPL-SN-605090
US-PATENT-CLASS-251-31
US-PATENT-3,447,774
c15 N71-19486 NASA-CASE-XNF-08522
US-PATENT-APPL-SN-640447
US-PATENT-CLASS-219-121
US-PATENT-3,474,220
c15 N71-19489 NASA-CASE-XNF-04680
US-PATENT-APPL-SN-634040
US-PATENT-CLASS-33-147
US-PATENT-3,425,131
c07 N71-19493 NASA-CASE-XKS-08485
US-PATENT-APPL-SN-649078
US-PATENT-CLASS-343-873
US-PATENT-3,509,578
c11 N71-19494 NASA-CASE-MFS-10555
US-PATENT-APPL-SN-700984
US-PATENT-CLASS-35-12
US-PATENT-3,516,179
c09 N71-19516 NASA-CASE-XNP-06937
US-PATENT-APPL-SN-640449
US-PATENT-CLASS-330-30
US-PATENT-3,501,712
c08 N71-19544 NASA-CASE-XGS-01230
US-PATENT-APPL-SN-356488
US-PATENT-CLASS-340-347
US-PATENT-3,474,441
c03 N71-19545 NASA-CASE-NPO-10821
US-PATENT-APPL-SN-670814
US-PATENT-CLASS-136-89
US-PATENT-3,466,198
c10 N71-19547 NASA-CASE-XGS-03058
US-PATENT-APPL-SN-568987
US-PATENT-CLASS-307-289
US-PATENT-3,517,221
c14 N71-19568 NASA-CASE-MSC-10966
US-PATENT-APPL-SN-665676
US-PATENT-CLASS-250-203
US-PATENT-3,421,004
c15 N71-19569 NASA-CASE-XLA-05749
US-PATENT-APPL-SN-621714
US-PATENT-CLASS-137-582
US-PATENT-3,426,791
c15 N71-19570 NASA-CASE-XLE-05130-2
US-PATENT-APPL-SN-700586
US-PATENT-CLASS-277-25
US-PATENT-3,466,052
c09 N71-19610 NASA-CASE-NPO-10037
US-PATENT-APPL-SN-700987
US-PATENT-CLASS-200-152
US-PATENT-3,470,342
c08 N71-19687 NASA-CASE-XNP-04780
US-PATENT-APPL-SN-455477
US-PATENT-CLASS-340-347
US-PATENT-3,430,227
c08 N71-19763 NASA-CASE-XAC-06302
US-PATENT-APPL-SN-574284
US-PATENT-CLASS-325-60
US-PATENT-3,456,193
c07 N71-19773 NASA-CASE-GSC-10373-1
US-PATENT-APPL-SN-712658
US-PATENT-CLASS-325-4
US-PATENT-3,532,985
c07 N71-19854 NASA-CASE-GSC-10553-1
US-PATENT-APPL-SN-820963
US-PATENT-CLASS-343-100
US-PATENT-3,534,365
c05 N71-20268 NASA-CASE-XLA-02898
US-PATENT-APPL-SN-429932
US-PATENT-CLASS-128-1
US-PATENT-3,461,855
c03 N71-20273 NASA-CASE-NPO-10188
US-PATENT-APPL-SN-681687
US-PATENT-CLASS-244-1
US-PATENT-3,473,758
c28 N71-20330 NASA-CASE-XLE-103477-1
US-PATENT-APPL-SN-466390
US-PATENT-CLASS-60-39.36
US-PATENT-3,433,015
c15 N71-20393 NASA-CASE-MFS-06074
US-PATENT-APPL-SN-688743
US-PATENT-CLASS-228-9
US-PATENT-3,456,104
c15 N71-20395 NASA-CASE-XNF-06065
US-PATENT-APPL-SN-665679
US-PATENT-CLASS-219-275
US-PATENT-3,466,424
c31 N71-20396 NASA-CASE-XNP-08523
US-PATENT-APPL-SN-645563
US-PATENT-CLASS-244-1
US-PATENT-3,465,986
c16 N71-20400 NASA-CASE-MFS-11279
US-PATENT-APPL-SN-628094
US-PATENT-CLASS-219-121
US-PATENT-3,472,998
c03 N71-20407 NASA-CASE-NPO-10194
US-PATENT-APPL-SN-668249
US-PATENT-CLASS-136-182
US-PATENT-3,460,995
c14 N71-20427 NASA-CASE-XMS-13052
US-PATENT-APPL-SN-561223
US-PATENT-CLASS-62-268
US-PATENT-3,455,121
c14 N71-20428 NASA-CASE-XGS-04879
US-PATENT-APPL-SN-541399
US-PATENT-CLASS-324-.5
US-PATENT-3,443,208
c14 N71-20429 NASA-CASE-XLE-05260
US-PATENT-APPL-SN-674355
US-PATENT-CLASS-73-117.4
US-PATENT-3,463,001
c14 N71-20430 NASA-CASE-XLA-03645
US-PATENT-APPL-SN-600266
US-PATENT-CLASS-250-83
US-PATENT-3,450,878
c14 N71-20435 NASA-CASE-XMS-06767-1
US-PATENT-APPL-SN-716795
US-PATENT-CLASS-73-422
US-PATENT-3,438,263
c12 N71-20436 NASA-CASE-LAR-11138
US-PATENT-APPL-SN-694317
US-PATENT-CLASS-73-147
US-PATENT-3,461,721
c14 N71-20439 NASA-CASE-XAC-04886-1
US-PATENT-APPL-SN-574290
US-PATENT-CLASS-73-142
US-PATENT-3,425,272
c15 N71-20440 NASA-CASE-XNP-09770
US-PATENT-APPL-SN-700120
US-PATENT-CLASS-209-10
US-PATENT-3,472,372
c15 N71-20441 NASA-CASE-XMS-06329-1
US-PATENT-APPL-SN-688742
US-PATENT-CLASS-73-141
US-PATENT-3,472,069
c14 N71-20442 NASA-CASE-MFS-11537
US-PATENT-APPL-SN-636878
US-PATENT-CLASS-23-254
US-PATENT-3,472,629
c15 N71-20443 NASA-CASE-MFS-07369
US-PATENT-APPL-SN-640462
US-PATENT-CLASS-29-492
US-PATENT-3,473,216
c09 N71-20445 NASA-CASE-XNP-09775
US-PATENT-APPL-SN-668247
US-PATENT-CLASS-333-96
US-PATENT-3,474,357
c09 N71-20446 NASA-CASE-XLE-04250
US-PATENT-APPL-SN-621098
US-PATENT-CLASS-310-54
US-PATENT-3,447,003
c09 N71-20447 NASA-CASE-XLA-02850
US-PATENT-APPL-SN-556784
US-PATENT-CLASS-307-267
US-PATENT-3,473,050
c10 N71-20448 NASA-CASE-XNP-03744

US-PATENT-APPL-SN-547677
US-PATENT-CLASS-316-314
US-PATENT-3,424,966
c14 N71-20461 NASA-CASE-XNP-09763
US-PATENT-APPL-SN-600682
US-PATENT-CLASS-117-6
US-PATENT-3,433,662
c03 N71-20491 NASA-CASE-XGS-05434
US-PATENT-APPL-SN-667636
US-PATENT-CLASS-136-182
US-PATENT-3,463,673
c03 N71-20492 NASA-CASE-XLE-04787
US-PATENT-APPL-SN-551846
US-PATENT-CLASS-136-89
US-PATENT-3,434,885
c24 N71-20518 NASA-CASE-XNP-02592
US-PATENT-APPL-SN-484490
US-PATENT-CLASS-324-33
US-PATENT-3,430,131
c25 N71-20563 NASA-CASE-XLA-06232
US-PATENT-APPL-SN-612740
US-PATENT-CLASS-324-58.5
US-PATENT-3,473,116
c09 N71-20569 NASA-CASE-XMS-08589-1
US-PATENT-APPL-SN-544899
US-PATENT-CLASS-324-57
US-PATENT-3,434,050
c02 N71-20570 NASA-CASE-XAC-08972
US-PATENT-APPL-SN-700174
US-PATENT-CLASS-244-76
US-PATENT-3,472,470
c08 N71-20571 NASA-CASE-XGS-04987
US-PATENT-APPL-SN-619908
US-PATENT-CLASS-315-24
US-PATENT-3,437,874
c09 N71-20658 NASA-CASE-XMS-03454
US-PATENT-APPL-SN-425363
US-PATENT-CLASS-343-915
US-PATENT-3,360,798
c09 N71-20705 NASA-CASE-XNP-01599
US-PATENT-APPL-SN-381940
US-PATENT-CLASS-117-212
US-PATENT-3,359,132
c06 N71-20717 NASA-CASE-XNP-04133
US-PATENT-APPL-SN-554949
US-PATENT-CLASS-260-2
US-PATENT-3,354,098
c05 N71-20718 NASA-CASE-XMS-04625
US-PATENT-APPL-SN-519161
US-PATENT-CLASS-244-122
US-PATENT-3,356,320
c15 N71-20739 NASA-CASE-XGS-02011
US-PATENT-APPL-SN-502693
US-PATENT-CLASS-308-9
US-PATENT-3,359,046
c15 N71-20740 NASA-CASE-XLA-01808
US-PATENT-APPL-SN-517159
US-PATENT-CLASS-74-471
US-PATENT-3,364,777
c14 N71-20741 NASA-CASE-XMS-01618
US-PATENT-APPL-SN-418362
US-PATENT-CLASS-73-29
US-PATENT-3,360,980
c18 N71-20742 NASA-CASE-XMS-02952
US-PATENT-APPL-SN-519160
US-PATENT-CLASS-55-158
US-PATENT-3,355,861
c17 N71-20743 NASA-CASE-XNP-02786
US-PATENT-APPL-SN-466873
US-PATENT-CLASS-75-142
US-PATENT-3,347,665
c25 N71-20747 NASA-CASE-XLE-02578
US-PATENT-APPL-SN-469012
US-PATENT-CLASS-313-271
US-PATENT-3,356,885
c10 N71-20782 NASA-CASE-XGS-01784
US-PATENT-APPL-SN-396444
US-PATENT-CLASS-250-206
US-PATENT-3,348,053
c07 N71-20791 NASA-CASE-XNP-05254
US-PATENT-APPL-SN-472372
US-PATENT-CLASS-325-31
US-PATENT-3,350,643
c15 N71-20813 NASA-CASE-XMS-02184
US-PATENT-APPL-SN-608247
US-PATENT-CLASS-248-27
US-PATENT-3,361,400
c07 N71-20814 NASA-CASE-XNP-01306
US-PATENT-APPL-SN-343426
US-PATENT-CLASS-179-15
US-PATENT-3,364,311
c12 N71-20815 NASA-CASE-XNP-01779
US-PATENT-APPL-SN-521999
US-PATENT-CLASS-346-1
US-PATENT-3,357,024
c09 N71-20816 NASA-CASE-XAC-01677
US-PATENT-APPL-SN-596338
US-PATENT-CLASS-73-147
US-PATENT-3,360,988
c33 N71-20834 NASA-CASE-XMS-02009
US-PATENT-APPL-SN-455352
US-PATENT-CLASS-141-5
US-PATENT-3,349,814
c10 N71-20841 NASA-CASE-XGS-01222
US-PATENT-APPL-SN-354182
US-PATENT-CLASS-325-305
US-PATENT-3,348,152
c09 N71-20842 NASA-CASE-XNP-05381
US-PATENT-APPL-SN-568352
US-PATENT-CLASS-338-82
US-PATENT-3,350,671
c09 N71-20851 NASA-CASE-XNP-04732
US-PATENT-APPL-SN-557584
US-PATENT-CLASS-339-177
US-PATENT-3,358,264
c10 N71-20852 NASA-CASE-XGS-03502
US-PATENT-APPL-SN-584066
US-PATENT-CLASS-331-17
US-PATENT-3,361,985
c09 N71-20864 NASA-CASE-XGS-03501
US-PATENT-APPL-SN-576521
US-PATENT-CLASS-343-16
US-PATENT-3,359,555
c03 N71-20895 NASA-CASE-XNP-00826
US-PATENT-APPL-SN-327163
US-PATENT-CLASS-136-89
US-PATENT-3,346,419
c12 N71-20896 NASA-CASE-XNP-02251
US-PATENT-APPL-SN-432030
US-PATENT-CLASS-321-48
US-PATENT-3,337,790
c03 N71-20904 NASA-CASE-XLE-01645
US-PATENT-APPL-SN-342574
US-PATENT-CLASS-136-86
US-PATENT-3,357,862
c06 N71-20905 NASA-CASE-XNP-02584
US-PATENT-APPL-SN-506135
US-PATENT-CLASS-260-2
US-PATENT-3,346,515
c28 N71-20942 NASA-CASE-XNP-04389
US-PATENT-APPL-SN-523511
US-PATENT-CLASS-60-265
US-PATENT-3,353,359
c14 N71-21006 NASA-CASE-XLA-01832
US-PATENT-APPL-SN-517858
US-PATENT-CLASS-346-50
US-PATENT-3,354,462
c14 N71-21007 NASA-CASE-XMS-06236
US-PATENT-APPL-SN-482670
US-PATENT-CLASS-73-290
US-PATENT-3,355,948
c08 N71-21042 NASA-CASE-XGS-01021
US-PATENT-APPL-SN-279646
US-PATENT-CLASS-340-174.1
US-PATENT-3,327,298
c32 N71-21045 NASA-CASE-XLA-01731
US-PATENT-APPL-SN-425365
US-PATENT-CLASS-52-2
US-PATENT-3,364,631
c15 N71-21060 NASA-CASE-XLA-03660
US-PATENT-APPL-SN-482307
US-PATENT-CLASS-95-53
US-PATENT-3,361,045
c31 N71-21064 NASA-CASE-XGS-02554
US-PATENT-APPL-SN-504266
US-PATENT-CLASS-244-1
US-PATENT-3,350,034
c18 N71-21068 NASA-CASE-XNP-02888
US-PATENT-APPL-SN-409126
US-PATENT-CLASS-239-265.11
US-PATENT-3,347,465
c14 N71-21072 NASA-CASE-XAC-02981
US-PATENT-APPL-SN-464879
US-PATENT-CLASS-73-398
US-PATENT-3,352,157
c15 N71-21076 NASA-CASE-XMS-03745
US-PATENT-APPL-SN-534295
US-PATENT-CLASS-24-263

US-PATENT-3,346,929
c15 N71-21078 NASA-CASE-XNP-03459
US-PATENT-APPL-SN-457879
US-PATENT-CLASS-29-495
US-PATENT-3,357,093
c14 N71-21079 NASA-CASE-XLA-03102
US-PATENT-APPL-SN-576195
US-PATENT-CLASS-33-31
US-PATENT-3,364,578
c14 N71-21082 NASA-CASE-XGS-02629
US-PATENT-APPL-SN-500435
US-PATENT-CLASS-244-1
US-PATENT-3,350,033
c14 N71-21088 NASA-CASE-XNP-06957
US-PATENT-APPL-SN-406097
US-PATENT-CLASS-250-83.3
US-PATENT-3,348,048
c12 N71-21089 NASA-CASE-XMS-01905
US-PATENT-APPL-SN-280580
US-PATENT-CLASS-141-91
US-PATENT-3,331,404
c14 N71-21090 NASA-CASE-XLE-00787
US-PATENT-APPL-SN-330210
US-PATENT-CLASS-324-33
US-PATENT-3,346,806
c14 N71-21091 NASA-CASE-XNP-02983
US-PATENT-APPL-SN-407599
US-PATENT-CLASS-73-88.5
US-PATENT-3,350,926
c15 N71-21177 NASA-CASE-XAC-06956
US-PATENT-APPL-SN-538166
US-PATENT-CLASS-259-71
US-PATENT-3,347,531
c15 N71-21179 NASA-CASE-XLA-01401
US-PATENT-APPL-SN-382976
US-PATENT-CLASS-235-61.6
US-PATENT-3,346,724
c15 N71-21234 NASA-CASE-XKS-02582
US-PATENT-APPL-SN-424153
US-PATENT-CLASS-251-172
US-PATENT-3,327,991
c15 N71-21311 NASA-CASE-XNP-03637
US-PATENT-APPL-SN-453232
US-PATENT-CLASS-310-9.1
US-PATENT-3,359,435
c15 N71-21403 NASA-CASE-XMF-03988
US-PATENT-APPL-SN-578923
US-PATENT-CLASS-252-26
US-PATENT-3,361,666
c15 N71-21404 NASA-CASE-XLA-01262
US-PATENT-APPL-SN-386800
US-PATENT-CLASS-156-3
US-PATENT-3,356,549
c09 N71-21449 NASA-CASE-XMS-01991
US-PATENT-APPL-SN-410326
US-PATENT-CLASS-323-22
US-PATENT-3,344,340
c10 N71-21473 NASA-CASE-XGS-08679
US-PATENT-APPL-SN-312443
US-PATENT-CLASS-343-113
US-PATENT-3,340,532
c11 N71-21474 NASA-CASE-XMS-04798
US-PATENT-APPL-SN-480210
US-PATENT-CLASS-35-12
US-PATENT-3,330,052
c11 N71-21475 NASA-CASE-XLA-05378
US-PATENT-APPL-SN-484156
US-PATENT-CLASS-73-343
US-PATENT-3,331,246
c07 N71-21476 NASA-CASE-XNP-00746
US-PATENT-APPL-SN-271824
US-PATENT-CLASS-235-181
US-PATENT-3,359,409
c11 N71-21481 NASA-CASE-XLA-01326
US-PATENT-APPL-SN-422097
US-PATENT-CLASS-73-147
US-PATENT-3,345,866
c10 N71-21483 NASA-CASE-XGS-01155
US-PATENT-APPL-SN-557871
US-PATENT-CLASS-343-16
US-PATENT-3,344,425
c15 N71-21489 NASA-CASE-XNP-06914
US-PATENT-APPL-SN-590147
US-PATENT-CLASS-85-33
US-PATENT-3,352,192
c28 N71-21493 NASA-CASE-XLA-10450
US-PATENT-APPL-SN-594587
US-PATENT-CLASS-239-265.19
US-PATENT-3,347,466
c33 N71-21507 NASA-CASE-XLE-04603
US-PATENT-APPL-SN-638194
US-PATENT-CLASS-60-243
US-PATENT-3,347,046
c15 N71-21528 NASA-CASE-XLA-01446
US-PATENT-APPL-SN-400613
US-PATENT-CLASS-53-102
US-PATENT-3,336,725
c15 N71-21529 NASA-CASE-XGS-02422
US-PATENT-APPL-SN-493943
US-PATENT-CLASS-74-126
US-PATENT-3,331,255
c15 N71-21530 NASA-CASE-XMS-03722
US-PATENT-APPL-SN-487934
US-PATENT-CLASS-267-64
US-PATENT-3,330,549
c15 N71-21531 NASA-CASE-XNP-02341
US-PATENT-APPL-SN-432025
US-PATENT-CLASS-52-127
US-PATENT-3,330,082
c15 N71-21536 NASA-CASE-XMS-06876
US-PATENT-APPL-SN-605100
US-PATENT-CLASS-72-34
US-PATENT-3,345,840
c09 N71-21583 NASA-CASE-XLE-02008
US-PATENT-APPL-SN-487342
US-PATENT-CLASS-338-64
US-PATENT-3,329,918
c33 N71-21586 NASA-CASE-XLA-01794
US-PATENT-APPL-SN-464880
US-PATENT-CLASS-73-86
US-PATENT-3,357,237
c18 N71-21651 NASA-CASE-XMF-01402
US-PATENT-APPL-SN-328140
US-PATENT-CLASS-161-68
US-PATENT-3,346,442
c21 N71-21688 NASA-CASE-XMF-00684
US-PATENT-APPL-SN-260087
US-PATENT-CLASS-235-150.25
US-PATENT-3,331,951
c25 N71-21693 NASA-CASE-XLA-03103
US-PATENT-APPL-SN-531642
US-PATENT-CLASS-315-111
US-PATENT-3,333,152
c25 N71-21694 NASA-CASE-XLE-02902
US-PATENT-APPL-SN-485957
US-PATENT-CLASS-60-202
US-PATENT-3,336,748
c21 N71-21708 NASA-CASE-XLA-02551
US-PATENT-APPL-SN-416940
US-PATENT-CLASS-244-1
US-PATENT-3,329,375
c15 N71-21744 NASA-CASE-XGS-04227
US-PATENT-APPL-SN-545805
US-PATENT-CLASS-74-409
US-PATENT-3,359,819
c27 N71-21819 NASA-CASE-XLE-03494
US-PATENT-APPL-SN-529593
US-PATENT-CLASS-60-251
US-PATENT-3,345,822
c23 N71-21821 NASA-CASE-XNP-01059
US-PATENT-APPL-SN-393464
US-PATENT-CLASS-250-232
US-PATENT-3,354,320
c28 N71-21822 NASA-CASE-XNP-04124
US-PATENT-APPL-SN-498168
US-PATENT-CLASS-60-202
US-PATENT-3,345,820
c26 N71-21824 NASA-CASE-XNP-05429
US-PATENT-APPL-SN-578928
US-PATENT-CLASS-103-1
US-PATENT-3,361,067
c31 N71-21881 NASA-CASE-XNP-02595
US-PATENT-APPL-SN-502709
US-PATENT-CLASS-244-1
US-PATENT-3,333,788
c23 N71-21882 NASA-CASE-XNP-03853
US-PATENT-APPL-SN-578931
US-PATENT-CLASS-88-24
US-PATENT-3,359,855
c15 N71-22705 NASA-CASE-XGS-02884
US-PATENT-APPL-SN-432433
US-PATENT-CLASS-51-57
US-PATENT-3,341,977
c15 N71-22706 NASA-CASE-XMS-09310
US-PATENT-APPL-SN-655724
US-PATENT-CLASS-137-496
US-PATENT-3,384,111
c08 N71-22707 NASA-CASE-XNP-04067

US-PATENT-APPL-SN-466875
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,222
c08 N71-22710 NASA-CASE-XNP-02778
US-PATENT-APPL-SN-508170
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,223
c15 N71-22713 NASA-CASE-XLA-03492
US-PATENT-APPL-SN-395348
US-PATENT-CLASS-156-60
US-PATENT-3,342,653
c15 N71-22721 NASA-CASE-XNP-03212
US-PATENT-APPL-SN-577549
US-PATENT-CLASS-55-418
US-PATENT-3,385,036
c15 N71-22722 NASA-CASE-XMS-04292
US-PATENT-APPL-SN-517157
US-PATENT-CLASS-82-14
US-PATENT-3,373,640
c15 N71-22723 NASA-CASE-XNP-01083
US-PATENT-APPL-SN-432028
US-PATENT-CLASS-72-83
US-PATENT-3,340,713
c05 N71-22748 NASA-CASE-XMS-04170
US-PATENT-APPL-SN-482311
US-PATENT-CLASS-9-312
US-PATENT-3,343,189
c08 N71-22749 NASA-CASE-XNP-02748
US-PATENT-APPL-SN-420245
US-PATENT-CLASS-340-146.1
US-PATENT-3,373,404
c07 N71-22750 NASA-CASE-XNP-01735
US-PATENT-APPL-SN-408438
US-PATENT-CLASS-343-786
US-PATENT-3,373,431
c14 N71-22752 NASA-CASE-XNP-01974
US-PATENT-APPL-SN-568354
US-PATENT-CLASS-73-419
US-PATENT-3,383,922
c14 N71-22765 NASA-CASE-XLA-00934
US-PATENT-APPL-SN-326298
US-PATENT-CLASS-73-84
US-PATENT-3,339,404
c33 N71-22792 NASA-CASE-XLA-01243
US-PATENT-APPL-SN-538911
US-PATENT-CLASS-244-1
US-PATENT-3,384,324
c09 N71-22796 NASA-CASE-XKS-03381
US-PATENT-APPL-SN-437611
US-PATENT-CLASS-317-9
US-PATENT-3,340,430
c15 N71-22797 NASA-CASE-XLE-01092
US-PATENT-APPL-SN-422098
US-PATENT-CLASS-72-253
US-PATENT-3,342,055
c15 N71-22798 NASA-CASE-XMS-04178
US-PATENT-APPL-SN-511299
US-PATENT-CLASS-83-467
US-PATENT-3,367,224
c15 N71-22799 NASA-CASE-XNP-03511
US-PATENT-APPL-SN-540414
US-PATENT-CLASS-90-12
US-PATENT-3,386,337
c15 N71-22874 NASA-CASE-XLA-00188
US-PATENT-APPL-SN-254847
US-PATENT-CLASS-102-49.5
US-PATENT-3,368,486
c11 N71-22875 NASA-CASE-XAC-05333
US-PATENT-APPL-SN-546148
US-PATENT-CLASS-119-15
US-PATENT-3,367,308
c15 N71-22877 NASA-CASE-XNP-10040
US-PATENT-APPL-SN-592680
US-PATENT-CLASS-188-1
US-PATENT-3,381,778
c15 N71-22878 NASA-CASE-XMS-04545
US-PATENT-APPL-SN-508601
US-PATENT-CLASS-73-144
US-PATENT-3,381,527
c21 N71-22880 NASA-CASE-XLA-00793
US-PATENT-APPL-SN-369334
US-PATENT-CLASS-88-1
US-PATENT-3,381,569
c23 N71-22881 NASA-CASE-XLE-04222
US-PATENT-APPL-SN-512559
US-PATENT-CLASS-220-9
US-PATENT-3,379,330
c09 N71-22888 NASA-CASE-XLA-03114
US-PATENT-APPL-SN-440039
US-PATENT-CLASS-343-708
US-PATENT-3,373,430
c33 N71-22890 NASA-CASE-XLA-07728
US-PATENT-APPL-SN-538908
US-PATENT-CLASS-165-96
US-PATENT-3,374,830
c18 N71-22894 NASA-CASE-XLE-03925
US-PATENT-APPL-SN-514407
US-PATENT-CLASS-75-204
US-PATENT-3,337,337
c16 N71-22895 NASA-CASE-XMS-04269
US-PATENT-APPL-SN-516793
US-PATENT-CLASS-250-199
US-PATENT-3,341,708
c05 N71-22896 NASA-CASE-XMS-02399
US-PATENT-APPL-SN-492344
US-PATENT-CLASS-128-2.06
US-PATENT-3,384,075
c08 N71-22897 NASA-CASE-XNP-01753
US-PATENT-APPL-SN-423412
US-PATENT-CLASS-235-92
US-PATENT-3,374,339
c10 N71-22961 NASA-CASE-XMS-02159
US-PATENT-APPL-SN-534564
US-PATENT-CLASS-323-56
US-PATENT-3,365,657
c10 N71-22962 NASA-CASE-XGS-05441
US-PATENT-APPL-SN-505321
US-PATENT-CLASS-328-233
US-PATENT-3,366,886
c14 N71-22964 NASA-CASE-XLE-02024
US-PATENT-APPL-SN-422099
US-PATENT-CLASS-73-15
US-PATENT-3,365,930
c14 N71-22965 NASA-CASE-XGS-02319
US-PATENT-APPL-SN-496205
US-PATENT-CLASS-73-117
US-PATENT-3,365,941
c31 N71-22968 NASA-CASE-XLA-02050
US-PATENT-APPL-SN-568067
US-PATENT-CLASS-244-1
US-PATENT-3,386,685
c31 N71-22969 NASA-CASE-XLA-03132
US-PATENT-APPL-SN-610728
US-PATENT-CLASS-244-1
US-PATENT-3,386,686
c03 N71-22974 NASA-CASE-XGS-02630
US-PATENT-APPL-SN-494287
US-PATENT-CLASS-136-132
US-PATENT-3,382,107
c06 N71-22975 NASA-CASE-XNP-07659
US-PATENT-APPL-SN-567806
US-PATENT-CLASS-18-26
US-PATENT-3,381,339
c15 N71-22982 NASA-CASE-XLA-02809
US-PATENT-APPL-SN-554897
US-PATENT-CLASS-308-176
US-PATENT-3,397,932
c28 N71-22983 NASA-CASE-XMF-06926
US-PATENT-APPL-SN-537615
US-PATENT-CLASS-60-258
US-PATENT-3,336,754
c07 N71-22984 NASA-CASE-XMS-04312
US-PATENT-APPL-SN-521754
US-PATENT-CLASS-343-708
US-PATENT-3,384,895
c09 N71-22985 NASA-CASE-XMF-03934
US-PATENT-APPL-SN-530958
US-PATENT-CLASS-250-83.3
US-PATENT-3,379,885
c10 N71-22986 NASA-CASE-XMF-01892
US-PATENT-APPL-SN-464878
US-PATENT-CLASS-328-167
US-PATENT-3,375,451
c09 N71-22987 NASA-CASE-XLE-04788
US-PATENT-APPL-SN-537617
US-PATENT-CLASS-313-352
US-PATENT-3,396,303
c09 N71-22988 NASA-CASE-XGS-03304
US-PATENT-APPL-SN-483886
US-PATENT-CLASS-73-1
US-PATENT-3,381,517
c14 N71-22989 NASA-CASE-XLA-01551
US-PATENT-APPL-SN-422092
US-PATENT-CLASS-73-190
US-PATENT-3,382,714
c14 N71-22990 NASA-CASE-XMS-04201
US-PATENT-APPL-SN-507254
US-PATENT-CLASS-324-70

US-PATENT-3,379,974
c14 N71-22991 NASA-CASE-XLA-01791
US-PATENT-APPL-SN-462763
US-PATENT-CLASS-250-227
US-PATENT-3,397,318
c14 N71-22992 NASA-CASE-XGS-01023
US-PATENT-APPL-SN-446131
US-PATENT-CLASS-73-65
US-PATENT-3,377,845
c14 N71-22993 NASA-CASE-XMS-05365
US-PATENT-APPL-SN-515484
US-PATENT-CLASS-310-8.5
US-PATENT-3,387,149
c15 N71-22994 NASA-CASE-XFR-05421
US-PATENT-APPL-SN-567686
US-PATENT-CLASS-24-126
US-PATENT-3,378,892
c14 N71-22995 NASA-CASE-XNP-08680
US-PATENT-APPL-SN-562444
US-PATENT-CLASS-73-9
US-PATENT-3,376,730
c14 N71-22996 NASA-CASE-XGS-01331
US-PATENT-APPL-SN-445807
US-PATENT-CLASS-250-218
US-PATENT-3,388,258
c15 N71-22997 NASA-CASE-XNP-01641
US-PATENT-APPL-SN-464885
US-PATENT-CLASS-308-10
US-PATENT-3,378,315
c18 N71-22998 NASA-CASE-XGS-02435
US-PATENT-APPL-SN-392965
US-PATENT-CLASS-106-40
US-PATENT-3,382,082
c09 N71-22999 NASA-CASE-XLA-00781
US-PATENT-APPL-SN-307271
US-PATENT-CLASS-88-14
US-PATENT-3,364,813
c07 N71-23001 NASA-CASE-XGS-01812
US-PATENT-APPL-SN-392973
US-PATENT-CLASS-340-174.1
US-PATENT-3,380,042
c03 N71-23006 NASA-CASE-XGS-02631
US-PATENT-APPL-SN-425972
US-PATENT-CLASS-136-133
US-PATENT-3,340,099
c02 N71-23007 NASA-CASE-XNP-04163
US-PATENT-APPL-SN-424156
US-PATENT-CLASS-73-189
US-PATENT-3,340,732
c31 N71-23008 NASA-CASE-XLA-04804
US-PATENT-APPL-SN-577546
US-PATENT-CLASS-102-49.5
US-PATENT-3,384,016
c31 N71-23009 NASA-CASE-XGS-02607
US-PATENT-APPL-SN-474531
US-PATENT-CLASS-244-1
US-PATENT-3,341,151
c09 N71-23015 NASA-CASE-XGS-02751
US-PATENT-APPL-SN-491059
US-PATENT-CLASS-307-288
US-PATENT-3,374,366
c09 N71-23021 NASA-CASE-XAC-02807
US-PATENT-APPL-SN-456581
US-PATENT-CLASS-324-120
US-PATENT-3,384,820
c15 N71-23022 NASA-CASE-XMS-01625
US-PATENT-APPL-SN-418933
US-PATENT-CLASS-136-86
US-PATENT-3,389,017
c15 N71-23023 NASA-CASE-XNP-04042
US-PATENT-APPL-SN-605518
US-PATENT-CLASS-55-204
US-PATENT-3,397,512
c15 N71-23024 NASA-CASE-XNP-01747
US-PATENT-APPL-SN-413661
US-PATENT-CLASS-251-148
US-PATENT-3,341,169
c15 N71-23025 NASA-CASE-XNP-08877
US-PATENT-APPL-SN-574282
US-PATENT-CLASS-62-6
US-PATENT-3,367,121
c07 N71-23026 NASA-CASE-XNP-02791
US-PATENT-APPL-SN-390251
US-PATENT-CLASS-178-6
US-PATENT-3,383,461
c09 N71-23027 NASA-CASE-XNP-01960
US-PATENT-APPL-SN-438135
US-PATENT-CLASS-29-572
US-PATENT-3,340,599
c10 N71-23029 NASA-CASE-XGS-03427
US-PATENT-APPL-SN-500446
US-PATENT-CLASS-307-265
US-PATENT-3,383,524
c11 N71-23030 NASA-CASE-XNP-03578
US-PATENT-APPL-SN-445292
US-PATENT-CLASS-73-147
US-PATENT-3,342,066
c10 N71-23033 NASA-CASE-XNP-01318
US-PATENT-APPL-SN-380965
US-PATENT-CLASS-340-174
US-PATENT-3,388,387
c14 N71-23036 NASA-CASE-XNP-01660
US-PATENT-APPL-SN-578916
US-PATENT-CLASS-73-4
US-PATENT-3,383,903
c14 N71-23037 NASA-CASE-XAC-01662
US-PATENT-APPL-SN-385520
US-PATENT-CLASS-324-117
US-PATENT-3,365,665
c14 N71-23039 NASA-CASE-XNP-01659
US-PATENT-APPL-SN-410332
US-PATENT-CLASS-136-230
US-PATENT-3,377,208
c14 N71-23040 NASA-CASE-XNP-05535
US-PATENT-APPL-SN-487939
US-PATENT-CLASS-244-1
US-PATENT-3,339,863
c14 N71-23041 NASA-CASE-XNP-01056
US-PATENT-APPL-SN-377146
US-PATENT-CLASS-250-41.9
US-PATENT-3,340,395
c11 N71-23042 NASA-CASE-XMS-02930
US-PATENT-APPL-SN-417253
US-PATENT-CLASS-250-52
US-PATENT-3,340,397
c26 N71-23043 NASA-CASE-XNP-01959
US-PATENT-APPL-SN-410330
US-PATENT-CLASS-136-89
US-PATENT-3,396,057
c17 N71-23046 NASA-CASE-XNP-04338
US-PATENT-APPL-SN-461765
US-PATENT-CLASS-29-182.2
US-PATENT-3,421,864
c18 N71-23047 NASA-CASE-XLA-01995
US-PATENT-APPL-SN-411945
US-PATENT-CLASS-148-6.16
US-PATENT-3,395,053
c15 N71-23048 NASA-CASE-XNP-03972
US-PATENT-APPL-SN-502710
US-PATENT-CLASS-184-1
US-PATENT-3,367,445
c15 N71-23049 NASA-CASE-XNP-01049
US-PATENT-APPL-SN-506137
US-PATENT-CLASS-339-5
US-PATENT-3,375,479
c15 N71-23050 NASA-CASE-XNP-01730
US-PATENT-APPL-SN-517869
US-PATENT-CLASS-228-8
US-PATENT-3,373,914
c15 N71-23051 NASA-CASE-XAC-01158
US-PATENT-APPL-SN-420250
US-PATENT-CLASS-137-625.5
US-PATENT-3,369,564
c15 N71-23052 NASA-CASE-XLA-03497
US-PATENT-APPL-SN-392992
US-PATENT-CLASS-156-285
US-PATENT-3,373,069
c05 N71-23080 NASA-CASE-XLR-02531
US-PATENT-APPL-SN-425096
US-PATENT-CLASS-312-1
US-PATENT-3,337,279
c28 N71-23081 NASA-CASE-XNP-02923
US-PATENT-APPL-SN-494280
US-PATENT-CLASS-60-202
US-PATENT-3,367,114
c10 N71-23084 NASA-CASE-XLA-01219
US-PATENT-APPL-SN-402978
US-PATENT-CLASS-332-1
US-PATENT-3,366,894
c33 N71-23085 NASA-CASE-XFR-03802
US-PATENT-APPL-SN-460877
US-PATENT-CLASS-73-190
US-PATENT-3,367,182
c15 N71-23086 NASA-CASE-XMS-04533
US-PATENT-APPL-SN-557016
US-PATENT-CLASS-202-234
US-PATENT-3,397,117
c14 N71-23087 NASA-CASE-XNP-03918

US-PATENT-APPL-SN-510475
US-PATENT-CLASS-73-88.5
US-PATENT-3,388,590
c18 N71-23088 NASA-CASE-XNP-00597
US-PATENT-APPL-SN-410325
US-PATENT-CLASS-65-7
US-PATENT-3,337,315
c14 N71-23092 NASA-CASE-XLA-01530
US-PATENT-APPL-SN-420466
US-PATENT-CLASS-188-1
US-PATENT-3,337,004
c14 N71-23093 NASA-CASE-XLE-03280
US-PATENT-APPL-SN-517156
US-PATENT-CLASS-73-400
US-PATENT-3,379,064
c05 N71-23096 NASA-CASE-XMS-06064
US-PATENT-APPL-SN-563646
US-PATENT-CLASS-2-14
US-PATENT-3,378,851
c09 N71-23097 NASA-CASE-XNP-02140
US-PATENT-APPL-SN-440036
US-PATENT-CLASS-330-61
US-PATENT-3,337,812
c07 N71-23098 NASA-CASE-XGS-00740
US-PATENT-APPL-SN-353644
US-PATENT-CLASS-325-305
US-PATENT-3,341,778
c10 N71-23099 NASA-CASE-XNP-08875
US-PATENT-APPL-SN-640455
US-PATENT-CLASS-343-6.5
US-PATENT-3,380,049
c05 N71-23159 NASA-CASE-XNF-06589
US-PATENT-APPL-SN-543206
US-PATENT-CLASS-5-82
US-PATENT-3,343,180
c05 N71-23161 NASA-CASE-XAC-07043
US-PATENT-APPL-SN-566397
US-PATENT-CLASS-2-2.1
US-PATENT-3,405,406
c14 N71-23174 NASA-CASE-XGS-02610
US-PATENT-APPL-SN-491054
US-PATENT-CLASS-321-60
US-PATENT-3,417,316
c14 N71-23175 NASA-CASE-XKS-03509
US-PATENT-APPL-SN-566392
US-PATENT-CLASS-356-166
US-PATENT-3,414,358
c04 N71-23185 NASA-CASE-XAC-05422
US-PATENT-APPL-SN-483885
US-PATENT-CLASS-128-2.05
US-PATENT-3,412,729
c03 N71-23187 NASA-CASE-XGS-03390
US-PATENT-APPL-SN-551182
US-PATENT-CLASS-136-89
US-PATENT-3,419,433
c09 N71-23188 NASA-CASE-XNF-14301
US-PATENT-APPL-SN-697341
US-PATENT-CLASS-321-2
US-PATENT-3,470,446
c09 N71-23189 NASA-CASE-XNP-06028
US-PATENT-APPL-SN-649356
US-PATENT-CLASS-315-26
US-PATENT-3,431,460
c09 N71-23190 NASA-CASE-XLE-04501
US-PATENT-APPL-SN-522794
US-PATENT-CLASS-313-231
US-PATENT-3,413,510
c09 N71-23191 NASA-CASE-XMS-05890
US-PATENT-APPL-SN-650166
US-PATENT-CLASS-137-554
US-PATENT-3,414,012
c14 N71-23225 NASA-CASE-XNP-04817
US-PATENT-APPL-SN-516152
US-PATENT-CLASS-73-12
US-PATENT-3,412,598
c14 N71-23226 NASA-CASE-XNP-06509
US-PATENT-APPL-SN-570095
US-PATENT-CLASS-73-194
US-PATENT-3,411,356
c14 N71-23227 NASA-CASE-XNF-06515
US-PATENT-APPL-SN-548808
US-PATENT-CLASS-73-432
US-PATENT-3,406,870
c06 N71-23230 NASA-CASE-XNF-06409
US-PATENT-APPL-SN-575930
US-PATENT-CLASS-260-448.2
US-PATENT-3,433,818
c03 N71-23239 NASA-CASE-XNF-08217
US-PATENT-APPL-SN-688807
US-PATENT-CLASS-321-2
US-PATENT-3,470,443
c14 N71-23240 NASA-CASE-XLA-00941
US-PATENT-APPL-SN-508873
US-PATENT-CLASS-250-227
US-PATENT-3,467,304
c17 N71-23248 NASA-CASE-XLE-03629
US-PATENT-APPL-SN-554950
US-PATENT-CLASS-75-170
US-PATENT-3,415,643
c15 N71-23254 NASA-CASE-XFR-05302
US-PATENT-APPL-SN-685463
US-PATENT-CLASS-85-7
US-PATENT-3,443,472
c15 N71-23255 NASA-CASE-XMS-07487
US-PATENT-APPL-SN-580365
US-PATENT-CLASS-244-83
US-PATENT-3,409,252
c15 N71-23256 NASA-CASE-XNF-03290
US-PATENT-APPL-SN-479353
US-PATENT-CLASS-53-22
US-PATENT-3,415,032
c14 N71-23267 NASA-CASE-XLE-04026
US-PATENT-APPL-SN-617770
US-PATENT-CLASS-13-26
US-PATENT-3,470,304
c14 N71-23268 NASA-CASE-XLA-01907
US-PATENT-APPL-SN-335441
US-PATENT-CLASS-356-72
US-PATENT-3,419,329
c14 N71-23269 NASA-CASE-XLA-01584
US-PATENT-APPL-SN-416943
US-PATENT-CLASS-250-203
US-PATENT-3,389,260
c09 N71-23270 NASA-CASE-XMS-04919
US-PATENT-APPL-SN-516155
US-PATENT-CLASS-307-263
US-PATENT-3,417,266
c10 N71-23271 NASA-CASE-XNP-00952
US-PATENT-APPL-SN-388967
US-PATENT-CLASS-317-148.5
US-PATENT-3,417,298
c21 N71-23289 NASA-CASE-XNF-01669
US-PATENT-APPL-SN-399419
US-PATENT-CLASS-74-5.47
US-PATENT-3,415,126
c26 N71-23292 NASA-CASE-XLE-10715
US-PATENT-APPL-SN-603397
US-PATENT-CLASS-252-62.3
US-PATENT-3,409,554
c28 N71-23293 NASA-CASE-XNP-06942
US-PATENT-APPL-SN-563651
US-PATENT-CLASS-60-202
US-PATENT-3,412,559
c08 N71-23295 NASA-CASE-XNP-04819
US-PATENT-APPL-SN-502701
US-PATENT-CLASS-340-146.2
US-PATENT-3,390,378
c09 N71-23311 NASA-CASE-XGS-03632
US-PATENT-APPL-SN-502739
US-PATENT-CLASS-307-260
US-PATENT-3,390,282
c10 N71-23315 NASA-CASE-XLA-03356
US-PATENT-APPL-SN-536216
US-PATENT-CLASS-307-234
US-PATENT-3,448,290
c09 N71-23316 NASA-CASE-XMS-09352
US-PATENT-APPL-SN-564919
US-PATENT-CLASS-323-22
US-PATENT-3,417,321
c05 N71-23317 NASA-CASE-XMS-06061
US-PATENT-APPL-SN-605092
US-PATENT-CLASS-307-260
US-PATENT-3,467,837
c03 N71-23336 NASA-CASE-XGS-01513
US-PATENT-APPL-SN-502756
US-PATENT-CLASS-136-166
US-PATENT-3,390,017
c03 N71-23354 NASA-CASE-XLE-04535
US-PATENT-APPL-SN-588671
US-PATENT-CLASS-250-212
US-PATENT-3,437,818
c17 N71-23365 NASA-CASE-XNP-03063
US-PATENT-APPL-SN-521994
US-PATENT-CLASS-75-172
US-PATENT-3,413,115
c14 N71-23401 NASA-CASE-XGS-03230
US-PATENT-APPL-SN-517158
US-PATENT-CLASS-250-83

US-PATENT-3,419,992
c07 N71-23405 NASA-CASE-XGS-01537
US-PATENT-APPL-SN-432026
US-PATENT-CLASS-325-163
US-PATENT-3,417,332
c09 N71-23443 NASA-CASE-XLE-02823
US-PATENT-APPL-SN-491058
US-PATENT-CLASS-310-10
US-PATENT-3,393,332
c03 N71-23449 NASA-CASE-XLE-08569
US-PATENT-APPL-SN-641420
US-PATENT-CLASS-136-89
US-PATENT-3,472,698
c01 N71-23497 NASA-CASE-XLA-01486
US-PATENT-APPL-SN-484485
US-PATENT-CLASS-244-13
US-PATENT-3,392,936
c06 N71-23499 NASA-CASE-XNP-03835
US-PATENT-APPL-SN-456874
US-PATENT-CLASS-44-77
US-PATENT-3,393,059
c06 N71-23500 NASA-CASE-XNP-03250
US-PATENT-APPL-SN-485058
US-PATENT-CLASS-260-85.5
US-PATENT-3,419,537
c09 N71-23525 NASA-CASE-XGS-02317
US-PATENT-APPL-SN-576183
US-PATENT-CLASS-328-61
US-PATENT-3,464,018
c06 N71-23527 NASA-CASE-XLE-01997
US-PATENT-APPL-SN-427990
US-PATENT-CLASS-23-230
US-PATENT-3,472,625
c10 N71-23543 NASA-CASE-XMS-00913
US-PATENT-APPL-SN-416945
US-PATENT-CLASS-317-31
US-PATENT-3,393,347
c10 N71-23544 NASA-CASE-XNP-05382
US-PATENT-APPL-SN-536217
US-PATENT-CLASS-332-19
US-PATENT-3,393,380
c09 N71-23545 NASA-CASE-XMF-04367
US-PATENT-APPL-SN-457874
US-PATENT-CLASS-307-235
US-PATENT-3,404,289
c09 N71-23548 NASA-CASE-XNP-06507
US-PATENT-APPL-SN-605099
US-PATENT-CLASS-333-98
US-PATENT-3,419,827
c09 N71-23573 NASA-CASE-XGS-01418
US-PATENT-APPL-SN-392969
US-PATENT-CLASS-333-73
US-PATENT-3,393,384
c09 N71-23598 NASA-CASE-XER-11019
US-PATENT-APPL-SN-711971
US-PATENT-CLASS-331-78
US-PATENT-3,470,489
c22 N71-23599 NASA-CASE-XLE-01903
US-PATENT-APPL-SN-466868
US-PATENT-CLASS-310-4
US-PATENT-3,393,330
c26 N71-23654 NASA-CASE-XLE-02798
US-PATENT-APPL-SN-660571
US-PATENT-CLASS-148-1.5
US-PATENT-3,390,020
c18 N71-23658 NASA-CASE-XLE-02647
US-PATENT-APPL-SN-430226
US-PATENT-CLASS-220-9
US-PATENT-3,392,864
c10 N71-23662 NASA-CASE-XGS-01118
US-PATENT-APPL-SN-408442
US-PATENT-CLASS-235-154
US-PATENT-3,399,299
c10 N71-23663 NASA-CASE-XKS-04631
US-PATENT-APPL-SN-663180
US-PATENT-CLASS-200-82
US-PATENT-3,433,909
c10 N71-23669 NASA-CASE-XAC-10607
US-PATENT-APPL-SN-694345
US-PATENT-CLASS-331-111
US-PATENT-3,470,495
c14 N71-23698 NASA-CASE-XGS-08259
US-PATENT-APPL-SN-666551
US-PATENT-CLASS-242-192
US-PATENT-3,466,781
c14 N71-23699 NASA-CASE-XMF-10289
US-PATENT-APPL-SN-674356
US-PATENT-CLASS-324-72
US-PATENT-3,470,466
c18 N71-23710 NASA-CASE-XLE-08511
US-PATENT-APPL-SN-635972
US-PATENT-CLASS-29-182.1
US-PATENT-3,419,363
c30 N71-23723 NASA-CASE-XNP-09832
US-PATENT-APPL-SN-632163
US-PATENT-CLASS-343-100
US-PATENT-3,417,399
c14 N71-23725 NASA-CASE-XGS-01013
US-PATENT-APPL-SN-665209
US-PATENT-CLASS-73-133
US-PATENT-3,460,381
c14 N71-23726 NASA-CASE-XMF-05224
US-PATENT-APPL-SN-660842
US-PATENT-CLASS-73-189
US-PATENT-3,465,584
c14 N71-23755 NASA-CASE-XMF-04134
US-PATENT-APPL-SN-610723
US-PATENT-CLASS-73-4
US-PATENT-3,472,059
c14 N71-23790 NASA-CASE-XAC-04885
US-PATENT-APPL-SN-573432
US-PATENT-CLASS-73-141
US-PATENT-3,415,116
c14 N71-23797 NASA-CASE-XNP-06510
US-PATENT-APPL-SN-562445
US-PATENT-CLASS-250-203
US-PATENT-3,417,247
c15 N71-23798 NASA-CASE-XMF-02330
US-PATENT-APPL-SN-608944
US-PATENT-CLASS-219-130
US-PATENT-3,469,069
c15 N71-23809 NASA-CASE-XAC-10019
US-PATENT-APPL-SN-686209
US-PATENT-CLASS-74-89.18
US-PATENT-3,472,086
c15 N71-23810 NASA-CASE-XLE-05033
US-PATENT-APPL-SN-510474
US-PATENT-CLASS-252-12
US-PATENT-3,466,243
c15 N71-23811 NASA-CASE-XNP-05297
US-PATENT-APPL-SN-640458
US-PATENT-CLASS-72-354
US-PATENT-3,443,412
c15 N71-23812 NASA-CASE-XMF-07808
US-PATENT-APPL-SN-684178
US-PATENT-CLASS-308-2
US-PATENT-3,463,563
c15 N71-23815 NASA-CASE-XMF-07069
US-PATENT-APPL-SN-672382
US-PATENT-CLASS-219-125
US-PATENT-3,469,068
c15 N71-23816 NASA-CASE-XLE-03803
US-PATENT-APPL-SN-505765
US-PATENT-CLASS-220-9
US-PATENT-3,392,865
c15 N71-23817 NASA-CASE-XLE-06773
US-PATENT-APPL-SN-646124
US-PATENT-CLASS-72-467
US-PATENT-3,469,436
c17 N71-23828 NASA-CASE-XMF-02303
US-PATENT-APPL-SN-453229
US-PATENT-CLASS-148-6.20
US-PATENT-3,416,975
c31 N71-23912 NASA-CASE-XMF-05941
US-PATENT-APPL-SN-653277
US-PATENT-CLASS-244-1
US-PATENT-3,443,773
c28 N71-23968 NASA-CASE-XLE-04857
US-PATENT-APPL-SN-621742
US-PATENT-CLASS-239-127.1
US-PATENT-3,460,759
c32 N71-23971 NASA-CASE-XAC-05632
US-PATENT-APPL-SN-568355
US-PATENT-CLASS-244-77
US-PATENT-3,412,961
c23 N71-23976 NASA-CASE-XLA-01987
US-PATENT-APPL-SN-542713
US-PATENT-CLASS-346-107
US-PATENT-3,392,403
c31 N71-24035 NASA-CASE-XLA-01027
US-PATENT-APPL-SN-494283
US-PATENT-CLASS-52-272
US-PATENT-3,416,274
c15 N71-24042 NASA-CASE-XNP-04731
US-PATENT-APPL-SN-534966
US-PATENT-CLASS-103-48
US-PATENT-3,367,271
c15 N71-24043 NASA-CASE-XKS-03338

US-PATENT-APPL-SN-547072
US-PATENT-CLASS-89-1.806
US-PATENT-3,415,156
c15 N71-24044 NASA-CASE-XMF-06888
US-PATENT-APPL-SN-591000
US-PATENT-CLASS-62-40
US-PATENT-3,415,069
c15 N71-24045 NASA-CASE-XGS-04548
US-PATENT-APPL-SN-672383
US-PATENT-CLASS-74-100
US-PATENT-3,460,397
c15 N71-24046 NASA-CASE-XLE-10337
US-PATENT-APPL-SN-594633
US-PATENT-CLASS-252-26
US-PATENT-3,391,080
c15 N71-24047 NASA-CASE-XGS-03120
US-PATENT-APPL-SN-485958
US-PATENT-CLASS-156-3
US-PATENT-3,470,043
c16 N71-24074 NASA-CASE-XLA-03375
US-PATENT-APPL-SN-512562
US-PATENT-CLASS-356-104
US-PATENT-3,446,558
c17 N71-24142 NASA-CASE-XLE-06969
US-PATENT-APPL-SN-655675
US-PATENT-CLASS-148-126
US-PATENT-3,463,679
c33 N71-24145 NASA-CASE-XLE-03432
US-PATENT-APPL-SN-559349
US-PATENT-CLASS-13-35
US-PATENT-3,409,730
c05 N71-24147 NASA-CASE-XNS-10269
US-PATENT-APPL-SN-590158
US-PATENT-CLASS-165-46
US-PATENT-3,425,486
c15 N71-24164 NASA-CASE-XLA-01494
US-PATENT-APPL-SN-499122
US-PATENT-CLASS-156-545
US-PATENT-3,416,988
c16 N71-24170 NASA-CASE-XLA-04295
US-PATENT-APPL-SN-546149
US-PATENT-CLASS-356-107
US-PATENT-3,466,609
c18 N71-24183 NASA-CASE-XGS-04799
US-PATENT-APPL-SN-452944
US-PATENT-CLASS-106-84
US-PATENT-3,416,939
c18 N71-24184 NASA-CASE-XNP-02139
US-PATENT-APPL-SN-430777
US-PATENT-CLASS-106-84
US-PATENT-3,434,855
c14 N71-24232 NASA-CASE-XAC-04458
US-PATENT-APPL-SN-534975
US-PATENT-CLASS-73-400
US-PATENT-3,392,586
c14 N71-24233 NASA-CASE-XGS-04478
US-PATENT-APPL-SN-566717
US-PATENT-CLASS-73-88.5
US-PATENT-3,460,378
c14 N71-24234 NASA-CASE-XMF-10968
US-PATENT-APPL-SN-644447
US-PATENT-CLASS-73-15.6
US-PATENT-3,469,437
c33 N71-24276 NASA-CASE-XLA-02059
US-PATENT-APPL-SN-576182
US-PATENT-CLASS-165-12
US-PATENT-3,406,742
c32 N71-24285 NASA-CASE-XMF-02392
US-PATENT-APPL-SN-596735
US-PATENT-CLASS-73-49.2
US-PATENT-3,399,574
c31 N71-24315 NASA-CASE-XLA-04901
US-PATENT-APPL-SN-586325
US-PATENT-CLASS-244-1
US-PATENT-3,405,887
c28 N71-24321 NASA-CASE-XNP-03692
US-PATENT-APPL-SN-640787
US-PATENT-CLASS-60-263
US-PATENT-3,443,384
c07 N71-24583 NASA-CASE-NPO-10096
US-PATENT-APPL-SN-730700
US-PATENT-CLASS-329-140
US-PATENT-3,533,001
c09 N71-24595 NASA-CASE-GSC-10021-1
US-PATENT-APPL-SN-790420
US-PATENT-CLASS-343-7.5
US-PATENT-3,540,045
c09 N71-24596 NASA-CASE-XNP-01306-2
US-PATENT-APPL-SN-684083
US-PATENT-CLASS-328-133
US-PATENT-3,509,475
c09 N71-24597 NASA-CASE-ARC-10132-1
US-PATENT-APPL-SN-759460
US-PATENT-CLASS-73-398
US-PATENT-3,545,275
c15 N71-24599 NASA-CASE-MSC-12052-1
US-PATENT-APPL-SN-770371
US-PATENT-CLASS-254-150
US-PATENT-CLASS-254-173
US-PATENT-CLASS-254-186
US-PATENT-3,545,725
c15 N71-24600 NASA-CASE-XGS-08718
US-PATENT-APPL-SN-785611
US-PATENT-CLASS-9-9
US-PATENT-CLASS-74-2
US-PATENT-CLASS-89-1.5
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-150
US-PATENT-3,540,676
c03 N71-24605 NASA-CASE-XNP-04758
US-PATENT-APPL-SN-557861
US-PATENT-CLASS-320-17
US-PATENT-3,413,536
c05 N71-24606 NASA-CASE-XKS-10804
US-PATENT-APPL-SN-691909
US-PATENT-CLASS-35-17
US-PATENT-3,508,347
c06 N71-24607 NASA-CASE-XNP-09699
US-PATENT-APPL-SN-711972
US-PATENT-CLASS-73-17
US-PATENT-3,546,920
c07 N71-24612 NASA-CASE-XMF-06092
US-PATENT-APPL-SN-550088
US-PATENT-CLASS-178-7.1
US-PATENT-3,470,318
c07 N71-24613 NASA-CASE-NPO-10851
US-PATENT-APPL-SN-805406
US-PATENT-CLASS-325-325
US-PATENT-3,551,816
c07 N71-24614 NASA-CASE-XKS-09340
US-PATENT-APPL-SN-666555
US-PATENT-CLASS-343-703
US-PATENT-3,540,056
c09 N71-24618 NASA-CASE-FRC-10029
US-PATENT-APPL-SN-760389
US-PATENT-CLASS-128-2.06
US-PATENT-3,547,105
c07 N71-24621 NASA-CASE-GSC-10118-1
US-PATENT-APPL-SN-783375
US-PATENT-CLASS-179-15
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-100
US-PATENT-3,546,386
c07 N71-24622 NASA-CASE-NPO-10388
US-PATENT-APPL-SN-725432
US-PATENT-CLASS-179-15
US-PATENT-CLASS-324-77
US-PATENT-3,548,107
c05 N71-24623 NASA-CASE-XNS-09635
US-PATENT-APPL-SN-586329
US-PATENT-CLASS-2-2.1
US-PATENT-3,516,091
c07 N71-24624 NASA-CASE-GSC-10131-1
US-PATENT-APPL-SN-754055
US-PATENT-CLASS-340-172.5
US-PATENT-3,546,684
c07 N71-24625 NASA-CASE-XNS-09610
US-PATENT-APPL-SN-766170
US-PATENT-CLASS-343-113
US-PATENT-3,540,054
c08 N71-24633 NASA-CASE-NPO-10567
US-PATENT-APPL-SN-679055
US-PATENT-CLASS-235-153
US-PATENT-3,517,171
c08 N71-24650 NASA-CASE-NPO-10150
US-PATENT-APPL-SN-660843
US-PATENT-CLASS-340-347
US-PATENT-3,537,103
c15 N71-24679 NASA-CASE-XNP-10475
US-PATENT-APPL-SN-763868
US-PATENT-CLASS-72-369
US-PATENT-3,546,917
c03 N71-24681 NASA-CASE-XLE-08569-2
US-PATENT-APPL-SN-829825
US-PATENT-CLASS-29-572
US-PATENT-3,541,679
c12 N71-24692 NASA-CASE-XPR-02007
US-PATENT-APPL-SN-378080

US-PATENT-CLASS-73-389
US-PATENT-3,273,399
c14 N71-24693 NASA-CASE-XNP-04415
US-PATENT-APPL-SN-644446
US-PATENT-CLASS-33-174
US-PATENT-3,360,864
c15 N71-24694 NASA-CASE-GSC-10306-1
US-PATENT-APPL-SN-769278
US-PATENT-CLASS-248-358
US-PATENT-3,537,672
c15 N71-24695 NASA-CASE-XNP-06936
US-PATENT-APPL-SN-640786
US-PATENT-CLASS-316-382
US-PATENT-3,487,281
c15 N71-24696 NASA-CASE-NPO-10173
US-PATENT-APPL-SN-796360
US-PATENT-CLASS-310-101
US-PATENT-3,535,570
c09 N71-24717 NASA-CASE-XNP-08804
US-PATENT-APPL-SN-683606
US-PATENT-CLASS-324-181
US-PATENT-3,543,159
c03 N71-24718 NASA-CASE-MSC-10960-1
US-PATENT-APPL-SN-751198
US-PATENT-CLASS-204-305
US-PATENT-3,547,801
c03 N71-24719 NASA-CASE-GSC-10487-1
US-PATENT-APPL-SN-828983
US-PATENT-CLASS-320-39
US-PATENT-3,541,422
c23 N71-24725 NASA-CASE-GSC-10188-1
US-PATENT-APPL-SN-791888
US-PATENT-CLASS-62-384
US-PATENT-3,545,226
c05 N71-24728 NASA-CASE-MSC-12243-1
US-PATENT-APPL-SN-857445
US-PATENT-CLASS-244-1
US-PATENT-3,537,668
c05 N71-24729 NASA-CASE-MSC-13282-1
US-PATENT-APPL-SN-8498
US-PATENT-CLASS-128-2.1
US-PATENT-3,548,812
c05 N71-24730 NASA-CASE-XMS-09637-1
US-PATENT-APPL-SN-785710
US-PATENT-CLASS-2-2.1
US-PATENT-3,537,107
c28 N71-24736 NASA-CASE-XLE-03157
US-PATENT-APPL-SN-591014
US-PATENT-CLASS-60-240
US-PATENT-3,408,816
c05 N71-24738 NASA-CASE-ARC-10100-1
US-PATENT-APPL-SN-797058
US-PATENT-CLASS-128-24
US-PATENT-CLASS-128-25
US-PATENT-3,550,585
c06 N71-24739 NASA-CASE-ARC-10098-1
US-PATENT-APPL-SN-702967
US-PATENT-CLASS-260-2.5
US-PATENT-3,549,564
c06 N71-24740 NASA-CASE-XNP-03074
US-PATENT-APPL-SN-593595
US-PATENT-CLASS-260-72.5
US-PATENT-3,516,971
c07 N71-24741 NASA-CASE-NPO-10118
US-PATENT-APPL-SN-704465
US-PATENT-CLASS-235-152
US-PATENT-3,541,314
c07 N71-24742 NASA-CASE-NPO-10140
US-PATENT-APPL-SN-691737
US-PATENT-CLASS-187-7.1
US-PATENT-3,541,250
c31 N71-24750 NASA-CASE-XGS-01654
US-PATENT-APPL-SN-434148
US-PATENT-CLASS-102-50
US-PATENT-3,282,541
c10 N71-24798 NASA-CASE-XLE-03061-1
US-PATENT-APPL-SN-632152
US-PATENT-CLASS-340-412
US-PATENT-3,546,694
c10 N71-24799 NASA-CASE-XNP-06505
US-PATENT-APPL-SN-562933
US-PATENT-CLASS-307-254
US-PATENT-3,501,648
c09 N71-24800 NASA-CASE-ERC-10075
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-45
US-PATENT-3,539,905
c09 N71-24803 NASA-CASE-NPO-10242
US-PATENT-APPL-SN-749181
US-PATENT-CLASS-307-88
US-PATENT-3,541,346
c09 N71-24804 NASA-CASE-GSC-10299-1
US-PATENT-APPL-SN-836367
US-PATENT-CLASS-343-100
US-PATENT-3,540,050
c09 N71-24805 NASA-CASE-XNP-06892
US-PATENT-APPL-SN-757875
US-PATENT-CLASS-318-318
US-PATENT-3,546,553
c09 N71-24806 NASA-CASE-NPO-10198
US-PATENT-APPL-SN-723804
US-PATENT-CLASS-328-165
US-PATENT-3,550,023
c09 N71-24807 NASA-CASE-MFS-14114-2
US-PATENT-APPL-SN-854815
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-107
US-PATENT-CLASS-165-138
US-PATENT-CLASS-310-4
US-PATENT-3,537,515
c09 N71-24808 NASA-CASE-XNP-08880
US-PATENT-APPL-SN-605094
US-PATENT-CLASS-333-98
US-PATENT-3,416,106
c14 N71-24809 NASA-CASE-XNP-08961
US-PATENT-APPL-SN-661170
US-PATENT-CLASS-250-84
US-PATENT-3,487,216
c31 N71-24813 NASA-CASE-XAC-06029-1
US-PATENT-APPL-SN-588651
US-PATENT-CLASS-343-100
US-PATENT-3,540,048
c16 N71-24828 NASA-CASE-XAC-10770-1
US-PATENT-APPL-SN-690997
US-PATENT-CLASS-356-28
US-PATENT-3,547,540
c17 N71-24830 NASA-CASE-XNP-04148
US-PATENT-APPL-SN-536210
US-PATENT-CLASS-204-38
US-PATENT-3,472,742
c16 N71-24831 NASA-CASE-NPO-10548
US-PATENT-APPL-SN-775072
US-PATENT-CLASS-330-4
US-PATENT-3,486,123
c16 N71-24832 NASA-CASE-ERC-10178
US-PATENT-APPL-SN-800973
US-PATENT-CLASS-331-94.5
US-PATENT-3,550,034
c15 N71-24833 NASA-CASE-XNP-03793
US-PATENT-APPL-SN-453225
US-PATENT-CLASS-72-56
US-PATENT-3,360,972
c15 N71-24834 NASA-CASE-XNP-05634
US-PATENT-APPL-SN-605096
US-PATENT-CLASS-73-95
US-PATENT-3,460,379
c15 N71-24835 NASA-CASE-NPO-10123
US-PATENT-APPL-SN-731388
US-PATENT-CLASS-128-272
US-PATENT-CLASS-128-275
US-PATENT-3,540,449
c15 N71-24836 NASA-CASE-XLE-08917-2
US-PATENT-APPL-SN-852131
US-PATENT-CLASS-72-60
US-PATENT-3,541,825
c07 N71-24840 NASA-CASE-NPO-10649
US-PATENT-APPL-SN-795182
US-PATENT-CLASS-325-113
US-PATENT-3,541,450
c09 N71-24841 NASA-CASE-XNP-09771
US-PATENT-APPL-SN-698630
US-PATENT-CLASS-333-83
US-PATENT-3,541,479
c09 N71-24842 NASA-CASE-MSC-12209
US-PATENT-APPL-SN-861039
US-PATENT-CLASS-343-797
US-PATENT-3,546,705
c09 N71-24843 NASA-CASE-XNP-06617
US-PATENT-APPL-SN-656993
US-PATENT-CLASS-324-71
US-PATENT-3,541,439
c10 N71-24844 NASA-CASE-NPO-10169
US-PATENT-APPL-SN-701733
US-PATENT-CLASS-328-171
US-PATENT-3,541,459
c23 N71-24857 NASA-CASE-XMS-06056-1
US-PATENT-APPL-SN-532006
US-PATENT-CLASS-350-189

US-PATENT-3,472,577
c33 N71-24858 NASA-CASE-MFS-14253
US-PATENT-APPL-SN-709622
US-PATENT-CLASS-161-69
US-PATENT-3,551,266
c10 N71-24861 NASA-CASE-XMF-05195
US-PATENT-APPL-SN-765595
US-PATENT-CLASS-316-599
US-PATENT-3,523,228
c10 N71-24862 NASA-CASE-FRC-10010
US-PATENT-APPL-SN-771937
US-PATENT-CLASS-307-235
US-PATENT-3,543,050
c10 N71-24863 NASA-CASE-XMF-02966
US-PATENT-APPL-SN-560968
US-PATENT-CLASS-324-70
US-PATENT-3,406,336
c14 N71-24864 NASA-CASE-XLE-04503
US-PATENT-APPL-SN-606463
US-PATENT-CLASS-250-225
US-PATENT-3,546,471
c15 N71-24865 NASA-CASE-XMF-05114-3
US-PATENT-APPL-SN-837378
US-PATENT-CLASS-72-56
US-PATENT-3,540,250
c23 N71-24868 NASA-CASE-ERC-10001
US-PATENT-APPL-SN-712099
US-PATENT-CLASS-350-310
US-PATENT-3,540,802
c15 N71-24875 NASA-CASE-XLA-06199
US-PATENT-APPL-SN-702911
US-PATENT-CLASS-148-6.11
US-PATENT-3,540,942
c33 N71-24876 NASA-CASE-XNP-05524
US-PATENT-APPL-SN-250567
US-PATENT-CLASS-165-2
US-PATENT-3,270,802
c08 N71-24890 NASA-CASE-XKS-06167
US-PATENT-APPL-SN-649076
US-PATENT-CLASS-235-155
US-PATENT-3,535,497
c08 N71-24891 NASA-CASE-XNP-09759
US-PATENT-APPL-SN-606462
US-PATENT-CLASS-235-92
US-PATENT-3,541,312
c09 N71-24892 NASA-CASE-NPO-10716
US-PATENT-APPL-SN-851394
US-PATENT-CLASS-307-104
US-PATENT-CLASS-317-123
US-PATENT-CLASS-317-148.5
US-PATENT-3,549,955
c09 N71-24893 NASA-CASE-ERC-10125
US-PATENT-APPL-SN-773029
US-PATENT-CLASS-323-56
US-PATENT-3,541,428
c15 N71-24895 NASA-CASE-XLA-07473
US-PATENT-APPL-SN-839935
US-PATENT-CLASS-318-265
US-PATENT-3,546,552
c15 N71-24896 NASA-CASE-ERC-10034
US-PATENT-APPL-SN-763706
US-PATENT-CLASS-250-43.5
US-PATENT-3,549,882
c15 N71-24897 NASA-CASE-XLA-03538
US-PATENT-APPL-SN-749149
US-PATENT-CLASS-294-83
US-PATENT-3,508,779
c15 N71-24903 NASA-CASE-MFS-20395
US-PATENT-APPL-SN-830715
US-PATENT-CLASS-285-38
US-PATENT-CLASS-285-314
US-PATENT-CLASS-285-317
US-PATENT-CLASS-285-406
US-PATENT-3,545,792
c09 N71-24904 NASA-CASE-MFS-20385
US-PATENT-APPL-SN-853716
US-PATENT-CLASS-310-10
US-PATENT-3,541,361
c15 N71-24910 NASA-CASE-ERC-10045
US-PATENT-APPL-SN-763685
US-PATENT-CLASS-73-40.7
US-PATENT-3,548,636
c17 N71-24911 NASA-CASE-XLE-04946
US-PATENT-APPL-SN-605093
US-PATENT-CLASS-118-308
US-PATENT-3,472,202
c18 N71-24934 NASA-CASE-NPO-10051
US-PATENT-APPL-SN-711898
US-PATENT-CLASS-73-38
US-PATENT-3,548,633
c21 N71-24948 NASA-CASE-ERC-10090
US-PATENT-APPL-SN-811542
US-PATENT-CLASS-343-112
US-PATENT-3,550,129
c11 N71-24964 NASA-CASE-NPO-10141
US-PATENT-APPL-SN-673227
US-PATENT-CLASS-62-55.5
US-PATENT-3,443,390
c15 N71-24984 NASA-CASE-MFS-14971
US-PATENT-APPL-SN-827579
US-PATENT-CLASS-74-468
US-PATENT-3,541,875
c11 N71-24985 NASA-CASE-KSC-10126
US-PATENT-APPL-SN-845973
US-PATENT-CLASS-73-15
US-PATENT-3,545,252
c10 N71-25139 NASA-CASE-MFS-10068
US-PATENT-APPL-SN-700541
US-PATENT-CLASS-321-9
US-PATENT-3,487,288
c28 N71-25213 NASA-CASE-GSC-10709-1
US-PATENT-APPL-SN-791288
US-PATENT-CLASS-60-202
US-PATENT-3,545,208
c33 N71-25351 NASA-CASE-MFS-14023
US-PATENT-APPL-SN-795217
US-PATENT-CLASS-52-249
US-PATENT-CLASS-52-404
US-PATENT-CLASS-62-45
US-PATENT-CLASS-161-161
US-PATENT-CLASS-220-9
US-PATENT-3,540,615
c33 N71-25353 NASA-CASE-MFS-20355
US-PATENT-APPL-SN-845974
US-PATENT-CLASS-165-104
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-133
US-PATENT-CLASS-219-378
US-PATENT-CLASS-219-530
US-PATENT-CLASS-244-1
US-PATENT-3,548,930
c32 N71-25360 NASA-CASE-XLA-08530
US-PATENT-APPL-SN-808577
US-PATENT-CLASS-73-90
US-PATENT-3,546,931
c31 N71-25434 NASA-CASE-MSC-13047-1
US-PATENT-APPL-SN-850586
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-138
US-PATENT-3,547,376
c26 N71-25490 NASA-CASE-ERC-10088
US-PATENT-APPL-SN-760927
US-PATENT-CLASS-73-141
US-PATENT-3,537,305
c24 N71-25555 NASA-CASE-XNP-09469
US-PATENT-APPL-SN-645573
US-PATENT-CLASS-204-168
US-PATENT-3,540,989
c10 N71-25865 NASA-CASE-KSC-10002
US-PATENT-APPL-SN-782956
US-PATENT-CLASS-178-69.5
US-PATENT-3,567,861
c09 N71-25866 NASA-CASE-ARC-10003-1
US-PATENT-APPL-SN-717822
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-100.2
US-PATENT-3,549,799
c18 N71-25881 NASA-CASE-XGS-05180
US-PATENT-APPL-SN-721607
US-PATENT-CLASS-260-37
US-PATENT-3,567,677
c10 N71-25882 NASA-CASE-GSC-10022-1
US-PATENT-APPL-SN-785546
US-PATENT-CLASS-331-113
US-PATENT-3,559,096
c14 N71-25892 NASA-CASE-XLA-04555-1
US-PATENT-APPL-SN-594584
US-PATENT-CLASS-148-13
US-PATENT-3,468,727
c10 N71-25899 NASA-CASE-LEW-10345-1
US-PATENT-APPL-SN-805298
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-235-201
US-PATENT-3,568,702
c10 N71-25900 NASA-CASE-ERC-10032
US-PATENT-APPL-SN-757857
US-PATENT-CLASS-333-30

US-PATENT-CLASS-333-72
US-PATENT-3,568,103
c14 N71-25901 NASA-CASE-XLA-02810
US-PATENT-APPL-SN-764252
US-PATENT-CLASS-250-43.5
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-340-233
US-PATENT-CLASS-340-285
US-PATENT-3,569,710
c17 N71-25903 NASA-CASE-XLA-08966-1
US-PATENT-APPL-SN-570678
US-PATENT-CLASS-204-33
US-PATENT-3,468,765
c16 N71-25914 NASA-CASE-XLA-03410
US-PATENT-APPL-SN-512561
US-PATENT-CLASS-250-199
US-PATENT-3,469,087
c10 N71-25917 NASA-CASE-NPO-10595
US-PATENT-APPL-SN-771760
US-PATENT-CLASS-340-347
US-PATENT-3,569,956
c06 N71-25929 NASA-CASE-NPO-10596
US-PATENT-APPL-SN-756381
US-PATENT-CLASS-260-2.5
US-PATENT-3,557,027
c10 N71-25950 NASA-CASE-XGS-06226
US-PATENT-APPL-SN-676387
US-PATENT-CLASS-331-113
US-PATENT-3,466,570
c15 N71-25975 NASA-CASE-XMS-10660-1
US-PATENT-APPL-SN-797056
US-PATENT-CLASS-24-205.17
US-PATENT-3,469,289
c09 N71-25999 NASA-CASE-XGS-05290
US-PATENT-APPL-SN-754019
US-PATENT-CLASS-310-168
US-PATENT-CLASS-310-254
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-254
US-PATENT-3,569,804
c09 N71-26000 NASA-CASE-XNP-08567
US-PATENT-APPL-SN-640783
US-PATENT-CLASS-307-88
US-PATENT-3,466,459
c09 N71-26002 NASA-CASE-XMS-04213-1
US-PATENT-APPL-SN-607484
US-PATENT-CLASS-128-2.1
US-PATENT-3,468,303
c03 N71-26084 NASA-CASE-LEW-11358
US-PATENT-APPL-SN-787906
US-PATENT-CLASS-136-6
US-PATENT-3,554,806
c10 N71-26085 NASA-CASE-GSC-10735-1
US-PATENT-APPL-SN-863963
US-PATENT-CLASS-321-2
US-PATENT-3,559,031
c09 N71-26092 NASA-CASE-XNP-07477
US-PATENT-APPL-SN-605098
US-PATENT-CLASS-318-258
US-PATENT-3,501,684
c18 N71-26100 NASA-CASE-XLA-04251
US-PATENT-APPL-SN-657742
US-PATENT-CLASS-117-104
US-PATENT-3,553,002
c07 N71-26101 NASA-CASE-NPO-10231
US-PATENT-APPL-SN-701767
US-PATENT-CLASS-343-786
US-PATENT-3,534,376
c07 N71-26102 NASA-CASE-XNP-06611
US-PATENT-APPL-SN-593607
US-PATENT-CLASS-178-6.6
US-PATENT-3,474,192
c10 N71-26103 NASA-CASE-XNP-04623
US-PATENT-APPL-SN-510150
US-PATENT-CLASS-340-146.1
US-PATENT-3,474,413
c02 N71-26110 NASA-CASE-LAR-10249-1
US-PATENT-APPL-SN-835060
US-PATENT-CLASS-244-42
US-PATENT-3,576,301
c09 N71-26133 NASA-CASE-MFS-20075
US-PATENT-APPL-SN-835059
US-PATENT-CLASS-317-101
US-PATENT-CLASS-339-17
US-PATENT-3,575,638
c15 N71-26134 NASA-CASE-XKS-07953
US-PATENT-APPL-SN-725405
US-PATENT-CLASS-51-170
US-PATENT-3,553,904
c14 N71-26135 NASA-CASE-XAC-03740
US-PATENT-APPL-SN-480211
US-PATENT-CLASS-324-43
US-PATENT-3,564,401
c14 N71-26136 NASA-CASE-XLA-01782
US-PATENT-APPL-SN-576792
US-PATENT-CLASS-73-15.6
US-PATENT-3,472,060
c14 N71-26137 NASA-CASE-LAR-10305
US-PATENT-APPL-SN-811037
US-PATENT-CLASS-324-0.5
US-PATENT-CLASS-324-58.5
US-PATENT-3,562,631
c10 N71-26142 NASA-CASE-NPO-10302
US-PATENT-APPL-SN-848811
US-PATENT-CLASS-343-768
US-PATENT-3,553,704
c15 N71-26145 NASA-CASE-FRC-10005
US-PATENT-APPL-SN-756266
US-PATENT-CLASS-33-189
US-PATENT-3,562,919
c15 N71-26148 NASA-CASE-XNP-05114-2
US-PATENT-APPL-SN-837377
US-PATENT-CLASS-72-56
US-PATENT-3,555,867
c18 N71-26153 NASA-CASE-XLE-03940
US-PATENT-APPL-SN-539255
US-PATENT-CLASS-148-126
US-PATENT-3,472,709
c16 N71-26154 NASA-CASE-ERC-10020
US-PATENT-APPL-SN-709399
US-PATENT-CLASS-350-3.5
US-PATENT-3,540,790
c18 N71-26155 NASA-CASE-LAR-10373-1
US-PATENT-APPL-SN-761007
US-PATENT-CLASS-260-2.5
US-PATENT-3,481,887
c14 N71-26161 NASA-CASE-XLA-08254
US-PATENT-APPL-SN-867843
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-79
US-PATENT-3,576,127
c15 N71-26162 NASA-CASE-MSC-15474-1
US-PATENT-APPL-SN-878731
US-PATENT-CLASS-24-263
US-PATENT-3,564,564
c28 N71-26173 NASA-CASE-LEW-10689-1
US-PATENT-APPL-SN-830978
US-PATENT-CLASS-60-202
US-PATENT-3,552,125
c07 N71-26181 NASA-CASE-MSC-12223-1
US-PATENT-APPL-SN-839941
US-PATENT-CLASS-179-1
US-PATENT-3,555,192
c09 N71-26182 NASA-CASE-NPO-10625
US-PATENT-APPL-SN-856415
US-PATENT-CLASS-60-23
US-PATENT-CLASS-313-236
US-PATENT-CLASS-313-237
US-PATENT-3,562,575
c15 N71-26185 NASA-CASE-MFS-14711
US-PATENT-APPL-SN-774266
US-PATENT-CLASS-55-75
US-PATENT-3,557,534
c15 N71-26189 NASA-CASE-XLE-09527-2
US-PATENT-APPL-SN-840870
US-PATENT-CLASS-308-187
US-PATENT-3,561,828
c14 N71-26199 NASA-CASE-NPO-10691
US-PATENT-APPL-SN-816988
US-PATENT-CLASS-73-61
US-PATENT-3,566,676
c23 N71-26206 NASA-CASE-XGS-08269
US-PATENT-APPL-SN-787393
US-PATENT-CLASS-356-76
US-PATENT-3,554,647
c15 N71-26243 NASA-CASE-MSC-10959
US-PATENT-APPL-SN-725719
US-PATENT-CLASS-188-1
US-PATENT-3,420,338
c14 N71-26244 NASA-CASE-XMS-06497
US-PATENT-APPL-SN-617778
US-PATENT-CLASS-324-115
US-PATENT-3,464,012
c14 N71-26266 NASA-CASE-XNP-09830
US-PATENT-APPL-SN-632165
US-PATENT-CLASS-324-0.5
US-PATENT-3,474,328
c18 N71-26285 NASA-CASE-MSC-12109

US-PATENT-APPL-SN-889376
US-PATENT-CLASS-2-81
US-PATENT-CLASS-2-275
US-PATENT-CLASS-112-402
US-PATENT-3,563,198
c07 N71-26291 NASA-CASE-HQN-10541-1
US-PATENT-APPL-SN-494739
US-PATENT-CLASS-350-96
US-PATENT-3,556,634
c07 N71-26292 NASA-CASE-XKS-10543
US-PATENT-APPL-SN-719870
US-PATENT-CLASS-325-67
US-PATENT-3,553,586
c05 N71-26293 NASA-CASE-XFR-07658-1
US-PATENT-APPL-SN-586324
US-PATENT-CLASS-128-2.06
US-PATENT-3,426,746
c15 N71-26294 NASA-CASE-XNP-02862-1
US-PATENT-APPL-SN-556830
US-PATENT-CLASS-277-13
US-PATENT-3,468,548
c15 N71-26312 NASA-CASE-XNP-01263-2
US-PATENT-APPL-SN-718279
US-PATENT-CLASS-287-189.365
US-PATENT-3,481,638
c10 N71-26326 NASA-CASE-NPO-10143
US-PATENT-APPL-SN-692331
US-PATENT-CLASS-58-24
US-PATENT-3,472,019
c10 N71-26331 NASA-CASE-XNP-10854
US-PATENT-APPL-SN-668248
US-PATENT-CLASS-330-31
US-PATENT-3,482,179
c05 N71-26333 NASA-CASE-XMS-09652-1
US-PATENT-APPL-SN-618969
US-PATENT-CLASS-2-6
US-PATENT-3,473,165
c10 N71-26334 NASA-CASE-XLA-02619
US-PATENT-APPL-SN-796691
US-PATENT-CLASS-317-DIG.3
US-PATENT-CLASS-317-153
US-PATENT-CLASS-340-235
US-PATENT-3,575,641
c10 N71-26339 NASA-CASE-NPO-10185
US-PATENT-APPL-SN-723805
US-PATENT-CLASS-73-432
US-PATENT-3,472,080
c15 N71-26346 NASA-CASE-XLE-05641-1
US-PATENT-APPL-SN-605091
US-PATENT-CLASS-72-61
US-PATENT-3,461,700
c10 N71-26374 NASA-CASE-GSC-11367
US-PATENT-APPL-SN-675238
US-PATENT-CLASS-331-18
US-PATENT-3,484,712
c12 N71-26387 NASA-CASE-XLA-05541
US-PATENT-APPL-SN-700986
US-PATENT-CLASS-73-301
US-PATENT-3,473,379
c10 N71-26414 NASA-CASE-XNP-04958-1
US-PATENT-APPL-SN-448365
US-PATENT-CLASS-321-69
US-PATENT-3,434,037
c10 N71-26415 NASA-CASE-NPO-10003
US-PATENT-APPL-SN-638192
US-PATENT-CLASS-330-13
US-PATENT-3,461,393
c10 N71-26418 NASA-CASE-XGS-04224
US-PATENT-APPL-SN-568364
US-PATENT-CLASS-340-174
US-PATENT-3,483,535
c10 N71-26434 NASA-CASE-XNP-01466
US-PATENT-APPL-SN-487940
US-PATENT-CLASS-340-174
US-PATENT-3,461,437
c14 N71-26474 NASA-CASE-XNP-03844-1
US-PATENT-APPL-SN-601229
US-PATENT-CLASS-95-44
US-PATENT-3,472,140
c14 N71-26475 NASA-CASE-XNP-09701
US-PATENT-APPL-SN-584015
US-PATENT-CLASS-250-83.3
US-PATENT-3,461,290
c10 N71-26531 NASA-CASE-GSC-10413
US-PATENT-APPL-SN-789043
US-PATENT-CLASS-317-20
US-PATENT-CLASS-317-33
US-PATENT-3,555,361
c31 N71-26537 NASA-CASE-GSC-10556-1
NASA-CASE-GSC-10557-1
US-PATENT-APPL-SN-808193
US-PATENT-CLASS-74-5.12
US-PATENT-CLASS-244-1
US-PATENT-CLASS-308-1
US-PATENT-3,554,466
c10 N71-26544 NASA-CASE-NPO-10344
US-PATENT-APPL-SN-732921
US-PATENT-CLASS-340-347
US-PATENT-3,566,396
c12 N71-26546 NASA-CASE-FRC-10022
US-PATENT-APPL-SN-763729
US-PATENT-CLASS-73-194
US-PATENT-3,555,898
c10 N71-26577 NASA-CASE-NPO-10214
US-PATENT-APPL-SN-704299
US-PATENT-CLASS-325-41
US-PATENT-3,566,268
c07 N71-26579 NASA-CASE-XMS-06740-1
US-PATENT-APPL-SN-554277
US-PATENT-CLASS-178-6
US-PATENT-3,470,313
c15 N71-26611 NASA-CASE-MSC-11817-1
US-PATENT-APPL-SN-7668
US-PATENT-CLASS-165-44
US-PATENT-CLASS-165-86
US-PATENT-CLASS-188-88
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-57
US-PATENT-3,563,307
c10 N71-26626 NASA-CASE-GSC-10891-1
US-PATENT-APPL-SN-568620
US-PATENT-CLASS-307-53
US-PATENT-3,480,789
c14 N71-26627 NASA-CASE-MFS-14017
US-PATENT-APPL-SN-762956
US-PATENT-CLASS-248-183
US-PATENT-CLASS-308-9
US-PATENT-3,559,937
c15 N71-26635 NASA-CASE-ERC-10022
US-PATENT-APPL-SN-874733
US-PATENT-CLASS-74-89.15
US-PATENT-CLASS-74-424.8
US-PATENT-3,576,135
c28 N71-26642 NASA-CASE-LEW-10106-1
US-PATENT-APPL-SN-758390
US-PATENT-CLASS-60-202
US-PATENT-3,552,124
c23 N71-26654 NASA-CASE-NPO-10467
US-PATENT-APPL-SN-798277
US-PATENT-CLASS-62-514
US-PATENT-3,564,866
c14 N71-26672 NASA-CASE-ERC-10033
US-PATENT-APPL-SN-801660
US-PATENT-CLASS-73-49.3
US-PATENT-3,559,460
c15 N71-26673 NASA-CASE-XAC-09489-1
US-PATENT-APPL-SN-694246
US-PATENT-CLASS-356-154
US-PATENT-3,565,530
c19 N71-26674 NASA-CASE-XGS-04173
US-PATENT-APPL-SN-658964
US-PATENT-CLASS-350-285
US-PATENT-3,560,081
c09 N71-26678 NASA-CASE-ERC-10013
US-PATENT-APPL-SN-802972
US-PATENT-CLASS-29-25.18
US-PATENT-3,562,881
c32 N71-26681 NASA-CASE-LAR-10098
US-PATENT-APPL-SN-677475
US-PATENT-CLASS-73-71.4
US-PATENT-3,564,906
c09 N71-26701 NASA-CASE-NPO-10331
US-PATENT-APPL-SN-757625
US-PATENT-CLASS-118-49.5
US-PATENT-CLASS-204-298
US-PATENT-3,556,048
c15 N71-26721 NASA-CASE-LAR-10121-1
US-PATENT-APPL-SN-766244
US-PATENT-CLASS-18-6
US-PATENT-3,562,857
c23 N71-26722 NASA-CASE-GSC-10216-1
US-PATENT-APPL-SN-756260
US-PATENT-CLASS-331-94.5
US-PATENT-3,555,455
c03 N71-26726 NASA-CASE-XNP-03413
US-PATENT-APPL-SN-640456
US-PATENT-CLASS-156-212
US-PATENT-3,565,719

c06 N71-26754 NASA-CASE-XNP-09451
US-PATENT-APPL-SN-713162
US-PATENT-CLASS-23-253
US-PATENT-3,560,161
c18 N71-26772 NASA-CASE-XNP-07770-2
US-PATENT-APPL-SN-711903
US-PATENT-CLASS-106-296
US-PATENT-3,576,656
c17 N71-26773 NASA-CASE-XNP-04262-2
US-PATENT-APPL-SN-684894
US-PATENT-CLASS-75-66
US-PATENT-3,565,607
c14 N71-26774 NASA-CASE-ERC-11020
US-PATENT-APPL-SN-686248
US-PATENT-CLASS-325-363
US-PATENT-3,564,420
c28 N71-26779 NASA-CASE-XLA-04126
US-PATENT-APPL-SN-467820
US-PATENT-CLASS-86-1
US-PATENT-CLASS-86-20.2
US-PATENT-CLASS-102-101
US-PATENT-CLASS-264-3
US-PATENT-3,570,364
c28 N71-26781 NASA-CASE-LEW-10210-1
US-PATENT-APPL-SN-804172
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-63
US-PATENT-CLASS-315-111
US-PATENT-3,576,107
c09 N71-26787 NASA-CASE-XKS-05932
US-PATENT-APPL-SN-752729
US-PATENT-CLASS-240-11.2
US-PATENT-CLASS-240-11.4
US-PATENT-CLASS-240-51.11
US-PATENT-CLASS-313-22
US-PATENT-3,564,234
c14 N71-26788 NASA-CASE-MFS-20240
US-PATENT-APPL-SN-825259
US-PATENT-CLASS-356-203
US-PATENT-3,563,668
c09 N71-27001 NASA-CASE-XGS-11177
US-PATENT-APPL-SN-828921
US-PATENT-CLASS-317-9
US-PATENT-CLASS-317-33
US-PATENT-3,571,656
c14 N71-27005 NASA-CASE-MFS-20261
US-PATENT-APPL-SN-845990
US-PATENT-CLASS-1
US-PATENT-CLASS-141-258
US-PATENT-CLASS-222-49
US-PATENT-CLASS-222-137
US-PATENT-3,568,885
c15 N71-27006 NASA-CASE-LAR-10083-1
US-PATENT-APPL-SN-837825
US-PATENT-CLASS-73-147
US-PATENT-3,572,112
c09 N71-27016 NASA-CASE-GSC-11139
US-PATENT-APPL-SN-756511
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-246
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-120
US-PATENT-CLASS-330-30
US-PATENT-3,569,744
c11 N71-27036 NASA-CASE-XNP-09770-3
US-PATENT-APPL-SN-863967
US-PATENT-CLASS-74-18.2
US-PATENT-3,574,286
c09 N71-27053 NASA-CASE-ERC-10113
US-PATENT-APPL-SN-865811
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-60
US-PATENT-3,571,699
c07 N71-27056 NASA-CASE-MSC-12205-1
US-PATENT-APPL-SN-882577
US-PATENT-CLASS-325-16
US-PATENT-CLASS-325-23
US-PATENT-CLASS-325-369
US-PATENT-CLASS-343-100
US-PATENT-CLASS-343-117
US-PATENT-CLASS-343-176
US-PATENT-3,568,197
c08 N71-27057 NASA-CASE-XLA-07828
US-PATENT-APPL-SN-770209
US-PATENT-CLASS-318-20.105
US-PATENT-CLASS-325-151.11
US-PATENT-CLASS-340-347DA
US-PATENT-3,573,797
c14 N71-27058 NASA-CASE-MSC-13276-1
US-PATENT-APPL-SN-880272
US-PATENT-CLASS-219-505
US-PATENT-3,575,585
c15 N71-27067 NASA-CASE-XKS-07814
US-PATENT-APPL-SN-672384
US-PATENT-CLASS-182-10
US-PATENT-CLASS-188-65.5
US-PATENT-3,568,795
c15 N71-27068 NASA-CASE-NPO-10796
US-PATENT-APPL-SN-815760
US-PATENT-CLASS-220-46
US-PATENT-3,568,874
c15 N71-27084 NASA-CASE-NPO-10755
US-PATENT-APPL-SN-816733
US-PATENT-CLASS-417-50
US-PATENT-3,567,339
c02 N71-27088 NASA-CASE-XLA-08967
US-PATENT-APPL-SN-837830
US-PATENT-CLASS-244-90
US-PATENT-3,570,789
c14 N71-27090 NASA-CASE-ERC-10044-1
US-PATENT-APPL-SN-811892
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-250-83.6R
US-PATENT-CLASS-324-33
US-PATENT-3,575,597
c15 N71-27091 NASA-CASE-MFS-13929
US-PATENT-APPL-SN-779847
US-PATENT-CLASS-152-225
US-PATENT-CLASS-152-250
US-PATENT-3,568,748
c28 N71-27094 NASA-CASE-GSC-10710-1
US-PATENT-APPL-SN-828909
US-PATENT-CLASS-73-117.4
US-PATENT-3,572,104
c28 N71-27095 NASA-CASE-MFS-20325
US-PATENT-APPL-SN-840176
US-PATENT-CLASS-244-1
US-PATENT-3,572,610
c10 N71-27126 NASA-CASE-LEW-10233
US-PATENT-APPL-SN-750787
US-PATENT-CLASS-307-253
US-PATENT-CLASS-307-300
US-PATENT-3,566,158
c15 N71-27135 NASA-CASE-HQN-10541-2
US-PATENT-APPL-SN-822088
US-PATENT-CLASS-219-121
US-PATENT-CLASS-331-94.5
US-PATENT-3,571,555
c10 N71-27136 NASA-CASE-GSC-10065-1
US-PATENT-APPL-SN-808462
US-PATENT-CLASS-318-571
US-PATENT-CLASS-318-653
US-PATENT-3,568,028
c10 N71-27137 NASA-CASE-XNP-06234
US-PATENT-APPL-SN-723827
US-PATENT-CLASS-235-92
US-PATENT-CLASS-328-49
US-PATENT-3,567,913
c15 N71-27146 NASA-CASE-LAR-10193-1
US-PATENT-APPL-SN-794968
US-PATENT-CLASS-188-1
US-PATENT-CLASS-188-103
US-PATENT-3,568,805
c15 N71-27147 NASA-CASE-MSC-12121-1
US-PATENT-APPL-SN-783374
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-461
US-PATENT-3,563,135
c15 N71-27169 NASA-CASE-LAR-10106-1
US-PATENT-APPL-SN-810575
US-PATENT-CLASS-188-1
US-PATENT-CLASS-310-51
US-PATENT-3,566,993
c18 N71-27170 NASA-CASE-XNP-02221
US-PATENT-APPL-SN-430192
US-PATENT-CLASS-252-301.2
US-PATENT-3,567,651
c16 N71-27183 NASA-CASE-HQN-10541-4
US-PATENT-APPL-SN-822090
US-PATENT-CLASS-250-199
US-PATENT-3,575,602
c15 N71-27184 NASA-CASE-XNP-08124
US-PATENT-APPL-SN-697075
US-PATENT-CLASS-75-63
US-PATENT-3,563,727
c14 N71-27185 NASA-CASE-NPO-10556
US-PATENT-APPL-SN-796405
US-PATENT-CLASS-73-71.6

US-PATENT-3,572,089
c14 N71-27186 NASA-CASE-XMF-03968
US-PATENT-APPL-SN-719029
US-PATENT-CLASS-60-35.6
US-PATENT-CLASS-174-110.3
US-PATENT-CLASS-324-65
US-PATENT-CLASS-340-227
US-PATENT-3,569,828
c07 N71-27191 NASA-CASE-MFS-20068
US-PATENT-APPL-SN-797795
US-PATENT-CLASS-174-28
US-PATENT-CLASS-333-95
US-PATENT-CLASS-333-96
US-PATENT-CLASS-343-884
US-PATENT-3,569,875
c08 N71-27210 NASA-CASE-GSC-10097-1
US-PATENT-APPL-SN-762957
US-PATENT-CLASS-29-603
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-340-174.1
US-PATENT-3,566,045
c15 N71-27214 NASA-CASE-XLA-08911
US-PATENT-APPL-SN-777764
US-PATENT-CLASS-219-229
US-PATENT-CLASS-228-53
US-PATENT-3,575,336
c14 N71-27215 NASA-CASE-LAR-10204
US-PATENT-APPL-SN-766245
US-PATENT-CLASS-235-92
US-PATENT-CLASS-356-106
US-PATENT-3,572,935
c09 N71-27232 NASA-CASE-NPO-10607
US-PATENT-APPL-SN-799353
US-PATENT-CLASS-250-83
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-231
US-PATENT-CLASS-317-238
US-PATENT-3,568,010
c07 N71-27233 NASA-CASE-GSC-10220-1
US-PATENT-APPL-SN-759256
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-799
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-854
US-PATENT-3,569,976
c05 N71-27234 NASA-CASE-XFR-07172
US-PATENT-APPL-SN-720041
US-PATENT-CLASS-128-2.05
US-PATENT-3,563,232
c06 N71-27254 NASA-CASE-NPO-10768
US-PATENT-APPL-SN-770398
US-PATENT-CLASS-260-615
US-PATENT-3,574,770
c08 N71-27255 NASA-CASE-NPO-12107
US-PATENT-APPL-SN-555189
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,571,801
c10 N71-27271 NASA-CASE-XLA-03893
US-PATENT-APPL-SN-779024
US-PATENT-CLASS-331-109
US-PATENT-CLASS-331-117
US-PATENT-CLASS-331-177
US-PATENT-CLASS-332-30
US-PATENT-3,569,866
c10 N71-27272 NASA-CASE-XLA-08799
US-PATENT-APPL-SN-668242
US-PATENT-CLASS-340-150
US-PATENT-CLASS-340-164
US-PATENT-CLASS-340-166
US-PATENT-CLASS-340-213
US-PATENT-CLASS-340-403
US-PATENT-3,571,800
c14 N71-27323 NASA-CASE-NPO-10810
US-PATENT-APPL-SN-805405
US-PATENT-CLASS-73-355
US-PATENT-CLASS-250-83.3
US-PATENT-3,566,122
c21 N71-27324 NASA-CASE-GSC-10555-1
US-PATENT-APPL-SN-785620
US-PATENT-CLASS-244-1
US-PATENT-3,567,155
c14 N71-27325 NASA-CASE-GSC-10441-1
US-PATENT-APPL-SN-782544
US-PATENT-CLASS-324-43
US-PATENT-3,571,700
c12 N71-27332 NASA-CASE-NPO-10416
US-PATENT-APPL-SN-754020
US-PATENT-CLASS-137-81.5
US-PATENT-3,570,513
c14 N71-27334 NASA-CASE-ERC-10087
US-PATENT-APPL-SN-738315
US-PATENT-CLASS-29-588
US-PATENT-3,566,459
c10 N71-27338 NASA-CASE-KSC-10020
US-PATENT-APPL-SN-817482
US-PATENT-CLASS-324-103
US-PATENT-CLASS-324-107
US-PATENT-CLASS-324-133
US-PATENT-CLASS-340-248
US-PATENT-3,571,707
c07 N71-27341 NASA-CASE-NPO-10343
US-PATENT-APPL-SN-750786
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-178-7.3
US-PATENT-3,566,027
c06 N71-27363 NASA-CASE-HQN-10364
US-PATENT-APPL-SN-713616
US-PATENT-CLASS-260-2
US-PATENT-3,563,918
c09 N71-27364 NASA-CASE-ERC-10065
US-PATENT-APPL-SN-777818
US-PATENT-CLASS-321-61
US-PATENT-CLASS-321-64
US-PATENT-CLASS-322-32
US-PATENT-3,571,693
c10 N71-27365 NASA-CASE-NPO-10251
US-PATENT-APPL-SN-774265
US-PATENT-CLASS-35-19
US-PATENT-3,570,143
c10 N71-27366 NASA-CASE-GSC-10114-1
US-PATENT-APPL-SN-796370
US-PATENT-CLASS-317-33
US-PATENT-CLASS-321-12
US-PATENT-3,571,662
c15 N71-27372 NASA-CASE-NPO-10070
US-PATENT-APPL-SN-780064
US-PATENT-CLASS-23-259
US-PATENT-3,565,584
c18 N71-27397 NASA-CASE-XNP-02500
US-PATENT-APPL-SN-508169
US-PATENT-CLASS-324-58.5
US-PATENT-CLASS-324-61
US-PATENT-3,569,827
c14 N71-27407 NASA-CASE-GSC-10376-1
US-PATENT-APPL-SN-806226
US-PATENT-CLASS-307-126
US-PATENT-CLASS-323-20
US-PATENT-3,566,143
c15 N71-27432 NASA-CASE-NPO-10808
US-PATENT-APPL-SN-808192
US-PATENT-CLASS-60-243
US-PATENT-3,568,447
c28 N71-27585 NASA-CASE-MFS-20130
US-PATENT-APPL-SN-809822
US-PATENT-CLASS-244-4
US-PATENT-3,570,785
c15 N71-27754 NASA-CASE-ARC-10131-1
US-PATENT-APPL-SN-808576
US-PATENT-CLASS-60-51
US-PATENT-CLASS-91-361
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-448
US-PATENT-3,568,572
c33 N71-27862 NASA-CASE-MFS-14114
US-PATENT-APPL-SN-706013
US-PATENT-CLASS-310-4
US-PATENT-3,535,562
c09 N71-28421 NASA-CASE-NPO-10412
US-PATENT-APPL-SN-768470
US-PATENT-CLASS-310-4
US-PATENT-3,576,992
c07 N71-28429 NASA-CASE-HSC-13201-1
US-PATENT-APPL-SN-789903
US-PATENT-CLASS-332-29
US-PATENT-CLASS-332-30
US-PATENT-3,579,147
c07 N71-28430 NASA-CASE-GSC-10668-1
US-PATENT-APPL-SN-743525
US-PATENT-CLASS-307-296
US-PATENT-CLASS-325-185
US-PATENT-CLASS-330-40
US-PATENT-CLASS-330-124
US-PATENT-CLASS-330-200
US-PATENT-3,577,092
c15 N71-28465 NASA-CASE-ERC-10097

US-PATENT-APPL-SN-797059
US-PATENT-CLASS-308-170
US-PATENT-3,583,777
c15 N71-28467 NASA-CASE-NPO-10646
US-PATENT-APPL-SN-813488
US-PATENT-CLASS-64-18
US-PATENT-3,574,277
c09 N71-28468 NASA-CASE-ARC-10137-1
US-PATENT-APPL-SN-799013
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-328-207
US-PATENT-3,584,311
c16 N71-28554 NASA-CASE-XGS-10518
US-PATENT-APPL-SN-764470
US-PATENT-CLASS-335-216
US-PATENT-3,541,486
c03 N71-28579 NASA-CASE-LEW-11359
US-PATENT-APPL-SN-787911
US-PATENT-CLASS-136-83
US-PATENT-3,573,986
c15 N71-28582 NASA-CASE-LEW-10278-1
US-PATENT-APPL-SN-760928
US-PATENT-CLASS-117-224
US-PATENT-3,573,977
c09 N71-28618 NASA-CASE-ERC-10098
US-PATENT-APPL-SN-779169
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-54CF
US-PATENT-CLASS-178-54PE
US-PATENT-3,582,960
c05 N71-28619 NASA-CASE-ARC-10153
US-PATENT-APPL-SN-783377
US-PATENT-CLASS-35-29
US-PATENT-CLASS-104-1
US-PATENT-CLASS-104-139
US-PATENT-CLASS-119-96
US-PATENT-CLASS-238-1
US-PATENT-CLASS-248-361
US-PATENT-CLASS-272-70
US-PATENT-3,583,322
c06 N71-28620 NASA-CASE-NPO-10701
US-PATENT-APPL-SN-763355
US-PATENT-CLASS-260-47
US-PATENT-3,576,786
c11 N71-28629 NASA-CASE-KSC-10198
US-PATENT-APPL-SN-845971
US-PATENT-CLASS-73-15
US-PATENT-CLASS-73-432
US-PATENT-3,578,756
c09 N71-28691 NASA-CASE-MFS-13687
US-PATENT-APPL-SN-723488
US-PATENT-CLASS-204-30
US-PATENT-3,576,723
c18 N71-28729 NASA-CASE-LEW-10219-1
US-PATENT-APPL-SN-785780
US-PATENT-CLASS-148-126
US-PATENT-3,579,390
c10 N71-28739 NASA-CASE-XNP-01068
US-PATENT-APPL-SN-375680
US-PATENT-CLASS-307-88.5
US-PATENT-3,271,594
c15 N71-28740 NASA-CASE-XLA-09346
US-PATENT-APPL-SN-820964
US-PATENT-CLASS-73-147
US-PATENT-CLASS-356-150
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-153
US-PATENT-3,583,815
c12 N71-28741 NASA-CASE-XLE-09341
US-PATENT-APPL-SN-780065
US-PATENT-CLASS-137-81.5
US-PATENT-3,583,419
c17 N71-28747 NASA-CASE-XNP-08881
US-PATENT-APPL-SN-732922
US-PATENT-CLASS-161-89
US-PATENT-3,579,412
c22 N71-28759 NASA-CASE-LEW-10250-1
US-PATENT-APPL-SN-732455
US-PATENT-CLASS-176-45
US-PATENT-3,574,057
c11 N71-28779 NASA-CASE-XNP-00250
US-PATENT-APPL-SN-212497
US-PATENT-CLASS-181-.5
US-PATENT-3,260,326
c10 N71-28783 NASA-CASE-XMS-02182
US-PATENT-APPL-SN-516153
US-PATENT-CLASS-317-100
US-PATENT-3,317,797
c06 N71-28807 NASA-CASE-XMF-08674
US-PATENT-APPL-SN-617775
US-PATENT-CLASS-260-47
US-PATENT-3,370,039
c06 N71-28808 NASA-CASE-XNP-04023
US-PATENT-APPL-SN-470902
US-PATENT-CLASS-260-429
US-PATENT-3,396,184
c07 N71-28809 NASA-CASE-XGS-02290
US-PATENT-APPL-SN-544895
US-PATENT-CLASS-343-771
US-PATENT-3,417,400
c09 N71-28810 NASA-CASE-XNP-03916
US-PATENT-APPL-SN-535304
US-PATENT-CLASS-331-113
US-PATENT-3,325,749
c28 N71-28849 NASA-CASE-XMS-04626
US-PATENT-APPL-SN-521755
US-PATENT-CLASS-60-258
US-PATENT-3,318,096
c28 N71-28850 NASA-CASE-XNP-01954
US-PATENT-APPL-SN-372730
US-PATENT-CLASS-313-230
US-PATENT-3,328,624
c31 N71-28851 NASA-CASE-XMS-06162
US-PATENT-APPL-SN-610724
US-PATENT-CLASS-244-138
US-PATENT-3,330,510
c33 N71-28852 NASA-CASE-XNP-01310
US-PATENT-APPL-SN-379771
US-PATENT-CLASS-60-266
US-PATENT-3,279,193
c10 N71-28859 NASA-CASE-XNP-01107
US-PATENT-APPL-SN-384010
US-PATENT-CLASS-330-51
US-PATENT-3,389,346
c10 N71-28860 NASA-CASE-MSC-13492-1
US-PATENT-APPL-SN-53156
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-92
US-PATENT-CLASS-328-207
US-PATENT-3,577,014
c14 N71-28863 NASA-CASE-ERC-10014
US-PATENT-APPL-SN-815367
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-3,567,927
c09 N71-28886 NASA-CASE-MFS-14610
US-PATENT-APPL-SN-885571
US-PATENT-CLASS-318-317
US-PATENT-CLASS-318-331
US-PATENT-CLASS-318-345
US-PATENT-CLASS-318-504
US-PATENT-3,573,583
c33 N71-28892 NASA-CASE-XMF-05046
US-PATENT-APPL-SN-559350
US-PATENT-CLASS-62-45
US-PATENT-3,365,897
c07 N71-28900 NASA-CASE-XNP-02389
US-PATENT-APPL-SN-516162
US-PATENT-CLASS-343-100
US-PATENT-3,331,071
c33 N71-28903 NASA-CASE-XLA-01745
US-PATENT-APPL-SN-538907
US-PATENT-CLASS-244-1
US-PATENT-3,409,247
c28 N71-28915 NASA-CASE-LEW-10286-1
US-PATENT-APPL-SN-839994
US-PATENT-CLASS-60-39.36
US-PATENT-CLASS-60-39.65
US-PATENT-CLASS-431-352
US-PATENT-3,581,492
c08 N71-28925 NASA-CASE-XNP-01012
US-PATENT-APPL-SN-369338
US-PATENT-CLASS-340-174
US-PATENT-3,394,359
c09 N71-28926 NASA-CASE-XMS-03542
US-PATENT-APPL-SN-482952
US-PATENT-CLASS-307-263
US-PATENT-3,364,366
c28 N71-28928 NASA-CASE-XNP-00816
US-PATENT-APPL-SN-235588
US-PATENT-CLASS-253-77
US-PATENT-3,202,398
c27 N71-28929 NASA-CASE-XNP-00650
US-PATENT-APPL-SN-271823

US-PATENT-CLASS-60-39.48
US-PATENT-3,170,295
c14 N71-28933 NASA-CASE-XLA-08913
US-PATENT-APPL-SN-865109
US-PATENT-CLASS-204-263
US-PATENT-3,574,084
c14 N71-28935 NASA-CASE-LAR-10686
US-PATENT-APPL-SN-280362
US-PATENT-CLASS-226-58
US-PATENT-3,298,582
c15 N71-28936 NASA-CASE-XMS-10993
US-PATENT-APPL-SN-660573
US-PATENT-CLASS-244-1
US-PATENT-3,389,877
c15 N71-28937 NASA-CASE-XNP-01855
US-PATENT-APPL-SN-408435
US-PATENT-CLASS-285-45
US-PATENT-3,219,365
c15 N71-28951 NASA-CASE-XNP-02278
US-PATENT-APPL-SN-11853
US-PATENT-CLASS-60-35.55
US-PATENT-3,132,479
c15 N71-28952 NASA-CASE-XAC-00001
US-PATENT-APPL-SN-612568
US-PATENT-CLASS-318-31
US-PATENT-2,837,706
c14 N71-28958 NASA-CASE-XNP-02792
US-PATENT-APPL-SN-262596
US-PATENT-CLASS-219-413
US-PATENT-3,197,616
c15 N71-28959 NASA-CASE-XNP-01848
US-PATENT-APPL-SN-359532
US-PATENT-CLASS-64-27
US-PATENT-3,236,066
c10 N71-28960 NASA-CASE-XNP-00745
US-PATENT-APPL-SN-314570
US-PATENT-CLASS-328-67
US-PATENT-3,252,100
c16 N71-28963 NASA-CASE-XLA-01090
US-PATENT-APPL-SN-274065
US-PATENT-CLASS-250-199
US-PATENT-3,215,842
c07 N71-28965 NASA-CASE-GSC-10949-1
US-PATENT-APPL-SN-94369
c07 N71-28979 NASA-CASE-HQN-00937
US-PATENT-APPL-SN-343760
US-PATENT-CLASS-343-823
US-PATENT-3,299,431
c07 N71-28980 NASA-CASE-XLA-10772
US-PATENT-APPL-SN-887700
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-784
US-PATENT-CLASS-343-872
US-PATENT-3,579,242
c14 N71-28991 NASA-CASE-XLA-06713
US-PATENT-APPL-SN-863913
US-PATENT-CLASS-324-5
US-PATENT-CLASS-324-73
US-PATENT-CLASS-340-347AD
US-PATENT-3,579,103
c14 N71-28992 NASA-CASE-ERC-10150
US-PATENT-APPL-SN-822519
US-PATENT-CLASS-73-40.7
US-PATENT-CLASS-250-41.95
US-PATENT-3,576,758
c14 N71-28993 NASA-CASE-MFS-20044
US-PATENT-APPL-SN-838630
US-PATENT-CLASS-250-219
US-PATENT-CLASS-356-209
US-PATENT-3,574,470
c14 N71-28994 NASA-CASE-XER-11203
US-PATENT-APPL-SN-815366
US-PATENT-CLASS-250-218
US-PATENT-CLASS-356-103
US-PATENT-3,578,867
c09 N71-29008 NASA-CASE-MSC-11277
US-PATENT-APPL-SN-771759
US-PATENT-CLASS-317-33
US-PATENT-CLASS-317-54
US-PATENT-CLASS-317-60
US-PATENT-CLASS-317-155.5
US-PATENT-3,579,041
c15 N71-29018 NASA-CASE-XLA-08916
US-PATENT-APPL-SN-777765
US-PATENT-CLASS-29-421
US-PATENT-3,583,058
c15 N71-29032 NASA-CASE-XMF-05999
US-PATENT-APPL-SN-752946
US-PATENT-CLASS-117-212
US-PATENT-3,576,669
c08 N71-29033 NASA-CASE-GSC-10554-1
US-PATENT-APPL-SN-828984
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-150.2
US-PATENT-CLASS-235-150.27
US-PATENT-CLASS-235-151.1
US-PATENT-3,578,957
c08 N71-29034 NASA-CASE-NPO-11088
US-PATENT-APPL-SN-887701
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-222
US-PATENT-CLASS-328-44
US-PATENT-CLASS-328-167
US-PATENT-3,579,122
c09 N71-29035 NASA-CASE-LEW-10155-1
US-PATENT-APPL-SN-889387
US-PATENT-CLASS-337-114
US-PATENT-CLASS-337-121
US-PATENT-3,579,168
c18 N71-29040 NASA-CASE-XLE-10910
US-PATENT-APPL-SN-751061
US-PATENT-CLASS-148-6
US-PATENT-3,573,996
c14 N71-29041 NASA-CASE-XLA-10402
US-PATENT-APPL-SN-762935
US-PATENT-CLASS-356-76
US-PATENT-3,574,462
c03 N71-29044 NASA-CASE-XMS-02063
US-PATENT-APPL-SN-422096
US-PATENT-CLASS-136-86
US-PATENT-3,382,105
c33 N71-29046 NASA-CASE-XHQ-03673
US-PATENT-APPL-SN-559055
US-PATENT-CLASS-165-86
US-PATENT-3,347,309
c23 N71-29049 NASA-CASE-XNP-06503
US-PATENT-APPL-SN-370989
US-PATENT-CLASS-335-216
US-PATENT-3,273,094
c31 N71-29050 NASA-CASE-HQN-00936
US-PATENT-APPL-SN-862921
US-PATENT-CLASS-244-1
US-PATENT-3,396,920
c33 N71-29051 NASA-CASE-XMF-04208
US-PATENT-APPL-SN-428887
US-PATENT-CLASS-73-190
US-PATENT-3,372,588
c33 N71-29052 NASA-CASE-MSC-12389
US-PATENT-APPL-SN-229286
US-PATENT-CLASS-165-47
US-PATENT-3,212,564
c33 N71-29053 NASA-CASE-HQN-00938
US-PATENT-APPL-SN-300957
US-PATENT-CLASS-60-267
US-PATENT-3,298,175
c07 N71-29065 NASA-CASE-ERC-10011
US-PATENT-APPL-SN-802818
US-PATENT-CLASS-333-81
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-286
US-PATENT-3,574,438
c23 N71-29123 NASA-CASE-XNP-08907
US-PATENT-APPL-SN-824042
US-PATENT-CLASS-350-102
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-310
US-PATENT-3,574,448
c23 N71-29125 NASA-CASE-NPO-11087
US-PATENT-APPL-SN-840359
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-356-153
US-PATENT-3,574,467
c02 N71-29128 NASA-CASE-XAC-00048
US-PATENT-APPL-SN-765264
US-PATENT-CLASS-121-38
US-PATENT-2,898,889
c03 N71-29129 NASA-CASE-XGS-01674
US-PATENT-APPL-SN-248985
US-PATENT-CLASS-320-13
US-PATENT-3,118,100
c16 N71-29131 NASA-CASE-ERC-10151
US-PATENT-APPL-SN-853856
US-PATENT-CLASS-350-3.5
US-PATENT-3,578,838
c15 N71-29132 NASA-CASE-NPO-10431
US-PATENT-APPL-SN-865329
US-PATENT-CLASS-73-49.8
US-PATENT-3,583,239

c15 N71-29133 NASA-CASE-MFS-20453
US-PATENT-APPL-SN-885594
US-PATENT-CLASS-29-278R
US-PATENT-CLASS-81-3R
US-PATENT-CLASS-294-15
US-PATENT-CLASS-339-17R
US-PATENT-3,583,744
c14 N71-29134 NASA-CASE-MFS-11204
US-PATENT-APPL-SN-845991
US-PATENT-CLASS-73-1R
US-PATENT-CLASS-73-304C
US-PATENT-3,578,755
c10 N71-29135 NASA-CASE-GSC-10564
US-PATENT-APPL-SN-292596
US-PATENT-CLASS-340-174
US-PATENT-3,348,218
c15 N71-29136 NASA-CASE-XLA-00013
US-PATENT-APPL-SN-579121
US-PATENT-CLASS-308-177
US-PATENT-2,903,307
c17 N71-29137 NASA-CASE-XNP-04339
US-PATENT-APPL-SN-451596
US-PATENT-CLASS-264-111
US-PATENT-3,413,393
c08 N71-29138 NASA-CASE-ERC-10041
US-PATENT-APPL-SN-889478
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-265
US-PATENT-CLASS-324-106
US-PATENT-CLASS-328-58
US-PATENT-CLASS-332-9R
US-PATENT-CLASS-332-10
US-PATENT-3,579,146
c09 N71-29139 NASA-CASE-XLA-07788
US-PATENT-APPL-SN-874732
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-294
US-PATENT-CLASS-328-207
US-PATENT-3,578,988
c33 N71-29151 NASA-CASE-XLE-00035
US-PATENT-APPL-SN-575291
US-PATENT-CLASS-204-37
US-PATENT-2,926,123
c33 N71-29152 NASA-CASE-XLE-00027
US-PATENT-APPL-SN-529594
US-PATENT-CLASS-253-39.1
US-PATENT-2,956,772
c28 N71-29153 NASA-CASE-MFS-20831
US-PATENT-APPL-SN-238421
US-PATENT-CLASS-60-35.54
US-PATENT-3,212,259
c28 N71-29154 NASA-CASE-XLE-00155
US-PATENT-APPL-SN-348600
US-PATENT-CLASS-253-77
US-PATENT-2,997,274
c27 N71-29155 NASA-CASE-MSC-12390
US-PATENT-APPL-SN-231520
US-PATENT-CLASS-222-61
US-PATENT-3,286,882
c26 N71-29156 NASA-CASE-XNP-01961
US-PATENT-APPL-SN-442835
US-PATENT-CLASS-148-174
US-PATENT-3,397,094
c25 N71-29184 NASA-CASE-XLA-00327
US-PATENT-APPL-SN-199199
US-PATENT-CLASS-315-111
US-PATENT-3,238,413
c14 N71-30026 NASA-CASE-MFS-20096
US-PATENT-APPL-SN-435433
US-PATENT-CLASS-73-432
US-PATENT-3,396,584
c23 N71-30027 NASA-CASE-GSC-10700
US-PATENT-APPL-SN-311387
US-PATENT-CLASS-350-2
US-PATENT-3,394,975
c15 N71-30028 NASA-CASE-MFS-20830
US-PATENT-APPL-SN-266620
US-PATENT-3,262,395
c14 N71-30265 NASA-CASE-HQN-10780
US-PATENT-APPL-SN-247136
US-PATENT-CLASS-73-497
US-PATENT-3,270,565
c23 N71-30292 NASA-CASE-HQN-10781
US-PATENT-APPL-SN-66018
US-PATENT-3,239,660
c07 N71-33108 NASA-CASE-KSC-10164
US-PATENT-APPL-SN-782955
US-PATENT-CLASS-179-1R
US-PATENT-CLASS-179-1VC
US-PATENT-3,588,359
c09 N71-33109 NASA-CASE-ARC-10101-1
US-PATENT-APPL-SN-793823
US-PATENT-CLASS-307-251
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-47
US-PATENT-3,588,671
c08 N71-33110 NASA-CASE-GSC-10186
US-PATENT-APPL-SN-713188
US-PATENT-CLASS-235-164
US-PATENT-CLASS-235-175
US-PATENT-3,588,483
c10 N71-33129 NASA-CASE-GSC-10667-1
US-PATENT-APPL-SN-749548
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-16
US-PATENT-CLASS-330-24
US-PATENT-3,585,514
c31 N71-33160 NASA-CASE-XLA-04063
US-PATENT-APPL-SN-802948
US-PATENT-CLASS-179-1
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-83
US-PATENT-3,586,261
c23 N71-33229 NASA-CASE-NPO-10468
US-PATENT-APPL-SN-787846
US-PATENT-CLASS-350-55
US-PATENT-CLASS-350-310
US-PATENT-3,588,220
c10 N71-33407 NASA-CASE-NPO-10342
US-PATENT-APPL-SN-704446
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-340-347DD
US-PATENT-3,588,883
c17 N71-33408 NASA-CASE-LEW-10327
US-PATENT-APPL-SN-772006
US-PATENT-CLASS-148-6.3
US-PATENT-3,591,426
c03 N71-33409 NASA-CASE-ARC-10050
US-PATENT-APPL-SN-797219
US-PATENT-CLASS-136-89
US-PATENT-3,591,420
c16 N71-33410 NASA-CASE-NPO-10417
US-PATENT-APPL-SN-753974
US-PATENT-CLASS-95-11
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-352-84
US-PATENT-3,587,424
c15 N71-33518 NASA-CASE-XLA-03661
US-PATENT-APPL-SN-751266
US-PATENT-CLASS-90-11
US-PATENT-CLASS-408-137
US-PATENT-3,585,882
c09 N71-33519 NASA-CASE-ERC-10100
US-PATENT-APPL-SN-766697
US-PATENT-CLASS-313-109.5
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-108
US-PATENT-CLASS-315-111
US-PATENT-CLASS-340-324
US-PATENT-CLASS-340-336
US-PATENT-3,588,874
c07 N71-33606 NASA-CASE-NPO-11031
US-PATENT-APPL-SN-864097
US-PATENT-CLASS-333-6
US-PATENT-CLASS-333-7
US-PATENT-CLASS-333-21A
US-PATENT-3,588,751
c11 N71-33612 NASA-CASE-XLA-09480
US-PATENT-APPL-SN-874435
US-PATENT-CLASS-73-147
US-PATENT-3,587,306
c07 N71-33613 NASA-CASE-NPO-10700
US-PATENT-APPL-SN-840308
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-3,588,648
c07 N71-33696 NASA-CASE-MSC-12165-1
US-PATENT-APPL-SN-875849
US-PATENT-CLASS-325-347
US-PATENT-CLASS-325-348
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-478
US-PATENT-CLASS-325-480
US-PATENT-CLASS-325-482

US-PATENT-CLASS-328-164
US-PATENT-CLASS-328-165
US-PATENT-CLASS-329-145
US-PATENT-3,588,705
c03 N71-34044 NASA-CASE-NPO-11190
US-PATENT-APPL-SN-115944
c09 N71-34212 NASA-CASE-MFS-20935
US-PATENT-APPL-SN-136007
c14 N71-34389 NASA-CASE-HQN-10683
US-PATENT-APPL-SN-146217
c06 N72-10138 NASA-CASE-HQN-10537-1
US-PATENT-APPL-SN-112366
c14 N72-10375 NASA-CASE-GSC-11095-1
US-PATENT-APPL-SN-147940
c02 N72-11018 NASA-CASE-LAR-10557
US-PATENT-APPL-SN-853746
US-PATENT-CLASS-416-115
US-PATENT-CLASS-416-121
US-PATENT-CLASS-416-127
US-PATENT-CLASS-416-130
US-PATENT-CLASS-416-149
US-PATENT-CLASS-416-200
US-PATENT-3,592,559
c03 N72-11062 NASA-CASE-XGS-04047-2
US-PATENT-APPL-SN-843251
US-PATENT-CLASS-136-206
US-PATENT-3,597,281
c05 N72-11084 NASA-CASE-NPO-10677
US-PATENT-APPL-SN-868530
US-PATENT-CLASS-62-56
US-PATENT-CLASS-62-467
US-PATENT-3,599,443
c05 N72-11085 NASA-CASE-MSC-13140
US-PATENT-APPL-SN-796358
US-PATENT-CLASS-5-69
US-PATENT-CLASS-285-410
US-PATENT-CLASS-297-68
US-PATENT-CLASS-297-232
US-PATENT-3,592,505
c07 N72-11148 NASA-CASE-NPO-10301
US-PATENT-APPL-SN-848810
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-853
US-PATENT-3,599,216
c07 N72-11149 NASA-CASE-GSC-10390-1
US-PATENT-APPL-SN-749121
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-39
US-PATENT-CLASS-325-58
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-7.5
US-PATENT-CLASS-343-179
US-PATENT-3,593,138
c07 N72-11150 NASA-CASE-NPO-11064
US-PATENT-APPL-SN-880248
US-PATENT-CLASS-331-7
US-PATENT-CLASS-331-10
US-PATENT-CLASS-331-34
US-PATENT-CLASS-331-66
US-PATENT-3,593,180
c08 N72-11171 NASA-CASE-NPO-10769
US-PATENT-APPL-SN-813494
US-PATENT-CLASS-179-15.55R
US-PATENT-3,598,921
c08 N72-11172 NASA-CASE-GSC-10880-1
US-PATENT-APPL-SN-831118
US-PATENT-CLASS-33-15A
US-PATENT-CLASS-33-204C
US-PATENT-CLASS-235-61NV
US-PATENT-3,599,335
c09 N72-11224 NASA-CASE-GSC-10614-1
US-PATENT-APPL-SN-822534
US-PATENT-CLASS-179-100-2CA
US-PATENT-CLASS-179-100-2MD
US-PATENT-CLASS-274-4R
US-PATENT-3,592,478
c09 N72-11225 NASA-CASE-KSC-10162
US-PATENT-APPL-SN-817481
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-119
US-PATENT-CLASS-324-123R
US-PATENT-3,593,132
c10 N72-11256 NASA-CASE-ARC-10042-2
US-PATENT-APPL-SN-33159
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-3,593,175
c14 N72-11363 NASA-CASE-MSC-11847-1
US-PATENT-APPL-SN-8497
US-PATENT-CLASS-73-149
US-PATENT-CLASS-73-290B
US-PATENT-3,596,510
c14 N72-11364 NASA-CASE-NPO-10778
US-PATENT-APPL-SN-865909
US-PATENT-CLASS-33-125
US-PATENT-CLASS-73-95
US-PATENT-CLASS-250-235
US-PATENT-CLASS-356-32
US-PATENT-CLASS-356-167
US-PATENT-3,592,545
c14 N72-11365 NASA-CASE-MFS-20485
US-PATENT-APPL-SN-22320
US-PATENT-CLASS-73-194F
US-PATENT-CLASS-250-43.5FC
US-PATENT-3,599,489
c15 N72-11385 NASA-CASE-MFS-18495
US-PATENT-APPL-SN-38814
US-PATENT-CLASS-24-211B
US-PATENT-CLASS-85-5B
US-PATENT-3,596,554
c15 N72-11386 NASA-CASE-MFS-20249
US-PATENT-APPL-SN-794530
US-PATENT-CLASS-33-72
US-PATENT-CLASS-248-183
US-PATENT-CLASS-248-278
US-PATENT-CLASS-248-487
US-PATENT-CLASS-350-285
US-PATENT-CLASS-350-287
US-PATENT-3,596,863
c15 N72-11387 NASA-CASE-XMF-09902
US-PATENT-APPL-SN-769665
US-PATENT-CLASS-75-20F
US-PATENT-3,592,628
c15 N72-11388 NASA-CASE-MFS-20423
US-PATENT-APPL-SN-865298
US-PATENT-CLASS-212-134
US-PATENT-CLASS-308-5
US-PATENT-3,600,046
c15 N72-11389 NASA-CASE-XLA-05056
US-PATENT-APPL-SN-596733
US-PATENT-CLASS-210-445
US-PATENT-3,592,768
c15 N72-11390 NASA-CASE-MFS-18100
US-PATENT-APPL-SN-784055
US-PATENT-CLASS-15-143
US-PATENT-CLASS-15-210
US-PATENT-3,591,885
c15 N72-11391 NASA-CASE-NPO-11012
US-PATENT-APPL-SN-845807
US-PATENT-CLASS-248-18
US-PATENT-CLASS-248-20
US-PATENT-3,592,422
c15 N72-11392 NASA-CASE-MFS-20299
US-PATENT-APPL-SN-889437
US-PATENT-CLASS-156-66
US-PATENT-CLASS-156-320
US-PATENT-CLASS-219-221
US-PATENT-CLASS-219-243
US-PATENT-3,593,001
c23 N72-11568 NASA-CASE-GSC-11133-1
US-PATENT-APPL-SN-121328
c24 N72-11595 NASA-CASE-MFS-20095
US-PATENT-APPL-SN-855004
US-PATENT-CLASS-250-49.5B
US-PATENT-CLASS-250-49.5TE
US-PATENT-CLASS-250-51
US-PATENT-CLASS-250-52
US-PATENT-3,593,024
c28 N72-11708 NASA-CASE-MFS-20619
US-PATENT-APPL-SN-18982
US-PATENT-CLASS-60-271
US-PATENT-CLASS-139-425B
US-PATENT-CLASS-239-265.19
US-PATENT-CLASS-239-265.43
US-PATENT-3,596,465
c28 N72-11709 NASA-CASE-NPO-10737
US-PATENT-APPL-SN-760114
US-PATENT-CLASS-60-39-48
US-PATENT-CLASS-60-202
US-PATENT-3,591,967
c07 N72-12080 NASA-CASE-GSC-10087-3
US-PATENT-APPL-SN-880885
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.8R
US-PATENT-3,594,790
c07 N72-12081 NASA-CASE-GSC-10185-1
US-PATENT-APPL-SN-733039

US-PATENT-CLASS-178-DIG.12
US-PATENT-CLASS-178-6
US-PATENT-CLASS-178-7.3
US-PATENT-CLASS-325-10
US-PATENT-CLASS-325-13
US-PATENT-3,588,331
c09 N72-12136 NASA-CASE-XER-09521
US-PATENT-APPL-SN-771530
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-206
US-PATENT-CLASS-136-227
US-PATENT-CLASS-343-DIG.3
US-PATENT-CLASS-343-720
US-PATENT-CLASS-343-840
US-PATENT-3,594,803
c15 N72-12408 NASA-CASE-XLA-05966
US-PATENT-APPL-SN-784544
US-PATENT-CLASS-72-307
US-PATENT-CLASS-140-105
US-PATENT-3,584,660
c15 N72-12409 NASA-CASE-NPO-10637
US-PATENT-APPL-SN-851298
US-PATENT-CLASS-60-23
US-PATENT-CLASS-236-68
US-PATENT-CLASS-337-75
US-PATENT-CLASS-337-354
US-PATENT-CLASS-337-359
US-PATENT-3,591,960
c16 N72-12440 NASA-CASE-MFS-20180
US-PATENT-APPL-SN-863276
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-312
US-PATENT-3,593,194
c16 N72-13437 NASA-CASE-MFS-20125
US-PATENT-APPL-SN-830366
US-PATENT-CLASS-178-DIG.21
US-PATENT-CLASS-178-6
US-PATENT-CLASS-250-203X
US-PATENT-CLASS-356-152
US-PATENT-3,603,686
c05 N72-15098 NASA-CASE-MSC-13917-1
US-PATENT-APPL-SN-198355
c03 N72-15986 NASA-CASE-XGS-10010
US-PATENT-APPL-SN-729299
US-PATENT-CLASS-136-6
US-PATENT-CLASS-136-133
US-PATENT-CLASS-136-135
US-PATENT-3,607,401
c05 N72-16015 NASA-CASE-KSC-10278
US-PATENT-APPL-SN-856327
US-PATENT-CLASS-35-8
US-PATENT-CLASS-324-66
US-PATENT-CLASS-340-279
US-PATENT-3,609,740
c10 N72-16172 NASA-CASE-ARC-10269-1
US-PATENT-APPL-SN-56791
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-262
US-PATENT-CLASS-326-155
US-PATENT-3,614,475
c14 N72-16282 NASA-CASE-LAR-10913
US-PATENT-APPL-SN-779160
US-PATENT-CLASS-73-12
US-PATENT-3,605,482
c14 N72-16283 NASA-CASE-GSC-10780-1
US-PATENT-APPL-SN-860493
US-PATENT-CLASS-82-24R
US-PATENT-3,608,409
c15 N72-16329 NASA-CASE-XLA-07829
US-PATENT-APPL-SN-763684
US-PATENT-CLASS-264-DIG.44
US-PATENT-CLASS-264-221
US-PATENT-CLASS-264-225
US-PATENT-CLASS-264-227
US-PATENT-3,608,046
c15 N72-16330 NASA-CASE-LAR-10203-1
US-PATENT-APPL-SN-769592
US-PATENT-CLASS-156-84
US-PATENT-CLASS-156-86
US-PATENT-3,607,495
c06 N72-17093 NASA-CASE-LEW-10794-1
US-PATENT-APPL-SN-33535
US-PATENT-CLASS-23-55
US-PATENT-CLASS-23-88
US-PATENT-CLASS-23-97
US-PATENT-3,607,015
c06 N72-17094 NASA-CASE-NPO-10234
US-PATENT-APPL-SN-800204
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-253PC
US-PATENT-CLASS-73-23.1
US-PATENT-3,607,076
c06 N72-17095 NASA-CASE-NPO-10774
US-PATENT-APPL-SN-848805
US-PATENT-CLASS-23-201
US-PATENT-CLASS-23-230
US-PATENT-CLASS-23-253
US-PATENT-CLASS-73-76
US-PATENT-3,607,080
c07 N72-17109 NASA-CASE-MSC-12146-1
US-PATENT-APPL-SN-50206
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-5.4
US-PATENT-CLASS-178-6.7
US-PATENT-3,603,722
c09 N72-17152 NASA-CASE-ARC-10178-1
US-PATENT-APPL-SN-47443
US-PATENT-CLASS-250-211J
US-PATENT-3,603,798
c09 N72-17153 NASA-CASE-ARC-10105
US-PATENT-APPL-SN-887698
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-307-252F
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-177
US-PATENT-3,603,946
c09 N72-17154 NASA-CASE-ERC-10139
US-PATENT-APPL-SN-889555
US-PATENT-CLASS-321-10
US-PATENT-CLASS-336-178
US-PATENT-3,603,864
c09 N72-17155 NASA-CASE-NPO-11023
US-PATENT-APPL-SN-865274
US-PATENT-CLASS-330-18
US-PATENT-CLASS-330-40
US-PATENT-3,603,892
c09 N72-17156 NASA-CASE-NPO-10199
US-PATENT-APPL-SN-739391
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-35
US-PATENT-3,609,230
c09 N72-17157 NASA-CASE-NPO-11253
US-PATENT-APPL-SN-21906
US-PATENT-CLASS-307-81
US-PATENT-CLASS-307-223
US-PATENT-CLASS-307-227
US-PATENT-CLASS-328-186
US-PATENT-3,609,387
c10 N72-17171 NASA-CASE-XAC-05462-2
US-PATENT-APPL-SN-28235
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-176
US-PATENT-CLASS-333-70CR
US-PATENT-3,609,567
c10 N72-17172 NASA-CASE-ARC-10020
US-PATENT-APPL-SN-31885
US-PATENT-CLASS-330-26
US-PATENT-CLASS-330-31
US-PATENT-CLASS-330-94
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-3,605,032
c10 N72-17173 NASA-CASE-MFS-13130
US-PATENT-APPL-SN-7868
US-PATENT-CLASS-250-83.3UV
US-PATENT-CLASS-250-209
US-PATENT-CLASS-340-228.2
US-PATENT-3,609,364
c11 N72-17183 NASA-CASE-MFS-20509
US-PATENT-APPL-SN-889557
US-PATENT-CLASS-73-147
US-PATENT-3,602,920
c14 N72-17323 NASA-CASE-ERC-10248
US-PATENT-APPL-SN-868445
US-PATENT-CLASS-350-162
US-PATENT-CLASS-356-113
US-PATENT-CLASS-356-209
US-PATENT-CLASS-356-244
US-PATENT-3,603,690
c14 N72-17324 NASA-CASE-MFS-20596
US-PATENT-APPL-SN-7867
US-PATENT-CLASS-350-3.5

US-PATENT-3,605,519
c14 N72-17325 NASA-CASE-MSC-15158-1
US-PATENT-APPL-SN-889479
US-PATENT-CLASS-324-52
US-PATENT-3,609,535
c14 N72-17326 NASA-CASE-XMS-01994-1
US-PATENT-APPL-SN-814212
US-PATENT-CLASS-356-4
US-PATENT-3,603,683
c14 N72-17327 NASA-CASE-LEW-10281-1
US-PATENT-APPL-SN-861649
US-PATENT-CLASS-73-198
US-PATENT-3,605,495
c14 N72-17328 NASA-CASE-XLA-07813
US-PATENT-APPL-SN-791364
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-CLASS-250-71.5
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-250-207
US-PATENT-3,609,353
c14 N72-17329 NASA-CASE-FRC-10012
US-PATENT-APPL-SN-771216
US-PATENT-CLASS-73-194A
US-PATENT-3,611,801
c15 N72-17450 NASA-CASE-MSC-12279
US-PATENT-APPL-SN-24154
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-129
US-PATENT-3,603,433
c15 N72-17451 NASA-CASE-WLP-10002
US-PATENT-APPL-SN-47062
US-PATENT-CLASS-180-125
US-PATENT-CLASS-180-127
US-PATENT-CLASS-308-DIG.1
US-PATENT-CLASS-308-5
US-PATENT-CLASS-308-9
US-PATENT-3,610,365
c15 N72-17452 NASA-CASE-XLA-10322
US-PATENT-APPL-SN-887699
US-PATENT-CLASS-73-88.5R
US-PATENT-3,608,365
c15 N72-17453 NASA-CASE-NPO-11177
US-PATENT-APPL-SN-20960
US-PATENT-CLASS-62-51
US-PATENT-3,605,424
c15 N72-17454 NASA-CASE-NPO-11059
US-PATENT-APPL-SN-864020
US-PATENT-CLASS-248-14
US-PATENT-3,606,979
c15 N72-17455 NASA-CASE-NPO-11140
US-PATENT-APPL-SN-15019
US-PATENT-CLASS-89-1.811
US-PATENT-CLASS-174-84
US-PATENT-CLASS-200-64
US-PATENT-CLASS-339-46
US-PATENT-CLASS-339-176M
US-PATENT-CLASS-339-278M
US-PATENT-3,611,274
c18 N72-17532 NASA-CASE-MFS-13532
US-PATENT-APPL-SN-720546
US-PATENT-CLASS-106-292
US-PATENT-CLASS-106-299
US-PATENT-3,607,338
c23 N72-17747 NASA-CASE-ERC-10089
US-PATENT-APPL-SN-791267
US-PATENT-CLASS-340-174AG
US-PATENT-CLASS-340-174CT
US-PATENT-CLASS-340-174GA
US-PATENT-CLASS-340-174SC
US-PATENT-3,611,330
c26 N72-17820 NASA-CASE-XER-08476-1
US-PATENT-APPL-SN-672388
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-589
US-PATENT-CLASS-148-187
US-PATENT-3,602,984
c28 N72-17843 NASA-CASE-NPO-10046
US-PATENT-APPL-SN-860635
US-PATENT-CLASS-60-39.74
US-PATENT-CLASS-60-258
US-PATENT-3,603,092
c30 N72-17873 NASA-CASE-ARC-10134
US-PATENT-APPL-SN-819898
US-PATENT-CLASS-244-3.21
US-PATENT-3,603,532
c33 N72-17947 NASA-CASE-MSC-12143-1
US-PATENT-APPL-SN-791268
US-PATENT-CLASS-102-105
US-PATENT-CLASS-161-67
US-PATENT-CLASS-244-117
US-PATENT-3,603,260
c33 N72-17948 NASA-CASE-NPO-10828
US-PATENT-APPL-SN-873260
US-PATENT-CLASS-165-105
US-PATENT-3,603,382
c08 N72-18184 NASA-CASE-NPO-10629
US-PATENT-APPL-SN-860751
US-PATENT-CLASS-178-50
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-15
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DD
US-PATENT-3,603,976
c14 N72-18411 NASA-CASE-KSC-10294
US-PATENT-APPL-SN-889556
US-PATENT-CLASS-95-1.1
US-PATENT-CLASS-307-311
US-PATENT-CLASS-346-23
US-PATENT-CLASS-346-107A
US-PATENT-CLASS-352-84
US-PATENT-3,603,974
c15 N72-18477 NASA-CASE-GSC-10566-1
US-PATENT-APPL-SN-889438
US-PATENT-CLASS-52-108
US-PATENT-CLASS-242-54
US-PATENT-3,608,844
c28 N72-18766 NASA-CASE-GSC-10640-1
US-PATENT-APPL-SN-17101
US-PATENT-CLASS-23-281
US-PATENT-CLASS-23-288
US-PATENT-CLASS-60-260
US-PATENT-3,603,093
c31 N72-18859 NASA-CASE-MSC-13281
US-PATENT-APPL-SN-7669
US-PATENT-CLASS-244-15.5
US-PATENT-3,606,212
c03 N72-20031 NASA-CASE-GSC-10669-1
US-PATENT-APPL-SN-90595
US-PATENT-CLASS-136-89
US-PATENT-CLASS-244-ISS
US-PATENT-CLASS-340-210
US-PATENT-3,636,539
c03 N72-20032 NASA-CASE-NPO-11021
US-PATENT-APPL-SN-880250
US-PATENT-CLASS-136-79
US-PATENT-CLASS-136-81
US-PATENT-CLASS-136-166
US-PATENT-3,625,766
c03 N72-20033 NASA-CASE-NPO-10401
US-PATENT-APPL-SN-15025
US-PATENT-CLASS-210-212
US-PATENT-CLASS-356-222
US-PATENT-3,630,627
c03 N72-20034 NASA-CASE-LEW-11359-2
US-PATENT-APPL-SN-57399
US-PATENT-CLASS-136-83R
US-PATENT-CLASS-136-100R
US-PATENT-CLASS-136-175
US-PATENT-3,635,765
c05 N72-20096 NASA-CASE-MSC-12411-1
US-PATENT-APPL-SN-701244
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-128-142.5
US-PATENT-CLASS-128-402
US-PATENT-3,635,216
c05 N72-20097 NASA-CASE-MFS-20332
US-PATENT-APPL-SN-869260
US-PATENT-CLASS-137-81
US-PATENT-CLASS-137-469
US-PATENT-3,636,966
c05 N72-20098 NASA-CASE-MSC-12398
US-PATENT-APPL-SN-785615
US-PATENT-CLASS-2-2.1
US-PATENT-3,624,839
c06 N72-20121 NASA-CASE-NPO-10765
US-PATENT-APPL-SN-770425
US-PATENT-CLASS-260-544F
US-PATENT-3,637,842
c07 N72-20140 NASA-CASE-NPO-10844
US-PATENT-APPL-SN-839934
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-321
US-PATENT-3,626,298

c07 N72-20141 NASA-CASE-ERC-10179
US-PATENT-APPL-SN-50207
US-PATENT-CLASS-325-445
US-PATENT-CLASS-329-161
US-PATENT-CLASS-329-162
US-PATENT-CLASS-332-51H
US-PATENT-CLASS-333-73W
US-PATENT-CLASS-343-772
US-PATENT-CLASS-343-773
US-PATENT-CLASS-343-786
US-PATENT-3,633,110
c07 N72-20154 NASA-CASE-NPO-11243
US-PATENT-APPL-SN-177753
c08 N72-20176 NASA-CASE-NPO-11130
US-PATENT-APPL-SN-21508
US-PATENT-CLASS-235-92CC
US-PATENT-CLASS-235-92DE
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-235-92LG
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-347DA
US-PATENT-CLASS-340-347DD
US-PATENT-3,632,996
c08 N72-20177 NASA-CASE-NPO-10748
US-PATENT-APPL-SN-63383
US-PATENT-CLASS-324-77G
US-PATENT-3,631,339
c09 N72-20199 NASA-CASE-NPO-10722
US-PATENT-APPL-SN-860492
US-PATENT-CLASS-200-81.9M
US-PATENT-CLASS-335-205
US-PATENT-3,632,923
c09 N72-20200 NASA-CASE-NPO-10694
US-PATENT-APPL-SN-24224
US-PATENT-CLASS-339-275T
US-PATENT-CLASS-339-276T
US-PATENT-3,631,382
c09 N72-20206 NASA-CASE-ERC-10468
US-PATENT-APPL-SN-144958
c10 N72-20221 NASA-CASE-GSC-10082-1
US-PATENT-APPL-SN-41430
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-307-313
US-PATENT-CLASS-328-207
US-PATENT-CLASS-330-30D
US-PATENT-3,633,048
c10 N72-20222 NASA-CASE-XLA-11189
US-PATENT-APPL-SN-889375
US-PATENT-CLASS-324-115
US-PATENT-CLASS-324-132
US-PATENT-3,638,114
c10 N72-20223 NASA-CASE-NPO-11133
US-PATENT-APPL-SN-887685
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-16
US-PATENT-CLASS-328-20
US-PATENT-CLASS-328-38
US-PATENT-CLASS-328-166
US-PATENT-3,626,308
c10 N72-20224 NASA-CASE-NPO-11203
US-PATENT-APPL-SN-3696
US-PATENT-CLASS-324-83A
US-PATENT-CLASS-324-85
US-PATENT-CLASS-328-133
US-PATENT-CLASS-343-12
US-PATENT-3,631,351
c10 N72-20225 NASA-CASE-MSC-13407-1
US-PATENT-APPL-SN-65840
US-PATENT-CLASS-315-22
US-PATENT-CLASS-315-25
US-PATENT-3,638,066
c11 N72-20244 NASA-CASE-NPO-11210
US-PATENT-APPL-SN-880831
US-PATENT-CLASS-123-102
US-PATENT-CLASS-180-105E
US-PATENT-CLASS-318-308
US-PATENT-CLASS-318-327
US-PATENT-CLASS-318-376
US-PATENT-3,630,304
c14 N72-20379 NASA-CASE-GSC-10514-1
US-PATENT-APPL-SN-873045
US-PATENT-CLASS-250-208
US-PATENT-CLASS-356-138
US-PATENT-CLASS-356-152
US-PATENT-3,637,312
c14 N72-20380 NASA-CASE-LAR-10176-1
US-PATENT-APPL-SN-811038
US-PATENT-CLASS-95-18
US-PATENT-3,626,828
c14 N72-20381 NASA-CASE-GSC-10503-1
US-PATENT-APPL-SN-789044
US-PATENT-CLASS-250-83.6R
US-PATENT-3,626,189
c15 N72-20442 NASA-CASE-GSC-10607-1
US-PATENT-APPL-SN-27340
US-PATENT-CLASS-251-129
US-PATENT-CLASS-251-333
US-PATENT-3,632,081
c15 N72-20443 NASA-CASE-NPO-10671
US-PATENT-APPL-SN-857967
US-PATENT-CLASS-188-1B
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-266
US-PATENT-3,637,051
c15 N72-20444 NASA-CASE-FRC-10038
US-PATENT-APPL-SN-889554
US-PATENT-CLASS-29-412
US-PATENT-CLASS-29-426
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-29-624
US-PATENT-CLASS-51-216
US-PATENT-CLASS-51-320
US-PATENT-CLASS-51-323
US-PATENT-3,636,623
c15 N72-20445 NASA-CASE-NPO-10704
US-PATENT-APPL-SN-59895
US-PATENT-CLASS-138-178
US-PATENT-CLASS-285-18
US-PATENT-CLASS-285-345
US-PATENT-3,632,140
c15 N72-20446 NASA-CASE-MFS-20698
US-PATENT-APPL-SN-3418
US-PATENT-CLASS-23-209.1
US-PATENT-CLASS-100-299
US-PATENT-CLASS-264-22
US-PATENT-CLASS-425-77
US-PATENT-3,632,242
c22 N72-20597 NASA-CASE-XLE-04599
US-PATENT-APPL-SN-751215
US-PATENT-CLASS-176-86G
US-PATENT-3,629,068
c28 N72-20758 NASA-CASE-XNP-03282
US-PATENT-APPL-SN-745337
US-PATENT-CLASS-60-254
US-PATENT-3,636,711
c28 N72-20767 NASA-CASE-ARC-10180-1
US-PATENT-APPL-SN-136253
c31 N72-20840 NASA-CASE-MFS-20922
US-PATENT-APPL-SN-220274
c33 N72-20915 NASA-CASE-NPO-10831
US-PATENT-APPL-SN-10161
US-PATENT-CLASS-122-32
US-PATENT-CLASS-165-133
US-PATENT-CLASS-165-155
US-PATENT-CLASS-165-158
US-PATENT-CLASS-165-161
US-PATENT-CLASS-165-174
US-PATENT-3,630,276
c06 N72-21094 NASA-CASE-ERC-10108
US-PATENT-APPL-SN-833049
US-PATENT-CLASS-96-36.2
US-PATENT-CLASS-156-3
US-PATENT-3,615,465
c06 N72-21105 NASA-CASE-GSC-11304-1
US-PATENT-APPL-SN-137912
c07 N72-21117 NASA-CASE-XLA-11154
US-PATENT-APPL-SN-23532
US-PATENT-CLASS-343-706
US-PATENT-CLASS-343-912
US-PATENT-3,623,107
c07 N72-21118 NASA-CASE-NPO-11001
US-PATENT-APPL-SN-856279
US-PATENT-CLASS-343-5CH
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-100ST
US-PATENT-3,624,650
c07 N72-21119 NASA-CASE-ERC-10112
US-PATENT-APPL-SN-796690
US-PATENT-CLASS-179-100.2K
US-PATENT-3,614,343
c08 N72-21197 NASA-CASE-KSC-10326
US-PATENT-APPL-SN-25487
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,638,002
c08 N72-21198 NASA-CASE-ERC-10307

US-PATENT-APPL-SN-39755
US-PATENT-CLASS-307-299
US-PATENT-CLASS-307-303
US-PATENT-CLASS-307-311
US-PATENT-CLASS-340-173.2
US-PATENT-CLASS-340-173LS
US-PATENT-3,623,030
c08 N72-21199 NASA-CASE-NPO-10743
US-PATENT-APPL-SN-850587
US-PATENT-CLASS-340-174CS
US-PATENT-CLASS-340-174LC
US-PATENT-CLASS-340-174M
US-PATENT-CLASS-340-174SR
US-PATENT-3,613,110
c08 N72-21200 NASA-CASE-NPO-11018
US-PATENT-APPL-SN-873259
US-PATENT-CLASS-340-347AD
US-PATENT-3,613,111
c09 N72-21243 NASA-CASE-LEW-11005-1
US-PATENT-APPL-SN-86548
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-22T
US-PATENT-CLASS-323-38
US-PATENT-3,636,103
c09 N72-21244 NASA-CASE-LAR-10545-1
US-PATENT-APPL-SN-31703
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-893
US-PATENT-3,638,224
c09 N72-21245 NASA-CASE-ARC-10192
US-PATENT-APPL-SN-15024
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-142
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-70R
US-PATENT-CLASS-330-85
US-PATENT-CLASS-333-80
US-PATENT-3,621,407
c09 N72-21246 NASA-CASE-NPO-11134
US-PATENT-APPL-SN-883524
US-PATENT-CLASS-318-576
US-PATENT-CLASS-324-71R
US-PATENT-CLASS-346-1
US-PATENT-CLASS-346-29
US-PATENT-3,624,659
c09 N72-21247 NASA-CASE-KSC-10393
US-PATENT-APPL-SN-71047
US-PATENT-CLASS-307-257
US-PATENT-CLASS-307-259
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-30
US-PATENT-CLASS-331-111
US-PATENT-3,614,648
c09 N72-21248 NASA-CASE-LAR-10503-1
US-PATENT-APPL-SN-229143
c12 N72-21310 NASA-CASE-MFS-20829
US-PATENT-APPL-SN-61894
US-PATENT-CLASS-169-28
US-PATENT-CLASS-169-36
US-PATENT-3,613,794
c14 N72-21405 NASA-CASE-NPO-10832
US-PATENT-APPL-SN-22265
US-PATENT-CLASS-73-141A
US-PATENT-3,623,360
c14 N72-21407 NASA-CASE-MFS-20642
US-PATENT-APPL-SN-873793
US-PATENT-CLASS-73-147
US-PATENT-3,623,361
c14 N72-21408 NASA-CASE-MSC-13332-1
US-PATENT-APPL-SN-77169
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-250-83.3H
US-PATENT-3,614,431
c14 N72-21409 NASA-CASE-MSC-12105-1
US-PATENT-APPL-SN-763743
US-PATENT-CLASS-356-17
US-PATENT-CLASS-356-18
US-PATENT-3,614,228
c15 N72-21462 NASA-CASE-NPO-10679
US-PATENT-APPL-SN-848282
US-PATENT-CLASS-74-89.15
US-PATENT-3,614,898
c15 N72-21463 NASA-CASE-MFS-20413
US-PATENT-APPL-SN-69209
US-PATENT-CLASS-74-469
US-PATENT-3,620,095
c15 N72-21464 NASA-CASE-ARC-10176-1
US-PATENT-APPL-SN-889583
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-64
US-PATENT-CLASS-324-71R
US-PATENT-3,624,496
c15 N72-21465 NASA-CASE-GSC-10218-1
US-PATENT-APPL-SN-15022
US-PATENT-CLASS-23-253R
US-PATENT-CLASS-23-259
US-PATENT-CLASS-73-425.6
US-PATENT-CLASS-141-23
US-PATENT-CLASS-195-127
US-PATENT-CLASS-222-71
US-PATENT-CLASS-222-135
US-PATENT-CLASS-222-309
US-PATENT-3,615,241
c15 N72-21466 NASA-CASE-NPO-10440
US-PATENT-APPL-SN-756834
US-PATENT-CLASS-204-59
US-PATENT-CLASS-204-130
US-PATENT-3,616,338
c15 N72-21489 NASA-CASE-XLA-10470
US-PATENT-APPL-SN-219436
c21 N72-21624 NASA-CASE-HQN-10439
US-PATENT-APPL-SN-889551
US-PATENT-CLASS-244-1SA
US-PATENT-3,637,170
c21 N72-21631 NASA-CASE-ERC-10419
US-PATENT-APPL-SN-219722
c26 N72-21701 NASA-CASE-ERC-10119
US-PATENT-APPL-SN-825258
US-PATENT-CLASS-307-299
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-331-107
US-PATENT-CLASS-332-31
US-PATENT-3,614,557
c31 N72-21893 NASA-CASE-KSC-10622-1
US-PATENT-APPL-SN-149983
c03 N72-22041 NASA-CASE-NPO-10591
US-PATENT-APPL-SN-776185
US-PATENT-CLASS-29-572
US-PATENT-3,616,528
c03 N72-22042 NASA-CASE-NPO-10747
US-PATENT-APPL-SN-6616
US-PATENT-CLASS-136-89
US-PATENT-3,615,853
c05 N72-22092 NASA-CASE-ARC-10275-1
US-PATENT-APPL-SN-21644
US-PATENT-CLASS-2-2.1A
US-PATENT-3,636,564
c05 N72-22093 NASA-CASE-MSC-12324-1
US-PATENT-APPL-SN-63384
US-PATENT-CLASS-4-99
US-PATENT-CLASS-4-110
US-PATENT-CLASS-128-295
US-PATENT-3,602,923
c06 N72-22107 NASA-CASE-NPO-10862
US-PATENT-APPL-SN-810815
US-PATENT-CLASS-260-877
US-PATENT-3,639,510
c07 N72-22127 NASA-CASE-NPO-10303
US-PATENT-APPL-SN-848776
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-CLASS-343-912
US-PATENT-3,623,114
c08 N72-22162 NASA-CASE-NPO-11333
US-PATENT-APPL-SN-78065
US-PATENT-CLASS-178-52
US-PATENT-CLASS-179-15A
US-PATENT-CLASS-179-15BL
US-PATENT-CLASS-307-243
US-PATENT-CLASS-307-251
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,614,327
c08 N72-22163 NASA-CASE-MSC-13110-1
US-PATENT-APPL-SN-23132
US-PATENT-CLASS-340-347AD
US-PATENT-3,614,772
c08 N72-22164 NASA-CASE-NPO-10745
US-PATENT-APPL-SN-878730
US-PATENT-CLASS-178-DIG.28
US-PATENT-CLASS-178-DIG.36
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-178-7.2R
US-PATENT-3,621,130

c08 N72-22165 NASA-CASE-NPO-11104
US-PATENT-APPL-SN-860750
US-PATENT-CLASS-235-150.52
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-183
US-PATENT-CLASS-235-194
US-PATENT-CLASS-235-197
US-PATENT-CLASS-340-347E
US-PATENT-3,621,228
c08 N72-22166 NASA-CASE-NPO-10560
US-PATENT-APPL-SN-856282
US-PATENT-CLASS-235-153
US-PATENT-CLASS-324-73AT
US-PATENT-CLASS-340-347AD
US-PATENT-3,603,772
c08 N72-22167 NASA-CASE-NPO-11082
US-PATENT-APPL-SN-868529
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-348
US-PATENT-3,609,327
c09 N72-22195 NASA-CASE-MFS-14710
US-PATENT-APPL-SN-852843
US-PATENT-CLASS-74-105
US-PATENT-3,614,899
c09 N72-22196 NASA-CASE-ERC-10075-2
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-14
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-25
US-PATENT-CLASS-323-56
US-PATENT-CLASS-323-89C
US-PATENT-3,614,587
c09 N72-22197 NASA-CASE-LEW-10433-1
US-PATENT-APPL-SN-849106
US-PATENT-CLASS-307-88MP
US-PATENT-CLASS-307-262
US-PATENT-3,612,895
c09 N72-22198 NASA-CASE-MFS-13687-2
US-PATENT-APPL-SN-80369
US-PATENT-CLASS-174-36
US-PATENT-CLASS-174-106R
US-PATENT-CLASS-174-117FF
US-PATENT-3,612,743
c09 N72-22199 NASA-CASE-ERC-10222
US-PATENT-APPL-SN-832603
US-PATENT-CLASS-29-590
US-PATENT-3,621,565
c09 N72-22200 NASA-CASE-FRC-10036
US-PATENT-APPL-SN-872602
US-PATENT-CLASS-73-88.5
US-PATENT-CLASS-307-237
US-PATENT-CLASS-307-254
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-1
US-PATENT-CLASS-328-151
US-PATENT-3,621,285
c09 N72-22201 NASA-CASE-LEW-10387
US-PATENT-APPL-SN-76899
US-PATENT-CLASS-307-223B
US-PATENT-CLASS-307-241
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-307-252K
US-PATENT-CLASS-307-284
US-PATENT-CLASS-307-304
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-106
US-PATENT-3,621,287
c09 N72-22202 NASA-CASE-ARC-10136-1
US-PATENT-APPL-SN-865106
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-307-231
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-288
US-PATENT-CLASS-325-29
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-171
US-PATENT-CLASS-340-203
US-PATENT-3,621,290
c09 N72-22203 NASA-CASE-XER-11046
US-PATENT-APPL-SN-810579
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-15
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-45
US-PATENT-CLASS-331-117
US-PATENT-3,621,362
c09 N72-22204 NASA-CASE-LAR-10137-1
US-PATENT-APPL-SN-881041
US-PATENT-CLASS-200-81R
US-PATENT-CLASS-200-82C
US-PATENT-3,609,271
c10 N72-22235 NASA-CASE-GSC-10064-1
US-PATENT-APPL-SN-802812
US-PATENT-CLASS-343-7.4
US-PATENT-CLASS-343-16R
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-3,623,094
c10 N72-22236 NASA-CASE-GSC-10878-1
US-PATENT-APPL-SN-889423
US-PATENT-CLASS-307-206
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-322
US-PATENT-CLASS-307-323
US-PATENT-3,621,277
c11 N72-22245 NASA-CASE-NPO-12109
US-PATENT-APPL-SN-690172
US-PATENT-CLASS-230-54
US-PATENT-CLASS-230-221
US-PATENT-3,612,391
c11 N72-22246 NASA-CASE-XLA-07430
US-PATENT-APPL-SN-867841
US-PATENT-CLASS-73-147
US-PATENT-3,620,076
c11 N72-22247 NASA-CASE-NPO-11013
US-PATENT-APPL-SN-858695
US-PATENT-CLASS-42-1F
US-PATENT-3,619,924
c14 N72-22437 NASA-CASE-LAR-10496-1
US-PATENT-APPL-SN-12661
US-PATENT-CLASS-73-141A
US-PATENT-3,611,798
c14 N72-22438 NASA-CASE-ARC-10263-1
US-PATENT-APPL-SN-882122
US-PATENT-CLASS-73-398C
US-PATENT-3,620,083
c14 N72-22439 NASA-CASE-MFS-20890
US-PATENT-APPL-SN-103229
US-PATENT-CLASS-29-421
US-PATENT-CLASS-264-22
US-PATENT-CLASS-310-11
US-PATENT-CLASS-310-42
US-PATENT-3,626,218
c14 N72-22440 NASA-CASE-ARC-10154-1
US-PATENT-APPL-SN-793771
US-PATENT-CLASS-73-67.2
US-PATENT-3,620,069
c14 N72-22441 NASA-CASE-NPO-11002
US-PATENT-APPL-SN-856328
US-PATENT-CLASS-350-19
US-PATENT-CLASS-350-23
US-PATENT-CLASS-350-26
US-PATENT-CLASS-350-35
US-PATENT-CLASS-350-36
US-PATENT-CLASS-350-49
US-PATENT-CLASS-350-52
US-PATENT-3,612,645
c14 N72-22442 NASA-CASE-MFS-21629
US-PATENT-APPL-SN-612265
US-PATENT-CLASS-73-304
US-PATENT-CLASS-324-61
US-PATENT-3,639,835
c14 N72-22443 NASA-CASE-IGS-03736
US-PATENT-APPL-SN-749320
US-PATENT-CLASS-96-90PC
US-PATENT-CLASS-252-300
US-PATENT-3,639,250
c14 N72-22444 NASA-CASE-LAR-10523-1
US-PATENT-APPL-SN-32665
US-PATENT-CLASS-250-203
US-PATENT-CLASS-350-16
US-PATENT-CLASS-350-52
US-PATENT-CLASS-356-248
US-PATENT-3,647,276
c14 N72-22445 NASA-CASE-LAR-10184
US-PATENT-APPL-SN-16808
US-PATENT-CLASS-33-174S
US-PATENT-CLASS-350-86
US-PATENT-3,620,595
c15 N72-22482 NASA-CASE-XLA-04897
US-PATENT-APPL-SN-880249
US-PATENT-CLASS-73-133
US-PATENT-3,613,457
c15 N72-22483 NASA-CASE-XNP-09770-2
US-PATENT-APPL-SN-864039

US-PATENT-CLASS-209-349
US-PATENT-3,615,021
c15 N72-22484 NASA-CASE-LAR-10031
US-PATENT-APPL-SN-867851
US-PATENT-CLASS-62-55.5
US-PATENT-3,625,018
c15 N72-22485 NASA-CASE-MSC-13512-1
US-PATENT-APPL-SN-73932
US-PATENT-CLASS-74-501R
US-PATENT-3,625,084
c15 N72-22486 NASA-CASE-KSC-10031
US-PATENT-APPL-SN-98773
US-PATENT-CLASS-220-5R
US-PATENT-CLASS-317-101DH
US-PATENT-CLASS-317-117
US-PATENT-CLASS-317-120
US-PATENT-3,639,809
c15 N72-22487 NASA-CASE-GSC-10303
US-PATENT-APPL-SN-802813
US-PATENT-CLASS-29-473.1
US-PATENT-3,619,896
c15 N72-22488 NASA-CASE-MSC-11849-1
US-PATENT-APPL-SN-6617
US-PATENT-CLASS-85-1
US-PATENT-3,623,394
c15 N72-22489 NASA-CASE-GSC-10518-1
US-PATENT-APPL-SN-789045
US-PATENT-CLASS-55-446
US-PATENT-CLASS-55-464
US-PATENT-CLASS-417-152
US-PATENT-3,623,828
c15 N72-22490 NASA-CASE-LEW-10856-1
US-PATENT-APPL-SN-3417
US-PATENT-CLASS-308-195
US-PATENT-3,620,585
c15 N72-22491 NASA-CASE-GSC-10913
US-PATENT-APPL-SN-889558
US-PATENT-CLASS-29-628
US-PATENT-CLASS-219-85
US-PATENT-CLASS-219-158
US-PATENT-CLASS-219-234
US-PATENT-CLASS-228-57
US-PATENT-3,621,194
c15 N72-22492 NASA-CASE-MFS-20482
US-PATENT-APPL-SN-6610
US-PATENT-CLASS-29-472.9
US-PATENT-CLASS-29-473.1
US-PATENT-3,602,979
c16 N72-22520 NASA-CASE-LAR-10815-1
US-PATENT-APPL-SN-233587
c17 N72-22530 NASA-CASE-XLE-06461
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-75-.5B
US-PATENT-3,623,861
c17 N72-22535 NASA-CASE-LEW-10874-1
US-PATENT-APPL-SN-68024
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32.5
US-PATENT-3,620,718
c18 N72-22566 NASA-CASE-MFS-20011
US-PATENT-APPL-SN-813338
US-PATENT-CLASS-106-84
US-PATENT-CLASS-106-286
US-PATENT-CLASS-106-288B
US-PATENT-3,620,791
c18 N72-22567 NASA-CASE-NPO-11091
US-PATENT-APPL-SN-860781
US-PATENT-CLASS-260-2.1E
US-PATENT-3,629,161
c21 N72-22619 NASA-CASE-ARC-10179-1
US-PATENT-APPL-SN-835058
US-PATENT-CLASS-244-114
US-PATENT-CLASS-340-26
US-PATENT-3,624,598
c23 N72-22673 NASA-CASE-XER-07896-2
US-PATENT-APPL-SN-36819
US-PATENT-CLASS-350-310
US-PATENT-3,620,606
c28 N72-22769 NASA-CASE-ARC-10106-1
US-PATENT-APPL-SN-812998
US-PATENT-CLASS-244-3.22
US-PATENT-3,612,442
c28 N72-22770 NASA-CASE-LEW-10770-1
US-PATENT-APPL-SN-880246
US-PATENT-CLASS-60-202
US-PATENT-3,613,370
c28 N72-22771 NASA-CASE-LEW-10835-1
US-PATENT-APPL-SN-67815
US-PATENT-CLASS-60-202
US-PATENT-3,620,018
c28 N72-22772 NASA-CASE-NPO-12072
US-PATENT-APPL-SN-82647
US-PATENT-CLASS-123-122AB
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-261-145
US-PATENT-3,640,256
c31 N72-22874 NASA-CASE-NPO-10883
US-PATENT-APPL-SN-26573
US-PATENT-CLASS-136-89
US-PATENT-CLASS-312-257
US-PATENT-3,620,846
c03 N72-23048 NASA-CASE-NPO-11388
US-PATENT-APPL-SN-119282
US-PATENT-CLASS-310-2
US-PATENT-CLASS-321-2
US-PATENT-CLASS-322-2
US-PATENT-3,648,152
c05 N72-23085 NASA-CASE-LAR-10102-1
US-PATENT-APPL-SN-13266
US-PATENT-CLASS-224-25A
US-PATENT-3,649,921
c09 N72-23171 NASA-CASE-GSC-10221-1
US-PATENT-APPL-SN-779025
US-PATENT-CLASS-307-252N
US-PATENT-CLASS-307-252B
US-PATENT-CLASS-307-259
US-PATENT-CLASS-307-305
US-PATENT-3,621,294
c09 N72-23172 NASA-CASE-LAR-10320-1
US-PATENT-APPL-SN-18427
US-PATENT-CLASS-324-20R
US-PATENT-3,649,907
c09 N72-23173 NASA-CASE-ERC-10267
US-PATENT-APPL-SN-41348
US-PATENT-CLASS-235-197
US-PATENT-CLASS-307-229
US-PATENT-CLASS-328-145
US-PATENT-3,648,043
c11 N72-23215 NASA-CASE-MFS-20710
US-PATENT-APPL-SN-114848
US-PATENT-CLASS-13-20
US-PATENT-CLASS-13-31
US-PATENT-3,647,924
c14 N72-23457 NASA-CASE-MSC-12297
US-PATENT-APPL-SN-792623
US-PATENT-CLASS-55-493
US-PATENT-CLASS-55-498
US-PATENT-CLASS-55-502
US-PATENT-CLASS-55-521
US-PATENT-3,650,095
c15 N72-23497 NASA-CASE-KSC-10242
US-PATENT-APPL-SN-73834
US-PATENT-CLASS-219-85
US-PATENT-CLASS-219-109
US-PATENT-CLASS-219-234
US-PATENT-CLASS-324-65R
US-PATENT-3,621,193
c18 N72-23581 NASA-CASE-GSC-10361-1
US-PATENT-APPL-SN-700040
US-PATENT-CLASS-106-84
US-PATENT-3,620,784
c23 N72-23695 NASA-CASE-HQN-10541-3
US-PATENT-APPL-SN-822089
US-PATENT-CLASS-350-171
US-PATENT-3,606,522
c28 N72-23809 NASA-CASE-XNP-09461
US-PATENT-APPL-SN-670829
US-PATENT-CLASS-239-418
US-PATENT-CLASS-239-433
US-PATENT-CLASS-239-543
US-PATENT-3,650,474
c28 N72-23810 NASA-CASE-NPO-11458
US-PATENT-APPL-SN-36926
US-PATENT-CLASS-60-266
US-PATENT-CLASS-60-271
US-PATENT-3,648,461
c03 N72-24037 NASA-CASE-GSC-11514-1
US-PATENT-APPL-SN-820453
US-PATENT-CLASS-117-201
US-PATENT-CLASS-136-89
US-PATENT-3,653,970
c14 N72-24477 NASA-CASE-ARC-10138-1
US-PATENT-APPL-SN-774733
US-PATENT-CLASS-73-355R
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-317-247
US-PATENT-CLASS-324-61R
US-PATENT-3,657,644

c15 N72-24522 NASA-CASE-NPO-11036
US-PATENT-APPL-SN-41346
US-PATENT-CLASS-264-92
US-PATENT-3,658,974
c25 N72-24753 NASA-CASE-XNP-04167-2
US-PATENT-APPL-SN-866442
US-PATENT-CLASS-313-186
US-PATENT-CLASS-313-212
US-PATENT-CLASS-313-224
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-CLASS-315-326
US-PATENT-CLASS-315-358
US-PATENT-CLASS-331-94.5
US-PATENT-3,617,804
c03 N72-25019 NASA-CASE-NPO-10575
US-PATENT-APPL-SN-6615
US-PATENT-CLASS-156-250
US-PATENT-CLASS-156-510
US-PATENT-3,654,036
c03 N72-25020 NASA-CASE-GSC-11211-1
US-PATENT-APPL-SN-139528
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-307-141.8
US-PATENT-CLASS-320-48
US-PATENT-CLASS-324-29.5
US-PATENT-3,663,938
c03 N72-25021 NASA-CASE-NPO-11118
US-PATENT-APPL-SN-8650
US-PATENT-CLASS-214-90R
US-PATENT-3,666,120
c05 N72-25119 NASA-CASE-MSC-12397-1
US-PATENT-APPL-SN-785613
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-2-115
US-PATENT-3,660,851
c05 N72-25120 NASA-CASE-MSC-90153-2
US-PATENT-APPL-SN-844225
US-PATENT-CLASS-106-209
US-PATENT-CLASS-128-2.1
US-PATENT-CLASS-128-417
US-PATENT-CLASS-252-514
US-PATENT-CLASS-264-104
US-PATENT-3,665,064
c05 N72-25121 NASA-CASE-FRC-10029-2
US-PATENT-APPL-SN-78704
US-PATENT-CLASS-29-25.14
US-PATENT-CLASS-29-25.18
US-PATENT-CLASS-29-482
US-PATENT-CLASS-29-630A
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-308
US-PATENT-3,662,441
c05 N72-25122 NASA-CASE-MSC-13609-1
US-PATENT-APPL-SN-94347
US-PATENT-CLASS-128-2N
US-PATENT-3,662,744
c06 N72-25146 NASA-CASE-NPO-11322
US-PATENT-APPL-SN-87550
US-PATENT-CLASS-73-23.1
US-PATENT-CLASS-250-43.5R
US-PATENT-3,666,942
c06 N72-25147 NASA-CASE-ARC-10325
US-PATENT-APPL-SN-63610
US-PATENT-CLASS-260-2.5FP
US-PATENT-3,663,464
c06 N72-25148 NASA-CASE-MFS-13994-2
US-PATENT-APPL-SN-870689
US-PATENT-CLASS-260-348SC
US-PATENT-3,660,434
c06 N72-25149 NASA-CASE-GSC-10565-1
US-PATENT-APPL-SN-822039
US-PATENT-CLASS-195-28N
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-260-211.5
US-PATENT-3,660,240
c06 N72-25150 NASA-CASE-XLE-06774-2
US-PATENT-APPL-SN-5114
US-PATENT-CLASS-117-132
US-PATENT-CLASS-117-161
US-PATENT-CLASS-260-2.5
US-PATENT-CLASS-260-92.1
US-PATENT-3,666,741
c06 N72-25151 NASA-CASE-MFS-20979
US-PATENT-APPL-SN-100774
US-PATENT-CLASS-260-18S
US-PATENT-CLASS-260-46.5E
US-PATENT-CLASS-260-46.5G
US-PATENT-CLASS-260-46.5P
US-PATENT-CLASS-260-448.2D
US-PATENT-3,666,718
c06 N72-25152 NASA-CASE-NPO-10863-2
US-PATENT-APPL-SN-145026
US-PATENT-CLASS-260-92.1
US-PATENT-3,663,521
c07 N72-25170 NASA-CASE-LAR-10513-1
US-PATENT-APPL-SN-64723
US-PATENT-CLASS-333-7
US-PATENT-CLASS-333-81R
US-PATENT-CLASS-333-98P
US-PATENT-CLASS-333-98R
US-PATENT-CLASS-333-98S
US-PATENT-3,649,935
c07 N72-25171 NASA-CASE-MFS-21042
US-PATENT-APPL-SN-86417
US-PATENT-CLASS-102-34.4
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-114
US-PATENT-CLASS-343-6.5R
US-PATENT-3,667,044
c07 N72-25172 NASA-CASE-NPO-11358
US-PATENT-APPL-SN-116786
US-PATENT-CLASS-179-15BV
US-PATENT-CLASS-340-172.5
US-PATENT-3,665,417
c07 N72-25173 NASA-CASE-ERC-10324
US-PATENT-APPL-SN-54270
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-51
US-PATENT-CLASS-325-55
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-64
US-PATENT-CLASS-325-141
US-PATENT-CLASS-325-302
US-PATENT-CLASS-325-325
US-PATENT-CLASS-340-167
US-PATENT-3,665,313
c07 N72-25174 NASA-CASE-NPO-11264
US-PATENT-APPL-SN-36531
US-PATENT-CLASS-343-762
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-853
US-PATENT-3,665,481
c08 N72-25206 NASA-CASE-KSC-10397
US-PATENT-APPL-SN-25488
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DA
US-PATENT-3,648,275
c08 N72-25207 NASA-CASE-NPO-11161
US-PATENT-APPL-SN-889374
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,648,256
c08 N72-25208 NASA-CASE-NPO-11338
US-PATENT-APPL-SN-89212
US-PATENT-CLASS-178-50
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-179-15FD
US-PATENT-CLASS-325-62
US-PATENT-CLASS-332-21
US-PATENT-3,659,053
c08 N72-25209 NASA-CASE-NPO-11194
US-PATENT-APPL-SN-63532
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-12E
US-PATENT-CLASS-343-14
US-PATENT-3,659,292
c08 N72-25210 NASA-CASE-NPO-10636
US-PATENT-APPL-SN-77221
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,662,337
c09 N72-25247 NASA-CASE-LAR-10163-1
US-PATENT-APPL-SN-73310
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-873
US-PATENT-3,653,052
c09 N72-25248 NASA-CASE-NPO-11342
US-PATENT-APPL-SN-89209
US-PATENT-CLASS-340-172.5
US-PATENT-CLASS-340-324A
US-PATENT-3,648,250
c09 N72-25249 NASA-CASE-GSC-10656-1
US-PATENT-APPL-SN-59969

US-PATENT-CLASS-321-2
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-17
US-PATENT-CLASS-323-22T
US-PATENT-3,621,372
c09 N72-25250 NASA-CASE-KSC-10565
US-PATENT-APPL-SN-98517
US-PATENT-CLASS-315-135
US-PATENT-CLASS-315-349
US-PATENT-CLASS-330-2
US-PATENT-CLASS-330-59
US-PATENT-CLASS-340-332
US-PATENT-3,659,148
c09 N72-25251 NASA-CASE-ERC-10048
US-PATENT-APPL-SN-10329
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-18
US-PATENT-3,659,184
c09 N72-25252 NASA-CASE-ERC-10268
US-PATENT-APPL-SN-39342
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-11
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-45ER
US-PATENT-CLASS-321-45R
US-PATENT-3,663,940
c09 N72-25253 NASA-CASE-GSC-11126-1
US-PATENT-APPL-SN-98640
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-47
US-PATENT-CLASS-331-113A
US-PATENT-3,663,941
c09 N72-25254 NASA-CASE-NPO-10760
US-PATENT-APPL-SN-129071
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-45R
US-PATENT-CLASS-331-113A
US-PATENT-3,663,944
c09 N72-25255 NASA-CASE-LAR-10620-1
US-PATENT-APPL-SN-125979
US-PATENT-CLASS-310-10
US-PATENT-CLASS-310-15
US-PATENT-3,663,843
c09 N72-25256 NASA-CASE-XLA-02609
US-PATENT-APPL-SN-41347
US-PATENT-CLASS-333-79
US-PATENT-CLASS-339-143R
US-PATENT-CLASS-339-147R
US-PATENT-3,663,929
c09 N72-25257 NASA-CASE-MSC-12395
US-PATENT-APPL-SN-134573
US-PATENT-CLASS-307-233
US-PATENT-CLASS-324-78D
US-PATENT-CLASS-324-186
US-PATENT-CLASS-328-136
US-PATENT-CLASS-328-140
US-PATENT-3,663,885
c09 N72-25258 NASA-CASE-LAR-10253-1
US-PATENT-APPL-SN-99175
US-PATENT-CLASS-307-88.3
US-PATENT-CLASS-330-4.5
US-PATENT-3,663,886
c09 N72-25259 NASA-CASE-GSC-10695-1
US-PATENT-APPL-SN-889422
US-PATENT-CLASS-29-198
US-PATENT-CLASS-117-200
US-PATENT-CLASS-136-89
US-PATENT-3,664,874
c09 N72-25260 NASA-CASE-NPO-11283
US-PATENT-APPL-SN-118270
US-PATENT-CLASS-310-4
US-PATENT-3,663,839
c09 N72-25261 NASA-CASE-ERC-10224
US-PATENT-APPL-SN-868775
US-PATENT-CLASS-29-492
US-PATENT-CLASS-29-497
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-502
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-628
US-PATENT-3,665,589
c09 N72-25262 NASA-CASE-NPO-11078
US-PATENT-APPL-SN-82280
US-PATENT-CLASS-307-83
US-PATENT-CLASS-307-103
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-82
US-PATENT-3,663,828
c11 N72-25284 NASA-CASE-LAR-10507-1
US-PATENT-APPL-SN-874177
US-PATENT-CLASS-195-127
US-PATENT-3,649,462
c11 N72-25287 NASA-CASE-LAR-10546-1
US-PATENT-APPL-SN-32664
US-PATENT-CLASS-52-648
US-PATENT-CLASS-52-655
US-PATENT-CLASS-287-54A
US-PATENT-3,665,670
c11 N72-25288 NASA-CASE-MFS-20434
US-PATENT-APPL-SN-55534
US-PATENT-CLASS-73-140
US-PATENT-CLASS-73-161
US-PATENT-3,665,758
c12 N72-25292 NASA-CASE-NPO-11556
US-PATENT-APPL-SN-82648
US-PATENT-CLASS-210-188
US-PATENT-CLASS-310-11
US-PATENT-3,648,083
c13 N72-25323 NASA-CASE-NPO-11373
US-PATENT-APPL-SN-81095
US-PATENT-CLASS-73-421.5R
US-PATENT-CLASS-73-422GC
US-PATENT-CLASS-73-422TC
US-PATENT-3,662,604
c14 N72-25409 NASA-CASE-ERC-10174
US-PATENT-APPL-SN-39344
US-PATENT-CLASS-250-83.3UV
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-226
US-PATENT-CLASS-350-203
US-PATENT-3,657,549
c14 N72-25410 NASA-CASE-ERC-10292
US-PATENT-APPL-SN-45519
US-PATENT-CLASS-73-515
US-PATENT-CLASS-73-521
US-PATENT-CLASS-350-160R
US-PATENT-3,657,928
c14 N72-25411 NASA-CASE-MSC-15626-1
US-PATENT-APPL-SN-94374
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-492
US-PATENT-CLASS-116-114AB
US-PATENT-3,656,352
c14 N72-25412 NASA-CASE-MFS-15063
US-PATENT-APPL-SN-51477
US-PATENT-CLASS-178-DIG.8
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-340-227R
US-PATENT-3,659,043
c14 N72-25413 NASA-CASE-GSC-10879-1
US-PATENT-APPL-SN-889420
US-PATENT-CLASS-195-127
US-PATENT-3,666,631
c14 N72-25414 NASA-CASE-NPO-11311
US-PATENT-APPL-SN-57252
US-PATENT-CLASS-178-7.92
US-PATENT-CLASS-350-175PS
US-PATENT-3,663,753
c14 N72-25428 NASA-CASE-HQN-10756-1
US-PATENT-APPL-SN-236052
c15 N72-25447 NASA-CASE-LEW-10489-1
US-PATENT-APPL-SN-889682
US-PATENT-CLASS-29-599
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.16D
US-PATENT-CLASS-117-107
US-PATENT-CLASS-117-211
US-PATENT-CLASS-117-217
US-PATENT-3,649,356
c15 N72-25448 NASA-CASE-LEW-10450-1
US-PATENT-APPL-SN-880271
US-PATENT-CLASS-75-0.5BB
US-PATENT-CLASS-75-206
US-PATENT-CLASS-75-213
US-PATENT-3,649,242
c15 N72-25450 NASA-CASE-NPO-11202
US-PATENT-APPL-SN-66004
US-PATENT-CLASS-285-DIG.21
US-PATENT-CLASS-285-3
US-PATENT-CLASS-285-33
US-PATENT-CLASS-285-316
US-PATENT-CLASS-339-45M
US-PATENT-CLASS-339-91R
US-PATENT-3,656,781
c15 N72-25451 NASA-CASE-NPO-10606
US-PATENT-APPL-SN-8636

US-PATENT-CLASS-251-360
US-PATENT-3,656,295
c15 N72-25452 NASA-CASE-LEW-10965-1
US-PATENT-APPL-SN-876588
US-PATENT-CLASS-96-36.2
US-PATENT-CLASS-117-16R
US-PATENT-CLASS-117-37
US-PATENT-CLASS-117-47R
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.3
US-PATENT-CLASS-117-124C
US-PATENT-CLASS-117-152
US-PATENT-CLASS-204-49
US-PATENT-CLASS-204-157.18AG
US-PATENT-CLASS-250-65F
US-PATENT-3,658,569
c15 N72-25453 NASA-CASE-KSC-10513
US-PATENT-APPL-SN-61535
US-PATENT-CLASS-187-1
US-PATENT-CLASS-187-20
US-PATENT-CLASS-187-95
US-PATENT-CLASS-254-190
US-PATENT-3,666,051
c15 N72-25454 NASA-CASE-MSC-12233-1
US-PATENT-APPL-SN-73422
US-PATENT-CLASS-52-169
US-PATENT-CLASS-52-173
US-PATENT-CLASS-52-594
US-PATENT-3,665,669
c15 N72-25455 NASA-CASE-NPO-11095
US-PATENT-APPL-SN-19585
US-PATENT-CLASS-60-35.74A
US-PATENT-CLASS-60-258
US-PATENT-CLASS-239-424
US-PATENT-3,662,547
c15 N72-25456 NASA-CASE-NPO-11222
US-PATENT-APPL-SN-59893
US-PATENT-CLASS-310-68
US-PATENT-CLASS-310-80
US-PATENT-CLASS-310-83
US-PATENT-3,660,704
c15 N72-25457 NASA-CASE-ERC-10325
US-PATENT-APPL-SN-43884
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-158T
US-PATENT-3,665,307
c16 N72-25485 NASA-CASE-ERC-10283
US-PATENT-APPL-SN-39185
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-332-7.51
US-PATENT-3,659,225
c18 N72-25539 NASA-CASE-LEW-10424-2-2
US-PATENT-APPL-SN-15222
US-PATENT-CLASS-75-DIG.1
US-PATENT-CLASS-75-208
US-PATENT-CLASS-75-211
US-PATENT-CLASS-75-226
US-PATENT-3,653,882
c18 N72-25540 NASA-CASE-ERC-10364
US-PATENT-APPL-SN-55537
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-CLASS-161-7
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-127
US-PATENT-3,663,347
c18 N72-25541 NASA-CASE-ERC-10363
US-PATENT-APPL-SN-57253
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-CLASS-161-7
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-127
US-PATENT-3,663,346
c21 N72-25595 NASA-CASE-MSC-13397-1
US-PATENT-APPL-SN-59966
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-23A
US-PATENT-3,662,973
c23 N72-25619 NASA-CASE-NPO-10634
US-PATENT-APPL-SN-112999
US-PATENT-CLASS-62-6
US-PATENT-CLASS-62-80
US-PATENT-CLASS-62-85
US-PATENT-CLASS-62-475
US-PATENT-3,656,313
c26 N72-25679 NASA-CASE-XER-07895
US-PATENT-APPL-SN-651627
US-PATENT-CLASS-317-234J
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-CLASS-317-235B
US-PATENT-CLASS-331-107G
US-PATENT-3,667,010
c26 N72-25680 NASA-CASE-ERC-10275
US-PATENT-APPL-SN-47061
US-PATENT-CLASS-324-92
US-PATENT-CLASS-324-96
US-PATENT-CLASS-340-324R
US-PATENT-CLASS-350-150
US-PATENT-CLASS-350-160R
US-PATENT-3,667,039
c27 N72-25699 NASA-CASE-NPO-12000
US-PATENT-APPL-SN-74861
US-PATENT-CLASS-149-19
US-PATENT-CLASS-149-20
US-PATENT-CLASS-149-36
US-PATENT-CLASS-149-92
US-PATENT-3,658,608
c31 N72-25842 NASA-CASE-MSC-12372-1
US-PATENT-APPL-SN-64391
US-PATENT-CLASS-95-12.5
US-PATENT-3,662,661
c32 N72-25877 NASA-CASE-LAR-10270-1
US-PATENT-APPL-SN-60881
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-100
US-PATENT-3,665,751
c33 N72-25911 NASA-CASE-LEW-10359
US-PATENT-APPL-SN-47063
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-CLASS-62-467
US-PATENT-CLASS-102-105
US-PATENT-3,656,317
c33 N72-25913 NASA-CASE-KMS-09690
US-PATENT-APPL-SN-853641
US-PATENT-CLASS-73-15R
US-PATENT-3,665,750
c03 N72-26031 NASA-CASE-NPO-10753
US-PATENT-APPL-SN-844355
US-PATENT-CLASS-136-202
US-PATENT-3,666,566
c15 N72-26371 NASA-CASE-NPO-10244
US-PATENT-APPL-SN-43327
US-PATENT-CLASS-73-136R
US-PATENT-CLASS-308-2A
US-PATENT-3,664,185
c03 N72-27053 NASA-CASE-GSC-10344-1
US-PATENT-APPL-SN-785078
US-PATENT-CLASS-136-89
US-PATENT-3,672,999
c05 N72-27102 NASA-CASE-LAR-10365-1
US-PATENT-APPL-SN-3151
US-PATENT-CLASS-210-103
US-PATENT-CLASS-210-104
US-PATENT-CLASS-210-110
US-PATENT-CLASS-210-137
US-PATENT-3,670,890
c05 N72-27103 NASA-CASE-MSC-13648
US-PATENT-APPL-SN-87222
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.1E
US-PATENT-CLASS-128-417
US-PATENT-3,669,110
c06 N72-27144 NASA-CASE-NPO-10768-2
US-PATENT-APPL-SN-99524
US-PATENT-APPL-SN-770398
US-PATENT-CLASS-260-77.5AP
US-PATENT-CLASS-260-535H
US-PATENT-3,671,497
c06 N72-27151 NASA-CASE-NPO-10767-2
US-PATENT-APPL-SN-241061
c09 N72-27226 NASA-CASE-LEW-10330-1
US-PATENT-APPL-SN-110402
US-PATENT-CLASS-336-60
US-PATENT-CLASS-336-198
US-PATENT-CLASS-336-220
US-PATENT-3,648,209
c09 N72-27227 NASA-CASE-KSC-10644
US-PATENT-APPL-SN-114849
US-PATENT-CLASS-307-92
US-PATENT-CLASS-307-118
US-PATENT-CLASS-340-240
US-PATENT-3,673,424
c09 N72-27228 NASA-CASE-NPO-10542
US-PATENT-APPL-SN-767741

US-PATENT-CLASS-310-4
US-PATENT-3,673,440
c10 N72-27246 NASA-CASE-ERC-10015-2
US-PATENT-APPL-SN-97343
US-PATENT-APPL-SN-763744
US-PATENT-CLASS-313-309
US-PATENT-CLASS-313-336
US-PATENT-CLASS-313-351
US-PATENT-CLASS-315-36
US-PATENT-3,671,798
c11 N72-27262 NASA-CASE-MFS-20620
US-PATENT-APPL-SN-154935
US-PATENT-CLASS-73-117.1
US-PATENT-CLASS-73-432SD
US-PATENT-3,670,564
c14 N72-27408 NASA-CASE-NPO-11147
US-PATENT-APPL-SN-63195
US-PATENT-CLASS-324-79R
US-PATENT-CLASS-328-189
US-PATENT-CLASS-331-44
US-PATENT-3,670,241
c14 N72-27409 NASA-CASE-NPO-11201
US-PATENT-APPL-SN-77220
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-225
US-PATENT-CLASS-350-147
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-3,670,168
c14 N72-27410 NASA-CASE-XLE-05230
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-136-233
US-PATENT-3,671,329
c14 N72-27411 NASA-CASE-MSC-12293-1
US-PATENT-APPL-SN-59956
US-PATENT-CLASS-250-205
US-PATENT-CLASS-315-151
US-PATENT-CLASS-315-156
US-PATENT-CLASS-315-158
US-PATENT-CLASS-315-297
US-PATENT-CLASS-315-307
US-PATENT-CLASS-315-310
US-PATENT-CLASS-315-311
US-PATENT-3,670,202
c14 N72-27412 NASA-CASE-MFS-20523
US-PATENT-APPL-SN-77786
US-PATENT-CLASS-73-71.6
US-PATENT-CLASS-73-103
US-PATENT-3,670,563
c15 N72-27484 NASA-CASE-NPO-10721
US-PATENT-APPL-SN-59968
US-PATENT-CLASS-248-188.4
US-PATENT-3,669,393
c15 N72-27485 NASA-CASE-XLA-09843
US-PATENT-APPL-SN-60876
US-PATENT-CLASS-83-8
US-PATENT-CLASS-83-522
US-PATENT-CLASS-83-562
US-PATENT-CLASS-83-563
US-PATENT-CLASS-83-588
US-PATENT-3,668,956
c23 N72-27728 NASA-CASE-ARC-10160-1
US-PATENT-APPL-SN-867842
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-178-6.5
US-PATENT-CLASS-350-138
US-PATENT-3,670,097
c26 N72-27784 NASA-CASE-LAR-10836-1
US-PATENT-APPL-SN-138227
US-PATENT-CLASS-350-161
US-PATENT-3,671,105
c33 N72-27959 NASA-CASE-LAR-10800-1
US-PATENT-APPL-SN-154094
US-PATENT-CLASS-73-35
US-PATENT-3,670,559
c03 N72-28025 NASA-CASE-NPO-10633
US-PATENT-APPL-SN-885521
US-PATENT-CLASS-62-93
US-PATENT-CLASS-165-3
US-PATENT-CLASS-165-20
US-PATENT-3,675,712
c09 N72-28225 NASA-CASE-MFS-20757
US-PATENT-APPL-SN-136006
US-PATENT-CLASS-339-75MP
US-PATENT-CLASS-339-94M
US-PATENT-CLASS-339-176MP
US-PATENT-CLASS-339-218M
US-PATENT-3,670,290
c10 N72-28240 NASA-CASE-ARC-10265-1
US-PATENT-APPL-SN-64709
US-PATENT-CLASS-324-41
US-PATENT-CLASS-340-258
US-PATENT-3,676,772
c10 N72-28241 NASA-CASE-GSC-10786-1
US-PATENT-APPL-SN-773072
US-PATENT-CLASS-330-29
US-PATENT-3,533,006
c14 N72-28436 NASA-CASE-XLA-06683
US-PATENT-APPL-SN-10827
US-PATENT-CLASS-33-1SA
US-PATENT-CLASS-33-75R
US-PATENT-3,675,332
c14 N72-28437 NASA-CASE-ERC-10081
US-PATENT-APPL-SN-877990
US-PATENT-CLASS-73-355
US-PATENT-CLASS-325-363
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-343-112D
US-PATENT-3,665,467
c14 N72-28438 NASA-CASE-XLA-04980-2
US-PATENT-APPL-SN-577548
US-PATENT-APPL-SN-763040
US-PATENT-CLASS-148-187
US-PATENT-3,549,435
c15 N72-28495 NASA-CASE-MFS-14405
US-PATENT-APPL-SN-73283
US-PATENT-CLASS-74-469
US-PATENT-CLASS-214-1CM
US-PATENT-3,631,737
c15 N72-28496 NASA-CASE-MFS-20433
US-PATENT-APPL-SN-114847
US-PATENT-CLASS-52-1
US-PATENT-CLASS-52-573
US-PATENT-3,675,376
c16 N72-28521 NASA-CASE-NPO-11437
US-PATENT-APPL-SN-63144
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-3,676,787
c17 N72-28535 NASA-CASE-XLE-06461-2
US-PATENT-APPL-SN-156778
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-266-24
US-PATENT-3,675,910
c17 N72-28536 NASA-CASE-XLE-03940-2
US-PATENT-APPL-SN-539255
US-PATENT-APPL-SN-793657
US-PATENT-CLASS-29-182.5
US-PATENT-3,676,084
c26 N72-28761 NASA-CASE-NPO-11775
US-PATENT-APPL-SN-162230
US-PATENT-CLASS-29-570
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-261
US-PATENT-3,676,754
c26 N72-28762 NASA-CASE-LAR-10294-1
US-PATENT-APPL-SN-796685
US-PATENT-CLASS-29-25.42
US-PATENT-CLASS-106-39
US-PATENT-CLASS-106-46
US-PATENT-CLASS-117-212
US-PATENT-CLASS-117-217
US-PATENT-3,649,353
c09 N72-29172 NASA-CASE-LAR-10511-1
US-PATENT-APPL-SN-41345
US-PATENT-CLASS-333-24R
US-PATENT-CLASS-333-98E
US-PATENT-CLASS-333-98R
US-PATENT-3,676,809
c14 N72-29464 NASA-CASE-ARC-10017-1
US-PATENT-APPL-SN-55536
US-PATENT-CLASS-250-41.9D
US-PATENT-CLASS-250-71.5R
US-PATENT-CLASS-313-356
US-PATENT-3,676,674
c15 N72-29488 NASA-CASE-XLE-10326-2
US-PATENT-APPL-SN-54540
US-PATENT-APPL-SN-723465
US-PATENT-CLASS-277-25
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-74
US-PATENT-3,675,935
c06 N72-31140 NASA-CASE-MSC-13335-1
US-PATENT-APPL-SN-55806
US-PATENT-CLASS-55-16
US-PATENT-CLASS-55-55
US-PATENT-3,678,654
c06 N72-31141 NASA-CASE-ARC-10308-1

US-PATENT-APPL-SN-134568
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-356-51
US-PATENT-3,679,899
c08 N72-31226 NASA-CASE-NPO-11016
US-PATENT-APPL-SN-889584
US-PATENT-CLASS-235-92MT
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-151.1
US-PATENT-CLASS-323-19
US-PATENT-CLASS-340-347AD
US-PATENT-3,681,581
c09 N72-31235 NASA-CASE-ERC-10214
US-PATENT-APPL-SN-863914
US-PATENT-CLASS-343-770
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-3,680,142
c10 N72-31273 NASA-CASE-KSC-10647-1
US-PATENT-APPL-SN-774691
US-PATENT-CLASS-178-7.5E
US-PATENT-CLASS-315-22R
US-PATENT-CLASS-315-30R
US-PATENT-CLASS-330-27R
US-PATENT-3,678,191
c14 N72-31446 NASA-CASE-ERC-10087-2
US-PATENT-APPL-SN-91642
US-PATENT-APPL-SN-738315
US-PATENT-CLASS-29-588
US-PATENT-CLASS-317-234D
US-PATENT-CLASS-317-234G
US-PATENT-CLASS-317-235M
US-PATENT-CLASS-317-235R
US-PATENT-3,686,542
c15 N72-31483 NASA-CASE-LAR-10061-1
US-PATENT-APPL-SN-104047
US-PATENT-CLASS-251-86
US-PATENT-CLASS-251-331
US-PATENT-3,680,830
c21 N72-31637 NASA-CASE-GSC-10945-1
US-PATENT-APPL-SN-75431
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-26
US-PATENT-3,678,685
c07 N72-32169 NASA-CASE-NPO-11361
US-PATENT-APPL-SN-112988
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-915
US-PATENT-3,680,144
c14 N72-32452 NASA-CASE-MFS-15162
US-PATENT-APPL-SN-100639
US-PATENT-CLASS-350-79
US-PATENT-CLASS-356-241
US-PATENT-3,694,094
c15 N72-32487 NASA-CASE-LAR-10541-1
US-PATENT-APPL-SN-138229
US-PATENT-CLASS-118-49.1
US-PATENT-CLASS-204-298
US-PATENT-CLASS-219-121P
US-PATENT-CLASS-219-273
US-PATENT-3,690,291
c25 N72-32688 NASA-CASE-MFS-20589
US-PATENT-APPL-SN-103077
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-3,693,002
c04 N72-33072 NASA-CASE-ERC-10338
US-PATENT-APPL-SN-50339
US-PATENT-CLASS-23-109
US-PATENT-3,679,360
c05 N72-33096 NASA-CASE-MSC-13540-1
US-PATENT-APPL-SN-68023
US-PATENT-CLASS-99-80PS
US-PATENT-3,692,533
c07 N72-33146 NASA-CASE-MSC-12259-2
US-PATENT-APPL-SN-61895
US-PATENT-APPL-SN-853763
US-PATENT-CLASS-325-373
US-PATENT-3,694,753
c08 N72-33172 NASA-CASE-NPO-11630
US-PATENT-APPL-SN-143078
US-PATENT-CLASS-179-15.55R
US-PATENT-3,694,581
c09 N72-33204 NASA-CASE-NPO-11129
US-PATENT-APPL-SN-883523
US-PATENT-CLASS-307-262
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-24
US-PATENT-CLASS-328-155
US-PATENT-3,621,406
c09 N72-33205 NASA-CASE-GSC-10835-1
US-PATENT-APPL-SN-116778
US-PATENT-CLASS-317-101A
US-PATENT-CLASS-317-235
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-3,694,700
c10 N72-33230 NASA-CASE-GSC-11340-1
US-PATENT-APPL-SN-107379
US-PATENT-CLASS-330-12
US-PATENT-CLASS-331-115
US-PATENT-CLASS-331-116R
US-PATENT-CLASS-333-80T
US-PATENT-3,693,105
c14 N72-33377 NASA-CASE-MFS-20760
US-PATENT-APPL-SN-99174
US-PATENT-CLASS-73-85
US-PATENT-CLASS-73-141AB
US-PATENT-3,693,418
c15 N72-33476 NASA-CASE-XGS-07805
US-PATENT-APPL-SN-104884
US-PATENT-CLASS-308-10
US-PATENT-3,694,041
c15 N72-33477 NASA-CASE-NPO-11340
US-PATENT-APPL-SN-147997
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-36
US-PATENT-CLASS-137-13
US-PATENT-CLASS-137-81.5
US-PATENT-3,693,346
c24 N72-33681 NASA-CASE-LEW-10518-1
US-PATENT-APPL-SN-863280
US-PATENT-CLASS-176-11
US-PATENT-3,694,313
c25 N72-33696 NASA-CASE-GSC-11291-1
US-PATENT-APPL-SN-102412
US-PATENT-CLASS-250-83.6R
US-PATENT-3,694,655
c08 N73-12175 NASA-CASE-NPO-11406
US-PATENT-APPL-SN-95183
US-PATENT-CLASS-235-152
US-PATENT-CLASS-331-78
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,700,869
c08 N73-12176 NASA-CASE-KSC-10595
US-PATENT-APPL-SN-98772
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,697,733
c08 N73-12177 NASA-CASE-NPO-11371
US-PATENT-APPL-SN-117575
US-PATENT-CLASS-340-146.1AQ
US-PATENT-CLASS-340-146.1AV
US-PATENT-3,697,950
c09 N73-12211 NASA-CASE-ERC-10412-1
US-PATENT-APPL-SN-72024
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-11R
US-PATENT-CLASS-343-11WB
US-PATENT-3,696,418
c09 N73-12214 NASA-CASE-NPO-13091-1
US-PATENT-APPL-SN-290022
c10 N73-12244 NASA-CASE-NPO-11631
US-PATENT-APPL-SN-123253
US-PATENT-CLASS-179-1P
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-480
US-PATENT-3,700,812
c11 N73-12264 NASA-CASE-LAR-10348-1
US-PATENT-APPL-SN-70032
US-PATENT-CLASS-73-147
US-PATENT-3,695,101
c11 N73-12265 NASA-CASE-NPO-10890
US-PATENT-APPL-SN-99903
US-PATENT-CLASS-52-171
US-PATENT-CLASS-137-559
US-PATENT-CLASS-219-203
US-PATENT-CLASS-219-522
US-PATENT-3,696,833
c14 N73-12444 NASA-CASE-GSC-10903-1
US-PATENT-APPL-SN-114846
US-PATENT-CLASS-73-421.5
US-PATENT-CLASS-250-41.9G
US-PATENT-CLASS-250-41.9S

US-PATENT-3,700,893
c14 N73-12445 NASA-CASE-LAR-10728-1
US-PATENT-APPL-SN-112998
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-83R
US-PATENT-3,700,897
c14 N73-12446 NASA-CASE-NPO-11239
US-PATENT-APPL-SN-89211
US-PATENT-CLASS-356-106
US-PATENT-CLASS-356-114
US-PATENT-3,700,334
c14 N73-12447 NASA-CASE-NPO-11493
US-PATENT-APPL-SN-151413
US-PATENT-CLASS-136-224
US-PATENT-3,700,503
c15 N73-12486 NASA-CASE-KSC-10615
US-PATENT-APPL-SN-103078
US-PATENT-CLASS-62-7
US-PATENT-CLASS-62-45
US-PATENT-CLASS-244-1SB
US-PATENT-CLASS-244-135
US-PATENT-3,697,021
c15 N73-12487 NASA-CASE-FRC-10019
US-PATENT-APPL-SN-880398
US-PATENT-CLASS-204-192
US-PATENT-3,700,575
c15 N73-12488 NASA-CASE-ARC-10345-1
US-PATENT-APPL-SN-193671
US-PATENT-CLASS-74-5F
US-PATENT-CLASS-287-85R
US-PATENT-CLASS-308-2A
US-PATENT-3,700,291
c15 N73-12489 NASA-CASE-MSC-12357
US-PATENT-APPL-SN-662763
US-PATENT-CLASS-264-28
US-PATENT-CLASS-264-36
US-PATENT-CLASS-264-40
US-PATENT-CLASS-264-102
US-PATENT-3,697,630
c15 N73-12492 NASA-CASE-XLA-8914
US-PATENT-APPL-SN-810576
c15 N73-12495 NASA-CASE-NPO-13086-1
US-PATENT-APPL-SN-292477
c17 N73-12547 NASA-CASE-LAR-10539-1
US-PATENT-APPL-SN-136085
US-PATENT-CLASS-23-230R
US-PATENT-3,701,631
c18 N73-12604 NASA-CASE-MFS-20408
US-PATENT-APPL-SN-71048
US-PATENT-CLASS-161-93
US-PATENT-3,700,538
c30 N73-12884 NASA-CASE-MSC-12391
US-PATENT-APPL-SN-106465
US-PATENT-CLASS-244-155
US-PATENT-3,700,193
c02 N73-13008 NASA-CASE-GSC-11077-1
US-PATENT-APPL-SN-127618
US-PATENT-CLASS-244-32
US-PATENT-3,698,667
c05 N73-13114 NASA-CASE-MSC-13604-1
US-PATENT-APPL-SN-78717
US-PATENT-CLASS-35-22R
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-273-1E
US-PATENT-3,698,385
c06 N73-13128 NASA-CASE-GSC-11214-1
US-PATENT-APPL-SN-115134
US-PATENT-CLASS-117-35R
US-PATENT-3,702,775
c06 N73-13129 NASA-CASE-XNP-08124-2
US-PATENT-APPL-SN-97829
US-PATENT-CLASS-75-66
US-PATENT-3,702,762
c07 N73-13149 NASA-CASE-NPO-11302-1
US-PATENT-APPL-SN-70967
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-181
US-PATENT-CLASS-325-325
US-PATENT-CLASS-340-146.1
US-PATENT-3,701,894
c08 N73-13187 NASA-CASE-GSC-10975-1
US-PATENT-APPL-SN-100996
US-PATENT-CLASS-340-172.5
US-PATENT-3,702,463
c09 N73-13208 NASA-CASE-LEW-11192-1
US-PATENT-APPL-SN-198285
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-5.38
US-PATENT-3,702,951
c09 N73-13209 NASA-CASE-XLA-05099
US-PATENT-APPL-SN-98798
US-PATENT-CLASS-235-152
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-215
US-PATENT-3,700,868
c10 N73-13235 NASA-CASE-KSC-10003
US-PATENT-APPL-SN-60883
US-PATENT-CLASS-178-DIG.6
US-PATENT-CLASS-178-6
US-PATENT-CLASS-307-242
US-PATENT-CLASS-307-259
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,702,898
c11 N73-13257 NASA-CASE-LAR-10574-1
US-PATENT-APPL-SN-66206
US-PATENT-CLASS-244-1SS
US-PATENT-3,698,659
c14 N73-13415 NASA-CASE-LAR-10855-1
US-PATENT-APPL-SN-166541
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-212
US-PATENT-3,699,811
c14 N73-13416 NASA-CASE-GSC-11302-1
US-PATENT-APPL-SN-168650
US-PATENT-CLASS-73-71.6
US-PATENT-3,699,807
c14 N73-13417 NASA-CASE-XLE-05230-2
US-PATENT-APPL-SN-147099
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-29-573
US-PATENT-CLASS-29-624
US-PATENT-CLASS-136-233
US-PATENT-3,699,645
c14 N73-13418 NASA-CASE-MFS-14216
US-PATENT-APPL-SN-50208
US-PATENT-CLASS-92-49
US-PATENT-CLASS-137-81
US-PATENT-CLASS-137-487.5
US-PATENT-3,698,412
c14 N73-13420 NASA-CASE-NPO-11418-1
US-PATENT-APPL-SN-193947
US-PATENT-CLASS-333-81B
US-PATENT-CLASS-333-98R
US-PATENT-3,702,979
c14 N73-13435 NASA-CASE-GSC-11533-1
US-PATENT-APPL-SN-305013
c15 N73-13462 NASA-CASE-NPO-11479
US-PATENT-APPL-SN-170440
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-137-608
US-PATENT-CLASS-138-45
US-PATENT-CLASS-251-122
US-PATENT-3,700,005
c15 N73-13463 NASA-CASE-MFS-20317
US-PATENT-APPL-SN-67730
US-PATENT-CLASS-72-447
US-PATENT-CLASS-72-476
US-PATENT-CLASS-173-131
US-PATENT-3,699,799
c15 N73-13464 NASA-CASE-NPO-10812
US-PATENT-APPL-SN-129073
US-PATENT-CLASS-72-25E
US-PATENT-CLASS-425-113
US-PATENT-CLASS-425-133
US-PATENT-CLASS-425-176
US-PATENT-3,698,848
c15 N73-13465 NASA-CASE-LEW-10805-1
US-PATENT-APPL-SN-29917
US-PATENT-CLASS-148-11.5R
US-PATENT-3,702,791
c15 N73-13466 NASA-CASE-MFS-20944
US-PATENT-APPL-SN-148756
US-PATENT-CLASS-91-363A
US-PATENT-CLASS-91-448
US-PATENT-3,702,575
c15 N73-13467 NASA-CASE-NPO-11369
US-PATENT-APPL-SN-129072
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-37
US-PATENT-3,702,532
c16 N73-13489 NASA-CASE-HQN-10654-1
US-PATENT-APPL-SN-182978

US-PATENT-CLASS-324-.5R
US-PATENT-CLASS-331-94
US-PATENT-3,702,972
c18 N73-13562 NASA-CASE-ARC-10196-1
US-PATENT-APPL-SN-115082
US-PATENT-CLASS-260-2.5F
US-PATENT-3,702,841
c21 N73-13643 NASA-CASE-HQN-10703
US-PATENT-APPL-SN-156724
US-PATENT-CLASS-340-27NA
US-PATENT-CLASS-340-33
US-PATENT-CLASS-340-97
US-PATENT-CLASS-343-112CA
US-PATENT-3,699,511
c21 N73-13644 NASA-CASE-NPO-11481
US-PATENT-APPL-SN-134571
US-PATENT-CLASS-74-5.22
US-PATENT-CLASS-179-100.2A
US-PATENT-CLASS-340-174.1B
US-PATENT-CLASS-346-74MD
US-PATENT-CLASS-346-138
US-PATENT-3,697,968
c23 N73-13660 NASA-CASE-MFS-20809
US-PATENT-APPL-SN-173185
US-PATENT-CLASS-315-169R
US-PATENT-CLASS-315-169TV
US-PATENT-CLASS-317-101A
US-PATENT-3,700,961
c23 N73-13661 NASA-CASE-MSC-12404-1
US-PATENT-APPL-SN-142662
US-PATENT-CLASS-356-106S
US-PATENT-3,702,735
c23 N73-13662 NASA-CASE-MFS-20243
US-PATENT-APPL-SN-59894
US-PATENT-CLASS-250-51.5
US-PATENT-CLASS-250-52
US-PATENT-3,702,933
c28 N73-13773 NASA-CASE-LEW-10374-1
US-PATENT-APPL-SN-107380
US-PATENT-CLASS-60-211
US-PATENT-CLASS-60-240
US-PATENT-CLASS-60-243
US-PATENT-CLASS-137-81.5
US-PATENT-3,702,536
c31 N73-13898 NASA-CASE-LAR-10549-1
US-PATENT-APPL-SN-108824
US-PATENT-CLASS-60-291
US-PATENT-CLASS-244-139
US-PATENT-3,700,192
c32 N73-13921 NASA-CASE-MSC-12233-2
US-PATENT-APPL-SN-107298
US-PATENT-CLASS-52-284
US-PATENT-CLASS-52-594
US-PATENT-CLASS-229-DIG.11
US-PATENT-3,702,520
c07 N73-14130 NASA-CASE-NPO-11661
US-PATENT-APPL-SN-200682
US-PATENT-CLASS-343-782
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-915
US-PATENT-3,705,406
c09 N73-14214 NASA-CASE-ARC-10467-1
US-PATENT-APPL-SN-212028
US-PATENT-CLASS-250-205
US-PATENT-CLASS-250-211J
US-PATENT-CLASS-250-217SS
US-PATENT-CLASS-307-310
US-PATENT-CLASS-307-311
US-PATENT-3,705,316
c14 N73-14427 NASA-CASE-NPO-10758
US-PATENT-APPL-SN-81096
US-PATENT-CLASS-95-12.5
US-PATENT-CLASS-95-59
US-PATENT-CLASS-352-169
US-PATENT-3,704,659
c14 N73-14428 NASA-CASE-NPO-10764-1
US-PATENT-APPL-SN-836280
US-PATENT-CLASS-252-408
US-PATENT-3,700,603
c14 N73-14429 NASA-CASE-NPO-11387
US-PATENT-APPL-SN-142719
US-PATENT-CLASS-73-57
US-PATENT-CLASS-73-60
US-PATENT-3,706,221
c15 N73-14468 NASA-CASE-LAR-10103-1
US-PATENT-APPL-SN-103230
US-PATENT-CLASS-29-203V
US-PATENT-CLASS-219-101
US-PATENT-CLASS-219-119
US-PATENT-3,705,288
c15 N73-14469 NASA-CASE-GSC-10791-1
US-PATENT-APPL-SN-84289
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-591
US-PATENT-CLASS-174-52S
US-PATENT-CLASS-317-234A
US-PATENT-CLASS-317-234G
US-PATENT-3,705,255
c18 N73-14584 NASA-CASE-LAR-10894-1
US-PATENT-APPL-SN-189375
US-PATENT-CLASS-106-39R
US-PATENT-CLASS-106-55
US-PATENT-CLASS-106-58
US-PATENT-CLASS-106-63
US-PATENT-CLASS-264-DIG.36
US-PATENT-CLASS-264-65
US-PATENT-3,706,583
c21 N73-14692 NASA-CASE-ERC-10392
US-PATENT-APPL-SN-36534
US-PATENT-CLASS-340-27AT
US-PATENT-3,706,970
c31 N73-14853 NASA-CASE-GSC-10590-1
US-PATENT-APPL-SN-130353
US-PATENT-CLASS-102-49.5
US-PATENT-3,706,281
c31 N73-14854 NASA-CASE-MSC-12433
US-PATENT-APPL-SN-103551
US-PATENT-CLASS-244-155
US-PATENT-3,702,688
c31 N73-14855 NASA-CASE-NPO-10680
US-PATENT-APPL-SN-104048
US-PATENT-CLASS-74-2
US-PATENT-3,706,230
c09 N73-15235 NASA-CASE-NPO-12106
US-PATENT-APPL-SN-175881
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235AG
US-PATENT-CLASS-317-235K
US-PATENT-CLASS-331-90
US-PATENT-CLASS-331-107G
US-PATENT-CLASS-331-177R
US-PATENT-3,694,771
c06 N73-16106 NASA-CASE-LAR-10668-1
US-PATENT-APPL-SN-172459
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-250-71R
US-PATENT-CLASS-250-83.3UV
US-PATENT-3,709,663
c07 N73-16121 NASA-CASE-NPO-11572
US-PATENT-APPL-SN-125234
US-PATENT-CLASS-179-15AB
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-325-60
US-PATENT-CLASS-343-200
US-PATENT-3,710,257
c10 N73-16205 NASA-CASE-NPO-11282
US-PATENT-APPL-SN-101354
US-PATENT-CLASS-325-346
US-PATENT-CLASS-325-419
US-PATENT-3,710,261
c10 N73-16206 NASA-CASE-ERC-10285
US-PATENT-APPL-SN-55333
US-PATENT-CLASS-331-45
US-PATENT-CLASS-343-100R
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-853
US-PATENT-3,710,329
c14 N73-16483 NASA-CASE-ERC-10226-1
US-PATENT-APPL-SN-124909
US-PATENT-APPL-SN-808822
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-215
US-PATENT-CLASS-250-217
US-PATENT-CLASS-315-153
US-PATENT-CLASS-340-25
US-PATENT-CLASS-340-27R
US-PATENT-3,708,671
c14 N73-16484 NASA-CASE-LAR-10739-1
US-PATENT-APPL-SN-134567
US-PATENT-CLASS-250-217F
US-PATENT-CLASS-340-228S
US-PATENT-CLASS-340-418
US-PATENT-3,708,674
c16 N73-16536 NASA-CASE-LAR-10311-1
US-PATENT-APPL-SN-31702

US-PATENT-CLASS-331-94.5
US-PATENT-3,517,328
c12 N71-18615 NASA-CASE-XNP-09704
US-PATENT-APPL-SN-730701
US-PATENT-CLASS-137-594
US-PATENT-CLASS-138-46
US-PATENT-CLASS-251-61.1
US-PATENT-CLASS-251-127
US-PATENT-CLASS-251-333
US-PATENT-CLASS-251-342
US-PATENT-3,532,118
c15 N71-18616 NASA-CASE-XLA-07390
US-PATENT-APPL-SN-665681
US-PATENT-CLASS-72-53
US-PATENT-3,531,964
c14 N71-18625 NASA-CASE-NPO-10175
US-PATENT-APPL-SN-685787
US-PATENT-CLASS-137-505.12
US-PATENT-3,443,583
c08 N71-18692 NASA-CASE-MFS-14322
US-PATENT-APPL-SN-646934
US-PATENT-CLASS-328-134
US-PATENT-3,501,701
c08 N71-18693 NASA-CASE-XGS-04765
US-PATENT-APPL-SN-577545
US-PATENT-CLASS-235-156
US-PATENT-3,508,036
c08 N71-18694 NASA-CASE-NPO-10201
US-PATENT-APPL-SN-691738
US-PATENT-CLASS-340-174
US-PATENT-3,509,551
c03 N71-18698 NASA-CASE-NPO-10373
US-PATENT-APPL-SN-718752
US-PATENT-CLASS-136-89
US-PATENT-3,507,706
c14 N71-18699 NASA-CASE-XLA-03273
US-PATENT-APPL-SN-487352
US-PATENT-CLASS-250-83.3
US-PATENT-3,456,702
c15 N71-18701 NASA-CASE-XMF-07587
US-PATENT-APPL-SN-649359
US-PATENT-CLASS-317-122
US-PATENT-3,448,346
c09 N71-18720 NASA-CASE-MSC-12101
US-PATENT-APPL-SN-763705
US-PATENT-CLASS-343-718
US-PATENT-3,509,570
c09 N71-18721 NASA-CASE-XER-07894
US-PATENT-APPL-SN-644444
US-PATENT-CLASS-331-107
US-PATENT-3,509,491
c10 N71-18722 NASA-CASE-ERC-10046
US-PATENT-APPL-SN-793772
US-PATENT-CLASS-343-100
US-PATENT-3,501,764
c10 N71-18723 NASA-CASE-XNP-09450
US-PATENT-APPL-SN-640459
US-PATENT-CLASS-307-273
US-PATENT-3,501,649
c10 N71-18724 NASA-CASE-XLA-09371
US-PATENT-APPL-SN-568160
US-PATENT-CLASS-318-257
US-PATENT-3,504,258
c08 N71-18751 NASA-CASE-XLA-07732
US-PATENT-APPL-SN-641441
US-PATENT-CLASS-307-216
US-PATENT-3,512,009
c08 N71-18752 NASA-CASE-XMF-00663
US-PATENT-APPL-SN-205470
US-PATENT-CLASS-321-5
US-PATENT-3,521,143
c10 N71-18772 NASA-CASE-GSC-10366-1
US-PATENT-APPL-SN-771523
US-PATENT-CLASS-318-138
US-PATENT-3,532,948
c11 N71-18773 NASA-CASE-XMF-07488
US-PATENT-APPL-SN-707495
US-PATENT-CLASS-35-12
US-PATENT-3,534,485
c09 N71-18830 NASA-CASE-XAC-10768
US-PATENT-APPL-SN-711970
US-PATENT-CLASS-250-83
US-PATENT-3,508,053
c09 N71-18843 NASA-CASE-XNP-03263
US-PATENT-APPL-SN-506908
US-PATENT-CLASS-340-146.1
US-PATENT-3,501,743
c21 N71-19212 NASA-CASE-MFS-20386
US-PATENT-APPL-SN-818349
US-PATENT-CLASS-356-28
US-PATENT-3,532,427
c15 N71-19213 NASA-CASE-MFS-14259
US-PATENT-APPL-SN-787410
US-PATENT-CLASS-138-43
US-PATENT-3,536,103
c15 N71-19214 NASA-CASE-MFS-20410
US-PATENT-APPL-SN-819599
US-PATENT-CLASS-244-1
US-PATENT-3,534,926
c02 N71-19287 NASA-CASE-GSC-10087-1
US-PATENT-APPL-SN-701679
US-PATENT-CLASS-343-112
US-PATENT-3,534,367
c08 N71-19288 NASA-CASE-NPO-10068
US-PATENT-APPL-SN-668969
US-PATENT-CLASS-340-172.5
US-PATENT-3,501,750
c10 N71-19417 NASA-CASE-XMS-10984-1
US-PATENT-APPL-SN-605095
US-PATENT-CLASS-340-213.1
US-PATENT-3,533,093
c10 N71-19418 NASA-CASE-GSC-10041-1
US-PATENT-APPL-SN-684209
US-PATENT-CLASS-331-113
US-PATENT-3,458,833
c08 N71-19420 NASA-CASE-XNP-09453
US-PATENT-APPL-SN-640448
US-PATENT-CLASS-226-190
US-PATENT-3,507,436
c10 N71-19421 NASA-CASE-XLA-08493
US-PATENT-APPL-SN-749148
US-PATENT-CLASS-324-72
US-PATENT-3,532,975
c14 N71-19431 NASA-CASE-XGS-02439
US-PATENT-APPL-SN-487341
US-PATENT-CLASS-324-120
US-PATENT-3,422,352
c08 N71-19432 NASA-CASE-XGS-02440
US-PATENT-APPL-SN-655677
US-PATENT-CLASS-328-42
US-PATENT-3,517,318
c07 N71-19433 NASA-CASE-MFS-13046
US-PATENT-APPL-SN-673228
US-PATENT-CLASS-178-6
US-PATENT-3,532,807
c08 N71-19435 NASA-CASE-XGS-02612
US-PATENT-APPL-SN-502743
US-PATENT-CLASS-340-347
US-PATENT-3,509,558
c07 N71-19436 NASA-CASE-XMF-09422
US-PATENT-APPL-SN-783378
US-PATENT-CLASS-174-35
US-PATENT-3,517,109
c08 N71-19437 NASA-CASE-XGS-04768
US-PATENT-APPL-SN-598119
US-PATENT-CLASS-235-158
US-PATENT-3,508,039
c03 N71-19438 NASA-CASE-XGS-05432
US-PATENT-APPL-SN-549860
US-PATENT-CLASS-320-23
US-PATENT-3,426,263
c05 N71-19439 NASA-CASE-XMS-09571
US-PATENT-APPL-SN-678700
US-PATENT-CLASS-165-46
US-PATENT-3,425,487
c05 N71-19440 NASA-CASE-XMS-01177
US-PATENT-APPL-SN-516150
US-PATENT-CLASS-250-83
US-PATENT-3,427,454
c09 N71-19449 NASA-CASE-XFR-03107
US-PATENT-APPL-SN-507257
US-PATENT-CLASS-178-6
US-PATENT-3,458,651
c09 N71-19466 NASA-CASE-XGS-02812
US-PATENT-APPL-SN-502750
US-PATENT-CLASS-330-30
US-PATENT-3,466,560
c10 N71-19467 NASA-CASE-XMF-08665
US-PATENT-APPL-SN-582609
US-PATENT-CLASS-325-63
US-PATENT-3,470,475
c10 N71-19468 NASA-CASE-XMS-05605-1
US-PATENT-APPL-SN-764812
US-PATENT-CLASS-178-69.5
US-PATENT-3,532,819
c10 N71-19469 NASA-CASE-XNP-00777
US-PATENT-APPL-SN-486573
US-PATENT-CLASS-329-122

US-PATENT-3,517,268
c09 N71-19470 NASA-CASE-XGS-05289
US-PATENT-APPL-SN-632104
US-PATENT-CLASS-331-113
US-PATENT-3,470,496
c10 N71-19471 NASA-CASE-XLE-03804
US-PATENT-APPL-SN-526631
US-PATENT-CLASS-307-235
US-PATENT-3,463,939
c10 N71-19472 NASA-CASE-XAC-04030
US-PATENT-APPL-SN-520839
US-PATENT-CLASS-328-1
US-PATENT-3,464,016
c09 N71-19479 NASA-CASE-XMS-04300
US-PATENT-APPL-SN-516158
US-PATENT-CLASS-350-275
US-PATENT-3,427,093
c09 N71-19480 NASA-CASE-XPR-05637
US-PATENT-APPL-SN-484855
US-PATENT-CLASS-235-194
US-PATENT-3,423,579
c15 N71-19485 NASA-CASE-MSC-11010
US-PATENT-APPL-SN-605090
US-PATENT-CLASS-251-31
US-PATENT-3,447,774
c15 N71-19486 NASA-CASE-XMF-08522
US-PATENT-APPL-SN-640447
US-PATENT-CLASS-219-121
US-PATENT-3,474,220
c15 N71-19489 NASA-CASE-XMF-04680
US-PATENT-APPL-SN-634040
US-PATENT-CLASS-33-147
US-PATENT-3,425,131
c07 N71-19493 NASA-CASE-XKS-08485
US-PATENT-APPL-SN-649078
US-PATENT-CLASS-343-873
US-PATENT-3,509,578
c11 N71-19494 NASA-CASE-MFS-10555
US-PATENT-APPL-SN-700984
US-PATENT-CLASS-35-12
US-PATENT-3,516,179
c09 N71-19516 NASA-CASE-XNP-06937
US-PATENT-APPL-SN-640449
US-PATENT-CLASS-330-30
US-PATENT-3,501,712
c08 N71-19544 NASA-CASE-XGS-01230
US-PATENT-APPL-SN-356488
US-PATENT-CLASS-340-347
US-PATENT-3,474,441
c03 N71-19545 NASA-CASE-NPO-10821
US-PATENT-APPL-SN-670814
US-PATENT-CLASS-136-89
US-PATENT-3,466,198
c10 N71-19547 NASA-CASE-XGS-03058
US-PATENT-APPL-SN-568987
US-PATENT-CLASS-307-289
US-PATENT-3,517,221
c14 N71-19568 NASA-CASE-MSC-10966
US-PATENT-APPL-SN-665676
US-PATENT-CLASS-250-203
US-PATENT-3,421,004
c15 N71-19569 NASA-CASE-XLA-05749
US-PATENT-APPL-SN-621714
US-PATENT-CLASS-137-582
US-PATENT-3,426,791
c15 N71-19570 NASA-CASE-XLE-05130-2
US-PATENT-APPL-SN-700586
US-PATENT-CLASS-277-25
US-PATENT-3,466,052
c09 N71-19610 NASA-CASE-NPO-10037
US-PATENT-APPL-SN-700987
US-PATENT-CLASS-200-152
US-PATENT-3,470,342
c08 N71-19687 NASA-CASE-XNP-04780
US-PATENT-APPL-SN-455477
US-PATENT-CLASS-340-347
US-PATENT-3,430,227
c08 N71-19763 NASA-CASE-XAC-06302
US-PATENT-APPL-SN-574284
US-PATENT-CLASS-325-60
US-PATENT-3,456,193
c07 N71-19773 NASA-CASE-GSC-10373-1
US-PATENT-APPL-SN-712658
US-PATENT-CLASS-325-4
US-PATENT-3,532,985
c07 N71-19854 NASA-CASE-GSC-10553-1
US-PATENT-APPL-SN-820963
US-PATENT-CLASS-343-100
US-PATENT-3,534,365
c05 N71-20268 NASA-CASE-XLA-02898
US-PATENT-APPL-SN-429932
US-PATENT-CLASS-128-1
US-PATENT-3,461,855
c03 N71-20273 NASA-CASE-NPO-10188
US-PATENT-APPL-SN-681687
US-PATENT-CLASS-244-1
US-PATENT-3,473,758
c28 N71-20330 NASA-CASE-XLE-103477-1
US-PATENT-APPL-SN-466390
US-PATENT-CLASS-60-39.36
US-PATENT-3,433,015
c15 N71-20393 NASA-CASE-MFS-06074
US-PATENT-APPL-SN-688743
US-PATENT-CLASS-228-9
US-PATENT-3,456,104
c15 N71-20395 NASA-CASE-XMF-06065
US-PATENT-APPL-SN-665679
US-PATENT-CLASS-219-275
US-PATENT-3,466,424
c31 N71-20396 NASA-CASE-XMF-08523
US-PATENT-APPL-SN-645563
US-PATENT-CLASS-244-1
US-PATENT-3,465,986
c16 N71-20400 NASA-CASE-MFS-11279
US-PATENT-APPL-SN-628094
US-PATENT-CLASS-219-121
US-PATENT-3,472,998
c03 N71-20407 NASA-CASE-NPO-10194
US-PATENT-APPL-SN-668249
US-PATENT-CLASS-136-182
US-PATENT-3,460,995
c14 N71-20427 NASA-CASE-XMS-13052
US-PATENT-APPL-SN-561223
US-PATENT-CLASS-62-268
US-PATENT-3,455,121
c14 N71-20428 NASA-CASE-XGS-04879
US-PATENT-APPL-SN-541399
US-PATENT-CLASS-324-.5
US-PATENT-3,443,208
c14 N71-20429 NASA-CASE-XLE-05260
US-PATENT-APPL-SN-674355
US-PATENT-CLASS-73-117.4
US-PATENT-3,463,001
c14 N71-20430 NASA-CASE-XLA-03645
US-PATENT-APPL-SN-600266
US-PATENT-CLASS-250-83
US-PATENT-3,450,878
c14 N71-20435 NASA-CASE-XMS-06767-1
US-PATENT-APPL-SN-716795
US-PATENT-CLASS-73-422
US-PATENT-3,438,263
c12 N71-20436 NASA-CASE-LAR-11138
US-PATENT-APPL-SN-694317
US-PATENT-CLASS-73-147
US-PATENT-3,461,721
c14 N71-20439 NASA-CASE-XAC-04886-1
US-PATENT-APPL-SN-574290
US-PATENT-CLASS-73-142
US-PATENT-3,425,272
c15 N71-20440 NASA-CASE-XNP-09770
US-PATENT-APPL-SN-700120
US-PATENT-CLASS-209-10
US-PATENT-3,472,372
c15 N71-20441 NASA-CASE-XMS-06329-1
US-PATENT-APPL-SN-688742
US-PATENT-CLASS-73-141
US-PATENT-3,472,069
c14 N71-20442 NASA-CASE-MFS-11537
US-PATENT-APPL-SN-636878
US-PATENT-CLASS-23-254
US-PATENT-3,472,629
c15 N71-20443 NASA-CASE-MFS-07369
US-PATENT-APPL-SN-640462
US-PATENT-CLASS-29-492
US-PATENT-3,473,216
c09 N71-20445 NASA-CASE-XNP-09775
US-PATENT-APPL-SN-668247
US-PATENT-CLASS-333-96
US-PATENT-3,474,357
c09 N71-20446 NASA-CASE-XLE-04250
US-PATENT-APPL-SN-621098
US-PATENT-CLASS-310-54
US-PATENT-3,447,003
c09 N71-20447 NASA-CASE-XLA-02850
US-PATENT-APPL-SN-556784
US-PATENT-CLASS-307-267
US-PATENT-3,473,050
c10 N71-20448 NASA-CASE-XNP-03744

US-PATENT-APPL-SN-547677
US-PATENT-CLASS-318-314
US-PATENT-3,424,966
c14 N71-20461 NASA-CASE-XNP-09763
US-PATENT-APPL-SN-600682
US-PATENT-CLASS-117-6
US-PATENT-3,433,662
c03 N71-20491 NASA-CASE-XGS-05434
US-PATENT-APPL-SN-667636
US-PATENT-CLASS-136-182
US-PATENT-3,463,673
c03 N71-20492 NASA-CASE-XLE-04787
US-PATENT-APPL-SN-551846
US-PATENT-CLASS-136-89
US-PATENT-3,434,885
c24 N71-20518 NASA-CASE-XNP-02592
US-PATENT-APPL-SN-484490
US-PATENT-CLASS-324-33
US-PATENT-3,430,131
c25 N71-20563 NASA-CASE-XLA-06232
US-PATENT-APPL-SN-612740
US-PATENT-CLASS-324-58.5
US-PATENT-3,473,116
c09 N71-20569 NASA-CASE-XMS-08589-1
US-PATENT-APPL-SN-544899
US-PATENT-CLASS-324-57
US-PATENT-3,434,050
c02 N71-20570 NASA-CASE-XAC-08972
US-PATENT-APPL-SN-700174
US-PATENT-CLASS-244-76
US-PATENT-3,472,470
c08 N71-20571 NASA-CASE-XGS-04987
US-PATENT-APPL-SN-619908
US-PATENT-CLASS-315-24
US-PATENT-3,437,874
c09 N71-20658 NASA-CASE-XMS-03454
US-PATENT-APPL-SN-425363
US-PATENT-CLASS-343-915
US-PATENT-3,360,798
c09 N71-20705 NASA-CASE-XNP-01599
US-PATENT-APPL-SN-381940
US-PATENT-CLASS-117-212
US-PATENT-3,359,132
c06 N71-20717 NASA-CASE-XNP-04133
US-PATENT-APPL-SN-554949
US-PATENT-CLASS-260-2
US-PATENT-3,354,098
c05 N71-20718 NASA-CASE-XMS-04625
US-PATENT-APPL-SN-519161
US-PATENT-CLASS-244-122
US-PATENT-3,356,320
c15 N71-20739 NASA-CASE-XGS-02011
US-PATENT-APPL-SN-502693
US-PATENT-CLASS-308-9
US-PATENT-3,359,046
c15 N71-20740 NASA-CASE-XLA-01808
US-PATENT-APPL-SN-517159
US-PATENT-CLASS-74-471
US-PATENT-3,364,777
c14 N71-20741 NASA-CASE-XMS-01618
US-PATENT-APPL-SN-418362
US-PATENT-CLASS-73-29
US-PATENT-3,36C,980
c18 N71-20742 NASA-CASE-XMS-02952
US-PATENT-APPL-SN-519160
US-PATENT-CLASS-55-158
US-PATENT-3,355,861
c17 N71-20743 NASA-CASE-XNP-02786
US-PATENT-APPL-SN-466873
US-PATENT-CLASS-75-142
US-PATENT-3,347,665
c25 N71-20747 NASA-CASE-XLE-02578
US-PATENT-APPL-SN-469012
US-PATENT-CLASS-313-271
US-PATENT-3,356,885
c10 N71-20782 NASA-CASE-XGS-01784
US-PATENT-APPL-SN-396444
US-PATENT-CLASS-250-206
US-PATENT-3,348,053
c07 N71-20791 NASA-CASE-XNP-05254
US-PATENT-APPL-SN-472372
US-PATENT-CLASS-325-31
US-PATENT-3,350,643
c15 N71-20813 NASA-CASE-XMS-02184
US-PATENT-APPL-SN-608247
US-PATENT-CLASS-248-27
US-PATENT-3,361,400
c07 N71-20814 NASA-CASE-XNP-01306
US-PATENT-APPL-SN-343426
US-PATENT-CLASS-179-15
US-PATENT-3,364,311
c12 N71-20815 NASA-CASE-XNP-01779
US-PATENT-APPL-SN-521999
US-PATENT-CLASS-346-1
US-PATENT-3,357,024
c09 N71-20816 NASA-CASE-XAC-01677
US-PATENT-APPL-SN-596338
US-PATENT-CLASS-73-147
US-PATENT-3,360,988
c33 N71-20834 NASA-CASE-XMS-02009
US-PATENT-APPL-SN-455352
US-PATENT-CLASS-141-5
US-PATENT-3,349,814
c10 N71-20841 NASA-CASE-XGS-01222
US-PATENT-APPL-SN-354182
US-PATENT-CLASS-325-305
US-PATENT-3,348,152
c09 N71-20842 NASA-CASE-XNP-05381
US-PATENT-APPL-SN-568352
US-PATENT-CLASS-338-82
US-PATENT-3,350,671
c09 N71-20851 NASA-CASE-XNP-04732
US-PATENT-APPL-SN-557584
US-PATENT-CLASS-339-177
US-PATENT-3,358,264
c10 N71-20852 NASA-CASE-XGS-03502
US-PATENT-APPL-SN-584066
US-PATENT-CLASS-331-17
US-PATENT-3,361,985
c09 N71-20864 NASA-CASE-XGS-03501
US-PATENT-APPL-SN-576521
US-PATENT-CLASS-343-16
US-PATENT-3,359,555
c03 N71-20895 NASA-CASE-XNP-00826
US-PATENT-APPL-SN-327163
US-PATENT-CLASS-136-89
US-PATENT-3,346,419
c12 N71-20896 NASA-CASE-XNP-02251
US-PATENT-APPL-SN-432030
US-PATENT-CLASS-321-48
US-PATENT-3,337,790
c03 N71-20904 NASA-CASE-XLE-01645
US-PATENT-APPL-SN-342574
US-PATENT-CLASS-136-86
US-PATENT-3,357,862
c06 N71-20905 NASA-CASE-XNP-02584
US-PATENT-APPL-SN-506135
US-PATENT-CLASS-260-2
US-PATENT-3,346,515
c28 N71-20942 NASA-CASE-XNP-04389
US-PATENT-APPL-SN-523511
US-PATENT-CLASS-60-265
US-PATENT-3,353,359
c14 N71-21006 NASA-CASE-XLA-01832
US-PATENT-APPL-SN-517858
US-PATENT-CLASS-346-50
US-PATENT-3,354,462
c14 N71-21007 NASA-CASE-XMS-06236
US-PATENT-APPL-SN-482670
US-PATENT-CLASS-73-290
US-PATENT-3,355,948
c08 N71-21042 NASA-CASE-XGS-01021
US-PATENT-APPL-SN-279646
US-PATENT-CLASS-340-174.1
US-PATENT-3,327,298
c32 N71-21045 NASA-CASE-XLA-01731
US-PATENT-APPL-SN-425365
US-PATENT-CLASS-52-2
US-PATENT-3,364,631
c15 N71-21060 NASA-CASE-XLA-03660
US-PATENT-APPL-SN-482307
US-PATENT-CLASS-95-53
US-PATENT-3,361,045
c31 N71-21064 NASA-CASE-XGS-02554
US-PATENT-APPL-SN-504266
US-PATENT-CLASS-244-1
US-PATENT-3,350,034
c18 N71-21068 NASA-CASE-XNP-02888
US-PATENT-APPL-SN-409126
US-PATENT-CLASS-239-265.11
US-PATENT-3,347,465
c14 N71-21072 NASA-CASE-XAC-02981
US-PATENT-APPL-SN-464879
US-PATENT-CLASS-73-398
US-PATENT-3,352,157
c15 N71-21076 NASA-CASE-XMS-03745
US-PATENT-APPL-SN-534295
US-PATENT-CLASS-24-263

US-PATENT-3,346,929
c15 N71-21078 NASA-CASE-XNP-03459
US-PATENT-APPL-SN-457879
US-PATENT-CLASS-29-495
US-PATENT-3,357,093
c14 N71-21079 NASA-CASE-XLA-03102
US-PATENT-APPL-SN-576195
US-PATENT-CLASS-33-31
US-PATENT-3,364,578
c14 N71-21082 NASA-CASE-XGS-02629
US-PATENT-APPL-SN-500435
US-PATENT-CLASS-244-1
US-PATENT-3,350,033
c14 N71-21088 NASA-CASE-XNP-06957
US-PATENT-APPL-SN-406097
US-PATENT-CLASS-250-83.3
US-PATENT-3,348,048
c12 N71-21089 NASA-CASE-XMS-01905
US-PATENT-APPL-SN-280580
US-PATENT-CLASS-141-91
US-PATENT-3,331,404
c14 N71-21090 NASA-CASE-XLE-00787
US-PATENT-APPL-SN-330210
US-PATENT-CLASS-324-33
US-PATENT-3,346,806
c14 N71-21091 NASA-CASE-XNP-02983
US-PATENT-APPL-SN-407599
US-PATENT-CLASS-73-88.5
US-PATENT-3,350,926
c15 N71-21177 NASA-CASE-XAC-06956
US-PATENT-APPL-SN-538166
US-PATENT-CLASS-259-71
US-PATENT-3,347,531
c15 N71-21179 NASA-CASE-XLA-01401
US-PATENT-APPL-SN-382976
US-PATENT-CLASS-235-61.6
US-PATENT-3,346,724
c15 N71-21234 NASA-CASE-XKS-02582
US-PATENT-APPL-SN-424153
US-PATENT-CLASS-251-172
US-PATENT-3,327,991
c15 N71-21311 NASA-CASE-XNP-03637
US-PATENT-APPL-SN-453232
US-PATENT-CLASS-310-9.1
US-PATENT-3,359,435
c15 N71-21403 NASA-CASE-XNP-03988
US-PATENT-APPL-SN-578923
US-PATENT-CLASS-252-26
US-PATENT-3,361,666
c15 N71-21404 NASA-CASE-XLA-01262
US-PATENT-APPL-SN-386800
US-PATENT-CLASS-156-3
US-PATENT-3,356,549
c09 N71-21449 NASA-CASE-XMS-01991
US-PATENT-APPL-SN-410326
US-PATENT-CLASS-323-22
US-PATENT-3,344,340
c10 N71-21473 NASA-CASE-XGS-08679
US-PATENT-APPL-SN-312443
US-PATENT-CLASS-343-113
US-PATENT-3,340,532
c11 N71-21474 NASA-CASE-XMS-04798
US-PATENT-APPL-SN-480210
US-PATENT-CLASS-35-12
US-PATENT-3,330,052
c11 N71-21475 NASA-CASE-XLA-05378
US-PATENT-APPL-SN-484156
US-PATENT-CLASS-73-343
US-PATENT-3,331,246
c07 N71-21476 NASA-CASE-XNP-00746
US-PATENT-APPL-SN-271824
US-PATENT-CLASS-235-181
US-PATENT-3,359,409
c11 N71-21481 NASA-CASE-XLA-01326
US-PATENT-APPL-SN-422097
US-PATENT-CLASS-73-147
US-PATENT-3,345,866
c10 N71-21483 NASA-CASE-XGS-01155
US-PATENT-APPL-SN-557871
US-PATENT-CLASS-343-16
US-PATENT-3,344,425
c15 N71-21489 NASA-CASE-XNP-06914
US-PATENT-APPL-SN-590147
US-PATENT-CLASS-85-33
US-PATENT-3,352,192
c28 N71-21493 NASA-CASE-XLA-10450
US-PATENT-APPL-SN-594587
US-PATENT-CLASS-239-265.19
US-PATENT-3,347,466
c33 N71-21507 NASA-CASE-XLE-04603
US-PATENT-APPL-SN-638194
US-PATENT-CLASS-60-243
US-PATENT-3,347,046
c15 N71-21528 NASA-CASE-XLA-01446
US-PATENT-APPL-SN-400613
US-PATENT-CLASS-53-102
US-PATENT-3,336,725
c15 N71-21529 NASA-CASE-XGS-02422
US-PATENT-APPL-SN-493943
US-PATENT-CLASS-74-126
US-PATENT-3,331,255
c15 N71-21530 NASA-CASE-XMS-03722
US-PATENT-APPL-SN-487934
US-PATENT-CLASS-267-64
US-PATENT-3,330,549
c15 N71-21531 NASA-CASE-XNP-02341
US-PATENT-APPL-SN-432025
US-PATENT-CLASS-52-127
US-PATENT-3,330,082
c15 N71-21536 NASA-CASE-XMS-06876
US-PATENT-APPL-SN-605100
US-PATENT-CLASS-72-34
US-PATENT-3,345,840
c09 N71-21583 NASA-CASE-XLE-02008
US-PATENT-APPL-SN-487342
US-PATENT-CLASS-338-64
US-PATENT-3,329,918
c33 N71-21586 NASA-CASE-XLA-01794
US-PATENT-APPL-SN-464880
US-PATENT-CLASS-73-86
US-PATENT-3,357,237
c18 N71-21651 NASA-CASE-XNF-01402
US-PATENT-APPL-SN-328140
US-PATENT-CLASS-161-68
US-PATENT-3,346,442
c21 N71-21688 NASA-CASE-XNF-00684
US-PATENT-APPL-SN-260087
US-PATENT-CLASS-235-150.25
US-PATENT-3,331,951
c25 N71-21693 NASA-CASE-XLA-03103
US-PATENT-APPL-SN-531642
US-PATENT-CLASS-315-111
US-PATENT-3,333,152
c25 N71-21694 NASA-CASE-XLE-02902
US-PATENT-APPL-SN-485957
US-PATENT-CLASS-60-202
US-PATENT-3,336,748
c21 N71-21708 NASA-CASE-XLA-02551
US-PATENT-APPL-SN-416940
US-PATENT-CLASS-244-1
US-PATENT-3,329,375
c15 N71-21744 NASA-CASE-XGS-04227
US-PATENT-APPL-SN-545805
US-PATENT-CLASS-74-409
US-PATENT-3,359,819
c27 N71-21819 NASA-CASE-XLE-03494
US-PATENT-APPL-SN-529593
US-PATENT-CLASS-60-251
US-PATENT-3,345,822
c23 N71-21821 NASA-CASE-XNP-01059
US-PATENT-APPL-SN-393464
US-PATENT-CLASS-250-232
US-PATENT-3,354,320
c28 N71-21822 NASA-CASE-XNP-04124
US-PATENT-APPL-SN-498168
US-PATENT-CLASS-60-202
US-PATENT-3,345,820
c26 N71-21824 NASA-CASE-XNP-05429
US-PATENT-APPL-SN-578928
US-PATENT-CLASS-103-1
US-PATENT-3,361,067
c31 N71-21881 NASA-CASE-XNP-02595
US-PATENT-APPL-SN-502709
US-PATENT-CLASS-244-1
US-PATENT-3,333,788
c23 N71-21882 NASA-CASE-XNP-03853
US-PATENT-APPL-SN-578931
US-PATENT-CLASS-88-24
US-PATENT-3,359,855
c15 N71-22705 NASA-CASE-XGS-02884
US-PATENT-APPL-SN-432433
US-PATENT-CLASS-51-57
US-PATENT-3,341,977
c15 N71-22706 NASA-CASE-XMS-09310
US-PATENT-APPL-SN-655724
US-PATENT-CLASS-137-496
US-PATENT-3,384,111
c08 N71-22707 NASA-CASE-XNP-04067

US-PATENT-APPL-SN-466875
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,222
c08 N71-22710 NASA-CASE-XNP-02778
US-PATENT-APPL-SN-508170
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,223
c15 N71-22713 NASA-CASE-XLA-03492
US-PATENT-APPL-SN-395348
US-PATENT-CLASS-156-60
US-PATENT-3,342,653
c15 N71-22721 NASA-CASE-XMF-03212
US-PATENT-APPL-SN-577549
US-PATENT-CLASS-55-418
US-PATENT-3,385,036
c15 N71-22722 NASA-CASE-XMS-04292
US-PATENT-APPL-SN-517157
US-PATENT-CLASS-82-14
US-PATENT-3,373,640
c15 N71-22723 NASA-CASE-XMF-01083
US-PATENT-APPL-SN-432028
US-PATENT-CLASS-72-83
US-PATENT-3,340,713
c05 N71-22748 NASA-CASE-XMS-04170
US-PATENT-APPL-SN-482311
US-PATENT-CLASS-9-312
US-PATENT-3,343,189
c08 N71-22749 NASA-CASE-XNP-02748
US-PATENT-APPL-SN-420245
US-PATENT-CLASS-340-146.1
US-PATENT-3,373,404
c07 N71-22750 NASA-CASE-XNP-01735
US-PATENT-APPL-SN-408438
US-PATENT-CLASS-343-786
US-PATENT-3,373,431
c14 N71-22752 NASA-CASE-XMF-01974
US-PATENT-APPL-SN-568354
US-PATENT-CLASS-73-419
US-PATENT-3,383,922
c14 N71-22765 NASA-CASE-XLA-00934
US-PATENT-APPL-SN-326298
US-PATENT-CLASS-73-84
US-PATENT-3,339,404
c33 N71-22792 NASA-CASE-XLA-01243
US-PATENT-APPL-SN-538911
US-PATENT-CLASS-244-1
US-PATENT-3,384,324
c09 N71-22796 NASA-CASE-XKS-03381
US-PATENT-APPL-SN-437611
US-PATENT-CLASS-317-9
US-PATENT-3,340,430
c15 N71-22797 NASA-CASE-XLE-01092
US-PATENT-APPL-SN-422098
US-PATENT-CLASS-72-253
US-PATENT-3,342,055
c15 N71-22798 NASA-CASE-XMS-04178
US-PATENT-APPL-SN-511299
US-PATENT-CLASS-83-467
US-PATENT-3,367,224
c15 N71-22799 NASA-CASE-XMF-03511
US-PATENT-APPL-SN-540414
US-PATENT-CLASS-90-12
US-PATENT-3,386,337
c15 N71-22874 NASA-CASE-XLA-00188
US-PATENT-APPL-SN-254847
US-PATENT-CLASS-102-49.5
US-PATENT-3,368,486
c11 N71-22875 NASA-CASE-XAC-05333
US-PATENT-APPL-SN-546148
US-PATENT-CLASS-119-15
US-PATENT-3,367,308
c15 N71-22877 NASA-CASE-XMF-10040
US-PATENT-APPL-SN-592680
US-PATENT-CLASS-188-1
US-PATENT-3,381,778
c15 N71-22878 NASA-CASE-XMS-04545
US-PATENT-APPL-SN-508601
US-PATENT-CLASS-73-144
US-PATENT-3,381,527
c21 N71-22880 NASA-CASE-XLA-00793
US-PATENT-APPL-SN-369334
US-PATENT-CLASS-88-1
US-PATENT-3,381,569
c23 N71-22881 NASA-CASE-XLE-04222
US-PATENT-APPL-SN-512559
US-PATENT-CLASS-220-9
US-PATENT-3,379,330
c09 N71-22888 NASA-CASE-XLA-03114
US-PATENT-APPL-SN-440039
US-PATENT-CLASS-343-708
US-PATENT-3,373,430
c33 N71-22890 NASA-CASE-XLA-07728
US-PATENT-APPL-SN-538908
US-PATENT-CLASS-165-96
US-PATENT-3,374,830
c18 N71-22894 NASA-CASE-XLE-03925
US-PATENT-APPL-SN-514407
US-PATENT-CLASS-75-204
US-PATENT-3,337,337
c16 N71-22895 NASA-CASE-XMS-04269
US-PATENT-APPL-SN-516793
US-PATENT-CLASS-250-199
US-PATENT-3,341,708
c05 N71-22896 NASA-CASE-XMS-02399
US-PATENT-APPL-SN-492344
US-PATENT-CLASS-128-2.06
US-PATENT-3,384,075
c08 N71-22897 NASA-CASE-XNP-01753
US-PATENT-APPL-SN-423412
US-PATENT-CLASS-235-92
US-PATENT-3,374,339
c10 N71-22961 NASA-CASE-XMS-02159
US-PATENT-APPL-SN-534564
US-PATENT-CLASS-323-56
US-PATENT-3,365,657
c10 N71-22962 NASA-CASE-XGS-05441
US-PATENT-APPL-SN-505321
US-PATENT-CLASS-328-233
US-PATENT-3,366,886
c14 N71-22964 NASA-CASE-XLE-02024
US-PATENT-APPL-SN-422099
US-PATENT-CLASS-73-15
US-PATENT-3,365,930
c14 N71-22965 NASA-CASE-XGS-02319
US-PATENT-APPL-SN-496205
US-PATENT-CLASS-73-117
US-PATENT-3,365,941
c31 N71-22968 NASA-CASE-XLA-02050
US-PATENT-APPL-SN-568067
US-PATENT-CLASS-244-1
US-PATENT-3,386,685
c31 N71-22969 NASA-CASE-XLA-03132
US-PATENT-APPL-SN-610728
US-PATENT-CLASS-244-1
US-PATENT-3,386,686
c03 N71-22974 NASA-CASE-XGS-02630
US-PATENT-APPL-SN-494287
US-PATENT-CLASS-136-132
US-PATENT-3,382,107
c06 N71-22975 NASA-CASE-XNP-07659
US-PATENT-APPL-SN-567806
US-PATENT-CLASS-18-26
US-PATENT-3,381,339
c15 N71-22982 NASA-CASE-XLA-02809
US-PATENT-APPL-SN-554897
US-PATENT-CLASS-308-176
US-PATENT-3,397,932
c28 N71-22983 NASA-CASE-XMF-06926
US-PATENT-APPL-SN-537615
US-PATENT-CLASS-60-258
US-PATENT-3,336,754
c07 N71-22984 NASA-CASE-XMS-04312
US-PATENT-APPL-SN-521754
US-PATENT-CLASS-343-708
US-PATENT-3,384,895
c09 N71-22985 NASA-CASE-XMF-03934
US-PATENT-APPL-SN-530958
US-PATENT-CLASS-250-83.3
US-PATENT-3,379,885
c10 N71-22986 NASA-CASE-XMF-01892
US-PATENT-APPL-SN-464878
US-PATENT-CLASS-328-167
US-PATENT-3,375,451
c09 N71-22987 NASA-CASE-XLE-04788
US-PATENT-APPL-SN-537617
US-PATENT-CLASS-313-352
US-PATENT-3,396,303
c09 N71-22988 NASA-CASE-XGS-03304
US-PATENT-APPL-SN-483886
US-PATENT-CLASS-73-1
US-PATENT-3,381,517
c14 N71-22989 NASA-CASE-XLA-01551
US-PATENT-APPL-SN-422092
US-PATENT-CLASS-73-190
US-PATENT-3,382,714
c14 N71-22990 NASA-CASE-XMS-04201
US-PATENT-APPL-SN-507254
US-PATENT-CLASS-324-70

US-PATENT-3,379,974
c14 N71-22991 NASA-CASE-XLA-01791
US-PATENT-APPL-SN-462763
US-PATENT-CLASS-250-227
US-PATENT-3,397,318
c14 N71-22992 NASA-CASE-XGS-01023
US-PATENT-APPL-SN-446131
US-PATENT-CLASS-73-65
US-PATENT-3,377,845
c14 N71-22993 NASA-CASE-XMS-05365
US-PATENT-APPL-SN-515484
US-PATENT-CLASS-310-8.5
US-PATENT-3,387,149
c15 N71-22994 NASA-CASE-XFR-05421
US-PATENT-APPL-SN-567686
US-PATENT-CLASS-24-126
US-PATENT-3,378,892
c14 N71-22995 NASA-CASE-XNP-08680
US-PATENT-APPL-SN-562444
US-PATENT-CLASS-73-9
US-PATENT-3,376,730
c14 N71-22996 NASA-CASE-XGS-01331
US-PATENT-APPL-SN-445807
US-PATENT-CLASS-250-218
US-PATENT-3,388,258
c15 N71-22997 NASA-CASE-XNP-01641
US-PATENT-APPL-SN-464885
US-PATENT-CLASS-308-10
US-PATENT-3,378,315
c18 N71-22998 NASA-CASE-XGS-02435
US-PATENT-APPL-SN-392965
US-PATENT-CLASS-106-40
US-PATENT-3,382,082
c09 N71-22999 NASA-CASE-XLA-00781
US-PATENT-APPL-SN-307271
US-PATENT-CLASS-88-14
US-PATENT-3,364,813
c07 N71-23001 NASA-CASE-XGS-01812
US-PATENT-APPL-SN-392973
US-PATENT-CLASS-340-174.1
US-PATENT-3,380,042
c03 N71-23006 NASA-CASE-XGS-02631
US-PATENT-APPL-SN-425972
US-PATENT-CLASS-136-133
US-PATENT-3,340,099
c02 N71-23007 NASA-CASE-XNP-04163
US-PATENT-APPL-SN-424156
US-PATENT-CLASS-73-189
US-PATENT-3,340,732
c31 N71-23008 NASA-CASE-XLA-04804
US-PATENT-APPL-SN-577546
US-PATENT-CLASS-102-49.5
US-PATENT-3,384,016
c31 N71-23009 NASA-CASE-XGS-02607
US-PATENT-APPL-SN-474531
US-PATENT-CLASS-244-1
US-PATENT-3,341,151
c09 N71-23015 NASA-CASE-XGS-02751
US-PATENT-APPL-SN-491059
US-PATENT-CLASS-307-288
US-PATENT-3,374,366
c09 N71-23021 NASA-CASE-XAC-02807
US-PATENT-APPL-SN-456581
US-PATENT-CLASS-324-120
US-PATENT-3,384,820
c15 N71-23022 NASA-CASE-XMS-01625
US-PATENT-APPL-SN-418933
US-PATENT-CLASS-136-86
US-PATENT-3,389,017
c15 N71-23023 NASA-CASE-XNP-04042
US-PATENT-APPL-SN-605518
US-PATENT-CLASS-55-204
US-PATENT-3,397,512
c15 N71-23024 NASA-CASE-XNP-01747
US-PATENT-APPL-SN-413661
US-PATENT-CLASS-251-148
US-PATENT-3,341,169
c15 N71-23025 NASA-CASE-XNP-08877
US-PATENT-APPL-SN-574282
US-PATENT-CLASS-62-6
US-PATENT-3,367,121
c07 N71-23026 NASA-CASE-XNP-02791
US-PATENT-APPL-SN-390251
US-PATENT-CLASS-178-6
US-PATENT-3,383,461
c09 N71-23027 NASA-CASE-XNP-01960
US-PATENT-APPL-SN-438135
US-PATENT-CLASS-29-572
US-PATENT-3,340,599
c10 N71-23029 NASA-CASE-XGS-03427
US-PATENT-APPL-SN-500446
US-PATENT-CLASS-307-265
US-PATENT-3,383,524
c11 N71-23030 NASA-CASE-XNP-03578
US-PATENT-APPL-SN-445292
US-PATENT-CLASS-73-147
US-PATENT-3,342,066
c10 N71-23033 NASA-CASE-XNP-01318
US-PATENT-APPL-SN-380965
US-PATENT-CLASS-340-174
US-PATENT-3,388,387
c14 N71-23036 NASA-CASE-XNP-01660
US-PATENT-APPL-SN-578916
US-PATENT-CLASS-73-4
US-PATENT-3,383,903
c14 N71-23037 NASA-CASE-XAC-01662
US-PATENT-APPL-SN-385520
US-PATENT-CLASS-324-117
US-PATENT-3,365,665
c14 N71-23039 NASA-CASE-XNP-01659
US-PATENT-APPL-SN-410332
US-PATENT-CLASS-136-230
US-PATENT-3,377,208
c14 N71-23040 NASA-CASE-XNP-05535
US-PATENT-APPL-SN-487939
US-PATENT-CLASS-244-1
US-PATENT-3,339,863
c14 N71-23041 NASA-CASE-XNP-01056
US-PATENT-APPL-SN-377146
US-PATENT-CLASS-250-41.9
US-PATENT-3,340,395
c11 N71-23042 NASA-CASE-XMS-02930
US-PATENT-APPL-SN-417253
US-PATENT-CLASS-250-52
US-PATENT-3,340,397
c26 N71-23043 NASA-CASE-XNP-01959
US-PATENT-APPL-SN-410330
US-PATENT-CLASS-136-89
US-PATENT-3,396,057
c17 N71-23046 NASA-CASE-XNP-04338
US-PATENT-APPL-SN-461765
US-PATENT-CLASS-29-182.2
US-PATENT-3,421,864
c18 N71-23047 NASA-CASE-XLA-01995
US-PATENT-APPL-SN-411945
US-PATENT-CLASS-148-6.16
US-PATENT-3,395,053
c15 N71-23048 NASA-CASE-XNP-03972
US-PATENT-APPL-SN-502710
US-PATENT-CLASS-184-1
US-PATENT-3,367,445
c15 N71-23049 NASA-CASE-XNP-01049
US-PATENT-APPL-SN-506137
US-PATENT-CLASS-339-5
US-PATENT-3,375,479
c15 N71-23050 NASA-CASE-XNP-01730
US-PATENT-APPL-SN-517869
US-PATENT-CLASS-228-8
US-PATENT-3,373,914
c15 N71-23051 NASA-CASE-XAC-01158
US-PATENT-APPL-SN-420250
US-PATENT-CLASS-137-625.5
US-PATENT-3,369,564
c15 N71-23052 NASA-CASE-XLA-03497
US-PATENT-APPL-SN-392992
US-PATENT-CLASS-156-285
US-PATENT-3,373,069
c05 N71-23080 NASA-CASE-XLE-02531
US-PATENT-APPL-SN-425096
US-PATENT-CLASS-312-1
US-PATENT-3,337,279
c28 N71-23081 NASA-CASE-XNP-02923
US-PATENT-APPL-SN-494280
US-PATENT-CLASS-60-202
US-PATENT-3,367,114
c10 N71-23084 NASA-CASE-XLA-01219
US-PATENT-APPL-SN-402978
US-PATENT-CLASS-332-1
US-PATENT-3,366,894
c33 N71-23085 NASA-CASE-XFR-03802
US-PATENT-APPL-SN-460877
US-PATENT-CLASS-73-190
US-PATENT-3,367,182
c15 N71-23086 NASA-CASE-XMS-04533
US-PATENT-APPL-SN-557016
US-PATENT-CLASS-202-234
US-PATENT-3,397,117
c14 N71-23087 NASA-CASE-XNP-03918

US-PATENT-APPL-SN-510475
US-PATENT-CLASS-73-88.5
US-PATENT-3,388,590
c18 N71-23088 NASA-CASE-XNP-00597
US-PATENT-APPL-SN-410325
US-PATENT-CLASS-65-7
US-PATENT-3,337,315
c14 N71-23092 NASA-CASE-XLA-01530
US-PATENT-APPL-SN-420466
US-PATENT-CLASS-188-1
US-PATENT-3,337,004
c14 N71-23093 NASA-CASE-XLE-03280
US-PATENT-APPL-SN-517156
US-PATENT-CLASS-73-400
US-PATENT-3,379,064
c05 N71-23096 NASA-CASE-XMS-06064
US-PATENT-APPL-SN-563646
US-PATENT-CLASS-2-14
US-PATENT-3,378,851
c09 N71-23097 NASA-CASE-XNP-02140
US-PATENT-APPL-SN-440036
US-PATENT-CLASS-330-61
US-PATENT-3,337,812
c07 N71-23098 NASA-CASE-XGS-00740
US-PATENT-APPL-SN-353644
US-PATENT-CLASS-325-305
US-PATENT-3,341,778
c10 N71-23099 NASA-CASE-XNP-08875
US-PATENT-APPL-SN-640455
US-PATENT-CLASS-343-6.5
US-PATENT-3,380,049
c05 N71-23159 NASA-CASE-XMF-06589
US-PATENT-APPL-SN-543206
US-PATENT-CLASS-5-82
US-PATENT-3,343,180
c05 N71-23161 NASA-CASE-XAC-07043
US-PATENT-APPL-SN-566397
US-PATENT-CLASS-2-2.1
US-PATENT-3,405,406
c14 N71-23174 NASA-CASE-XGS-02610
US-PATENT-APPL-SN-491054
US-PATENT-CLASS-321-60
US-PATENT-3,417,316
c14 N71-23175 NASA-CASE-XKS-03509
US-PATENT-APPL-SN-566392
US-PATENT-CLASS-356-166
US-PATENT-3,414,358
c04 N71-23185 NASA-CASE-XAC-05422
US-PATENT-APPL-SN-483885
US-PATENT-CLASS-128-2.05
US-PATENT-3,412,729
c03 N71-23187 NASA-CASE-XGS-03390
US-PATENT-APPL-SN-551182
US-PATENT-CLASS-136-89
US-PATENT-3,419,433
c09 N71-23188 NASA-CASE-XMF-14301
US-PATENT-APPL-SN-697341
US-PATENT-CLASS-321-2
US-PATENT-3,470,446
c09 N71-23189 NASA-CASE-XNP-06028
US-PATENT-APPL-SN-649356
US-PATENT-CLASS-315-26
US-PATENT-3,431,460
c09 N71-23190 NASA-CASE-XLE-04501
US-PATENT-APPL-SN-522794
US-PATENT-CLASS-313-231
US-PATENT-3,413,510
c09 N71-23191 NASA-CASE-XMS-05890
US-PATENT-APPL-SN-650166
US-PATENT-CLASS-137-554
US-PATENT-3,414,012
c14 N71-23225 NASA-CASE-XNP-04817
US-PATENT-APPL-SN-516152
US-PATENT-CLASS-73-12
US-PATENT-3,412,598
c14 N71-23226 NASA-CASE-XNP-06509
US-PATENT-APPL-SN-570095
US-PATENT-CLASS-73-194
US-PATENT-3,411,356
c14 N71-23227 NASA-CASE-XNP-06515
US-PATENT-APPL-SN-548808
US-PATENT-CLASS-73-432
US-PATENT-3,408,870
c06 N71-23230 NASA-CASE-XNP-06409
US-PATENT-APPL-SN-575930
US-PATENT-CLASS-260-448.2
US-PATENT-3,433,818
c03 N71-23239 NASA-CASE-XMF-08217
US-PATENT-APPL-SN-688807
US-PATENT-CLASS-321-2
US-PATENT-3,470,443
c14 N71-23240 NASA-CASE-XLA-00941
US-PATENT-APPL-SN-508873
US-PATENT-CLASS-250-227
US-PATENT-3,407,304
c17 N71-23248 NASA-CASE-XLE-03629
US-PATENT-APPL-SN-554950
US-PATENT-CLASS-75-170
US-PATENT-3,415,643
c15 N71-23254 NASA-CASE-XPR-05302
US-PATENT-APPL-SN-685463
US-PATENT-CLASS-85-7
US-PATENT-3,443,472
c15 N71-23255 NASA-CASE-XMS-07487
US-PATENT-APPL-SN-580365
US-PATENT-CLASS-244-83
US-PATENT-3,409,252
c15 N71-23256 NASA-CASE-XMF-03290
US-PATENT-APPL-SN-479353
US-PATENT-CLASS-53-22
US-PATENT-3,415,032
c14 N71-23267 NASA-CASE-XLE-04026
US-PATENT-APPL-SN-617770
US-PATENT-CLASS-13-26
US-PATENT-3,470,304
c14 N71-23268 NASA-CASE-XLA-01907
US-PATENT-APPL-SN-335441
US-PATENT-CLASS-356-72
US-PATENT-3,419,329
c14 N71-23269 NASA-CASE-XLA-01584
US-PATENT-APPL-SN-416943
US-PATENT-CLASS-250-203
US-PATENT-3,389,260
c09 N71-23270 NASA-CASE-XMS-04919
US-PATENT-APPL-SN-516155
US-PATENT-CLASS-307-263
US-PATENT-3,417,266
c10 N71-23271 NASA-CASE-XNP-00952
US-PATENT-APPL-SN-388967
US-PATENT-CLASS-317-148.5
US-PATENT-3,417,298
c21 N71-23289 NASA-CASE-XMF-01669
US-PATENT-APPL-SN-399419
US-PATENT-CLASS-74-5.47
US-PATENT-3,415,126
c26 N71-23292 NASA-CASE-XLE-10715
US-PATENT-APPL-SN-603397
US-PATENT-CLASS-252-62.3
US-PATENT-3,409,554
c28 N71-23293 NASA-CASE-XNP-06942
US-PATENT-APPL-SN-563651
US-PATENT-CLASS-60-202
US-PATENT-3,412,559
c08 N71-23295 NASA-CASE-XNP-04819
US-PATENT-APPL-SN-502701
US-PATENT-CLASS-340-146.2
US-PATENT-3,390,378
c09 N71-23311 NASA-CASE-XGS-03632
US-PATENT-APPL-SN-502739
US-PATENT-CLASS-307-260
US-PATENT-3,390,282
c10 N71-23315 NASA-CASE-XLA-03356
US-PATENT-APPL-SN-536216
US-PATENT-CLASS-307-234
US-PATENT-3,448,290
c09 N71-23316 NASA-CASE-XMS-09352
US-PATENT-APPL-SN-564919
US-PATENT-CLASS-323-22
US-PATENT-3,417,321
c05 N71-23317 NASA-CASE-XMS-06061
US-PATENT-APPL-SN-605092
US-PATENT-CLASS-307-260
US-PATENT-3,467,837
c03 N71-23336 NASA-CASE-XGS-01513
US-PATENT-APPL-SN-502756
US-PATENT-CLASS-136-166
US-PATENT-3,390,017
c03 N71-23354 NASA-CASE-XLE-04535
US-PATENT-APPL-SN-588671
US-PATENT-CLASS-250-212
US-PATENT-3,437,818
c17 N71-23365 NASA-CASE-XNP-03063
US-PATENT-APPL-SN-521994
US-PATENT-CLASS-75-172
US-PATENT-3,413,115
c14 N71-23401 NASA-CASE-XGS-03230
US-PATENT-APPL-SN-517158
US-PATENT-CLASS-250-83

US-PATENT-3,419,992
c07 N71-23405 NASA-CASE-XGS-01537
US-PATENT-APPL-SN-432026
US-PATENT-CLASS-325-163
US-PATENT-3,417,332
c09 N71-23443 NASA-CASE-XLE-02823
US-PATENT-APPL-SN-491058
US-PATENT-CLASS-310-10
US-PATENT-3,393,332
c03 N71-23449 NASA-CASE-XLE-08569
US-PATENT-APPL-SN-641420
US-PATENT-CLASS-136-89
US-PATENT-3,472,698
c01 N71-23497 NASA-CASE-XLA-01486
US-PATENT-APPL-SN-484485
US-PATENT-CLASS-244-13
US-PATENT-3,392,936
c06 N71-23499 NASA-CASE-XNP-03835
US-PATENT-APPL-SN-456874
US-PATENT-CLASS-44-77
US-PATENT-3,393,059
c06 N71-23500 NASA-CASE-XNP-03250
US-PATENT-APPL-SN-485058
US-PATENT-CLASS-260-85.5
US-PATENT-3,419,537
c09 N71-23525 NASA-CASE-XGS-02317
US-PATENT-APPL-SN-576183
US-PATENT-CLASS-328-61
US-PATENT-3,464,018
c06 N71-23527 NASA-CASE-XLE-01997
US-PATENT-APPL-SN-427990
US-PATENT-CLASS-23-230
US-PATENT-3,472,625
c10 N71-23543 NASA-CASE-XMS-00913
US-PATENT-APPL-SN-416945
US-PATENT-CLASS-317-31
US-PATENT-3,393,347
c10 N71-23544 NASA-CASE-XNP-05382
US-PATENT-APPL-SN-536217
US-PATENT-CLASS-332-19
US-PATENT-3,393,380
c09 N71-23545 NASA-CASE-XMF-04367
US-PATENT-APPL-SN-457874
US-PATENT-CLASS-307-235
US-PATENT-3,404,289
c09 N71-23548 NASA-CASE-XNP-06507
US-PATENT-APPL-SN-605099
US-PATENT-CLASS-333-98
US-PATENT-3,419,827
c09 N71-23573 NASA-CASE-XGS-01418
US-PATENT-APPL-SN-392969
US-PATENT-CLASS-333-73
US-PATENT-3,393,384
c09 N71-23598 NASA-CASE-XER-11019
US-PATENT-APPL-SN-711971
US-PATENT-CLASS-331-78
US-PATENT-3,470,489
c22 N71-23599 NASA-CASE-XLE-01903
US-PATENT-APPL-SN-466868
US-PATENT-CLASS-310-4
US-PATENT-3,393,330
c26 N71-23654 NASA-CASE-XLE-02798
US-PATENT-APPL-SN-660571
US-PATENT-CLASS-148-1.5
US-PATENT-3,390,020
c18 N71-23658 NASA-CASE-XLE-02647
US-PATENT-APPL-SN-430226
US-PATENT-CLASS-220-9
US-PATENT-3,392,864
c10 N71-23662 NASA-CASE-XGS-01118
US-PATENT-APPL-SN-408442
US-PATENT-CLASS-235-154
US-PATENT-3,399,299
c10 N71-23663 NASA-CASE-XKS-04631
US-PATENT-APPL-SN-663180
US-PATENT-CLASS-200-82
US-PATENT-3,433,909
c10 N71-23669 NASA-CASE-XAC-10607
US-PATENT-APPL-SN-694345
US-PATENT-CLASS-331-111
US-PATENT-3,470,495
c14 N71-23698 NASA-CASE-XGS-08259
US-PATENT-APPL-SN-666551
US-PATENT-CLASS-242-192
US-PATENT-3,460,781
c14 N71-23699 NASA-CASE-XMF-10289
US-PATENT-APPL-SN-674356
US-PATENT-CLASS-324-72
US-PATENT-3,470,466
c18 N71-23710 NASA-CASE-XLE-08511
US-PATENT-APPL-SN-635972
US-PATENT-CLASS-29-182.1
US-PATENT-3,419,363
c30 N71-23723 NASA-CASE-XNP-09832
US-PATENT-APPL-SN-632163
US-PATENT-CLASS-343-100
US-PATENT-3,417,399
c14 N71-23725 NASA-CASE-XGS-01013
US-PATENT-APPL-SN-665209
US-PATENT-CLASS-73-133
US-PATENT-3,460,381
c14 N71-23726 NASA-CASE-XMF-05224
US-PATENT-APPL-SN-660842
US-PATENT-CLASS-73-189
US-PATENT-3,465,584
c14 N71-23755 NASA-CASE-XMF-04134
US-PATENT-APPL-SN-610723
US-PATENT-CLASS-73-4
US-PATENT-3,472,059
c14 N71-23790 NASA-CASE-XAC-04885
US-PATENT-APPL-SN-573432
US-PATENT-CLASS-73-141
US-PATENT-3,415,116
c14 N71-23797 NASA-CASE-XNP-06510
US-PATENT-APPL-SN-562445
US-PATENT-CLASS-250-203
US-PATENT-3,417,247
c15 N71-23798 NASA-CASE-XMF-02330
US-PATENT-APPL-SN-608944
US-PATENT-CLASS-219-130
US-PATENT-3,469,069
c15 N71-23809 NASA-CASE-XAC-10019
US-PATENT-APPL-SN-686209
US-PATENT-CLASS-74-89.18
US-PATENT-3,472,086
c15 N71-23810 NASA-CASE-XLE-05033
US-PATENT-APPL-SN-510474
US-PATENT-CLASS-252-12
US-PATENT-3,466,243
c15 N71-23811 NASA-CASE-XNP-05297
US-PATENT-APPL-SN-640458
US-PATENT-CLASS-72-354
US-PATENT-3,443,412
c15 N71-23812 NASA-CASE-XMF-07808
US-PATENT-APPL-SN-684178
US-PATENT-CLASS-308-2
US-PATENT-3,463,563
c15 N71-23815 NASA-CASE-XMF-07069
US-PATENT-APPL-SN-672382
US-PATENT-CLASS-219-125
US-PATENT-3,469,068
c15 N71-23816 NASA-CASE-XLE-03803
US-PATENT-APPL-SN-505765
US-PATENT-CLASS-220-9
US-PATENT-3,392,865
c15 N71-23817 NASA-CASE-XLE-06773
US-PATENT-APPL-SN-646124
US-PATENT-CLASS-72-467
US-PATENT-3,469,436
c17 N71-23828 NASA-CASE-XMF-02303
US-PATENT-APPL-SN-453229
US-PATENT-CLASS-148-6.20
US-PATENT-3,416,975
c31 N71-23912 NASA-CASE-XMF-05941
US-PATENT-APPL-SN-653277
US-PATENT-CLASS-244-1
US-PATENT-3,443,773
c28 N71-23968 NASA-CASE-XLE-04857
US-PATENT-APPL-SN-621742
US-PATENT-CLASS-239-127.1
US-PATENT-3,460,759
c32 N71-23971 NASA-CASE-XAC-05632
US-PATENT-APPL-SN-568355
US-PATENT-CLASS-244-77
US-PATENT-3,412,961
c23 N71-23976 NASA-CASE-XLA-01987
US-PATENT-APPL-SN-542713
US-PATENT-CLASS-346-107
US-PATENT-3,392,403
c31 N71-24035 NASA-CASE-XLA-01027
US-PATENT-APPL-SN-494283
US-PATENT-CLASS-52-272
US-PATENT-3,416,274
c15 N71-24042 NASA-CASE-XNP-04731
US-PATENT-APPL-SN-534966
US-PATENT-CLASS-103-48
US-PATENT-3,367,271
c15 N71-24043 NASA-CASE-XKS-03338

US-PATENT-APPL-SN-547072
US-PATENT-CLASS-89-1.806
US-PATENT-3,415,156
c15 N71-24044 NASA-CASE-XMF-06888
US-PATENT-APPL-SN-591000
US-PATENT-CLASS-62-40
US-PATENT-3,415,069
c15 N71-24045 NASA-CASE-XGS-04548
US-PATENT-APPL-SN-672383
US-PATENT-CLASS-74-100
US-PATENT-3,460,397
c15 N71-24046 NASA-CASE-XLE-10337
US-PATENT-APPL-SN-594633
US-PATENT-CLASS-252-26
US-PATENT-3,391,080
c15 N71-24047 NASA-CASE-XGS-03120
US-PATENT-APPL-SN-485958
US-PATENT-CLASS-156-3
US-PATENT-3,470,043
c16 N71-24074 NASA-CASE-XLA-03375
US-PATENT-APPL-SN-512562
US-PATENT-CLASS-356-104
US-PATENT-3,446,558
c17 N71-24142 NASA-CASE-XLE-06969
US-PATENT-APPL-SN-655675
US-PATENT-CLASS-148-126
US-PATENT-3,463,679
c33 N71-24145 NASA-CASE-XLE-03432
US-PATENT-APPL-SN-559349
US-PATENT-CLASS-13-35
US-PATENT-3,409,730
c05 N71-24147 NASA-CASE-XMS-10269
US-PATENT-APPL-SN-590158
US-PATENT-CLASS-165-46
US-PATENT-3,425,486
c15 N71-24164 NASA-CASE-XLA-C1494
US-PATENT-APPL-SN-499122
US-PATENT-CLASS-156-545
US-PATENT-3,416,988
c16 N71-24170 NASA-CASE-XLA-04295
US-PATENT-APPL-SN-546149
US-PATENT-CLASS-356-107
US-PATENT-3,466,609
c18 N71-24183 NASA-CASE-XGS-04799
US-PATENT-APPL-SN-452944
US-PATENT-CLASS-106-84
US-PATENT-3,416,939
c18 N71-24184 NASA-CASE-XNP-02139
US-PATENT-APPL-SN-430777
US-PATENT-CLASS-106-84
US-PATENT-3,434,855
c14 N71-24232 NASA-CASE-XAC-04458
US-PATENT-APPL-SN-534975
US-PATENT-CLASS-73-400
US-PATENT-3,392,586
c14 N71-24233 NASA-CASE-XGS-04478
US-PATENT-APPL-SN-566717
US-PATENT-CLASS-73-88.5
US-PATENT-3,460,378
c14 N71-24234 NASA-CASE-XMF-10968
US-PATENT-APPL-SN-644447
US-PATENT-CLASS-73-15.6
US-PATENT-3,469,437
c33 N71-24276 NASA-CASE-XLA-02059
US-PATENT-APPL-SN-576182
US-PATENT-CLASS-165-12
US-PATENT-3,406,742
c32 N71-24285 NASA-CASE-XMF-02392
US-PATENT-APPL-SN-596735
US-PATENT-CLASS-73-49.2
US-PATENT-3,399,574
c31 N71-24315 NASA-CASE-XLA-04901
US-PATENT-APPL-SN-586325
US-PATENT-CLASS-244-1
US-PATENT-3,405,887
c28 N71-24321 NASA-CASE-XNP-03692
US-PATENT-APPL-SN-640787
US-PATENT-CLASS-60-263
US-PATENT-3,443,384
c07 N71-24583 NASA-CASE-NPO-10096
US-PATENT-APPL-SN-730700
US-PATENT-CLASS-329-140
US-PATENT-3,533,001
c09 N71-24595 NASA-CASE-GSC-10021-1
US-PATENT-APPL-SN-790420
US-PATENT-CLASS-343-7.5
US-PATENT-3,540,045
c09 N71-24596 NASA-CASE-XNP-01306-2
US-PATENT-APPL-SN-684083
US-PATENT-CLASS-328-133
US-PATENT-3,509,475
c09 N71-24597 NASA-CASE-ARC-10132-1
US-PATENT-APPL-SN-759460
US-PATENT-CLASS-73-398
US-PATENT-3,545,275
c15 N71-24599 NASA-CASE-MSC-12052-1
US-PATENT-APPL-SN-770371
US-PATENT-CLASS-254-150
US-PATENT-CLASS-254-173
US-PATENT-CLASS-254-186
US-PATENT-3,545,725
c15 N71-24600 NASA-CASE-XGS-08718
US-PATENT-APPL-SN-785611
US-PATENT-CLASS-9-9
US-PATENT-CLASS-74-2
US-PATENT-CLASS-89-1.5
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-150
US-PATENT-3,540,676
c03 N71-24605 NASA-CASE-XNP-04758
US-PATENT-APPL-SN-557861
US-PATENT-CLASS-320-17
US-PATENT-3,413,536
c05 N71-24606 NASA-CASE-XKS-10804
US-PATENT-APPL-SN-691909
US-PATENT-CLASS-35-17
US-PATENT-3,508,347
c06 N71-24607 NASA-CASE-XNP-09699
US-PATENT-APPL-SN-711972
US-PATENT-CLASS-73-17
US-PATENT-3,546,920
c07 N71-24612 NASA-CASE-XMF-06092
US-PATENT-APPL-SN-550088
US-PATENT-CLASS-178-7.1
US-PATENT-3,470,318
c07 N71-24613 NASA-CASE-NPO-10851
US-PATENT-APPL-SN-805406
US-PATENT-CLASS-325-325
US-PATENT-3,551,816
c07 N71-24614 NASA-CASE-XKS-09340
US-PATENT-APPL-SN-666555
US-PATENT-CLASS-343-703
US-PATENT-3,540,056
c09 N71-24618 NASA-CASE-FRC-10029
US-PATENT-APPL-SN-760389
US-PATENT-CLASS-128-2.06
US-PATENT-3,547,105
c07 N71-24621 NASA-CASE-GSC-10118-1
US-PATENT-APPL-SN-783375
US-PATENT-CLASS-179-15
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-100
US-PATENT-3,546,386
c07 N71-24622 NASA-CASE-NPO-10388
US-PATENT-APPL-SN-725432
US-PATENT-CLASS-179-15
US-PATENT-CLASS-324-77
US-PATENT-3,548,107
c05 N71-24623 NASA-CASE-XMS-09635
US-PATENT-APPL-SN-586329
US-PATENT-CLASS-2-2.1
US-PATENT-3,516,091
c07 N71-24624 NASA-CASE-GSC-10131-1
US-PATENT-APPL-SN-754055
US-PATENT-CLASS-340-172.5
US-PATENT-3,546,684
c07 N71-24625 NASA-CASE-XMS-09610
US-PATENT-APPL-SN-766170
US-PATENT-CLASS-343-113
US-PATENT-3,540,054
c08 N71-24633 NASA-CASE-NPO-10567
US-PATENT-APPL-SN-679055
US-PATENT-CLASS-235-153
US-PATENT-3,517,171
c08 N71-24650 NASA-CASE-NPO-10150
US-PATENT-APPL-SN-660843
US-PATENT-CLASS-340-347
US-PATENT-3,537,103
c15 N71-24679 NASA-CASE-XNP-10475
US-PATENT-APPL-SN-763868
US-PATENT-CLASS-72-369
US-PATENT-3,546,917
c03 N71-24681 NASA-CASE-XLE-08569-2
US-PATENT-APPL-SN-829825
US-PATENT-CLASS-29-572
US-PATENT-3,541,679
c12 N71-24692 NASA-CASE-XFR-02007
US-PATENT-APPL-SN-378080

US-PATENT-CLASS-73-389
US-PATENT-3,273,399
c14 N71-24693 NASA-CASE-XMF-04415
US-PATENT-APPL-SN-644446
US-PATENT-CLASS-33-174
US-PATENT-3,360,864
c15 N71-24694 NASA-CASE-GSC-10306-1
US-PATENT-APPL-SN-769278
US-PATENT-CLASS-248-358
US-PATENT-3,537,672
c15 N71-24695 NASA-CASE-XNP-06936
US-PATENT-APPL-SN-640786
US-PATENT-CLASS-316-382
US-PATENT-3,487,281
c15 N71-24696 NASA-CASE-NPO-10173
US-PATENT-APPL-SN-796360
US-PATENT-CLASS-310-101
US-PATENT-3,535,570
c09 N71-24717 NASA-CASE-XMF-08804
US-PATENT-APPL-SN-683606
US-PATENT-CLASS-324-181
US-PATENT-3,543,159
c03 N71-24718 NASA-CASE-MSC-10960-1
US-PATENT-APPL-SN-751198
US-PATENT-CLASS-204-305
US-PATENT-3,547,801
c03 N71-24719 NASA-CASE-GSC-10487-1
US-PATENT-APPL-SN-828983
US-PATENT-CLASS-320-39
US-PATENT-3,541,422
c23 N71-24725 NASA-CASE-GSC-10188-1
US-PATENT-APPL-SN-791888
US-PATENT-CLASS-62-384
US-PATENT-3,545,226
c05 N71-24728 NASA-CASE-MSC-12243-1
US-PATENT-APPL-SN-857445
US-PATENT-CLASS-244-1
US-PATENT-3,537,668
c05 N71-24729 NASA-CASE-MSC-13282-1
US-PATENT-APPL-SN-8498
US-PATENT-CLASS-128-2.1
US-PATENT-3,548,812
c05 N71-24730 NASA-CASE-XMS-09637-1
US-PATENT-APPL-SN-785710
US-PATENT-CLASS-2-2.1
US-PATENT-3,537,107
c28 N71-24736 NASA-CASE-XLE-03157
US-PATENT-APPL-SN-591014
US-PATENT-CLASS-60-240
US-PATENT-3,406,816
c05 N71-24738 NASA-CASE-ARC-10100-1
US-PATENT-APPL-SN-797058
US-PATENT-CLASS-128-24
US-PATENT-CLASS-128-25
US-PATENT-3,550,585
c06 N71-24739 NASA-CASE-ARC-10098-1
US-PATENT-APPL-SN-702967
US-PATENT-CLASS-260-2.5
US-PATENT-3,549,564
c06 N71-24740 NASA-CASE-XMF-03074
US-PATENT-APPL-SN-593595
US-PATENT-CLASS-260-72.5
US-PATENT-3,516,971
c07 N71-24741 NASA-CASE-NPO-10118
US-PATENT-APPL-SN-704465
US-PATENT-CLASS-235-152
US-PATENT-3,541,314
c07 N71-24742 NASA-CASE-NPO-10140
US-PATENT-APPL-SN-691737
US-PATENT-CLASS-187-7.1
US-PATENT-3,541,250
c31 N71-24750 NASA-CASE-XGS-01654
US-PATENT-APPL-SN-434148
US-PATENT-CLASS-102-50
US-PATENT-3,282,541
c10 N71-24798 NASA-CASE-XLE-03061-1
US-PATENT-APPL-SN-632152
US-PATENT-CLASS-340-412
US-PATENT-3,546,694
c10 N71-24799 NASA-CASE-XNP-06505
US-PATENT-APPL-SN-562933
US-PATENT-CLASS-307-254
US-PATENT-3,501,648
c09 N71-24800 NASA-CASE-ERC-10075
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-45
US-PATENT-3,539,905
c09 N71-24803 NASA-CASE-NPO-10242
US-PATENT-APPL-SN-749181
US-PATENT-CLASS-307-88
US-PATENT-3,541,346
c09 N71-24804 NASA-CASE-GSC-10299-1
US-PATENT-APPL-SN-836367
US-PATENT-CLASS-343-100
US-PATENT-3,540,050
c09 N71-24805 NASA-CASE-XMF-06892
US-PATENT-APPL-SN-757875
US-PATENT-CLASS-318-318
US-PATENT-3,546,553
c09 N71-24806 NASA-CASE-NPO-10198
US-PATENT-APPL-SN-723804
US-PATENT-CLASS-328-165
US-PATENT-3,550,023
c09 N71-24807 NASA-CASE-MFS-14114-2
US-PATENT-APPL-SN-854815
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-107
US-PATENT-CLASS-165-138
US-PATENT-CLASS-310-4
US-PATENT-3,537,515
c09 N71-24808 NASA-CASE-XNP-08880
US-PATENT-APPL-SN-605094
US-PATENT-CLASS-333-98
US-PATENT-3,416,106
c14 N71-24809 NASA-CASE-XNP-08961
US-PATENT-APPL-SN-661170
US-PATENT-CLASS-250-84
US-PATENT-3,487,216
c31 N71-24813 NASA-CASE-XAC-06029-1
US-PATENT-APPL-SN-588651
US-PATENT-CLASS-343-100
US-PATENT-3,540,048
c16 N71-24828 NASA-CASE-XAC-10770-1
US-PATENT-APPL-SN-690997
US-PATENT-CLASS-356-28
US-PATENT-3,547,540
c17 N71-24830 NASA-CASE-XNP-04148
US-PATENT-APPL-SN-536210
US-PATENT-CLASS-204-38
US-PATENT-3,472,742
c16 N71-24831 NASA-CASE-NPO-10548
US-PATENT-APPL-SN-775072
US-PATENT-CLASS-330-4
US-PATENT-3,486,123
c16 N71-24832 NASA-CASE-ERC-10178
US-PATENT-APPL-SN-800973
US-PATENT-CLASS-331-94.5
US-PATENT-3,550,034
c15 N71-24833 NASA-CASE-XMF-03793
US-PATENT-APPL-SN-453225
US-PATENT-CLASS-72-56
US-PATENT-3,360,972
c15 N71-24834 NASA-CASE-XNP-05634
US-PATENT-APPL-SN-605096
US-PATENT-CLASS-73-95
US-PATENT-3,460,379
c15 N71-24835 NASA-CASE-NPO-10123
US-PATENT-APPL-SN-731388
US-PATENT-CLASS-128-272
US-PATENT-CLASS-128-275
US-PATENT-3,540,449
c15 N71-24836 NASA-CASE-XLE-08917-2
US-PATENT-APPL-SN-852131
US-PATENT-CLASS-72-60
US-PATENT-3,541,825
c07 N71-24840 NASA-CASE-NPO-10649
US-PATENT-APPL-SN-795182
US-PATENT-CLASS-325-113
US-PATENT-3,541,450
c09 N71-24841 NASA-CASE-XNP-09771
US-PATENT-APPL-SN-698630
US-PATENT-CLASS-333-83
US-PATENT-3,541,479
c09 N71-24842 NASA-CASE-MSC-12209
US-PATENT-APPL-SN-881039
US-PATENT-CLASS-343-797
US-PATENT-3,546,705
c09 N71-24843 NASA-CASE-XMF-06617
US-PATENT-APPL-SN-656993
US-PATENT-CLASS-324-71
US-PATENT-3,541,439
c10 N71-24844 NASA-CASE-NPO-10169
US-PATENT-APPL-SN-701733
US-PATENT-CLASS-328-171
US-PATENT-3,541,459
c23 N71-24857 NASA-CASE-XMS-06056-1
US-PATENT-APPL-SN-532006
US-PATENT-CLASS-350-189

US-PATENT-3,472,577
c33 N71-24858 NASA-CASE-MFS-10253
US-PATENT-APPL-SN-709622
US-PATENT-CLASS-161-69
US-PATENT-3,551,266
c10 N71-24861 NASA-CASE-XMF-05195
US-PATENT-APPL-SN-765595
US-PATENT-CLASS-316-599
US-PATENT-3,523,228
c10 N71-24862 NASA-CASE-ERC-10010
US-PATENT-APPL-SN-771937
US-PATENT-CLASS-307-235
US-PATENT-3,543,050
c10 N71-24863 NASA-CASE-XMF-02966
US-PATENT-APPL-SN-560968
US-PATENT-CLASS-324-70
US-PATENT-3,406,336
c14 N71-24864 NASA-CASE-XLE-04503
US-PATENT-APPL-SN-606463
US-PATENT-CLASS-250-225
US-PATENT-3,546,471
c15 N71-24865 NASA-CASE-XMF-05114-3
US-PATENT-APPL-SN-837378
US-PATENT-CLASS-72-56
US-PATENT-3,540,250
c23 N71-24868 NASA-CASE-ERC-10001
US-PATENT-APPL-SN-712099
US-PATENT-CLASS-350-310
US-PATENT-3,540,802
c15 N71-24875 NASA-CASE-XLA-06199
US-PATENT-APPL-SN-702911
US-PATENT-CLASS-148-6.11
US-PATENT-3,540,942
c33 N71-24876 NASA-CASE-XNP-05524
US-PATENT-APPL-SN-250567
US-PATENT-CLASS-165-2
US-PATENT-3,270,802
c08 N71-24890 NASA-CASE-XKS-06167
US-PATENT-APPL-SN-649076
US-PATENT-CLASS-235-155
US-PATENT-3,535,497
c08 N71-24891 NASA-CASE-XNP-09759
US-PATENT-APPL-SN-606462
US-PATENT-CLASS-235-92
US-PATENT-3,541,312
c09 N71-24892 NASA-CASE-NPO-10716
US-PATENT-APPL-SN-851394
US-PATENT-CLASS-307-104
US-PATENT-CLASS-317-123
US-PATENT-CLASS-317-148.5
US-PATENT-3,549,955
c09 N71-24893 NASA-CASE-ERC-10125
US-PATENT-APPL-SN-773029
US-PATENT-CLASS-323-56
US-PATENT-3,541,428
c15 N71-24895 NASA-CASE-XLA-07473
US-PATENT-APPL-SN-839935
US-PATENT-CLASS-318-265
US-PATENT-3,546,552
c15 N71-24896 NASA-CASE-ERC-10034
US-PATENT-APPL-SN-763706
US-PATENT-CLASS-250-43.5
US-PATENT-3,549,882
c15 N71-24897 NASA-CASE-XLA-03538
US-PATENT-APPL-SN-749149
US-PATENT-CLASS-294-83
US-PATENT-3,508,779
c15 N71-24903 NASA-CASE-MFS-20395
US-PATENT-APPL-SN-830715
US-PATENT-CLASS-285-38
US-PATENT-CLASS-285-314
US-PATENT-CLASS-285-317
US-PATENT-CLASS-285-406
US-PATENT-3,545,792
c09 N71-24904 NASA-CASE-MFS-20385
US-PATENT-APPL-SN-853716
US-PATENT-CLASS-310-10
US-PATENT-3,541,361
c15 N71-24910 NASA-CASE-ERC-10045
US-PATENT-APPL-SN-763685
US-PATENT-CLASS-73-40.7
US-PATENT-3,546,636
c17 N71-24911 NASA-CASE-XLE-04946
US-PATENT-APPL-SN-605093
US-PATENT-CLASS-118-308
US-PATENT-3,472,202
c18 N71-24934 NASA-CASE-NPO-10051
US-PATENT-APPL-SN-711898
US-PATENT-CLASS-73-38
US-PATENT-3,548,633
c21 N71-24948 NASA-CASE-ERC-10090
US-PATENT-APPL-SN-811542
US-PATENT-CLASS-343-112
US-PATENT-3,550,129
c11 N71-24964 NASA-CASE-NPO-10141
US-PATENT-APPL-SN-673227
US-PATENT-CLASS-62-55.5
US-PATENT-3,443,390
c15 N71-24984 NASA-CASE-MFS-14971
US-PATENT-APPL-SN-827575
US-PATENT-CLASS-74-468
US-PATENT-3,541,875
c11 N71-24985 NASA-CASE-KSC-10126
US-PATENT-APPL-SN-845973
US-PATENT-CLASS-73-15
US-PATENT-3,545,252
c10 N71-25139 NASA-CASE-MFS-10068
US-PATENT-APPL-SN-700541
US-PATENT-CLASS-321-9
US-PATENT-3,487,288
c28 N71-25213 NASA-CASE-GSC-10709-1
US-PATENT-APPL-SN-791288
US-PATENT-CLASS-60-202
US-PATENT-3,545,206
c33 N71-25351 NASA-CASE-MFS-14023
US-PATENT-APPL-SN-795217
US-PATENT-CLASS-52-249
US-PATENT-CLASS-52-404
US-PATENT-CLASS-62-45
US-PATENT-CLASS-161-161
US-PATENT-CLASS-220-9
US-PATENT-3,540,615
c33 N71-25353 NASA-CASE-MFS-20355
US-PATENT-APPL-SN-845974
US-PATENT-CLASS-165-104
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-133
US-PATENT-CLASS-219-378
US-PATENT-CLASS-219-530
US-PATENT-CLASS-244-1
US-PATENT-3,548,930
c32 N71-25360 NASA-CASE-XLA-08530
US-PATENT-APPL-SN-808577
US-PATENT-CLASS-73-90
US-PATENT-3,546,931
c31 N71-25434 NASA-CASE-MSC-13047-1
US-PATENT-APPL-SN-850586
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-138
US-PATENT-3,547,376
c26 N71-25490 NASA-CASE-ERC-10088
US-PATENT-APPL-SN-760927
US-PATENT-CLASS-73-141
US-PATENT-3,537,305
c24 N71-25555 NASA-CASE-XNP-09469
US-PATENT-APPL-SN-645573
US-PATENT-CLASS-204-168
US-PATENT-3,540,989
c10 N71-25865 NASA-CASE-KSC-10002
US-PATENT-APPL-SN-782956
US-PATENT-CLASS-178-69.5
US-PATENT-3,567,861
c09 N71-25866 NASA-CASE-ARC-10003-1
US-PATENT-APPL-SN-717822
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-100.2
US-PATENT-3,549,799
c18 N71-25881 NASA-CASE-XGS-05180
US-PATENT-APPL-SN-721607
US-PATENT-CLASS-260-37
US-PATENT-3,567,677
c10 N71-25882 NASA-CASE-GSC-10022-1
US-PATENT-APPL-SN-785546
US-PATENT-CLASS-331-113
US-PATENT-3,559,096
c14 N71-25892 NASA-CASE-XLA-04555-1
US-PATENT-APPL-SN-594584
US-PATENT-CLASS-148-13
US-PATENT-3,468,727
c10 N71-25899 NASA-CASE-LEW-10345-1
US-PATENT-APPL-SN-805298
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-235-201
US-PATENT-3,568,702
c10 N71-25900 NASA-CASE-ERC-10032
US-PATENT-APPL-SN-757857
US-PATENT-CLASS-333-30

US-PATENT-CLASS-333-72
US-PATENT-3,568,103
c14 N71-25901 NASA-CASE-XLA-02810
US-PATENT-APPL-SN-764252
US-PATENT-CLASS-250-43.5
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-340-233
US-PATENT-CLASS-340-285
US-PATENT-3,569,710
c17 N71-25903 NASA-CASE-XLA-08966-1
US-PATENT-APPL-SN-570678
US-PATENT-CLASS-204-33
US-PATENT-3,468,765
c16 N71-25914 NASA-CASE-XLA-03410
US-PATENT-APPL-SN-512561
US-PATENT-CLASS-250-199
US-PATENT-3,469,087
c10 N71-25917 NASA-CASE-NPO-10595
US-PATENT-APPL-SN-771760
US-PATENT-CLASS-340-347
US-PATENT-3,569,956
c06 N71-25929 NASA-CASE-NPO-10596
US-PATENT-APPL-SN-756381
US-PATENT-CLASS-260-2.5
US-PATENT-3,557,027
c10 N71-25950 NASA-CASE-XGS-06226
US-PATENT-APPL-SN-676387
US-PATENT-CLASS-331-113
US-PATENT-3,466,570
c15 N71-25975 NASA-CASE-XMS-10660-1
US-PATENT-APPL-SN-797056
US-PATENT-CLASS-24-205.17
US-PATENT-3,469,289
c09 N71-25999 NASA-CASE-XGS-05290
US-PATENT-APPL-SN-754019
US-PATENT-CLASS-310-168
US-PATENT-CLASS-310-254
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-254
US-PATENT-3,569,804
c09 N71-26000 NASA-CASE-XNP-08567
US-PATENT-APPL-SN-640783
US-PATENT-CLASS-307-88
US-PATENT-3,466,459
c09 N71-26002 NASA-CASE-XMS-04213-1
US-PATENT-APPL-SN-607484
US-PATENT-CLASS-128-2.1
US-PATENT-3,468,303
c03 N71-26084 NASA-CASE-LEW-11358
US-PATENT-APPL-SN-787906
US-PATENT-CLASS-136-6
US-PATENT-3,554,806
c10 N71-26085 NASA-CASE-GSC-10735-1
US-PATENT-APPL-SN-863963
US-PATENT-CLASS-321-2
US-PATENT-3,559,031
c09 N71-26092 NASA-CASE-XNP-07477
US-PATENT-APPL-SN-605098
US-PATENT-CLASS-318-258
US-PATENT-3,501,684
c18 N71-26100 NASA-CASE-XLA-04251
US-PATENT-APPL-SN-657742
US-PATENT-CLASS-117-104
US-PATENT-3,553,002
c07 N71-26101 NASA-CASE-NPO-10231
US-PATENT-APPL-SN-701767
US-PATENT-CLASS-343-786
US-PATENT-3,534,376
c07 N71-26102 NASA-CASE-XNP-06611
US-PATENT-APPL-SN-593607
US-PATENT-CLASS-178-6.6
US-PATENT-3,474,192
c10 N71-26103 NASA-CASE-XNP-04623
US-PATENT-APPL-SN-510150
US-PATENT-CLASS-340-146.1
US-PATENT-3,474,413
c02 N71-26110 NASA-CASE-LAR-10249-1
US-PATENT-APPL-SN-835060
US-PATENT-CLASS-244-42
US-PATENT-3,576,301
c09 N71-26133 NASA-CASE-MFS-20075
US-PATENT-APPL-SN-835059
US-PATENT-CLASS-317-101
US-PATENT-CLASS-339-17
US-PATENT-3,575,638
c15 N71-26134 NASA-CASE-XKS-07953
US-PATENT-APPL-SN-725405
US-PATENT-CLASS-51-170
US-PATENT-3,553,904
c14 N71-26135 NASA-CASE-XAC-03740
US-PATENT-APPL-SN-480211
US-PATENT-CLASS-324-43
US-PATENT-3,564,401
c14 N71-26136 NASA-CASE-XLA-01782
US-PATENT-APPL-SN-576792
US-PATENT-CLASS-73-15.6
US-PATENT-3,472,060
c14 N71-26137 NASA-CASE-LAR-10305
US-PATENT-APPL-SN-811037
US-PATENT-CLASS-324-0.5
US-PATENT-CLASS-324-58.5
US-PATENT-3,562,631
c10 N71-26142 NASA-CASE-NPO-10302
US-PATENT-APPL-SN-848811
US-PATENT-CLASS-343-768
US-PATENT-3,553,704
c15 N71-26145 NASA-CASE-PRC-10005
US-PATENT-APPL-SN-756266
US-PATENT-CLASS-33-189
US-PATENT-3,562,919
c15 N71-26148 NASA-CASE-XNP-05114-2
US-PATENT-APPL-SN-837377
US-PATENT-CLASS-72-56
US-PATENT-3,555,867
c18 N71-26153 NASA-CASE-XLE-03940
US-PATENT-APPL-SN-539255
US-PATENT-CLASS-148-126
US-PATENT-3,472,709
c16 N71-26154 NASA-CASE-ERC-10020
US-PATENT-APPL-SN-709399
US-PATENT-CLASS-350-3.5
US-PATENT-3,540,790
c18 N71-26155 NASA-CASE-LAR-10373-1
US-PATENT-APPL-SN-761007
US-PATENT-CLASS-260-2.5
US-PATENT-3,481,887
c14 N71-26161 NASA-CASE-XLA-08254
US-PATENT-APPL-SN-867843
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-79
US-PATENT-3,576,127
c15 N71-26162 NASA-CASE-MSC-15474-1
US-PATENT-APPL-SN-878731
US-PATENT-CLASS-24-263
US-PATENT-3,564,564
c28 N71-26173 NASA-CASE-LEW-10689-1
US-PATENT-APPL-SN-830978
US-PATENT-CLASS-60-202
US-PATENT-3,552,125
c07 N71-26181 NASA-CASE-MSC-12223-1
US-PATENT-APPL-SN-839941
US-PATENT-CLASS-179-1
US-PATENT-3,555,192
c09 N71-26182 NASA-CASE-NPO-10625
US-PATENT-APPL-SN-856415
US-PATENT-CLASS-60-23
US-PATENT-CLASS-313-236
US-PATENT-CLASS-313-237
US-PATENT-3,562,575
c15 N71-26185 NASA-CASE-MFS-14711
US-PATENT-APPL-SN-774266
US-PATENT-CLASS-55-75
US-PATENT-3,557,534
c15 N71-26189 NASA-CASE-XLE-09527-2
US-PATENT-APPL-SN-840870
US-PATENT-CLASS-308-187
US-PATENT-3,561,828
c14 N71-26199 NASA-CASE-NPO-10691
US-PATENT-APPL-SN-816988
US-PATENT-CLASS-73-61
US-PATENT-3,566,676
c23 N71-26206 NASA-CASE-XGS-08269
US-PATENT-APPL-SN-787393
US-PATENT-CLASS-356-76
US-PATENT-3,554,647
c15 N71-26243 NASA-CASE-MSC-10959
US-PATENT-APPL-SN-725719
US-PATENT-CLASS-188-1
US-PATENT-3,420,338
c14 N71-26244 NASA-CASE-XMS-06497
US-PATENT-APPL-SN-617778
US-PATENT-CLASS-324-115
US-PATENT-3,464,012
c14 N71-26266 NASA-CASE-XNP-09830
US-PATENT-APPL-SN-632165
US-PATENT-CLASS-324-0.5
US-PATENT-3,474,328
c18 N71-26285 NASA-CASE-MSC-12109

US-PATENT-APPL-SN-889376
US-PATENT-CLASS-2-81
US-PATENT-CLASS-2-275
US-PATENT-CLASS-112-402
US-PATENT-3,563,198
c07 N71-26291 NASA-CASE-HQN-10541-1
US-PATENT-APPL-SN-494739
US-PATENT-CLASS-350-96
US-PATENT-3,556,634
c07 N71-26292 NASA-CASE-XKS-10543
US-PATENT-APPL-SN-719870
US-PATENT-CLASS-325-67
US-PATENT-3,553,586
c05 N71-26293 NASA-CASE-XFR-07658-1
US-PATENT-APPL-SN-586324
US-PATENT-CLASS-128-2.06
US-PATENT-3,426,746
c15 N71-26294 NASA-CASE-XNP-02862-1
US-PATENT-APPL-SN-556830
US-PATENT-CLASS-277-13
US-PATENT-3,468,548
c15 N71-26312 NASA-CASE-XNP-01263-2
US-PATENT-APPL-SN-718279
US-PATENT-CLASS-287-189.365
US-PATENT-3,481,638
c10 N71-26326 NASA-CASE-NPO-10143
US-PATENT-APPL-SN-692331
US-PATENT-CLASS-58-24
US-PATENT-3,472,019
c10 N71-26331 NASA-CASE-XNP-10854
US-PATENT-APPL-SN-668248
US-PATENT-CLASS-330-31
US-PATENT-3,482,179
c05 N71-26333 NASA-CASE-XMS-09652-1
US-PATENT-APPL-SN-618969
US-PATENT-CLASS-2-6
US-PATENT-3,473,165
c10 N71-26334 NASA-CASE-XLA-02619
US-PATENT-APPL-SN-796691
US-PATENT-CLASS-317-DIG.3
US-PATENT-CLASS-317-153
US-PATENT-CLASS-340-235
US-PATENT-3,575,641
c10 N71-26339 NASA-CASE-NPO-10185
US-PATENT-APPL-SN-723805
US-PATENT-CLASS-73-432
US-PATENT-3,472,080
c15 N71-26346 NASA-CASE-XLE-05641-1
US-PATENT-APPL-SN-605091
US-PATENT-CLASS-72-61
US-PATENT-3,461,700
c10 N71-26374 NASA-CASE-GSC-11367
US-PATENT-APPL-SN-675238
US-PATENT-CLASS-331-18
US-PATENT-3,484,712
c12 N71-26387 NASA-CASE-XLA-05541
US-PATENT-APPL-SN-700986
US-PATENT-CLASS-73-301
US-PATENT-3,473,379
c10 N71-26414 NASA-CASE-XNP-04958-1
US-PATENT-APPL-SN-448365
US-PATENT-CLASS-321-69
US-PATENT-3,434,037
c10 N71-26415 NASA-CASE-NPO-10003
US-PATENT-APPL-SN-638192
US-PATENT-CLASS-330-13
US-PATENT-3,461,393
c10 N71-26418 NASA-CASE-XGS-04224
US-PATENT-APPL-SN-568364
US-PATENT-CLASS-340-174
US-PATENT-3,483,535
c10 N71-26434 NASA-CASE-XNP-01466
US-PATENT-APPL-SN-487940
US-PATENT-CLASS-340-174
US-PATENT-3,461,437
c14 N71-26474 NASA-CASE-XNP-03844-1
US-PATENT-APPL-SN-601229
US-PATENT-CLASS-95-44
US-PATENT-3,472,140
c14 N71-26475 NASA-CASE-XNP-09701
US-PATENT-APPL-SN-584015
US-PATENT-CLASS-250-83.3
US-PATENT-3,461,290
c10 N71-26531 NASA-CASE-GSC-10413
US-PATENT-APPL-SN-789043
US-PATENT-CLASS-317-20
US-PATENT-CLASS-317-33
US-PATENT-3,555,361
c31 N71-26537 NASA-CASE-GSC-10556-1
NASA-CASE-GSC-10557-1
US-PATENT-APPL-SN-808193
US-PATENT-CLASS-74-5.12
US-PATENT-CLASS-244-1
US-PATENT-CLASS-308-1
US-PATENT-3,554,466
c10 N71-26544 NASA-CASE-NPO-10344
US-PATENT-APPL-SN-732921
US-PATENT-CLASS-340-347
US-PATENT-3,566,396
c12 N71-26546 NASA-CASE-FRC-10022
US-PATENT-APPL-SN-763729
US-PATENT-CLASS-73-194
US-PATENT-3,555,898
c10 N71-26577 NASA-CASE-NPO-10214
US-PATENT-APPL-SN-704299
US-PATENT-CLASS-325-41
US-PATENT-3,566,268
c07 N71-26579 NASA-CASE-XMS-06740-1
US-PATENT-APPL-SN-554277
US-PATENT-CLASS-178-6
US-PATENT-3,470,313
c15 N71-26611 NASA-CASE-MSC-11817-1
US-PATENT-APPL-SN-7668
US-PATENT-CLASS-165-44
US-PATENT-CLASS-165-86
US-PATENT-CLASS-168-88
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-57
US-PATENT-3,563,307
c10 N71-26626 NASA-CASE-GSC-10891-1
US-PATENT-APPL-SN-568620
US-PATENT-CLASS-307-53
US-PATENT-3,480,789
c14 N71-26627 NASA-CASE-MFS-14017
US-PATENT-APPL-SN-762956
US-PATENT-CLASS-248-183
US-PATENT-CLASS-308-9
US-PATENT-3,559,937
c15 N71-26635 NASA-CASE-ERC-10022
US-PATENT-APPL-SN-874733
US-PATENT-CLASS-74-89.15
US-PATENT-CLASS-74-424.8
US-PATENT-3,576,135
c28 N71-26642 NASA-CASE-LEW-10106-1
US-PATENT-APPL-SN-758390
US-PATENT-CLASS-60-202
US-PATENT-3,552,124
c23 N71-26654 NASA-CASE-NPO-10467
US-PATENT-APPL-SN-798277
US-PATENT-CLASS-62-514
US-PATENT-3,564,866
c14 N71-26672 NASA-CASE-ERC-10033
US-PATENT-APPL-SN-801660
US-PATENT-CLASS-73-49.3
US-PATENT-3,559,460
c15 N71-26673 NASA-CASE-XAC-09489-1
US-PATENT-APPL-SN-694246
US-PATENT-CLASS-356-154
US-PATENT-3,565,530
c19 N71-26674 NASA-CASE-XGS-04173
US-PATENT-APPL-SN-658964
US-PATENT-CLASS-350-285
US-PATENT-3,560,081
c09 N71-26678 NASA-CASE-ERC-10013
US-PATENT-APPL-SN-802972
US-PATENT-CLASS-29-25.18
US-PATENT-3,562,881
c32 N71-26681 NASA-CASE-LAR-10098
US-PATENT-APPL-SN-677475
US-PATENT-CLASS-73-71.4
US-PATENT-3,564,906
c09 N71-26701 NASA-CASE-NPO-10331
US-PATENT-APPL-SN-757625
US-PATENT-CLASS-118-49.5
US-PATENT-CLASS-204-298
US-PATENT-3,556,048
c15 N71-26721 NASA-CASE-LAR-10121-1
US-PATENT-APPL-SN-766244
US-PATENT-CLASS-18-6
US-PATENT-3,562,857
c23 N71-26722 NASA-CASE-GSC-10216-1
US-PATENT-APPL-SN-756260
US-PATENT-CLASS-331-94.5
US-PATENT-3,555,455
c03 N71-26726 NASA-CASE-XNP-03413
US-PATENT-APPL-SN-640456
US-PATENT-CLASS-156-212
US-PATENT-3,565,719

c06 N71-26754 NASA-CASE-XNP-09451
US-PATENT-APPL-SN-713162
US-PATENT-CLASS-23-253
US-PATENT-3,560,161
c18 N71-26772 NASA-CASE-XMF-07770-2
US-PATENT-APPL-SN-711903
US-PATENT-CLASS-106-296
US-PATENT-3,576,656
c17 N71-26773 NASA-CASE-XNP-04262-2
US-PATENT-APPL-SN-684894
US-PATENT-CLASS-75-66
US-PATENT-3,565,607
c14 N71-26774 NASA-CASE-ERC-11020
US-PATENT-APPL-SN-686248
US-PATENT-CLASS-325-363
US-PATENT-3,564,420
c28 N71-26779 NASA-CASE-XLA-04126
US-PATENT-APPL-SN-467820
US-PATENT-CLASS-86-1
US-PATENT-CLASS-86-20.2
US-PATENT-CLASS-102-101
US-PATENT-CLASS-264-3
US-PATENT-3,570,364
c28 N71-26781 NASA-CASE-LEW-10210-1
US-PATENT-APPL-SN-804172
US-PATENT-CLASS-60-202
US-PATENT-CLASS-313-63
US-PATENT-CLASS-315-111
US-PATENT-3,576,107
c09 N71-26787 NASA-CASE-XKS-05932
US-PATENT-APPL-SN-752729
US-PATENT-CLASS-240-11.2
US-PATENT-CLASS-240-11.4
US-PATENT-CLASS-240-51.11
US-PATENT-CLASS-313-22
US-PATENT-3,564,234
c14 N71-26788 NASA-CASE-MFS-20240
US-PATENT-APPL-SN-825259
US-PATENT-CLASS-356-203
US-PATENT-3,563,668
c09 N71-27001 NASA-CASE-XGS-11177
US-PATENT-APPL-SN-828921
US-PATENT-CLASS-317-9
US-PATENT-CLASS-317-33
US-PATENT-3,571,656
c14 N71-27005 NASA-CASE-MFS-20261
US-PATENT-APPL-SN-845990
US-PATENT-CLASS-1
US-PATENT-CLASS-141-258
US-PATENT-CLASS-222-49
US-PATENT-CLASS-222-137
US-PATENT-3,568,885
c15 N71-27006 NASA-CASE-LAR-10083-1
US-PATENT-APPL-SN-837825
US-PATENT-CLASS-73-147
US-PATENT-3,572,112
c09 N71-27016 NASA-CASE-GSC-11139
US-PATENT-APPL-SN-756511
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-246
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-120
US-PATENT-CLASS-330-30
US-PATENT-3,569,744
c11 N71-27036 NASA-CASE-XNP-09770-3
US-PATENT-APPL-SN-863967
US-PATENT-CLASS-74-18.2
US-PATENT-3,574,286
c09 N71-27053 NASA-CASE-ERC-10113
US-PATENT-APPL-SN-865811
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-60
US-PATENT-3,571,699
c07 N71-27056 NASA-CASE-MSC-12205-1
US-PATENT-APPL-SN-882577
US-PATENT-CLASS-325-16
US-PATENT-CLASS-325-23
US-PATENT-CLASS-325-369
US-PATENT-CLASS-343-100
US-PATENT-CLASS-343-117
US-PATENT-CLASS-343-176
US-PATENT-3,568,197
c08 N71-27057 NASA-CASE-XLA-07828
US-PATENT-APPL-SN-770209
US-PATENT-CLASS-318-20.105
US-PATENT-CLASS-325-151.11
US-PATENT-CLASS-340-347DA
US-PATENT-3,573,797
c14 N71-27058 NASA-CASE-MSC-13276-1
US-PATENT-APPL-SN-880272
US-PATENT-CLASS-219-505
US-PATENT-3,575,585
c15 N71-27067 NASA-CASE-XKS-07814
US-PATENT-APPL-SN-672384
US-PATENT-CLASS-182-10
US-PATENT-CLASS-188-65.5
US-PATENT-3,568,795
c15 N71-27068 NASA-CASE-NPO-10796
US-PATENT-APPL-SN-815760
US-PATENT-CLASS-220-46
US-PATENT-3,568,874
c15 N71-27084 NASA-CASE-NPO-10755
US-PATENT-APPL-SN-816733
US-PATENT-CLASS-417-50
US-PATENT-3,567,339
c02 N71-27088 NASA-CASE-XLA-08967
US-PATENT-APPL-SN-837830
US-PATENT-CLASS-244-90
US-PATENT-3,570,789
c14 N71-27090 NASA-CASE-ERC-10044-1
US-PATENT-APPL-SN-811892
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-250-83.6R
US-PATENT-CLASS-324-33
US-PATENT-3,575,597
c15 N71-27091 NASA-CASE-MFS-13929
US-PATENT-APPL-SN-779847
US-PATENT-CLASS-152-225
US-PATENT-CLASS-152-250
US-PATENT-3,566,748
c28 N71-27094 NASA-CASE-GSC-10710-1
US-PATENT-APPL-SN-828909
US-PATENT-CLASS-73-117.4
US-PATENT-3,572,104
c28 N71-27095 NASA-CASE-MFS-20325
US-PATENT-APPL-SN-840176
US-PATENT-CLASS-244-1
US-PATENT-3,572,610
c10 N71-27126 NASA-CASE-LEW-10233
US-PATENT-APPL-SN-750787
US-PATENT-CLASS-307-253
US-PATENT-CLASS-307-300
US-PATENT-3,566,158
c15 N71-27135 NASA-CASE-HQN-10541-2
US-PATENT-APPL-SN-822088
US-PATENT-CLASS-219-121
US-PATENT-CLASS-331-94.5
US-PATENT-3,571,555
c10 N71-27136 NASA-CASE-GSC-10065-1
US-PATENT-APPL-SN-808462
US-PATENT-CLASS-318-571
US-PATENT-CLASS-318-653
US-PATENT-3,568,028
c10 N71-27137 NASA-CASE-XNP-06234
US-PATENT-APPL-SN-723827
US-PATENT-CLASS-235-92
US-PATENT-CLASS-328-49
US-PATENT-3,567,913
c15 N71-27146 NASA-CASE-LAR-10193-1
US-PATENT-APPL-SN-794968
US-PATENT-CLASS-188-1
US-PATENT-CLASS-188-103
US-PATENT-3,568,805
c15 N71-27147 NASA-CASE-MSC-12121-1
US-PATENT-APPL-SN-783374
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-461
US-PATENT-3,563,135
c15 N71-27169 NASA-CASE-LAR-10106-1
US-PATENT-APPL-SN-810575
US-PATENT-CLASS-188-1
US-PATENT-CLASS-310-51
US-PATENT-3,566,993
c18 N71-27170 NASA-CASE-XMF-02221
US-PATENT-APPL-SN-430192
US-PATENT-CLASS-252-301.2
US-PATENT-3,567,651
c16 N71-27183 NASA-CASE-HQN-10541-4
US-PATENT-APPL-SN-822090
US-PATENT-CLASS-250-199
US-PATENT-3,575,602
c15 N71-27184 NASA-CASE-XNP-08124
US-PATENT-APPL-SN-697075
US-PATENT-CLASS-75-63
US-PATENT-3,563,727
c14 N71-27185 NASA-CASE-NPO-10556
US-PATENT-APPL-SN-796405
US-PATENT-CLASS-73-71.6

US-PATENT-3,572,089
c14 N71-27186 NASA-CASE-XNP-03968
US-PATENT-APPL-SN-719029
US-PATENT-CLASS-60-35.6
US-PATENT-CLASS-174-110.3
US-PATENT-CLASS-324-65
US-PATENT-CLASS-340-227
US-PATENT-3,569,828
c07 N71-27191 NASA-CASE-MFS-20068
US-PATENT-APPL-SN-797795
US-PATENT-CLASS-174-28
US-PATENT-CLASS-333-95
US-PATENT-CLASS-333-96
US-PATENT-CLASS-343-884
US-PATENT-3,569,875
c08 N71-27210 NASA-CASE-GSC-10097-1
US-PATENT-APPL-SN-762957
US-PATENT-CLASS-29-603
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-340-174.1
US-PATENT-3,566,045
c15 N71-27214 NASA-CASE-XLA-08911
US-PATENT-APPL-SN-777764
US-PATENT-CLASS-219-229
US-PATENT-CLASS-228-53
US-PATENT-3,575,336
c14 N71-27215 NASA-CASE-LAR-10204
US-PATENT-APPL-SN-766245
US-PATENT-CLASS-235-92
US-PATENT-CLASS-356-106
US-PATENT-3,572,935
c09 N71-27232 NASA-CASE-NPO-10607
US-PATENT-APPL-SN-799353
US-PATENT-CLASS-250-83
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-231
US-PATENT-CLASS-317-238
US-PATENT-3,568,010
c07 N71-27233 NASA-CASE-GSC-10220-1
US-PATENT-APPL-SN-759256
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-799
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-854
US-PATENT-3,569,976
c05 N71-27234 NASA-CASE-XFR-07172
US-PATENT-APPL-SN-720041
US-PATENT-CLASS-128-2.05
US-PATENT-3,563,232
c06 N71-27254 NASA-CASE-NPO-10768
US-PATENT-APPL-SN-770398
US-PATENT-CLASS-260-615
US-PATENT-3,574,770
c08 N71-27255 NASA-CASE-NPO-12107
US-PATENT-APPL-SN-555189
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,571,801
c10 N71-27271 NASA-CASE-XLA-03893
US-PATENT-APPL-SN-779024
US-PATENT-CLASS-331-109
US-PATENT-CLASS-331-117
US-PATENT-CLASS-331-177
US-PATENT-CLASS-332-30
US-PATENT-3,569,866
c10 N71-27272 NASA-CASE-XLA-08799
US-PATENT-APPL-SN-668242
US-PATENT-CLASS-340-150
US-PATENT-CLASS-340-164
US-PATENT-CLASS-340-166
US-PATENT-CLASS-340-213
US-PATENT-CLASS-340-403
US-PATENT-3,571,800
c14 N71-27323 NASA-CASE-NPO-10810
US-PATENT-APPL-SN-805405
US-PATENT-CLASS-73-355
US-PATENT-CLASS-250-83.3
US-PATENT-3,566,122
c21 N71-27324 NASA-CASE-GSC-10555-1
US-PATENT-APPL-SN-785620
US-PATENT-CLASS-244-1
US-PATENT-3,567,155
c14 N71-27325 NASA-CASE-GSC-10441-1
US-PATENT-APPL-SN-782544
US-PATENT-CLASS-324-43
US-PATENT-3,571,760
c12 N71-27332 NASA-CASE-NPO-10416
US-PATENT-APPL-SN-754020
US-PATENT-CLASS-137-81.5
US-PATENT-3,570,513
c14 N71-27334 NASA-CASE-ERC-10087
US-PATENT-APPL-SN-738315
US-PATENT-CLASS-29-588
US-PATENT-3,566,459
c10 N71-27338 NASA-CASE-KSC-10020
US-PATENT-APPL-SN-817482
US-PATENT-CLASS-324-103
US-PATENT-CLASS-324-107
US-PATENT-CLASS-324-133
US-PATENT-CLASS-340-248
US-PATENT-3,571,707
c07 N71-27341 NASA-CASE-NPO-10343
US-PATENT-APPL-SN-750786
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-178-7.3
US-PATENT-3,566,027
c06 N71-27363 NASA-CASE-HQN-10364
US-PATENT-APPL-SN-713616
US-PATENT-CLASS-260-2
US-PATENT-3,563,918
c09 N71-27364 NASA-CASE-ERC-10065
US-PATENT-APPL-SN-777818
US-PATENT-CLASS-321-61
US-PATENT-CLASS-321-64
US-PATENT-CLASS-322-32
US-PATENT-3,571,693
c10 N71-27365 NASA-CASE-NPO-10251
US-PATENT-APPL-SN-774265
US-PATENT-CLASS-35-19
US-PATENT-3,570,143
c10 N71-27366 NASA-CASE-GSC-10114-1
US-PATENT-APPL-SN-796370
US-PATENT-CLASS-317-33
US-PATENT-CLASS-321-12
US-PATENT-3,571,662
c15 N71-27372 NASA-CASE-NPO-10070
US-PATENT-APPL-SN-780064
US-PATENT-CLASS-23-259
US-PATENT-3,565,584
c18 N71-27397 NASA-CASE-XNP-02500
US-PATENT-APPL-SN-508169
US-PATENT-CLASS-324-58.5
US-PATENT-CLASS-324-61
US-PATENT-3,569,827
c14 N71-27407 NASA-CASE-GSC-10376-1
US-PATENT-APPL-SN-806226
US-PATENT-CLASS-307-126
US-PATENT-CLASS-323-20
US-PATENT-3,566,143
c15 N71-27432 NASA-CASE-NPO-10808
US-PATENT-APPL-SN-808192
US-PATENT-CLASS-60-243
US-PATENT-3,568,447
c28 N71-27585 NASA-CASE-MFS-20130
US-PATENT-APPL-SN-809822
US-PATENT-CLASS-244-4
US-PATENT-3,570,785
c15 N71-27754 NASA-CASE-ARC-10131-1
US-PATENT-APPL-SN-808576
US-PATENT-CLASS-60-51
US-PATENT-CLASS-91-361
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-448
US-PATENT-3,568,572
c33 N71-27862 NASA-CASE-MFS-14114
US-PATENT-APPL-SN-706013
US-PATENT-CLASS-310-4
US-PATENT-3,535,562
c09 N71-28421 NASA-CASE-NPO-10412
US-PATENT-APPL-SN-768470
US-PATENT-CLASS-310-4
US-PATENT-3,578,992
c07 N71-28429 NASA-CASE-MSC-13201-1
US-PATENT-APPL-SN-789903
US-PATENT-CLASS-332-29
US-PATENT-CLASS-332-30
US-PATENT-3,579,147
c07 N71-28430 NASA-CASE-GSC-10668-1
US-PATENT-APPL-SN-743525
US-PATENT-CLASS-307-296
US-PATENT-CLASS-325-185
US-PATENT-CLASS-330-40
US-PATENT-CLASS-330-124
US-PATENT-CLASS-330-200
US-PATENT-3,577,092
c15 N71-28465 NASA-CASE-ERC-10097

US-PATENT-APPL-SN-797059
US-PATENT-CLASS-308-170
US-PATENT-3,583,777
c15 N71-28467 NASA-CASE-NPO-10646
US-PATENT-APPL-SN-813488
US-PATENT-CLASS-64-18
US-PATENT-3,574,277
c09 N71-28468 NASA-CASE-ARC-10137-1
US-PATENT-APPL-SN-799013
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-328-207
US-PATENT-3,584,311
c16 N71-28554 NASA-CASE-XGS-10518
US-PATENT-APPL-SN-764470
US-PATENT-CLASS-335-216
US-PATENT-3,541,486
c03 N71-28579 NASA-CASE-LEW-11359
US-PATENT-APPL-SN-787911
US-PATENT-CLASS-136-83
US-PATENT-3,573,986
c15 N71-28582 NASA-CASE-LEW-10278-1
US-PATENT-APPL-SN-760928
US-PATENT-CLASS-117-224
US-PATENT-3,573,977
c09 N71-28618 NASA-CASE-ERC-10098
US-PATENT-APPL-SN-779169
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-54CF
US-PATENT-CLASS-178-54PE
US-PATENT-3,582,960
c05 N71-28619 NASA-CASE-ARC-10153
US-PATENT-APPL-SN-783377
US-PATENT-CLASS-35-29
US-PATENT-CLASS-104-1
US-PATENT-CLASS-104-139
US-PATENT-CLASS-119-96
US-PATENT-CLASS-238-1
US-PATENT-CLASS-248-361
US-PATENT-CLASS-272-70
US-PATENT-3,583,322
c06 N71-28620 NASA-CASE-NPO-10701
US-PATENT-APPL-SN-763355
US-PATENT-CLASS-260-47
US-PATENT-3,576,786
c11 N71-28629 NASA-CASE-KSC-10198
US-PATENT-APPL-SN-845971
US-PATENT-CLASS-73-15
US-PATENT-CLASS-73-432
US-PATENT-3,578,756
c09 N71-28691 NASA-CASE-MFS-13687
US-PATENT-APPL-SN-723488
US-PATENT-CLASS-204-30
US-PATENT-3,576,723
c18 N71-28729 NASA-CASE-LEW-10219-1
US-PATENT-APPL-SN-785780
US-PATENT-CLASS-148-126
US-PATENT-3,579,390
c10 N71-28739 NASA-CASE-XNP-01068
US-PATENT-APPL-SN-375680
US-PATENT-CLASS-307-88.5
US-PATENT-3,271,594
c15 N71-28740 NASA-CASE-XLA-09346
US-PATENT-APPL-SN-820964
US-PATENT-CLASS-73-147
US-PATENT-CLASS-356-150
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-153
US-PATENT-3,583,815
c12 N71-28741 NASA-CASE-XLE-09341
US-PATENT-APPL-SN-780065
US-PATENT-CLASS-137-81.5
US-PATENT-3,583,419
c17 N71-28747 NASA-CASE-XNP-08881
US-PATENT-APPL-SN-732922
US-PATENT-CLASS-161-89
US-PATENT-3,579,412
c22 N71-28759 NASA-CASE-LEW-10250-1
US-PATENT-APPL-SN-732455
US-PATENT-CLASS-176-45
US-PATENT-3,574,057
c11 N71-28779 NASA-CASE-XNP-00250
US-PATENT-APPL-SN-212497
US-PATENT-CLASS-181-.5
US-PATENT-3,260,326
c10 N71-28783 NASA-CASE-XMS-02182
US-PATENT-APPL-SN-516153
US-PATENT-CLASS-317-100
US-PATENT-3,317,797
c06 N71-28807 NASA-CASE-XNP-08674
US-PATENT-APPL-SN-617775
US-PATENT-CLASS-260-47
US-PATENT-3,370,039
c06 N71-28808 NASA-CASE-XNP-04023
US-PATENT-APPL-SN-470902
US-PATENT-CLASS-260-429
US-PATENT-3,396,184
c07 N71-28809 NASA-CASE-XGS-02290
US-PATENT-APPL-SN-544895
US-PATENT-CLASS-343-771
US-PATENT-3,417,400
c09 N71-28810 NASA-CASE-XNP-03916
US-PATENT-APPL-SN-535304
US-PATENT-CLASS-331-113
US-PATENT-3,325,749
c28 N71-28849 NASA-CASE-XMS-04626
US-PATENT-APPL-SN-521755
US-PATENT-CLASS-60-258
US-PATENT-3,318,096
c28 N71-28850 NASA-CASE-XNP-01954
US-PATENT-APPL-SN-372730
US-PATENT-CLASS-313-230
US-PATENT-3,328,624
c31 N71-28851 NASA-CASE-XMS-06162
US-PATENT-APPL-SN-610724
US-PATENT-CLASS-244-138
US-PATENT-3,330,510
c33 N71-28852 NASA-CASE-XNP-01310
US-PATENT-APPL-SN-379771
US-PATENT-CLASS-60-266
US-PATENT-3,279,193
c10 N71-28859 NASA-CASE-XNP-01107
US-PATENT-APPL-SN-384010
US-PATENT-CLASS-330-51
US-PATENT-3,389,346
c10 N71-28860 NASA-CASE-MSC-13492-1
US-PATENT-APPL-SN-53156
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-92
US-PATENT-CLASS-328-207
US-PATENT-3,577,014
c14 N71-28863 NASA-CASE-ERC-10014
US-PATENT-APPL-SN-815367
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-3,567,927
c09 N71-28886 NASA-CASE-MFS-14610
US-PATENT-APPL-SN-885571
US-PATENT-CLASS-318-317
US-PATENT-CLASS-318-331
US-PATENT-CLASS-318-345
US-PATENT-CLASS-318-504
US-PATENT-3,573,583
c33 N71-28892 NASA-CASE-XNP-05046
US-PATENT-APPL-SN-559350
US-PATENT-CLASS-62-45
US-PATENT-3,365,897
c07 N71-28900 NASA-CASE-XNP-02389
US-PATENT-APPL-SN-516162
US-PATENT-CLASS-343-100
US-PATENT-3,331,071
c33 N71-28903 NASA-CASE-XLA-01745
US-PATENT-APPL-SN-538907
US-PATENT-CLASS-244-1
US-PATENT-3,409,247
c28 N71-28915 NASA-CASE-LEW-10286-1
US-PATENT-APPL-SN-839994
US-PATENT-CLASS-60-39.36
US-PATENT-CLASS-60-39.65
US-PATENT-CLASS-431-352
US-PATENT-3,581,492
c08 N71-28925 NASA-CASE-XNP-01012
US-PATENT-APPL-SN-369338
US-PATENT-CLASS-340-174
US-PATENT-3,394,359
c09 N71-28926 NASA-CASE-XMS-03542
US-PATENT-APPL-SN-482952
US-PATENT-CLASS-307-263
US-PATENT-3,364,366
c28 N71-28928 NASA-CASE-XNP-00816
US-PATENT-APPL-SN-235588
US-PATENT-CLASS-253-77
US-PATENT-3,202,398
c27 N71-28929 NASA-CASE-XNP-00650
US-PATENT-APPL-SN-271823

US-PATENT-CLASS-60-39.48
US-PATENT-3,170,295
c14 N71-28933 NASA-CASE-XLA-08913
US-PATENT-APPL-SN-865109
US-PATENT-CLASS-204-263
US-PATENT-3,574,084
c14 N71-28935 NASA-CASE-LAR-10686
US-PATENT-APPL-SN-280362
US-PATENT-CLASS-226-58
US-PATENT-3,298,582
c15 N71-28936 NASA-CASE-XMS-10993
US-PATENT-APPL-SN-660573
US-PATENT-CLASS-204-1
US-PATENT-3,389,877
c15 N71-28937 NASA-CASE-XNP-01855
US-PATENT-APPL-SN-408435
US-PATENT-CLASS-285-45
US-PATENT-3,219,365
c15 N71-28951 NASA-CASE-XNP-02278
US-PATENT-APPL-SN-11853
US-PATENT-CLASS-60-35.55
US-PATENT-3,132,479
c15 N71-28952 NASA-CASE-XAC-00001
US-PATENT-APPL-SN-612568
US-PATENT-CLASS-318-31
US-PATENT-2,837,706
c14 N71-28958 NASA-CASE-XNP-02792
US-PATENT-APPL-SN-262596
US-PATENT-CLASS-219-413
US-PATENT-3,197,616
c15 N71-28959 NASA-CASE-XNP-01848
US-PATENT-APPL-SN-359532
US-PATENT-CLASS-64-27
US-PATENT-3,236,066
c10 N71-28960 NASA-CASE-XNP-00745
US-PATENT-APPL-SN-314570
US-PATENT-CLASS-328-67
US-PATENT-3,252,100
c16 N71-28963 NASA-CASE-XLA-01090
US-PATENT-APPL-SN-274065
US-PATENT-CLASS-250-199
US-PATENT-3,215,842
c07 N71-28965 NASA-CASE-GSC-10949-1
US-PATENT-APPL-SN-94369
c07 N71-28979 NASA-CASE-HQN-00937
US-PATENT-APPL-SN-343760
US-PATENT-CLASS-343-823
US-PATENT-3,299,431
c07 N71-28980 NASA-CASE-XLA-10772
US-PATENT-APPL-SN-887700
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-784
US-PATENT-CLASS-343-872
US-PATENT-3,579,242
c14 N71-28991 NASA-CASE-XLA-06713
US-PATENT-APPL-SN-863913
US-PATENT-CLASS-324-5
US-PATENT-CLASS-324-73
US-PATENT-CLASS-340-347AD
US-PATENT-3,579,103
c14 N71-28992 NASA-CASE-ERC-10150
US-PATENT-APPL-SN-822519
US-PATENT-CLASS-73-40.7
US-PATENT-CLASS-250-41.95
US-PATENT-3,576,758
c14 N71-28993 NASA-CASE-MFS-20044
US-PATENT-APPL-SN-838630
US-PATENT-CLASS-250-219
US-PATENT-CLASS-356-209
US-PATENT-3,574,470
c14 N71-28994 NASA-CASE-XER-11203
US-PATENT-APPL-SN-815366
US-PATENT-CLASS-250-218
US-PATENT-CLASS-356-103
US-PATENT-3,578,867
c09 N71-29008 NASA-CASE-MSC-11277
US-PATENT-APPL-SN-771759
US-PATENT-CLASS-317-33
US-PATENT-CLASS-317-54
US-PATENT-CLASS-317-60
US-PATENT-CLASS-317-155.5
US-PATENT-3,579,041
c15 N71-29018 NASA-CASE-XLA-08916
US-PATENT-APPL-SN-777765
US-PATENT-CLASS-29-421
US-PATENT-3,583,058
c15 N71-29032 NASA-CASE-XMF-05999
US-PATENT-APPL-SN-752946
US-PATENT-CLASS-117-212
US-PATENT-3,576,669
c08 N71-29033 NASA-CASE-GSC-10554-1
US-PATENT-APPL-SN-828984
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-150.2
US-PATENT-CLASS-235-150.27
US-PATENT-CLASS-235-151.1
US-PATENT-3,578,957
c08 N71-29034 NASA-CASE-NPO-11088
US-PATENT-APPL-SN-887701
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-222
US-PATENT-CLASS-328-44
US-PATENT-CLASS-328-167
US-PATENT-3,579,122
c09 N71-29035 NASA-CASE-LEW-10155-1
US-PATENT-APPL-SN-889387
US-PATENT-CLASS-337-114
US-PATENT-CLASS-337-121
US-PATENT-3,579,168
c18 N71-29040 NASA-CASE-XLE-10910
US-PATENT-APPL-SN-751061
US-PATENT-CLASS-148-6
US-PATENT-3,573,996
c14 N71-29041 NASA-CASE-XLA-10402
US-PATENT-APPL-SN-762935
US-PATENT-CLASS-356-76
US-PATENT-3,574,462
c03 N71-29044 NASA-CASE-XMS-02063
US-PATENT-APPL-SN-422096
US-PATENT-CLASS-136-86
US-PATENT-3,382,105
c33 N71-29046 NASA-CASE-XHQ-03673
US-PATENT-APPL-SN-559055
US-PATENT-CLASS-165-86
US-PATENT-3,347,309
c23 N71-29049 NASA-CASE-XNP-06503
US-PATENT-APPL-SN-370989
US-PATENT-CLASS-335-216
US-PATENT-3,273,094
c31 N71-29050 NASA-CASE-HQN-00936
US-PATENT-APPL-SN-862921
US-PATENT-CLASS-244-1
US-PATENT-3,396,920
c33 N71-29051 NASA-CASE-XMF-04208
US-PATENT-APPL-SN-428887
US-PATENT-CLASS-73-190
US-PATENT-3,372,588
c33 N71-29052 NASA-CASE-MSC-12389
US-PATENT-APPL-SN-229286
US-PATENT-CLASS-165-47
US-PATENT-3,212,564
c33 N71-29053 NASA-CASE-HQN-00938
US-PATENT-APPL-SN-300957
US-PATENT-CLASS-60-267
US-PATENT-3,298,175
c07 N71-29065 NASA-CASE-ERC-10011
US-PATENT-APPL-SN-802818
US-PATENT-CLASS-333-81
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-286
US-PATENT-3,574,438
c23 N71-29123 NASA-CASE-XNP-08907
US-PATENT-APPL-SN-824042
US-PATENT-CLASS-350-102
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-310
US-PATENT-3,574,448
c23 N71-29125 NASA-CASE-NPO-11087
US-PATENT-APPL-SN-840359
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-356-153
US-PATENT-3,574,467
c02 N71-29128 NASA-CASE-XAC-00048
US-PATENT-APPL-SN-765264
US-PATENT-CLASS-121-38
US-PATENT-2,898,889
c03 N71-29129 NASA-CASE-XGS-01674
US-PATENT-APPL-SN-248985
US-PATENT-CLASS-320-13
US-PATENT-3,118,100
c16 N71-29131 NASA-CASE-ERC-10151
US-PATENT-APPL-SN-853856
US-PATENT-CLASS-350-3.5
US-PATENT-3,578,838
c15 N71-29132 NASA-CASE-NPO-10431
US-PATENT-APPL-SN-865329
US-PATENT-CLASS-73-49.8
US-PATENT-3,583,239

c15 N71-29133 NASA-CASE-MFS-20453
US-PATENT-APPL-SN-885594
US-PATENT-CLASS-29-278R
US-PATENT-CLASS-81-3R
US-PATENT-CLASS-294-15
US-PATENT-CLASS-339-17R
US-PATENT-3,583,744
c14 N71-29134 NASA-CASE-MFS-11204
US-PATENT-APPL-SN-845991
US-PATENT-CLASS-73-1R
US-PATENT-CLASS-73-304C
US-PATENT-3,578,755
c10 N71-29135 NASA-CASE-GSC-10564
US-PATENT-APPL-SN-292596
US-PATENT-CLASS-340-174
US-PATENT-3,348,218
c15 N71-29136 NASA-CASE-XLA-00013
US-PATENT-APPL-SN-579121
US-PATENT-CLASS-308-177
US-PATENT-2,903,307
c17 N71-29137 NASA-CASE-XNP-04339
US-PATENT-APPL-SN-451596
US-PATENT-CLASS-264-111
US-PATENT-3,413,393
c08 N71-29138 NASA-CASE-ERC-10041
US-PATENT-APPL-SN-889478
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-265
US-PATENT-CLASS-324-106
US-PATENT-CLASS-328-58
US-PATENT-CLASS-332-9R
US-PATENT-CLASS-332-10
US-PATENT-3,579,146
c09 N71-29139 NASA-CASE-XLA-07788
US-PATENT-APPL-SN-874732
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-294
US-PATENT-CLASS-328-207
US-PATENT-3,578,988
c33 N71-29151 NASA-CASE-XLE-00035
US-PATENT-APPL-SN-575291
US-PATENT-CLASS-204-37
US-PATENT-2,926,123
c33 N71-29152 NASA-CASE-XLE-00027
US-PATENT-APPL-SN-529594
US-PATENT-CLASS-253-39.1
US-PATENT-2,956,772
c28 N71-29153 NASA-CASE-MFS-20831
US-PATENT-APPL-SN-238421
US-PATENT-CLASS-60-35.54
US-PATENT-3,212,259
c28 N71-29154 NASA-CASE-XLE-00155
US-PATENT-APPL-SN-348600
US-PATENT-CLASS-253-77
US-PATENT-2,997,274
c27 N71-29155 NASA-CASE-MSC-12390
US-PATENT-APPL-SN-231520
US-PATENT-CLASS-222-61
US-PATENT-3,286,882
c26 N71-29156 NASA-CASE-XNP-01961
US-PATENT-APPL-SN-442835
US-PATENT-CLASS-148-174
US-PATENT-3,397,094
c25 N71-29184 NASA-CASE-XLA-00327
US-PATENT-APPL-SN-199199
US-PATENT-CLASS-315-111
US-PATENT-3,236,413
c14 N71-30026 NASA-CASE-MFS-20096
US-PATENT-APPL-SN-435433
US-PATENT-CLASS-73-432
US-PATENT-3,396,584
c23 N71-30027 NASA-CASE-GSC-10700
US-PATENT-APPL-SN-311387
US-PATENT-CLASS-350-2
US-PATENT-3,394,975
c15 N71-30028 NASA-CASE-MFS-20830
US-PATENT-APPL-SN-266620
US-PATENT-3,262,395
c14 N71-30265 NASA-CASE-HQN-10780
US-PATENT-APPL-SN-247136
US-PATENT-CLASS-73-497
US-PATENT-3,270,565
c23 N71-30292 NASA-CASE-HQN-10781
US-PATENT-APPL-SN-66018
US-PATENT-3,239,660
c07 N71-33108 NASA-CASE-KSC-10164
US-PATENT-APPL-SN-782955
US-PATENT-CLASS-179-1E
US-PATENT-CLASS-179-1VC
US-PATENT-3,588,359
c09 N71-33109 NASA-CASE-ARC-10101-1
US-PATENT-APPL-SN-793823
US-PATENT-CLASS-307-251
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-47
US-PATENT-3,588,671
c08 N71-33110 NASA-CASE-GSC-10186
US-PATENT-APPL-SN-713188
US-PATENT-CLASS-235-164
US-PATENT-CLASS-235-175
US-PATENT-3,588,483
c10 N71-33129 NASA-CASE-GSC-10667-1
US-PATENT-APPL-SN-749548
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-16
US-PATENT-CLASS-330-24
US-PATENT-3,585,514
c31 N71-33160 NASA-CASE-XLA-04063
US-PATENT-APPL-SN-802948
US-PATENT-CLASS-179-1
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-83
US-PATENT-3,586,261
c23 N71-33229 NASA-CASE-NPO-10468
US-PATENT-APPL-SN-787846
US-PATENT-CLASS-350-55
US-PATENT-CLASS-350-310
US-PATENT-3,588,220
c10 N71-33407 NASA-CASE-NPO-10342
US-PATENT-APPL-SN-704446
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-340-347DD
US-PATENT-3,588,883
c17 N71-33408 NASA-CASE-LEW-10327
US-PATENT-APPL-SN-772006
US-PATENT-CLASS-148-6.3
US-PATENT-3,591,426
c03 N71-33409 NASA-CASE-ARC-10050
US-PATENT-APPL-SN-797219
US-PATENT-CLASS-136-89
US-PATENT-3,591,420
c16 N71-33410 NASA-CASE-NPO-10417
US-PATENT-APPL-SN-753974
US-PATENT-CLASS-95-11
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-352-84
US-PATENT-3,587,424
c15 N71-33518 NASA-CASE-XLA-03661
US-PATENT-APPL-SN-751266
US-PATENT-CLASS-90-11
US-PATENT-CLASS-408-137
US-PATENT-3,585,882
c09 N71-33519 NASA-CASE-ERC-10100
US-PATENT-APPL-SN-766697
US-PATENT-CLASS-313-109.5
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-108
US-PATENT-CLASS-315-111
US-PATENT-CLASS-340-324
US-PATENT-CLASS-340-336
US-PATENT-3,588,874
c07 N71-33606 NASA-CASE-NPO-11031
US-PATENT-APPL-SN-864097
US-PATENT-CLASS-333-6
US-PATENT-CLASS-333-7
US-PATENT-CLASS-333-21A
US-PATENT-3,588,751
c11 N71-33612 NASA-CASE-XLA-09480
US-PATENT-APPL-SN-874435
US-PATENT-CLASS-73-147
US-PATENT-3,587,306
c07 N71-33613 NASA-CASE-NPO-10700
US-PATENT-APPL-SN-840308
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-3,588,648
c07 N71-33696 NASA-CASE-MSC-12165-1
US-PATENT-APPL-SN-875849
US-PATENT-CLASS-325-347
US-PATENT-CLASS-325-348
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-478
US-PATENT-CLASS-325-480
US-PATENT-CLASS-325-482

US-PATENT-CLASS-328-164
US-PATENT-CLASS-328-165
US-PATENT-CLASS-329-145
US-PATENT-3,588,705
c03 N71-34044 NASA-CASE-NPO-11190
US-PATENT-APPL-SN-115944
c09 N71-34212 NASA-CASE-MFS-20935
US-PATENT-APPL-SN-136007
c14 N71-34389 NASA-CASE-HQN-10683
US-PATENT-APPL-SN-146217
c06 N72-10138 NASA-CASE-HQN-10537-1
US-PATENT-APPL-SN-112366
c14 N72-10375 NASA-CASE-GSC-11095-1
US-PATENT-APPL-SN-147940
c02 N72-11018 NASA-CASE-LAR-10557
US-PATENT-APPL-SN-853746
US-PATENT-CLASS-416-115
US-PATENT-CLASS-416-121
US-PATENT-CLASS-416-127
US-PATENT-CLASS-416-130
US-PATENT-CLASS-416-149
US-PATENT-CLASS-416-200
US-PATENT-3,592,559
c03 N72-11062 NASA-CASE-XGS-04047-2
US-PATENT-APPL-SN-843251
US-PATENT-CLASS-136-206
US-PATENT-3,597,281
c05 N72-11084 NASA-CASE-NPO-10677
US-PATENT-APPL-SN-868530
US-PATENT-CLASS-62-56
US-PATENT-CLASS-62-467
US-PATENT-3,599,443
c05 N72-11085 NASA-CASE-MSC-13140
US-PATENT-APPL-SN-796358
US-PATENT-CLASS-5-69
US-PATENT-CLASS-285-410
US-PATENT-CLASS-297-68
US-PATENT-CLASS-297-232
US-PATENT-3,592,505
c07 N72-11148 NASA-CASE-NPO-10301
US-PATENT-APPL-SN-848810
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-853
US-PATENT-3,599,216
c07 N72-11149 NASA-CASE-GSC-10390-1
US-PATENT-APPL-SN-749121
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-39
US-PATENT-CLASS-325-58
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-7.5
US-PATENT-CLASS-343-179
US-PATENT-3,593,138
c07 N72-11150 NASA-CASE-NPO-11064
US-PATENT-APPL-SN-880248
US-PATENT-CLASS-331-7
US-PATENT-CLASS-331-10
US-PATENT-CLASS-331-34
US-PATENT-CLASS-331-66
US-PATENT-3,593,180
c08 N72-11171 NASA-CASE-NPO-10769
US-PATENT-APPL-SN-813494
US-PATENT-CLASS-179-15.55R
US-PATENT-3,598,921
c08 N72-11172 NASA-CASE-GSC-10880-1
US-PATENT-APPL-SN-831118
US-PATENT-CLASS-33-15A
US-PATENT-CLASS-33-204C
US-PATENT-CLASS-235-61NV
US-PATENT-3,599,335
c09 N72-11224 NASA-CASE-GSC-10614-1
US-PATENT-APPL-SN-822534
US-PATENT-CLASS-179-100-2CA
US-PATENT-CLASS-179-100-2MD
US-PATENT-CLASS-274-4R
US-PATENT-3,592,478
c09 N72-11225 NASA-CASE-KSC-10162
US-PATENT-APPL-SN-817481
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-119
US-PATENT-CLASS-324-123R
US-PATENT-3,593,132
c10 N72-11256 NASA-CASE-ARC-10042-2
US-PATENT-APPL-SN-33159
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-3,593,175
c14 N72-11363 NASA-CASE-MSC-11847-1
US-PATENT-APPL-SN-8497
US-PATENT-CLASS-73-149
US-PATENT-CLASS-73-290B
US-PATENT-3,596,510
c14 N72-11364 NASA-CASE-NPO-10778
US-PATENT-APPL-SN-865909
US-PATENT-CLASS-33-125
US-PATENT-CLASS-73-95
US-PATENT-CLASS-250-235
US-PATENT-CLASS-356-32
US-PATENT-CLASS-356-167
US-PATENT-3,592,545
c14 N72-11365 NASA-CASE-MFS-20485
US-PATENT-APPL-SN-22320
US-PATENT-CLASS-73-194F
US-PATENT-CLASS-250-43.5FC
US-PATENT-3,599,489
c15 N72-11385 NASA-CASE-MFS-18495
US-PATENT-APPL-SN-38814
US-PATENT-CLASS-24-211H
US-PATENT-CLASS-85-5B
US-PATENT-3,596,554
c15 N72-11386 NASA-CASE-MFS-20249
US-PATENT-APPL-SN-794530
US-PATENT-CLASS-33-72
US-PATENT-CLASS-248-183
US-PATENT-CLASS-248-278
US-PATENT-CLASS-248-487
US-PATENT-CLASS-350-285
US-PATENT-CLASS-350-287
US-PATENT-3,596,863
c15 N72-11387 NASA-CASE-XMF-09902
US-PATENT-APPL-SN-769665
US-PATENT-CLASS-75-20F
US-PATENT-3,592,628
c15 N72-11388 NASA-CASE-MFS-20423
US-PATENT-APPL-SN-865298
US-PATENT-CLASS-212-134
US-PATENT-CLASS-308-5
US-PATENT-3,600,046
c15 N72-11389 NASA-CASE-XLA-05056
US-PATENT-APPL-SN-596733
US-PATENT-CLASS-210-445
US-PATENT-3,592,768
c15 N72-11390 NASA-CASE-MFS-18100
US-PATENT-APPL-SN-784055
US-PATENT-CLASS-15-143
US-PATENT-CLASS-15-210
US-PATENT-3,591,885
c15 N72-11391 NASA-CASE-NPO-11012
US-PATENT-APPL-SN-845807
US-PATENT-CLASS-248-18
US-PATENT-CLASS-248-20
US-PATENT-3,592,422
c15 N72-11392 NASA-CASE-MFS-20299
US-PATENT-APPL-SN-889437
US-PATENT-CLASS-156-66
US-PATENT-CLASS-156-320
US-PATENT-CLASS-219-221
US-PATENT-CLASS-219-243
US-PATENT-3,593,001
c23 N72-11568 NASA-CASE-GSC-11133-1
US-PATENT-APPL-SN-121328
c24 N72-11595 NASA-CASE-MFS-20095
US-PATENT-APPL-SN-855004
US-PATENT-CLASS-250-49.5R
US-PATENT-CLASS-250-49.5TE
US-PATENT-CLASS-250-51
US-PATENT-CLASS-250-52
US-PATENT-3,593,024
c28 N72-11708 NASA-CASE-MFS-20619
US-PATENT-APPL-SN-18982
US-PATENT-CLASS-60-271
US-PATENT-CLASS-139-425R
US-PATENT-CLASS-239-265.19
US-PATENT-CLASS-239-265.43
US-PATENT-3,596,465
c28 N72-11709 NASA-CASE-NPO-10737
US-PATENT-APPL-SN-760114
US-PATENT-CLASS-60-39-48
US-PATENT-CLASS-60-202
US-PATENT-3,591,967
c07 N72-12080 NASA-CASE-GSC-10087-3
US-PATENT-APPL-SN-880885
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.8R
US-PATENT-3,594,790
c07 N72-12081 NASA-CASE-GSC-10185-1
US-PATENT-APPL-SN-733039

US-PATENT-CLASS-178-DIG.12
US-PATENT-CLASS-178-6
US-PATENT-CLASS-178-7.3
US-PATENT-CLASS-325-10
US-PATENT-CLASS-325-13
US-PATENT-3,588,331
c09 N72-12136 NASA-CASE-XER-09521
US-PATENT-APPL-SN-771530
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-206
US-PATENT-CLASS-136-227
US-PATENT-CLASS-343-DIG.3
US-PATENT-CLASS-343-720
US-PATENT-CLASS-343-840
US-PATENT-3,594,803
c15 N72-12408 NASA-CASE-XLA-05966
US-PATENT-APPL-SN-784544
US-PATENT-CLASS-72-307
US-PATENT-CLASS-140-105
US-PATENT-3,584,660
c15 N72-12409 NASA-CASE-NPO-10637
US-PATENT-APPL-SN-851298
US-PATENT-CLASS-60-23
US-PATENT-CLASS-236-68
US-PATENT-CLASS-337-75
US-PATENT-CLASS-337-354
US-PATENT-CLASS-337-359
US-PATENT-3,591,960
c16 N72-12440 NASA-CASE-MFS-20180
US-PATENT-APPL-SN-863276
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-312
US-PATENT-3,593,194
c16 N72-13437 NASA-CASE-MFS-20125
US-PATENT-APPL-SN-830366
US-PATENT-CLASS-178-DIG.21
US-PATENT-CLASS-178-6
US-PATENT-CLASS-250-203X
US-PATENT-CLASS-356-152
US-PATENT-3,603,686
c05 N72-15098 NASA-CASE-MSC-13917-1
US-PATENT-APPL-SN-198355
c03 N72-15986 NASA-CASE-XGS-10010
US-PATENT-APPL-SN-729299
US-PATENT-CLASS-136-6
US-PATENT-CLASS-136-133
US-PATENT-CLASS-136-135
US-PATENT-3,607,401
c05 N72-16015 NASA-CASE-KSC-10278
US-PATENT-APPL-SN-856327
US-PATENT-CLASS-35-8
US-PATENT-CLASS-324-66
US-PATENT-CLASS-340-279
US-PATENT-3,609,740
c10 N72-16172 NASA-CASE-ARC-10269-1
US-PATENT-APPL-SN-56791
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-262
US-PATENT-CLASS-328-155
US-PATENT-3,614,475
c14 N72-16282 NASA-CASE-LAR-10913
US-PATENT-APPL-SN-779160
US-PATENT-CLASS-73-12
US-PATENT-3,605,482
c14 N72-16283 NASA-CASE-GSC-10780-1
US-PATENT-APPL-SN-860493
US-PATENT-CLASS-82-24R
US-PATENT-3,608,409
c15 N72-16329 NASA-CASE-XLA-07829
US-PATENT-APPL-SN-763684
US-PATENT-CLASS-264-DIG.44
US-PATENT-CLASS-264-221
US-PATENT-CLASS-264-225
US-PATENT-CLASS-264-227
US-PATENT-3,608,046
c15 N72-16330 NASA-CASE-LAR-10203-1
US-PATENT-APPL-SN-769592
US-PATENT-CLASS-156-84
US-PATENT-CLASS-156-86
US-PATENT-3,607,495
c06 N72-17093 NASA-CASE-LEW-10794-1
US-PATENT-APPL-SN-33535
US-PATENT-CLASS-23-55
US-PATENT-CLASS-23-88
US-PATENT-CLASS-23-97
US-PATENT-3,607,015
c06 N72-17094 NASA-CASE-NPO-10234
US-PATENT-APPL-SN-800204
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-253PC
US-PATENT-CLASS-73-23.1
US-PATENT-3,607,076
c06 N72-17095 NASA-CASE-NPO-10774
US-PATENT-APPL-SN-848805
US-PATENT-CLASS-23-201
US-PATENT-CLASS-23-230
US-PATENT-CLASS-23-253
US-PATENT-CLASS-73-76
US-PATENT-3,607,080
c07 N72-17109 NASA-CASE-MSC-12146-1
US-PATENT-APPL-SN-50206
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-5.4
US-PATENT-CLASS-178-6.7
US-PATENT-3,603,722
c09 N72-17152 NASA-CASE-ARC-10178-1
US-PATENT-APPL-SN-47443
US-PATENT-CLASS-250-211J
US-PATENT-3,603,798
c09 N72-17153 NASA-CASE-ARC-10105
US-PATENT-APPL-SN-887698
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-307-252F
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-177
US-PATENT-3,603,946
c09 N72-17154 NASA-CASE-ERC-10139
US-PATENT-APPL-SN-889555
US-PATENT-CLASS-321-10
US-PATENT-CLASS-336-178
US-PATENT-3,603,864
c09 N72-17155 NASA-CASE-NPO-11023
US-PATENT-APPL-SN-865274
US-PATENT-CLASS-330-18
US-PATENT-CLASS-330-40
US-PATENT-3,603,892
c09 N72-17156 NASA-CASE-NPO-10199
US-PATENT-APPL-SN-739391
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-35
US-PATENT-3,609,230
c09 N72-17157 NASA-CASE-NPO-11253
US-PATENT-APPL-SN-21906
US-PATENT-CLASS-307-81
US-PATENT-CLASS-307-223
US-PATENT-CLASS-307-227
US-PATENT-CLASS-328-186
US-PATENT-3,609,387
c10 N72-17171 NASA-CASE-XAC-05462-2
US-PATENT-APPL-SN-28235
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-176
US-PATENT-CLASS-333-70CR
US-PATENT-3,609,567
c10 N72-17172 NASA-CASE-ARC-10020
US-PATENT-APPL-SN-31885
US-PATENT-CLASS-330-26
US-PATENT-CLASS-330-31
US-PATENT-CLASS-330-94
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-3,605,032
c10 N72-17173 NASA-CASE-MFS-13130
US-PATENT-APPL-SN-7868
US-PATENT-CLASS-250-83.3UV
US-PATENT-CLASS-250-209
US-PATENT-CLASS-340-228.2
US-PATENT-3,609,364
c11 N72-17183 NASA-CASE-MFS-20509
US-PATENT-APPL-SN-889557
US-PATENT-CLASS-73-147
US-PATENT-3,602,920
c14 N72-17323 NASA-CASE-ERC-10248
US-PATENT-APPL-SN-868445
US-PATENT-CLASS-350-162
US-PATENT-CLASS-356-113
US-PATENT-CLASS-356-209
US-PATENT-CLASS-356-244
US-PATENT-3,603,690
c14 N72-17324 NASA-CASE-MFS-20596
US-PATENT-APPL-SN-7867
US-PATENT-CLASS-350-3.5

US-PATENT-3,605,519
c14 N72-17325 NASA-CASE-MSC-15158-1
US-PATENT-APPL-SN-889479
US-PATENT-CLASS-324-52
US-PATENT-3,609,535
c14 N72-17326 NASA-CASE-XMS-01994-1
US-PATENT-APPL-SN-814212
US-PATENT-CLASS-356-4
US-PATENT-3,603,683
c14 N72-17327 NASA-CASE-LEW-10281-1
US-PATENT-APPL-SN-861649
US-PATENT-CLASS-73-198
US-PATENT-3,605,495
c14 N72-17328 NASA-CASE-XLA-07813
US-PATENT-APPL-SN-791364
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-CLASS-250-71.5
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-250-207
US-PATENT-3,609,353
c14 N72-17329 NASA-CASE-FRC-10012
US-PATENT-APPL-SN-771216
US-PATENT-CLASS-73-194A
US-PATENT-3,611,801
c15 N72-17450 NASA-CASE-MSC-12279
US-PATENT-APPL-SN-24154
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-129
US-PATENT-3,603,433
c15 N72-17451 NASA-CASE-WLP-10002
US-PATENT-APPL-SN-47062
US-PATENT-CLASS-180-125
US-PATENT-CLASS-180-127
US-PATENT-CLASS-308-DIG.1
US-PATENT-CLASS-308-5
US-PATENT-CLASS-308-9
US-PATENT-3,610,365
c15 N72-17452 NASA-CASE-XLA-10322
US-PATENT-APPL-SN-887699
US-PATENT-CLASS-73-88.5R
US-PATENT-3,608,365
c15 N72-17453 NASA-CASE-NPO-11177
US-PATENT-APPL-SN-20960
US-PATENT-CLASS-62-51
US-PATENT-3,605,424
c15 N72-17454 NASA-CASE-NPO-11059
US-PATENT-APPL-SN-864020
US-PATENT-CLASS-248-14
US-PATENT-3,606,979
c15 N72-17455 NASA-CASE-NPO-11140
US-PATENT-APPL-SN-15019
US-PATENT-CLASS-89-1.811
US-PATENT-CLASS-174-84
US-PATENT-CLASS-200-64
US-PATENT-CLASS-339-46
US-PATENT-CLASS-339-176M
US-PATENT-CLASS-339-278M
US-PATENT-3,611,274
c18 N72-17532 NASA-CASE-MFS-13532
US-PATENT-APPL-SN-720546
US-PATENT-CLASS-106-292
US-PATENT-CLASS-106-299
US-PATENT-3,607,338
c23 N72-17747 NASA-CASE-ERC-10089
US-PATENT-APPL-SN-791267
US-PATENT-CLASS-340-174AG
US-PATENT-CLASS-340-174CT
US-PATENT-CLASS-340-174GA
US-PATENT-CLASS-340-174SC
US-PATENT-3,611,330
c26 N72-17820 NASA-CASE-XER-08476-1
US-PATENT-APPL-SN-672388
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-589
US-PATENT-CLASS-148-187
US-PATENT-3,602,984
c28 N72-17843 NASA-CASE-NPO-10046
US-PATENT-APPL-SN-860635
US-PATENT-CLASS-60-39.74
US-PATENT-CLASS-60-258
US-PATENT-3,603,092
c30 N72-17873 NASA-CASE-ARC-10134
US-PATENT-APPL-SN-819898
US-PATENT-CLASS-244-3.21
US-PATENT-3,603,532
c33 N72-17947 NASA-CASE-MSC-12143-1
US-PATENT-APPL-SN-791268
US-PATENT-CLASS-102-105
US-PATENT-CLASS-161-67
US-PATENT-CLASS-244-117
US-PATENT-3,603,260
c33 N72-17948 NASA-CASE-NPO-10828
US-PATENT-APPL-SN-873260
US-PATENT-CLASS-165-105
US-PATENT-3,603,382
c08 N72-18184 NASA-CASE-NPO-10629
US-PATENT-APPL-SN-860751
US-PATENT-CLASS-178-50
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-15
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DD
US-PATENT-3,603,976
c14 N72-18411 NASA-CASE-KSC-10294
US-PATENT-APPL-SN-889556
US-PATENT-CLASS-95-1.1
US-PATENT-CLASS-307-311
US-PATENT-CLASS-346-23
US-PATENT-CLASS-346-107A
US-PATENT-CLASS-352-84
US-PATENT-3,603,974
c15 N72-18477 NASA-CASE-GSC-10566-1
US-PATENT-APPL-SN-889438
US-PATENT-CLASS-52-108
US-PATENT-CLASS-242-54
US-PATENT-3,608,844
c28 N72-18766 NASA-CASE-GSC-10640-1
US-PATENT-APPL-SN-17101
US-PATENT-CLASS-23-281
US-PATENT-CLASS-23-288
US-PATENT-CLASS-60-260
US-PATENT-3,603,093
c31 N72-18859 NASA-CASE-MSC-13281
US-PATENT-APPL-SN-7669
US-PATENT-CLASS-244-15.5
US-PATENT-3,606,212
c03 N72-20031 NASA-CASE-GSC-10669-1
US-PATENT-APPL-SN-90595
US-PATENT-CLASS-136-89
US-PATENT-CLASS-244-ISS
US-PATENT-CLASS-340-210
US-PATENT-3,636,539
c03 N72-20032 NASA-CASE-NPO-11021
US-PATENT-APPL-SN-880250
US-PATENT-CLASS-136-79
US-PATENT-CLASS-136-81
US-PATENT-CLASS-136-166
US-PATENT-3,625,766
c03 N72-20033 NASA-CASE-NPO-10401
US-PATENT-APPL-SN-15025
US-PATENT-CLASS-210-212
US-PATENT-CLASS-356-222
US-PATENT-3,630,627
c03 N72-20034 NASA-CASE-LEW-11359-2
US-PATENT-APPL-SN-57399
US-PATENT-CLASS-136-83R
US-PATENT-CLASS-136-100R
US-PATENT-CLASS-136-175
US-PATENT-3,635,765
c05 N72-20096 NASA-CASE-MSC-12411-1
US-PATENT-APPL-SN-701244
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-128-142.5
US-PATENT-CLASS-128-402
US-PATENT-3,635,216
c05 N72-20097 NASA-CASE-MFS-20332
US-PATENT-APPL-SN-869260
US-PATENT-CLASS-137-81
US-PATENT-CLASS-137-469
US-PATENT-3,636,966
c05 N72-20098 NASA-CASE-MSC-12398
US-PATENT-APPL-SN-785615
US-PATENT-CLASS-2-2.1
US-PATENT-3,624,839
c06 N72-20121 NASA-CASE-NPO-10765
US-PATENT-APPL-SN-770425
US-PATENT-CLASS-260-544F
US-PATENT-3,637,842
c07 N72-20140 NASA-CASE-NPO-10844
US-PATENT-APPL-SN-839934
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-321
US-PATENT-3,626,298

c07 N72-20141 NASA-CASE-ERC-10179
US-PATENT-APPL-SN-50207
US-PATENT-CLASS-325-445
US-PATENT-CLASS-329-161
US-PATENT-CLASS-329-162
US-PATENT-CLASS-332-51W
US-PATENT-CLASS-333-73W
US-PATENT-CLASS-343-772
US-PATENT-CLASS-343-773
US-PATENT-CLASS-343-786
US-PATENT-3,633,110
c07 N72-20154 NASA-CASE-NPO-11243
US-PATENT-APPL-SN-177753
c08 N72-20176 NASA-CASE-NPO-11130
US-PATENT-APPL-SN-21508
US-PATENT-CLASS-235-92CC
US-PATENT-CLASS-235-92DE
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-235-92LG
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-347DA
US-PATENT-CLASS-340-347DD
US-PATENT-3,632,996
c08 N72-20177 NASA-CASE-NPO-10748
US-PATENT-APPL-SN-63383
US-PATENT-CLASS-324-77G
US-PATENT-3,631,339
c09 N72-20199 NASA-CASE-NPO-10722
US-PATENT-APPL-SN-860492
US-PATENT-CLASS-200-81.9M
US-PATENT-CLASS-335-205
US-PATENT-3,632,923
c09 N72-20200 NASA-CASE-NPO-10694
US-PATENT-APPL-SN-24224
US-PATENT-CLASS-339-275T
US-PATENT-CLASS-339-276T
US-PATENT-3,631,382
c09 N72-20206 NASA-CASE-ERC-10468
US-PATENT-APPL-SN-144958
c10 N72-20221 NASA-CASE-GSC-10082-1
US-PATENT-APPL-SN-41430
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-307-313
US-PATENT-CLASS-328-207
US-PATENT-CLASS-330-30D
US-PATENT-3,633,048
c10 N72-20222 NASA-CASE-XLA-11189
US-PATENT-APPL-SN-889375
US-PATENT-CLASS-324-115
US-PATENT-CLASS-324-132
US-PATENT-3,638,114
c10 N72-20223 NASA-CASE-NPO-11133
US-PATENT-APPL-SN-887685
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-16
US-PATENT-CLASS-328-20
US-PATENT-CLASS-328-38
US-PATENT-CLASS-328-166
US-PATENT-3,626,308
c10 N72-20224 NASA-CASE-NPO-11203
US-PATENT-APPL-SN-3696
US-PATENT-CLASS-324-83A
US-PATENT-CLASS-324-85
US-PATENT-CLASS-328-133
US-PATENT-CLASS-343-12
US-PATENT-3,631,351
c10 N72-20225 NASA-CASE-MSC-13407-1
US-PATENT-APPL-SN-65840
US-PATENT-CLASS-315-22
US-PATENT-CLASS-315-25
US-PATENT-3,636,066
c11 N72-20244 NASA-CASE-NPO-11210
US-PATENT-APPL-SN-880831
US-PATENT-CLASS-123-102
US-PATENT-CLASS-180-105E
US-PATENT-CLASS-318-308
US-PATENT-CLASS-318-327
US-PATENT-CLASS-318-376
US-PATENT-3,630,304
c14 N72-20379 NASA-CASE-GSC-10514-1
US-PATENT-APPL-SN-873045
US-PATENT-CLASS-250-208
US-PATENT-CLASS-356-138
US-PATENT-CLASS-356-152
US-PATENT-3,637,312
c14 N72-20380 NASA-CASE-LAR-10176-1
US-PATENT-APPL-SN-811038
US-PATENT-CLASS-95-18
US-PATENT-3,626,828
c14 N72-20381 NASA-CASE-GSC-10503-1
US-PATENT-APPL-SN-789044
US-PATENT-CLASS-250-83.6R
US-PATENT-3,626,189
c15 N72-20442 NASA-CASE-GSC-10607-1
US-PATENT-APPL-SN-27340
US-PATENT-CLASS-251-129
US-PATENT-CLASS-251-333
US-PATENT-3,632,081
c15 N72-20443 NASA-CASE-NPO-10671
US-PATENT-APPL-SN-857967
US-PATENT-CLASS-188-1B
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-268
US-PATENT-3,637,051
c15 N72-20444 NASA-CASE-FRC-10038
US-PATENT-APPL-SN-889554
US-PATENT-CLASS-29-412
US-PATENT-CLASS-29-426
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-29-624
US-PATENT-CLASS-51-216
US-PATENT-CLASS-51-320
US-PATENT-CLASS-51-323
US-PATENT-3,636,623
c15 N72-20445 NASA-CASE-NPO-10704
US-PATENT-APPL-SN-59895
US-PATENT-CLASS-138-178
US-PATENT-CLASS-285-18
US-PATENT-CLASS-285-345
US-PATENT-3,632,140
c15 N72-20446 NASA-CASE-MFS-20698
US-PATENT-APPL-SN-3418
US-PATENT-CLASS-23-209.1
US-PATENT-CLASS-100-299
US-PATENT-CLASS-264-22
US-PATENT-CLASS-425-77
US-PATENT-3,632,242
c22 N72-20597 NASA-CASE-XLE-04599
US-PATENT-APPL-SN-751215
US-PATENT-CLASS-176-86G
US-PATENT-3,629,068
c28 N72-20758 NASA-CASE-XNP-03282
US-PATENT-APPL-SN-745337
US-PATENT-CLASS-60-254
US-PATENT-3,636,711
c28 N72-20767 NASA-CASE-ARC-10180-1
US-PATENT-APPL-SN-136253
c31 N72-20840 NASA-CASE-MFS-20922
US-PATENT-APPL-SN-220274
c33 N72-20915 NASA-CASE-NPO-10831
US-PATENT-APPL-SN-10161
US-PATENT-CLASS-122-32
US-PATENT-CLASS-165-133
US-PATENT-CLASS-165-155
US-PATENT-CLASS-165-158
US-PATENT-CLASS-165-161
US-PATENT-CLASS-165-174
US-PATENT-3,630,276
c06 N72-21094 NASA-CASE-ERC-10108
US-PATENT-APPL-SN-833049
US-PATENT-CLASS-96-36.2
US-PATENT-CLASS-156-3
US-PATENT-3,615,465
c06 N72-21105 NASA-CASE-GSC-11304-1
US-PATENT-APPL-SN-137912
c07 N72-21117 NASA-CASE-XLA-11154
US-PATENT-APPL-SN-23532
US-PATENT-CLASS-343-706
US-PATENT-CLASS-343-912
US-PATENT-3,623,107
c07 N72-21118 NASA-CASE-NPO-11001
US-PATENT-APPL-SN-856279
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-100ST
US-PATENT-3,624,650
c07 N72-21119 NASA-CASE-ERC-10112
US-PATENT-APPL-SN-796690
US-PATENT-CLASS-179-100.2E
US-PATENT-3,614,343
c08 N72-21197 NASA-CASE-KSC-10326
US-PATENT-APPL-SN-25487
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,638,002
c08 N72-21198 NASA-CASE-ERC-10307

US-PATENT-APPL-SN-39755
US-PATENT-CLASS-307-299
US-PATENT-CLASS-307-303
US-PATENT-CLASS-307-311
US-PATENT-CLASS-340-173.2
US-PATENT-CLASS-340-173LS
US-PATENT-3,623,030
c08 N72-21199 NASA-CASE-NPO-10743
US-PATENT-APPL-SN-850587
US-PATENT-CLASS-340-174CS
US-PATENT-CLASS-340-174LC
US-PATENT-CLASS-340-174M
US-PATENT-CLASS-340-174SR
US-PATENT-3,613,110
c08 N72-21200 NASA-CASE-NPO-11018
US-PATENT-APPL-SN-873259
US-PATENT-CLASS-340-347AD
US-PATENT-3,613,111
c09 N72-21243 NASA-CASE-LEW-11005-1
US-PATENT-APPL-SN-86548
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-22T
US-PATENT-CLASS-323-38
US-PATENT-3,638,103
c09 N72-21244 NASA-CASE-LAR-10545-1
US-PATENT-APPL-SN-31703
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-893
US-PATENT-3,638,224
c09 N72-21245 NASA-CASE-ARC-10192
US-PATENT-APPL-SN-15024
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-142
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-70R
US-PATENT-CLASS-330-85
US-PATENT-CLASS-333-80
US-PATENT-3,621,407
c09 N72-21246 NASA-CASE-NPO-11134
US-PATENT-APPL-SN-883524
US-PATENT-CLASS-318-576
US-PATENT-CLASS-324-71R
US-PATENT-CLASS-346-1
US-PATENT-CLASS-346-29
US-PATENT-3,624,659
c09 N72-21247 NASA-CASE-KSC-10393
US-PATENT-APPL-SN-71047
US-PATENT-CLASS-307-257
US-PATENT-CLASS-307-259
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-30
US-PATENT-CLASS-331-111
US-PATENT-3,614,648
c09 N72-21248 NASA-CASE-LAR-10503-1
US-PATENT-APPL-SN-229143
c12 N72-21310 NASA-CASE-MFS-20829
US-PATENT-APPL-SN-61894
US-PATENT-CLASS-169-28
US-PATENT-CLASS-169-36
US-PATENT-3,613,794
c14 N72-21405 NASA-CASE-NPO-10832
US-PATENT-APPL-SN-22265
US-PATENT-CLASS-73-141A
US-PATENT-3,623,360
c14 N72-21407 NASA-CASE-MFS-20642
US-PATENT-APPL-SN-873793
US-PATENT-CLASS-73-147
US-PATENT-3,623,361
c14 N72-21408 NASA-CASE-MSC-13332-1
US-PATENT-APPL-SN-77169
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-250-83.3H
US-PATENT-3,614,431
c14 N72-21409 NASA-CASE-MSC-12105-1
US-PATENT-APPL-SN-763743
US-PATENT-CLASS-356-17
US-PATENT-CLASS-356-18
US-PATENT-3,614,228
c15 N72-21462 NASA-CASE-NPO-10679
US-PATENT-APPL-SN-848282
US-PATENT-CLASS-74-89.15
US-PATENT-3,614,898
c15 N72-21463 NASA-CASE-MFS-20413
US-PATENT-APPL-SN-69209
US-PATENT-CLASS-74-469
US-PATENT-3,620,095
c15 N72-21464 NASA-CASE-ARC-10176-1
US-PATENT-APPL-SN-889583
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-64
US-PATENT-CLASS-324-71R
US-PATENT-3,624,496
c15 N72-21465 NASA-CASE-GSC-10218-1
US-PATENT-APPL-SN-15022
US-PATENT-CLASS-23-253R
US-PATENT-CLASS-23-259
US-PATENT-CLASS-73-425.6
US-PATENT-CLASS-141-23
US-PATENT-CLASS-195-127
US-PATENT-CLASS-222-71
US-PATENT-CLASS-222-135
US-PATENT-CLASS-222-309
US-PATENT-3,615,241
c15 N72-21466 NASA-CASE-NPO-10440
US-PATENT-APPL-SN-756834
US-PATENT-CLASS-204-59
US-PATENT-CLASS-204-130
US-PATENT-3,616,338
c15 N72-21489 NASA-CASE-XLA-10470
US-PATENT-APPL-SN-219436
c21 N72-21624 NASA-CASE-HQN-10439
US-PATENT-APPL-SN-889551
US-PATENT-CLASS-244-1SA
US-PATENT-3,637,170
c21 N72-21631 NASA-CASE-ERC-10419
US-PATENT-APPL-SN-219722
c26 N72-21701 NASA-CASE-ERC-10119
US-PATENT-APPL-SN-825258
US-PATENT-CLASS-307-299
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-331-107
US-PATENT-CLASS-332-31
US-PATENT-3,614,557
c31 N72-21893 NASA-CASE-KSC-10622-1
US-PATENT-APPL-SN-149983
c03 N72-22041 NASA-CASE-NPO-10591
US-PATENT-APPL-SN-776185
US-PATENT-CLASS-29-572
US-PATENT-3,616,528
c03 N72-22042 NASA-CASE-NPO-10747
US-PATENT-APPL-SN-6616
US-PATENT-CLASS-136-89
US-PATENT-3,615,853
c05 N72-22092 NASA-CASE-ARC-10275-1
US-PATENT-APPL-SN-21644
US-PATENT-CLASS-2-2.1A
US-PATENT-3,636,564
c05 N72-22093 NASA-CASE-MSC-12324-1
US-PATENT-APPL-SN-63384
US-PATENT-CLASS-4-99
US-PATENT-CLASS-4-110
US-PATENT-CLASS-128-295
US-PATENT-3,602,923
c06 N72-22107 NASA-CASE-NPO-10862
US-PATENT-APPL-SN-810815
US-PATENT-CLASS-260-877
US-PATENT-3,639,510
c07 N72-22127 NASA-CASE-NPO-10303
US-PATENT-APPL-SN-848776
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-CLASS-343-912
US-PATENT-3,623,114
c08 N72-22162 NASA-CASE-NPO-11333
US-PATENT-APPL-SN-78065
US-PATENT-CLASS-178-52
US-PATENT-CLASS-179-15A
US-PATENT-CLASS-179-15BL
US-PATENT-CLASS-307-243
US-PATENT-CLASS-307-251
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,614,327
c08 N72-22163 NASA-CASE-MSC-13110-1
US-PATENT-APPL-SN-23132
US-PATENT-CLASS-340-347AD
US-PATENT-3,614,772
c08 N72-22164 NASA-CASE-NPO-10745
US-PATENT-APPL-SN-878730
US-PATENT-CLASS-178-DIG.28
US-PATENT-CLASS-178-DIG.36
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-178-7.2R
US-PATENT-3,621,130

c08 N72-22165 NASA-CASE-NPO-11104
US-PATENT-APPL-SN-860750
US-PATENT-CLASS-235-150.52
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-183
US-PATENT-CLASS-235-194
US-PATENT-CLASS-235-197
US-PATENT-CLASS-340-347E
US-PATENT-3,621,228
c08 N72-22166 NASA-CASE-NPO-10560
US-PATENT-APPL-SN-856282
US-PATENT-CLASS-235-153
US-PATENT-CLASS-324-73AT
US-PATENT-CLASS-340-347AD
US-PATENT-3,603,772
c08 N72-22167 NASA-CASE-NPO-11082
US-PATENT-APPL-SN-868529
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-348
US-PATENT-3,609,327
c09 N72-22195 NASA-CASE-MFS-14710
US-PATENT-APPL-SN-852843
US-PATENT-CLASS-74-105
US-PATENT-3,614,899
c09 N72-22196 NASA-CASE-EEC-10075-2
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-14
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-25
US-PATENT-CLASS-323-56
US-PATENT-CLASS-323-89C
US-PATENT-3,614,587
c09 N72-22197 NASA-CASE-LEW-10433-1
US-PATENT-APPL-SN-849106
US-PATENT-CLASS-307-88MP
US-PATENT-CLASS-307-262
US-PATENT-3,612,895
c09 N72-22198 NASA-CASE-MFS-13687-2
US-PATENT-APPL-SN-80369
US-PATENT-CLASS-174-36
US-PATENT-CLASS-174-106R
US-PATENT-CLASS-174-117FF
US-PATENT-3,612,743
c09 N72-22199 NASA-CASE-EEC-10222
US-PATENT-APPL-SN-832603
US-PATENT-CLASS-29-590
US-PATENT-3,621,565
c09 N72-22200 NASA-CASE-FEC-10036
US-PATENT-APPL-SN-872602
US-PATENT-CLASS-73-88.5
US-PATENT-CLASS-307-237
US-PATENT-CLASS-307-254
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-1
US-PATENT-CLASS-328-151
US-PATENT-3,621,285
c09 N72-22201 NASA-CASE-LEW-10387
US-PATENT-APPL-SN-76899
US-PATENT-CLASS-307-223B
US-PATENT-CLASS-307-241
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-307-252K
US-PATENT-CLASS-307-284
US-PATENT-CLASS-307-304
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-106
US-PATENT-3,621,287
c09 N72-22202 NASA-CASE-ARC-10136-1
US-PATENT-APPL-SN-865106
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-307-231
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-288
US-PATENT-CLASS-325-29
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-171
US-PATENT-CLASS-340-203
US-PATENT-3,621,290
c09 N72-22203 NASA-CASE-XER-11046
US-PATENT-APPL-SN-810579
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-15
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-45
US-PATENT-CLASS-331-117
US-PATENT-3,621,362
c09 N72-22204 NASA-CASE-LAR-10137-1
US-PATENT-APPL-SN-881041
US-PATENT-CLASS-200-81R
US-PATENT-CLASS-200-82C
US-PATENT-3,609,271
c10 N72-22235 NASA-CASE-GSC-10064-1
US-PATENT-APPL-SN-802812
US-PATENT-CLASS-343-7.4
US-PATENT-CLASS-343-16R
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-3,623,094
c10 N72-22236 NASA-CASE-GSC-10878-1
US-PATENT-APPL-SN-889423
US-PATENT-CLASS-307-206
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-322
US-PATENT-CLASS-307-323
US-PATENT-3,621,277
c11 N72-22245 NASA-CASE-NPO-12109
US-PATENT-APPL-SN-690172
US-PATENT-CLASS-230-54
US-PATENT-CLASS-230-221
US-PATENT-3,612,391
c11 N72-22246 NASA-CASE-XLA-07430
US-PATENT-APPL-SN-867841
US-PATENT-CLASS-73-147
US-PATENT-3,620,076
c11 N72-22247 NASA-CASE-NPO-11013
US-PATENT-APPL-SN-858695
US-PATENT-CLASS-42-1F
US-PATENT-3,619,924
c14 N72-22437 NASA-CASE-LAR-10496-1
US-PATENT-APPL-SN-12661
US-PATENT-CLASS-73-141A
US-PATENT-3,611,798
c14 N72-22438 NASA-CASE-ARC-10263-1
US-PATENT-APPL-SN-882122
US-PATENT-CLASS-73-398C
US-PATENT-3,620,083
c14 N72-22439 NASA-CASE-MFS-20890
US-PATENT-APPL-SN-103229
US-PATENT-CLASS-29-421
US-PATENT-CLASS-264-22
US-PATENT-CLASS-310-11
US-PATENT-CLASS-310-42
US-PATENT-3,626,218
c14 N72-22440 NASA-CASE-ARC-10154-1
US-PATENT-APPL-SN-793771
US-PATENT-CLASS-73-67.2
US-PATENT-3,620,069
c14 N72-22441 NASA-CASE-NPO-11002
US-PATENT-APPL-SN-856328
US-PATENT-CLASS-350-19
US-PATENT-CLASS-350-23
US-PATENT-CLASS-350-26
US-PATENT-CLASS-350-35
US-PATENT-CLASS-350-36
US-PATENT-CLASS-350-49
US-PATENT-CLASS-350-52
US-PATENT-3,612,645
c14 N72-22442 NASA-CASE-MFS-21629
US-PATENT-APPL-SN-612265
US-PATENT-CLASS-73-304
US-PATENT-CLASS-324-61
US-PATENT-3,639,835
c14 N72-22443 NASA-CASE-IGS-03736
US-PATENT-APPL-SN-749320
US-PATENT-CLASS-96-90PC
US-PATENT-CLASS-252-300
US-PATENT-3,639,250
c14 N72-22444 NASA-CASE-LAR-10523-1
US-PATENT-APPL-SN-32665
US-PATENT-CLASS-250-203
US-PATENT-CLASS-350-16
US-PATENT-CLASS-350-52
US-PATENT-CLASS-356-248
US-PATENT-3,647,276
c14 N72-22445 NASA-CASE-LAR-10184
US-PATENT-APPL-SN-16808
US-PATENT-CLASS-33-174S
US-PATENT-CLASS-350-86
US-PATENT-3,620,595
c15 N72-22482 NASA-CASE-XLA-04897
US-PATENT-APPL-SN-860249
US-PATENT-CLASS-73-133
US-PATENT-3,613,457
c15 N72-22483 NASA-CASE-XNP-09770-2
US-PATENT-APPL-SN-864039

US-PATENT-CLASS-209-349
US-PATENT-3,615,021
c15 N72-22484 NASA-CASE-LAR-10031
US-PATENT-APPL-SN-867851
US-PATENT-CLASS-62-55.5
US-PATENT-3,625,018
c15 N72-22485 NASA-CASE-MSC-13512-1
US-PATENT-APPL-SN-73932
US-PATENT-CLASS-74-501R
US-PATENT-3,625,084
c15 N72-22486 NASA-CASE-KSC-10031
US-PATENT-APPL-SN-98773
US-PATENT-CLASS-220-5R
US-PATENT-CLASS-317-101DH
US-PATENT-CLASS-317-117
US-PATENT-CLASS-317-120
US-PATENT-3,639,809
c15 N72-22487 NASA-CASE-GSC-10303
US-PATENT-APPL-SN-802813
US-PATENT-CLASS-29-473.1
US-PATENT-3,619,896
c15 N72-22488 NASA-CASE-MSC-11849-1
US-PATENT-APPL-SN-6617
US-PATENT-CLASS-85-1
US-PATENT-3,623,394
c15 N72-22489 NASA-CASE-GSC-10518-1
US-PATENT-APPL-SN-789045
US-PATENT-CLASS-55-446
US-PATENT-CLASS-55-464
US-PATENT-CLASS-417-152
US-PATENT-3,623,828
c15 N72-22490 NASA-CASE-LEW-10856-1
US-PATENT-APPL-SN-3417
US-PATENT-CLASS-308-195
US-PATENT-3,620,585
c15 N72-22491 NASA-CASE-GSC-10913
US-PATENT-APPL-SN-889558
US-PATENT-CLASS-29-628
US-PATENT-CLASS-219-85
US-PATENT-CLASS-219-158
US-PATENT-CLASS-219-234
US-PATENT-CLASS-228-57
US-PATENT-3,621,194
c15 N72-22492 NASA-CASE-MFS-20482
US-PATENT-APPL-SN-6610
US-PATENT-CLASS-29-472.9
US-PATENT-CLASS-29-473.1
US-PATENT-3,602,979
c16 N72-22520 NASA-CASE-LAR-10815-1
US-PATENT-APPL-SN-233587
c17 N72-22530 NASA-CASE-XLE-06461
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-75-.5B
US-PATENT-3,623,861
c17 N72-22535 NASA-CASE-LEW-10874-1
US-PATENT-APPL-SN-68024
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32.5
US-PATENT-3,620,718
c18 N72-22566 NASA-CASE-MFS-20011
US-PATENT-APPL-SN-813338
US-PATENT-CLASS-106-84
US-PATENT-CLASS-106-286
US-PATENT-CLASS-106-288B
US-PATENT-3,620,791
c18 N72-22567 NASA-CASE-NPO-11091
US-PATENT-APPL-SN-860781
US-PATENT-CLASS-260-2.1E
US-PATENT-3,629,161
c21 N72-22619 NASA-CASE-ARC-10179-1
US-PATENT-APPL-SN-835058
US-PATENT-CLASS-244-114
US-PATENT-CLASS-340-26
US-PATENT-3,624,598
c23 N72-22673 NASA-CASE-XER-07896-2
US-PATENT-APPL-SN-36819
US-PATENT-CLASS-350-310
US-PATENT-3,620,606
c28 N72-22769 NASA-CASE-ARC-10106-1
US-PATENT-APPL-SN-812998
US-PATENT-CLASS-244-3.22
US-PATENT-3,612,442
c28 N72-22770 NASA-CASE-LEW-10770-1
US-PATENT-APPL-SN-880246
US-PATENT-CLASS-60-202
US-PATENT-3,613,370
c28 N72-22771 NASA-CASE-LEW-10835-1
US-PATENT-APPL-SN-67815
US-PATENT-CLASS-60-202
US-PATENT-3,620,018
c28 N72-22772 NASA-CASE-NPO-12072
US-PATENT-APPL-SN-82647
US-PATENT-CLASS-123-122AB
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-261-145
US-PATENT-3,640,256
c31 N72-22874 NASA-CASE-NPO-10883
US-PATENT-APPL-SN-26573
US-PATENT-CLASS-136-89
US-PATENT-CLASS-312-257
US-PATENT-3,620,846
c03 N72-23048 NASA-CASE-NPO-11388
US-PATENT-APPL-SN-119282
US-PATENT-CLASS-310-2
US-PATENT-CLASS-321-2
US-PATENT-CLASS-322-2
US-PATENT-3,648,152
c05 N72-23085 NASA-CASE-LAR-10102-1
US-PATENT-APPL-SN-13266
US-PATENT-CLASS-224-25A
US-PATENT-3,649,921
c09 N72-23171 NASA-CASE-GSC-10221-1
US-PATENT-APPL-SN-779025
US-PATENT-CLASS-307-252N
US-PATENT-CLASS-307-252R
US-PATENT-CLASS-307-259
US-PATENT-CLASS-307-305
US-PATENT-3,621,294
c09 N72-23172 NASA-CASE-LAR-10320-1
US-PATENT-APPL-SN-18427
US-PATENT-CLASS-324-20R
US-PATENT-3,649,907
c09 N72-23173 NASA-CASE-ERC-10267
US-PATENT-APPL-SN-41348
US-PATENT-CLASS-235-197
US-PATENT-CLASS-307-229
US-PATENT-CLASS-328-145
US-PATENT-3,648,043
c11 N72-23215 NASA-CASE-MFS-20710
US-PATENT-APPL-SN-114848
US-PATENT-CLASS-13-20
US-PATENT-CLASS-13-31
US-PATENT-3,647,924
c14 N72-23457 NASA-CASE-MSC-12297
US-PATENT-APPL-SN-792623
US-PATENT-CLASS-55-493
US-PATENT-CLASS-55-498
US-PATENT-CLASS-55-502
US-PATENT-CLASS-55-521
US-PATENT-3,650,095
c15 N72-23497 NASA-CASE-KSC-10242
US-PATENT-APPL-SN-73834
US-PATENT-CLASS-219-85
US-PATENT-CLASS-219-109
US-PATENT-CLASS-219-234
US-PATENT-CLASS-324-65R
US-PATENT-3,621,193
c18 N72-23581 NASA-CASE-GSC-10361-1
US-PATENT-APPL-SN-700040
US-PATENT-CLASS-106-84
US-PATENT-3,620,784
c23 N72-23695 NASA-CASE-HQN-10541-3
US-PATENT-APPL-SN-822089
US-PATENT-CLASS-350-171
US-PATENT-3,606,522
c28 N72-23809 NASA-CASE-XNP-09461
US-PATENT-APPL-SN-670829
US-PATENT-CLASS-239-418
US-PATENT-CLASS-239-433
US-PATENT-CLASS-239-543
US-PATENT-3,650,474
c28 N72-23810 NASA-CASE-NPO-11458
US-PATENT-APPL-SN-36926
US-PATENT-CLASS-60-266
US-PATENT-CLASS-60-271
US-PATENT-3,648,461
c03 N72-24037 NASA-CASE-GSC-11514-1
US-PATENT-APPL-SN-820453
US-PATENT-CLASS-117-201
US-PATENT-CLASS-136-89
US-PATENT-3,653,970
c14 N72-24477 NASA-CASE-ARC-10138-1
US-PATENT-APPL-SN-774733
US-PATENT-CLASS-73-355R
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-317-247
US-PATENT-CLASS-324-61R
US-PATENT-3,657,644

c15 N72-24522 NASA-CASE-NPO-11036
US-PATENT-APPL-SN-41346
US-PATENT-CLASS-264-92
US-PATENT-3,658,974
c25 N72-24753 NASA-CASE-XNP-04167-2
US-PATENT-APPL-SN-866442
US-PATENT-CLASS-313-186
US-PATENT-CLASS-313-212
US-PATENT-CLASS-313-224
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-CLASS-315-326
US-PATENT-CLASS-315-358
US-PATENT-CLASS-331-94.5
US-PATENT-3,617,804
c03 N72-25019 NASA-CASE-NPO-10575
US-PATENT-APPL-SN-6615
US-PATENT-CLASS-156-250
US-PATENT-CLASS-156-510
US-PATENT-3,654,036
c03 N72-25020 NASA-CASE-GSC-11211-1
US-PATENT-APPL-SN-139528
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-307-141.8
US-PATENT-CLASS-320-48
US-PATENT-CLASS-324-29.5
US-PATENT-3,663,938
c03 N72-25021 NASA-CASE-NPO-11118
US-PATENT-APPL-SN-8650
US-PATENT-CLASS-214-90R
US-PATENT-3,666,120
c05 N72-25119 NASA-CASE-MSC-12397-1
US-PATENT-APPL-SN-785613
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-2-115
US-PATENT-3,660,851
c05 N72-25120 NASA-CASE-MSC-90153-2
US-PATENT-APPL-SN-844225
US-PATENT-CLASS-106-209
US-PATENT-CLASS-128-2.1
US-PATENT-CLASS-128-417
US-PATENT-CLASS-252-514
US-PATENT-CLASS-264-104
US-PATENT-3,665,064
c05 N72-25121 NASA-CASE-FRC-10029-2
US-PATENT-APPL-SN-78704
US-PATENT-CLASS-29-25.14
US-PATENT-CLASS-29-25.18
US-PATENT-CLASS-29-482
US-PATENT-CLASS-29-630A
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-308
US-PATENT-3,662,441
c05 N72-25122 NASA-CASE-MSC-13609-1
US-PATENT-APPL-SN-94347
US-PATENT-CLASS-128-2N
US-PATENT-3,662,744
c06 N72-25146 NASA-CASE-NPO-11322
US-PATENT-APPL-SN-87550
US-PATENT-CLASS-73-23.1
US-PATENT-CLASS-250-43.5R
US-PATENT-3,666,942
c06 N72-25147 NASA-CASE-ARC-10325
US-PATENT-APPL-SN-63610
US-PATENT-CLASS-260-2.5FP
US-PATENT-3,663,464
c06 N72-25148 NASA-CASE-MFS-13994-2
US-PATENT-APPL-SN-870689
US-PATENT-CLASS-260-348SC
US-PATENT-3,660,434
c06 N72-25149 NASA-CASE-GSC-10565-1
US-PATENT-APPL-SN-822039
US-PATENT-CLASS-195-28N
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-260-211.5
US-PATENT-3,660,240
c06 N72-25150 NASA-CASE-XLE-06774-2
US-PATENT-APPL-SN-5114
US-PATENT-CLASS-117-132
US-PATENT-CLASS-117-161
US-PATENT-CLASS-260-2.5
US-PATENT-CLASS-260-92.1
US-PATENT-3,666,741
c06 N72-25151 NASA-CASE-MFS-20979
US-PATENT-APPL-SN-100774
US-PATENT-CLASS-260-18S
US-PATENT-CLASS-260-46.5E
US-PATENT-CLASS-260-46.5G
US-PATENT-CLASS-260-46.5P
US-PATENT-CLASS-260-448.2D
US-PATENT-3,666,718
c06 N72-25152 NASA-CASE-NPO-10863-2
US-PATENT-APPL-SN-145026
US-PATENT-CLASS-260-92.1
US-PATENT-3,663,521
c07 N72-25170 NASA-CASE-LAR-10513-1
US-PATENT-APPL-SN-64723
US-PATENT-CLASS-333-7
US-PATENT-CLASS-333-81R
US-PATENT-CLASS-333-98P
US-PATENT-CLASS-333-98R
US-PATENT-CLASS-333-98S
US-PATENT-3,649,935
c07 N72-25171 NASA-CASE-MFS-21042
US-PATENT-APPL-SN-86417
US-PATENT-CLASS-102-34.4
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-114
US-PATENT-CLASS-343-6.5R
US-PATENT-3,667,044
c07 N72-25172 NASA-CASE-NPO-11358
US-PATENT-APPL-SN-116786
US-PATENT-CLASS-179-15BV
US-PATENT-CLASS-340-172.5
US-PATENT-3,665,417
c07 N72-25173 NASA-CASE-ERC-10324
US-PATENT-APPL-SN-54270
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-51
US-PATENT-CLASS-325-55
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-64
US-PATENT-CLASS-325-141
US-PATENT-CLASS-325-302
US-PATENT-CLASS-325-325
US-PATENT-CLASS-340-167
US-PATENT-3,665,313
c07 N72-25174 NASA-CASE-NPO-11264
US-PATENT-APPL-SN-36531
US-PATENT-CLASS-343-762
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-853
US-PATENT-3,665,481
c08 N72-25206 NASA-CASE-KSC-10397
US-PATENT-APPL-SN-25488
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DA
US-PATENT-3,648,275
c08 N72-25207 NASA-CASE-NPO-11161
US-PATENT-APPL-SN-889374
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,648,256
c08 N72-25208 NASA-CASE-NPO-11338
US-PATENT-APPL-SN-89212
US-PATENT-CLASS-178-50
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-179-15FD
US-PATENT-CLASS-325-62
US-PATENT-CLASS-332-21
US-PATENT-3,659,053
c08 N72-25209 NASA-CASE-NPO-11194
US-PATENT-APPL-SN-63532
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-12E
US-PATENT-CLASS-343-14
US-PATENT-3,659,292
c08 N72-25210 NASA-CASE-NPO-10636
US-PATENT-APPL-SN-77221
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,662,337
c09 N72-25247 NASA-CASE-LAR-10163-1
US-PATENT-APPL-SN-73310
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-873
US-PATENT-3,653,052
c09 N72-25248 NASA-CASE-NPO-11342
US-PATENT-APPL-SN-89209
US-PATENT-CLASS-340-172.5
US-PATENT-CLASS-340-324A
US-PATENT-3,648,250
c09 N72-25249 NASA-CASE-GSC-10656-1
US-PATENT-APPL-SN-59969

US-PATENT-CLASS-321-2
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-17
US-PATENT-CLASS-323-22T
US-PATENT-3,621,372
c09 N72-25250 NASA-CASE-KSC-10565
US-PATENT-APPL-SN-98517
US-PATENT-CLASS-315-135
US-PATENT-CLASS-315-349
US-PATENT-CLASS-330-2
US-PATENT-CLASS-330-59
US-PATENT-CLASS-340-332
US-PATENT-3,659,148
c09 N72-25251 NASA-CASE-ERC-10048
US-PATENT-APPL-SN-10329
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-18
US-PATENT-3,659,184
c09 N72-25252 NASA-CASE-ERC-10268
US-PATENT-APPL-SN-39342
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-11
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-45ER
US-PATENT-CLASS-321-45R
US-PATENT-3,663,940
c09 N72-25253 NASA-CASE-GSC-11126-1
US-PATENT-APPL-SN-98640
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-47
US-PATENT-CLASS-331-113A
US-PATENT-3,663,941
c09 N72-25254 NASA-CASE-NPO-10760
US-PATENT-APPL-SN-129071
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-45R
US-PATENT-CLASS-331-113A
US-PATENT-3,663,944
c09 N72-25255 NASA-CASE-LAR-10620-1
US-PATENT-APPL-SN-125979
US-PATENT-CLASS-310-10
US-PATENT-CLASS-310-15
US-PATENT-3,663,843
c09 N72-25256 NASA-CASE-XLA-02609
US-PATENT-APPL-SN-41347
US-PATENT-CLASS-333-79
US-PATENT-CLASS-339-143R
US-PATENT-CLASS-339-147R
US-PATENT-3,663,929
c09 N72-25257 NASA-CASE-MSC-12395
US-PATENT-APPL-SN-134573
US-PATENT-CLASS-307-233
US-PATENT-CLASS-324-78D
US-PATENT-CLASS-324-186
US-PATENT-CLASS-328-136
US-PATENT-CLASS-328-140
US-PATENT-3,663,885
c09 N72-25258 NASA-CASE-LAR-10253-1
US-PATENT-APPL-SN-99175
US-PATENT-CLASS-307-88.3
US-PATENT-CLASS-330-4.5
US-PATENT-3,663,886
c09 N72-25259 NASA-CASE-GSC-10695-1
US-PATENT-APPL-SN-889422
US-PATENT-CLASS-29-198
US-PATENT-CLASS-117-200
US-PATENT-CLASS-136-89
US-PATENT-3,664,874
c09 N72-25260 NASA-CASE-NPO-11283
US-PATENT-APPL-SN-118270
US-PATENT-CLASS-310-4
US-PATENT-3,663,839
c09 N72-25261 NASA-CASE-ERC-10224
US-PATENT-APPL-SN-868775
US-PATENT-CLASS-29-492
US-PATENT-CLASS-29-497
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-502
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-628
US-PATENT-3,665,589
c09 N72-25262 NASA-CASE-NPO-11078
US-PATENT-APPL-SN-82280
US-PATENT-CLASS-307-83
US-PATENT-CLASS-307-103
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-82
US-PATENT-3,663,828
c11 N72-25284 NASA-CASE-LAR-10507-1
US-PATENT-APPL-SN-874177
US-PATENT-CLASS-195-127
US-PATENT-3,649,462
c11 N72-25287 NASA-CASE-LAR-10546-1
US-PATENT-APPL-SN-32664
US-PATENT-CLASS-52-648
US-PATENT-CLASS-52-655
US-PATENT-CLASS-287-54A
US-PATENT-3,665,670
c11 N72-25288 NASA-CASE-MFS-20434
US-PATENT-APPL-SN-55534
US-PATENT-CLASS-73-140
US-PATENT-CLASS-73-161
US-PATENT-3,665,758
c12 N72-25292 NASA-CASE-NPO-11556
US-PATENT-APPL-SN-82648
US-PATENT-CLASS-210-188
US-PATENT-CLASS-310-11
US-PATENT-3,648,083
c13 N72-25323 NASA-CASE-NPO-11373
US-PATENT-APPL-SN-81095
US-PATENT-CLASS-73-421.5R
US-PATENT-CLASS-73-422GC
US-PATENT-CLASS-73-422TC
US-PATENT-3,662,604
c14 N72-25409 NASA-CASE-ERC-10174
US-PATENT-APPL-SN-39344
US-PATENT-CLASS-250-83.3UV
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-226
US-PATENT-CLASS-350-203
US-PATENT-3,657,549
c14 N72-25410 NASA-CASE-ERC-10292
US-PATENT-APPL-SN-45519
US-PATENT-CLASS-73-515
US-PATENT-CLASS-73-521
US-PATENT-CLASS-350-160R
US-PATENT-3,657,928
c14 N72-25411 NASA-CASE-MSC-15626-1
US-PATENT-APPL-SN-94374
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-492
US-PATENT-CLASS-116-114AB
US-PATENT-3,656,352
c14 N72-25412 NASA-CASE-MFS-15063
US-PATENT-APPL-SN-51477
US-PATENT-CLASS-178-DIG.8
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-340-227R
US-PATENT-3,659,043
c14 N72-25413 NASA-CASE-GSC-10879-1
US-PATENT-APPL-SN-889420
US-PATENT-CLASS-195-127
US-PATENT-3,666,631
c14 N72-25414 NASA-CASE-NPO-11311
US-PATENT-APPL-SN-57252
US-PATENT-CLASS-178-7.92
US-PATENT-CLASS-350-175PS
US-PATENT-3,663,753
c14 N72-25428 NASA-CASE-HQN-10756-1
US-PATENT-APPL-SN-236052
c15 N72-25447 NASA-CASE-LEW-10489-1
US-PATENT-APPL-SN-889682
US-PATENT-CLASS-29-599
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.16D
US-PATENT-CLASS-117-107
US-PATENT-CLASS-117-211
US-PATENT-CLASS-117-217
US-PATENT-3,649,356
c15 N72-25448 NASA-CASE-LEW-10450-1
US-PATENT-APPL-SN-880271
US-PATENT-CLASS-75-0.5BB
US-PATENT-CLASS-75-206
US-PATENT-CLASS-75-213
US-PATENT-3,649,242
c15 N72-25450 NASA-CASE-NPO-11202
US-PATENT-APPL-SN-66004
US-PATENT-CLASS-285-DIG.21
US-PATENT-CLASS-285-3
US-PATENT-CLASS-285-33
US-PATENT-CLASS-285-316
US-PATENT-CLASS-339-45R
US-PATENT-CLASS-339-91R
US-PATENT-3,656,781
c15 N72-25451 NASA-CASE-NPO-10606
US-PATENT-APPL-SN-8636

US-PATENT-CLASS-251-360
US-PATENT-3,658,295
c15 N72-25452 NASA-CASE-LEW-10965-1
US-PATENT-APPL-SN-876588
US-PATENT-CLASS-96-36.2
US-PATENT-CLASS-117-16R
US-PATENT-CLASS-117-37
US-PATENT-CLASS-117-47R
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.3
US-PATENT-CLASS-117-124C
US-PATENT-CLASS-117-152
US-PATENT-CLASS-204-49
US-PATENT-CLASS-204-157.18AG
US-PATENT-CLASS-250-65F
US-PATENT-3,658,569
c15 N72-25453 NASA-CASE-KSC-10513
US-PATENT-APPL-SN-61535
US-PATENT-CLASS-187-1
US-PATENT-CLASS-187-20
US-PATENT-CLASS-187-95
US-PATENT-CLASS-254-190
US-PATENT-3,666,051
c15 N72-25454 NASA-CASE-MSC-12233-1
US-PATENT-APPL-SN-73422
US-PATENT-CLASS-52-169
US-PATENT-CLASS-52-173
US-PATENT-CLASS-52-594
US-PATENT-3,665,669
c15 N72-25455 NASA-CASE-NPO-11095
US-PATENT-APPL-SN-19585
US-PATENT-CLASS-60-35.74A
US-PATENT-CLASS-60-258
US-PATENT-CLASS-239-424
US-PATENT-3,662,547
c15 N72-25456 NASA-CASE-NPO-11222
US-PATENT-APPL-SN-59893
US-PATENT-CLASS-310-68
US-PATENT-CLASS-310-80
US-PATENT-CLASS-310-83
US-PATENT-3,660,704
c15 N72-25457 NASA-CASE-ERC-10325
US-PATENT-APPL-SN-43884
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-158T
US-PATENT-3,665,307
c16 N72-25485 NASA-CASE-ERC-10283
US-PATENT-APPL-SN-39185
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-332-7.51
US-PATENT-3,659,225
c18 N72-25539 NASA-CASE-LEW-10424-2-2
US-PATENT-APPL-SN-15222
US-PATENT-CLASS-75-DIG.1
US-PATENT-CLASS-75-208
US-PATENT-CLASS-75-211
US-PATENT-CLASS-75-226
US-PATENT-3,653,882
c18 N72-25540 NASA-CASE-ERC-10364
US-PATENT-APPL-SN-55537
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-CLASS-161-7
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-127
US-PATENT-3,663,347
c18 N72-25541 NASA-CASE-ERC-10363
US-PATENT-APPL-SN-57253
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-CLASS-161-7
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-127
US-PATENT-3,663,346
c21 N72-25595 NASA-CASE-MSC-13397-1
US-PATENT-APPL-SN-59966
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-23A
US-PATENT-3,662,973
c23 N72-25619 NASA-CASE-NPO-10634
US-PATENT-APPL-SN-112999
US-PATENT-CLASS-62-6
US-PATENT-CLASS-62-80
US-PATENT-CLASS-62-85
US-PATENT-CLASS-62-475
US-PATENT-3,656,313
c26 N72-25679 NASA-CASE-XER-07895
US-PATENT-APPL-SN-651627
US-PATENT-CLASS-317-234J
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-CLASS-317-235B
US-PATENT-CLASS-331-107G
US-PATENT-3,667,010
c26 N72-25680 NASA-CASE-ERC-10275
US-PATENT-APPL-SN-47061
US-PATENT-CLASS-324-92
US-PATENT-CLASS-324-96
US-PATENT-CLASS-340-324R
US-PATENT-CLASS-350-150
US-PATENT-CLASS-350-160R
US-PATENT-3,667,039
c27 N72-25699 NASA-CASE-NPO-12000
US-PATENT-APPL-SN-74861
US-PATENT-CLASS-149-19
US-PATENT-CLASS-149-20
US-PATENT-CLASS-149-36
US-PATENT-CLASS-149-92
US-PATENT-3,658,608
c31 N72-25842 NASA-CASE-MSC-12372-1
US-PATENT-APPL-SN-64391
US-PATENT-CLASS-95-12.5
US-PATENT-3,662,661
c32 N72-25877 NASA-CASE-LAR-10270-1
US-PATENT-APPL-SN-60881
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-100
US-PATENT-3,665,751
c33 N72-25911 NASA-CASE-LEW-10359
US-PATENT-APPL-SN-47063
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-CLASS-62-467
US-PATENT-CLASS-102-105
US-PATENT-3,656,317
c33 N72-25913 NASA-CASE-XMS-09690
US-PATENT-APPL-SN-853641
US-PATENT-CLASS-73-15R
US-PATENT-3,665,750
c03 N72-26031 NASA-CASE-NPO-10753
US-PATENT-APPL-SN-844355
US-PATENT-CLASS-136-202
US-PATENT-3,666,566
c15 N72-26371 NASA-CASE-NPO-10244
US-PATENT-APPL-SN-43327
US-PATENT-CLASS-73-136R
US-PATENT-CLASS-308-2A
US-PATENT-3,664,185
c03 N72-27053 NASA-CASE-GSC-10344-1
US-PATENT-APPL-SN-785078
US-PATENT-CLASS-136-89
US-PATENT-3,672,999
c05 N72-27102 NASA-CASE-LAR-10365-1
US-PATENT-APPL-SN-3151
US-PATENT-CLASS-210-103
US-PATENT-CLASS-210-104
US-PATENT-CLASS-210-110
US-PATENT-CLASS-210-137
US-PATENT-3,670,890
c05 N72-27103 NASA-CASE-MSC-13648
US-PATENT-APPL-SN-87222
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.1E
US-PATENT-CLASS-128-417
US-PATENT-3,669,110
c06 N72-27144 NASA-CASE-NPO-10768-2
US-PATENT-APPL-SN-99524
US-PATENT-APPL-SN-770398
US-PATENT-CLASS-260-77.5AP
US-PATENT-CLASS-260-535R
US-PATENT-3,671,497
c06 N72-27151 NASA-CASE-NPO-10767-2
US-PATENT-APPL-SN-241061
c09 N72-27226 NASA-CASE-LEW-10330-1
US-PATENT-APPL-SN-110402
US-PATENT-CLASS-336-60
US-PATENT-CLASS-336-198
US-PATENT-CLASS-336-220
US-PATENT-3,648,209
c09 N72-27227 NASA-CASE-KSC-10644
US-PATENT-APPL-SN-114849
US-PATENT-CLASS-307-92
US-PATENT-CLASS-307-118
US-PATENT-CLASS-340-240
US-PATENT-3,673,424
c09 N72-27228 NASA-CASE-NPO-10542
US-PATENT-APPL-SN-767741

US-PATENT-CLASS-310-4
US-PATENT-3,673,440
c10 N72-27246 NASA-CASE-ERC-10015-2
US-PATENT-APPL-SN-97343
US-PATENT-APPL-SN-763744
US-PATENT-CLASS-313-309
US-PATENT-CLASS-313-336
US-PATENT-CLASS-313-351
US-PATENT-CLASS-315-36
US-PATENT-3,671,798
c11 N72-27262 NASA-CASE-MFS-20620
US-PATENT-APPL-SN-154935
US-PATENT-CLASS-73-117.1
US-PATENT-CLASS-73-432SD
US-PATENT-3,670,564
c14 N72-27408 NASA-CASE-NPO-11147
US-PATENT-APPL-SN-63195
US-PATENT-CLASS-324-79R
US-PATENT-CLASS-328-189
US-PATENT-CLASS-331-44
US-PATENT-3,670,241
c14 N72-27409 NASA-CASE-NPO-11201
US-PATENT-APPL-SN-77220
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-225
US-PATENT-CLASS-350-147
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-3,670,168
c14 N72-27410 NASA-CASE-XLE-05230
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-136-233
US-PATENT-3,671,329
c14 N72-27411 NASA-CASE-MSC-12293-1
US-PATENT-APPL-SN-59956
US-PATENT-CLASS-250-205
US-PATENT-CLASS-315-151
US-PATENT-CLASS-315-156
US-PATENT-CLASS-315-158
US-PATENT-CLASS-315-297
US-PATENT-CLASS-315-307
US-PATENT-CLASS-315-310
US-PATENT-CLASS-315-311
US-PATENT-3,670,202
c14 N72-27412 NASA-CASE-MFS-20523
US-PATENT-APPL-SN-77786
US-PATENT-CLASS-73-71.6
US-PATENT-CLASS-73-103
US-PATENT-3,670,563
c15 N72-27484 NASA-CASE-NPO-10721
US-PATENT-APPL-SN-59968
US-PATENT-CLASS-248-188.4
US-PATENT-3,669,393
c15 N72-27485 NASA-CASE-XLA-09843
US-PATENT-APPL-SN-60876
US-PATENT-CLASS-83-8
US-PATENT-CLASS-83-522
US-PATENT-CLASS-83-562
US-PATENT-CLASS-83-563
US-PATENT-CLASS-83-588
US-PATENT-3,668,956
c23 N72-27728 NASA-CASE-ARC-10160-1
US-PATENT-APPL-SN-867842
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-178-6.5
US-PATENT-CLASS-350-138
US-PATENT-3,670,097
c26 N72-27784 NASA-CASE-LAR-10836-1
US-PATENT-APPL-SN-138227
US-PATENT-CLASS-350-161
US-PATENT-3,671,105
c33 N72-27959 NASA-CASE-LAR-10800-1
US-PATENT-APPL-SN-154094
US-PATENT-CLASS-73-35
US-PATENT-3,670,559
c03 N72-28025 NASA-CASE-NPO-10633
US-PATENT-APPL-SN-885521
US-PATENT-CLASS-62-93
US-PATENT-CLASS-165-3
US-PATENT-CLASS-165-20
US-PATENT-3,675,712
c09 N72-28225 NASA-CASE-MFS-20757
US-PATENT-APPL-SN-136006
US-PATENT-CLASS-339-75MP
US-PATENT-CLASS-339-94M
US-PATENT-CLASS-339-176MP
US-PATENT-CLASS-339-218M
US-PATENT-3,670,290
c10 N72-28240 NASA-CASE-ARC-10265-1
US-PATENT-APPL-SN-64709
US-PATENT-CLASS-324-41
US-PATENT-CLASS-340-258
US-PATENT-3,676,772
c10 N72-28241 NASA-CASE-GSC-10786-1
US-PATENT-APPL-SN-773072
US-PATENT-CLASS-330-29
US-PATENT-3,533,006
c14 N72-28436 NASA-CASE-XLA-06683
US-PATENT-APPL-SN-10827
US-PATENT-CLASS-33-1SA
US-PATENT-CLASS-33-75R
US-PATENT-3,675,332
c14 N72-28437 NASA-CASE-ERC-10081
US-PATENT-APPL-SN-877990
US-PATENT-CLASS-73-355
US-PATENT-CLASS-325-363
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-343-112D
US-PATENT-3,665,467
c14 N72-28438 NASA-CASE-XLA-04980-2
US-PATENT-APPL-SN-577548
US-PATENT-APPL-SN-763040
US-PATENT-CLASS-148-187
US-PATENT-3,549,435
c15 N72-28495 NASA-CASE-MFS-14405
US-PATENT-APPL-SN-73283
US-PATENT-CLASS-74-469
US-PATENT-CLASS-214-1CM
US-PATENT-3,631,737
c15 N72-28496 NASA-CASE-MFS-20433
US-PATENT-APPL-SN-114847
US-PATENT-CLASS-52-1
US-PATENT-CLASS-52-573
US-PATENT-3,675,376
c16 N72-28521 NASA-CASE-NPO-11437
US-PATENT-APPL-SN-63144
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-3,676,787
c17 N72-28535 NASA-CASE-XLE-06461-2
US-PATENT-APPL-SN-156778
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-266-24
US-PATENT-3,675,910
c17 N72-28536 NASA-CASE-XLE-03940-2
US-PATENT-APPL-SN-539255
US-PATENT-APPL-SN-793657
US-PATENT-CLASS-29-182.5
US-PATENT-3,676,084
c26 N72-28761 NASA-CASE-NPO-11775
US-PATENT-APPL-SN-162230
US-PATENT-CLASS-29-570
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-261
US-PATENT-3,676,754
c26 N72-28762 NASA-CASE-LAR-10294-1
US-PATENT-APPL-SN-796685
US-PATENT-CLASS-29-25.42
US-PATENT-CLASS-106-39
US-PATENT-CLASS-106-46
US-PATENT-CLASS-117-212
US-PATENT-CLASS-117-217
US-PATENT-3,649,353
c09 N72-29172 NASA-CASE-LAR-10511-1
US-PATENT-APPL-SN-41345
US-PATENT-CLASS-333-24R
US-PATENT-CLASS-333-98E
US-PATENT-CLASS-333-98R
US-PATENT-3,676,809
c14 N72-29464 NASA-CASE-ARC-10017-1
US-PATENT-APPL-SN-55536
US-PATENT-CLASS-250-41.9D
US-PATENT-CLASS-250-71.5R
US-PATENT-CLASS-313-356
US-PATENT-3,676,674
c15 N72-29488 NASA-CASE-XLE-10326-2
US-PATENT-APPL-SN-54540
US-PATENT-APPL-SN-723465
US-PATENT-CLASS-277-25
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-74
US-PATENT-3,675,935
c06 N72-31140 NASA-CASE-MSC-13335-1
US-PATENT-APPL-SN-55806
US-PATENT-CLASS-55-16
US-PATENT-CLASS-55-55
US-PATENT-3,678,654
c06 N72-31141 NASA-CASE-ARC-10308-1

US-PATENT-APPL-SN-134568
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-356-51
US-PATENT-3,679,899
c08 N72-31226 NASA-CASE-NPO-11016
US-PATENT-APPL-SN-889584
US-PATENT-CLASS-235-92MT
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-151.1
US-PATENT-CLASS-323-19
US-PATENT-CLASS-340-347AD
US-PATENT-3,681,581
c09 N72-31235 NASA-CASE-ERC-10214
US-PATENT-APPL-SN-863914
US-PATENT-CLASS-343-770
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-3,680,142
c10 N72-31273 NASA-CASE-KSC-10647-1
US-PATENT-APPL-SN-774691
US-PATENT-CLASS-178-7.5E
US-PATENT-CLASS-315-22R
US-PATENT-CLASS-315-30R
US-PATENT-CLASS-330-27R
US-PATENT-3,678,191
c14 N72-31446 NASA-CASE-ERC-10087-2
US-PATENT-APPL-SN-91642
US-PATENT-APPL-SN-738315
US-PATENT-CLASS-29-588
US-PATENT-CLASS-317-234D
US-PATENT-CLASS-317-234G
US-PATENT-CLASS-317-235M
US-PATENT-CLASS-317-235R
US-PATENT-3,686,542
c15 N72-31483 NASA-CASE-LAR-10061-1
US-PATENT-APPL-SN-104047
US-PATENT-CLASS-251-86
US-PATENT-CLASS-251-331
US-PATENT-3,680,830
c21 N72-31637 NASA-CASE-GSC-10945-1
US-PATENT-APPL-SN-75431
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-26
US-PATENT-3,676,685
c07 N72-32169 NASA-CASE-NPO-11361
US-PATENT-APPL-SN-112988
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-915
US-PATENT-3,680,144
c14 N72-32452 NASA-CASE-MFS-15162
US-PATENT-APPL-SN-100639
US-PATENT-CLASS-350-79
US-PATENT-CLASS-356-241
US-PATENT-3,694,094
c15 N72-32487 NASA-CASE-LAR-10541-1
US-PATENT-APPL-SN-138229
US-PATENT-CLASS-118-49.1
US-PATENT-CLASS-204-298
US-PATENT-CLASS-219-121P
US-PATENT-CLASS-219-273
US-PATENT-3,690,291
c25 N72-32688 NASA-CASE-MFS-20589
US-PATENT-APPL-SN-103077
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-3,693,002
c04 N72-33072 NASA-CASE-ERC-10338
US-PATENT-APPL-SN-50339
US-PATENT-CLASS-23-109
US-PATENT-3,679,360
c05 N72-33096 NASA-CASE-MSC-13540-1
US-PATENT-APPL-SN-68023
US-PATENT-CLASS-99-80PS
US-PATENT-3,692,533
c07 N72-33146 NASA-CASE-MSC-12259-2
US-PATENT-APPL-SN-61895
US-PATENT-APPL-SN-853763
US-PATENT-CLASS-325-373
US-PATENT-3,694,753
c08 N72-33172 NASA-CASE-NPO-11630
US-PATENT-APPL-SN-143078
US-PATENT-CLASS-179-15.55R
US-PATENT-3,694,581
c09 N72-33204 NASA-CASE-NPO-11129
US-PATENT-APPL-SN-883523
US-PATENT-CLASS-307-262
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-24
US-PATENT-CLASS-328-155
US-PATENT-3,621,406
c09 N72-33205 NASA-CASE-GSC-10835-1
US-PATENT-APPL-SN-116778
US-PATENT-CLASS-317-101A
US-PATENT-CLASS-317-235
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-3,694,700
c10 N72-33230 NASA-CASE-GSC-11340-1
US-PATENT-APPL-SN-107379
US-PATENT-CLASS-330-12
US-PATENT-CLASS-331-115
US-PATENT-CLASS-331-116R
US-PATENT-CLASS-333-80T
US-PATENT-3,693,105
c14 N72-33377 NASA-CASE-MFS-20760
US-PATENT-APPL-SN-99174
US-PATENT-CLASS-73-85
US-PATENT-CLASS-73-141AB
US-PATENT-3,693,418
c15 N72-33476 NASA-CASE-XGS-07805
US-PATENT-APPL-SN-104884
US-PATENT-CLASS-308-10
US-PATENT-3,694,041
c15 N72-33477 NASA-CASE-NPO-11340
US-PATENT-APPL-SN-147997
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-36
US-PATENT-CLASS-137-13
US-PATENT-CLASS-137-81.5
US-PATENT-3,693,346
c24 N72-33681 NASA-CASE-LEW-10518-1
US-PATENT-APPL-SN-863280
US-PATENT-CLASS-176-11
US-PATENT-3,694,313
c25 N72-33696 NASA-CASE-GSC-11291-1
US-PATENT-APPL-SN-102412
US-PATENT-CLASS-250-83.6R
US-PATENT-3,694,655
c08 N73-12175 NASA-CASE-NPO-11406
US-PATENT-APPL-SN-95183
US-PATENT-CLASS-235-152
US-PATENT-CLASS-331-78
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,700,869
c08 N73-12176 NASA-CASE-KSC-10595
US-PATENT-APPL-SN-98772
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,697,733
c08 N73-12177 NASA-CASE-NPO-11371
US-PATENT-APPL-SN-117575
US-PATENT-CLASS-340-146.1AQ
US-PATENT-CLASS-340-146.1AV
US-PATENT-3,697,950
c09 N73-12211 NASA-CASE-ERC-10412-1
US-PATENT-APPL-SN-72024
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-11R
US-PATENT-CLASS-343-11W
US-PATENT-3,696,418
c09 N73-12214 NASA-CASE-NPO-13091-1
US-PATENT-APPL-SN-290022
c10 N73-12244 NASA-CASE-NPO-11631
US-PATENT-APPL-SN-123253
US-PATENT-CLASS-179-1P
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-480
US-PATENT-3,700,812
c11 N73-12264 NASA-CASE-LAR-10348-1
US-PATENT-APPL-SN-70032
US-PATENT-CLASS-73-147
US-PATENT-3,695,101
c11 N73-12265 NASA-CASE-NPO-10890
US-PATENT-APPL-SN-99903
US-PATENT-CLASS-52-171
US-PATENT-CLASS-137-559
US-PATENT-CLASS-219-203
US-PATENT-CLASS-219-522
US-PATENT-3,696,833
c14 N73-12444 NASA-CASE-GSC-10903-1
US-PATENT-APPL-SN-114846
US-PATENT-CLASS-73-421.5
US-PATENT-CLASS-250-41.96
US-PATENT-CLASS-250-41.9S

US-PATENT-3,700,893
c14 N73-12445 NASA-CASE-LAR-10728-1
US-PATENT-APPL-SN-112998
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-83R
US-PATENT-3,700,897
c14 N73-12446 NASA-CASE-NPO-11239
US-PATENT-APPL-SN-89211
US-PATENT-CLASS-356-106
US-PATENT-CLASS-356-114
US-PATENT-3,700,334
c14 N73-12447 NASA-CASE-NPO-11493
US-PATENT-APPL-SN-151413
US-PATENT-CLASS-136-224
US-PATENT-3,700,503
c15 N73-12486 NASA-CASE-KSC-10615
US-PATENT-APPL-SN-103078
US-PATENT-CLASS-62-7
US-PATENT-CLASS-62-45
US-PATENT-CLASS-244-1SB
US-PATENT-CLASS-244-135
US-PATENT-3,697,021
c15 N73-12487 NASA-CASE-FRC-10019
US-PATENT-APPL-SN-880398
US-PATENT-CLASS-204-192
US-PATENT-3,700,575
c15 N73-12488 NASA-CASE-ARC-10345-1
US-PATENT-APPL-SN-193671
US-PATENT-CLASS-74-5P
US-PATENT-CLASS-287-85R
US-PATENT-CLASS-308-2A
US-PATENT-3,700,291
c15 N73-12489 NASA-CASE-MSC-12357
US-PATENT-APPL-SN-662763
US-PATENT-CLASS-264-28
US-PATENT-CLASS-264-36
US-PATENT-CLASS-264-40
US-PATENT-CLASS-264-102
US-PATENT-3,697,630
c15 N73-12492 NASA-CASE-XLA-8914
US-PATENT-APPL-SN-810576
c15 N73-12495 NASA-CASE-NPO-13086-1
US-PATENT-APPL-SN-292477
c17 N73-12547 NASA-CASE-LAR-10539-1
US-PATENT-APPL-SN-136085
US-PATENT-CLASS-23-230R
US-PATENT-3,701,631
c18 N73-12604 NASA-CASE-MFS-20408
US-PATENT-APPL-SN-71048
US-PATENT-CLASS-161-93
US-PATENT-3,700,538
c30 N73-12884 NASA-CASE-MSC-12391
US-PATENT-APPL-SN-106465
US-PATENT-CLASS-244-155
US-PATENT-3,700,193
c02 N73-13008 NASA-CASE-GSC-11077-1
US-PATENT-APPL-SN-127618
US-PATENT-CLASS-244-32
US-PATENT-3,698,667
c05 N73-13114 NASA-CASE-MSC-13604-1
US-PATENT-APPL-SN-78717
US-PATENT-CLASS-35-22R
US-PATENT-CLASS-128-2N
US-PATENT-CLASS-273-1E
US-PATENT-3,698,385
c06 N73-13128 NASA-CASE-GSC-11214-1
US-PATENT-APPL-SN-115134
US-PATENT-CLASS-117-35R
US-PATENT-3,702,775
c06 N73-13129 NASA-CASE-XNP-08124-2
US-PATENT-APPL-SN-97829
US-PATENT-CLASS-75-66
US-PATENT-3,702,762
c07 N73-13149 NASA-CASE-NPO-11302-1
US-PATENT-APPL-SN-70967
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-181
US-PATENT-CLASS-325-325
US-PATENT-CLASS-340-146.1
US-PATENT-3,701,894
c08 N73-13187 NASA-CASE-GSC-10975-1
US-PATENT-APPL-SN-100996
US-PATENT-CLASS-340-172.5
US-PATENT-3,702,463
c09 N73-13208 NASA-CASE-LEW-11192-1
US-PATENT-APPL-SN-198285
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-5.38
US-PATENT-3,702,951
c09 N73-13209 NASA-CASE-XLA-05099
US-PATENT-APPL-SN-98798
US-PATENT-CLASS-235-152
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-215
US-PATENT-3,700,868
c10 N73-13235 NASA-CASE-KSC-10003
US-PATENT-APPL-SN-60883
US-PATENT-CLASS-178-DIG.6
US-PATENT-CLASS-178-6
US-PATENT-CLASS-307-242
US-PATENT-CLASS-307-259
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,702,898
c11 N73-13257 NASA-CASE-LAR-10574-1
US-PATENT-APPL-SN-66206
US-PATENT-CLASS-244-1SS
US-PATENT-3,698,659
c14 N73-13415 NASA-CASE-LAR-10855-1
US-PATENT-APPL-SN-166541
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-212
US-PATENT-3,699,811
c14 N73-13416 NASA-CASE-GSC-11302-1
US-PATENT-APPL-SN-168650
US-PATENT-CLASS-73-71.6
US-PATENT-3,699,807
c14 N73-13417 NASA-CASE-XLE-05230-2
US-PATENT-APPL-SN-147099
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-29-573
US-PATENT-CLASS-29-624
US-PATENT-CLASS-136-233
US-PATENT-3,699,645
c14 N73-13418 NASA-CASE-MFS-14216
US-PATENT-APPL-SN-50208
US-PATENT-CLASS-92-49
US-PATENT-CLASS-137-81
US-PATENT-CLASS-137-487.5
US-PATENT-3,698,412
c14 N73-13420 NASA-CASE-NPO-11418-1
US-PATENT-APPL-SN-193947
US-PATENT-CLASS-333-81B
US-PATENT-CLASS-333-98R
US-PATENT-3,702,979
c14 N73-13435 NASA-CASE-GSC-11533-1
US-PATENT-APPL-SN-305013
c15 N73-13462 NASA-CASE-NPO-11479
US-PATENT-APPL-SN-170440
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-137-608
US-PATENT-CLASS-138-45
US-PATENT-CLASS-251-122
US-PATENT-3,700,005
c15 N73-13463 NASA-CASE-MFS-20317
US-PATENT-APPL-SN-67730
US-PATENT-CLASS-72-447
US-PATENT-CLASS-72-476
US-PATENT-CLASS-173-131
US-PATENT-3,699,799
c15 N73-13464 NASA-CASE-NPO-10812
US-PATENT-APPL-SN-129073
US-PATENT-CLASS-72-256
US-PATENT-CLASS-425-113
US-PATENT-CLASS-425-133
US-PATENT-CLASS-425-176
US-PATENT-3,698,848
c15 N73-13465 NASA-CASE-LEW-10805-1
US-PATENT-APPL-SN-29917
US-PATENT-CLASS-148-11.5R
US-PATENT-3,702,791
c15 N73-13466 NASA-CASE-MFS-20944
US-PATENT-APPL-SN-148756
US-PATENT-CLASS-91-363A
US-PATENT-CLASS-91-448
US-PATENT-3,702,575
c15 N73-13467 NASA-CASE-NPO-11369
US-PATENT-APPL-SN-129072
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-37
US-PATENT-3,702,532
c16 N73-13489 NASA-CASE-HQN-10654-1
US-PATENT-APPL-SN-182978

US-PATENT-CLASS-324-.5R
US-PATENT-CLASS-331-94
US-PATENT-3,702,972
c18 N73-13562 NASA-CASE-ARC-10196-1
US-PATENT-APPL-SN-115082
US-PATENT-CLASS-260-2.5F
US-PATENT-3,702,841
c21 N73-13643 NASA-CASE-HQN-10703
US-PATENT-APPL-SN-156724
US-PATENT-CLASS-340-27NA
US-PATENT-CLASS-340-33
US-PATENT-CLASS-340-97
US-PATENT-CLASS-343-112CA
US-PATENT-3,699,511
c21 N73-13644 NASA-CASE-NPO-11481
US-PATENT-APPL-SN-134571
US-PATENT-CLASS-74-5.22
US-PATENT-CLASS-179-100.2A
US-PATENT-CLASS-340-174.1R
US-PATENT-CLASS-346-74MD
US-PATENT-CLASS-346-138
US-PATENT-3,697,968
c23 N73-13660 NASA-CASE-MFS-20809
US-PATENT-APPL-SN-173185
US-PATENT-CLASS-315-169R
US-PATENT-CLASS-315-169TV
US-PATENT-CLASS-317-101A
US-PATENT-3,700,961
c23 N73-13661 NASA-CASE-MSC-12404-1
US-PATENT-APPL-SN-142662
US-PATENT-CLASS-356-106S
US-PATENT-3,702,735
c23 N73-13662 NASA-CASE-MFS-20243
US-PATENT-APPL-SN-59894
US-PATENT-CLASS-250-51.5
US-PATENT-CLASS-250-52
US-PATENT-3,702,933
c28 N73-13773 NASA-CASE-LEW-10374-1
US-PATENT-APPL-SN-107380
US-PATENT-CLASS-60-211
US-PATENT-CLASS-60-240
US-PATENT-CLASS-60-243
US-PATENT-CLASS-137-81.5
US-PATENT-3,702,536
c31 N73-13898 NASA-CASE-LAR-10549-1
US-PATENT-APPL-SN-108824
US-PATENT-CLASS-60-291
US-PATENT-CLASS-244-139
US-PATENT-3,700,192
c32 N73-13921 NASA-CASE-MSC-12233-2
US-PATENT-APPL-SN-107298
US-PATENT-CLASS-52-284
US-PATENT-CLASS-52-594
US-PATENT-CLASS-229-DIG.11
US-PATENT-3,702,520
c07 N73-14130 NASA-CASE-NPO-11661
US-PATENT-APPL-SN-200682
US-PATENT-CLASS-343-782
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-915
US-PATENT-3,705,406
c09 N73-14214 NASA-CASE-ARC-10467-1
US-PATENT-APPL-SN-212028
US-PATENT-CLASS-250-205
US-PATENT-CLASS-250-211J
US-PATENT-CLASS-250-217SS
US-PATENT-CLASS-307-310
US-PATENT-CLASS-307-311
US-PATENT-3,705,316
c14 N73-14427 NASA-CASE-NPO-10758
US-PATENT-APPL-SN-81096
US-PATENT-CLASS-95-12.5
US-PATENT-CLASS-95-59
US-PATENT-CLASS-352-169
US-PATENT-3,704,659
c14 N73-14428 NASA-CASE-NPO-10764-1
US-PATENT-APPL-SN-836280
US-PATENT-CLASS-252-408
US-PATENT-3,700,603
c14 N73-14429 NASA-CASE-NPO-11387
US-PATENT-APPL-SN-142719
US-PATENT-CLASS-73-57
US-PATENT-CLASS-73-60
US-PATENT-3,706,221
c15 N73-14468 NASA-CASE-LAR-10103-1
US-PATENT-APPL-SN-103230
US-PATENT-CLASS-29-203V
US-PATENT-CLASS-219-101
US-PATENT-CLASS-219-119
US-PATENT-3,705,288
c15 N73-14469 NASA-CASE-GSC-10791-1
US-PATENT-APPL-SN-84289
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-591
US-PATENT-CLASS-174-52S
US-PATENT-CLASS-317-234A
US-PATENT-CLASS-317-234G
US-PATENT-3,705,255
c18 N73-14584 NASA-CASE-LAR-10894-1
US-PATENT-APPL-SN-189375
US-PATENT-CLASS-106-39R
US-PATENT-CLASS-106-55
US-PATENT-CLASS-106-58
US-PATENT-CLASS-106-63
US-PATENT-CLASS-264-DIG.36
US-PATENT-CLASS-264-65
US-PATENT-3,706,583
c21 N73-14692 NASA-CASE-ERC-10392
US-PATENT-APPL-SN-36534
US-PATENT-CLASS-340-27AT
US-PATENT-3,706,970
c31 N73-14853 NASA-CASE-GSC-10590-1
US-PATENT-APPL-SN-130353
US-PATENT-CLASS-102-49.5
US-PATENT-3,706,281
c31 N73-14854 NASA-CASE-MSC-12433
US-PATENT-APPL-SN-103551
US-PATENT-CLASS-244-155
US-PATENT-3,702,688
c31 N73-14855 NASA-CASE-NPO-10680
US-PATENT-APPL-SN-104048
US-PATENT-CLASS-74-2
US-PATENT-3,706,230
c09 N73-15235 NASA-CASE-NPO-12106
US-PATENT-APPL-SN-175881
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235AG
US-PATENT-CLASS-317-235K
US-PATENT-CLASS-331-90
US-PATENT-CLASS-331-107G
US-PATENT-CLASS-331-177R
US-PATENT-3,694,771
c06 N73-16106 NASA-CASE-LAR-10668-1
US-PATENT-APPL-SN-172459
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-250-71R
US-PATENT-CLASS-250-83.3UV
US-PATENT-3,709,663
c07 N73-16121 NASA-CASE-NPO-11572
US-PATENT-APPL-SN-125234
US-PATENT-CLASS-179-15AB
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-325-60
US-PATENT-CLASS-343-200
US-PATENT-3,710,257
c10 N73-16205 NASA-CASE-NPO-11282
US-PATENT-APPL-SN-101354
US-PATENT-CLASS-325-346
US-PATENT-CLASS-325-419
US-PATENT-3,710,261
c10 N73-16206 NASA-CASE-ERC-10285
US-PATENT-APPL-SN-55333
US-PATENT-CLASS-331-45
US-PATENT-CLASS-343-100R
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-853
US-PATENT-3,710,329
c14 N73-16483 NASA-CASE-ERC-10226-1
US-PATENT-APPL-SN-124909
US-PATENT-APPL-SN-808822
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-215
US-PATENT-CLASS-250-217
US-PATENT-CLASS-315-153
US-PATENT-CLASS-340-25
US-PATENT-CLASS-340-27R
US-PATENT-3,708,671
c14 N73-16484 NASA-CASE-LAR-10739-1
US-PATENT-APPL-SN-134567
US-PATENT-CLASS-250-217F
US-PATENT-CLASS-340-228S
US-PATENT-CLASS-340-418
US-PATENT-3,708,674
c16 N73-16536 NASA-CASE-LAR-10311-1
US-PATENT-APPL-SN-31702

Page intentionally left blank

Missing
P.607 - 638

Page intentionally left blank

US-PATENT-CLASS-536-84
US-PATENT-CLASS-536-105
US-PATENT-CLASS-536-85
US-PATENT-4,041,233
c27 N77-30237 NASA-CASE-MFS-23305-1
US-PATENT-APPL-SN-696989
US-PATENT-CLASS-106-292
US-PATENT-CLASS-106-296
US-PATENT-CLASS-106-299
US-PATENT-4,039,347
c32 N77-30308 NASA-CASE-GSC-12017-1
US-PATENT-APPL-SN-645510
US-PATENT-CLASS-325-30
US-PATENT-CLASS-325-42
US-PATENT-CLASS-325-65
US-PATENT-CLASS-325-473
US-PATENT-4,041,391
c32 N77-30309 NASA-CASE-GSC-11898-1
US-PATENT-APPL-SN-566494
US-PATENT-CLASS-179-1SA
US-PATENT-CLASS-179-1SP
US-PATENT-4,039,754
c33 N77-30365 NASA-CASE-NPO-13812-1
US-PATENT-APPL-SN-694855
US-PATENT-CLASS-307-64
US-PATENT-CLASS-363-53
US-PATENT-CLASS-363-70
US-PATENT-4,039,925
c34 N77-30399 NASA-CASE-MFS-19287-1
US-PATENT-APPL-SN-641802
US-PATENT-CLASS-60-259
US-PATENT-CLASS-62-55
US-PATENT-CLASS-137-207
US-PATENT-CLASS-137-209
US-PATENT-4,039,000
c35 N77-30436 NASA-CASE-MFS-23175-1
US-PATENT-APPL-SN-667928
US-PATENT-CLASS-324-163
US-PATENT-CLASS-324-165
US-PATENT-CLASS-324-174
US-PATENT-CLASS-340-271
US-PATENT-CLASS-340-347P
US-PATENT-CLASS-340-347SY
US-PATENT-4,039-946
c54 N77-30749 NASA-CASE-KSC-11004-1
US-PATENT-APPL-SN-710032
US-PATENT-CLASS-3-2
US-PATENT-CLASS-3-21
US-PATENT-4,038,705
c05 N77-31132 NASA-CASE-LAR-10706-2
US-PATENT-APPL-SN-730780
c27 N77-31308 NASA-CASE-NPO-11609-2
US-PATENT-APPL-SN-228229
US-PATENT-APPL-SN-674700
US-PATENT-CLASS-210-DIG.27
US-PATENT-CLASS-210-40
US-PATENT-CLASS-260-2.5A
US-PATENT-CLASS-260-2.5AM
US-PATENT-CLASS-260-2.5AY
US-PATENT-CLASS-260-77.5AP
US-PATENT-4,039-489
c32 N77-31350 NASA-CASE-GSC-12075-1
US-PATENT-APPL-SN-562499
US-PATENT-CLASS-343-17.7
US-PATENT-4,042,926
c33 N77-31404 NASA-CASE-ARC-10897-1
US-PATENT-APPL-SN-625781
US-PATENT-CLASS-323-93
US-PATENT-CLASS-324-60
US-PATENT-CLASS-340-200
US-PATENT-CLASS-340-347SH
US-PATENT-4,040,041
c35 N77-31465 NASA-CASE-MFS-23118-1
US-PATENT-APPL-SN-691256
US-PATENT-CLASS-356-212
US-PATENT-4,040,750
c37 N77-31497 NASA-CASE-NPO-13671-1
US-PATENT-APPL-SN-564622
US-PATENT-CLASS-123-DIG.8
US-PATENT-CLASS-123-3
US-PATENT-CLASS-123-37
US-PATENT-CLASS-123-59E
US-PATENT-CLASS-123-119A
US-PATENT-CLASS-123-122AB
US-PATENT-4,041,910
c44 N77-31601 NASA-CASE-LEW-12587-1
US-PATENT-APPL-SN-717319
US-PATENT-CLASS-52-51
US-PATENT-CLASS-52-173R
US-PATENT-CLASS-136-89AC
US-PATENT-CLASS-136-89P
US-PATENT-4,040,867
c44 N77-31611 NASA-CASE-MFS-23518-2
US-PATENT-APPL-SN-830382
c45 N77-31668 NASA-CASE-MSC-16299-1
US-PATENT-APPL-SN-826203
c60 N77-31800 NASA-CASE-GSC-12111-2
US-PATENT-APPL-SN-830272
c07 N77-32148 NASA-CASE-LEW-12312-1
US-PATENT-APPL-SN-654787
US-PATENT-CLASS-416-135
US-PATENT-CLASS-416-190
US-PATENT-CLASS-416-193A
US-PATENT-CLASS-416-241A
US-PATENT-4,045,149
c25 N77-32255 NASA-CASE-NPO-13566-1
US-PATENT-APPL-SN-653316
US-PATENT-CLASS-204-DIG.11
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-204-158E
US-PATENT-CLASS-204-162E
US-PATENT-CLASS-250-527
US-PATENT-4,045,359
c26 N77-32279 NASA-CASE-LEW-12906-1
US-PATENT-APPL-SN-691936
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32
US-PATENT-4,045,255
c26 N77-32280 NASA-CASE-LEW-12270-1
US-PATENT-APPL-SN-645507
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32.5
US-PATENT-4,046,560
c27 N77-32308 NASA-CASE-GSC-12110-1
US-PATENT-APPL-SN-682435
US-PATENT-CLASS-156-645
US-PATENT-CLASS-156-663
US-PATENT-4,046,619
c32 N77-32342 NASA-CASE-NPO-13587-1
US-PATENT-APPL-SN-589119
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-10
US-PATENT-CLASS-343-100CL
US-PATENT-4,045,795
c34 N77-32413 NASA-CASE-GSC-11998-1
US-PATENT-APPL-SN-579989
US-PATENT-CLASS-165-105
US-PATENT-4,046,190
c35 N77-32454 NASA-CASE-LEW-12050-1
US-PATENT-APPL-SN-629457
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-236R
US-PATENT-CLASS-136-240
US-PATENT-4,045,247
c35 N77-32455 NASA-CASE-NPO-13792-1
US-PATENT-APPL-SN-677351
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-59
US-PATENT-4,045,728
c35 N77-32456 NASA-CASE-GSC-12143-1
US-PATENT-APPL-SN-743249
US-PATENT-CLASS-73-421.5B
US-PATENT-CLASS-250-288
US-PATENT-4,046,012
c36 N77-32478 NASA-CASE-LEW-12164-1
US-PATENT-APPL-SN-511334
US-PATENT-CLASS-350-162SF
US-PATENT-4,043,674
c37 N77-32499 NASA-CASE-MSC-19535-1
US-PATENT-APPL-SN-641784
US-PATENT-CLASS-292-110
US-PATENT-4,045,063
c37 N77-32500 NASA-CASE-LEW-12527-1
US-PATENT-APPL-SN-595747
US-PATENT-CLASS-290-52
US-PATENT-CLASS-308-72
US-PATENT-CLASS-308-195
US-PATENT-4,046,434
c37 N77-32501 NASA-CASE-LEW-12477-1
US-PATENT-APPL-SN-595745
US-PATENT-CLASS-290-52
US-PATENT-CLASS-308-195
US-PATENT-4,046,435
c44 N77-32580 NASA-CASE-NPO-13675-1
US-PATENT-APPL-SN-658132
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-250-527

US-PATENT-4,045,315
c44 N77-32581 NASA-CASE-NPO-13510-1
US-PATENT-APPL-SN-536786
US-PATENT-CLASS-62-4
US-PATENT-CLASS-126-263
US-PATENT-CLASS-165-2
US-PATENT-CLASS-165-107
US-PATENT-4,044,821
c44 N77-32582 NASA-CASE-NPO-13810-1
US-PATENT-APPL-SN-681096
US-PATENT-CLASS-52-117
US-PATENT-CLASS-60-641
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-4,044,753
c44 N77-32583 NASA-CASE-NPO-13736-1
US-PATENT-APPL-SN-681017
US-PATENT-CLASS-52-2
US-PATENT-CLASS-350-295
US-PATENT-CLASS-350-320
US-PATENT-CLASS-427-47
US-PATENT-CLASS-427-130
US-PATENT-4,046,462
c54 N77-32721 NASA-CASE-ARC-10756-1
US-PATENT-APPL-SN-436313
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-214-1BC
US-PATENT-CLASS-214-1CM
US-PATENT-4,046,262
c54 N77-32722 NASA-CASE-MSC-14771-1
US-PATENT-APPL-SN-688854
US-PATENT-CLASS-55-179
US-PATENT-CLASS-55-269
US-PATENT-CLASS-165-166
US-PATENT-4,046,529
c60 N77-32731 NASA-CASE-GSC-11839-3
US-PATENT-APPL-SN-468614
US-PATENT-APPL-SN-657997
US-PATENT-CLASS-250-199
US-PATENT-CLASS-340-347AD
US-PATENT-CLASS-350-96R
US-PATENT-4,045,792
c76 N77-32919 NASA-CASE-MFS-23001-1
US-PATENT-APPL-SN-610801
US-PATENT-CLASS-156-DIG.62
US-PATENT-CLASS-156-601
US-PATENT-CLASS-156-619
US-PATENT-CLASS-156-620
US-PATENT-4,046,617
c24 N78-10214 NASA-CASE-LAR-11898-1
US-PATENT-APPL-SN-723264
US-PATENT-CLASS-428-73
US-PATENT-CLASS-428-116
US-PATENT-CLASS-428-138
US-PATENT-CLASS-428-902
US-PATENT-4,052,523
c25 N78-10224 NASA-CASE-LEW-12137-1
US-PATENT-APPL-SN-672210
US-PATENT-CLASS-60-39.51R
US-PATENT-CLASS-165-105
US-PATENT-CLASS-431-158
US-PATENT-CLASS-431-352
US-PATENT-4,052,144
c25 N78-10225 NASA-CASE-MSC-14831-1
US-PATENT-APPL-SN-685027
US-PATENT-CLASS-204-292
US-PATENT-CLASS-210-63R
US-PATENT-CLASS-210-71
US-PATENT-CLASS-252-472
US-PATENT-CLASS-427-229
US-PATENT-4,052,302
c33 N78-10375 NASA-CASE-MSC-14916-1
US-PATENT-APPL-SN-739914
US-PATENT-CLASS-179-107R
US-PATENT-CLASS-179-175.1A
US-PATENT-CLASS-330-2
US-PATENT-4,049,930
c33 N78-10376 NASA-CASE-MFS-23280-1
US-PATENT-APPL-SN-706425
US-PATENT-CLASS-318-200
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-4,052,648
c33 N78-10377 NASA-CASE-NPO-13872-1
US-PATENT-APPL-SN-742034
US-PATENT-CLASS-363-57
US-PATENT-CLASS-363-89
US-PATENT-4,052,659
c35 N78-10428 NASA-CASE-MSC-14757-1
US-PATENT-APPL-SN-625734
US-PATENT-CLASS-60-560
US-PATENT-CLASS-60-574
US-PATENT-CLASS-141-4
US-PATENT-CLASS-141-197
US-PATENT-CLASS-417-225
US-PATENT-4,051,877
c35 N78-10429 NASA-CASE-NPO-13772-1
US-PATENT-APPL-SN-675351
US-PATENT-CLASS-250-310
US-PATENT-CLASS-250-398
US-PATENT-4,052,614
c37 N78-10467 NASA-CASE-LEW-12321-1
US-PATENT-APPL-SN-596641
US-PATENT-CLASS-60-39.28R
US-PATENT-CLASS-60-39.66
US-PATENT-CLASS-123-41.33
US-PATENT-CLASS-123-122E
US-PATENT-CLASS-137-104
US-PATENT-CLASS-415-180
US-PATENT-4,041,697
c37 N78-10468 NASA-CASE-LEW-12313-1
US-PATENT-APPL-SN-581751
US-PATENT-CLASS-416-135
US-PATENT-CLASS-416-141
US-PATENT-CLASS-416-220R
US-PATENT-CLASS-416-248
US-PATENT-4,047,840
c39 N78-10493 NASA-CASE-NPO-13731-1
US-PATENT-APPL-SN-653682
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-91
US-PATENT-4,030,348
c43 N78-10529 NASA-CASE-GSC-11976-1
US-PATENT-APPL-SN-677352
US-PATENT-CLASS-324-58.5B
US-PATENT-4,052,666
c44 N78-10554 NASA-CASE-NPO-13734-1
US-PATENT-APPL-SN-680939
US-PATENT-CLASS-126-271
US-PATENT-CLASS-237-1A
US-PATENT-CLASS-350-293
US-PATENT-CLASS-350-299
US-PATENT-4,051,834
c52 N78-10686 NASA-CASE-ARC-10916-1
US-PATENT-APPL-SN-701448
US-PATENT-CLASS-3-1.2
US-PATENT-CLASS-3-15
US-PATENT-CLASS-3-29
US-PATENT-4,051,558
c60 N78-10709 NASA-CASE-GSC-11839-2
US-PATENT-APPL-SN-468614
US-PATENT-APPL-SN-657996
US-PATENT-CLASS-340-173LB
US-PATENT-CLASS-350-96R
US-PATENT-CLASS-356-169
US-PATENT-4,052,705
c71 N78-10837 NASA-CASE-NPO-13802-1
US-PATENT-APPL-SN-658133
US-PATENT-CLASS-65-DIG.4
US-PATENT-CLASS-65-DIG.7
US-PATENT-CLASS-65-2
US-PATENT-CLASS-65-4B
US-PATENT-CLASS-65-32
US-PATENT-CLASS-65-87
US-PATENT-CLASS-65-102
US-PATENT-CLASS-73-505
US-PATENT-CLASS-264-23
US-PATENT-CLASS-264-345
US-PATENT-4,052,181
c37 N78-11399 NASA-CASE-MSC-16239-1
US-PATENT-APPL-SN-847276
c52 N78-11692 NASA-CASE-ARC-11118-1
US-PATENT-APPL-SN-850504
c35 N78-12390 NASA-CASE-MSC-14773-1
US-PATENT-APPL-SN-612966
US-PATENT-CLASS-55-3
US-PATENT-CLASS-55-26-9
US-PATENT-CLASS-55-100
US-PATENT-CLASS-62-50
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-137-197
US-PATENT-CLASS-210-222
US-PATENT-4,027,494
c33 N78-13320 NASA-CASE-MFS-23274-1
US-PATENT-APPL-SN-714158
US-PATENT-CLASS-307-306
US-PATENT-CLASS-338-325
US-PATENT-CLASS-357-4

US-PATENT-CLASS-357-5
US-PATENT-CLASS-357-73
US-PATENT-4,055,847
c35 N78-13400 NASA-CASE-ARC-10639-1
US-PATENT-APPL-SN-643043
US-PATENT-CLASS-250-336
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-351
US-PATENT-4,055,764
c37 N78-13436 NASA-CASE-LEW-12083-1
US-PATENT-APPL-SN-659882
US-PATENT-CLASS-250-499
US-PATENT-CLASS-313-61S
US-PATENT-CLASS-427-124
US-PATENT-CLASS-427-126
US-PATENT-CLASS-427-248E
US-PATENT-CLASS-427-250
US-PATENT-CLASS-427-255
US-PATENT-4,055,686
c44 N78-13526 NASA-CASE-NPO-13482-1
US-PATENT-APPL-SN-495021
US-PATENT-CLASS-136-89SJ
US-PATENT-CLASS-357-15
US-PATENT-CLASS-357-16
US-PATENT-CLASS-357-30
US-PATENT-4,053,918
c74 N78-13874 NASA-CASE-GSC-12088-1
US-PATENT-APPL-SN-648700
US-PATENT-CLASS-356-103
US-PATENT-CLASS-356-104
US-PATENT-4,053,229
c24 N78-14096 NASA-CASE-ARC-11042-1
US-PATENT-APPL-SN-734902
US-PATENT-CLASS-60-836
US-PATENT-CLASS-252-8.1
US-PATENT-4,061,579
c25 N78-14104 NASA-CASE-ARC-10991-1
US-PATENT-APPL-SN-744574
US-PATENT-CLASS-204-180G
US-PATENT-CLASS-204-299R
US-PATENT-4,061,561
c27 N78-14164 NASA-CASE-NPO-13867-1
US-PATENT-APPL-SN-692284
US-PATENT-CLASS-96-87A
US-PATENT-CLASS-260-DIG.15
US-PATENT-CLASS-427-164
US-PATENT-CLASS-428-411
US-PATENT-CLASS-428-522
US-PATENT-CLASS-428-922
US-PATENT-4,061,834
c35 N78-14364 NASA-CASE-ARC-11046-1
US-PATENT-APPL-SN-712419
US-PATENT-CLASS-73-180
US-PATENT-CLASS-340-27SS
US-PATENT-4,061,029
c36 N78-14380 NASA-CASE-MFS-19259-1
US-PATENT-APPL-SN-732630
US-PATENT-CLASS-250-571
US-PATENT-CLASS-356-159
US-PATENT-CLASS-356-160
US-PATENT-CLASS-356-199
US-PATENT-4,061,427
c43 N78-14452 NASA-CASE-LEW-12217-1
US-PATENT-APPL-SN-763753
US-PATENT-CLASS-166-248
US-PATENT-CLASS-166-259
US-PATENT-4,061,190
c44 N78-14625 NASA-CASE-LEW-12039-1
US-PATENT-APPL-SN-687822
US-PATENT-CLASS-320-6
US-PATENT-CLASS-320-15
US-PATENT-CLASS-320-18
US-PATENT-CLASS-320-40
US-PATENT-4,061,955
c52 N78-14773 NASA-CASE-LEW-12668-1
US-PATENT-APPL-SN-677353
US-PATENT-CLASS-128-305
US-PATENT-4,061,146
c54 N78-14784 NASA-CASE-MSC-14632-1
US-PATENT-APPL-SN-571459
US-PATENT-CLASS-23-253A
US-PATENT-CLASS-204-180P
US-PATENT-CLASS-204-301
US-PATENT-CLASS-210-96M
US-PATENT-CLASS-210-192
US-PATENT-4,061,570
c71 N78-14867 NASA-CASE-LAR-12106-1
US-PATENT-APPL-SN-740156
US-PATENT-CLASS-73-646
US-PATENT-CLASS-330-52
US-PATENT-4,061,041
c74 N78-14889 NASA-CASE-KSC-11047-1
US-PATENT-APPL-SN-715485
US-PATENT-CLASS-179-91B
US-PATENT-CLASS-250-199
US-PATENT-CLASS-358-142
US-PATENT-4,061,577
c24 N78-15180 NASA-CASE-ARC-10913-1
US-PATENT-APPL-SN-698646
US-PATENT-CLASS-106-15FP
US-PATENT-CLASS-260-2.5N
US-PATENT-CLASS-260-2.5R
US-PATENT-CLASS-428-71
US-PATENT-CLASS-428-73
US-PATENT-CLASS-428-117
US-PATENT-CLASS-428-290
US-PATENT-CLASS-428-920
US-PATENT-4,061,812
c25 N78-15210 NASA-CASE-LAR-12046-1
US-PATENT-APPL-SN-755310
US-PATENT-CLASS-23-230PC
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-73-23
US-PATENT-4,062,650
c27 N78-15276 NASA-CASE-LEW-12053-1
US-PATENT-APPL-SN-513613
US-PATENT-CLASS-260-2R
US-PATENT-CLASS-526-193
US-PATENT-CLASS-526-225
US-PATENT-CLASS-544-193
US-PATENT-4,061,856
c32 N78-15323 NASA-CASE-NPO-13836-1
US-PATENT-APPL-SN-699002
US-PATENT-CLASS-178-69.1
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-63
US-PATENT-CLASS-343-179
US-PATENT-4,061,974
c35 N78-15461 NASA-CASE-NPO-13808-1
US-PATENT-APPL-SN-675328
US-PATENT-CLASS-250-322
US-PATENT-CLASS-250-416TV
US-PATENT-4,063,092
c39 N78-15512 NASA-CASE-LAR-12016-1
US-PATENT-APPL-SN-754066
US-PATENT-CLASS-73-88F
US-PATENT-CLASS-73-579
US-PATENT-CLASS-73-630
US-PATENT-4,062,227
c44 N78-15560 NASA-CASE-LAR-12009-1
US-PATENT-APPL-SN-717320
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-400
US-PATENT-CLASS-237-1A
US-PATENT-4,062,347
c74 N78-15879 NASA-CASE-LAR-10385-3
US-PATENT-APPL-SN-38816
US-PATENT-APPL-SN-370999
US-PATENT-CLASS-350-1
US-PATENT-CLASS-428-334
US-PATENT-CLASS-428-336
US-PATENT-CLASS-428-426
US-PATENT-CLASS-428-428
US-PATENT-4,062,996
c74 N78-15880 NASA-CASE-MFS-22409-2
US-PATENT-APPL-SN-445398
US-PATENT-APPL-SN-636193
US-PATENT-CLASS-250-272
US-PATENT-CLASS-250-320
US-PATENT-4,063,086
c37 N78-16369 NASA-CASE-NPO-13619-1
US-PATENT-APPL-SN-572990
US-PATENT-CLASS-74-81
US-PATENT-CLASS-74-83
US-PATENT-CLASS-185-38
US-PATENT-4,062,245
c39 N78-16387 NASA-CASE-LAR-11490-1
US-PATENT-APPL-SN-707125
US-PATENT-CLASS-358-106
US-PATENT-4,063,282
c04 N78-17031 NASA-CASE-XNP-01458
US-PATENT-APPL-SN-160093
US-PATENT-CLASS-235-70
US-PATENT-3,229,905
c07 N78-17055 NASA-CASE-LEW-12317-1
US-PATENT-APPL-SN-581750
US-PATENT-CLASS-60-204

US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-271
US-PATENT-4,068,469
c07 N78-17056 NASA-CASE-LEW-12390-1
US-PATENT-APPL-SN-522109
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-74-385
US-PATENT-CLASS-74-417
US-PATENT-4,068,470
c17 N78-17140 NASA-CASE-HQN-10880-1
US-PATENT-APPL-SN-595254
US-PATENT-CLASS-325-66
US-PATENT-CLASS-325-118
US-PATENT-CLASS-343-112R
US-PATENT-CLASS-343-225
US-PATENT-CLASS-362-269
US-PATENT-4,067,015
c24 N78-17149 NASA-CASE-LAR-11898-2
US-PATENT-APPL-SN-723264
US-PATENT-APPL-SN-799024
US-PATENT-CLASS-156-245
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-289
US-PATENT-CLASS-426-116
US-PATENT-CLASS-428-902
US-PATENT-4,063,981
c24 N78-17150 NASA-CASE-LAR-12019-1
US-PATENT-APPL-SN-792067
US-PATENT-CLASS-156-154
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-286
US-PATENT-CLASS-156-289
US-PATENT-CLASS-156-300
US-PATENT-CLASS-156-306
US-PATENT-CLASS-156-311
US-PATENT-CLASS-264-90
US-PATENT-CLASS-264-157
US-PATENT-CLASS-428-294
US-PATENT-CLASS-428-302
US-PATENT-4,065,340
c27 N78-17205 NASA-CASE-LAR-12181-1
US-PATENT-APPL-SN-532784
US-PATENT-APPL-SN-734901
US-PATENT-CLASS-156-309
US-PATENT-CLASS-156-331
US-PATENT-CLASS-260-30.4N
US-PATENT-CLASS-260-32.2R
US-PATENT-CLASS-260-32.6NT
US-PATENT-CLASS-260-33.4R
US-PATENT-4,065,345
c27 N78-17206 NASA-CASE-LAR-11902-1
US-PATENT-APPL-SN-672695
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-75-229
US-PATENT-CLASS-75-239
US-PATENT-CLASS-75-241
US-PATENT-CLASS-106-43
US-PATENT-4,067,742
c27 N78-17213 NASA-CASE-MSC-14331-2
US-PATENT-APPL-SN-657907
US-PATENT-CLASS-260-75NH
US-PATENT-CLASS-260-75NK
US-PATENT-CLASS-260-75NT
US-PATENT-CLASS-260-77.5AH
US-PATENT-CLASS-260-77.5AN
US-PATENT-CLASS-260-77.5AP
US-PATENT-CLASS-260-77.5AT
US-PATENT-CLASS-260-77.55P
US-PATENT-4,069,212
c27 N78-17214 NASA-CASE-NPO-10557
US-PATENT-APPL-SN-759220
US-PATENT-CLASS-260-67
US-PATENT-3,538,053
c27 N78-17215 NASA-CASE-NPO-13764-1
US-PATENT-APPL-SN-674194
US-PATENT-CLASS-3-1.9
US-PATENT-CLASS-128-92C
US-PATENT-CLASS-128-92G
US-PATENT-CLASS-260-42.17
US-PATENT-4,064,566
c31 N78-17237 NASA-CASE-LEW-11981-1
US-PATENT-APPL-SN-672220
US-PATENT-CLASS-62-376
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-313-22
US-PATENT-4,068,495
c31 N78-17238 NASA-CASE-NPO-11978
US-PATENT-APPL-SN-264268
US-PATENT-CLASS-313-175
US-PATENT-CLASS-313-176
US-PATENT-CLASS-313-180
US-PATENT-CLASS-313-184
US-PATENT-CLASS-313-224
US-PATENT-3,769,544
c33 N78-17293 NASA-CASE-XLE-06094
US-PATENT-APPL-SN-523632
US-PATENT-CLASS-315-22
US-PATENT-3,423,627
c33 N78-17294 NASA-CASE-MSC-11235
US-PATENT-APPL-SN-698239
US-PATENT-CLASS-307-270
US-PATENT-CLASS-307-297
US-PATENT-CLASS-323-4
US-PATENT-CLASS-328-172
US-PATENT-3,573,504
c33 N78-17295 NASA-CASE-XGS-09186
US-PATENT-APPL-SN-669911
US-PATENT-CLASS-323-18
US-PATENT-3,475,675
c33 N78-17296 NASA-CASE-GSC-10135
US-PATENT-APPL-SN-764823
US-PATENT-CLASS-307-53
US-PATENT-CLASS-307-69
US-PATENT-CLASS-320-53
US-PATENT-CLASS-323-19
US-PATENT-3,600,599
c34 N78-17335 NASA-CASE-LEW-12508-1
US-PATENT-APPL-SN-746580
US-PATENT-CLASS-62-3
US-PATENT-4,069,028
c34 N78-17336 NASA-CASE-ARC-10198
US-PATENT-APPL-SN-42088
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-134
US-PATENT-3,777,811
c34 N78-17337 NASA-CASE-ARC-10199
US-PATENT-APPL-SN-824628
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-96
US-PATENT-CLASS-165-105
US-PATENT-3,543,839
c35 N78-17357 NASA-CASE-MFS-23194-1
US-PATENT-APPL-SN-629458
US-PATENT-CLASS-350-3.5
US-PATENT-4,065,202
c35 N78-17358 NASA-CASE-MSC-11242
US-PATENT-APPL-SN-636796
US-PATENT-CLASS-73-67.2
US-PATENT-3,492,858
c35 N78-17359 NASA-CASE-NPO-11150
US-PATENT-APPL-SN-858950
US-PATENT-CLASS-338-36
US-PATENT-CLASS-338-99
US-PATENT-CLASS-338-100
US-PATENT-3,641,470
c36 N78-17366 NASA-CASE-MFS-22597
US-PATENT-APPL-SN-395895
US-PATENT-CLASS-315-108
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5T
US-PATENT-3,882,417
c37 N78-17383 NASA-CASE-MSC-19666-1
US-PATENT-APPL-SN-721150
US-PATENT-CLASS-51-235
US-PATENT-CLASS-118-50
US-PATENT-CLASS-118-500
US-PATENT-CLASS-248-36-3
US-PATENT-CLASS-269-21
US-PATENT-CLASS-279-3
US-PATENT-4,066,039
c37 N78-17384 NASA-CASE-LEW-12916-1
US-PATENT-APPL-SN-583056
US-PATENT-CLASS-60-261
US-PATENT-CLASS-60-262
US-PATENT-CLASS-60-271
US-PATENT-4,064,692
c37 N78-17385 NASA-CASE-NOO-00625
US-PATENT-APPL-SN-362278
US-PATENT-CLASS-74-800
US-PATENT-3,306,134
c37 N78-17386 NASA-CASE-NPO-10151
US-PATENT-APPL-SN-365244
US-PATENT-CLASS-328-233
US-PATENT-3,387,218
c38 N78-17395 NASA-CASE-NPO-13283
US-PATENT-APPL-SN-401225

US-PATENT-CLASS-235-151.3
US-PATENT-CLASS-235-156
US-PATENT-CLASS-235-181
US-PATENT-CLASS-250-572
US-PATENT-CLASS-356-237
US-PATENT-3,908,118
c38 N78-17396 NASA-CASE-NPO-13282
US-PATENT-APPL-SN-401224
US-PATENT-CLASS-235-151.3
US-PATENT-CLASS-235-156
US-PATENT-CLASS-250-563
US-PATENT-CLASS-250-572
US-PATENT-CLASS-356-165
US-PATENT-CLASS-356-237
US-PATENT-3,909,602
c44 N78-17460 NASA-CASE-NPO-13579-1
US-PATENT-APPL-SN-598969
US-PATENT-CLASS-60-641
US-PATENT-CLASS-62-4
US-PATENT-CLASS-126-263
US-PATENT-CLASS-126-271
US-PATENT-CLASS-165-2
US-PATENT-CLASS-237-1A
US-PATENT-4,065,053
c54 N78-17675 NASA-CASE-ARC-11101-1
US-PATENT-APPL-SN-753976
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-36-92
US-PATENT-CLASS-36-119
US-PATENT-4,064,642
c54 N78-17676 NASA-CASE-MFS-23311-1
US-PATENT-APPL-SN-708800
US-PATENT-CLASS-3-12.5
US-PATENT-CLASS-74-515E
US-PATENT-CLASS-214-1CM
US-PATENT-4,068,763
c54 N78-17677 NASA-CASE-MSC-13054
US-PATENT-APPL-SN-585217
US-PATENT-CLASS-2-161
US-PATENT-3,490,074
c54 N78-17678 NASA-CASE-XMS-04670
US-PATENT-APPL-SN-535169
US-PATENT-CLASS-2-2.1
US-PATENT-3,488,771
c54 N78-17679 NASA-CASE-XMS-04928
US-PATENT-APPL-SN-584914
US-PATENT-CLASS-98-1
US-PATENT-3,487,765
c54 N78-17680 NASA-CASE-XMS-09653
US-PATENT-APPL-SN-538863
US-PATENT-CLASS-2-6
US-PATENT-3,359,568
c60 N78-17691 NASA-CASE-GSC-12044-1
US-PATENT-APPL-SN-631341
US-PATENT-CLASS-340-347DD
US-PATENT-4,069,478
c74 N78-17865 NASA-CASE-MSC-12618-1
US-PATENT-APPL-SN-651007
US-PATENT-CLASS-350-159
US-PATENT-CLASS-358-41
US-PATENT-CLASS-358-55
US-PATENT-CLASS-358-225
US-PATENT-4,067,043
c74 N78-17866 NASA-CASE-LAR-11711-1
US-PATENT-APPL-SN-674195
US-PATENT-CLASS-250-201
US-PATENT-CLASS-350-204
US-PATENT-CLASS-356-28
US-PATENT-4,063,814
c74 N78-17867 NASA-CASE-NPO-13759-1
US-PATENT-APPL-SN-718266
US-PATENT-CLASS-250-344
US-PATENT-CLASS-356-204
US-PATENT-CLASS-356-246
US-PATENT-4,067,653
c05 N78-18045 NASA-CASE-LAR-11688-1
US-PATENT-APPL-SN-878540
c07 N78-18066 NASA-CASE-LEW-12389-2
US-PATENT-APPL-SN-628221
US-PATENT-CLASS-60-39.31
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-244-53A
US-PATENT-CLASS-244-54
US-PATENT-4,055,041
c07 N78-18067 NASA-CASE-LEW-12917-1
US-PATENT-APPL-SN-583055
US-PATENT-CLASS-60-204
US-PATENT-CLASS-60-262
US-PATENT-4,069,661
c09 N78-18083 NASA-CASE-ARC-10903-1
US-PATENT-APPL-SN-623536
US-PATENT-CLASS-35-12R
US-PATENT-CLASS-358-104
US-PATENT-4,055,004
c26 N78-18182 NASA-CASE-LEW-12095-1
US-PATENT-APPL-SN-651009
US-PATENT-CLASS-75-124
US-PATENT-CLASS-75-126D
US-PATENT-CLASS-75-126F
US-PATENT-CLASS-75-128G
US-PATENT-CLASS-75-128T
US-PATENT-4,055,416
c26 N78-18183 NASA-CASE-LEW-12905-1
US-PATENT-APPL-SN-684171
US-PATENT-CLASS-75-170
US-PATENT-CLASS-148-32
US-PATENT-CLASS-148-32.5
US-PATENT-4,055,447
c32 N78-18266 NASA-CASE-NPO-14035-1
US-PATENT-APPL-SN-858767
c33 N78-18308 NASA-CASE-FRC-10090-1
US-PATENT-APPL-SN-737974
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-350
US-PATENT-CLASS-307-360
US-PATENT-CLASS-328-150
US-PATENT-4,055,777
c34 N78-18355 NASA-CASE-LEW-12554-1
US-PATENT-APPL-SN-686449
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-405
US-PATENT-CLASS-427-419A
US-PATENT-CLASS-427-423
US-PATENT-CLASS-428-633
US-PATENT-CLASS-428-652
US-PATENT-CLASS-428-667
US-PATENT-4,055,705
c35 N78-18390 NASA-CASE-MFS-23008-1
US-PATENT-APPL-SN-665734
US-PATENT-CLASS-73-DIG.11
US-PATENT-CLASS-73-28
US-PATENT-CLASS-73-432PS
US-PATENT-CLASS-73-432R
US-PATENT-4,055,089
c35 N78-18391 NASA-CASE-NPO-13687-1
US-PATENT-APPL-SN-641803
US-PATENT-CLASS-356-106S
US-PATENT-CLASS-356-110
US-PATENT-4,053,231
c35 N78-18395 NASA-CASE-NPO-13999-1
US-PATENT-APPL-SN-858596
c36 N78-18410 NASA-CASE-NPO-13801-1
US-PATENT-APPL-SN-708796
US-PATENT-CLASS-330-4
US-PATENT-CLASS-332-7.5
US-PATENT-4,055,810
c54 N78-18761 NASA-CASE-MSC-10954-1
US-PATENT-APPL-SN-529884
US-PATENT-CLASS-2-2.1
US-PATENT-3,514,785
c74 N78-18905 NASA-CASE-GSC-12010-1
US-PATENT-APPL-SN-680958
US-PATENT-CLASS-250-213VT
US-PATENT-CLASS-313-94
US-PATENT-CLASS-313-442
US-PATENT-4,070,574
c27 N78-19302 NASA-CASE-NPO-13690-1
US-PATENT-APPL-SN-633876
US-PATENT-CLASS-106-39.5
US-PATENT-CLASS-106-65
US-PATENT-CLASS-106-73.5
US-PATENT-4,072,532
c35 N78-19465 NASA-CASE-ARC-10896-1
US-PATENT-APPL-SN-615030
US-PATENT-CLASS-73-23
US-PATENT-4,055,072
c35 N78-19466 NASA-CASE-ARC-10820-1
US-PATENT-APPL-SN-620675
US-PATENT-CLASS-119-51.11
US-PATENT-CLASS-119-72.5
US-PATENT-CLASS-137-624.11
US-PATENT-4,055,147
c44 N78-19599 NASA-CASE-LEW-12159-1
US-PATENT-APPL-SN-643041
US-PATENT-CLASS-126-270
US-PATENT-CLASS-427-160
US-PATENT-CLASS-428-652
US-PATENT-CLASS-428-667

US-PATENT-CLASS-428-679
US-PATENT-4,055,707
c44 N78-19609 NASA-CASE-NPO-14068-1
US-PATENT-APPL-SN-858769
c73 N78-19920 NASA-CASE-HQN-10841-1
US-PATENT-APPL-SN-560891
US-PATENT-CLASS-176-39
US-PATENT-CLASS-330-4.3
US-PATENT-4,075,057
c18 N78-22146 NASA-CASE-MSC-16217-1
US-PATENT-APPL-SN-893383
c23 N78-22154 NASA-CASE-ARC-11097-1
US-PATENT-APPL-SN-891872
c23 N78-22155 NASA-CASE-ARC-11097-2
US-PATENT-APPL-SN-891875
c51 N78-22585 NASA-CASE-GSC-12158-1
US-PATENT-APPL-SN-888434
c54 N78-22720 NASA-CASE-ARC-11031-1
US-PATENT-APPL-SN-897828
c20 N78-24275 NASA-CASE-LAR-12018-1
US-PATENT-APPL-SN-678520
US-PATENT-CLASS-60-39.82E
US-PATENT-CLASS-102-39
US-PATENT-CLASS-102-49.7
US-PATENT-CLASS-102-70R
US-PATENT-CLASS-285-192
US-PATENT-4,080,901
c24 N78-24290 NASA-CASE-MFS-23506-1
US-PATENT-APPL-SN-760809
US-PATENT-CLASS-260-2.5AK
US-PATENT-CLASS-260-2.5AP
US-PATENT-CLASS-260-2.5B
US-PATENT-CLASS-260-2.5BE
US-PATENT-CLASS-260-2.5EP
US-PATENT-CLASS-260-2.5FP
US-PATENT-CLASS-260-29.1R
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-427-427
US-PATENT-4,077,921
c26 N78-24333 NASA-CASE-MSC-19693-1
US-PATENT-APPL-SN-708771
US-PATENT-CLASS-148-12.7A
US-PATENT-CLASS-148-125
US-PATENT-4,077,813
c28 N78-24365 NASA-CASE-LEW-12081-1
US-PATENT-APPL-SN-676432
US-PATENT-CLASS-34-15
US-PATENT-CLASS-62-48
US-PATENT-CLASS-62-100
US-PATENT-CLASS-250-492R
US-PATENT-CLASS-423-648R
US-PATENT-4,077,788
c31 N78-24387 NASA-CASE-NPO-14140-1
NASA-CASE-NPO-14381-1
US-PATENT-APPL-SN-897832
c32 N78-24391 NASA-CASE-NPO-13886-1
US-PATENT-APPL-SN-730045
US-PATENT-CLASS-307-151
US-PATENT-CLASS-343-700MS
US-PATENT-CLASS-361-395
US-PATENT-4,079,268
c35 N78-24515 NASA-CASE-LAR-11201-1
US-PATENT-APPL-SN-788705
US-PATENT-CLASS-73-456
US-PATENT-CLASS-73-756
US-PATENT-CLASS-416-61
US-PATENT-CLASS-416-144
US-PATENT-4,082,001
c37 N78-24544 NASA-CASE-MSC-16000-1
US-PATENT-APPL-SN-739915
US-PATENT-CLASS-29-23.5
US-PATENT-CLASS-29-156.8R
US-PATENT-CLASS-29-244
US-PATENT-CLASS-29-252
US-PATENT-4,078,290
c37 N78-24545 NASA-CASE-LEW-12785-1
US-PATENT-APPL-SN-739909
US-PATENT-CLASS-60-39.28R
US-PATENT-4,078,378
c44 N78-24608 NASA-CASE-GSC-12030-1
US-PATENT-APPL-SN-710035
US-PATENT-CLASS-308-10
US-PATENT-CLASS-310-153
US-PATENT-CLASS-310-154
US-PATENT-CLASS-310-178
US-PATENT-CLASS-310-269
US-PATENT-4,077,678
c44 N78-24609 NASA-CASE-GSC-12022-2
US-PATENT-APPL-SN-693074
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89SG
US-PATENT-CLASS-148-174
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-59
US-PATENT-CLASS-427-86
US-PATENT-CLASS-427-113
US-PATENT-CLASS-427-248J
US-PATENT-CLASS-427-249
US-PATENT-4,077,818
c76 N78-24950 NASA-CASE-MFS-23315-1
US-PATENT-APPL-SN-724874
US-PATENT-CLASS-250-277CB
US-PATENT-CLASS-250-280
US-PATENT-4,078,175
c03 N78-25070 NASA-CASE-MSC-12564-2
US-PATENT-APPL-SN-861389
c07 N78-25089 NASA-CASE-LEW-12452-1
US-PATENT-APPL-SN-695513
US-PATENT-CLASS-60-39.52
US-PATENT-CLASS-60-226R
US-PATENT-4,083,181
c07 N78-25090 NASA-CASE-LEW-11855-1
US-PATENT-APPL-SN-672222
US-PATENT-CLASS-277-25
US-PATENT-CLASS-277-134
US-PATENT-4,084,825
c15 N78-25119 NASA-CASE-MFS-23564-1
US-PATENT-APPL-SN-739908
US-PATENT-CLASS-244-161
US-PATENT-CLASS-244-167
US-PATENT-4,083,520
c15 N78-25120 NASA-CASE-LAR-12250-1
US-PATENT-APPL-SN-910794
c24 N78-25137 NASA-CASE-MFS-23186-2
US-PATENT-APPL-SN-900832
c24 N78-25138 NASA-CASE-MSC-14795-2
US-PATENT-APPL-SN-911747
c25 N78-25148 NASA-CASE-LEW-12465-1
US-PATENT-APPL-SN-692413
US-PATENT-CLASS-55-2
US-PATENT-CLASS-55-100
US-PATENT-CLASS-55-101
US-PATENT-CLASS-250-423P
US-PATENT-CLASS-250-528
US-PATENT-CLASS-250-531
US-PATENT-4,085,332
c25 N78-25149 NASA-CASE-LEW-12358-2
US-PATENT-APPL-SN-848428
c31 N78-25256 NASA-CASE-NPO-13839-1
US-PATENT-APPL-SN-712981
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-250-332
US-PATENT-CLASS-313-22
US-PATENT-4,077,231
c32 N78-25274 NASA-CASE-MSC-16462-1
US-PATENT-APPL-SN-900841
c33 N78-25319 NASA-CASE-NPO-13909-1
US-PATENT-APPL-SN-744477
US-PATENT-CLASS-324-57DE
US-PATENT-CLASS-324-57SS
US-PATENT-CLASS-324-58A
US-PATENT-4,084,132
c33 N78-25323 NASA-CASE-LEW-12277-2
US-PATENT-APPL-SN-896955
c34 N78-25350 NASA-CASE-MSC-19568-1
US-PATENT-APPL-SN-681000
US-PATENT-CLASS-49-DIG.1
US-PATENT-CLASS-49-479
US-PATENT-CLASS-49-485
US-PATENT-CLASS-428-93
US-PATENT-CLASS-428-94
US-PATENT-CLASS-428-95
US-PATENT-CLASS-428-96
US-PATENT-CLASS-428-97
US-PATENT-CLASS-428-913
US-PATENT-4,078,110
c34 N78-25351 NASA-CASE-LEW-12718-1
US-PATENT-APPL-SN-779428
US-PATENT-CLASS-137-484.2
US-PATENT-CLASS-137-501
US-PATENT-CLASS-137-505.16
US-PATENT-4,084,612
c35 N78-25391 NASA-CASE-NPO-13948-1
US-PATENT-APPL-SN-752748
US-PATENT-CLASS-73-336.5
US-PATENT-CLASS-204-195B
US-PATENT-4,083,765
c37 N78-25426 NASA-CASE-MSC-12731-1

US-PATENT-APPL-SN-690816
US-PATENT-CLASS-137-505.25
US-PATENT-CLASS-137-625.3
US-PATENT-CLASS-137-625.38
US-PATENT-4,083,380
c37 N78-25431 NASA-CASE-NPO-14221-1
US-PATENT-APPL-SN-907431
c44 N78-25527 NASA-CASE-LEW-12552-1
US-PATENT-APPL-SN-770869
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-65
US-PATENT-CLASS-357-67
US-PATENT-CLASS-427-75
US-PATENT-CLASS-427-261
US-PATENT-4,082,569
c44 N78-25528 NASA-CASE-LEW-12185-1
US-PATENT-APPL-SN-746269
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-628
US-PATENT-CLASS-136-89E
US-PATENT-CLASS-136-89P
US-PATENT-4,063,097
c44 N78-25529 NASA-CASE-LEW-12541-1
US-PATENT-APPL-SN-790637
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89H
US-PATENT-CLASS-136-89P
US-PATENT-CLASS-156-633
US-PATENT-4,084,985
c44 N78-25530 NASA-CASE-LEW-12649-1
US-PATENT-APPL-SN-720521
US-PATENT-CLASS-427-385B
US-PATENT-CLASS-427-385C
US-PATENT-CLASS-429-254
US-PATENT-4,085,241
c44 N78-25531 NASA-CASE-MFS-23270-1
US-PATENT-APPL-SN-744573
US-PATENT-CLASS-320-9
US-PATENT-CLASS-320-13
US-PATENT-CLASS-320-15
US-PATENT-CLASS-320-32
US-PATENT-CLASS-320-39
US-PATENT-4,084,124
c44 N78-25553 NASA-CASE-LEW-12806-1
US-PATENT-APPL-SN-915050
c44 N78-25555 NASA-CASE-LEW-12038-3
US-PATENT-APPL-SN-901892
c07 N78-27121 NASA-CASE-LAR-11919-1
US-PATENT-APPL-SN-672221
US-PATENT-CLASS-60-230
US-PATENT-CLASS-239-265.25
US-PATENT-CLASS-239-265.33
US-PATENT-4,088,270
c07 N78-27122 NASA-CASE-LEW-12990-1
US-PATENT-APPL-SN-916654
c20 N78-27176 NASA-CASE-MFS-23642-2
US-PATENT-APPL-SN-923758
c24 N78-27180 NASA-CASE-ARC-11043-1
US-PATENT-APPL-SN-753964
US-PATENT-CLASS-260-33.6EP
US-PATENT-CLASS-260-33.6PQ
US-PATENT-CLASS-260-33.8EP
US-PATENT-CLASS-260-33.8UA
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-260-42.43
US-PATENT-CLASS-260-45.7R
US-PATENT-CLASS-260-45.9R
US-PATENT-CLASS-260-45.75W
US-PATENT-CLASS-260-45.85N
US-PATENT-CLASS-427-386
US-PATENT-CLASS-427-388A
US-PATENT-CLASS-428-313
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-921
US-PATENT-4,088,806
c24 N78-27182 NASA-CASE-MFS-23674-1
US-PATENT-APPL-SN-912276
c24 N78-27184 NASA-CASE-ARC-11040-2
US-PATENT-APPL-SN-920878
c25 N78-27226 NASA-CASE-LEW-10518-3
US-PATENT-APPL-SN-394207
US-PATENT-CLASS-176-11
US-PATENT-CLASS-176-16
US-PATENT-CLASS-250-400
US-PATENT-CLASS-250-429
US-PATENT-CLASS-250-492B
US-PATENT-4,088,532
c25 N78-27232 NASA-CASE-MSC-16307-1
US-PATENT-APPL-SN-710798
c33 N78-27326 NASA-CASE-MFS-23312-1
US-PATENT-APPL-SN-699012
US-PATENT-CLASS-29-571
US-PATENT-CLASS-29-578
US-PATENT-CLASS-357-91
US-PATENT-4,087,902
c34 N78-27357 NASA-CASE-LEW-11877-1
US-PATENT-APPL-SN-708660
US-PATENT-CLASS-60-39.65
US-PATENT-CLASS-60-39.69E
US-PATENT-CLASS-431-7
US-PATENT-CLASS-431-10
US-PATENT-CLASS-431-328
US-PATENT-4,087,962
c35 N78-27384 NASA-CASE-LAR-11973-1
US-PATENT-APPL-SN-821681
US-PATENT-CLASS-73-61R
US-PATENT-CLASS-73-170A
US-PATENT-CLASS-73-425.4R
US-PATENT-4,089,209
c36 N78-27402 NASA-CASE-NPO-13945-1
US-PATENT-APPL-SN-704180
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5P
US-PATENT-CLASS-331-94.5PE
US-PATENT-4,088,965
c37 N78-27423 NASA-CASE-MSC-16270-1
US-PATENT-APPL-SN-837260
US-PATENT-CLASS-269-21
US-PATENT-CLASS-269-266
US-PATENT-4,088,312
c37 N78-27424 NASA-CASE-LAR-11889-2
US-PATENT-APPL-SN-662182
US-PATENT-APPL-SN-807703
US-PATENT-CLASS-73-178R
US-PATENT-CLASS-308-10
US-PATENT-4,088,018
c37 N78-27425 NASA-CASE-ARC-10981-1
US-PATENT-APPL-SN-738218
US-PATENT-CLASS-248-178
US-PATENT-CLASS-248-186
US-PATENT-4,088,291
c44 N78-27515 NASA-CASE-NPO-12148-1
US-PATENT-APPL-SN-709415
US-PATENT-CLASS-136-89P
US-PATENT-4,089,705
c51 N78-27733 NASA-CASE-ARC-10917-1
US-PATENT-APPL-SN-672223
US-PATENT-CLASS-119-29
US-PATENT-4,088,094
c52 N78-27750 NASA-CASE-MSC-16433-1
US-PATENT-APPL-SN-910992
c74 N78-27904 NASA-CASE-LAR-11869-1
US-PATENT-APPL-SN-740155
US-PATENT-CLASS-356-120
US-PATENT-CLASS-356-167
US-PATENT-4,088,408
c75 N78-27913 NASA-CASE-MFS-22906-1
US-PATENT-APPL-SN-684807
US-PATENT-CLASS-29-81C
US-PATENT-CLASS-313-231.3
US-PATENT-CLASS-315-111.2
US-PATENT-4,088,926
c35 N78-28411 NASA-CASE-KSC-11035-1
US-PATENT-APPL-SN-780874
US-PATENT-CLASS-324-32
US-PATENT-CLASS-324-74
US-PATENT-CLASS-324-130
US-PATENT-4,088,951
c44 N78-28594 NASA-CASE-NPO-13821-1
US-PATENT-APPL-SN-688852
US-PATENT-CLASS-343-16R
US-PATENT-CLASS-343-113R
US-PATENT-CLASS-343-119
US-PATENT-4,088,999
c73 N78-28913 NASA-CASE-NPO-13114-2
US-PATENT-APPL-SN-294738
US-PATENT-APPL-SN-634214
US-PATENT-CLASS-176-22
US-PATENT-CLASS-176-33
US-PATENT-CLASS-176-39
US-PATENT-4,085,004
c35 N78-29421 NASA-CASE-NPO-11954-1
US-PATENT-APPL-SN-229287
US-PATENT-CLASS-179-100.2CH
US-PATENT-CLASS-340-174.1R

US-PATENT-CLASS-340-174YC
US-PATENT-CLASS-350-151
US-PATENT-3,775,570
c09 N78-31129 NASA-CASE-MSC-19706-1
US-PATENT-APPL-SN-767911
US-PATENT-CLASS-73-147
US-PATENT-CLASS-239-265.25
US-PATENT-4,091,665
c27 N78-31232 NASA-CASE-ARC-11008-1
US-PATENT-APPL-SN-708951
US-PATENT-CLASS-260-2.5N
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-63N
US-PATENT-CLASS-260-78.41
US-PATENT-4,092,274
c27 N78-31233 NASA-CASE-ARC-11057-1
US-PATENT-APPL-SN-807762
US-PATENT-CLASS-350-165
US-PATENT-CLASS-350-175NG
US-PATENT-CLASS-427-40
US-PATENT-CLASS-427-41
US-PATENT-CLASS-427-164
US-PATENT-CLASS-428-411
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-422
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-515
US-PATENT-CLASS-428-523
US-PATENT-CLASS-428-538
US-PATENT-4,091,166
c28 N78-31255 NASA-CASE-NPO-14103-1
US-PATENT-APPL-SN-797210
US-PATENT-CLASS-149-19.4
US-PATENT-CLASS-149-19.8
US-PATENT-CLASS-149-88
US-PATENT-CLASS-149-92
US-PATENT-CLASS-149-93
US-PATENT-CLASS-149-105
US-PATENT-CLASS-149-111
US-PATENT-4,092,188
c32 N78-31321 NASA-CASE-NPO-14022-1
US-PATENT-APPL-SN-780728
US-PATENT-CLASS-343-781CA
US-PATENT-CLASS-343-782
US-PATENT-CLASS-343-837
US-PATENT-4,092,648
c37 N78-31426 NASA-CASE-GSC-11883-2
US-PATENT-APPL-SN-596787
US-PATENT-APPL-SN-747675
US-PATENT-CLASS-60-527
US-PATENT-CLASS-74-100R
US-PATENT-4,010,455
US-PATENT-4,092,874
c44 N78-31525 NASA-CASE-NPO-13581-2
US-PATENT-APPL-SN-590975
US-PATENT-APPL-SN-811815
US-PATENT-CLASS-126-271
US-PATENT-CLASS-237-1A
US-PATENT-4,091,800
c44 N78-31526 NASA-CASE-NPO-13813-1
NASA-CASE-NPO-13914-1
US-PATENT-APPL-SN-765139
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-299
US-PATENT-4,091,798
c44 N78-31527 NASA-CASE-NPO-13937-1
US-PATENT-APPL-SN-718137
US-PATENT-CLASS-44-1R
US-PATENT-CLASS-44-2
US-PATENT-CLASS-201-17
US-PATENT-4,081,250
c54 N78-31735 NASA-CASE-ARC-11058-1
US-PATENT-APPL-SN-753965
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-285-235
US-PATENT-4,091,464
c54 N78-31736 NASA-CASE-ARC-11100-1
US-PATENT-APPL-SN-780569
US-PATENT-CLASS-2-2.1A
US-PATENT-4,091,465
c05 N78-32086 NASA-CASE-LAR-11932-1
US-PATENT-APPL-SN-718244
US-PATENT-CLASS-244-45A
US-PATENT-CLASS-244-46
US-PATENT-CLASS-244-218
US-PATENT-4,093,156
c15 N78-32168 NASA-CASE-LAR-12264-1
US-PATENT-APPL-SN-943087
c20 N78-32179 NASA-CASE-NPO-11458A
US-PATENT-APPL-SN-48621
US-PATENT-CLASS-102-103
US-PATENT-CLASS-149-19.4
US-PATENT-CLASS-149-42
US-PATENT-CLASS-149-43
US-PATENT-CLASS-149-44
US-PATENT-CLASS-149-76
US-PATENT-CLASS-149-83
US-PATENT-CLASS-149-85
US-PATENT-4,116,131
c26 N78-32229 NASA-CASE-ARC-10992-1
US-PATENT-APPL-SN-760810
US-PATENT-CLASS-204-164
US-PATENT-CLASS-204-175
US-PATENT-CLASS-423-582
US-PATENT-CLASS-423-583
US-PATENT-4,094,758
c27 N78-32256 NASA-CASE-MSC-14903-1
US-PATENT-APPL-SN-706424
US-PATENT-CLASS-260-2P
US-PATENT-CLASS-260-551P
US-PATENT-CLASS-260-606-5P
US-PATENT-CLASS-260-959
US-PATENT-CLASS-526-13
US-PATENT-CLASS-526-23
US-PATENT-CLASS-526-27
US-PATENT-CLASS-526-49
US-PATENT-CLASS-526-50
US-PATENT-CLASS-526-275
US-PATENT-CLASS-526-276
US-PATENT-CLASS-526-278
US-PATENT-CLASS-544-195
US-PATENT-4,092,466
c27 N78-32260 NASA-CASE-ARC-11051-1
US-PATENT-APPL-SN-736910
US-PATENT-CLASS-65-30R
US-PATENT-CLASS-65-60D
US-PATENT-CLASS-106-48
US-PATENT-CLASS-106-54
US-PATENT-CLASS-427-215
US-PATENT-CLASS-427-376A
US-PATENT-CLASS-427-376B
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-380
US-PATENT-CLASS-428-312
US-PATENT-CLASS-428-325
US-PATENT-CLASS-428-331
US-PATENT-CLASS-428-341
US-PATENT-CLASS-428-406
US-PATENT-CLASS-428-427
US-PATENT-CLASS-428-428
US-PATENT-CLASS-428-446
US-PATENT-CLASS-428-920
US-PATENT-4,093,771
c27 N78-32261 NASA-CASE-LAR-11828-1
US-PATENT-APPL-SN-448321
US-PATENT-APPL-SN-562992
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-49
US-PATENT-CLASS-260-63N
US-PATENT-CLASS-260-63E
US-PATENT-CLASS-260-65
US-PATENT-CLASS-260-78TF
US-PATENT-4,094,862
c27 N78-32262 NASA-CASE-MSC-14331-3
US-PATENT-APPL-SN-657998
US-PATENT-CLASS-264-130
US-PATENT-CLASS-264-184
US-PATENT-CLASS-264-211
US-PATENT-CLASS-264-236
US-PATENT-4,094,943
c33 N78-32338 NASA-CASE-GSC-12137-1
US-PATENT-APPL-SN-808510
US-PATENT-CLASS-329-124
US-PATENT-CLASS-331-4
US-PATENT-CLASS-331-12
US-PATENT-CLASS-331-64
US-PATENT-4,092,606
c33 N78-32339 NASA-CASE-GSC-12145-1
US-PATENT-APPL-SN-769149
US-PATENT-CLASS-307-229
US-PATENT-CLASS-307-230
US-PATENT-CLASS-328-145
US-PATENT-4,091,329
c33 N78-32340 NASA-CASE-GSC-12146-1
US-PATENT-APPL-SN-782480
US-PATENT-CLASS-325-159
US-PATENT-CLASS-325-187

US-PATENT-CLASS-333-17R
US-PATENT-CLASS-333-81R
US-PATENT-4,092,617
c33 N78-32341 NASA-CASE-LEW-12791-1
US-PATENT-APPL-SN-801432
US-PATENT-CLASS-363-16
US-PATENT-CLASS-363-60
US-PATENT-CLASS-363-101
US-PATENT-4,092,712
c35 N78-32395 NASA-CASE-ARC-11036-1
US-PATENT-APPL-SN-740457
US-PATENT-CLASS-33-366
US-PATENT-4,094,073
c35 N78-32396 NASA-CASE-MFS-23363-1
US-PATENT-APPL-SN-730046
US-PATENT-CLASS-324-173
US-PATENT-CLASS-324-207
US-PATENT-4,093,917
c35 N78-32397 NASA-CASE-LAR-11617-2
US-PATENT-APPL-SN-547072
US-PATENT-APPL-SN-668771
US-PATENT-CLASS-324-249
US-PATENT-4,088,954
c37 N78-32434 NASA-CASE-ARC-11110-1
US-PATENT-APPL-SN-945040
c38 N78-32447 NASA-CASE-MFS-23114-1
US-PATENT-APPL-SN-686331
US-PATENT-CLASS-73-603
US-PATENT-CLASS-350-3.5
US-PATENT-CLASS-356-72
US-PATENT-CLASS-356-73
US-PATENT-4,093,382
c44 N78-32539 NASA-CASE-LAR-11208-1
US-PATENT-APPL-SN-710036
US-PATENT-CLASS-60-39.07
US-PATENT-CLASS-60-39.14
US-PATENT-CLASS-60-39.33
US-PATENT-CLASS-98-1.5
US-PATENT-CLASS-417-88
US-PATENT-4,091,613
c44 N78-32542 NASA-CASE-KSC-11034-1
US-PATENT-APPL-SN-782481
US-PATENT-CLASS-60-641
US-PATENT-CLASS-60-671
US-PATENT-4,087,975
c54 N78-32720 NASA-CASE-MSC-14805-1
US-PATENT-APPL-SN-688856
US-PATENT-CLASS-340-213R
US-PATENT-CLASS-340-262
US-PATENT-CLASS-340-279
US-PATENT-CLASS-340-285
US-PATENT-CLASS-340-309.1
US-PATENT-4,092,633
c54 N78-32721 NASA-CASE-ARC-11059-1
US-PATENT-APPL-SN-753978
US-PATENT-CLASS-62-259
US-PATENT-CLASS-128-142.7
US-PATENT-4,095,593
c54 N78-32724 NASA-CASE-MFS-23696-1
US-PATENT-APPL-SN-945044
c73 N78-32848 NASA-CASE-GSC-12083-1
US-PATENT-APPL-SN-643897
US-PATENT-CLASS-350-170
US-PATENT-CLASS-350-173
US-PATENT-CLASS-350-174
US-PATENT-CLASS-350-286
US-PATENT-CLASS-350-320
US-PATENT-4,093,354
c74 N78-32854 NASA-CASE-ARC-11039-1
US-PATENT-APPL-SN-750655
US-PATENT-CLASS-351-166
US-PATENT-CLASS-427-38
US-PATENT-CLASS-427-41
US-PATENT-CLASS-427-44
US-PATENT-CLASS-427-164
US-PATENT-CLASS-427-302
US-PATENT-CLASS-427-322
US-PATENT-CLASS-427-387
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-447
US-PATENT-4,096,315
c07 N78-33101 NASA-CASE-LEW-12496-1
US-PATENT-APPL-SN-668971
US-PATENT-CLASS-29-463
US-PATENT-CLASS-74-572
US-PATENT-CLASS-416-214A
US-PATENT-CLASS-416-244A
US-PATENT-4,097,194
c25 N78-33164 NASA-CASE-NPO-14272-1
US-PATENT-APPL-SN-878253
c27 N78-33228 NASA-CASE-NPO-08835-1
US-PATENT-APPL-SN-588721
US-PATENT-CLASS-260-28.5
US-PATENT-3,527,724
c37 N78-33446 NASA-CASE-LAR-12195-1
US-PATENT-APPL-SN-946991
c44 N78-33526 NASA-CASE-NPO-13763-1
US-PATENT-APPL-SN-718268
US-PATENT-CLASS-123-DIG.12
US-PATENT-CLASS-123-1A
US-PATENT-CLASS-123-3
US-PATENT-4,112,875
c74 N78-33913 NASA-CASE-NPO-10233-1
US-PATENT-APPL-SN-716885
US-PATENT-CLASS-250-218
US-PATENT-CLASS-250-227
US-PATENT-CLASS-250-239
US-PATENT-CLASS-356-208
US-PATENT-3,573,470
c07 N79-10057 NASA-CASE-LEW-12232-1
US-PATENT-APPL-SN-776029
US-PATENT-CLASS-60-39.14
US-PATENT-CLASS-415-115
US-PATENT-CLASS-415-116
US-PATENT-4,117,669
c25 N79-10162 NASA-CASE-ARC-11053-1
US-PATENT-APPL-SN-814378
US-PATENT-CLASS-23-252R
US-PATENT-CLASS-423-581
US-PATENT-4,101,644
c25 N79-10163 NASA-CASE-NPO-13274-1
US-PATENT-APPL-SN-406296
US-PATENT-CLASS-204-180S
US-PATENT-CLASS-204-299
US-PATENT-3,932,262
c32 N79-10262 NASA-CASE-NPO-13941-1
US-PATENT-APPL-SN-774384
US-PATENT-CLASS-307-233R
US-PATENT-CLASS-324-77E
US-PATENT-CLASS-324-77C
US-PATENT-4,118,666
c32 N79-10263 NASA-CASE-MSC-12743-1
US-PATENT-APPL-SN-765167
US-PATENT-CLASS-325-41
US-PATENT-CLASS-340-146.1AX
US-PATENT-CLASS-340-146.1E
US-PATENT-4,100,531
c32 N79-10264 NASA-CASE-MFS-22234-1
US-PATENT-APPL-SN-730778
US-PATENT-CLASS-343-6R
US-PATENT-CLASS-343-9
US-PATENT-4,118,701
c33 N79-10337 NASA-CASE-KSC-11018-1
US-PATENT-APPL-SN-782693
US-PATENT-CLASS-324-72
US-PATENT-CLASS-324-96
US-PATENT-CLASS-324-133
US-PATENT-4,100,487
c33 N79-10338 NASA-CASE-GSC-12228-1
US-PATENT-APPL-SN-858764
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-83D
US-PATENT-CLASS-324-85
US-PATENT-CLASS-328-163
US-PATENT-4,118,665
c33 N79-10339 NASA-CASE-LEW-12013-1
US-PATENT-APPL-SN-768795
US-PATENT-CLASS-301-82
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-3.6
US-PATENT-CLASS-330-43
US-PATENT-4,118,671
c35 N79-10389 NASA-CASE-MFS-23461-1
US-PATENT-APPL-SN-694406
US-PATENT-CLASS-96-27R
US-PATENT-CLASS-96-60R
US-PATENT-CLASS-250-475
US-PATENT-CLASS-252-301.1R
US-PATENT-CLASS-252-301.16
US-PATENT-4,101,780
c35 N79-10390 NASA-CASE-LAR-12260-1
US-PATENT-CLASS-73-579
US-PATENT-CLASS-73-589
US-PATENT-4,117,731
c35 N79-10391 NASA-CASE-NPO-13862-1
US-PATENT-APPL-SN-744577
US-PATENT-CLASS-324-77R
US-PATENT-CLASS-343-5CR

US-PATENT-CLASS-343-5W
US-PATENT-CLASS-343-17.2PC
US-PATENT-4,101,891
c37 N79-10418 NASA-CASE-LEW-12569-1
US-PATENT-APPL-SN-792069
US-PATENT-CLASS-308-DIG.1
US-PATENT-CLASS-308-5R
US-PATENT-CLASS-308-9
US-PATENT-CLASS-308-121
US-PATENT-CLASS-308-160
US-PATENT-CLASS-308-163
US-PATENT-CLASS-308-172
US-PATENT-4,099,799
c37 N79-10419 NASA-CASE-FRC-10111-1
US-PATENT-APPL-SN-713027
US-PATENT-CLASS-30-90.6
US-PATENT-CLASS-81-9.5R
US-PATENT-4,117,749
c37 N79-10420 NASA-CASE-NPO-14014-1
US-PATENT-APPL-SN-826204
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-256-1
US-PATENT-CLASS-256-13.1
US-PATENT-4,118,014
c37 N79-10421 NASA-CASE-MFS-23620-1
US-PATENT-APPL-SN-799023
US-PATENT-CLASS-219-124.2-2
US-PATENT-CLASS-219-124.32
US-PATENT-CLASS-219-125.1
US-PATENT-CLASS-228-8
US-PATENT-4,118,620
c37 N79-10422 NASA-CASE-MFS-23051-1
US-PATENT-APPL-SN-632111
US-PATENT-CLASS-15-230.16
US-PATENT-CLASS-15-230.17
US-PATENT-CLASS-29-125
US-PATENT-CLASS-74-572
US-PATENT-CLASS-428-133
US-PATENT-4,098,142
c44 N79-10513 NASA-CASE-NPO-13732-1
US-PATENT-APPL-SN-765138
US-PATENT-CLASS-429-13
US-PATENT-CLASS-429-41
US-PATENT-CLASS-429-42
US-PATENT-4,100,331
c51 N79-10693 NASA-CASE-MSC-16098-1
US-PATENT-APPL-SN-792068
US-PATENT-CLASS-210-23F
US-PATENT-CLASS-210-96M
US-PATENT-CLASS-210-433M
US-PATENT-4,118,315
c51 N79-10694 NASA-CASE-GSC-12173-1
US-PATENT-APPL-SN-806440
US-PATENT-CLASS-62-78
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-165-2
US-PATENT-CLASS-165-30
US-PATENT-CLASS-195-1.8
US-PATENT-CLASS-219-299
US-PATENT-CLASS-219-302
US-PATENT-4,117,881
c52 N79-10724 NASA-CASE-ARC-10985-1
US-PATENT-APPL-SN-769148
US-PATENT-CLASS-128-2.05R
US-PATENT-CLASS-358-96
US-PATENT-CLASS-358-111
US-PATENT-CLASS-364-417
US-PATENT-4,101,961
c89 N79-10969 NASA-CASE-MFS-23675-1
US-PATENT-APPL-SN-820498
US-PATENT-CLASS-350-55
US-PATENT-CLASS-350-294
US-PATENT-4,101,195
c18 N79-11108 NASA-CASE-MFS-23579-1
US-PATENT-APPL-SN-829316
US-PATENT-CLASS-228-13
US-PATENT-CLASS-228-15.1
US-PATENT-CLASS-228-173
US-PATENT-CLASS-244-159
US-PATENT-4,122,991
c25 N79-11151 NASA-CASE-NPO-13958-1
US-PATENT-APPL-SN-745384
US-PATENT-CLASS-126-91A
US-PATENT-CLASS-431-10
US-PATENT-CLASS-431-208
US-PATENT-CLASS-432-29
US-PATENT-CLASS-432-223
US-PATENT-4,104,018
c25 N79-11152 NASA-CASE-NPO-13904-1
US-PATENT-APPL-SN-730466
US-PATENT-CLASS-44-51
US-PATENT-CLASS-208-8
US-PATENT-CLASS-208-10
US-PATENT-CLASS-302-66
US-PATENT-4,121,995
c27 N79-11215 NASA-CASE-ARC-11170-1
US-PATENT-APPL-SN-956161
c28 N79-11231 NASA-CASE-NPO-13858-1
NASA-CASE-NPO-13859-1
US-PATENT-APPL-SN-740153
US-PATENT-CLASS-102-28E
US-PATENT-4,103,619
c31 N79-11246 NASA-CASE-LAR-12147-1
US-PATENT-APPL-SN-733825
US-PATENT-CLASS-73-95
US-PATENT-CLASS-73-159
US-PATENT-4,103,550
c32 N79-11264 NASA-CASE-MSC-14939-1
US-PATENT-APPL-SN-765165
US-PATENT-CLASS-343-844
US-PATENT-CLASS-343-854
US-PATENT-4,119,972
c32 N79-11265 NASA-CASE-GSC-12150-1
US-PATENT-APPL-SN-736286
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-67
US-PATENT-CLASS-343-17.7
US-PATENT-4,119,964
c33 N79-11313 NASA-CASE-MSC-16461-1
US-PATENT-APPL-SN-858765
US-PATENT-CLASS-307-232
US-PATENT-CLASS-328-133
US-PATENT-CLASS-331-1A
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-27
US-PATENT-4,119,926
c33 N79-11314 NASA-CASE-NPO-13064-1
US-PATENT-APPL-SN-297436
US-PATENT-CLASS-357-22
US-PATENT-3,860,946
c33 N79-11315 NASA-CASE-KSC-11031-1
US-PATENT-APPL-SN-782482
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-113
US-PATENT-CLASS-324-133
US-PATENT-4,105,966
c37 N79-11402 NASA-CASE-MSC-16043-1
US-PATENT-APPL-SN-750792
US-PATENT-CLASS-137-614.06
US-PATENT-CLASS-137-637.05
US-PATENT-CLASS-251-149.9
US-PATENT-CLASS-285-326
US-PATENT-CLASS-285-359
US-PATENT-4,103,712
c37 N79-11403 NASA-CASE-LEW-12793-1
US-PATENT-APPL-SN-745766
US-PATENT-CLASS-60.39.08
US-PATENT-CLASS-60-39.28R
US-PATENT-CLASS-60-39.66
US-PATENT-4,104,873
c37 N79-11404 NASA-CASE-MFS-23447-1
US-PATENT-APPL-SN-736909
US-PATENT-CLASS-308-72
US-PATENT-CLASS-308-194
US-PATENT-4,105,261
c37 N79-11405 NASA-CASE-NPO-13828-1
US-PATENT-APPL-SN-672636
US-PATENT-CLASS-123-148DC
US-PATENT-CLASS-123-148E
US-PATENT-CLASS-315-209CD
US-PATENT-CLASS-315-209SC
US-PATENT-CLASS-315-241R
US-PATENT-4,122,816
c44 N79-11467 NASA-CASE-LEW-12819-1
US-PATENT-APPL-SN-803823
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89SJ
US-PATENT-CLASS-357-15
US-PATENT-CLASS-357-16
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-65
US-PATENT-CLASS-357-67
US-PATENT-4,104,084
c44 N79-11468 NASA-CASE-LEW-12775-1
US-PATENT-APPL-SN-799026
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89

US-PATENT-CLASS-148-188
US-PATENT-CLASS-427-75
US-PATENT-4,104,091
c44 N79-11469 NASA-CASE-MFS-23518-1
US-PATENT-APPL-SN-829390
US-PATENT-CLASS-204-32
US-PATENT-CLASS-204-33
US-PATENT-CLASS-204-37R
US-PATENT-CLASS-204-38B
US-PATENT-4,104,134
c44 N79-11470 NASA-CASE-NPO-14126-1
US-PATENT-APPL-SN-838336
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-250-527
US-PATENT-4,105,517
c44 N79-11471 NASA-CASE-NPO-13817-1
US-PATENT-APPL-SN-801452
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-299
US-PATENT-4,122,833
c44 N79-11472 NASA-CASE-LEW-12552-2
US-PATENT-APPL-SN-844346
US-PATENT-CLASS-29-572
US-PATENT-CLASS-427-75
US-PATENT-CLASS-427-84
US-PATENT-CLASS-427-123
US-PATENT-CLASS-427-126
US-PATENT-CLASS-427-261
US-PATENT-CLASS-427-343
US-PATENT-CLASS-427-398A
US-PATENT-CLASS-427-399
US-PATENT-4,122,214
c74 N79-11865 NASA-CASE-MFS-23513-1
US-PATENT-APPL-SN-755323
US-PATENT-CLASS-356-124
US-PATENT-CLASS-356-210
US-PATENT-4,102,580
c76 N79-11920 NASA-CASE-NPO-13918-1
US-PATENT-APPL-SN-706073
US-PATENT-CLASS-156-DIG.64
US-PATENT-CLASS-156-DIG.65
US-PATENT-CLASS-156-DIG.88
US-PATENT-CLASS-156-608
US-PATENT-CLASS-156-617SP
US-PATENT-4,121,965
c05 N79-12061 NASA-CASE-FRC-10092-1
US-PATENT-APPL-SN-831634
US-PATENT-CLASS-244-48
US-PATENT-CLASS-244-82
US-PATENT-CLASS-244-90R
US-PATENT-4,124,180
c27 N79-12221 NASA-CASE-MSC-12619-2
US-PATENT-APPL-SN-555750
US-PATENT-APPL-SN-786913
US-PATENT-CLASS-244-121
US-PATENT-CLASS-244-158
US-PATENT-CLASS-244-160
US-PATENT-CLASS-428-77
US-PATENT-CLASS-428-189
US-PATENT-CLASS-428-212
US-PATENT-CLASS-428-280
US-PATENT-CLASS-428-285
US-PATENT-CLASS-428-286
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-920
US-PATENT-4,124,732
c33 N79-12321 NASA-CASE-GSC-12190-1
US-PATENT-APPL-SN-817413
US-PATENT-CLASS-357-22
US-PATENT-CLASS-357-23
US-PATENT-CLASS-357-41
US-PATENT-CLASS-357-45
US-PATENT-CLASS-357-55
US-PATENT-4,119,996
c33 N79-12331 NASA-CASE-MSC-12662-1
US-PATENT-APPL-SN-540779
US-PATENT-CLASS-428-109
US-PATENT-CLASS-428-247
US-PATENT-CLASS-428-258
US-PATENT-CLASS-428-259
US-PATENT-4,107,363
c34 N79-12359 NASA-CASE-LAR-11729-1
US-PATENT-APPL-SN-856461
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-194VS
US-PATENT-4,122,712
c37 N79-12445 NASA-CASE-LEW-12991-1
US-PATENT-APPL-SN-961832
c37 N79-12446 NASA-CASE-NPO-14395-1
US-PATENT-APPL-SN-961833
c44 N79-12541 NASA-CASE-NPO-14100-1
US-PATENT-APPL-SN-861391
US-PATENT-CLASS-324-20R
US-PATENT-CLASS-324-22
US-PATENT-4,122,383
c45 N79-12584 NASA-CASE-MSC-16258-1
US-PATENT-APPL-SN-853705
US-PATENT-CLASS-55-73
US-PATENT-CLASS-210-50
US-PATENT-CLASS-210-60
US-PATENT-CLASS-210-63R
US-PATENT-CLASS-423-242
US-PATENT-4,123,355
c52 N79-12694 NASA-CASE-NPO-13913-1
US-PATENT-APPL-SN-687251
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-364-120
US-PATENT-CLASS-364-300
US-PATENT-CLASS-364-415
US-PATENT-CLASS-364-900
US-PATENT-4,122,518
c74 N79-12890 NASA-CASE-KSC-11010-1
US-PATENT-APPL-SN-753977
US-PATENT-CLASS-200-46
US-PATENT-CLASS-200-61
US-PATENT-CLASS-250-214AL
US-PATENT-CLASS-250-214R
US-PATENT-CLASS-315-153
US-PATENT-4,122,334
c20 N79-13077 NASA-CASE-MFS-23904-1
US-PATENT-APPL-SN-966549
c32 N79-13214 NASA-CASE-NPO-14009-1
US-PATENT-APPL-SN-818917
US-PATENT-CLASS-343-7.4
US-PATENT-CLASS-343-117R
US-PATENT-CLASS-343-118
US-PATENT-4,122,454
c33 N79-13261 NASA-CASE-GSC-12399-1
US-PATENT-APPL-SN-961831
c33 N79-13262 NASA-CASE-GSC-12324-1
US-PATENT-APPL-SN-945043
c34 N79-13288 NASA-CASE-LEW-12252-1
US-PATENT-APPL-SN-559847
US-PATENT-CLASS-60-267
US-PATENT-CLASS-165-169
US-PATENT-CLASS-239-127.1
US-PATENT-4,107,919
c34 N79-13289 NASA-CASE-LEW-12441-1
US-PATENT-APPL-SN-559846
US-PATENT-CLASS-60-267
US-PATENT-CLASS-165-146
US-PATENT-CLASS-165-169
US-PATENT-CLASS-239-127.1
US-PATENT-4,108,241
c37 N79-13364 NASA-CASE-LAR-10941-2
US-PATENT-APPL-SN-395493
US-PATENT-CLASS-29-421E
US-PATENT-CLASS-228-2.5
US-PATENT-CLASS-228-107
US-PATENT-4,106,687
c72 N79-13826 NASA-CASE-NPO-13993-1
US-PATENT-APPL-SN-782463
US-PATENT-CLASS-331-94.5L
US-PATENT-CLASS-331-94.5P
US-PATENT-CLASS-331-94.5PE
US-PATENT-4,107,627
c74 N79-13855 NASA-CASE-MFS-23052-2
US-PATENT-APPL-SN-590183
US-PATENT-APPL-SN-772165
US-PATENT-CLASS-35-12C
US-PATENT-CLASS-35-12N
US-PATENT-CLASS-358-104
US-PATENT-4,106,218
c07 N79-14095 NASA-CASE-LEW-13050-1
US-PATENT-APPL-SN-513346
US-PATENT-CLASS-416-157B
US-PATENT-CLASS-416-160
US-PATENT-CLASS-416-162
US-PATENT-CLASS-416-167
US-PATENT-4,124,330
c07 N79-14096 NASA-CASE-LEW-12389-3
US-PATENT-APPL-SN-552108
US-PATENT-APPL-SN-753452
US-PATENT-CLASS-60-39.31

US-PATENT-CLASS-60-226A
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-54
US-PATENT-CLASS-415-200
US-PATENT-CLASS-415-201
US-PATENT-4,132,069

c07 N79-14097 NASA-CASE-LEW-12378-1
US-PATENT-APPL-SN-573029
US-PATENT-CLASS-60-226A
US-PATENT-CLASS-239-265.39
US-PATENT-4,132,068

c08 N79-14108 NASA-CASE-LAR-11868-2
US-PATENT-APPL-SN-651002
US-PATENT-APPL-SN-779429
US-PATENT-CLASS-244-46
US-PATENT-CLASS-244-90R
US-PATENT-CLASS-244-218
US-PATENT-4,132,375

c24 N79-14156 NASA-CASE-GSC-12207-1
US-PATENT-APPL-SN-844344
US-PATENT-CLASS-106-84
US-PATENT-CLASS-106-296
US-PATENT-CLASS-252-518
US-PATENT-4,111,851

c25 N79-14169 NASA-CASE-ARC-11121-1
US-PATENT-APPL-SN-850507
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-204-180G
US-PATENT-CLASS-204-180S
US-PATENT-CLASS-204-299R
US-PATENT-CLASS-424-12
US-PATENT-4,130,471

c27 N79-14213 NASA-CASE-NPO-13690-2
US-PATENT-APPL-SN-858766
US-PATENT-CLASS-75-203
US-PATENT-CLASS-75-205
US-PATENT-CLASS-75-206
US-PATENT-CLASS-75-212
US-PATENT-CLASS-75-226
US-PATENT-CLASS-264-60
US-PATENT-4,131,459

c27 N79-14214 NASA-CASE-ARC-10892-2
US-PATENT-APPL-SN-589172
US-PATENT-APPL-SN-767912
US-PATENT-CLASS-427-41
US-PATENT-CLASS-427-294
US-PATENT-CLASS-428-411
US-PATENT-4,132,829

c28 N79-14228 NASA-CASE-NPO-10866-1
US-PATENT-APPL-SN-849274
US-PATENT-CLASS-149-19.9
US-PATENT-CLASS-149-19.92
US-PATENT-CLASS-149-20
US-PATENT-4,111,729

c32 N79-14267 NASA-CASE-NPO-13982-1
US-PATENT-APPL-SN-782464
US-PATENT-CLASS-329-122
US-PATENT-CLASS-343-14
US-PATENT-CLASS-364-458
US-PATENT-CLASS-364-604
US-PATENT-CLASS-364-728
US-PATENT-4,112,497

c32 N79-14268 NASA-CASE-NPO-14019-1
US-PATENT-APPL-SN-843308
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-100CL
US-PATENT-4,132,989

c32 N79-14276 NASA-CASE-NPO-14311-1
US-PATENT-APPL-SN-969762

c32 N79-14278 NASA-CASE-NPO-14054-1
US-PATENT-APPL-SN-969761

c33 N79-14305 NASA-CASE-KSC-11057-1
US-PATENT-APPL-SN-835544
US-PATENT-CLASS-324-72
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-112
US-PATENT-CLASS-324-113
US-PATENT-CLASS-324-133
US-PATENT-4,112,357

c35 N79-14345 NASA-CASE-LEW-12661-1
US-PATENT-APPL-SN-837796
US-PATENT-CLASS-73-115
US-PATENT-4,111,041

c35 N79-14346 NASA-CASE-LEW-12174-2
US-PATENT-APPL-SN-667929
US-PATENT-APPL-SN-853679
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-236
US-PATENT-4,111,718

c35 N79-14347 NASA-CASE-LAR-12230-1
US-PATENT-APPL-SN-835628
US-PATENT-CLASS-73-4R
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-714
US-PATENT-CLASS-73-721
US-PATENT-CLASS-73-756
US-PATENT-4,111,058

c35 N79-14348 NASA-CASE-NPO-13569-2
US-PATENT-APPL-SN-565162
US-PATENT-APPL-SN-804035
US-PATENT-CLASS-318-573
US-PATENT-CLASS-318-594
US-PATENT-CLASS-318-640
US-PATENT-4,132,940

c35 N79-14349 NASA-CASE-LAR-11859-1
US-PATENT-APPL-SN-861396
US-PATENT-CLASS-324-57R
US-PATENT-4,130,795

c36 N79-14362 NASA-CASE-GSC-12334-1
US-PATENT-APPL-SN-856464
US-PATENT-CLASS-324-0.5
US-PATENT-CLASS-331-94
US-PATENT-4,128,814

c37 N79-14382 NASA-CASE-LAR-11900-1
US-PATENT-APPL-SN-775239
US-PATENT-CLASS-74-586
US-PATENT-CLASS-403-105
US-PATENT-CLASS-416-61
US-PATENT-4,111,068

c37 N79-14383 NASA-CASE-NPO-13541-1
US-PATENT-APPL-SN-828262
US-PATENT-CLASS-81-90B
US-PATENT-CLASS-81-119
US-PATENT-CLASS-81-180B
US-PATENT-4,130,032

c37 N79-14388 NASA-CASE-NPO-14273-1
US-PATENT-APPL-SN-969759

c38 N79-14398 NASA-CASE-MSC-19672-1
US-PATENT-APPL-SN-696679
US-PATENT-CLASS-73-632
US-PATENT-CLASS-73-641
US-PATENT-CLASS-73-644
US-PATENT-CLASS-310-326
US-PATENT-CLASS-310-336
US-PATENT-4,122,725

c44 N79-14526 NASA-CASE-NPO-13921-1
US-PATENT-APPL-SN-785257
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-4,111,184

c44 N79-14527 NASA-CASE-HQN-10888-1
US-PATENT-APPL-SN-760057
US-PATENT-CLASS-74-572
US-PATENT-CLASS-188-151A
US-PATENT-CLASS-188-269
US-PATENT-CLASS-303-92
US-PATENT-CLASS-415-9
US-PATENT-CLASS-416-2
US-PATENT-4,132,130

c44 N79-14528 NASA-CASE-LEW-12236-2
US-PATENT-APPL-SN-760771
US-PATENT-APPL-SN-899123
US-PATENT-CLASS-136-89SJ
US-PATENT-CLASS-357-30
US-PATENT-4,131,486

c44 N79-14529 NASA-CASE-NPO-13579-4
US-PATENT-APPL-SN-906297
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-292
US-PATENT-CLASS-350-293
US-PATENT-CLASS-350-320
US-PATENT-4,131,336

c52 N79-14749 NASA-CASE-NPO-13930-1
US-PATENT-APPL-SN-700467
US-PATENT-CLASS-55-15-8
US-PATENT-CLASS-128-214D
US-PATENT-CLASS-128-272
US-PATENT-CLASS-150-1
US-PATENT-CLASS-195-1.8
US-PATENT-CLASS-206-439
US-PATENT-CLASS-210-DIG.23
US-PATENT-CLASS-422-41
US-PATENT-CLASS-422-48
US-PATENT-4,132,594

c52 N79-14750 NASA-CASE-GSC-12046-1
US-PATENT-APPL-SN-680015
US-PATENT-CLASS-195-103.5R

US-PATENT-CLASS-195-103.5L
US-PATENT-4,132,599
c52 N79-14751 NASA-CASE-NPO-13935-1
NASA-CASE-NPO-13944-1
US-PATENT-APPL-SN-741749
US-PATENT-CLASS-73-633
US-PATENT-CLASS-73-644
US-PATENT-CLASS-128-2V
US-PATENT-4,130,112
c52 N79-14756 NASA-CASE-MFS-23717-1
US-PATENT-APPL-SN-950877
c60 N79-14797 NASA-CASE-NPO-14554-1
US-PATENT-APPL-SN-974473
c71 N79-14871 NASA-CASE-LEW-12658-1
US-PATENT-APPL-SN-702115
US-PATENT-CLASS-181-190
US-PATENT-CLASS-181-213
US-PATENT-CLASS-181-222
US-PATENT-CLASS-181-293
US-PATENT-4,106,587
c74 N79-14891 NASA-CASE-GSC-12225-1
US-PATENT-APPL-SN-823566
US-PATENT-CLASS-350-157
US-PATENT-4,129,357
c74 N79-14892 NASA-CASE-LAR-12251-1
US-PATENT-APPL-SN-953389
c76 N79-14906 NASA-CASE-MFS-23541-1
US-PATENT-APPL-SN-814005
US-PATENT-CLASS-204-192C
US-PATENT-4,111,775
c76 N79-14908 NASA-CASE-NPO-14363-1
US-PATENT-APPL-SN-969760
c20 N79-15151 NASA-CASE-GSC-12194-2
US-PATENT-APPL-SN-971474
c33 N79-15245 NASA-CASE-ARC-10975-1
US-PATENT-APPL-SN-799832
US-PATENT-CLASS-250-531
US-PATENT-CLASS-250-540
US-PATENT-CLASS-250-541
US-PATENT-4,130,490
c35 N79-16246 NASA-CASE-NPO-10872-1
US-PATENT-APPL-SN-805549
US-PATENT-CLASS-179-100.2CH
US-PATENT-CLASS-340-174.1H
US-PATENT-CLASS-346-74MT
US-PATENT-3,626,114
c76 N79-16678 NASA-CASE-NPO-11336-1
NASA-CASE-NPO-13247-1
US-PATENT-APPL-SN-302913
US-PATENT-CLASS-75-134D
US-PATENT-CLASS-117-107
US-PATENT-CLASS-117-119
US-PATENT-CLASS-117-234
US-PATENT-CLASS-117-235
US-PATENT-CLASS-117-237
US-PATENT-CLASS-117-239
US-PATENT-CLASS-117-240
US-PATENT-CLASS-148-6
US-PATENT-CLASS-148-121
US-PATENT-3,837,908
c24 N79-16915 NASA-CASE-ARC-11040-1
US-PATENT-APPL-SN-778195
US-PATENT-CLASS-156-331
US-PATENT-CLASS-428-73
US-PATENT-CLASS-428-117
US-PATENT-CLASS-428-119
US-PATENT-CLASS-428-375
US-PATENT-CLASS-428-458
US-PATENT-4,135,019
c31 N79-17029 NASA-CASE-GSC-12168-1
US-PATENT-APPL-SN-838337
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-165-30
US-PATENT-CLASS-174-15CA
US-PATENT-CLASS-250-352
US-PATENT-4,134,447
c32 N79-17067 NASA-CASE-NPO-14588-1
US-PATENT-APPL-SN-008209
c33 N79-17133 NASA-CASE-MFS-23659-1
US-PATENT-APPL-SN-782462
US-PATENT-CLASS-323-44F
US-PATENT-CLASS-336-DIG.1
US-PATENT-4,135,127
c33 N79-17134 NASA-CASE-NPO-14426-1
US-PATENT-APPL-SN-009889
c35 N79-17192 NASA-CASE-LEW-11583-1
US-PATENT-APPL-SN-414042
US-PATENT-CLASS-55-118
US-PATENT-CLASS-55-122
US-PATENT-CLASS-55-127
US-PATENT-CLASS-55-155
US-PATENT-CLASS-55-241
US-PATENT-CLASS-55-242
US-PATENT-CLASS-55-360
US-PATENT-CLASS-55-407
US-PATENT-4,134,744
c43 N79-17288 NASA-CASE-NPO-13691-1
US-PATENT-APPL-SN-664091
US-PATENT-CLASS-250-226
US-PATENT-CLASS-356-300
US-PATENT-CLASS-356-407
US-PATENT-CLASS-356-416
US-PATENT-4,134,683
c44 N79-17313 NASA-CASE-LEW-12358-1
US-PATENT-APPL-SN-776146
US-PATENT-CLASS-429-33
US-PATENT-CLASS-429-101
US-PATENT-4,133,941
c44 N79-17314 NASA-CASE-NPO-13652-1
US-PATENT-APPL-SN-809890
US-PATENT-CLASS-29-572
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89F
US-PATENT-4,133,697
c85 N79-17747 NASA-CASE-NPO-13847-2
NASA-CASE-NPO-13848-2
US-PATENT-APPL-SN-750798
US-PATENT-CLASS-162-14
US-PATENT-CLASS-162-29
US-PATENT-CLASS-210-28
US-PATENT-CLASS-210-40
US-PATENT-CLASS-210-45
US-PATENT-CLASS-210-54
US-PATENT-CLASS-210-66
US-PATENT-CLASS-210-67
US-PATENT-CLASS-210-70
US-PATENT-CLASS-210-73R
US-PATENT-4,134,786
c05 N79-17847 NASA-CASE-ARC-11045-1
US-PATENT-APPL-SN-818916
US-PATENT-CLASS-416-51
US-PATENT-CLASS-416-88
US-PATENT-CLASS-416-89
US-PATENT-CLASS-416-132R
US-PATENT-CLASS-416-138
US-PATENT-4,137,010
c24 N79-17916 NASA-CASE-LEW-11930-4
US-PATENT-APPL-SN-860406
US-PATENT-CLASS-252-12.2
US-PATENT-CLASS-308-DIG.8
US-PATENT-CLASS-308-DIG.9
US-PATENT-CLASS-308-78
US-PATENT-CLASS-308-87R
US-PATENT-CLASS-308-168
US-PATENT-CLASS-308-171
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-292
US-PATENT-CLASS-427-327
US-PATENT-CLASS-427-328
US-PATENT-CLASS-427-355
US-PATENT-CLASS-427-376R
US-PATENT-CLASS-427-376C
US-PATENT-4,136,211
c27 N79-18052 NASA-CASE-ARC-10915-2
US-PATENT-APPL-SN-634304
US-PATENT-APPL-SN-779883
US-PATENT-CLASS-427-40
US-PATENT-CLASS-427-41
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-451
US-PATENT-4,137,365
c32 N79-18154 NASA-CASE-LAR-12196-1
US-PATENT-APPL-SN-017887
c33 N79-18193 NASA-CASE-KSC-10899-1
US-PATENT-APPL-SN-814004
US-PATENT-CLASS-324-52
US-PATENT-CLASS-324-127
US-PATENT-CLASS-324-133
US-PATENT-CLASS-340-650
US-PATENT-CLASS-340-664
US-PATENT-4,110,683
c33 N79-18224 NASA-CASE-NPO-14435-1
US-PATENT-APPL-SN-017886
c35 N79-18296 NASA-CASE-LAR-12275-1
US-PATENT-APPL-SN-885065
US-PATENT-CLASS-356-28
US-PATENT-CLASS-358-107

US-PATENT-4,135,817
c36 N79-18307 NASA-CASE-LAR-12183-1
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5P
US-PATENT-CLASS-788-704
US-PATENT-4,110,703
c37 N79-18318 NASA-CASE-LEW-12131-1
US-PATENT-APPL-SN-801290
US-PATENT-CLASS-415-174
US-PATENT-CLASS-415-200
US-PATENT-4,135,851
c44 N79-18443 NASA-CASE-NPO-14058-1
US-PATENT-APPL-SN-824024
US-PATENT-CLASS-60-508
US-PATENT-CLASS-60-572
US-PATENT-CLASS-60-641
US-PATENT-CLASS-126-271
US-PATENT-CLASS-165-105
US-PATENT-4,135,367
c44 N79-18444 NASA-CASE-LEW-12819-2
US-PATENT-APPL-SN-863770
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-591
US-PATENT-CLASS-148-6.3
US-PATENT-4,135,290
c52 N79-18580 NASA-CASE-ARC-11035-1
US-PATENT-APPL-SN-758721
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2.05Z
US-PATENT-CLASS-128-2V
US-PATENT-4,109,644
c32 N79-19186 NASA-CASE-NOO-00428-1
US-PATENT-APPL-SN-112999
US-PATENT-CLASS-117-35
US-PATENT-3,173,801
c32 N79-19195 NASA-CASE-NPO-14525-1
US-PATENT-APPL-SN-017885
c35 N79-19319 NASA-CASE-MSC-18107-1
US-PATENT-APPL-SN-956168
c44 N79-19447 NASA-CASE-XGS-00829-1
US-PATENT-APPL-SN-286824
US-PATENT-CLASS-269-153
US-PATENT-3,262,694
c08 N79-20135 NASA-CASE-LAR-12562-1
US-PATENT-APPL-SN-015995
c08 N79-20136 NASA-CASE-LAR-12268-1
US-PATENT-APPL-SN-015996
c20 N79-20179 NASA-CASE-LEW-12780-1
US-PATENT-APPL-SN-851370
US-PATENT-CLASS-323-15
US-PATENT-CLASS-323-20
US-PATENT-4,143,314
c32 N79-20296 NASA-CASE-GSC-12148-1
US-PATENT-APPL-SN-786322
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-63
US-PATENT-CLASS-343-179
US-PATENT-4,140,972
c32 N79-20297 NASA-CASE-MSC-16253-1
US-PATENT-APPL-SN-831631
US-PATENT-CLASS-358-81
US-PATENT-CLASS-358-109
US-PATENT-CLASS-364-713
US-PATENT-4,139,862
c33 N79-20314 NASA-CASE-GSC-12138-1
US-PATENT-APPL-SN-779871
US-PATENT-CLASS-310-46
US-PATENT-CLASS-310-82
US-PATENT-CLASS-310-231
US-PATENT-4,142,119
c34 N79-20335 NASA-CASE-NPO-14130-1
US-PATENT-APPL-SN-847278
US-PATENT-CLASS-60-645
US-PATENT-CLASS-60-649
US-PATENT-CLASS-415-1
US-PATENT-CLASS-415-143
US-PATENT-4,141,219
c34 N79-20336 NASA-CASE-LEW-11981-2
US-PATENT-APPL-SN-829315
US-PATENT-CLASS-62-268
US-PATENT-CLASS-62-376
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-250-352
US-PATENT-CLASS-313-22
US-PATENT-CLASS-313-35
US-PATENT-4,141,224
c37 N79-20377 NASA-CASE-MSC-19514-1
US-PATENT-APPL-SN-772168
US-PATENT-CLASS-74-674
US-PATENT-CLASS-74-705
US-PATENT-CLASS-74-764
US-PATENT-4,141,259
c54 N79-20746 NASA-CASE-NPO-14521-1
US-PATENT-APPL-SN-023439
c60 N79-20751 NASA-CASE-NPO-13676-1
US-PATENT-APPL-SN-779415
US-PATENT-CLASS-340-347DD
US-PATENT-CLASS-364-900
US-PATENT-4,139,839
c71 N79-20827 NASA-CASE-NPO-14005-1
US-PATENT-APPL-SN-812447
US-PATENT-CLASS-60-721
US-PATENT-CLASS-73-505
US-PATENT-CLASS-310-20
US-PATENT-CLASS-310-26
US-PATENT-CLASS-310-322
US-PATENT-CLASS-310-334
US-PATENT-CLASS-318-116
US-PATENT-4,139,806
c74 N79-20856 NASA-CASE-NPO-14174-1
US-PATENT-APPL-SN-876441
US-PATENT-CLASS-250-237G
US-PATENT-CLASS-354-77
US-PATENT-CLASS-356-129
US-PATENT-4,139,291
c74 N79-20857 NASA-CASE-GSC-12263-1
US-PATENT-APPL-SN-817415
US-PATENT-CLASS-250-363R
US-PATENT-CLASS-250-483
US-PATENT-4,142,101
c09 N79-21083 NASA-CASE-LAR-10135-1
US-PATENT-APPL-SN-648034
US-PATENT-CLASS-73-147
US-PATENT-3,453,878
c09 N79-21084 NASA-CASE-XLE-03186-1
US-PATENT-APPL-SN-200770
US-PATENT-CLASS-89-8
US-PATENT-3,224,337
c20 N79-21123 NASA-CASE-XMF-06884-1
US-PATENT-APPL-SN-579300
US-PATENT-CLASS-164-105
US-PATENT-3,485,290
c20 N79-21124 NASA-CASE-XMF-05964-1
US-PATENT-APPL-SN-578397
US-PATENT-CLASS-60-243
US-PATENT-3,390,528
c20 N79-21125 NASA-CASE-XMF-04592-1
NASA-CASE-XMF-04593-1
US-PATENT-APPL-SN-579376
US-PATENT-CLASS-60-39.74
US-PATENT-3,397,537
c27 N79-21190 NASA-CASE-XMF-02526-1
NASA-CASE-XMF-02527-1
NASA-CASE-XMF-02783-1
US-PATENT-APPL-SN-483817
US-PATENT-CLASS-260-2
US-PATENT-3,311,571
c27 N79-21191 NASA-CASE-XMF-06900-1
US-PATENT-APPL-SN-554959
US-PATENT-CLASS-260-67
US-PATENT-3,419,531
c31 N79-21225 NASA-CASE-XLE-02367-1
US-PATENT-APPL-SN-400857
US-PATENT-CLASS-222-131
US-PATENT-3,215,313
c31 N79-21226 NASA-CASE-NFS-10946-1
US-PATENT-APPL-SN-581843
US-PATENT-CLASS-156-52
US-PATENT-3,481,802
c31 N79-21227 NASA-CASE-XMF-05757-1
US-PATENT-APPL-SN-562558
US-PATENT-CLASS-117-43
US-PATENT-3,511,680
c33 N79-21264 NASA-CASE-XMF-05373-1
US-PATENT-APPL-SN-474815
US-PATENT-CLASS-335-216
US-PATENT-3,310,765
c33 N79-21265 NASA-CASE-XMF-02899-1
US-PATENT-APPL-SN-472643
US-PATENT-CLASS-317-245
US-PATENT-3,356,917
c36 N79-21336 NASA-CASE-NPO-14556-1
US-PATENT-APPL-SN-023485
c37 N79-21345 NASA-CASE-XMS-01295-1
US-PATENT-APPL-SN-77869
US-PATENT-CLASS-55-159
US-PATENT-3,131,040

c52 N79-21750 NASA-CASE-MSC-12239-1
US-PATENT-APPL-SN-292340
US-PATENT-CLASS-128.2.07
US-PATENT-3,396,719
c76 N79-21910 NASA-CASE-XLE-02545-1
US-PATENT-APPL-SN-430748
US-PATENT-CLASS-156-17
US-PATENT-3,429,756
c25 N79-22235 NASA-CASE-LEW-12513-1
US-PATENT-APPL-SN-772167
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-195-127
US-PATENT-CLASS-204-1T
US-PATENT-CLASS-2041-195B
US-PATENT-4,145,255
c26 N79-22271 NASA-CASE-LEW-12542-2
US-PATENT-APPL-SN-803822
US-PATENT-APPL-SN-860405
US-PATENT-CLASS-148-2
US-PATENT-CLASS-148-12.4
US-PATENT-CLASS-148-12F
US-PATENT-4,146,409
c27 N79-22300 NASA-CASE-ARC-11060-1
US-PATENT-APPL-SN-843090
US-PATENT-CLASS-260-307G
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-4,145,524
c33 N79-22373 NASA-CASE-KSC-11008-1
US-PATENT-APPL-SN-780729
US-PATENT-CLASS-324-99D
US-PATENT-CLASS-324-123C
US-PATENT-CLASS-330-2
US-PATENT-CLASS-330-51
US-PATENT-CLASS-330-86
US-PATENT-4,109,213
c37 N79-22474 NASA-CASE-MFS-23646-1
US-PATENT-APPL-SN-891372
US-PATENT-CLASS-138-96R
US-PATENT-CLASS-220-266
US-PATENT-CLASS-239-265.15
US-PATENT-CLASS-239-288
US-PATENT-CLASS-277-192
US-PATENT-4,146,180
c37 N79-22475 NASA-CASE-LEW-11873-1
US-PATENT-APPL-SN-814006
US-PATENT-CLASS-277-62
US-PATENT-CLASS-277-96.1
US-PATENT-4,145,058
c39 N79-22537 NASA-CASE-LAR-12027-1
US-PATENT-APPL-SN-889670
US-PATENT-CLASS-73-770
US-PATENT-CLASS-73-810
US-PATENT-4,145,933
c46 N79-22679 NASA-CASE-NPO-14112-1
US-PATENT-APPL-SN-826326
US-PATENT-CLASS-102-21.6
US-PATENT-CLASS-166-63
US-PATENT-CLASS-175-1
US-PATENT-CLASS-181-106
US-PATENT-CLASS-181-117
US-PATENT-4,148,375
c08 N79-23097 NASA-CASE-LAR-12215-1
US-PATENT-APPL-SN-858762
US-PATENT-CLASS-244-17.13
US-PATENT-CLASS-244-83G
US-PATENT-CLASS-244-195
US-PATENT-CLASS-318-585
US-PATENT-CLASS-318-616
US-PATENT-CLASS-364-434
US-PATENT-4,148,452
c24 N79-23142 NASA-CASE-MSC-16366-1
US-PATENT-APPL-SN-034529
c25 N79-23167 NASA-CASE-MSC-16497-1
US-PATENT-APPL-SN-041145
c32 N79-23310 NASA-CASE-KSC-11023-1
US-PATENT-APPL-SN-918533
US-PATENT-CLASS-179-1MN
US-PATENT-CLASS-179-27CA
US-PATENT-CLASS-179-84VF
US-PATENT-4,153,818
c33 N79-23345 NASA-CASE-FRC-10116-1
US-PATENT-APPL-SN-885049
US-PATENT-CLASS-323-22T
US-PATENT-4,151,456
c34 N79-23383 NASA-CASE-LEW-12441-3
US-PATENT-APPL-SN-032307
c37 N79-23431 NASA-CASE-NPO-14597-1
US-PATENT-APPL-SN-037194
c37 N79-23432 NASA-CASE-ARC-11256-1
US-PATENT-APPL-SN-032305
c44 N79-23481 NASA-CASE-MFS-23349-1
US-PATENT-APPL-SN-823061
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-4,148,295
c46 N79-23555 NASA-CASE-NPO-14255-1
US-PATENT-APPL-SN-830458
US-PATENT-CLASS-181-115
US-PATENT-CLASS-181-120
US-PATENT-CLASS-340-12R
US-PATENT-4,153,134
c52 N79-23657 NASA-CASE-MSC-18381-1
US-PATENT-APPL-SN-034531
c60 N79-23674 NASA-CASE-KSC-11048-1
US-PATENT-APPL-SN-023437
c71 N79-23753 NASA-CASE-NPO-14134-1
US-PATENT-APPL-SN-861392
US-PATENT-CLASS-179-1DB
US-PATENT-CLASS-179-1MF
US-PATENT-CLASS-181-148
US-PATENT-CLASS-340-8LF
US-PATENT-4,149,034
c74 N79-23777 NASA-CASE-NPO-14448-1
US-PATENT-APPL-SN-037560
c76 N79-23798 NASA-CASE-NPO-13969-1
US-PATENT-APPL-SN-820499
US-PATENT-CLASS-156-DIG.6-8
US-PATENT-CLASS-156-617SP
US-PATENT-CLASS-423-345
US-PATENT-4,152,194
c24 N79-24062 NASA-CASE-ARC-11169-1
US-PATENT-APPL-SN-940688
US-PATENT-CLASS-428-366
US-PATENT-4,148,962
c25 N79-24073 NASA-CASE-LAR-11922-1
US-PATENT-APPL-SN-856460
US-PATENT-CLASS-195-127
US-PATENT-CLASS-204-195B
US-PATENT-4,149,938
c31 N79-24197 NASA-CASE-NPO-14596-1
US-PATENT-APPL-SN-037072
c32 N79-24203 NASA-CASE-LAR-12375-1
US-PATENT-APPL-SN-900842
US-PATENT-CLASS-73-647
US-PATENT-CLASS-73-724
US-PATENT-4,149,423
c32 N79-24210 NASA-CASE-NPO-13641-1
US-PATENT-APPL-SN-777983
US-PATENT-CLASS-343-100TD
US-PATENT-4,148,031
c33 N79-24254 NASA-CASE-NPO-14000-1
US-PATENT-APPL-SN-876431
US-PATENT-CLASS-307-82
US-PATENT-CLASS-363-56
US-PATENT-CLASS-363-71
US-PATENT-CLASS-363-97
US-PATENT-4,150,425
c33 N79-24257 NASA-CASE-NPO-14056-1
US-PATENT-APPL-SN-833637
US-PATENT-CLASS-363-71
US-PATENT-CLASS-363-95
US-PATENT-CLASS-363-134
US-PATENT-4,149,233
c33 N79-24260 NASA-CASE-GSC-12410-1
US-PATENT-APPL-SN-32306
c34 N79-24285 NASA-CASE-MSC-16841-1
US-PATENT-APPL-SN-893382
US-PATENT-CLASS-73-714
US-PATENT-CLASS-210-108
US-PATENT-CLASS-210-142
US-PATENT-4,151,086
c44 N79-24431 NASA-CASE-NPO-13652-2
US-PATENT-APPL-SN-848794
US-PATENT-CLASS-29-57-4
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-739
US-PATENT-CLASS-29-809
US-PATENT-CLASS-228-5.1
US-PATENT-CLASS-228-6
US-PATENT-4,149,665
c44 N79-24432 NASA-CASE-NPO-13579-3
US-PATENT-APPL-SN-762363
US-PATENT-CLASS-126-270
US-PATENT-CLASS-264-1
US-PATENT-CLASS-264-33
US-PATENT-CLASS-264-34
US-PATENT-CLASS-264-35

US-PATENT-CLASS-264-70
US-PATENT-CLASS-264-71
US-PATENT-CLASS-264-510
US-PATENT-CLASS-264-516
US-PATENT-CLASS-350-292
US-PATENT-CLASS-350-294
US-PATENT-CLASS-350-296
US-PATENT-CLASS-405-229
US-PATENT-CLASS-405-263
US-PATENT-4,149,817

c44 N79-24433 NASA-CASE-NPO-13579-2
US-PATENT-APPL-SN-762362
US-PATENT-CLASS-126-271
US-PATENT-CLASS-126-400
US-PATENT-CLASS-237-1A
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-299
US-PATENT-4,149,521

c54 N79-24651 NASA-CASE-ARC-11058-2
US-PATENT-APPL-SN-753965
US-PATENT-APPL-SN-883094
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-285-235
US-PATENT-4,091,464
US-PATENT-4,151,612

c54 N79-24652 NASA-CASE-NPO-13906-1
US-PATENT-APPL-SN-837259
US-PATENT-CLASS-3-1.1
US-PATENT-CLASS-3-12.5
US-PATENT-CLASS-414-6
US-PATENT-4,149,278

c02 N79-24958 NASA-CASE-LAR-12396-1
US-PATENT-APPL-SN-017889

c02 N79-24959 NASA-CASE-FRC-11007-2
US-PATENT-APPL-SN-043911

c05 N79-24976 NASA-CASE-LEW-11890-1
US-PATENT-APPL-SN-891244
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-53B
US-PATENT-4,154,256

c05 N79-24980 NASA-CASE-LAR-12406-1
US-PATENT-APPL-SN-008210

c06 N79-24988 NASA-CASE-FRC-11005-1
US-PATENT-APPL-SN-043942

c24 N79-25142 NASA-CASE-MSC-12737-1
US-PATENT-APPL-SN-788045
US-PATENT-CLASS-102-105
US-PATENT-CLASS-244-121
US-PATENT-CLASS-244-163
US-PATENT-CLASS-427-350
US-PATENT-CLASS-427-372A
US-PATENT-CLASS-428-137
US-PATENT-CLASS-428-282
US-PATENT-CLASS-428-290
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-920
US-PATENT-4,151,800

c24 N79-25143 NASA-CASE-GSC-11577-3
US-PATENT-APPL-SN-322997
US-PATENT-APPL-SN-506803
US-PATENT-APPL-SN-645502
US-PATENT-CLASS-65-43
US-PATENT-CLASS-156-89
US-PATENT-CLASS-220-2.2
US-PATENT-3,859,714
US-PATENT-4,155,475

c33 N79-25313 NASA-CASE-KSC-11099-1
US-PATENT-APPL-SN-043945

c33 N79-25314 NASA-CASE-NPO-14410-1
US-PATENT-APPL-SN-044429

c33 N79-25315 NASA-CASE-MFS-23988-1
US-PATENT-APPL-SN-044431

c39 N79-25424 NASA-CASE-FRC-11026-1
US-PATENT-APPL-SN-043944

c39 N79-25425 NASA-CASE-LAR-12077-1
US-PATENT-APPL-SN-014663

c43 N79-25443 NASA-CASE-MFS-23720-3
US-PATENT-APPL-SN-848420
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-82
US-PATENT-4,154,084

c44 N79-25481 NASA-CASE-LEW-12972-1
US-PATENT-APPL-SN-897829
US-PATENT-CLASS-429-253
US-PATENT-CLASS-526-7
US-PATENT-CLASS-526-9
US-PATENT-4,154,912

c44 N79-25482 NASA-CASE-NPO-14199-1
NASA-CASE-NPO-14200-1
US-PATENT-APPL-SN-891243
US-PATENT-CLASS-136-89CA
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89PC
US-PATENT-CLASS-136-89SJ
US-PATENT-4,153,476

c54 N79-25761 NASA-CASE-LAR-12320-1
US-PATENT-APPL-SN-043913

c74 N79-25876 NASA-CASE-LAR-12007-2
US-PATENT-APPL-SN-030964

c12 N79-26075 NASA-CASE-MFS-23460-1
US-PATENT-APPL-SN-746578
US-PATENT-CLASS-13-20
US-PATENT-CLASS-13-22
US-PATENT-CLASS-13-24
US-PATENT-CLASS-219-410
US-PATENT-4,158,742

c15 N79-26100 NASA-CASE-ARC-11104-1
US-PATENT-APPL-SN-854920
US-PATENT-CLASS-244-121
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-260-830S
US-PATENT-CLASS-264-102
US-PATENT-CLASS-264-145
US-PATENT-CLASS-264-151
US-PATENT-CLASS-264-175
US-PATENT-CLASS-264-236
US-PATENT-CLASS-428-220
US-PATENT-CLASS-428-413
US-PATENT-CLASS-428-414
US-PATENT-CLASS-428-418
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-920
US-PATENT-4,156,752

c32 N79-26253 NASA-CASE-NPO-14361-1
US-PATENT-APPL-SN-053572

c33 N79-26311 NASA-CASE-NPO-14617-1
US-PATENT-APPL-SN-051269

c33 N79-26312 NASA-CASE-NPO-14316-1
US-PATENT-APPL-SN-051276

c35 N79-26372 NASA-CASE-LAR-11889-1
US-PATENT-APPL-SN-662182
US-PATENT-CLASS-73-178R
US-PATENT-CLASS-308-10
US-PATENT-4,156,548

c36 N79-26385 NASA-CASE-LAR-12592-1
US-PATENT-APPL-SN-041141

c43 N79-26439 NASA-CASE-MFS-23726-1
US-PATENT-APPL-SN-848418
US-PATENT-CLASS-33-1N
US-PATENT-CLASS-33-1Q
US-PATENT-CLASS-33-174L
US-PATENT-CLASS-105-161
US-PATENT-CLASS-299-1
US-PATENT-CLASS-364-560
US-PATENT-4,156,971

c44 N79-26474 NASA-CASE-LEW-13150-1
US-PATENT-APPL-SN-914260
US-PATENT-CLASS-429-15
US-PATENT-CLASS-429-101
US-PATENT-4,159,366

c44 N79-26475 NASA-CASE-MFS-23540-1
US-PATENT-APPL-SN-863773
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-577
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-580
US-PATENT-CLASS-357-45
US-PATENT-4,156,309

c52 N79-26771 NASA-CASE-ARC-10994-2
US-PATENT-APPL-SN-759965
US-PATENT-CLASS-73-626
US-PATENT-CLASS-128-660
US-PATENT-4,154,230

c52 N79-26772 NASA-CASE-KSC-11069-1
US-PATENT-APPL-SN-876438
US-PATENT-CLASS-3-1.9
US-PATENT-CLASS-3-2
US-PATENT-CLASS-3-12
US-PATENT-4,158,895

c33 N79-27395 NASA-CASE-FRC-11014-1
US-PATENT-APPL-SN-053652

c35 N79-27479 NASA-CASE-KSC-11076-1
US-PATENT-APPL-SN-051274

c52 N79-27836 NASA-CASE-NPO-13910-1
US-PATENT-APPL-SN-712270
US-PATENT-CLASS-128-329R
US-PATENT-CLASS-128-639

US-PATENT-4,154,228
c60 N79-27864 NASA-CASE-GSC-12223-1
US-PATENT-APPL-SN-041143
c60 N79-27865 NASA-CASE-KSC-11065-1
US-PATENT-APPL-SN-051271
c25 N79-28253 NASA-CASE-NPO-13650-1
US-PATENT-APPL-SN-764468
US-PATENT-CLASS-23-252R
US-PATENT-CLASS-118-49
US-PATENT-CLASS-248
US-PATENT-CLASS-253
US-PATENT-CLASS-337
US-PATENT-CLASS-349
US-PATENT-CLASS-423-33-5
US-PATENT-CLASS-427-95
US-PATENT-4,033,286
c27 N79-28307 NASA-CASE-LEW-12053-2
US-PATENT-APPL-SN-796263
US-PATENT-CLASS-260-37N
US-PATENT-CLASS-260-42
US-PATENT-CLASS-260-53
US-PATENT-CLASS-528-126
US-PATENT-CLASS-528-127
US-PATENT-CLASS-528-128
US-PATENT-CLASS-528-221
US-PATENT-CLASS-528-223
US-PATENT-CLASS-528-225
US-PATENT-CLASS-528-227
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-331
US-PATENT-CLASS-528-336
US-PATENT-CLASS-528-337
US-PATENT-CLASS-528-338
US-PATENT-CLASS-528-342
US-PATENT-CLASS-544-193
US-PATENT-4,159,262
c28 N79-28342 NASA-CASE-NPO-14260-1
US-PATENT-APPL-SN-861390
US-PATENT-CLASS-149-19.4
US-PATENT-CLASS-149-19.9
US-PATENT-CLASS-149-20
US-PATENT-4,158,583
c31 N79-28370 NASA-CASE-MFS-23721-1
US-PATENT-APPL-SN-847277
US-PATENT-CLASS-343-5NA
US-PATENT-CLASS-343-14
US-PATENT-4,161,731
c32 N79-28383 NASA-CASE-KSC-11025-1
US-PATENT-APPL-SN-061327
c33 N79-28415 NASA-CASE-MSC-16697-1
US-PATENT-APPL-SN-885067
US-PATENT-CLASS-307-98
US-PATENT-CLASS-307-119
US-PATENT-CLASS-361-170
US-PATENT-4,161,661
c33 N79-28416 NASA-CASE-GSC-12171-1
US-PATENT-APPL-SN-878542
US-PATENT-CLASS-343-909
US-PATENT-4,160,254
c35 N79-28527 NASA-CASE-NPO-13953-1
US-PATENT-APPL-SN-880727
US-PATENT-CLASS-356-237
US-PATENT-CLASS-356-404
US-PATENT-4,160,601
c36 N79-28532 NASA-CASE-LAR-12177-1
US-PATENT-APPL-SN-027558
c37 N79-28549 NASA-CASE-GSC-12297-1
US-PATENT-APPL-SN-880838
US-PATENT-CLASS-165-105
US-PATENT-CLASS-357-74
US-PATENT-CLASS-357-79
US-PATENT-CLASS-357-81
US-PATENT-CLASS-357-82
US-PATENT-CLASS-357-83
US-PATENT-4,161,747
c37 N79-28550 NASA-CASE-GSC-12274-1
US-PATENT-APPL-SN-909100
US-PATENT-CLASS-72-436
US-PATENT-CLASS-72-451
US-PATENT-CLASS-72-470
US-PATENT-CLASS-251-7
US-PATENT-4,159,634
c37 N79-28551 NASA-CASE-ARC-11052-1
US-PATENT-APPL-SN-826202
US-PATENT-CLASS-414-4
US-PATENT-4,160,508
c44 N79-28667 NASA-CASE-MFS-23999-1
US-PATENT-APPL-SN-060435
c44 N79-29608 NASA-CASE-LAR-12148-1
US-PATENT-APPL-SN-051275
c27 N79-30375 NASA-CASE-ARC-11243-1
US-PATENT-APPL-SN-054502
c27 N79-30376 NASA-CASE-ARC-11244-1
US-PATENT-APPL-SN-054501
c52 N79-30921 NASA-CASE-ARC-11167-1
US-PATENT-APPL-SN-057526
c09 N79-31228 NASA-CASE-LAR-12149-2
US-PATENT-APPL-SN-829314
US-PATENT-APPL-SN-928131
US-PATENT-CLASS-35-12E
US-PATENT-CLASS-35-12H
US-PATENT-4,164,079
c24 N79-31347 NASA-CASE-GSC-12303-1
US-PATENT-APPL-SN-862880
US-PATENT-CLASS-106-74
US-PATENT-CLASS-106-84
US-PATENT-4,162,169
c33 N79-31498 NASA-CASE-ARC-11116-1
US-PATENT-APPL-SN-069485
c34 N79-31523 NASA-CASE-GSC-12253-1
US-PATENT-APPL-SN-853677
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-105
US-PATENT-CLASS-244-1R
US-PATENT-CLASS-244-163
US-PATENT-4,162,701
c43 N79-31706 NASA-CASE-MFS-23725-1
US-PATENT-APPL-SN-848793
US-PATENT-CLASS-250-253
US-PATENT-CLASS-250-272
US-PATENT-4,165,460
c44 N79-31752 NASA-CASE-NPO-14205-1
US-PATENT-APPL-SN-920879
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-589
US-PATENT-CLASS-106-1
US-PATENT-CLASS-106-1.2
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-252-514
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-65
US-PATENT-CLASS-357-67
US-PATENT-CLASS-427-88
US-PATENT-4,163,678
c44 N79-31753 NASA-CASE-NPO-14467-1
US-PATENT-APPL-SN-946994
US-PATENT-CLASS-136-89PC
US-PATENT-4,162,928
c32 N79-32408 NASA-CASE-NPO-14641-1
US-PATENT-APPL-SN-076643
c33 N79-32463 NASA-CASE-LEW-13282-1
US-PATENT-APPL-SN-073579
c60 N79-32852 NASA-CASE-GSC-12319-1
US-PATENT-APPL-SN-054538
c09 N79-33220 NASA-CASE-ARC-11158-1
US-PATENT-APPL-SN-053566
c27 N79-33316 NASA-CASE-LAR-12054-1
US-PATENT-APPL-SN-839963
US-PATENT-CLASS-264-137
US-PATENT-CLASS-428-474
US-PATENT-CLASS-528-229
US-PATENT-4,166,170
c33 N79-33392 NASA-CASE-XMF-04494-1
US-PATENT-APPL-SN-547643
US-PATENT-CLASS-200-83
US-PATENT-3,378,657
c33 N79-33393 NASA-CASE-XMS-01244-1
US-PATENT-APPL-SN-20370
US-PATENT-CLASS-200-114
US-PATENT-3,123,692
c35 N79-33449 NASA-CASE-XGS-01245-1
US-PATENT-APPL-SN-134619
US-PATENT-CLASS-338-18
US-PATENT-3,119,086
c35 N79-33450 NASA-CASE-XGS-01293-1
US-PATENT-APPL-SN-150690
US-PATENT-CLASS-73-400
US-PATENT-3,190,124
c37 N79-33467 NASA-CASE-XMS-01077-1
US-PATENT-APPL-SN-228049
US-PATENT-CLASS-312-319
US-PATENT-3,123,418
c37 N79-33468 NASA-CASE-HQN-00573-1
US-PATENT-APPL-SN-129379
US-PATENT-CLASS-137-14
US-PATENT-3,134,389
c37 N79-33469 NASA-CASE-XGS-01286-1
US-PATENT-APPL-SN-142583

US-PATENT-CLASS-251-172
US-PATENT-3,233,862
c54 N79-33848 NASA-CASE-KSC-11085-1
US-PATENT-APPL-SN-046739
c74 N79-34011 NASA-CASE-NPO-14066-1
US-PATENT-APPL-SN-827464
US-PATENT-CLASS-250-216
US-PATENT-CLASS-250-551
US-PATENT-4,166,959
c74 N79-34014 NASA-CASE-NPO-14544-1
NASA-CASE-NPO-14545-1
NASA-CASE-NPO-14546-1
NASA-CASE-NPO-14547-1
US-PATENT-APPL-SN-078612
c20 N80-10278 NASA-CASE-MFS-23642-1
US-PATENT-APPL-SN-923758
US-PATENT-CLASS-137-177
US-PATENT-CLASS-137-209
US-PATENT-CLASS-137-574
US-PATENT-CLASS-137-576
US-PATENT-CLASS-137-590
US-PATENT-CLASS-244-135R
US-PATENT-4,168,718
c27 N80-10358 NASA-CASE-MSC-14903-2
US-PATENT-APPL-SN-706424
US-PATENT-APPL-SN-907435
US-PATENT-CLASS-260-926
US-PATENT-4,092,466
US-PATENT-4,168,287
c28 N80-10374 NASA-CASE-NPO-13849-1
NASA-CASE-NPO-13907-1
US-PATENT-APPL-SN-668783
US-PATENT-CLASS-23-288R
US-PATENT-CLASS-48-DIG.8
US-PATENT-CLASS-48-10-3
US-PATENT-CLASS-48-61
US-PATENT-CLASS-48-102A
US-PATENT-CLASS-48-107
US-PATENT-CLASS-48-117
US-PATENT-CLASS-60-300
US-PATENT-CLASS-60-606
US-PATENT-CLASS-123-DIG.12
US-PATENT-CLASS-123-3
US-PATENT-CLASS-123-179R
US-PATENT-CLASS-423-650
US-PATENT-4,033,133
c37 N80-10494 NASA-CASE-NPO-14384-1
US-PATENT-APPL-SN-880728
US-PATENT-CLASS-210-186
US-PATENT-CLASS-210-340
US-PATENT-CLASS-239-102
US-PATENT-CLASS-239-302
US-PATENT-CLASS-422-187
US-PATENT-CLASS-422-199
US-PATENT-CLASS-422-208
US-PATENT-CLASS-422-235
US-PATENT-CLASS-422-242
US-PATENT-CLASS-423-350
US-PATENT-4,169,129
c39 N80-10507 NASA-CASE-NPO-14192-1
US-PATENT-APPL-SN-830562
US-PATENT-CLASS-181-102
US-PATENT-CLASS-181-105
US-PATENT-CLASS-367-26
US-PATENT-CLASS-467-28
US-PATENT-4,168,483
c46 N80-10709 NASA-CASE-NPO-14231-1
US-PATENT-APPL-SN-903019
US-PATENT-CLASS-73-155
US-PATENT-CLASS-175-78
US-PATENT-4,167,111
c54 N80-10799 NASA-CASE-MSC-16182-1
US-PATENT-APPL-SN-780938
US-PATENT-CLASS-128-142R
US-PATENT-CLASS-128-191R
US-PATENT-CLASS-128-212
US-PATENT-4,168,706
c05 N80-11065 NASA-CASE-LAR-12412-1
US-PATENT-APPL-SN-067595
c24 N80-11142 NASA-CASE-LEW-13088-1
US-PATENT-APPL-SN-089779
c33 N80-11326 NASA-CASE-ARC-11245-1
US-PATENT-APPL-SN-088663
c35 N80-11400 NASA-CASE-LAR-12552-1
US-PATENT-APPL-SN-070366
c37 N80-11468 NASA-CASE-LAR-12540-1
US-PATENT-APPL-SN-069429
c37 N80-11469 NASA-CASE-LAR-12595-1
US-PATENT-APPL-SN-070774
c51 N80-11756 NASA-CASE-LAR-12520-1
US-PATENT-APPL-SN-067596
c24 N80-12117 NASA-CASE-LAR-12620-1
US-PATENT-APPL-SN-072857
c32 N80-12256 NASA-CASE-NPO-14632-1
US-PATENT-APPL-SN-092143
c33 N80-12281 NASA-CASE-GSC-12515-1
US-PATENT-APPL-SN-072727
c35 N80-12383 NASA-CASE-NPO-14258-1
US-PATENT-APPL-SN-972252
c37 N80-12414 NASA-CASE-LEW-12989-1
US-PATENT-APPL-SN-092145
c44 N80-12549 NASA-CASE-NPO-13689-2
US-PATENT-APPL-SN-093714
c74 N80-12866 NASA-CASE-LAR-12328-1
US-PATENT-APPL-SN-073477
c05 N80-14107 NASA-CASE-ARC-11106-1
US-PATENT-APPL-SN-831633
US-PATENT-CLASS-415-199
US-PATENT-CLASS-416-228
US-PATENT-CLASS-416-238
US-PATENT-4,168,939
c18 N80-14183 NASA-CASE-GSC-12331-1
US-PATENT-APPL-SN-943088
US-PATENT-CLASS-343-880
US-PATENT-CLASS-343-883
US-PATENT-4,176,360
c20 N80-14188 NASA-CASE-XLE-02062-1
US-PATENT-APPL-SN-545793
US-PATENT-CLASS-60-203
US-PATENT-CLASS-60-259
US-PATENT-4,171,615
c26 N80-14229 NASA-CASE-NPO-14474-1
US-PATENT-APPL-SN-918537
US-PATENT-CLASS-423-149
US-PATENT-CLASS-423-293
US-PATENT-CLASS-423-348
US-PATENT-CLASS-423-417
US-PATENT-CLASS-423-625
US-PATENT-4,172,883
c26 N80-14232 NASA-CASE-LEW-13169-1
US-PATENT-APPL-SN-102003
c32 N80-14281 NASA-CASE-NPO-13830-1
US-PATENT-APPL-SN-703905
US-PATENT-APPL-SN-834257
US-PATENT-CLASS-333-81R
US-PATENT-CLASS-343-18A
US-PATENT-CLASS-343-909
US-PATENT-4,164,718
c33 N80-14330 NASA-CASE-NPO-10857-1
US-PATENT-APPL-SN-888362
US-PATENT-CLASS-315-145
US-PATENT-CLASS-315-260
US-PATENT-CLASS-315-334
US-PATENT-3,635,537
c33 N80-14332 NASA-CASE-NPO-14350-1
US-PATENT-APPL-SN-921627
US-PATENT-CLASS-250-310
US-PATENT-CLASS-250-492A
US-PATENT-CLASS-324-158T
US-PATENT-4,172,228
c33 N80-14338 NASA-CASE-MSC-18106-1
US-PATENT-APPL-SN-098568
c35 N80-14371 NASA-CASE-LAR-11690-1
US-PATENT-APPL-SN-928129
US-PATENT-CLASS-73-655
US-PATENT-CLASS-73-661
US-PATENT-4,171,645
c36 N80-14384 NASA-CASE-GSC-12237-1
US-PATENT-APPL-SN-837795
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-331-94.5P
US-PATENT-4,173,001
c37 N80-14395 NASA-CASE-INP-08835-1
US-PATENT-APPL-SN-534931
US-PATENT-CLASS-204-224
US-PATENT-3,352,774
c37 N80-14397 NASA-CASE-MFS-23284-1
US-PATENT-APPL-SN-753103
US-PATENT-CLASS-204-180G
US-PATENT-CLASS-204-299R
US-PATENT-4,040,940
c37 N80-14398 NASA-CASE-GSC-12322-1
US-PATENT-APPL-SN-907436
US-PATENT-CLASS-244-161
US-PATENT-CLASS-269-156
US-PATENT-CLASS-294-86R
US-PATENT-CLASS-294-113
US-PATENT-CLASS-414-1

US-PATENT-4,173,324
c37 N80-14400 NASA-CASE-MSC-18422-1
US-PATENT-APPL-SN-102593
c43 N80-14423 NASA-CASE-MFS-23720-2
US-PATENT-APPL-SN-848421
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-82
US-PATENT-4,157,655
c44 N80-14472 NASA-CASE-LEW-12586-1
US-PATENT-APPL-SN-916655
US-PATENT-CLASS-307-63
US-PATENT-CLASS-307-66
US-PATENT-CLASS-323-15
US-PATENT-CLASS-323-19
US-PATENT-4,175,249
c44 N80-14473 NASA-CASE-MFS-23727-1
US-PATENT-APPL-SN-856465
US-PATENT-CLASS-126-438
US-PATENT-CLASS-126-442
US-PATENT-CLASS-350-295
US-PATENT-CLASS-350-296
US-PATENT-4,173,397
c44 N80-14474 NASA-CASE-NPO-13652-3
US-PATENT-APPL-SN-809890
US-PATENT-APPL-SN-891358
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-588
US-PATENT-CLASS-29-627
US-PATENT-CLASS-136-89P
US-PATENT-4,133,697
US-PATENT-4,173,820
c45 N80-14579 NASA-CASE-NPO-14340-1
US-PATENT-APPL-SN-946992
US-PATENT-CLASS-210-57
US-PATENT-CLASS-210-63Z
US-PATENT-CLASS-422-9
US-PATENT-4,172,786
c46 N80-14603 NASA-CASE-NPO-14124-1
US-PATENT-APPL-SN-863024
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-343-112D
US-PATENT-4,170,776
c52 N80-14684 NASA-CASE-LEW-12955-1
US-PATENT-APPL-SN-829318
US-PATENT-CLASS-128-276
US-PATENT-4,157,718
c52 N80-14687 NASA-CASE-NPO-14101-1
US-PATENT-APPL-SN-772434
US-PATENT-CLASS-210-22
US-PATENT-CLASS-210-321B
US-PATENT-4,094,775
c72 N80-14877 NASA-CASE-NPO-14078-1
US-PATENT-APPL-SN-856466
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-282
US-PATENT-CLASS-250-423P
US-PATENT-4,158,775
c05 N80-16055 NASA-CASE-LAR-12175-1
US-PATENT-APPL-SN-079913
c25 N80-16116 NASA-CASE-ARC-11107-1
US-PATENT-APPL-SN-883961
US-PATENT-CLASS-521-124
US-PATENT-CLASS-521-125
US-PATENT-CLASS-521-127
US-PATENT-CLASS-521-157
US-PATENT-CLASS-528-73
US-PATENT-4,177,333
c27 N80-16158 NASA-CASE-LAR-12099-1
US-PATENT-APPL-SN-906299
US-PATENT-CLASS-528-207
US-PATENT-CLASS-528-208
US-PATENT-4,180,648
c27 N80-16163 NASA-CASE-NPO-14021-2
US-PATENT-APPL-SN-106188
c27 N80-16164 NASA-CASE-LAR-12640-1
US-PATENT-APPL-SN-092142
c32 N80-16261 NASA-CASE-NPO-14362-1
US-PATENT-APPL-SN-106118
c35 N80-16313 NASA-CASE-NPO-14839-1
US-PATENT-APPL-SN-106119
c36 N80-16321 NASA-CASE-LAR-12176-1
US-PATENT-APPL-SN-929083
US-PATENT-CLASS-332-751
US-PATENT-CLASS-350-359
US-PATENT-CLASS-356-28
US-PATENT-CLASS-356-243
US-PATENT-4,176,950
c37 N80-16339 NASA-CASE-LAR-12315-1
US-PATENT-APPL-SN-096257
c44 N80-16452 NASA-CASE-MFS-23518-3
US-PATENT-APPL-SN-829390
US-PATENT-APPL-SN-910793
US-PATENT-CLASS-126-417
US-PATENT-CLASS-126-901
US-PATENT-CLASS-428-629
US-PATENT-CLASS-428-650
US-PATENT-CLASS-428-658
US-PATENT-CLASS-428-675
US-PATENT-CLASS-428-680
US-PATENT-4,104,134
US-PATENT-4,177,325
c51 N80-16714 NASA-CASE-MSC-16260-1
US-PATENT-APPL-SN-876440
US-PATENT-CLASS-23-927
US-PATENT-CLASS-422-52
US-PATENT-CLASS-435-34
US-PATENT-4,176,007
c51 N80-16715 NASA-CASE-MFS-23883-1
US-PATENT-APPL-SN-017888
US-PATENT-CLASS-204-180R
US-PATENT-CLASS-204-299R
US-PATENT-CLASS-424-12
US-PATENT-4,181,589
c52 N80-16725 NASA-CASE-NPO-14092-1
US-PATENT-APPL-SN-807597
US-PATENT-CLASS-128-DIG.9
US-PATENT-CLASS-128-6
US-PATENT-CLASS-128-348
US-PATENT-CLASS-138-33
US-PATENT-CLASS-138-103
US-PATENT-CLASS-138-133
US-PATENT-CLASS-219-201
US-PATENT-CLASS-219-522
US-PATENT-4,176,662
c31 N80-17292 NASA-CASE-MSC-18430-1
US-PATENT-APPL-SN-113015
c33 N80-17359 NASA-CASE-MFS-23828-1
US-PATENT-APPL-SN-111436
c35 N80-17421 NASA-CASE-MFS-23775-1
US-PATENT-APPL-SN-098569
c37 N80-17468 NASA-CASE-LAR-12564-1
US-PATENT-APPL-SN-098567
c44 N80-17544 NASA-CASE-MFS-25287-1
US-PATENT-APPL-SN-098570
c60 N80-17723 NASA-CASE-PRC-11025-1
US-PATENT-APPL-SN-115536
c04 N80-18019 NASA-CASE-LAR-12052-1
US-PATENT-APPL-SN-102002
c06 N80-18036 NASA-CASE-PRC-11009-1
US-PATENT-APPL-SN-910708
US-PATENT-CLASS-73-188
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-212
US-PATENT-CLASS-340-177VA
US-PATENT-4,184,149
c07 N80-18039 NASA-CASE-LEW-12971-1
US-PATENT-APPL-SN-858936
US-PATENT-CLASS-60-39.03
US-PATENT-CLASS-60-39.27
US-PATENT-CLASS-60-240
US-PATENT-4,184,327
c20 N80-18097 NASA-CASE-MSC-18179-1
US-PATENT-APPL-SN-931218
US-PATENT-CLASS-60-632
US-PATENT-4,183,217
c27 N80-18179 NASA-CASE-LAR-12642-1
US-PATENT-APPL-SN-092141
c31 N80-18231 NASA-CASE-NPO-14382-1
US-PATENT-APPL-SN-891373
US-PATENT-CLASS-261-118
US-PATENT-CLASS-422-224
US-PATENT-CLASS-423-350
US-PATENT-4,188,368
c32 N80-18252 NASA-CASE-NPO-14152-1
US-PATENT-APPL-SN-899828
US-PATENT-CLASS-178-58E
US-PATENT-CLASS-179-15BA
US-PATENT-4,187,394
c32 N80-18253 NASA-CASE-NPO-14328-1
NASA-CASE-NPO-14579-1
NASA-CASE-NPO-14590-1
US-PATENT-APPL-SN-956160
US-PATENT-CLASS-325-305
US-PATENT-CLASS-325-307
US-PATENT-CLASS-325-419
US-PATENT-4,186,347
c32 N80-18261 NASA-CASE-GSC-12528-1
US-PATENT-APPL-SN-111439

c33 N80-18285 NASA-CASE-NPO-14229-1
US-PATENT-APPL-SN-835419
US-PATENT-APPL-SN-949886
US-PATENT-CLASS-200-153S
US-PATENT-CLASS-200-304
US-PATENT-CLASS-333-262
US-PATENT-4,187,416
c33 N80-18286 NASA-CASE-GSC-12347-1
US-PATENT-APPL-SN-868249
US-PATENT-CLASS-174-73R
US-PATENT-CLASS-174-142
US-PATENT-4,185,164
c33 N80-18287 NASA-CASE-NPO-14224-1
US-PATENT-APPL-SN-951829
US-PATENT-CLASS-310-306
US-PATENT-CLASS-343-100R
US-PATENT-CLASS-343-100ST
US-PATENT-4,187,506
c33 N80-18300 NASA-CASE-LEW-12277-3
US-PATENT-APPL-SN-106190
c34 N80-18338 NASA-CASE-GSC-12415-1
US-PATENT-APPL-SN-043943
c35 N80-18357 NASA-CASE-NPO-14501-1
US-PATENT-APPL-SN-918535
US-PATENT-CLASS-73-56
US-PATENT-CLASS-73-343R
US-PATENT-CLASS-264-40.4
US-PATENT-4,185,493
c35 N80-18358 NASA-CASE-LAR-12269-1
US-PATENT-APPL-SN-934576
US-PATENT-CLASS-73-4R
US-PATENT-CLASS-73-40
US-PATENT-4,182,158
c35 N80-18359 NASA-CASE-GSC-12219-1
US-PATENT-APPL-SN-891356
US-PATENT-CLASS-73-355R
US-PATENT-CLASS-325-363
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-356-216
US-PATENT-4,178,100
c35 N80-18362 NASA-CASE-MFS-23250-1
US-PATENT-APPL-SN-119340
c35 N80-18363 NASA-CASE-LAR-12465-1
US-PATENT-APPL-SN-106136
c35 N80-18364 NASA-CASE-NPO-13606-2
US-PATENT-APPL-SN-065676
c36 N80-18372 NASA-CASE-NPO-14254-1
US-PATENT-APPL-SN-876432
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-CLASS-333-24R
US-PATENT-4,187,470
c36 N80-18380 NASA-CASE-GSC-12321-1
US-PATENT-APPL-SN-102001
c36 N80-18381 NASA-CASE-NPO-14782-1
US-PATENT-APPL-SN-119339
c37 N80-18393 NASA-CASE-ARC-11157-1
US-PATENT-APPL-SN-935827
US-PATENT-CLASS-220-423
US-PATENT-CLASS-220-445
US-PATENT-CLASS-220-901
US-PATENT-4,184,609
c37 N80-18397 NASA-CASE-NPO-13798-2
US-PATENT-APPL-SN-076635
c37 N80-18398 NASA-CASE-MSC-18390-1
US-PATENT-APPL-SN-092170
c37 N80-18399 NASA-CASE-LAR-12372-1
US-PATENT-APPL-SN-108107
c37 N80-18400 NASA-CASE-NPO-12131-3
US-PATENT-APPL-SN-096255
c37 N80-18401 NASA-CASE-LEW-12119-2
US-PATENT-APPL-SN-102004
c37 N80-18402 NASA-CASE-LAR-11695-2
US-PATENT-APPL-SN-103836
c43 N80-18498 NASA-CASE-LAR-12344-1
US-PATENT-APPL-SN-945041
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-5W
US-PATENT-CLASS-343-18B
US-PATENT-CLASS-343-18D
US-PATENT-4,184,155
c44 N80-18550 NASA-CASE-NPO-14303-1
NASA-CASE-NPO-14305-1
US-PATENT-APPL-SN-928133
US-PATENT-CLASS-156-104
US-PATENT-CLASS-156-278
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-303
US-PATENT-CLASS-156-312
US-PATENT-4,184,903
c44 N80-18551 NASA-CASE-NPO-14096-1
US-PATENT-APPL-SN-928128
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-404
US-PATENT-4,184,111
c44 N80-18552 NASA-CASE-LAR-11999-1
US-PATENT-APPL-SN-876299
US-PATENT-CLASS-250-211K
US-PATENT-CLASS-250-231SE
US-PATENT-4,184,072
c44 N80-18555 NASA-CASE-LEW-12363-4
US-PATENT-APPL-SN-079914
c44 N80-18557 NASA-CASE-LEW-13148-2
US-PATENT-APPL-SN-061555
c48 N80-18667 NASA-CASE-MFS-23862-1
US-PATENT-APPL-SN-951423
US-PATENT-CLASS-73-170A
US-PATENT-4,184,368
c52 N80-18690 NASA-CASE-LEW-12723-1
US-PATENT-APPL-SN-029317
US-PATENT-CLASS-128-276
US-PATENT-CLASS-128-760
US-PATENT-4,184,491
c52 N80-18691 NASA-CASE-ARC-11120-1
US-PATENT-APPL-SN-796256
US-PATENT-CLASS-73-724
US-PATENT-CLASS-128-748
US-PATENT-CLASS-128-903
US-PATENT-4,186,749
c76 N80-18951 NASA-CASE-GSC-12291-1
US-PATENT-APPL-SN-906298
US-PATENT-CLASS-51-235
US-PATENT-CLASS-83-152
US-PATENT-CLASS-83-870
US-PATENT-CLASS-125-23R
US-PATENT-CLASS-269-21
US-PATENT-4,184,472
c26 N80-19237 NASA-CASE-MSC-18172-1
US-PATENT-APPL-SN-119334
c33 N80-19424 NASA-CASE-GSC-12518-1
US-PATENT-APPL-SN-119336
c33 N80-19425 NASA-CASE-LEW-12296-1
US-PATENT-APPL-SN-122966
c35 N80-19468 NASA-CASE-MSC-18526-1
US-PATENT-APPL-SN-119335
c35 N80-19469 NASA-CASE-FRC-10112-1
US-PATENT-APPL-SN-122965
c45 N80-19664 NASA-CASE-LAR-12308-1
US-PATENT-APPL-SN-111438
c02 N80-20224 NASA-CASE-LAR-12261-1
US-PATENT-APPL-SN-964009
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-205L
US-PATENT-4,188,823
c04 N80-20249 NASA-CASE-FRC-11052-1
US-PATENT-APPL-SN-129783
c25 N80-20334 NASA-CASE-NPO-14079-1
US-PATENT-APPL-SN-958573
US-PATENT-CLASS-250-307
US-PATENT-CLASS-250-308
US-PATENT-4,194,115
c25 N80-20338 NASA-CASE-NPO-14369-1
US-PATENT-APPL-SN-126063
c28 N80-20402 NASA-CASE-LEW-12081-2
US-PATENT-APPL-SN-676432
US-PATENT-APPL-SN-837794
US-PATENT-CLASS-149-1
US-PATENT-CLASS-423-648R
US-PATENT-4,193,827
c32 N80-20448 NASA-CASE-NPO-14480-1
US-PATENT-APPL-SN-910707
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-8
US-PATENT-CLASS-325-9
US-PATENT-CLASS-325-14
US-PATENT-4,189,675
c32 N80-20453 NASA-CASE-GSC-12430-1
US-PATENT-APPL-SN-129779
c33 N80-20487 NASA-CASE-LEW-13148-1
US-PATENT-APPL-SN-964754
US-PATENT-CLASS-429-101
US-PATENT-CLASS-429-105
US-PATENT-CLASS-429-107
US-PATENT-CLASS-429-109
US-PATENT-4,192,910
c33 N80-20488 NASA-CASE-FRC-11041-1
US-PATENT-APPL-SN-126064
c34 N80-20528 NASA-CASE-MFS-25139-1

US-PATENT-APPL-SN-126138
c35 N80-20559 NASA-CASE-LAR-12304-1
US-PATENT-APPL-SN-928130
US-PATENT-CLASS-29-25.35
US-PATENT-CLASS-310-311
US-PATENT-CLASS-310-327
US-PATENT-CLASS-310-334
US-PATENT-CLASS-310-360
US-PATENT-4,195,244
c35 N80-20560 NASA-CASE-FRC-10093-1
US-PATENT-APPL-SN-878539
US-PATENT-CLASS-219-85CA
US-PATENT-CLASS-219-85CM
US-PATENT-CLASS-219-85R
US-PATENT-CLASS-338-2
US-PATENT-4,195,279
c35 N80-20563 NASA-CASE-NPO-14093-1
US-PATENT-APPL-SN-860729
US-PATENT-CLASS-356-346
US-PATENT-4,193,693
c35 N80-20565 NASA-CASE-GSC-12354-1
US-PATENT-APPL-SN-128229
c36 N80-20574 NASA-CASE-NPC-15021-1
US-PATENT-APPL-SN-130496
c37 N80-20589 NASA-CASE-FRC-11042-1
US-PATENT-APPL-SN-129778
c44 N80-20808 NASA-CASE-NPO-14237-1
US-PATENT-APPL-SN-897831
US-PATENT-CLASS-126-263
US-PATENT-CLASS-149-15
US-PATENT-CLASS-149-37
US-PATENT-CLASS-220-429
US-PATENT-4,193,388
c44 N80-20810 NASA-CASE-LAR-12205-1
US-PATENT-APPL-SN-900843
US-PATENT-CLASS-126-419
US-PATENT-CLASS-126-434
US-PATENT-CLASS-126-437
US-PATENT-CLASS-165-32
US-PATENT-4,192,290
c74 N80-21138 NASA-CASE-LAR-12178-1
US-PATENT-APPL-SN-953390
US-PATENT-CLASS-350-25
US-PATENT-CLASS-350-285
US-PATENT-CLASS-356-150
US-PATENT-CLASS-356-152
US-PATENT-4,189,234
c74 N80-21140 NASA-CASE-GSC-12357-1
US-PATENT-APPL-SN-943089
US-PATENT-CLASS-250-277CH
US-PATENT-CLASS-250-280
US-PATENT-CLASS-350-162R
US-PATENT-CLASS-356-334
US-PATENT-4,192,994
c07 N80-21327 NASA-CASE-FRC-11044-1
US-PATENT-APPL-SN-135056
c25 N80-21464 NASA-CASE-ARC-11176-2
US-PATENT-APPL-SN-129798
c27 N80-21533 NASA-CASE-ARC-11176-1
US-PATENT-APPL-SN-129799
c33 N80-21670 NASA-CASE-GSC-12420-1
US-PATENT-APPL-SN-129793
c33 N80-21671 NASA-CASE-GSC-12553-1
US-PATENT-APPL-SN-106192
c35 N80-21719 NASA-CASE-GSC-12273-1
US-PATENT-APPL-SN-857830
US-PATENT-CLASS-244-165
US-PATENT-CLASS-244-170
US-PATENT-4,193,570
c35 N80-21723 NASA-CASE-NPO-14940-1
US-PATENT-APPL-SN-135038
c44 N80-21828 NASA-CASE-MFS-23515-1
US-PATENT-APPL-SN-860726
US-PATENT-CLASS-415-2
US-PATENT-CLASS-415-101
US-PATENT-4,191,505
c44 N80-21831 NASA-CASE-MFS-23830-1
US-PATENT-APPL-SN-129780
c60 N80-21987 NASA-CASE-GSC-12447-1
US-PATENT-APPL-SN-128230
c08 N80-22359 NASA-CASE-LAR-12468-1
US-PATENT-APPL-SN-135057
c09 N80-22369 NASA-CASE-LAR-12532-1
US-PATENT-APPL-SN-135040
c24 N80-22410 NASA-CASE-ARC-11246-1
US-PATENT-APPL-SN-136660
c35 N80-22661 NASA-CASE-LAR-12633-1
US-PATENT-APPL-SN-135039
c37 N80-22703 NASA-CASE-MSC-18538-1
US-PATENT-APPL-SN-138944
c37 N80-22704 NASA-CASE-LAR-12482-1
US-PATENT-APPL-SN-100611
c25 N80-23383 NASA-CASE-ARC-11154-1
US-PATENT-APPL-SN-921626
US-PATENT-CLASS-55-66
US-PATENT-CLASS-55-67
US-PATENT-CLASS-55-68
US-PATENT-CLASS-55-72
US-PATENT-CLASS-521-55
US-PATENT-CLASS-521-146
US-PATENT-CLASS-521-918
US-PATENT-CLASS-525-4
US-PATENT-4,198,792
c25 N80-23394 NASA-CASE-NPO-15015-1
US-PATENT-APPL-SN-145207
c26 N80-23419 NASA-CASE-MFS-23816-1
US-PATENT-APPL-SN-974292
US-PATENT-CLASS-75-135
US-PATENT-CLASS-75-138
US-PATENT-CLASS-75-178R
US-PATENT-CLASS-148-32
US-PATENT-4,198,232
c27 N80-23452 NASA-CASE-ARC-10980-1
US-PATENT-APPL-SN-694407
US-PATENT-CLASS-204-171
US-PATENT-CLASS-210-23R
US-PATENT-CLASS-210-500M
US-PATENT-CLASS-427-41
US-PATENT-CLASS-427-245
US-PATENT-4,199,448
c27 N80-23454 NASA-CASE-ARC-11310-1
US-PATENT-APPL-SN-147700
c28 N80-23471 NASA-CASE-NPO-14109-1
US-PATENT-APPL-SN-946990
US-PATENT-CLASS-23-300
US-PATENT-CLASS-23-302A
US-PATENT-CLASS-23-302R
US-PATENT-CLASS-23-302T
US-PATENT-CLASS-149-108.4
US-PATENT-4,198,209
c32 N80-23524 NASA-CASE-NPO-14519-1
US-PATENT-APPL-SN-008207
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-895
US-PATENT-4,199,764
c33 N80-23559 NASA-CASE-NPO-13804-1
US-PATENT-APPL-SN-766999
US-PATENT-CLASS-310-319
US-PATENT-CLASS-331-65
US-PATENT-CLASS-340-602
US-PATENT-CLASS-340-604
US-PATENT-4,197,530
c37 N80-23653 NASA-CASE-MSC-16938-1
US-PATENT-APPL-SN-938582
US-PATENT-CLASS-151-41.76
US-PATENT-4,193,435
c37 N80-23654 NASA-CASE-NPO-14473-1
US-PATENT-APPL-SN-938300
US-PATENT-CLASS-137-375
US-PATENT-CLASS-137-625.4
US-PATENT-CLASS-251-86
US-PATENT-CLASS-251-138
US-PATENT-4,195,666
c37 N80-23655 NASA-CASE-GSC-12318-1
US-PATENT-APPL-SN-894213
US-PATENT-CLASS-219-160
US-PATENT-CLASS-219-161
US-PATENT-CLASS-228-44.1R
US-PATENT-CLASS-228-212
US-PATENT-CLASS-228-222
US-PATENT-CLASS-269-287
US-PATENT-4,196,840
c43 N80-23711 NASA-CASE-MFS-23720-1
US-PATENT-APPL-SN-848419
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-82
US-PATENT-4,195,512
c52 N80-23969 NASA-CASE-FRC-11012-1
US-PATENT-APPL-SN-928137
US-PATENT-CLASS-128-666
US-PATENT-CLASS-128-690
US-PATENT-4,198,988
c74 N80-24149 NASA-CASE-GSC-12348-1
US-PATENT-APPL-SN-929088
US-PATENT-CLASS-51-277
US-PATENT-CLASS-51-283R
US-PATENT-CLASS-65-61
US-PATENT-4,198,788

c74 N80-24152 NASA-CASE-NPO-14813-1
US-PATENT-APPL-SN-145282
c09 N80-24334 NASA-CASE-LAR-12441-1
US-PATENT-APPL-SN-145210
c14 N80-24342 NASA-CASE-MFS-23825-1
US-PATENT-APPL-SN-145273
c27 N80-24437 NASA-CASE-LEW-13027-1
US-PATENT-APPL-SN-958575
US-PATENT-CLASS-427-38
US-PATENT-CLASS-427-40
US-PATENT-CLASS-427-164
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-474
US-PATENT-4,199,650
c27 N80-24438 NASA-CASE-MSC-14903-3
US-PATENT-APPL-SN-706424
US-PATENT-APPL-SN-907479
US-PATENT-CLASS-260-DIG.29
US-PATENT-CLASS-525-326
US-PATENT-CLASS-525-336
US-PATENT-CLASS-525-340
US-PATENT-CLASS-525-374
US-PATENT-CLASS-525-375
US-PATENT-CLASS-526-261
US-PATENT-CLASS-526-275
US-PATENT-CLASS-526-276
US-PATENT-CLASS-526-278
US-PATENT-CLASS-528-481
US-PATENT-4,200,721
c27 N80-24440 NASA-CASE-MSC-18382-1
US-PATENT-APPL-SN-145107
c32 N80-24510 NASA-CASE-NPO-14524-1
NASA-CASE-NPO-14527-1
US-PATENT-APPL-SN-957452
US-PATENT-CLASS-350-6.5
US-PATENT-CLASS-350-6.6
US-PATENT-CLASS-350-294
US-PATENT-CLASS-356-28.5
US-PATENT-4,201,468
c32 N80-24511 NASA-CASE-MSC-18606-1
US-PATENT-APPL-SN-145206
c33 N80-24549 NASA-CASE-LAR-12705-1
US-PATENT-APPL-SN-135058
c34 N80-24573 NASA-CASE-LEW-12441-2
US-PATENT-APPL-SN-559846
US-PATENT-APPL-SN-856462
US-PATENT-CLASS-60-267
US-PATENT-CLASS-239-127.1
US-PATENT-4,199,937
c36 N80-24602 NASA-CASE-NPO-15111-1
US-PATENT-APPL-SN-150040
c37 N80-24619 NASA-CASE-LEW-13268-1
US-PATENT-APPL-SN-145209
c44 N80-24741 NASA-CASE-NPO-14635-1
US-PATENT-APPL-SN-008212
US-PATENT-CLASS-136-89SG
US-PATENT-CLASS-156-DIG.64
US-PATENT-CLASS-156-605
US-PATENT-CLASS-156-617SP
US-PATENT-CLASS-252-62.3E
US-PATENT-4,210,622
c44 N80-24747 NASA-CASE-NPO-15071-1
US-PATENT-APPL-SN-150115
c46 N80-24906 NASA-CASE-NPO-14558-1
US-PATENT-APPL-SN-945436
US-PATENT-CLASS-73-155
US-PATENT-4,196,619
c74 N80-25134 NASA-CASE-MFS-23776-1
US-PATENT-APPL-SN-145272
c33 N80-25538 NASA-CASE-NPO-15102-1
US-PATENT-APPL-SN-154726
c37 N80-25660 NASA-CASE-NPO-15115-1
US-PATENT-APPL-SN-154725
c39 N80-25693 NASA-CASE-LAR-12393-1
US-PATENT-APPL-SN-145208
c07 N80-26298 NASA-CASE-ARC-10814-2
US-PATENT-APPL-SN-684045
US-PATENT-APPL-SN-831632
US-PATENT-CLASS-60-39.06
US-PATENT-CLASS-60-733
US-PATENT-CLASS-60-746
US-PATENT-4,204,402
c23 N80-26386 NASA-CASE-ARC-11267-1
US-PATENT-APPL-SN-163839
c24 N80-26388 NASA-CASE-MFS-23626-1
US-PATENT-APPL-SN-941711
US-PATENT-CLASS-156-212
US-PATENT-CLASS-156-213
US-PATENT-CLASS-156-285
US-PATENT-CLASS-260-17.2
US-PATENT-CLASS-264-118
US-PATENT-CLASS-264-119
US-PATENT-CLASS-264-124
US-PATENT-4,204,899
c24 N80-26389 NASA-CASE-LEW-13343-1
US-PATENT-APPL-SN-161254
c25 N80-26406 NASA-CASE-MSC-16394-1
US-PATENT-APPL-SN-161255
c25 N80-26407 NASA-CASE-ARC-11267-2
US-PATENT-APPL-SN-163838
c27 N80-26446 NASA-CASE-MSC-16074-1
US-PATENT-APPL-SN-747674
US-PATENT-CLASS-8-DIG.12
US-PATENT-CLASS-8-DIG.18
US-PATENT-CLASS-8-115.5
US-PATENT-CLASS-204-159.15
US-PATENT-CLASS-204-159.19
US-PATENT-CLASS-525-426
US-PATENT-4,203,723
c27 N80-26447 NASA-CASE-LEW-12876-1
US-PATENT-APPL-SN-161253
c28 N80-26460 NASA-CASE-NPO-14876-1
US-PATENT-APPL-SN-116310
c32 N80-26571 NASA-CASE-LAR-12697-1
US-PATENT-APPL-SN-158183
c33 N80-26599 NASA-CASE-FRC-10113-1
US-PATENT-APPL-SN-885066
US-PATENT-CLASS-324-51
US-PATENT-4,204,154
c33 N80-26601 NASA-CASE-GSC-12555-1
US-PATENT-APPL-SN-153240
c35 N80-26635 NASA-CASE-NPO-14372-1
US-PATENT-APPL-SN-646333
US-PATENT-APPL-SN-956529
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-352
US-PATENT-CLASS-250-353
US-PATENT-CLASS-356-328
US-PATENT-4,205,229
c37 N80-26658 NASA-CASE-LEW-12131-2
US-PATENT-APPL-SN-801290
US-PATENT-APPL-SN-931090
US-PATENT-CLASS-415-174
US-PATENT-CLASS-415-196
US-PATENT-4,135,851
US-PATENT-4,207,024
c37 N80-26659 NASA-CASE-LEW-12995-1
US-PATENT-APPL-SN-157150
c37 N80-26660 NASA-CASE-NPO-15037-1
US-PATENT-APPL-SN-161257
c37 N80-26661 NASA-CASE-NPO-15227-1
US-PATENT-APPL-SN-163840
c47 N80-26992 NASA-CASE-NPO-14936-1
US-PATENT-APPL-SN-163837
c51 N80-27067 NASA-CASE-MSC-16777-1
US-PATENT-APPL-SN-893657
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-204-195B
US-PATENT-CLASS-422-68
US-PATENT-CLASS-435-3
US-PATENT-CLASS-435-32
US-PATENT-CLASS-435-34
US-PATENT-CLASS-435-38
US-PATENT-CLASS-435-39
US-PATENT-CLASS-435-289
US-PATENT-CLASS-435-290
US-PATENT-CLASS-435-291
US-PATENT-CLASS-435-311
US-PATENT-CLASS-435-316
US-PATENT-4,204,037
c52 N80-27072 NASA-CASE-NPO-14212-1
US-PATENT-APPL-SN-838308
US-PATENT-CLASS-33-125B
US-PATENT-CLASS-73-781
US-PATENT-CLASS-128-642
US-PATENT-CLASS-128-774
US-PATENT-CLASS-128-782
US-PATENT-CLASS-338-2
US-PATENT-4,204,544
c52 N80-27073 NASA-CASE-GSC-12560-1
US-PATENT-APPL-SN-153246
c72 N80-27163 NASA-CASE-NPO-14324-1
US-PATENT-APPL-SN-940970
US-PATENT-CLASS-250-427
US-PATENT-CLASS-313-156
US-PATENT-CLASS-313-362
US-PATENT-CLASS-313-363
US-PATENT-4,206,383

c74 N80-27185 NASA-CASE-LAR-12251-1
US-PATENT-APPL-SN-953389
US-PATENT-CLASS-350-175E
US-PATENT-CLASS-350-226
US-PATENT-4,206,970
c02 N80-28300 NASA-CASE-FRC-11024-1
US-PATENT-APPL-SN-015983
US-PATENT-CLASS-73-180
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-861.65
US-PATENT-CLASS-73-861.66
US-PATENT-4,212,199
c26 N80-28492 NASA-CASE-LAR-11821-1
US-PATENT-APPL-SN-023501
US-PATENT-CLASS-148-131
US-PATENT-CLASS-266-119
US-PATENT-CLASS-266-249
US-PATENT-CLASS-266-274
US-PATENT-4,212,690
c28 N80-28536 NASA-CASE-NPO-14477-1
US-PATENT-APPL-SN-951830
US-PATENT-CLASS-149-19.2
US-PATENT-CLASS-149-19.9
US-PATENT-CLASS-149-20
US-PATENT-4,210,474
c32 N80-28578 NASA-CASE-GSC-12365-1
US-PATENT-APPL-SN-039031
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-844
US-PATENT-CLASS-343-854
US-PATENT-4,213,131
c33 N80-28635 NASA-CASE-LAR-12513-1
US-PATENT-APPL-SN-161256
c35 N80-28686 NASA-CASE-LAR-11370-1
US-PATENT-APPL-SN-940689
US-PATENT-CLASS-250-457
US-PATENT-CLASS-250-491
US-PATENT-CLASS-250-513
US-PATENT-4,213,051
c35 N80-28687 NASA-CASE-LAR-12285-1
US-PATENT-APPL-SN-929087
US-PATENT-CLASS-356-244
US-PATENT-CLASS-356-369
US-PATENT-4,210,401
c37 N80-28711 NASA-CASE-LEW-12119-1
US-PATENT-APPL-SN-672219
US-PATENT-CLASS-277-153
US-PATENT-CLASS-277-193
US-PATENT-CLASS-277-224
US-PATENT-4,212,477
c27 N80-29496 NASA-CASE-LEW-13080-1
US-PATENT-APPL-SN-173521
c32 N80-29539 NASA-CASE-LAR-11745-1
US-PATENT-APPL-SN-799025
US-PATENT-CLASS-343-786
US-PATENT-4,089,004
c32 N80-29543 NASA-CASE-MSC-18532-1
US-PATENT-APPL-SN-172099
c33 N80-29583 NASA-CASE-FRC-11055-1
US-PATENT-APPL-SN-172098
c33 N80-29584 NASA-CASE-NPO-14975-1
US-PATENT-APPL-SN-171927
c35 N80-29635 NASA-CASE-GSC-12587-1
US-PATENT-APPL-SN-173524
c37 N80-29703 NASA-CASE-NPO-14406-1
US-PATENT-APPL-SN-951828
US-PATENT-CLASS-83-820
US-PATENT-CLASS-125-21
US-PATENT-4,191,159
c37 N80-29704 NASA-CASE-MFS-23846
US-PATENT-APPL-SN-168944
c37 N80-29705 NASA-CASE-GSC-12636-1
US-PATENT-APPL-SN-173520
c44 N80-29834 NASA-CASE-LAR-11551-1
US-PATENT-APPL-SN-883090
US-PATENT-CLASS-290-53
US-PATENT-CLASS-310-30
US-PATENT-4,191,893
c44 N80-29835 NASA-CASE-NPO-13786-1
US-PATENT-APPL-SN-696374
US-PATENT-CLASS-148-1.5
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-52
US-PATENT-CLASS-357-91
US-PATENT-4,090,213
c44 N80-29843 NASA-CASE-NPO-15183
US-PATENT-APPL-SN-173519
c54 N80-30043 NASA-CASE-ARC-11314-1
US-PATENT-APPL-SN-168943
c60 N80-30050 NASA-CASE-MSC-18498-1
US-PATENT-APPL-SN-173518
c23 N80-31472 NASA-CASE-ARC-11243-2
US-PATENT-APPL-SN-183707
c25 N80-31490 NASA-CASE-ARC-11326-1
US-PATENT-APPL-SN-178192
c27 N80-31551 NASA-CASE-ARC-11321-1
US-PATENT-APPL-SN-175452
c33 N80-31731 NASA-CASE-LAR-12659-1
US-PATENT-APPL-SN-171928
c35 N80-31774 NASA-CASE-LAR-12474-1
US-PATENT-APPL-SN-171934
c37 N80-31790 NASA-CASE-LEW-12274-1
US-PATENT-APPL-SN-950876
US-PATENT-CLASS-60-520
US-PATENT-CLASS-417-383
US-PATENT-4,215,548
c76 N80-32244 NASA-CASE-NPO-14298-1
US-PATENT-APPL-SN-938579
US-PATENT-CLASS-156-DIG.96
US-PATENT-CLASS-422-246
US-PATENT-4,216,186
c76 N80-32245 NASA-CASE-NPO-14295-1
US-PATENT-APPL-SN-901055
US-PATENT-CLASS-156-DIG.64
US-PATENT-CLASS-156-DIG.88
US-PATENT-CLASS-156-601
US-PATENT-CLASS-156-617SP
US-PATENT-4,217,165
c76 N80-32246 NASA-CASE-GSC-12584-1
US-PATENT-APPL-SN-182879
c04 N80-32359 NASA-CASE-NPO-14173-1
US-PATENT-APPL-SN-938581
US-PATENT-CLASS-343-112R
US-PATENT-4,215,345
c07 N80-32392 NASA-CASE-ARC-10977-1
US-PATENT-APPL-SN-023436
US-PATENT-CLASS-60-264
US-PATENT-CLASS-239-127.3
US-PATENT-CLASS-239-265.33
US-PATENT-4,214,703
c07 N80-32393 NASA-CASE-FRC-11062-1
US-PATENT-APPL-SN-185869
c26 N80-32484 NASA-CASE-LEW-12542-3
US-PATENT-APPL-SN-007083
US-PATENT-APPL-SN-803822
US-PATENT-CLASS-75-124
US-PATENT-4,214,902
c27 N80-32514 NASA-CASE-NPO-13137-1
US-PATENT-APPL-SN-332123
US-PATENT-APPL-SN-374810
US-PATENT-CLASS-568-852
US-PATENT-CLASS-568-861
US-PATENT-4,118,427
c27 N80-32515 NASA-CASE-NPO-13899-1
US-PATENT-APPL-SN-761252
US-PATENT-APPL-SN-933186
US-PATENT-CLASS-260-346.3
US-PATENT-4,196,129
c27 N80-32516 NASA-CASE-LEW-13103-1
US-PATENT-APPL-SN-971596
US-PATENT-CLASS-156-272
US-PATENT-CLASS-156-292
US-PATENT-CLASS-204-159.11
US-PATENT-CLASS-204-159.14
US-PATENT-CLASS-264-22
US-PATENT-CLASS-264-212
US-PATENT-CLASS-427-44
US-PATENT-CLASS-428-500
US-PATENT-CLASS-429-139
US-PATENT-4,218,280
c31 N80-32583 NASA-CASE-GSC-12191-1
US-PATENT-APPL-SN-009886
US-PATENT-CLASS-165-16
US-PATENT-CLASS-236-13
US-PATENT-CLASS-236-44C
US-PATENT-CLASS-236-49
US-PATENT-4,210,278
c31 N80-32584 NASA-CASE-NPO-14191-1
US-PATENT-APPL-SN-830846
US-PATENT-CLASS-181-102
US-PATENT-CLASS-367-27
US-PATENT-CLASS-367-36
US-PATENT-CLASS-367-57
US-PATENT-4,214,226
c31 N80-32585 NASA-CASE-MFS-25363-1
US-PATENT-APPL-SN-171933
c32 N80-32604 NASA-CASE-MSC-18334-1
US-PATENT-APPL-SN-051270

US-PATENT-CLASS-343-700MS
US-PATENT-CLASS-343-830
US-PATENT-4,218,682
c32 N80-32605 NASA-CASE-NPO-14253-1
NASA-CASE-NPO-14640-1
US-PATENT-APPL-SN-938293
US-PATENT-CLASS-333-12
US-PATENT-CLASS-333-99S
US-PATENT-CLASS-333-252
US-PATENT-4,215,327
c32 N80-32607 NASA-CASE-NPO-14525-2
US-PATENT-APPL-SN-165910
c33 N80-32650 NASA-CASE-NPO-14424-1
NASA-CASE-NPO-14430-1
US-PATENT-APPL-SN-918534
US-PATENT-CLASS-324-62
US-PATENT-CLASS-324-64
US-PATENT-4,218,650
c33 N80-32651 NASA-CASE-MFS-25211-1
US-PATENT-APPL-SN-168995
c37 N80-32716 NASA-CASE-MFS-23777-1
US-PATENT-APPL-SN-931217
US-PATENT-CLASS-74-425
US-PATENT-CLASS-74-661
US-PATENT-CLASS-74-665C
US-PATENT-CLASS-318-15
US-PATENT-4,215,592
c37 N80-32717 NASA-CASE-GSC-12289-1
US-PATENT-APPL-SN-943086
US-PATENT-CLASS-198-847
US-PATENT-CLASS-198-848
US-PATENT-CLASS-474-205
US-PATENT-4,215,590
c44 N80-32850 NASA-CASE-NPO-15179-1
US-PATENT-APPL-SN-185867
c52 N80-33081 NASA-CASE-ARC-11258-1
US-PATENT-APPL-SN-185865
c72 N80-33186 NASA-CASE-LEW-12940-1
US-PATENT-APPL-SN-953391
US-PATENT-CLASS-313-231.4
US-PATENT-CLASS-313-362
US-PATENT-4,218,633
c74 N80-33210 NASA-CASE-MSC-18255-1
US-PATENT-APPL-SN-025163
US-PATENT-CLASS-250-347
US-PATENT-CLASS-250-352
US-PATENT-CLASS-250-353
US-PATENT-CLASS-350-55
US-PATENT-CLASS-356-72
US-PATENT-4,215,273
c85 N80-33312 NASA-CASE-PBC-11058-1
US-PATENT-APPL-SN-175453
c24 N80-33482 NASA-CASE-LEW-11930-3
US-PATENT-APPL-SN-513611
US-PATENT-APPL-SN-616528
US-PATENT-APPL-SN-764245
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-222
US-PATENT-4,214,905
c33 N80-33679 NASA-CASE-NPO-15066-1
US-PATENT-APPL-SN-191744
c44 N80-33857 NASA-CASE-LEW-12918-1
US-PATENT-APPL-SN-134855
c74 N80-34250 NASA-CASE-NPO-15036-1
US-PATENT-APPL-SN-188160
c74 N80-34251 NASA-CASE-MFS-25312-1
US-PATENT-APPL-SN-187106
c18 N81-12156 NASA-CASE-GSC-12551-1
US-PATENT-APPL-SN-182881
c24 N81-12174 NASA-CASE-LAR-12742-1
US-PATENT-APPL-SN-189234
c26 N81-12211 NASA-CASE-LEW-13339-1
US-PATENT-APPL-SN-199769
c31 N81-12283 NASA-CASE-MFS-25134-1
US-PATENT-APPL-SN-195226
c33 N81-12330 NASA-CASE-MFS-25535-1
US-PATENT-APPL-SN-199765
c33 N81-12331 NASA-CASE-GSC-12595-1
US-PATENT-APPL-SN-206506
c34 N81-12362 NASA-CASE-LAR-12637-1
US-PATENT-APPL-SN-183706
c34 N81-12363 NASA-CASE-LEW-13174-1
US-PATENT-APPL-SN-200634
c35 N81-12386 NASA-CASE-GSC-12614-1
US-PATENT-APPL-SN-195227
c35 N81-12387 NASA-CASE-GSC-12608-1
US-PATENT-APPL-SN-195228
c35 N81-12388 NASA-CASE-LAR-12469-1
US-PATENT-APPL-SN-195223
c35 N81-12389 NASA-CASE-LAR-12363-1
US-PATENT-APPL-SN-191748
c35 N81-12390 NASA-CASE-LAR-12321-1
US-PATENT-APPL-SN-178195
c36 N81-12407 NASA-CASE-GSC-12592-1
US-PATENT-APPL-SN-199766
c37 N81-12422 NASA-CASE-LAR-12361-1
US-PATENT-APPL-SN-182880
c44 N81-12542 NASA-CASE-LEW-12806-2
US-PATENT-APPL-SN-065676
US-PATENT-APPL-SN-915050
US-PATENT-CLASS-136-249
US-PATENT-CLASS-136-291
US-PATENT-CLASS-363-27
US-PATENT-CLASS-363-60
US-PATENT-CLASS-363-147
US-PATENT-4,217,633
c52 N81-12724 NASA-CASE-LAR-12471-1
US-PATENT-APPL-SN-178193
c74 N81-12862 NASA-CASE-KSC-11104-1
US-PATENT-APPL-SN-153245
c24 N81-13999 NASA-CASE-ARC-11174-1
US-PATENT-APPL-SN-929086
US-PATENT-CLASS-260-17.2
US-PATENT-CLASS-428-114
US-PATENT-CLASS-428-528
US-PATENT-CLASS-428-541
US-PATENT-CLASS-428-921
US-PATENT-4,209,561
c24 N81-14000 NASA-CASE-LAR-12065-1
US-PATENT-APPL-SN-889671
US-PATENT-CLASS-156-330
US-PATENT-CLASS-428-113
US-PATENT-CLASS-428-114
US-PATENT-CLASS-428-140
US-PATENT-CLASS-428-413
US-PATENT-CLASS-428-480
US-PATENT-CLASS-428-902
US-PATENT-4,229,473
c25 N81-14015 NASA-CASE-NPO-14143-1
US-PATENT-APPL-SN-938297
US-PATENT-CLASS-250-343
US-PATENT-CLASS-356-437
US-PATENT-4,234,258
c25 N81-14016 NASA-CASE-ARC-11241-1
US-PATENT-APPL-SN-037066
US-PATENT-CLASS-260-33.8F
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-4,234,715
c27 N81-14076 NASA-CASE-NPO-14001-1
US-PATENT-APPL-SN-771245
US-PATENT-CLASS-210-24B
US-PATENT-CLASS-260-2.1E
US-PATENT-CLASS-260-17A
US-PATENT-CLASS-260-856
US-PATENT-CLASS-260-886
US-PATENT-CLASS-260-895
US-PATENT-CLASS-260-898
US-PATENT-CLASS-260-901
US-PATENT-CLASS-260-8900
US-PATENT-CLASS-521-27
US-PATENT-CLASS-521-32
US-PATENT-CLASS-521-62
US-PATENT-4,119,581
c27 N81-14077 NASA-CASE-MSC-12631-3
US-PATENT-APPL-SN-006952
US-PATENT-APPL-SN-568541
US-PATENT-APPL-SN-785279
US-PATENT-CLASS-156-154
US-PATENT-CLASS-156-160
US-PATENT-CLASS-156-163
US-PATENT-CLASS-156-212
US-PATENT-CLASS-156-267
US-PATENT-CLASS-156-295
US-PATENT-CLASS-156-323
US-PATENT-CLASS-156-331
US-PATENT-4,032,089
US-PATENT-4,225,372
c27 N81-14078 NASA-CASE-LAR-12054-2
US-PATENT-APPL-SN-011737
US-PATENT-APPL-SN-839963
US-PATENT-CLASS-264-137
US-PATENT-CLASS-427-385.5
US-PATENT-CLASS-427-429
US-PATENT-CLASS-428-473.5
US-PATENT-4,166,170
US-PATENT-4,233,256

c28 N81-14103 NASA-CASE-LEW-12081-3
US-PATENT-APPL-SN-009887
US-PATENT-APPL-SN-676432
US-PATENT-APPL-SN-837794
US-PATENT-CLASS-44-7R
US-PATENT-CLASS-55-2
US-PATENT-CLASS-62-12
US-PATENT-CLASS-62-18
US-PATENT-CLASS-62-40
US-PATENT-CLASS-62-47
US-PATENT-CLASS-149-1
US-PATENT-CLASS-156-344
US-PATENT-CLASS-423-648R
US-PATENT-4,077,788
US-PATENT-4,193,827
US-PATENT-4,229,196
c31 N81-14137 NASA-CASE-KSC-11064-1
US-PATENT-APPL-SN-897840
US-PATENT-CLASS-169-62
US-PATENT-CLASS-169-70
US-PATENT-4,219,084
c32 N81-14185 NASA-CASE-NPO-14536-1
US-PATENT-APPL-SN-974471
US-PATENT-CLASS-343-100TD
US-PATENT-4,233,606
c32 N81-14186 NASA-CASE-NPO-14749-1
US-PATENT-APPL-SN-078521
US-PATENT-CLASS-375-107
US-PATENT-CLASS-455-51
US-PATENT-CLASS-455-71
US-PATENT-CLASS-455-619
US-PATENT-4,234,971
c32 N81-14187 NASA-CASE-MSC-16800-1
US-PATENT-APPL-SN-953313
US-PATENT-CLASS-343-727
US-PATENT-CLASS-343-789
US-PATENT-CLASS-343-797
US-PATENT-4,218,685
c33 N81-14220 NASA-CASE-NPO-14163-1
US-PATENT-APPL-SN-878541
US-PATENT-CLASS-363-56
US-PATENT-CLASS-363-71
US-PATENT-CLASS-363-78
US-PATENT-4,222,098
c33 N81-14221 NASA-CASE-GSC-12411-1
US-PATENT-APPL-SN-965367
US-PATENT-CLASS-340-309.4
US-PATENT-CLASS-340-310A
US-PATENT-CLASS-340-310R
US-PATENT-CLASS-340-870.24
US-PATENT-CLASS-368-47
US-PATENT-CLASS-370-85
US-PATENT-4,228,422
c35 N81-14287 NASA-CASE-NPO-14513-1
US-PATENT-APPL-SN-025162
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-165-105
US-PATENT-4,218,892
c37 N81-14317 NASA-CASE-MSC-16973-1
US-PATENT-APPL-SN-969756
US-PATENT-CLASS-52-232
US-PATENT-CLASS-52-743
US-PATENT-CLASS-150-11
US-PATENT-CLASS-156-294
US-PATENT-4,235,060
c37 N81-14318 NASA-CASE-NPO-14220-1
US-PATENT-APPL-SN-907421
US-PATENT-CLASS-60-518
US-PATENT-CLASS-74-417
US-PATENT-4,228,656
c37 N81-14319 NASA-CASE-LAR-11855-1
US-PATENT-APPL-SN-953314
US-PATENT-CLASS-82-1.2
US-PATENT-CLASS-82-1C
US-PATENT-CLASS-82-36R
US-PATENT-CLASS-407-85
US-PATENT-CLASS-407-117
US-PATENT-CLASS-408-1R
US-PATENT-4,218,941
c37 N81-14320 NASA-CASE-GSC-12429-1
US-PATENT-APPL-SN-009888
US-PATENT-CLASS-244-161
US-PATENT-CLASS-294-106
US-PATENT-CLASS-414-1
US-PATENT-4,219,171
c44 N81-14389 NASA-CASE-NPO-14416-1
US-PATENT-APPL-SN-014664
US-PATENT-CLASS-29-DIG.1
US-PATENT-CLASS-29-832
US-PATENT-4,219,926
c51 N81-14605 NASA-CASE-ARC-11114-1
US-PATENT-APPL-SN-951422
US-PATENT-CLASS-128-DIG.6
US-PATENT-CLASS-128-DIG.9
US-PATENT-CLASS-128-DIG.12
US-PATENT-CLASS-128-DIG.16
US-PATENT-CLASS-128-DIG.26
US-PATENT-CLASS-128-204.18
US-PATENT-CLASS-128-207.14
US-PATENT-CLASS-128-207.28
US-PATENT-CLASS-128-236
US-PATENT-4,212,297
c52 N81-14612 NASA-CASE-ARC-11117-1
US-PATENT-APPL-SN-003693
US-PATENT-CLASS-128-642
US-PATENT-4,219,027
c52 N81-14613 NASA-CASE-ARC-11118-2
US-PATENT-APPL-SN-850504
US-PATENT-APPL-SN-974476
US-PATENT-CLASS-424-274
US-PATENT-4,230,717
c02 N81-14967 NASA-CASE-KSC-11042-1
US-PATENT-APPL-SN-862878
US-PATENT-CLASS-68-3R
US-PATENT-4,224,810
c02 N81-14968 NASA-CASE-LAR-12326-1
US-PATENT-APPL-SN-019541
US-PATENT-CLASS-102-56R
US-PATENT-CLASS-102-92.1
US-PATENT-CLASS-244-119
US-PATENT-CLASS-244-130
US-PATENT-4,225,102
c07 N81-14999 NASA-CASE-LEW-13201-1
US-PATENT-APPL-SN-038980
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-181-214
US-PATENT-4,220,171
c27 N81-15104 NASA-CASE-NPO-10830-1
US-PATENT-APPL-SN-825489
US-PATENT-CLASS-33.8UB
US-PATENT-CLASS-37R
US-PATENT-CLASS-41R
US-PATENT-CLASS-77.5AC
US-PATENT-CLASS-77.5CR
US-PATENT-CLASS-94.9R
US-PATENT-CLASS-117-6
US-PATENT-CLASS-138.8R
US-PATENT-CLASS-260-33.6UB
US-PATENT-CLASS-859R
US-PATENT-3,655,814
c27 N81-15107 NASA-CASE-LAR-12723-1
US-PATENT-APPL-SN-199768
c28 N81-15119 NASA-CASE-NPO-14110-1
US-PATENT-APPL-SN-947000
US-PATENT-CLASS-23-293R
US-PATENT-CLASS-75-25
US-PATENT-CLASS-149-108.4
US-PATENT-CLASS-252-364
US-PATENT-CLASS-260-96D
US-PATENT-CLASS-423-1
US-PATENT-CLASS-423-131
US-PATENT-CLASS-423-658.5
US-PATENT-CLASS-525-384
US-PATENT-CLASS-526-914
US-PATENT-4,229,182
c31 N81-15154 NASA-CASE-NPO-13758-2
US-PATENT-APPL-SN-623389
US-PATENT-APPL-SN-727444
US-PATENT-CLASS-110-218
US-PATENT-CLASS-110-229
US-PATENT-CLASS-110-232
US-PATENT-CLASS-110-343
US-PATENT-CLASS-110-347
US-PATENT-CLASS-202-118
US-PATENT-CLASS-264-23
US-PATENT-CLASS-425-378R
US-PATENT-4,206,713
c32 N81-15179 NASA-CASE-MSC-18035-1
US-PATENT-APPL-SN-041142
US-PATENT-CLASS-375-1
US-PATENT-CLASS-375-58
US-PATENT-CLASS-375-115
US-PATENT-4,221,005
c33 N81-15192 NASA-CASE-NPO-14444-1
US-PATENT-APPL-SN-017890
US-PATENT-CLASS-332-22
US-PATENT-CLASS-332-23R
US-PATENT-CLASS-375-54

US-PATENT-CLASS-375-67
US-PATENT-CLASS-455-102
US-PATENT-4,216,542
c33 N81-15194 NASA-CASE-NPO-14998-1
US-PATENT-APPL-SN-195547
c33 N81-15195 NASA-CASE-LAR-12772-1
US-PATENT-APPL-SN-199767
c36 N81-15350 NASA-CASE-NPO-14984-1
US-PATENT-APPL-SN-210490
c37 N81-15363 NASA-CASE-MSC-18134-1
US-PATENT-APPL-SN-974472
US-PATENT-CLASS-277-181
US-PATENT-CLASS-277-229
US-PATENT-4,219,203
c37 N81-15364 NASA-CASE-NPO-14170-1
US-PATENT-APPL-SN-860404
US-PATENT-CLASS-188-134
US-PATENT-CLASS-188-180
US-PATENT-CLASS-188-184
US-PATENT-CLASS-244-173
US-PATENT-4,219,107
c54 N81-15699 NASA-CASE-MSC-18929-1
US-PATENT-APPL-SN-198093
c60 N81-15706 NASA-CASE-NPO-14162-1
NASA-CASE-NPO-14167-1
NASA-CASE-NPO-14169-1
US-PATENT-APPL-SN-893903
US-PATENT-CLASS-307-219
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-307-269
US-PATENT-CLASS-307-291
US-PATENT-CLASS-328-48
US-PATENT-CLASS-328-71
US-PATENT-CLASS-328-192
US-PATENT-4,213,064
c71 N81-15767 NASA-CASE-MFS-25050-1
US-PATENT-APPL-SN-057466
US-PATENT-CLASS-73-505
US-PATENT-CLASS-308-10
US-PATENT-4,218,921
c74 N81-15818 NASA-CASE-MSC-18627-1
US-PATENT-APPL-SN-186881
c16 N81-16110 NASA-CASE-MSC-18741-1
US-PATENT-APPL-SN-217336
c24 N81-16127 NASA-CASE-MSC-18223-1
US-PATENT-APPL-SN-219681
c24 N81-16128 NASA-CASE-LAR-12065-2
US-PATENT-APPL-SN-119337
c25 N81-16174 NASA-CASE-NPO-15250-1
US-PATENT-APPL-SN-219639
c26 N81-16209 NASA-CASE-LEW-23169-2
US-PATENT-APPL-SN-191746
c27 N81-16238 NASA-CASE-MFS-25181-1
US-PATENT-APPL-SN-218585
c31 N81-16327 NASA-CASE-LEW-13120-1
US-PATENT-APPL-SN-218587
c31 N81-16328 NASA-CASE-NPO-14845-1
US-PATENT-APPL-SN-219680
c31 N81-16329 NASA-CASE-LEW-12941-1
US-PATENT-APPL-SN-210632
c32 N81-16338 NASA-CASE-MSC-16170-2
US-PATENT-APPL-SN-147695
c33 N81-16384 NASA-CASE-LEW-13429-1
US-PATENT-APPL-SN-220212
c33 N81-16385 NASA-CASE-NPO-15269-1
US-PATENT-APPL-SN-220214
c33 N81-16386 NASA-CASE-NPO-15094-1
US-PATENT-APPL-SN-225500
c35 N81-16427 NASA-CASE-MFS-25305-1
US-PATENT-APPL-SN-214360
c37 N81-16468 NASA-CASE-MSC-16934-2
US-PATENT-APPL-SN-185868
c37 N81-16469 NASA-CASE-GSC-12582-1
US-PATENT-APPL-SN-220213
c37 N81-16470 NASA-CASE-GSC-12619-1
US-PATENT-APPL-SN-225499
c44 N81-16528 NASA-CASE-LEW-13400-1
US-PATENT-APPL-SN-219677
c44 N81-16529 NASA-CASE-LEW-13401-1
US-PATENT-APPL-SN-219678
c44 N81-16530 NASA-CASE-HQN-10949-1
US-PATENT-APPL-SN-191747
c47 N81-16677 NASA-CASE-NPO-15351-1
US-PATENT-APPL-SN-224231
c74 N81-16882 NASA-CASE-ARC-11311-1
US-PATENT-APPL-SN-219640
c06 N81-17057 NASA-CASE-FRC-11029-1
US-PATENT-APPL-SN-164617
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-178R
US-PATENT-4,240,290
c24 N81-17170 NASA-CASE-LEW-12493-1
US-PATENT-APPL-SN-893857
US-PATENT-CLASS-156-292
US-PATENT-CLASS-228-118
US-PATENT-CLASS-228-170
US-PATENT-CLASS-228-174
US-PATENT-CLASS-228-190
US-PATENT-4,211,354
c25 N81-17187 NASA-CASE-NPO-13530-1
US-PATENT-CLASS-210-500M
US-PATENT-CLASS-260-2.1
US-PATENT-CLASS-260-2.2R
US-PATENT-4,014,798
c27 N81-17259 NASA-CASE-ARC-11248-1
US-PATENT-APPL-SN-028300
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-CLASS-528-423
US-PATENT-4,242,498
c27 N81-17260 NASA-CASE-LEW-13226-1
US-PATENT-APPL-SN-070771
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-260-326N
US-PATENT-CLASS-260-326S
US-PATENT-CLASS-528-118
US-PATENT-CLASS-528-322
US-PATENT-CLASS-538-117
US-PATENT-4,244,857
c27 N81-17261 NASA-CASE-NPO-14315-1
US-PATENT-APPL-SN-900659
US-PATENT-CLASS-44-50
US-PATENT-CLASS-44-62
US-PATENT-CLASS-201-8
US-PATENT-CLASS-201-10
US-PATENT-CLASS-201-25
US-PATENT-4,246,001
c27 N81-17262 NASA-CASE-ARC-11253-1
US-PATENT-APPL-SN-028301
US-PATENT-CLASS-528-310
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-4,245,085
c33 N81-17348 NASA-CASE-MFS-23845-1
US-PATENT-APPL-SN-938298
US-PATENT-CLASS-307-233R
US-PATENT-CLASS-307-306
US-PATENT-CLASS-333-204
US-PATENT-4,227,096
c33 N81-17349 NASA-CASE-MSC-16747-1
US-PATENT-APPL-SN-974475
US-PATENT-CLASS-328-37
US-PATENT-CLASS-328-55
US-PATENT-CLASS-328-134
US-PATENT-CLASS-331-48
US-PATENT-4,241,308
c37 N81-17432 NASA-CASE-NPO-14388-1
US-PATENT-APPL-SN-008208
US-PATENT-CLASS-60-518
US-PATENT-CLASS-74-417
US-PATENT-4,240,256
c37 N81-17433 NASA-CASE-ARC-11251-1
US-PATENT-APPL-SN-057465
US-PATENT-CLASS-128-DIG.20
US-PATENT-CLASS-137-549
US-PATENT-CLASS-137-886
US-PATENT-CLASS-137-887
US-PATENT-CLASS-251-216
US-PATENT-CLASS-251-339
US-PATENT-4,239,057
c43 N81-17499 NASA-CASE-FRC-11013-1
US-PATENT-APPL-SN-043912
US-PATENT-CLASS-244-49
US-PATENT-CLASS-244-160
US-PATENT-4,240,601
c44 N81-17518 NASA-CASE-NPO-14619-1
US-PATENT-APPL-SN-027559
US-PATENT-CLASS-60-524
US-PATENT-CLASS-60-641
US-PATENT-CLASS-126-419
US-PATENT-4,236,383
c74 N81-17886 NASA-CASE-NPO-14219-1
US-PATENT-APPL-SN-888432
US-PATENT-CLASS-350-301
US-PATENT-CLASS-354-118
US-PATENT-CLASS-362-11

US-PATENT-CLASS-362-241
US-PATENT-4,213,684
c74 N81-17887 NASA-CASE-NPO-14657-1
US-PATENT-APPL-SN-008211
US-PATENT-CLASS-73-15R
US-PATENT-CLASS-356-432
US-PATENT-4,243,327
c74 N81-17888 NASA-CASE-NPO-14502-1
US-PATENT-APPL-SN-965368
US-PATENT-CLASS-356-345
US-PATENT-CLASS-356-352
US-PATENT-CLASS-356-358
US-PATENT-4,243,323
c02 N81-19016 NASA-CASE-LAR-12750-1
US-PATENT-APPL-SN-210491
c05 N81-19087 NASA-CASE-LAR-11797-1
US-PATENT-APPL-SN-969755
US-PATENT-CLASS-74-519
US-PATENT-CLASS-244-17.25
US-PATENT-CLASS-416-114
US-PATENT-CLASS-416-500
US-PATENT-4,245,956
c07 N81-19115 NASA-CASE-LEW-12907-2
US-PATENT-APPL-SN-752050
US-PATENT-APPL-SN-909235
US-PATENT-CLASS-60-39.24
US-PATENT-CLASS-364-106
US-PATENT-CLASS-364-431
US-PATENT-4,249,238
c07 N81-19116 NASA-CASE-LEW-12594-2
US-PATENT-APPL-SN-741056
US-PATENT-APPL-SN-909608
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-236
US-PATENT-CLASS-60-238
US-PATENT-CLASS-60-239
US-PATENT-4,242,864
c08 N81-19130 NASA-CASE-LAR-11970-2
US-PATENT-APPL-SN-034104
US-PATENT-APPL-SN-727503
US-PATENT-CLASS-244-12.5
US-PATENT-CLASS-244-52
US-PATENT-CLASS-244-87
US-PATENT-4,236,684
c24 N81-19230 NASA-CASE-NPO-15057-1
US-PATENT-APPL-SN-235867
c25 N81-19242 NASA-CASE-MFS-25000-1
US-PATENT-APPL-SN-974474
US-PATENT-CLASS-260-29.6RB
US-PATENT-CLASS-526-88
US-PATENT-CLASS-526-201
US-PATENT-4,247,434
c25 N81-19244 NASA-CASE-NPO-13309-1
US-PATENT-APPL-SN-363130
US-PATENT-CLASS-210-24
US-PATENT-CLASS-260-2.1E
US-PATENT-CLASS-260-2.2R
US-PATENT-CLASS-264-41
US-PATENT-3,944,485
c25 N81-19245 NASA-CASE-LEW-12590-1
US-PATENT-APPL-SN-229693
c27 N81-19296 NASA-CASE-LEW-12933-1
US-PATENT-APPL-SN-027557
US-PATENT-CLASS-260-33.4R
US-PATENT-CLASS-427-221
US-PATENT-CLASS-427-379
US-PATENT-CLASS-528-353
US-PATENT-4,244,853
c31 N81-19343 NASA-CASE-GSC-12513-1
US-PATENT-APPL-SN-053571
US-PATENT-CLASS-49-171
US-PATENT-CLASS-109-49.5
US-PATENT-CLASS-109-58.5
US-PATENT-CLASS-220-82R
US-PATENT-CLASS-220-89A
US-PATENT-4,254,566
c31 N81-19344 NASA-CASE-NPO-15251-1
NASA-CASE-NPO-15254-1
US-PATENT-APPL-SN-229239
c33 N81-19389 NASA-CASE-NPO-14297-1
US-PATENT-APPL-SN-938299
US-PATENT-CLASS-156-DIG.96
US-PATENT-CLASS-156-608
US-PATENT-CLASS-219-10.49R
US-PATENT-CLASS-219-10.67
US-PATENT-CLASS-422-246
US-PATENT-CLASS-422-249
US-PATENT-CLASS-432-264
US-PATENT-4,242,553
c33 N81-19392 NASA-CASE-GSC-12360-1
US-PATENT-APPL-SN-041164
US-PATENT-CLASS-363-21
US-PATENT-CLASS-363-101
US-PATENT-4,245,286
c33 N81-19393 NASA-CASE-NPO-14505-1
US-PATENT-APPL-SN-956166
US-PATENT-CLASS-363-21
US-PATENT-CLASS-363-36
US-PATENT-CLASS-363-40
US-PATENT-CLASS-363-47
US-PATENT-4,245,28E
c33 N81-19394 NASA-CASE-MFS-23981-1
US-PATENT-APPL-SN-231543
c35 N81-19426 NASA-CASE-MFS-23923-1
US-PATENT-APPL-SN-053569
US-PATENT-CLASS-73-190R
US-PATENT-4,248,083
c35 N81-19427 NASA-CASE-MSC-16370-1
US-PATENT-APPL-SN-061556
US-PATENT-CLASS-329-50
US-PATENT-CLASS-329-107
US-PATENT-CLASS-375-1
US-PATENT-CLASS-375-34
US-PATENT-CLASS-375-99
US-PATENT-CLASS-375-104
US-PATENT-4,241,312
c35 N81-19428 NASA-CASE-LAR-12706-1
US-PATENT-APPL-SN-210498
c35 N81-19429 NASA-CASE-LAR-12602-1
US-PATENT-APPL-SN-210506
c35 N81-19430 NASA-CASE-ARC-11317-1
US-PATENT-APPL-SN-229231
c36 N81-19439 NASA-CASE-ARC-11312-1
US-PATENT-APPL-SN-234244
c36 N81-19440 NASA-CASE-MFS-25315-1
US-PATENT-APPL-SN-224232
c37 N81-19455 NASA-CASE-LEW-12982-1
US-PATENT-APPL-SN-929084
US-PATENT-CLASS-204-192E
US-PATENT-CLASS-228-116
US-PATENT-CLASS-228-205
US-PATENT-4,245,76E
c37 N81-19457 NASA-CASE-NPO-15205-1
US-PATENT-APPL-SN-233271
c44 N81-19558 NASA-CASE-NPO-14670-1
US-PATENT-APPL-SN-043941
US-PATENT-CLASS-136-258
US-PATENT-CLASS-252-62.3E
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-59
US-PATENT-CLASS-357-63
US-PATENT-4,249,957
c44 N81-19561 NASA-CASE-LEW-12443-1
US-PATENT-APPL-SN-235797
c74 N81-19896 NASA-CASE-NPO-11337-1
NASA-CASE-NPO-11575-1
US-PATENT-APPL-SN-090584
US-PATENT-APPL-SN-276599
US-PATENT-CLASS-340-146.3B
US-PATENT-CLASS-340-146.3S
US-PATENT-CLASS-340-146.3Y
US-PATENT-3,845,466
c74 N81-19898 NASA-CASE-NPO-12087-1
US-PATENT-APPL-SN-095217
US-PATENT-CLASS-250-83.6R
US-PATENT-3,704,284
c74 N81-19899 NASA-CASE-NPO-15226-1
US-PATENT-APPL-SN-233274
c76 N81-19944 NASA-CASE-NPO-14831-1
US-PATENT-APPL-SN-233269
c33 N81-20352 NASA-CASE-NPO-13970-1
US-PATENT-APPL-SN-023484
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-254
US-PATENT-CLASS-318-439
US-PATENT-4,249,116
c52 N81-20703 NASA-CASE-NPO-14329-1
US-PATENT-APPL-SN-044432
US-PATENT-CLASS-73-141A
US-PATENT-CLASS-128-642
US-PATENT-CLASS-128-774
US-PATENT-4,249,417
c04 N81-21047 NASA-CASE-ARC-11257-1
US-PATENT-APPL-SN-078611
US-PATENT-CLASS-73-178R
US-PATENT-CLASS-73-490
US-PATENT-CLASS-73-504
US-PATENT-4,244,215

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.
NASA SP-7039(19)		

4. Title and Subtitle	5. Report Date
NASA PATENT ABSTRACTS BIBLIOGRAPHY A Continuing Bibliography (Supplement 19)	July 1981
	6. Performing Organization Code
7. Author(s)	8. Performing Organization Report No.
	10. Work Unit No.
9. Performing Organization Name and Address	
National Aeronautics and Space Administration Washington, D.C. 20546	11. Contract or Grant No.
	13. Type of Report and Period Covered
12. Sponsoring Agency Name and Address	
	14. Sponsoring Agency Code

15. Supplementary Notes

Section 2: Indexes

16. Abstract

This bibliography is issued in two sections: Section 1 - Abstracts, Section 2 - Indexes. This issue of the Index Section contains entries for approximately 4000 patent and applications for patent citations covering the period May 1969 through July 1981. The Index Section contains five indexes: subject, inventor, source, number, and accession number.

17. Key Words (Suggested by Author(s))	18. Distribution Statement
Bibliographies Inventions NASA Programs Patents	Unclassified - Unlimited

19. Security Classif. (of this report)	20. Security Classif. (of this page)	21. No. of Pages	22. Price*
Unclassified	Unclassified	742	$12.50 HC

*For sale by the National Technical Information Service, Springfield, Virginia 22161

*U.S. GOVERNMENT PRINTING OFFICE: 1981--735-006/14--1-3

PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC

NASA distributes its technical documents and bibliographic tools to eleven special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

CALIFORNIA
University of California, Berkeley

COLORADO
University of Colorado, Boulder

DISTRICT OF COLUMBIA
Library of Congress

GEORGIA
Georgia Institute of Technology, Atlanta

ILLINOIS
The John Crerar Library, Chicago

MASSACHUSETTS
Massachusetts Institute of Technology, Cambridge

MISSOURI
Linda Hall Library, Kansas City

NEW YORK
Columbia University, New York

OKLAHOMA
University of Oklahoma, Bizzell Library

PENNSYLVANIA
Carnegie Library of Pittsburgh

WASHINGTON
University of Washington, Seattle

NASA publications (those indicated by an "*" following the accession number) are also received by the following public and free libraries:

CALIFORNIA
Los Angeles Public Library
San Diego Public Library

COLORADO
Denver Public Library

CONNECTICUT
Hartford Public Library

MARYLAND
Enoch Pratt Free Library, Baltimore

MASSACHUSETTS
Boston Public Library

MICHIGAN
Detroit Public Library

MINNESOTA
Minneapolis Public Library and Information Center

NEW JERSEY
Trenton Public Library

NEW YORK
Brooklyn Public Library
Buffalo and Erie County Public Library
Rochester Public Library
New York Public Library

OHIO
Akron Public Library
Cincinnati and Hamilton County Public Library
Cleveland Public Library
Dayton Public Library
Toledo and Lucas County Public Library

TEXAS
Dallas Public Library
Fort Worth Public Library

WASHINGTON
Seattle Public Library

WISCONSIN
Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, New York 10019.

EUROPEAN

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy of microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "#" and "*", from: ESA - Information Retrieval Service, European Space Agency, 8-10 rue Mario-Nikis, 75738 Paris CEDEX 15, France.

NATIONAL AERONAUTICS AND SPACE
WASHINGT
OFFICIA
PENALTY FOR

NASA
National Aeronautics and
Space Administration
Washington, D.C.
20546

SPECIAL FOURTH CLASS MAIL
BOOK

Postage and Fees Paid
National Aeronautics and
Space Administration
NASA-451

Official Business
Penalty for Private Use $300

U.S.MAIL

U.S.MAIL

9 1 SP-7039, 092881 S90569AU 850609
NASA
SCIEN & TECH INFO FACILITY
ATTN: ACCESSIONING DEPT
P O BOX 8757 BWI ARPRT
BALTIMORE MD 21240

(Section 158
Do Not Return

NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent	Semiannually
NASA SP-7041	EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft	Quarterly
NASA SP-7043	ENERGY Energy sources, solar energy, energy conversion, transport, and storage	Quarterly
NASA SP-7500	MANAGEMENT Program, contract, and personnel management, and management techniques	Annually

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION BRANCH

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Washington, D.C. 20546

GPO 944-370